

THE UNIVERSITY
OF ILLINOIS
LIBRARY

634

F76c

W. Miller

The person charging this material is responsible for its return to the library from which it was withdrawn on or before the **Latest Date** stamped below.

Theft, mutilation, and underlining of books are reasons for disciplinary action and may result in dismissal from the University.

To renew call Telephone Center, 333-8400

UNIVERSITY OF ILLINOIS LIBRARY AT URBANA-CHAMPAIGN

NOV 07 1984

OCT 15 1984

MAR 07 2006



Digitized by the Internet Archive
in 2017 with funding from
University of Illinois Urbana-Champaign Alternates



Telegraphic Address: "BARR, COVENT GARDEN, LONDON"


*Foreign
Seed
Catalogue*

1902

BARR'S

SEED

GUIDE



BARR & SONS

11, 12 & 13 King Street

COVENT GARDEN, LONDON

NURSERIES at LONG DITTON, SURREY (Surbiton Station, S.W.R.)

Entered at Stationers' Hall

[All rights strictly reserved]

Barr's Pure Lawn Grass Seeds

Produce Beautiful Smooth Lawns, Tennis Courts, Cricket and Croquet Grounds, Bowling Greens, Public Parks, Pleasure Grounds, etc.

The following Mixtures of Grass Seeds are all thoroughly cleaned, and cannot fail to give the greatest satisfaction. There are neither Clover nor coarse Grasses in "Our Mixture of Grasses." The seed is sold by weight, being the only correct method of estimating quantity needed for a given space.

To ensure a fine lawn free from weeds and coarse grasses, care should be taken to have the soil free from seeds of objectionable plants, and the grass seeds used should consist solely of fine-leaved, dwarf-growing grasses.

In sowing grass seeds always take advantage of rainy or damp weather, and after sowing, give a slight covering of clean and finely riddled soil; this, followed by rolling when the soil is sufficiently dry, will ensure a successful vegetation. After this frequent cutting and constant rolling will be necessary to have a fine smooth lawn. Leaflet on the Management of Lawns, free on application.

Sow from beginning of April to the end of September, always taking advantage of suitable weather.

Barr's New Mixture of Dwarf Evergreen Grasses for producing an Extra Fine Smooth Lawn, a special mixture of the finest-leaved and dwarfest-growing perennial grasses, which from their fine, close, slow habit of growth and pleasing colour are best suited for forming lawns of the shortest and finest herbage, and thus greatly economising labour in mowing. Sow 80 lb. per acre, or 8 oz. per rod (30½ square yards), if the ground is required to be covered quickly; and for renovating bald patches or where the grass is thin or poor, especially after a summer's hard wear and under trees, sow 20 to 30 lb. per acre. Per lb. 2s.; per 10 lb. 19s. 6d.; per 20 lb. 38s.

Barr's "Standard" Evergreen Grass Seeds for Garden Lawns, Tennis Courts, etc. This mixture is composed principally of the fine-leaved dwarf-growing grasses, all the seeds being highly cleaned and of pure and genuine quality. Sow 70 lb. per acre, or 7 oz. per rod (30½ square yards), if the ground is to be covered quickly; and for renovating bald patches or where the grass is thin or poor, especially after a summer's hard wear and under trees, sow 20 to 30 lb. per acre. Per lb. 1s. 6d.; per 10 lb. 14s.; per 20 lb. 28s.

Barr's "Thames Embankment" Evergreen Grass Seeds for Parks, Golf Links, Cricket-Grounds and Bowling-Greens, a special mixture, which has been found very successful on the Thames Embankment, and in the formation and renovation of many public and private parks and squares around London and throughout the country. Sow 60 lb. per acre, or 6 oz. per rod (30½ square yards), if the ground is required to be covered quickly; and for renovating bald patches or where the grass is thin or poor, especially after a summer's hard wear and under trees, sow 20 to 30 lb. per acre. Per lb. 1s. 3d.; per 10 lb. 12s.; per 20 lb. 23s.

Barr's Special Mixture of Evergreen Grasses for sowing under Trees. This mixture contains a careful selection of those grasses most suitable for sowing under trees or in shady places. Sow 80 lb. per acre or 8 oz. per rod (30½ square yards), if the ground is required to be covered quickly; and for renovating bald patches or where the grass is thin, sow 20 to 30 lb. per acre. Per lb. 2s. 3d.; per 10 lb. 21s.

Dutch Clover, Finest White. No Clover is included in the above mixtures of Grasses, as we consider a lawn should consist of Grass alone. If Clover is desired, however, it may be added to the Grass Seeds at the rate of 3 to 5 lb. per acre; but it is preferable to sow the Clover separately from the Grass Seed. Per lb. 1s. 6d.

Permanent Pasture Grasses and Clovers in Mixture (Specially Cleaned).

Seeds of Suitable Species for laying down Heavy, Medium, or Light Soils to Permanent Pasture or Meadow. Price per acre 28s. to 36s.

Watson's Lawn Sand or Weed Destroyer.

The only original Lawn Sand (Improved).

WATSON'S LAWN SAND is the best Weed Killer for use on Lawns (4 oz. to the square yard). This preparation has the remarkable property of destroying Daisies outright with the first application. Other Weeds having tap-roots, such as Plantains, Dandelions, etc., often require a second application; with these weeds it is advisable to cut off the heads close to the ground and apply a pinch of sand to the headless stumps; this makes their extermination certain. It also acts as a manure and improves the Grass, enriching the colour and thickening the sward.

Watson's Lawn Sand may be applied at any time except during winter, but the early spring months are most recommended, as it then not only destroys the Seedling Weeds, but, by invigorating the grass, prevents, to some extent, the burning up during hot dry weather. The "Lawn Sand" is clean, easy of application, and inodorous. Circular with full directions on application. Sample Canisters, 1s., 2s. 6d., and 5s. 6d.; per ½ cwt., 9s. 6d.; 1 cwt., 18s.; 1 cwt., 34s.

Phytobroma

Barr's New Lawn Manure.

For the Improvement of Lawns, Tennis Courts, Cricket and Croquet Grounds, Bowling Greens, etc., Phytobroma is strongly recommended, its use soon producing a thicker growth and richer colour.

DIRECTIONS FOR USE.—PHYTOBROMA is best applied in its dry Powder state. Scatter it evenly over the surface at the rate of 3 ounces per square yard, after a shower and while the ground is damp. A dressing of Phytobroma should be applied to Lawns, etc., in Spring, and again in Autumn.

2-lb. tin, 1s.; 7-lb., 2s. 6d.; 14-lb., 4s. 6d.; 28-lb., 7s. 6d.; 56-lb., 12s. 6d.; 1 cwt., 20s. Prepaid Orders for 28 lbs. and upwards sent Carriage Paid to any station in Great Britain or to any port on the Irish Coast.

BARR & SONS, 11, 12 & 13 King Street, Covent Garden, London.

General Index.

VEGETABLE SEEDS.

Barr's Famous Collections for one year's supply ... (See below)	PAGE 1
Descriptive List of all the best Vegetables , alphabetically arranged for easy reference	2
Agricultural Seeds	21
Culinary Roots and Plants	21
Barr's Pure Grass Seed for Lawns, Cricket Grounds, etc. See opposite page	

FLOWER SEEDS.

Short Cultural Notes on raising Flower Seeds	22
Barr's Novelties and Specialities in Flower Seeds for 1902 ...	23
Barr's Famous Collections of the best Flower Seeds	35
Descriptive List of the best Flower Seeds , alphabetically arranged for easy reference	36
Seeds of the best Climbers and Twiners	92
Cheap Showy Flower Seeds by Weight	98

GARDEN REQUISITES: Bouquet Wire, Flower Sticks, Knives, Labels, Mats, Raphia, Syringes, Watering Cans, Garden Tools, Lawn Mowers, Insecticides, Weed Destroyer, Fumigators, Manures, Soils, etc.	101
BEST BOOKS on Gardening , a select List	111
SPECIAL NOTICES, Terms of Business , and Memoranda respecting Foreign Orders	113

BARR'S Collections of Vegetable Seeds.

Sent Carriage Paid, Box and Packing free, on receipt of remittance.

These Collections of Vegetable Seeds are judiciously and liberally selected, and will be found suitable to gardens of various sizes; the seeds sent are all of the best approved varieties, and will give a succession of vegetables from January to December.

		£	s.	d.
A	Collection of Vegetable Seeds suitable for a large Garden	5	5	0
B	" " " " " "	3	3	0
C	Collection of Vegetable Seeds suitable for a Garden of moderate size	2	2	0
D	Collection of Vegetable Seeds suitable for a Garden of moderate size	1	11	6
E	Collection of Vegetable Seeds suitable for an ordinary villa Garden	1	1	0
F	Collection of Vegetable Seeds suitable for a small Garden	0	12	6
G	Collection of Vegetable Seeds suitable for a Cottager's Garden 5s. 6d. and	0	7	6

"PRIZE WINNING."

H	Barr's Collection of Vegetable Seeds for Exhibition. A very careful Selection of highest-class Vegetables, which may be grown with confidence for Competition	0	10	6
----------	--	---	----	---

Full particulars of the above Collections can be had on application.

BARR'S

Select List of Vegetable Seeds.

ALPHABETICALLY ARRANGED FOR EASY REFERENCE.

In offering the following Vegetable Seeds to our customers, we would mention that the selection is the result of a series of careful trials made at our Nurseries at Long Ditton, Surrey, and in each class we have described only those sorts which we have found to be in every way satisfactory and sure to please buyers. Where old varieties have been superseded by improved sorts we offer only the improved strains, but as the memory often clings to an old name, we are prepared to supply the older kinds if required. Buyers may rely on receiving all seeds of the finest strain only, and of reliable growth.

We carefully test the growth of all our seeds under glass, and also prove their purity at our trial grounds.

CULTURAL DIRECTIONS ARE PRINTED ON EACH PARCEL OF SEED.

FOR LIBERAL COLLECTIONS OF VEGETABLE SEEDS FOR GARDENS OF ALL SIZES, *see page 1.*

ARTICHOKES.

- Globe Artichoke**, the young immature heads boiled as an ordinary vegetable are a great delicacy; the mature heads are boiled till tender, and the fleshy lower part of the scales eaten hot or cold, with a relish of vinegar, pepper, salt, and oil. Sow seed in March in a gentle bottom heat
seed, per pkt., 6d. & 1s.; plants, per doz. 10 6
- Jerusalem Artichoke, Barr's New Silver-skinned**, superior to the old pink-skinned variety, with fewer eyes and of better shape. Boiled and served up with white sauce, a delicious vegetable; grated and used in soups the tubers impart a delicate flavour *tubers, per 14 lb.* 2 6
- Chinese Artichoke** (*Stachys tuberifera*); this new Artichoke surpasses all other tuberous-rooted vegetables in delicacy of flavour. Plant in rows 1 foot apart and 6 to 9 inches in the row. The roots are ready for use in October, and may be dug up as wanted, or lifted and stored in sand or earth away from frost, but in a cool place. They are boiled, steamed, or roasted, and served dry or with melted butter; for a delicacy fry with salad oil... **Tubers, 14 lb. for 14s.; 7 lb. for 7s. 6d.; per lb.** 1 3

ASPARAGUS.

In making new Asparagus beds the seed is sown in March or April thinly in rows 15 inches apart, and thinned out to 4 inches apart in the row; or beds may be made in April, with plants, one, two, or three years old.

- Barr's New White**, a splendid new variety, producing fine light-coloured heads of delicate flavour
seed, per oz. 0 6
- Barr's New Mammoth**, a splendid variety, producing larger heads than **Conover's Colossal**, of light colour, tender and delicious, very early *seed, per pkt.* 0 6
- Barr's Green Canadian**, of superior quality, productiveness, and evenness of growth, with fine pea-green-coloured shoots *seed, per oz.* 0 6
- Mortlake Giant**, a strong grower, producing freely large heads of finest quality; an excellent forcer
Roots, 1-year-old, per 100, 6s. 6d.; 2-year-old, per 100 8 6
Roots, 1-year-old, per 100, 4s. 6d.; 2-year-old, per 100, 6s. 6d.; 3-year-old, per 100 8 6
Specially Strong Forcing Roots, per 100 21 0
- Conover's American Colossal (Early Purple Argenteuil)**, a large American variety
seed, per oz. 0 4
Roots, 1-year-old, per 100, 3s. 6d.; 2-year-old, per 100, 5s. 6d.; 3-year-old, per 100 7 6
- Late Giant Purple Argenteuil**, heads often 3½ inches in diameter, the finest in Covent Garden Market *per oz.* 0 6
Roots, 2-year-old, per 100, 7s. 6d.; 4-year-old, per 100 9 6

AUBERGINE (Egg-Plant).

A delicious vegetable cut up and fried in oil or used in stews and soups. Besides its use as a vegetable it is a very ornamental plant when in fruit.

- Barr's Extra Early Long Purple**, one of the most suitable for our climate, being much earlier than other varieties, and having long handsome fruit of a shining blackish purple..... *per pkt. 6d. &* 1 0
- Extra Early Dwarf Purple**, the earliest of all, with purple oval-shaped fruit 3 to 4 in. long; being of dwarf growth it is admirably suited for frame culture *per pkt. 6d. &* 1 0

Barbe de Capucin. *See Chicory.*

BROAD BEANS.—The Best Kinds.

An occasional dusting of our Anti-Blight Powder (*see page 108*) will keep the fly from settling on the plants, and thus preserve the crop from this pest.

	quart	s. d.
BARR'S MONSTROUS SPANISH LONG POD ; this grand "Broad Bean" is the earliest, best flavoured, longest and largest podded, and most productive. Those who do not care for the ordinary "Broad Beans" will find this delicately flavoured variety very acceptable	2	6
Barr's Improved Large White Windsor { Very superior selections of Windsor }	1	3
Barr's Improved Large Green Windsor { Beans, pods large and well filled }	2	0
Barr's Selected Early Long Pod , early and very prolific.....	0	8
Mammoth New Green Long Pod , a grand variety, bearing an abundance of very large broad pods, and of superior flavour and cooking qualities	1	9
Taylor's Large Windsor , a favourite old sort.....	0	10

DWARF FRENCH KIDNEY BEANS.

The Finest Kinds.

Amongst Dwarf Beans the "**Butter Bean**" is noteworthy. The pods, having no membranous inside lining, are boiled whole, and served thus at the table are a great delicacy. We can strongly recommend them.



DWARF FRENCH BEAN.

	quart	s. d.
BARR'S GOLDEN WAX POD DWARF BUTTER BEAN , a remarkably handsome variety, with fleshy <i>pale yellow</i> pods running to 8 inches long, <i>very delicate in flavour</i> when boiled, a marvellous cropper and early bearer, ht. 15 in. per pint, 1s. 3d.	2	0
BARR'S "MONSTER" NEGRO MAMMOTH LONG POD , the pods 7 to 8 inches long, and very fleshy, an abundant bearer, early, ht. 15 in.	1	9
BARR'S GREEN HARICOT , highly recommended for its delicate flavour; it is a remarkably heavy cropper, and remains in condition a long time; those who use Haricots in winter should harvest this seed, which is of a beautiful <i>sea-green</i> colour when cooked, ht. 1 ft. per pint, 1s. 6d.	2	9
CANADIAN WONDER, IMPROVED , a <i>fine selection</i> , remarkably productive, with very long handsome fleshy pods, which boil tender and have a delicate flavour, ht. 1½ ft.	1	9
MAGNUM BONUM , a valuable variety, bearing a great crop of very long handsome pods, of excellent cooking qualities. per. pint, 1s. 6d.	2	9
NE PLUS ULTRA, Selected , a fine forcing variety, very early, and producing an abundance of fine pods; one of the best for forcing, 1 ft.	1	6
Dun, Cream-coloured, or Yellow , much esteemed for its earliness and free bearing, 1 ft.	0	10
New Stringless, extra early , an immense cropper, with thick green fleshy pods, which do not require stringing, ht. 15 in.	2	9

TALL RUNNER BEANS.

The Best Kinds.

In addition to their value from a culinary point of view these tall runner beans are very ornamental as floral screens for hiding unsightly objects in the garden. For such purposes the **Scarlet** and **White Runners** with **Painted Lady** should be used for a variety of bloom.

	quart	s. d.
BARR'S "LIGHTNING" RUNNER , a remarkably prolific runner, and <i>earliest of all</i> ; bearing numerous heavy clusters of long fleshy pods, which when boiled are of fine delicate flavour; a valuable acquisition.....	2	6
"BEST OF ALL" SCARLET RUNNER , a splendid variety, bearing immense pods, some measuring 12 inches or more in length; of excellent cooking qualities, and a very free bearer	2	6
"INVICTA" SCARLET RUNNER , another grand new variety, bearing an immense quantity of very long straight pods of very good colour and quality	2	6
GIANTESS (Painted Lady Improved) , a <i>first-class Runner</i> , being a great improvement on the old <i>Painted Lady Runner</i> , with larger and broader pods	2	0
TENDER AND TRUE , new climbing Bean, coming into bearing after Lightning and before the Scarlet Runners ; the pods resemble in shape the Canadian Wonder Bean , and are of delicate flavour. <i>Awarded First-Class Certificate R.H.S.</i>	2	0
WHITE RUNNER, "THE CZAR," very large broad pods, which are 12 to 16 inches long, and grow in clusters, flesh very thick and of extremely delicate flavour, <i>almost stringless</i>	2	0
Eclipse, or Giant White , very long pods, produced in clusters, and in great abundance	1	0
Scarlet Runner , ordinary variety, exceedingly prolific	1	0

TALL BUTTER BEANS.

	quart
BUTTER BEAN, EARLY GOLDEN CLUSTER , a valuable bean coming in just after Mont d'Or , and with longer, broader pods, of very delicate flavour when cooked.....per pint, 1s. 6d.	2 6
Butter Bean, Mont d'Or , a wonderfully prolific and early bearer, producing handsome <i>chrome</i> -coloured pods 6 to 8 inches long, thick and fleshy, and with no membranous inside lining; they are boiled whole, and so served at table are delicious per pint, 1s. 9d.	3 0
Butter Bean, Transylvanian , comes into bearing late, and <i>stands drought well</i> ; the pods are a dark green, broad and fleshy, 8 to 10 inches long, and have no membranous lining; they are boiled whole, and so served up at table per pint, 1s. 6d.	

BEET.—The Finest Kinds.

 In the process of cooking, Beet is frequently made hard and unfit to eat, and the seedsman or gardener made to bear the consequences of the cook's shortcomings. Following up our experimental trials, we have looked into the cook's department, and offer our readers the following suggestions:—

1. In preparing Beet for cooking, the greatest care must be taken not to bruise the skin, or in any way wound the root; and if by accident any injury has been done to the root, it should be baked and not boiled.
2. If a deep crimson hue is the colour preferred in the Beet, and a firm flesh, this is best attained by baking.
3. If a light, clear bright colour and a soft juicy flesh are desired, then the roots should be boiled.

Beets are best sown in May, but where wanted early **Barr's Covent Garden** and **Pine Apple** may be sown early in April.

	pkt.	oz.
CHELTHAM GREEN TOP, BARR'S EXTRA SELECTED , producing shapely roots of a medium size, with <i>rich dark scarlet</i> flesh which boils tender, and has a fine rich flavour; recommended with the fullest confidence as sure to give satisfaction.....	0 6...	1 3
BARR'S COVENT GARDEN, compact-top , medium-sized roots having a dark crimson flesh, of fine flavour, strongly recommended	0 6...	1 3
EARLY RED GLOBE, IMPROVED , a very handsome <i>early</i> variety with globe-shaped roots of perfect form, rich in colour and of fine delicate flavour; <i>a great improvement on the old Egyptian Turnip-rooted Beet</i>	0 6...	1 6
Pragnell's Exhibition , very handsome smooth medium-sized root, flesh <i>rich deep crimson</i> , excellent	0 4...	1 0
Pine Apple , <i>light crimson</i> flesh, beautifully shaped roots, of uniform size, boiling tender, and of a fine flavour; one of the best for early sowing	0 3...	0 8
Nutting's Dwarf , <i>dark crimson</i> flesh, roots of medium size, and of rich flavour; excellent for sowing from the middle of May	0 4...	0 9
Dell's Crimson-leaved , roots of medium size, <i>purple-crimson</i> flesh, a good table Beet, leaves <i>rich crimson</i> , compact and upright, slightly arched, uniform medium height; in the Flower Garden it is very effective	0 4...	1 0
Flne Blood Red, selected	...	0 6
Ornamental Foliage Beets. See Flower Seeds under Beta.		

BEET (Edible-leaved).

Spinach Beet , large succulent <i>pale green</i> leaves, with white midrib, delicious if boiled like Spinach	0 3...	0 8
Sea-Kale Beet ; the midrib of the leaf is 2 to 3 inches broad, very white and delicate in flavour during summer and autumn, being served up like Sea-Kale; <i>sow in April</i>	0 4...	1 0

BORECOLE OR KALE.

The Finest and Most Useful Kinds.

Seed may be sown in March and April. *To prevent the ravages of mice and birds, it will be found a good plan to steep the seed for about fifteen minutes in paraffin oil previous to sowing.*

	pkt.	oz.
BARR'S ASPARAGUS KALE , early in spring this hardy Kale throws out long stout succulent green shoots, which are gathered when young and tender, and served like Asparagus	0 4...	1 0



BARR'S EXQUISITE DWARF CURLED KALE.

BARR'S PARAGON GIANT PARSLEY-CURLED , the finest curled Kale; leaves resembling beautifully curled parsley; in spring it yields a profusion of tender sweet sprouts, ht. 2½ ft.	0 4...	1 0
---	--------	-----

BARR'S EXQUISITE DWARF PURPLE CURLED , extremely hardy, and very dwarf, the leaves elegantly curled, beautiful for garnishing, and of fine cooking quality	0 4...	1 0
---	--------	-----

BARR'S EXQUISITE DWARF GREEN MOSS-CURLED , extremely hardy, very dwarf, the leaves elegantly curled, beautiful for garnishing, and of fine cooking quality	0 4...	1 0
---	--------	-----

Buda Kale , leaves green, with white veins; yielding in spring a large quantity of sprouts	0 3...	0 8
---	--------	-----

Cottager's Kale , the leaves generally crimped or curled on margin; the plant tall and robust, yielding in spring a large crop of delicately flavoured side-shoots	0 3...	0 8
---	--------	-----

Improved Hearting Kale , very distinct <i>light green</i> leaves, beautifully curled, with white rib, forming fine firm hearts, medium dwarf	0 4...	1 0
---	--------	-----

BORECOLE OR KALE—continued.

	pkt.	oz.
Ragged Jack ; the leaves are green and beautifully laciniated, the young foliage being prettily crisped; in spring a large quantity of delicately flavoured sprouts are produced.....	s. d. s. d.	0 3...0 8
Scotch Kale, selected , a valuable hardy Kale, with large spreading heads, well crisped, and producing during spring an abundance of side-shoots	0 3...0 8	
Tall Green Moss-Curled , beautifully curled and crisped, extremely hardy and very productive of side-shoots during spring; this variety is well known and universally appreciated, ht. 3 ft.	0 3...0 6	

Ornamental Kales for Winter Decoration.

Barr's Variegated Curled Kales, of great beauty, having leaves ranging in colour from ivory-white to the brightest roses and pinks, many being exquisitely crested. In spring the sprouts are plentiful, and delicate when cooked. For winter beds or borders, select in autumn the best coloured plants, remove the large under-leaves, and with a crowbar re-plant, bringing the heads close to the earth, and the effect is charming

(See also Flower Seed Novelty List. Page 25.)

BROCCOLI.

The Best and Most Useful Kinds.

Seed saved from carefully selected Stocks.

To prevent the ravages of mice and birds, it will be found a good plan to steep the seed for about fifteen minutes in paraffin oil previous to sowing.

Division I.—For Cutting during Autumn and Early Winter.

Sow in succession from end of March to May.

	pkt.	oz.
Walcheren , one of the very best varieties for cutting in September, October, and November ...	s. d. s. d.	0 6...1 6
Winter Mammoth , producing very large white heads of fine texture, and in condition for cutting in midwinter	1 0...2 6	
Self-protecting Autumn , producing white, firm, and compact heads	0 8...2 0	

BROCCOLI. Division II.—For Cutting during the Winter Months.

BARR'S HARDY WINTER WHITE, distinct from Snow's and superior to Osborn's, with the good qualities of both. This splendid Broccoli cannot be too highly recommended for autumn and winter cutting. Sow from the end of March to May, but the main sowing should be made in May for the winter supply

	pkt.	oz.
SNOW'S SUPERB WINTER WHITE , a selected stock, if sown in succession from March to May, or early in June, snow-white heads may be cut in November and the winter months. The main sowing should be made in May for winter supply	1 0...2 6	

ST. VALENTINE , a valuable new Broccoli, coming in middle of February, with firm snowy white heads about 8 in. across, lasting long in condition	1 0...2 6	
---	-----------	--

Christmas Purple Sprouting , or Extra Early Asparagus Broccoli , a very hardy early prolific sprouting variety. Sow in March and April	1 6... ..	
--	-----------	--

	0 6...1 6	
--	-----------	--

Division III.—For Cutting in March and April.

Sow April and May.

BARR'S CHAMPION , fine snow-white heads, well protected, very hardy and early	1 0...2 6	
PERFECTION , large handsome heads, dwarf and robust.	0 6...1 9	
Leamington , a well-protected, first-rate late Broccoli. Awarded a First-Class Certificate	0 6...1 3	
Purple Sprouting , or Asparagus Broccoli , remarkably hardy, standing frost well, and producing in spring an abundance of sprouts	0 3...0 10	

Division IV.—For Cutting in April, May, and June.

Sow April and May.

BARR'S MAY QUEEN , a grand Broccoli, coming into use after the middle of May, and giving a succession till the early Cauliflowers are ready; the large white heads are handsome and of excellent quality	1 6...3 6	
Standwell , a valuable late Broccoli, very hardy, and producing fine solid white heads of excellent quality	0 8...2 c	
Cattell's Eclipse , a fine late variety, and always appreciated	0 4...1 0	

Barr's Selections of Broccoli.

8 packets best successional varieties.....	5s. 6d.	8 ounces in 8 best successional varieties.....	10s. 6d.
4 packets " " "	3s. 0d.	4 ounces in 8 " " "	5s. 6d.



ST. VALENTINE BROCCOLI.

BRUSSELS SPROUTS. The Best Selected Kinds.

Sow from February to April.



BARR'S STANDARD BRUSSELS SPROUTS.

To prevent the ravages of mice and birds, it will be found a good plan to steep the seed for about fifteen minutes in paraffin oil previous to sowing.

	pkt.	oz.	s.	d.	s.	d.
BARR'S STANDARD , an exceptionally fine variety, very sturdy and extremely hardy, furnished with an abundance of dark green medium-sized firm sprouts, of delicious flavour and remaining long in condition	1	0..2	6			
BARR'S COVENT GARDEN FAVOURITE , an excellent variety, producing vigorous plants well clothed with large firm sprouts of fine cooking qualities	0	6..1	6			
BARR'S FRENCH SMALL SPROUTS , a fine little variety, bearing an abundance of closely set, neat, small, firm sprouts of very delicate flavour, <i>highly recommended</i>	0	6..1	6			
Scrymger's Giant , a fine variety, with large, compact sprouts.....	0	4	0	10		
The Wroxton , a very fine dwarf sturdy variety, with closely set, large, and very solid sprouts...	0	6..1	6			

CABBAGE.

The Best Kinds for Spring Sowing.

Sow March, April, and May.

The following varieties of Cabbage should be sown in spring for summer and autumn cutting; those marked * may also be sown in autumn for spring cutting, but they are then larger and coarser.

To prevent the ravages of birds and mice, it will be found a good plan to steep the seed for about fifteen minutes in paraffin oil previous to sowing.

	pkt.	oz.	s.	d.	s.	d.
*BARR'S BEST OF ALL DWARF, AUTUMN CUTTING , very distinct, compact, and dwarf, with fine little conical heads, exceedingly early, and of exceptionally fine cooking quality, a most valuable variety. In a trial made of Cabbages at the Royal Horticultural Gardens, Chiswick, last season, this variety was considered to be " the best Cabbage for spring sowing " and we received an Award of Merit from the R.H.S. for it, August 13th, 1901.....	0	6..1	6			
BARR'S LITTLE QUEEN , a dainty little Cabbage, smaller than Barr's Dwarf, nearly all heart, of delicate flavour; we can strongly recommend this model little Cabbage. We received an Award of Merit from the R.H.S. for this variety, August 13th, 1901	0	6..1	6			
BARR'S MINIATURE RED , a fine small early red Cabbage, valuable for pickling, and very delicious when boiled	0	4..1	0			
ST. JOHN'S DAY EARLY DWARF , a fine distinct little Cabbage, very dwarf and compact, valuable for summer and late autumn cutting	0	4..0	9			
CHRISTMAS DRUMHEAD , a splendid late autumn and winter Cabbage, having the heart at Christmas as firm as a rock; sow in April to come in September and October, and in May for cutting in December	0	6..1	0			
*Nonpareil Improved Dwarf , a very select stock, extremely early, small, compact, and of fine flavour	0	3..0	10			
Large York , a good useful variety, with a very firm heart.....	0	3..0	6			
Red Dutch Improved , a large late valuable variety for pickling; boiled, the flavour is delicious	0	4..0	9			
Sugar Loaf , foliage <i>light green</i> , of very distinct form and fine delicate flavour	0	4..0	9			
Winningsstadt, Selected , good all through the autumn, boils tender, and of delicate flavour	0	3..0	8			



BARR'S BEST OF ALL AUTUMN CABBAGE.

CABBAGE.

The Best Kinds for Autumn Sowing.

Sow July and August.

The varieties of Cabbage under this heading are best sown middle of August and planted out when 3 in. high for spring cutting; they may also be sown in spring for autumn cutting, but those in **Class I.** are preferable for that purpose.



BARR'S ECLIPSE SUMMER CABBAGE.

Enfield Market, Selected, a medium-sized variety, turning in early, valuable for general use

Wheeler's Imperial, a very fine selection; a good variety for general use

COLEWORT GREEN ROSETTE, in great demand in Covent Garden Market during autumn and winter for "Bunch Greens." *Sow June, July, and August for succession, plant thickly, and cut before hearting.*

BARR'S DWARF, SPRING CUTTING, a first-class, small, compact growing variety, for cutting early in spring, very solid and sweet

BARR'S ECLIPSE, SUMMER CUTTING, a first-class medium-sized Cabbage for autumn sowing; it is larger than the above, smaller than Barr's Criterion, and more compact than either.

BARR'S CRITERION, SPRING CUTTING, a valuable medium-sized Cabbage, and very early. It is the result of many years' careful selection, and is of a compact uniform growth.

Cocoa Nut, a very distinct, compact, valuable medium-sized cabbage


Ellam's Early Dwarf, forming fine little conical-shaped solid hearts, of good quality

8 ounces in 8 best successional varieties	... 6s. 6d.	8 packets, 8 best successional varieties	 2s. 6d.
4 ounces in 8 " " " "	 3s. 6d.	4 packets, 4 " " " "	 1s. 6d.

For Agricultural Cabbages, see page 21.

CABBAGE, SAVOY.

Sow March, April, and May.



BARR'S EARLIEST OF ALL SAVOY.

Dwarf Green Curled, a fine medium-sized variety for winter use, universally appreciated

Drumhead, a fine large variety for winter use, universally appreciated

Vienna Early Dwarf (Tom Thumb), a nice dwarf compact variety; plant 1 ft. apart

BARR'S EARLIEST OF ALL, cooks tender and sweet, ready to cut early in the autumn (*see Illustration*)

BARR'S VERY DWARF, this fine variety produces close compact heads on the shortest of stems.

BARR'S GOLDEN GLOBE, a very delicately flavoured variety, which we confidently recommend

GILBERT'S UNIVERSAL, possesses the fine, marrow-like flavour of *Chou de Burghley*

Perfection, a very handsome early variety, of medium size, beautifully curled, and of fine quality

Cape Gooseberry (Physalis edulis). *See Flower Seeds, page 77.*

CAPSICUM AND CHILI.

The Capsicum used when green is excellent in salads, and the plant, when loaded with its beautifully coloured matured fruit, is very decorative in November and December; the yellow fruit makes a pretty variety among dessert.

For varieties, see page 47.

CARDOON.—A Delicious Vegetable.

After blanching, the stalks of the inner leaves are crisp and tender, and used like Celery in stews, soups, and salads; they also form a delicate dish when boiled and skilfully served. Sow the seed in gentle heat in small pots in March; harden off early in May, and end of that month plant out in rich soil in trenches 4 ft. apart, placing the plants 3 ft. apart. Keep the plants well watered during dry weather, and when nearly full grown carefully tie up the heads and earth up as with Celery. Seeds may also be sown in open trenches in May and June, earthing up the plants in September.

Spanish Cardoons per pkt. 6d.; per oz. 1s. | **French Cardoons** per pkt. 6d.; per oz. 1s.

CARROT.—The Best Varieties.

Carrots are best sown in May in good, but not freshly manured soil. **Barr's Earliest French Short Horn** should be sown at intervals to secure young Carrots at all seasons.



BARRS NEW
INTERMEDIATE
CARROT.

	pkt.	oz.
BARR'S EARLIEST FRENCH SHORT HORN , a favourite for soups and extremely early; the best variety to sow in frames, and out of doors in succession from spring to autumn, for young carrots	s. d. s. d.	
	0	4...0 10
BARR'S STUMP-ROOTED SCARLET , a very distinct early variety, of medium size and uniform colour throughout, flesh firm, delicate in flavour, and of excellent cooking qualities	0	4...0 10
BARR'S NEW INTERMEDIATE , a very superior medium long Carrot of a rich red colour and fine cooking qualities.....	0	4...1 0
Early Short Horn , an exceedingly useful and well-known variety for general use	0	3...0 6
Covent Garden, Long Surrey, Selected , a richly coloured long Carrot, and best for main crop	0	4...0 10
James' Intermediate Scarlet , a superior medium-sized variety	0	3...0 8
Altrincham Improved , a very careful selection for garden culture.....	0	3...0 8

Barr's Selections of Carrots.

8 ounces in 4 best varieties 5s. 6d. | 4 ounces in 4 best varieties 3s.
For Agricultural Carrots, see page 21.

CAULIFLOWER.

The Best and Most Useful Varieties.

In growing Cauliflower the best results are attained on a stiff or stiffish soil. A very early variety of Cauliflower should be sown early, and cut early, as it is not adapted to stand the heat of summer—such we indicate with an *; the seed should be sown in autumn, and again early in spring, and if forced under glass the young plants should be planted 1½ ft. apart, or grown separately in pots. The other varieties are best for summer and autumn cutting, and should be sown in succession from March to May, the early sowings under glass, the later sowings in the open. As to preparation of the soil, *deep digging and plenty of manure* are essential. On light soils plant after early peas, using a crowbar to make the holes. Give copious watering during dry weather. *To prevent the ravages of birds and mice, it will be found a good plan to steep the seed for about fifteen minutes in paraffin oil previous to sowing.*

	pkt.	oz.
* BARR'S EARLY DWARF "BEST OF ALL," a very selected strain, very dwarf, compact, and the earliest of all to cut; heads white as snow, well protected, and of delicate flavour; plant 2 ft. apart. For forcing this variety is unequalled, planted in frames 1½ ft. apart, or grown in pots	1s. 6d. &	2 6... ..
AUTUMN MAMMOTH , a splendid variety coming into use two weeks earlier than Veitch's Autumn Giant, with large pure white heads	6d. &	1 0...2 6
KING OF CAULIFLOWERS , a first-class variety for general autumn cutting; the plants are dwarf and compact, with large solid white heads	1 0...2 6	
EARLY SNOWBALL , Extra Selected, very dwarf and early, with small solid snowy white heads, coming quickly into use	2 6... ..	
Covent Garden Early London , a very fine stock, early and dwarf	6d. &	1 0...1 9
Veitch's Autumn Giant , universally cultivated, coming into use late in the season	6d. &	1 0...2 0
Walcheren , a well-known favourite; sow for succession at various times	6d. &	1 0...1 6

CELERY.—Finest Selected Kinds.

Past trials of Celery have elicited the important fact that varieties are few, but names are many. The important matter is to get seed which has been saved from *carefully selected plants*. It must also be borne in mind that the *quality of Celery is largely dependent on good culture*, and it is a crop demanding very careful management. To the market gardener it is his most expensive crop, and at the same time it yields the largest amount of profit. Celery boiled as a vegetable is most wholesome and agreeable, served up either plain or with white sauce or melted butter.



BARR'S NEW SOLID
PINK CELERY.

 The seed we offer has been saved from selected plants only, and will certainly give good results.

	pkt.	s. d.
BARR'S NEW SOLID PINK , the best of all Celeries, medium in size, and solid as crystal, with a rich nutty flavour, saved from plants selected as stubborn seeders, the best guarantee that can be offered for a high-class Celery	1s. 6d. &	2 6
BARR'S CHAMPION SOLID WHITE , very solid, sweet, remaining longer in condition than other white Celeries. <i>Award of Merit R.H.S., 1900</i>	1s. &	2 6
PINK BEAUTY (new), remarkable for its great solid thick heads of fine nutty flavour, of medium height	1 0	
Covent Garden Tall White , a first-class, large, solid, crisp variety of excellent flavour	6d. &	1 0
Covent Garden Tall Red , a first-class, large, solid variety, very hardy, crisp, and of nutty flavour	6d. &	1 0
Covent Garden Dwarf White , close habit, very solid, crisp, juicy, and fine-flavoured	6d. &	1 0
Covent Garden Dwarf Red , compact, hardy, crisp, and of a very superior nutty flavour	6d. &	1 0
Major Clarke's Red , robust, very solid, crisp, and of fine flavour	6d. &	1 0

CELERIAC AND SOUP CELERY SEED.

pkt.—s. d.

Barr's Apple-shaped Celeriac, the root is a most agreeable vegetable when boiled and eaten with roast beef, etc. It requires a rich, moist, mellow, and well-manured soil, and frequent waterings during summer; should any but the central leaves appear, cut them off, as this treatment benefits the root 6d. & 1 0

Soup Celery Seed, this is used in winter for flavouring, per lb. 2s.

CHERVIL.

The young leaves of Chervil impart a warm aromatic flavour to soups and stews, and are also in demand for the piquancy they impart in mixed salads. *For summer and autumn use sow in succession from March to July*, and for winter supply sow in August. s. d.

Curled Chervil per pkt. 6d. & 1 0

CHICORY (Barbe de Capucin).**A Fine Winter Salad.**

pkt. oz.

One of the most wholesome and agreeable of winter salads. Sow in June, and in late autumn lift the roots, and store in sand. Plant them at intervals in boxes, and place in a warm cellar or mushroom house, where they very soon produce long blanched leaves ready for salads, or to be cooked as spinach 0 4. 1 0

LARGE TUBEROUS-ROOTED CHICORY. See Witloof, page 21.

CHIVES, Plants only. See page 21.

CHOU DE BURGHLEY.

Sown in spring, this is a first-class Cabbage to cut in autumn; after Christmas, in the centre a Cauliflower is formed, which cooks sweet and tender; *a most valuable vegetable* 1 0. 2 6

CORN SALAD, or Lamb's Lettuce.

A very agreeable salad during autumn, winter, and spring months, and much used on the Continent.

In Holland it is boiled like Spinach. Sow from August to October. s. d.

Large-leaved per oz. 3d. | **Large Rosette Green Cabbaging**... per oz. 0 4

COUVE TRONCHUDA, or Sea-Kale Cabbage.

(Asparagus Kale of some Seedsmen.)

pkt. oz.

Couve Tronchuda, a valuable winter vegetable forming fine heads and leaves with thick fleshy ribs, of very delicate flavour; it withstands frost well. *Sow March and April* 0 4 1 0

CRESS.

oz. pint.

Australian Salad or Broad-leaved Golden Cress, leaves delicately tender, with an agreeable piquant flavour s. d. s. d.
0 4 ...

Plain-leaved, sow at intervals of a few days, all the year round, in or out of doors... per quart 2s. 0 3... 1 3

Extra Triple-Curled, beautifully curled like parsley, flavour very agreeable; and on the breakfast table it is always an acceptable dish per quart 2s. 6d. 0 4... 1 6

Winter, or American, this resembles the water-cress, and is quite as agreeable. By sowing in July and August a constant supply may be had throughout the winter and spring months 0 4... ..

Water-Cress, sow in prepared places in sluggish brooks and moist situations. Excellent water-cress can be grown on borders or in pans if constantly kept moist... per pkt. 6d. 1 6... ..

Water-Cress, True Erfurt Sweetest, a small green variety, more esteemed than the ordinary sort, having a more delicate flavour per pkt. 1s.

FRAME CUCUMBER.

The following varieties we offer as a selection of the **very best Cucumbers in cultivation**, and we are confident they will all give buyers every satisfaction.

 Dust the leaves occasionally with our Anti-Blight Powder (see page 108), and thus avoid mildew and other diseases to which Cucumbers are subject.

pkt.—s. d.

BARR'S "PRIDE OF THE MARKET," a specially fine variety, dark green and of handsome shape, sells better than any other in Covent Garden Market—an all-the-year-round variety. A customer writes: "*I grew three plants of your Pride of the Market Cucumber in a frame and cut over 100 Cucumbers from them during the season.*" 1 6

BARR'S IMPROVED TELEGRAPH, a fine selection from Rollisson's Telegraph, handsome straight fruit, 18 to 20 in. long, of fine flavour, very prolific 1s. & 1 6

Matchless, producing long smooth handsome fruit, without handle, of fine flavour, very prolific 1 6

Rochford's Covent Garden, a handsome long variety, remaining a long time in good condition after being cut 1s. & 1 6

Lockie's Perfection, handsome in shape, of good size and flavour, smooth, densely covered with a fine bloom, and without handle, very prolific 1 0

Rollison's Telegraph, a fine useful cucumber for summer or winter work 0 6

RIDGE OR HARDY CUCUMBER.

A Select List of the Best Varieties.

Occasionally dust the leaves with our Anti-Blight Powder, and thus avoid mildew, *see page 108.*

	pkt.	s.	d.
BARR'S EXCELSIOR RIDGE , the best Ridge Cucumber, fruit of good form, rich colour and smooth, 14 to 18 in. long, and abundantly produced	6d.	1	0
BARR'S IMPROVED PICKLER , the best of all for pickling, surpassing all others for symmetry of form, colour, and productiveness	0	6	
Stockwood's Selected Long Ridge , very productive, 12 to 18 in. long	0	6	
Barr's Little Russian , a small fine-flavoured cucumber, prized in Russia for eating or for pickling	3d. &	0	6
New Japanese Climbing Cucumber , equally valuable in or out of doors, producing well-formed fruits of good quality in abundance; it should be trained up poles or allowed to climb amongst twiggy faggots	0	6	

DANDELION.—A wholesome Salad.

The blanched leaves of this plant make a most delicately flavoured and wholesome salad.

Improved Broad-leaved, early ... per pkt. 1s. | **New Thick-leaved Cabbaging** ... per pkt. 1 0

Egg Plant. *See Aubergine, page 2.*

ENDIVE.—The Best Varieties.

To maintain a supply of this valuable salad, sow in succession from May to July for a summer and autumn supply, and early in August for winter consumption. Full cultural directions sent with the seed.

	pkt.	oz.
BARR'S PERFECTION SILVER MOSS CURLED , a very superior variety for summer and autumn use; heads close, compact and tender, elegantly curled and crisped, quality exceptionally fine	0	6
Batavian Imperial Green , an extra fine variety, smooth broad leaves, for autumn and winter use	0	4
Extra fine Green Curled a very superior variety, for autumn and winter use	0	4

Garlic. *See page 21.*

Gourds. *See Pumpkin or Squash, page 18.*

HERBS, POT AND SWEET.

	pkt.—s. d.		pkt.—s. d.
Angelica , the stems and stalks are eaten preserved with sugar	0 6	Marjoram (Sweet) , valuable for seasoning	0 6
Balm , for claret cup or balm wine, etc.	0 6	Pot Marigold , the dried flowers are used in soups	0 6
Basil, Bush green , used for seasoning	0 6	Purslane (Green) , the leaves are used in salads, soups, and for pickling; on the Continent they are boiled like Spinach, and make a very delicate dish	0 6
Basil, Sweet green , used for seasoning	0 6	Rosemary , an aromatic herb, used for seasoning, and in scents, etc.	1 0
Borage , used for claret cup, also a valuable plant for bees	0 6	Rue , a medicinal herb, sometimes used for seasoning	0 6
Caraway , seeds used in confectionery, etc.	0 6	Sage , used for stuffing, etc.	0 6
Clary (<i>Salvia sclarea</i>), used for seasoning and soups, etc.	0 6	Savory, Summer , the leaves and young shoots used for flavouring, especially with boiled beans	0 6
Coriander , the seeds are used in confectionery, etc.	0 6	Savory, Winter , used for the same purpose as above	0 6
Dill , used in soups, sauces, etc.	0 6	Tarragon , Plants only. <i>See below.</i>	0 6
Fennel, Large Sweet , for garnishing, and fish sauces, etc.	0 6	Thyme, English , for soups, etc.	0 6
Horehound , a medicinal herb, also used for seasoning	0 6	Woodruff , for flavouring wines, etc.	0 6
Hyssop , an aromatic herb	0 6		
Lavender , an aromatic herb	0 6		
Marjoram (Pot) , for seasoning and soups	0 6		

HERB PLANTS.

The following can be supplied at 5s. per dozen; 6d. each:—

Balm.	Lavender.	Pennyroyal.	Savory, Winter.	Thyme.
Burnet.	Marjoram, Pot.	Rosemary.	Sorrel.	" Lemon.
Horehound.	Mint.	Sage.	Tarragon.	Woodruff.
Hyssop.				

Horse-radish. *See page 21.* **Indian Corn.** *See Maize.* **Kale.** *See Borecole.*

KOHL-RABI, Knol Kohl, or Turnip-rooted Cabbage. per pkt.

Barr's Earliest Green Erfurt, a valuable vegetable in hot dry seasons; the roots when cooked young have a delicate and agreeable flavour. Cultural treatment the same as for spring-sown cabbage

Lamb's Lettuce. *See Corn Salad.*

LEEK.—The Best Kinds.

Well-grown Leeks form a delicious dish. Sow for succession from February to April.

	pkt.	oz.
BARR'S GIANT WINTER , a handsome variety, short and very thick-stemmed, with dark green leaves, very hardy; when properly cooked and served up with white sauce it is of very delicate flavour	s. d. s. d.	
BARR'S SELECTED "PRIZETAKER," a fine selection of the Lyon Leek , attaining a great size, of fine quality, perfectly hardy, valuable for early lifting	1 0..2 6	
Musselburgh, Selected , a fine stock of this large handsome Leek, very hardy	2 6.....	
Ayton Castle	0 6..1 6	
London Flag	0 6..1 3	
	0 3..0 6	

LETTUCE.—The Best Kinds.

In the seed trials at our **Long Ditton Nurseries** we have grown samples of all the Lettuces in cultivation, and those enumerated are a selection of the best; any others in commerce, however, can be supplied if required.

To have Lettuces of really fine quality, the ground should be well trenched and thoroughly enriched with manure, and during dry weather there should be no stint of water.

Cos Lettuce.

Sow Cos Lettuce in succession from March to July for a summer and autumn supply, and in August and September for winter consumption. Cultural directions accompany the seed.



BARR'S COVENT GARDEN SUMMER
WHITE COS LETTUCE.

	pkt.	oz.
BARR'S COVENT GARDEN SUMMER WHITE , a first-class selected variety, forming large compact hearts, crisp and fine-flavoured, <i>does not soon run to seed</i> . Sow in spring and summer, 6d. &	1 0..2 6	
BARR'S COVENT GARDEN WINTER WHITE , self-folding, a fine variety, possessing all the good qualities of the Summer White Cos, with the hardiness of the Winter Brown Cos; we confidently recommend it both <i>for autumn and spring sowing</i>	1 0..1 6	
BARR'S COVENT GARDEN WINTER BROWN , the <i>hardest and best Brown Cos</i> , specially recommended for autumn sowing; where a crisp, rich, and nutty-flavoured lettuce is preferred, this is the one to grow throughout the year. Tie up a short time previous to cutting	1 0..2 0	
BARR'S LONG-STANDING WHITE , a fine Lettuce for spring and summer sowing, having distinct smooth pale green leaves, a good solid heart, and remaining long in condition	0 6..1 6	
JUMBO , a grand White, <i>self-folding</i> Cos, forming very large close compact hearts, crisp and nutty; it remains in condition a long time, even during the hottest weather; <i>sow in spring and summer</i> . Award of Merit R.H.S., July 5th, 1901	1 0..2 6	
"THE BARNUM," attains a great size, is <i>self-folding</i> , of the finest eating qualities, and remains in condition a long time; <i>sow in spring and autumn</i>	0 6..1 6	
DWARF PERFECTION , a fine little Lettuce, closing in quickly, and forming fine crisp hearts, especially valuable as occupying but little space. We received an Award of Merit from the R.H.S. for this Lettuce, June 20th, 1901	1 0..2 6	
Paris White, selected stock , a fine summer Lettuce, not soon running to seed	0 4..1 0	

Barr's Selections of Cos Lettuces.

6 packets in 6 best varieties	3s. & 4s. 6d.	3 packets in 3 best varieties	1s. 9d. & 2s. 9d.
-------------------------------------	---------------	-------------------------------------	-------------------

Cabbage Lettuce.

Sow Cabbage Lettuce in succession from March to July for summer and autumn use, and in August and September for winter consumption. Cultural directions accompany the seed.



BARR'S PARAGON CABBAGE LETTUCE.

	pkt.	oz.
BARR'S PARAGON , light green, leaves smooth and succulent, compact medium size, very firm, all heart, sweet and tender, does not soon run to seed. By successional sowings this fine variety may be had early in spring to late in autumn	1 0..2 6	
BARR'S GREEN FAVOURITE , with dark green smooth succulent leaves, close-hearted, sweet, rich, tender and buttery, a wonderfully fine Lettuce	1 0..2 6	
BARR'S WHITE FAVOURITE , close pale green hearts, sweet, rich, tender and buttery, an excellent Lettuce of large size	1 0..2 6	
BARR'S LITTLE GEM , a neat compact little Lettuce, all heart, pale citron-green leaves, delicately tender, very early hearing, a good variety to grow in frames, each plant occupying not more than 6 inches in the row. We received an Award of Merit from the R.H.S. for this variety, June 20th, 1901	1 0..2 6	

CABBAGE LETTUCE—*continued.*

	pkt.	oz.
BARR'S GREEN-FRINGED SALAD LETTUCE , this is a most distinct and beautiful variety, leaves rich green, elegantly curled and very compact, a <i>fine Salad Lettuce</i>	1	0...2 6
TOM THUMB , <i>Barr's extra selected</i> , a valuable compact small Lettuce, with a very fine solid white heart. We received an Award of Merit from the R.H.S. for this variety June 20th, 1901	0	6...1 6
All the Year Round , a very hardy compact summer or winter Lettuce, solid and crisp	0	6...1 3
Covent Garden Summer White , a fine smooth-leaved hearting variety, which does not soon run to seed	0	6...1 6
Covent Garden Winter White , <i>larger and finer than "Hardy Hammersmith,"</i> turns in more freely, is equally hardy, and a most desirable variety	0	6...1 6
Drumhead Selected , a fine crisp, light green crinkled summer Lettuce	0	4...0 9
Harbinger Forcing , a <i>good crisp Salad Lettuce</i> of a rich green colour and beautifully fringed, very early. The R.H.S. highly commended this variety, July 5th, 1901	1	0...2 6
The New Yorker , an <i>improved Neapolitan</i> , very large solid hearts, a long stander, attaining the size of 12 to 18 in. in diameter, crisp, tender, and of excellent flavour, quite a distinct Lettuce with prettily crinkled leaves. Award of Merit R.H.S., July 5th, 1901	0	6...1 6

Barr's Selections of Cabbage Lettuces.

6 packets in 6 good varieties 3s. & 5s. 6d. | 3 packets in 3 good varieties 1s. 9d. & 2s. 9d.

MAIZE, OR INDIAN CORN (Zea).

Best Varieties for Table Use.

The seed should be sown in boxes in April, and raised in heat under glass; the seedlings must be well hardened off before they are planted out end of May or early in June; they require a richly manured ground and abundance of water when the weather is dry. The heads should be gathered just when passing out of the milky state, and only just before they are required for use.

	per oz.—s. d.
Cory , forming medium-sized cobs, early, sweet and of delicate flavour	0 6
Country Gentleman , a tall late variety, forming large cobs of fine flavour	0 6
Crosby Early , a fine early variety, forming medium-sized cobs, sweet and of delicate flavour	0 6

MARTYNIA

("Ongles du diable" of the French).

An old garden favourite; the fruit, gathered when young and tender, makes an excellent pickle (*see Descriptive List of Flower Seeds, page 70*).

MELON.

The Finest Kinds.

The following Melons are all of the highest class, and we can confidently recommend them. *Occasionally dust the leaves with our Anti-Blight Powder (see page 108), and thus avoid mildew and other diseases to which Melons are subject.*

	pkt.—s. d.
EUREKA , <i>Scarlet flesh</i> , a grand new variety, fruit large and densely netted, flavour delicious, a heavy cropper and early, a <i>splendid exhibition variety</i> . Award of Merit R.H.S.	1s. 6d. & 2 6
A 1 , a first-class variety, bearing freely large handsomely netted fruits with pale skin and rich scarlet flesh of delicious flavour. First-Class Certificate R.H.S.	1s. 6d. & 2 6
BEST OF ALL , handsome round fruit, beautifully netted, with a very thick rich deep green flesh of exquisite flavour	2 6
FROGMORE SCARLET , a fine Melon raised at the Royal Gardens, Windsor; the handsome fruits are oval and closely netted, flesh scarlet, very thick and of delicious flavour; a free setter. Award of Merit R.H.S.	2 6
Golden Perfection , a first-class green-fleshed variety of fine flavour, fruits beautifully netted	1 0
Hero of Lockinge , thick white flesh, of exquisite flavour, fruits weighing 3 to 4 lb. each	1s. & 1 6
High Cross Hybrid , bearing fine oval-shaped fruits with green flesh of fine flavour	1 6
Monro's Little Heath , <i>scarlet flesh</i> , early, <i>hardy and productive</i>	6d. & 1 0
Triumph , a splendid Melon having a thick scarlet flesh of sweet and luscious flavour, a free setter	1s. & 1 6

American Musk Melons.

"Long Island Beauty," a handsome <i>early</i> variety, fruits handsomely netted and ribbed, with green melting flesh of delicious flavour	0 6
Netted Gem , an extra early variety, bearing small ribbed and heavily netted fruits, flesh light green, melting, and of luscious flavour	0 6
The "Paul Rose," bearing medium-sized ribbed and heavily netted oval fruit, flesh rich orange, melting, and of delicious flavour, very productive	0 6
Emerald Gem , a valuable variety with small deep green ribbed but smooth fruit, flesh salmon-coloured, very sweet and luscious	0 6
Hardy Green Flesh Climbing Melon , sweet and juicy; plant in situations lying well to the sun, and a large number of fruits about the size of an ostrich egg will be produced in succession	0 6
Water Melon , "Fordhook Early," bearing fine green fruit of large size, ripening early, flesh bright red and very sweet	0 6

MUSHROOM SPAWN.

Fresh Mushroom Spawn of superior quality, ... 4 cakes for 1s. 6d.; 16 cakes for 5s. 6d.

MUSTARD.

To maintain a supply of this valuable small salad all the year round, sow at intervals of a few days, in summer on a shady border, and for winter supply in boxes indoors.

	oz.	pint	quart
	s. d.	s. d.	s. d.
White , this is the variety most generally in use	0 3...1	3...2	0
New Chinese , larger, more pungent, and by some preferred to the old white mustard ..	0 4...2	0...0	...

NASTURTIIUM.

The seeds are gathered when quite young, pickled in vinegar, and used for seasoning like Capers.
See Descriptive List of Flower Seeds, pages 73 and 95.

ONION.

The Best Kinds for Exhibition and General Use.

We have been awarded by the Fruit Committee of the R.H.S. a special certificate for one of the largest and finest Collection of Onions ever exhibited before them.

We have rearranged our list of Onions, placing the allied varieties under their respective heads. The first group represents the *Flat Onions*; the second the *Globe-shaped*; the third the *Blood-red Onions*; the fourth the *Italian Onions*; and the fifth the *Silver-skinned Onions*.

A Hint to Exhibitors of Onions.—Sow under glass in January, in March prick off into shallow boxes, and in April and May transplant to land which has been *deeply trenched and heavily manured some months in advance*, so that it has become solid; or sow middle of September and transplant in March, as is done in Spain and Portugal. When the weather is dry *water constantly* to prolong growth, and thus secure an increase in the size of bulb.

For General Crop sow Onions February, March, and April, on heavily manured soil, selecting a day when the soil is dry and can be well trodden down after sowing. The autumn sowings make from August to middle of September.

* Indicates those sorts which may be sown either in spring or autumn.

1.—Flat and Semi-flat Onions.

	pkt.	oz.
* A 1 , a grand large Onion, of fine flavour, deep flat, nearly globe-shaped, skin brownish yellow, a splendid keeper. <i>First-class Certificate R.H.S.</i>	s. d. s. d.	0 6...I 6
* ROUSHAM PARK HERO , a fine Exhibition Onion, mild in flavour, large and heavy, semi-flat, skin pale brown, very handsome. <i>Award of Merit R.H.S.</i>	0 6...I 3	
White Spanish, selected	0 4...I 0	
Nuneham Park, selected.	0 4...0 10	
<i>Award of Merit R.H.S.</i>		
BARR'S LONG KEEPER , a grand keeper	0 6...I 6	
* Banbury Cross a fine Onion. <i>Award of Merit R.H.S.</i>	0 6...I 6	
ZITTAU GIANT , a grand Onion. <i>First-Class Certificate R.H.S.</i>	0 4...I 0	

2.—The Globe Onion.

UP-TO-DATE (Hurst) , a fine new Onion, of perfect globe shape, of large size and great weight; the skin is of a bright straw colour, and the flesh of fine flavour; it is a grand keeper, and in every way a model Onion	1 0 2 6
THE GIANT (new) , a grand Onion of beautiful globe shape, and larger than either <i>Ailsa Craig</i> or <i>Cranston's Excelsior</i> , very heavy and solid, of excellent flavour and a first-class keeper	2 6... ..
* AILSA CRAIG , a splendid, large, handsome Exhibition Onion of fine texture and superior flavour	1 6... ..
* CRANSTON'S EXCELSIOR , a favourite Exhibition Onion	1 0...2 6
TREBONS SELECTED , a grand, large Exhibition Onion of fine quality. <i>First-Class Certificate R.H.S.</i> We recommend it for autumn sowing	0 6...I 3
BARR'S SILVER GLOBE , a remarkably distinct and handsome Onion for Exhibition, of a beautiful globe shape and silvery white	1 0...2 6
* Magnum Bonum , a splendid large variety	0 4...0 9
Bedfordshire Champion, extra selected , a favourite variety for spring sowing	0 6...I 6
* James' Long Keeping , a fine, distinct, pear-shaped variety	0 4...0 10
EARLY GOLDEN GEM (new) , a valuable little Onion, as early as the <i>Covent Garden Silver-skinned</i> , very short lopped and coming quickly to maturity, bulbs of a bright golden, quite globular, and excellent keepers; valuable for pickling and salads	1 0... ..

3.—The Blood-red Onion.

BARR'S CRIMSON GLOBE	0 6...I 6
BARR'S BLOOD-RED FLAT	0 4...0 10

4.—The Tripoli Onion.

Giant Globe Rocca	0 4...I 0
Flat Red Genoa	0 4...0 10

ONION—*continued.*

5. The Silver-skinned Onion.

pkt. oz.
s. d. s. d.

BARR'S LARGE SILVER FLAT,
very distinct and handsome, of delicate
flavour; for autumn sowing

Barr's Covent Garden Silver-
skinned Pickling

These are the best representatives of the Silver-
skinned Onions, used while in growth or
immediately they are harvested; valuable for
salads, and the small roots for pickling.

1 0...2 6
0 6...1 3
0 4...0 10

White Lisbon; the market gardeners sow this extensively in autumn, for bunching in spring ... 0 4...0 10

Barr's Selections of Onions.

2 ounces each of 5 best varieties 8s. 6d. | 1 ounce each of 5 best varieties 4s. 6d.

Egyptian Tree-Onions. See page 21. **Potato-Onions.** See page 21.

PARSLEY.

The Best Varieties.

pkt. oz.
s. d. s. d.

BARR'S PERFECTION MOSS-CURLED, the most beautifully curled of any 0 4...1 0

BARR'S PERENNIAL, dwarf and compact, beautifully curled and very hardy, not requiring
to be renewed for several years..... 1 0... ..

Fern-leaved, the elegantly cut leaves of this variety make it valuable for garnishing 0 4...0 10

Myatt's Extra Fine Garnishing, a very fine large-growing variety, with elegantly cut leaves 0 3...0 8

Hamburgh, or **Turnip-rooted**; the roots of this variety are used in flavouring soups, and
on the Continent are boiled and served up like Parsnips 0 3...0 6

PARSNIP.

The Best Kinds.

The Parsnip may be sown from February to April in good, but not freshly manured soil.

BARR'S NEW WHITE MARROW, a splendid variety, with handsome short thick roots,
the most delicately flavoured of all 0 4...0 10

"The Student," a fine flavoured variety of medium size 0 3...0 6

Hollow Crown Improved, a fine main-crop variety with long handsome roots; requires a
deep soil 0 0...0 3

PEAS.

A Select List of the very Best Kinds.

Peas form a very important part of our seed trials. As new sorts are brought out we carefully test their merit in comparison with those already known; if they are really superior we add them to our list, but frequently we find that they are in no way better, and then we do not catalogue them. The varieties we offer below are a selection of the best kinds in cultivation.

Where other crops are not grown between the rows of Peas, the required distance from row to row to ensure a full and heavy crop must be gauged by the height the Pea attains when fully developed—thus, Peas reaching a height of 2 ft. should be allowed 2½ ft. from row to row; a 3 ft. Pea, 3 to 4 ft. from row to row, and so on. We mention this as Peas, especially the taller kinds, are often weakened through the rows being too close together, the crops consequently suffering. The general heights of the Peas offered are given below. In the case of the taller-growing Peas early crops of Cress or Radish may be safely grown between the rows and gathered before the Peas have grown tall enough to injure them.

To prevent the ravages of birds and mice, steep the seed for about fifteen minutes in paraffin oil previous to sowing. To prevent Mildew on Peas, dust with our *Anti-Blight Powder* (see page 108).



BARR'S NEW DWARF MARROWFAT PEA, "THE HERALD."

ROUND-SEEDED PEAS.

The Best Kinds for Flavour and Productiveness.

For a speculative crop the earlier kinds may be sown any time from November, according to soil and locality, on a dry south border or raised sunny beds. The general sowings should commence in February.

To have Green Peas till November, sow some free-cropping early or second-early variety in June and July in heavily manured shallow trenches. During dry weather give heavy waterings, and from the 1st of August dust the plants with our *Anti-Blight Powder* once a fortnight, WHICH WILL KEEP MILDEW IN CHECK.

Division I.—Earliest Varieties.

If sown from November to February will be ready to gather in *May and June*. Sow also later for succession.

	quart—s. d.
BOUNTIFUL , a splendid <i>very early blue</i> Pea, with large well-filled pods abundantly produced. <i>Valuable for autumn sowing</i> , 3½ ft. <i>Highly commended R.H.S.</i>	1 9
LIGHTNING , the earliest white Round Pea, pods well filled with good-sized peas of fine flavour, a very free cropper, recommended in preference to <i>Sangster's No. 1</i> , 3 ft.	2 0
William the First , Barr's selected dwarf stock, a first-rate early Pea, a few days later than <i>Lightning</i> , with good-sized well-filled pods, 3 ft.	1 6

Division II.—Second-Early Varieties.

If sown from January to April will be ready to gather in *June and July*. Sow also later for succession.

TELEGRAPH , Selected Stock, an immense cropper, pods long, broad, and abundant, peas large and fine-flavoured, a <i>First-Class Exhibition Pea</i> , 4½ ft.	1 9
Fillbasket , bearing in great abundance large well-filled curved pods, a favourite variety, 3 ft.	1 0
Hundredfold , an exceedingly heavy cropper, with well-filled dark green pods, 4½ ft.	0 10

Division III.—Varieties for Main Crop.

If sown February to May will be ready to gather *July to middle of August*. Sow also later for succession.

PRIDE OF THE MARKET , a great cropper, covered with large well-filled pods, of deep green peas, awarded a <i>First-Class Certificate</i> by the <i>R.H.S.</i> , 2 ft.	1 6
Princess Royal Improved , a very productive and excellent variety, with long well-filled pods, 3 ft.	0 10

WRINKLED-SEEDED MARROWFAT PEAS.

The Best Kinds for Flavour and Productiveness.

It is not safe to sow *Wrinkled Peas* out of doors before the middle of March, unless on very light and warm soils. For a speculative crop a sowing may be made early in the season under glass on narrow strips of turf, which, when the plants are sufficiently advanced and weather suitable, should be removed into trenches in a sheltered situation out of doors; these crops must be protected from frost and cutting winds, especially when the blossom is opening; a little soil should be added at the roots from time to time.

Division IV.—Earliest Varieties.

If sown in March or April may be gathered *June and July*. Sow also May and June, or later for succession.

	quart—s. d.
THE HERALD (see <i>Illustration</i> , page 14), a valuable new Dwarf Marrowfat Pea, having a sturdy branching habit, only reaching about 10 in., with dark green foliage and a profusion of large well-filled pods containing 8 to 10 peas of fine flavour. It is a remarkably early cropper, coming in with <i>William the First</i> and other earliest round Peas. <i>Those who have made trials of this Pea speak highly of it</i>	per pint, 2s. 6d. 4 6
LITTLE MARVEL , another valuable first-early Dwarf Pea, remarkable for its heavy crop of large dark green pods, well filled with large dark green peas of delicious flavour, ht. 15 in.	per pint, 2s. 3 6
EXCELSIOR , a wonderful cropper, very early, with good-sized pods, and peas of fine flavour, highly recommended, 1½ ft.	2 0
EMPRESS OF INDIA , a most valuable Pea, which may be described as a <i>very early dwarf Telephone</i> ; a great cropper, with large handsome pods and peas of rich flavour, 3½ ft.	1 9
GRADUS , <i>First-Class Certificate R.H.S.</i> , a splendid Pea, spoken well of by all who have tried it, the pods are large and handsome, and the peas of a rich <i>Ne Plus Ultra</i> flavour, 4 ft.	per pint, 2s. 3 6
MAY QUEEN , a splendid large-podded <i>very early</i> Pea, free cropper, and of delicious flavour; it has been sown middle of March and gathered early in May, 2½ ft.	2 0
THE SHERWOOD , a valuable dwarf variety, growing only 1 ft. high, and bearing a great abundance of large pods, well filled with large peas of rich deep colour and rich flavour ...	per pint, 2s. 3 6
THOMAS LAXTON , a grand new early Pea, bearing an abundance of large handsome deep green pods, well filled with peas of delicious flavour, 3 ft.	per pint, 2s. 6d. ...
WILLIAM HURST , one of the earliest, most prolific, and robust of the early dwarf marrowfats, pods large and handsome, peas of fine flavour, 1½ ft.	1 9
American Wonder , Selected Stock, a favourite early dwarf prolific Pea, 1 ft.	1 9

EDIBLE-PODDED OR SUGAR PEAS.

quart

The pods have no membranous inside lining; they are gathered young, boiled whole, and are much esteemed.	<i>s. d.</i>
Tall Edible-Podded Sugar Pea ; this is the finest of the edible-podded class, 5 ft.	2 6
Barr's Extra-Early Edible-podded Sugar Pea , bearing fine large pale green pods, three weeks earlier than the above, 4 ft.	3 6

POTATOES.

Specially Hand-picked for Seed.

We have availed ourselves of every opportunity to make a selection of Potatoes having the handsome tubers, being the best croppers, and the finest flavoured, and such are the virtues of the sorts we offer below. *We can supply all other potatoes at market prices.*

To prevent disease use our **Anti-Blight Powder** on the foliage of the Potato, commencing when the plants are about 6 in. high, and repeating the application once in two weeks till the roots are harvested; the result will be a heavier crop, of improved quality, and free from disease. Mr. Fenn, of Potato fame, has succeeded for years in nearly doubling his crops of high-class table Potatoes, varieties so highly bred as to be very liable to disease, by the frequent use of the **Anti-Blight Powder**. Very little Powder is needed, so that disease can be prevented at a very small cost. Fuller particulars can be had on application.

(Anti-Blight Powder: 1 lb. 1s.; 3 lb. 2s. 9d.; 7 lb. 5s. 6d.; 14 lb. 10s. 6d.; 28 lb. 18s.; 56 lb. 35s.)

The Best Earliest Potatoes for quantity and quality.

peck

Ashleaf , Barr's Selected Old Short Top Variety, valuable for early forcing	<i>s. d.</i>
„ Myatt's Early Prolific , a well-known variety greatly appreciated	3 6
Albert Victor , <i>White Kidney</i> , floury and of fine flavour, good cropper	2 6
Clipper , flesh dry, floury and snowy white, a first-class variety	3 0
Early Puritan , an American variety, <i>Flatfish Round</i> , white-skinned, of good quality and a heavy cropper	2 6
Harbinger , <i>White Round</i> , very distinct, flesh white and of grand quality, a heavy cropper	2 6
Ninetyfold , <i>White Kidney</i> , the heaviest cropper in this section and a handsome exhibition variety, tubers oval-shaped, flesh white, and of finest quality	5 0
Ringleader , one of the earliest <i>Kidney Potatoes</i> in cultivation, of excellent quality	3 6
Sharpe's Victor , <i>White Flesh</i> , a fine <i>White Short-topped Kidney</i> of excellent quality and flavour	2 6

The Best Second-Early Potatoes for quantity, quality, and keeping.

British Queen , a very fine <i>White Kidney</i> , producing a great crop of medium-sized oval tubers, flesh white and of first quality; a good keeper, very hardy and disease-resisting	3 0
Beauty of Hebron , a very popular American variety, tubers oval-shaped, slightly rose-tinted, flesh of fine quality; a heavy cropper, and not liable to disease	2 6
Cigarette , a very handsome <i>White Round</i> , flesh of finest quality when cooked; an enormous cropper, having given as much as 19 tons to the acre; free from disease	2 9
Challenge , a handsome <i>White Round</i> , of fine cooking qualities, a heavy cropper, good for light soils...	2 6
Early Regent , <i>White Round</i> , good cropper, ready to lift in July, flesh white and floury	3 0
Early Rose , a favourite and well-known American variety, with handsome rosy tubers, flesh white and of fine quality	2 6
General French , <i>White Flatfish Round</i> , well-shaped tubers, with shallow eyes, flesh of good quality and excellent flavour. The R.H.S. gave us an Award of Merit for this fine potato, Oct. 1st, 1901	4 6
General Roberts , <i>White Flatfish Round</i> , a heavy cropper with handsome tubers, flesh white, floury and of fine flavour; it has given as much as 20 tons to the acre	3 0
Snowdrop , Barr's Improved, a very fine selection of this valuable Potato, tubers of perfect form, with clear skin, flesh beautifully white and mealy when cooked	3 6
Supreme , <i>White Kidney</i> , a grand Potato, with large and handsome pebble-shaped tubers, flesh of finest quality; a great cropper and disease-resister	3 0

The Best Main-crop and Late Potatoes for quantity, quality, and keeping.

Colossal , <i>White Kidney</i> , an improved <i>Reading Giant</i> and one of the heaviest croppers known, tubers long and broad with russeted skin, flesh dry and of fine quality. <i>First-Class Certificate R.H.S.</i> ...	2 6
Professor Walker , a fine late <i>White Round</i> , of <i>Imperator</i> type, but far superior, bearing a heavy crop of fine tubers of excellent quality	3 6
Satisfaction , late <i>Flatfish Round</i> , a grand Exhibition Potato, tubers large and handsome, of fine cooking qualities; an enormous cropper and good disease-resister. <i>Award of Merit R.H.S.</i>	3 6
Schoolmaster , <i>White Round</i> , a favourite Potato, tubers large and round, flesh white and floury; a heavy cropper	3 0
Snowball , a first-class <i>White Round</i> , being like a ball of flour when cooked	2 9
Triumph , <i>White Round</i> , one of the finest Potatoes in cultivation, tubers pebble-shaped, white with rough skin, and of finest cooking qualities; a very heavy cropper. <i>First-Class Certificate R.H.S.</i>	2 6
Up-to-Date , a handsome <i>White Kidney</i> Potato with oval-shaped tubers, having a finely netted skin, and flesh firm, dry and floury, of fine flavour; an enormous cropper	2 6
Windsor Castle , a valuable late <i>White Round</i> , and very popular both in the garden and field; it produces a heavy crop of pebble-shaped tubers of grand cooking qualities. <i>First-Class Certificate R.H.S.</i>	3 0

Any Potatoes not offered in the above list can be supplied if required; those described, however, are some of the best.

POTATO SEED from Valuable New Crosses.

The seed offered is the result of careful crosses made between many good varieties of Potatoes with a view to improvement, and should produce some good new kinds. Potatoes from seed reach maturity from the second to fourth year, according to early or late sorts and to treatment.

1 packet each of 14 different Crosses with particulars of the cross on packet *s. d.*
Mixed Crosses, resulting in some very good things..... per pkt. *1s. 6d. & 2 6*

Potato Onion. See **Culinary Roots**, page 21.

PUMPKIN, GOURD, OR SQUASH.

These are greatly prized if cooked when young; and when ripe the pulp is delicious in giving a body to vegetable **Soups**, or for making "**Pumpkin Pies**," associated with apples. These and ripe Vegetable Marrows make excellent preserves. Pumpkins cannot be relied upon to reproduce themselves entirely true from seed, but a fair proportion may be reckoned on.

	pkt.—s. d.		pkt.—s. d.
Hundredweight , may be grown to an enormous size, weighing as much as 112 lbs.	o 6	Spanish Gourd , fruit of moderate size, skin green, often finely netted, thick bright yellow flesh, a good keeper	o 6
Large Red Etampes , large handsome fruit, with orange-coloured skin	o 6	Mixed Varieties	o 6

(For Ornamental Gourds, see page 60; Field Gourds, see page 21.)

RADISH.

To have Radishes tender and crisp, a rapid growth is necessary. When grown under glass, sow frequently in old well-decayed leaf soil, if it can be procured, using the Radishes when quite small. If sown out of doors early in the year, select a warm border, and after sowing cover lightly with straw, dry litter, or fern bracken till the plants are well up, and to maintain a succession sow once in two weeks from February. The varieties marked with an * are rapid growers, and may be used for early crops under glass.

Olive or Oval-shaped Radishes.

These are excellent varieties for forcing and general crop; they should be sent to table when about the size of filberts.

	oz. pint
	s. d. s. d.
*Barr's " First of All " Scarlet . Award of Merit { Very early, fine little, short-leaved Radishes, valuable for earliest use.	o 5...3 6
R.H.S.....	
*Barr's " First of All " White . Award of Merit {	o 5...3 6
R.H.S.....	
*Barr's Scarlet Intermediate , a very early half-long variety, of fine quality for earliest use	o 5...3 9
* French Breakfast Scarlet white-tipped , this is the fine little breakfast Radish of the London and Paris markets during the winter months. Sow in leaf soil and grow rapidly to ensure the white tip and fine quality	o 4...2 6
Jewel , quite a novelty in Radishes, having very short topped potato-like foliage, and rich crimson tubers, crisp and of delicate flavour, very early	1 3... ..
Mixed Olive-shaped Varieties	o 4...2 6

Turnip-shaped Radishes.

These stand the dry, hot weather better than most other varieties, and are esteemed for table at all seasons.

	oz. pint
	s. d. s. d.
*Barr's Scarlet Perfection , an extra fine, very early, short-topped variety, colour rich scarlet, flesh white, mild, and crisp, a rapid grower	o 5...3 9
*Barr's Early White , crisp and of mild flavour, rapid in growth	o 4...2 6
* Gem , colour rich crimson, with white tip, a fine rapid-growing variety	o 4...2 6
Deep Scarlet , a good selection for general use	o 3...2 0
White	o 3...2 0
Mixed Turnip-shaped Varieties	o 3...2 0

Long Radishes.

	oz. pint
	s. d. s. d.
Barr's Scarlet Queen , bright scarlet with white tip, a fine early variety, crisp and of delicate mild flavour	o 5...3 9
*Barr's Early Red , rich crimson	o 4...3 0
*Barr's Early White	o 4...3 0
Mixed Long Varieties	o 4...3 0

{ The earliest and best long Radishes }
 { for frame work and first sowings. }

Winter Radishes.

	oz. pint
	s. d. s. d.
Black Spanish	o 6
Scarlet China	o 6
White Spanish	o 6
Mixed Winter Varieties	o 6

Much esteemed for autumn and winter salads. Sow from middle of June to end of July, and commence using when the size of walnuts. Middle of November lift and store in sand or soil away from frost, and use as required in mixed salads or alone. Their pleasant piquant flavour is very agreeable.

Horse-Radish. See page 21.

RAMPION.

Rampion, sow in April or May in a deep, rather moist soil; the roots are boiled till tender, and eaten hot with sauce, or cold with vinegar and pepper per pkt. *6d. & 1s.*

RAPE.

When small salads are sent from the country Rape is preferable to Mustard, as it keeps longer in condition; hence the reason of its being cultivated for Covent Garden Market, where it is sold as Mustard. For small salads, sow every few days to maintain a succession per quart *1s.*

RHUBARB ROOTS.

		each	s.	d.
Tobolsh (<i>new</i>), the most deliciously flavoured of all Rhubarbs, sticks small, of a blackish blood-red colour; being very early it should be protected from spring frosts		5	6	
Hawke's Champagne , a splendid early Rhubarb, producing fine crimson stems of remarkably rich flavour.....	per doz.	10s.	6d.	1 0
	<i>Strong forcing roots</i>	2	6	
Johnston's St. Martin , one of the finest of early Rhubarbs, of a rich colour, superior flavour, and not requiring so much sugar as some.....	per doz.	10s.	6d.	1 0
	<i>Strong forcing roots</i>	2	6	
Kershaw's Early Paragon , one of the earliest, very prolific, of a fine rich colour and good flavour; it is stated that this variety never runs to seed.....	per doz.	15s.	1 6	
	<i>Strong forcing roots</i>	2	6	
Dancer's Early Scarlet , fruit bright scarlet	per doz.	10s.	6d.	1 0
	<i>Strong forcing roots</i>	per doz.	18s.	1 9
Early Albert, Goliath, Prince Albert, and Victoria , all old favourites	per doz.	10s.	6d.	1 0
" " " " " " " "	<i>Strong forcing roots</i>	2	6	

SALSIFY (Vegetable Oyster).

The roots when boiled or stewed like Parsnips are most delicious; they must not be scraped or bruised before cooking. Sow end of April or early in May. pkt. oz.
s. d. s. d.

Barr's Mammoth, the finest variety of this delicious vegetable

Savoy. See Cabbage Savoy.

SCORZONERA.

Scorzonera, a most agreeable vegetable when boiled tender, peeled, and served like Asparagus. pkt. oz.
s. d. s. d.
The roots before cooking must not be scraped or bruised. Sow middle of April..... o 6...1 0

SEA-KALE (Seed).

Sea-Kale, per pkt. 3d.; per oz. 9d.; **Sea-Kale Lily White**, a superior variety, per pkt. 6d.; per oz. 1s. 3d.

SEA-KALE (Roots).

Sea-Kale, Extra strong for forcing, per doz. 2s. 6d.; per 100, 18s. 6d. **Strong** for forcing, per doz. 2s. 3d.; per 100, 16s. 6d. **Planting size**, per doz. 1s. 3d.; per 100, 8s. 6d.

New Ivory-white Sea-Kale, an improvement on the ordinary Sea-Kale, shoots being white, more solid, and of very delicate flavour.—**Extra Strong Forcing Roots**, per 100, 30s.; **Strong Forcing Roots**, per 100, 21s.; **Planting Roots**, per 100, 15s.

SHALLOT.

For Shallot Bulbs, see page 21.

SORREL.—Sow March and April.

French Broad-leaved, a valuable salad plant, and also extensively used on the Continent, pkt. oz.
s. d. s. d.
boiled like Spinach .. o 3...o 6

SPINACH.

To maintain a succession sow **summer Spinach** at least every ten days during spring and summer, and during dry weather give plenty of water. For winter use sow the **Prickly Spinach** from middle of August to middle of September in a sheltered spot, and thin the seedlings well out.

BARR'S DWARF THICK-LEAVED, dwarfier than any other variety, leaves of good substance and not soon running to seed, a useful kind for summer and autumn sowing oz. quart.
s. d. s. d. o 4...3 6

Thick-leaved Round, or **Summer**, valued for its large thick leaves, and not soon running to seed

Longstander, Summer, this valuable variety has thick dark green large leaves, and possesses the good quality of not soon running to seed

Prickly Flanders, or **Winter**, the variety generally used for autumn sowing

New Zealand, produces fine succulent leaves in great abundance throughout the summer..... o 6... ..

Squash. See Pumpkin.

STRAWBERRY SEED.

Strawberry, mixed, large-fruited sorts

Strawberry, Alpine Red, Improved, small-fruited

Strawberry New Hybrid Perpetual-fruited "Saint Joseph", a most valuable variety, continuing to fruit from summer until frost sets in, very productive

TOMATO, or Love Apple.**The Finest Kinds in Cultivation.**

The cultivation of the Tomato, both under glass and out of doors, now ranks as an industry of considerable importance. A few years ago it was the exception to find a Tomato eater, now it is rare to find a person who does not eat them, consequently large areas are covered with glass for the growth of Tomatoes to supply London alone. The market gardeners even cultivate the Tomato extensively in their fields, and when the season is favourable realise immense profits from the sale of the fruit. At our **Long Ditton Nurseries** we have made a series of exhaustive trials of Tomatoes, resulting in the selection of the sorts we now offer as being the best. If the season proves to be exceptionally favourable, all these varieties of Tomatoes succeed out of doors, while those marked with an * succeed most seasons outdoors.

TOMATO, or Love Apple—continued.

CULTIVATION.—A garden well exposed to the sun may grow Tomatoes, and produce a supply in August, September, and October; and any one with an unused glass-house may have a supply from July to Christmas. Raise the seedlings in February, March, or April, under glass in bottom heat, or in April in a cold frame, or even under a hand glass, or indoors in a sunny window; prick off the small plants into shallow boxes, and when strong enough pot into 8, 10, or 12-in. pots, using a good, rich, free soil, and maintain a vigorous growth; when the fruit is setting, give liquid manure. If for outdoors select a south or west border, plant out in June in rich soil, and when strong enough, pinch off all side shoots, and reduce the foliage; when the fruit is setting, water with liquid manure occasionally, but avoid an over-luxuriant growth.

To prevent disease, dust the plants during their early growth occasionally with our Anti-Blight Powder. We strongly recommend a trial of this preventive powder (see page 108).

Barr's Select List of Tomatoes.

The following are the best only, but we can supply all other varieties in commerce :—	pkt.	s.	d.
BARR'S THICK FLESHED , surpassing all other Tomatoes in depth of fruit, solidity of flesh, and heavy-cropping qualities; the fruit is large, smooth, <i>bright scarlet</i> , and of delicious flavour 1 0			
*BARR'S EARLY RUBY , solid, <i>deep red</i> fruit of fine form and medium size, produced in great abundance. It is very early and a valuable Tomato for outdoors and market purposes 1 0			
BARR'S LONG KEEPER , a large, handsome, smooth <i>red</i> fruit, in the way of the "Mikado," produced in abundance, and an exceptionally long keeper after being gathered 1 0			
BARR'S "PERFECTION," First-Class Certificate R.H.S., fruit smooth, <i>bright scarlet</i> , and very handsome, an abundant cropper, and possessing all the good qualities prized in a Tomato 1 0			
STIRLING CASTLE , Award of Merit R.H.S., a first-class cross from two fine types of <i>Perfection</i> , with round smooth fruit of medium size, <i>glossy bright scarlet</i> , solid and deep, of excellent flavour, abundant cropper 1 0			
CHISWICK PEACH , a new and very distinct dessert Tomato, bearing abundantly clusters of deep-fleshed waxy-looking fruit of medium size, <i>pale chrome-yellow</i> , of pleasant delicate flavour 2 6			
INVERCARGILL, PINK (<i>new</i>), a fine distinct Tomato raised in Australia, bearing large heavy fruit, round and smooth, of a distinct <i>crimson-carmine</i> colour, thick fleshed, and of delicate flavour 2 6			
INVERCARGILL SCARLET (<i>new</i>), another handsome Tomato raised in Australia, bearing a good crop of flattish round smooth fruit, colour a fine <i>glossy scarlet</i> , deep flesh of fine flavour 2 6			
*EARLY PROLIFIC , a fine open-air variety, fruit large and corrugated, <i>rich full red</i> , with deep solid flesh, early and an abundant bearer 1 0			
GOLDEN NUGGET , an improvement on <i>Greengage</i> Tomato, fruit deep golden-coloured of medium size, flesh deep and solid, with a sweet and delicious flavour 1 0			
GOLDEN JUBILEE , a cross between <i>Golden Princess</i> and <i>Frogmore Selected</i> , a fine dessert Tomato bearing heavy clusters of round smooth deep-fleshed fruits, golden-yellow suffused red, flavour delicious. At the R.H.S. trial of 1897 this variety was awarded a First-Class Certificate... 1 6			
NEILD'S SEEDLING , Award of Merit R.H.S., a fine Tomato, with large round smooth fruit of a <i>deep red</i> , solid and of fine flavour, a great bearer 0 6			
WINTER BEAUTY , Award of Merit R.H.S., a first-class Tomato for early work, bearing an abundance of richly coloured fruit of fair size and fine flavour 1 6			
HOLMES SUPREME , a fine free-bearing variety, averaging 10 fruits to a cluster, of medium size, round, smooth, and of good flavour 1 6			
UP-TO-DATE , a free and continuous bearer, producing large clusters of richly coloured smooth round fruit of excellent flavour 1 0			
Conference Tomato , fruit of medium size, good colour, firm, and of excellent flavour, a great cropper 1 0			
*Large Red Italian , large corrugated <i>full red</i> fruit, solid and of fine flavour, a good hardy early variety 0 6			
*Open Air , fruit of medium size, <i>deep red</i> , of good flavour, a good outdoor variety 1 0			
ORNAMENTAL-FRUITED TOMATOES , for decoration indoors or out of doors (see page 88).			

TURNIP.

The Best and Most Useful Kinds.

A little seed may be sown in March for a chance crop, then middle of April, after which sow once a month. Sow in drills, thinning out the seedlings as soon as up to 6 in. apart, and ultimately to 1 ft., according to the size the roots are required.

	pint	oz.	s.	d.
BARR'S FLAT RED , having the outside skin brilliant crimson or scarlet, while the flesh is snowy white, crisp, juicy, and delicate in flavour; early and of medium size 3 6... 8				
BARR'S GOLDEN NUGGET , a remarkably handsome short-topped <i>golden yellow</i> turnip, of delicious flavour, coming to perfection very quickly 0 9				
COVENT GARDEN SNOWBALL , a very early small compact variety of superior quality 2 6... 6				
EXTRA EARLY MUNICH PURPLE TOP , one of the best early turnips, a handsome purple-top variety, flesh white, crisp, juicy, and of fine flavour 2 6... 6				
Chirk Castle Black Stone , white flesh, dark netted skin, good keeper, excellent variety 2 0... 6				
Early White Dutch , sweet and juicy when young, the best for first sowing 1 6... 3				
Early White Strap-leaved , crisp and sweet, of superior flavour, and rapid growth 2 6... 6				
Green Top Stone , a fine variety to stand the winter, a good all-the-year-round Turnip 1 6... 3				
Jersey Navet , an oblong white variety, very sweet, fine for late sowing 1 9... 4				
Orange Jelly , a first-rate yellow Turnip for autumn sowing 2 6... 6				
Red Top American Stone , or <i>Mousetail</i> , a good winter variety, very sweet, early, and a good keeper 1 9... 4				
Swedish , the best to cultivate for "Turnip-tops" in spring, or for blanched "Turnip-tops" in winter 0 3				

Barr's Selections of Turnips.

12 ounces in 6 best varieties 3s. 6d. | 6 ounces in 6 best varieties 2s.

VEGETABLE MARROW.

pkt.—s. d.

Improved Custard, very fine small fruit, forming quite a delicacy when cooked	6d. &	1	0
Bush or Cluster, fruit produced in clusters	6d. &	1	0
Long White, very fine	3d. &	0	6
Moore's Vegetable Cream, oval-shaped, medium-sized, creamy white fruit of excellent flavour	6d. &	1	0
Long Green Striped, of fine rich flavour	6d. &	1	0
Pen-y-Byd, a small variety of delicate flavour and very prolific; fruit almost round and creamy white	1	0	0

WITLOOF (Large Tuberous-Rooted Chicory).

A Fine French Salad.

Sow in June and lift the roots when wanted, from the end of October to February. These are then divested of their leaves to within 2 in. of the crown, shortened to 8 or 10 in., and planted in a trench 1½ ft. deep, which is filled up with finely sifted soil, over which place 2 or 3 ft. of stable litter; heat soon generates in the litter, and in about three weeks blanched heads resembling small Cos Lettuce are produced, which are eaten as a salad, or cooked and served up in the same way as Sea-Kale. Witloof is a great delicacy, which is within the reach of all who have even a very small garden; it is sold in Covent Garden from November.....per pkt. 6d.; per oz. 1s. 6d.

SUNDRY CULINARY ROOTS AND PLANTS, Etc.

ARTICHOKES, *see page 2.*ASPARAGUS ROOTS, *see page 2.*

CHINESE YAM, per doz. 4s. 6d.

CHIVES, tufts, per doz. 4s. 6d.

EGYPTIAN TREE ONIONS, bulbs, per lb. 3s. 6d.

GARLIC, per lb. 9d.; 7 lbs. for 4s. 6d.

HERB PLANTS, *see page 10.*

HORSE-RADISH, for planting, per doz. 2s. 6d.

MUSHROOM SPAWN, *see page 12.*POTATOES, *see page 17.*

POTATO or UNDERGROUND ONIONS, per lb. 8d.; 7 lb. for 3s. 6d.

RHUBARB, *see page 19.*SEA-KALE, *see page 19.*

SHALLOTS, fine selected, per lb. 1s.; 7 lb. for 5s. 6d.

" NEW MAMMOTH, per lb. 1s. 6d.; 7 lb. for 8s. 6d.

AGRICULTURAL SEEDS supplied at Market Prices.

The following are average prices:

BEET, Sugar (sow 12 lb. per acre), per lb. 1s. 3d. to 1s. 6d.

BROOM, per lb. 10d. to 1s.

CABBAGE, best cattle kinds (sow 2 lb. per acre), per lb. 3s. 6d. to 4s. 6d.

CARROT, best feeding kinds (sow 8 lb. per acre), Clean Seed, per lb. 2s. 6d. to 3s. 6d.

FURZE or GORSE, per lb. 1s. 3d. to 1s. 9d.

GOURDS, for Field culture, per lb. 3s. 6d.

KOHL RABI (sow 4 lb. per acre, or if transplanted, 1 lb. per acre), per lb. 5s. to 6s.

LUCERNE (sow 20 lb. per acre), per lb. 1s. to 1s. 3d.

MANGEL, best sorts, per lb. 1s. to 1s. 6d.

PARSNIP, best feeding kinds, per lb. 1s. 3d.

SAINFON, best milled seed (sow 56 lb. per acre), per lb. 1s. to 1s. 3d.

SUNFLOWER, giant variety, per lb. 1s. 3d. to 1s. 6d.

SWEDE, best kinds (sow 4 lb. per acre), per lb. 1s. to 1s. 3d.

TURNIP, best kinds (sow 4 lb. per acre), per lb. 7d. to 10d.

BARR'S PURE GRASS SEEDS.

For producing beautiful smooth Lawns, Tennis Courts, Cricket and Croquet Grounds.

See page 2 of cover.

Barr's Permanent Pasture Grasses.

See page 2 of cover.

GARDEN REQUISITES, Insecticides and Manures, etc.

See page 100.

GARDENING BOOKS, A Select List of the Best.

See page 111.

A Descriptive List of

BULBS AND TUBERS

For WINTER and SPRING PLANTING,

Including Choice Anemones, Begonias, Cannas, Dahlias, Gladioli, Lilies, Ranunculus, Tigridias, Tuberoses, etc.,

WILL BE SENT ON APPLICATION.

BARR'S

Choice Seeds for the Flower Garden.

The Strains are all of the finest, and the growth of the Seeds has been carefully tested.

A Few Short Notes on Raising Flower Seeds.

In most cases cultural directions are given on our seed packets, but the following general remarks may be found useful to amateurs as a basis for the treatment of Annuals, Biennials, and Perennials, hardy, half-hardy, and tender. At the heading of each of the families described in the following pages is stated the cultural class under which they range.

H.A., or Hardy Annuals.—Under this heading are ranged those families which are sown and bloom the first season, the plants dying with the approach of winter. They include a large portion of our most brilliantly coloured summer flowers. *Sow from March to June* for summer and autumn flowering. The ground should be previously prepared by digging, working in a little manure at the same time. The surface should be made level and be finely raked. If the weather is dry, give a watering some hours before sowing. *Sow thinly* and gently press the seed into the earth, covering lightly with finely sifted soil; the very small seeds must have very little covering. Keep the soil moist and shaded until the seedlings are up; the shade can be managed with branches of evergreens or sheets of paper fastened to little stakes. *When the seedlings are up, thin out freely*, leaving space for each plant to develop to its full size. Annuals are often spoilt in their effect by not being thinned out sufficiently, and consequently growing weedy and lank instead of becoming dwarf and bushy plants. *Thinning out is best done during dull moist weather, or in the evening time.* In calculating the distance that should be left between plant and plant, it may be taken as a general rule that plants which attain, when fully grown, a height of 1 ft., require to be thinned out to at least $\frac{1}{2}$ ft. apart, and so on. *In our descriptions we give the full height of each variety.*

Many of the hardy annuals may be sown in August and September for spring and early summer flowering, and if the seedlings are boldly thinned out at an early stage they become hardy and robust, producing finer plants and a greater profusion of bloom than when sown in spring. (A batch of Sweet Peas should always be sown in autumn for early summer flowering.)

HARDY ANNUALS are best sown where intended to bloom, as they do not, in most cases, transplant well.

H.H.A., or Half-hardy Annuals, may be sown in March or April, in a gentle heat, in pans, shallow boxes, or pots, a light sandy soil being used. The surface should be made perfectly smooth and level (which is best done with a circular piece of flat wood), and the seeds be very lightly covered with finely sifted soil. *Very small seeds should be simply pressed gently into the soil and not covered.*

To save watering with a can and probably washing away or disturbing the seed, before sowing stand the seed pans or pots in an inch of water, when the soil will soon become moist and fit to receive the seeds. Shade the seed pans from the sun's rays till the seedlings are up; this can be done by simply placing a newspaper lightly over them.

As soon as the seedlings are large enough to handle, prick off into shallow boxes, and when strong enough and all danger of frost is over, plant out on to well-prepared ground.

Those who have no convenience for sowing in heat can sow all HALF-HARDY ANNUALS in the open border middle of May, on finely prepared soil and in as sunny a position as possible. *The seedlings should be thinned out freely*, as recommended for Hardy Annuals.

G.A., or Greenhouse Annuals.—The difference in the treatment of these and Half-hardy Annuals is that they should be sown earlier and in a stronger heat. The young seedlings should be pricked out from the seed pan as soon as large enough to handle, each into separate small pots as early as possible before they get drawn, and when well rooted should be transferred to larger pots, and so on to the size required for their flowering. An occasional watering of weak liquid manure will greatly assist the plants in their growth.

Many Greenhouse Annuals, such as CELOSIAS, COCKSCOMES, etc., make effective bedding plants if put out in June.

H.P., or Hardy Perennials.—These may be sown from February in pans or boxes, either in heat or cold frames, keeping shaded and moist till the seedlings are up; then prick off into shallow boxes as soon as they are large enough to handle, and finally plant out of doors when sufficiently strong. *Do not allow the plants to remain too long in the seed pans or boxes, nor allow them to get starved.*

Hardy Perennials may also be sown outdoors from February to August in drills, the best position being a north border; in this case the seedlings should be transplanted when large enough to where intended to bloom.

Seeds of alpine and all hardy Primulaceæ are best raised in a cold frame with north aspect or under a north hedge. Many such seeds germinate very slowly, and a thin sprinkling of finely sifted burnt earth is of great assistance in preventing the growth of moss before the seedlings appear.

H.B., or Hardy Biennials, require similar treatment to Hardy Perennials. If raised early in heat, many of them make decorative plants the first season.

NOTE.—In the case of very hard-shelled seeds it will be found a good plan to steep them in tepid water for some hours previous to sowing, as this will hasten their germination.

SWEET PEAS and seeds which are liable to attack from mice should be steeped for half an hour in paraffin oil previous to sowing.

BARR'S

Flower Seed Novelties and Specialities

for 1902.

INCLUDING SEEDS OF MANY RARE ALPINES, HARDY PERENNIALS, AND GREENHOUSE PLANTS.

(On page 36 commences the General List of Flower Seeds.)

NOTE.—In the descriptions given, h.a. = hardy annual; h.h.a. = half-hardy annual; g.a. = greenhouse annual; h.b. = hardy biennial; h.h.b. = half-hardy biennial; h.p. = hardy perennial; h.h.p. = half-hardy perennial; g.p. = greenhouse perennial. The height is also given in inches or feet.

- | | | pkt.—s. d. |
|----|---|------------|
| 30 | ABUTILON vitifolium album , a beautiful wall-shrub, hardy in Ireland and South of England if protected from frost; it produces masses of <i>snowy white</i> flowers in summer, 8 ft. | 1 0 |
| 31 | ACAENA cyanophylla , a species received under this name from the Swan River | 1 0 |
| 32 | ACHILLEA sericea , a distinct new Yarrow, having a silky foliage and compact heads of <i>deep yellow</i> flowers, h.p., 1 ft. | 1 0 |
| 33 | ADENOPHORA Potanini , a handsome border plant of the Campanula family, bearing lovely large <i>pale blue</i> bell-shaped flowers, h.p., 2½ ft. | 1 6 |
| 34 | AJUGA metallica crispa , for small beds and edgings, forming little bushes with dark metallic-green crinkled foliage and a central head of <i>ultramarine-blue</i> flowers, h.p., 5 in. | 1 0 |
| | ALYSSUM. | |
| 35 | gemonense sulphureum , a charming little plant for rockwork or edging, producing in spring sheets of <i>pale lemon-coloured</i> flowers, h.p., ½ ft. First-Class Certificate R.H.S. | 1 0 |
| 36 | rostratum , a pretty new species, of trailing habit, with <i>yellow</i> flowers, h.p. | 0 6 |
| 37 | ALYXIA buxifolia , a fine stove shrub from Australia, being covered with <i>red</i> berries. <i>Seed expected</i> | 1 0 |
| 38 | AMARYLLIS, Barr's Choice New Hybrids , saved from one of the finest collections in Europe; valuable new sorts may be raised from this seed, greenhouse bulb | 1 6 |
| | ANDROSACE (Rock Jasmlne) , lovely little high Alpines, thriving in rock fissures or amongst stones in sandy loam. | |
| 39 | carnea , bearing charming little <i>rose-coloured</i> flowers, h.p., 4 in. | 1 0 |
| 40 | obtusifolia , flowers <i>pale rose</i> with <i>yellow</i> eye, beautiful, h.p., 3 in. | 1 0 |
| 41 | ANIGOSANTHUS Manglesii , the Kangaroo's Foot-Plant from the Swan River, an interesting greenhouse perennial, 3 ft. | 1 0 |
| | ANTIRRHINUM (Snapdragon). | |
| 42 | Barr's New Giant-flowered mixed , a fine strain, with very large and handsome flowers of rich brilliant colours, h.p., 2 ft. | 1 0 |
| 43 | "Black Prince," remarkably handsome, having elegant dark foliage, flowers <i>velvety black</i> with <i>purple</i> reverse, and conspicuous <i>golden-yellow</i> anthers, h.p., 1 ft. | 1 0 |
| 44 | "Black and White," a very striking Snapdragon , the flowers having <i>velvety black</i> lips and the corolla tube <i>snowy white</i> , h.p., 1 ft. | 1 6 |
| 45 | Asarina , a fine distinct trailing species with large <i>pale yellow</i> flowers, h.h.p., ½ ft. | 1 0 |
| | AQUILEGIA (Columbine). | |
| 46 | Barr's Extra Selected Hybrids , saved mostly from <i>long-spurred</i> varietles, but also from some beautiful short-spurred rose-coloured flowers, all very beautiful, h.p., 2 ft. | 2 6 |
| 47 | Barr's Giant Blue and White , bearing lovely flowers of large size, <i>bright true blue</i> with <i>white</i> corolla, h.p., 2½ ft. | 2 6 |
| 48 | Barr's Giant Rose and White , a very beautiful selection, h.p., 2½ ft. | 2 6 |



AQUILEGIA (LONG-SPURRED).

AQUILEGIA (Columbine)—*continued*.

pkt.—s. d.

- 49 **chrysantha fl. pl. (Double Yellow Columbine)**, a good novelty, producing an abundance of double and semi-double *golden-yellow* flowers, h.p., 2½ ft. 1 6
- 50 **chrysantha hybrida**, a beautiful new strain, flowers with long spurs, *lilac and golden-yellow, violet and white, rose and white, and pale yellow*, h.p., 2½ ft. 1 0
- 51 **Helena**, a beautiful hybrid Columbine, bearing large *deep blue* flowers with *white* corolla, and resembling in form *A. glandulosa*, h.p., 1½ ft. 1 0
- 52 **ARABIS pumila**, a rare and beautiful little Alpine species, with *white* flowers, h.p., 6 in. 1 0
- 53 **ARNEBIA cornuta**, the **Arabian Primrose**, a charming border plant, covered during summer with a mass of flower-spikes, flowers *rich yellow* with a large *crimson-maroon* spot on each petal, h.h.a., 2 ft. 1 0
- 54 **ARCTOTIS grandis**, a very handsome new annual from South-west Africa, of branching habit, with elegant whitish foliage, bearing large Daisy-like flowers on long stems rising well above the plant; the blooms are *pure white*, with narrow *yellow* central ring and a pretty *lavender* disc; a most valuable plant for beds, pots, and cutting, h.h.a., 2 ft. 1 0
- 55 **ARCTOTIS, species from Namaqualand**. *Seed expected, and said to contain some fine things* 2 6



ASTER SINENSIS.

56 **ASTER SINENSIS**, the true original type from

China, a very lovely *single* Aster sent out by us in 1899; the plant forms branching bushes, well furnished with rich dark green foliage, and produces an abundance of handsome flowers 3 to 4 in. across, having a single row of delicate pale mauve ray florets, broad and symmetrical, and a golden central disc. Other Single Asters in comparison with it are coarse and weedy; moreover, it flowers when other Asters are past, and reproduces itself true from seed. We recommend it as a first-class border and pot plant, and a valuable flower for cutting, h.h.a., 15 in. (*See illustration on front cover.*) 6d. & 1 0

ASTERS, Beautiful New Varieties, h.h.a.

- 57 **Chrysanthemum-Aster, "Doris,"** forming fine little bushes well furnished with flowers of a beautiful *soft lavender*, 1 ft. 1 0
- 58 **Comet, "Empress Frederic,"** a remarkably beautiful variety, producing on compact sturdy plants very large globular *snowy white* flowers 4 to 5 in. across, with long curling petals, a grand pot-plant 1 6
- 59 **Comet, "King Humbert,"** a grand new variety, bearing on compact little bushes *pure white* flowers of immense size, with long curling petals, 1 ft. 1 0
- 60 **Daybreak**, a grand Aster of the Victoria class, forming compact bushes covered with large handsome flowers of a *delicate blush tint*, 1½ ft. 1 6
- 61 **Dwarf Comet Perfection**, a charming early dwarf section producing very large flowers, with elegantly curled petals, valuable for pots or bedding, 8 in.
 rose, white, and white changing to rose, each colour 1 0
- 62 **Dwarf Ostrich Feather**, a valuable dwarf selection of this beautiful class and valuable for pot culture and front borders; the large flowers have long elegantly curling petals, 8 in.
 pure white, white changing to rose, crimson-carmine, each colour 1 0
- 63 **Dwarf Perfection, "Rose Brillante,"** a very attractive Aster of the Dwarf Chrysanthemum type, flowers very large with overlapping petals, of a pretty *bright rose* colour, 8 in. 1 0
- 64 **Giant Comet "Charlotte,"** one of the most beautiful Comet Asters yet introduced. The plant has a branching habit with very large flowers of a charming *bright rose* with large *white* centre; these are borne on long rigid stems, and will be highly prized for cutting, 2 ft. 1 6
- 65 **Gloria Aster**, a remarkably pretty Aster, producing dwarf branching plants, covered with flowers of striking appearance, *blood-crimson* with large *snowy white* centre, 10 in. 1 6
- 66 **Hohenzollern, Rose**, flowers remarkably large, 6 to 7 in. across, of a *beautiful rose* colour with curling petals, standing well above a handsome bushy plant, very fine, 22 in. 1 0
- 67 **Lady Aster, "Phyllis,"** a very distinct and beautiful variety, *white marbled rose*, with elegant curling petals, 1 ft. 1 0
- 68 **Late Queen**, a handsome late Aster, opening when other varieties are going over, flowers large and *pure white* with quilled petals, of branching habit, 2 ft. 1 0
- 69 **New Tree Aster, mixed colours**, plants free and graceful, well furnished with medium-sized flowers of bright attractive colours; for beds, borders, pots, or baskets, 15 in. 1 0
- 70 **New Yellow "Sunlight,"** a great novelty, being the first really yellow Aster raised; flowers large and borne on stiff stems, of a fine *delicate yellow*, 1½ ft. 1 0
- 71 **Phoenix Aster, "Little Maid,"** a very charming new variety of elegant pyramidal growth, and bearing an abundance of handsome well-formed flowers, *white tinged pale rose*, 15 in. 1 0
- 72 **Triumph Aster, mixed colours**, a very pretty new class of Asters, forming compact little plants, covered with broad-petalled globular flowers of good size, 8 in. 1 0

		pkt.—s. d.
73	ASTER alpinus grandiflorus , a very large-flowered variety of this favourite little Alpine, flowers <i>bright purple-blue</i> , charming on rockwork, h.p., 5 to 7 in.	1 6
74	ASTER alpinus superbus , a fine new variety with large <i>bright blue</i> flowers, h.p., 1 ft.	1 0
75	ASTER Porteri , a very pretty species of Michaelmas Daisy from Colorado, bearing light graceful sprays of small <i>white</i> flowers, h.p., 2 ft.	1 0
AUBRIETIA.		
76	Dr. Mules , a grand new variety with large handsome <i>glowing purple</i> flowers, h.p. $\frac{1}{2}$ ft.	2 6
	A few packets only	
77	Fire King , raised at our Nurseries, flowers <i>glowing crimson</i> , h.p., $\frac{1}{2}$ ft.	2 6
	A few packets only	
78	Souvenir de William Ingram , with very large <i>rose-coloured</i> flowers, h.p., $\frac{1}{2}$ ft.	1 6
AURICULA.		
79	New Giant Yellow Sweet-Scented , a fine large-flowered strain which should give a good percentage of <i>fine yellows</i> , h.p., 1 ft.	2 6
BEGONIA.		
80	marmorata , "The Butterfly," a striking novelty, flowers of large size, conspicuously blotched and spotted white on a scarlet or carmine ground, g.p.	1 0
81	New Large-flowered Fringed , a lovely new race, producing flowers of great size, some being frilled like Petunias, and others fringed like Primulas. About 30 per cent. may be expected to come true, but all are beautiful, g.p.	1 0
82	Perpetual-flowering Double , producing the greatest profusion of prettily formed double flowers, from <i>white</i> to <i>dark red</i> , contrasting charmingly with the dark or metallic green or reddish foliage; fine for pot culture or bedding, g.p., $\frac{3}{4}$ ft.	1 0
83	semperflorens magnifica , a very showy and beautiful variety for beds and borders, having small graceful foliage of a <i>deep red</i> and a profusion of <i>bright crimson</i> flowers, set off by <i>golden</i> stamens, g.p., 10 in.	1 0
84	BIGELOVIA graveolens , a shrubby woolly perennial with heads of <i>yellow</i> flowers, resembling a Golden Rod, h.p., 2 $\frac{1}{2}$ ft.	1 0
85	BOCCONIA japonica microcarpa , a handsome new Plume Poppy with large lobed blue-grey foliage with white under surface, flower plumes <i>cream colour</i> , followed by <i>reddish</i> seed vessels, h.p., 6 ft.	1 0
86	BORECOLE "Albino" , a remarkably ornamental Kale for winter and spring decoration, the lacinated leaves being from October to March <i>pure white</i> beautifully veined and fringed with green; the developing floral head retains the beautiful variegation, causing the plant to resemble a "snowy pyramid"	2 6
87	BUDDLEIA japonica , a fine Japanese shrub producing numerous racemes of small <i>lilac</i> flowers, hardy in mild localities, 4 to 6 ft.	1 0
CAMELLIA , handsome evergreen greenhouse shrubs.		
88	Large Single White , supposed to be <i>C. Sasanqua oleifera</i> , very handsome	1 6
89	Sasanqua , bearing beautiful single white flowers	1 6
90	Sasanqua, mixed varieties , double and single, flowers <i>red, white, or pink</i>	2 6
91	Thea (The Tea Shrub) , bearing pretty small single <i>white</i> sweet-scented flowers	2 6
CAMPANULA (Bell-flower).		
92	Allioni , a pretty and rare alpine with large <i>bluish purple</i> flowers, h.p., 3 in.	1 0
93	elegans , a fine new Bell-flower, with <i>lilac-blue</i> flowers, h.p. $1\frac{1}{2}$ ft.	1 0
94	michauxioides , a very interesting Bell-flower of branching pyramidal growth, flowers small <i>bluish white</i> with the petals very elegantly recurved like a Michauxia, h.p., 3 ft.	1 0
95	patula , a rare species, bearing a panicle of <i>pale violet</i> flowers, h.p., 2 ft.	1 0
96	persicifolia Moorheimi , a handsome new variety with very large <i>snowy white</i> semi-double flowers borne on stiff stems, h.p., 2 ft. <i>Award of Merit R.H.S.</i>	1 0
97	versicolor , a rare and beautiful species from Greece bearing large star-shaped flowers in which <i>blue</i> and <i>white</i> alternate, h.p., 3 $\frac{1}{2}$ ft.	1 0
98	CANNA, Tait's Choice Hybrids , seed saved from finest varieties of Crozy's Cannas, h.h.p.	1 6
99	CAPSIUM nigrum , a very handsome Pepper, the plants being covered with brilliant black fruits resembling sloes, and having blackish foliage and stems, h.h.a., 15 in.	1 0
CARDUUS (Thistle).		
100	New Hybrid , a cross between the <i>Scotch Thistle</i> and <i>C. arabicus</i> , a grand silvery-leaved plant, and said to be the "finest of all Thistles," h.p., 7 ft.	1 0
101	nutans hybridus , a remarkably pretty Thistle with very ornamental finely cut foliage, and <i>deep rose-coloured</i> flowers, h.a., 2 $\frac{1}{2}$ ft.	1 0
102	Salteri (syn. Onopordon Salteri) , a magnificent Thistle with very large handsome <i>silvery</i> leaves beautifully cut, from which rises a <i>snowy white</i> ornamental stem crowned with large <i>blue</i> flowers, h.b., 11 ft.	1 6
CARNATION.		
103	Douglas's Splendid New Self-coloured Hybrids , for beds or flower borders, saved from Martin Smith's finest named selfs, white, yellow, apricot, scarlet, and crimson shades ...	2 6

CARNATION—continued.

pkt.—s. d.

- 104 **Douglas's Tree Varieties**, carefully saved from the finest *Prize varieties* in cultivation, h.p. 3 6
- 105 "**Géant de Nice**," a grand new strain originating from the neighbourhood of Nice; the flowers are of great size and the richest colours, specially adaptable for cutting, being borne on long stems; these grand Carnations come into bloom six months after sowing, h.p., 2 ft. ... 2 6
- 106 **CARTHAMUS tinctorius**, a charming border plant, with pretty *yellow* thistle-like heads, h.a., 2½ to 3 ft. 0 6
- 107 **CASSIA artemisioides** and **eremophila**, varieties of the **Senna** Plant from South Australia, greenhouse evergreens each 1 0
- 108 **CASTILLEJA indivisa**, a very decorative plant for pots or borders, having terminal spikes of flowers with *crimson* bracts, h.h.p. (treat as a hardy annual raised in heat)..... 1 6

CELOSIA.



CELOSIA ARGENTEA.

- 109 **argentea linearis**, a very pretty plant from India, valuable alike for flower borders or pot culture; it forms erect pyramidal bushes furnished with numerous flower plumes opening a *bright rose* and changing to a *silvery white* on the lower part, thus presenting a charming scheme of colour, g.a., 2½ ft. 1 0
- 110 **Thompsoni magnifica**, a splendid new race of Celosias forming elegant pyramidal bushes covered with numerous feathery plumes of bright showy colours, *golden-yellow*, *fiery scarlet*, *blood-red*, *salmon*, etc.; foliage from bright green to bronze with red, purple, or golden stems; grand effective plants in borders, g.a., 3 ft. 2 6

CENTAUREA.

- 111 **americana alba**, awarded 1st Class Certificate R.H.S., August 1899, a fine new variety bearing beautiful *creamy white* flowers, measuring 5 in. across, and resembling a **Giant White Sweet Sultan**, h.a., 1½ ft. 6d. & 1 0
- 112 **Prealta**, a fine border plant having prettily cut foliage, and bearing many flowers—*white*, *yellow*, and *rose*, h.p., 2½ to 3 ft. 1 0
- 113 **CENTAUREA depressa "King of Blues"**, a handsome variety of this charming annual, having a *blue* instead of crimson centre, *highly recommended*, h.a., 1 ft. 1 0
- 114 **CHEIRANTHUS Alloni**, a valuable plant for borders and rockwork, covered with *brilliant orange-yellow* flowers from spring to autumn, h.p., ¾ ft. 2 6
- 115 **CHAMAELAUCIUM meganopetalum**, a variety of the **Fringe-Myrtle** from Western Australia, a very ornamental little shrub for greenhouse..... 1 0
- CHRYSANTHEMUM** Seed saved from the **Finest Strain in Japan**, specially selected for us.
- 116 **double mixed**, from large flowered varieties 3 6
- 117 **single red, white, and yellow**, saved from largest-flowered varieties.....each 1 6
- 118 **CHRYSOPSIS villosa Rutteri**, a fine variety of the "Golden Aster" and a good border plant, bearing *golden-yellow* flowers on leafy branches, h.p., 2 ft. 1 0
- 119 **CINERARIA cruenta hybrids**, the result of crossing the large-flowered Cineraria with the old species *C. cruenta*; the plants have a graceful free habit, bearing abundance of small flowers in loose panicles, of pleasing and varied colours, valuable for pots or cutting, 2 to 3 ft. 2 6
- 120 **CINERARIA maritima elegantissima**, a beautiful new variety of this charming foliage plant, the silvery white leaves being very finely cut, of very graceful appearance, h.p., 27 in. ... 1 6
- 121 **CLEMATIS, hybrids** from *integrifolia* and *viticella*, producing clusters of small flowers ranging in colour from *bright red* to *purple*, very elegant hardy climbers 1 0
- 122 **CLIANTHUS Dampleri "German Flag"**, a fine novelty, flowers combining the colours *black*, *red*, and *white*, remarkably handsome and effective, half-hardy shrub for greenhouse, 3 ft. 3 6
- 123 **COCKSCOMB, "Fire King"**, a remarkably showy plant of fine dwarf habit, and handsome *fiery red* combs, g.a., ½ ft. 1 0
- COSMOS.**
- 124 **diversifolia**, a pretty little species of the Mexican Aster growing only 8 in. high, with graceful foliage and numerous flowers of a beautiful *golden-yellow*, h.h.a. 1 0
- 125 **New Dwarf "Early Dawn"**, coming into flower early in summer and continuing to bloom until autumn, flowers large *white*, slightly tinged *pink* at base of petals, beautiful, h.h.a. 1 0
- 126 **New Giant "Rainbow"**, a very beautiful new strain of the "Mexican Aster," flowers measuring 3 to 4 in. across with broad petals, having the edges frilled, laciniated, or plain; colours *white*, *cream*, *blush*, or *pale mauve*, prettily flamed or pencilled, and some with *red*, *pink*, or *lavender* zones round the centre, h.h.a., 6 ft. 1 6
- 127 **CONVOLVULUS, "White Tassel"**, a beautiful variety with double *white* fringed flowers, valuable for hanging-baskets, trellises, etc., h.a., climber 1 0

CYCLAMEN, beautiful greenhouse bulbs.

pkt.—s. d.

- 123 **New Feathered white**, a remarkable new break in Cyclamen, the large *white* flowers having a striking feather or crest at the base of each petal, very beautiful 2 6
- 129 **Papilio—The Butterfly Cyclamen**, a remarkably beautiful new strain, having large flowers of various colours, with broad petals, which at the edges are beautifully crimped 2 6

DAHLIA.

- 130 **Double Gloria Dahlias**, a beautiful new race exhibiting great variety in form of flower, colour, and height. The raiser states that *some resemble in form a double Scabious, some a double Gaillardia, others a Peony-flowered Aster, etc.*, h.h.p. 1 0
- 131 **Double Cactus, Tait's Beautiful Hybrids**, seed saved from a very fine collection of the best and newest varieties, h.h.p. 1s. 6d. & 2 6
- 132 **Miniature Single**, a very pretty new strain, forming compact little bushes 6 to 8 in. high, from which rise the flowers 2 to 3 in. across, of many brilliant shades of colours, h.h.p., 1½ ft. *Seed sown in March will produce flowering plants by June.* 1 0
- 133 **Single, "Fire King"**, forming fine compact bushes covered from summer to autumn with large brilliant scarlet flowers, standing well above the foliage, h.h.p., 4 ft. 1 0
- 134 **Single, "Goldense"**, a fine companion plant to the above, bearing large single golden-yellow flowers, h.h.p., 4 ft. 1 0
- 135 **DATURA Huberiana "Purity"**, a grand new variety with immense double snowy white flowers; a splendid plant for pots, h.h.a. 1 0
- 136 **DAVIESIA cordata**, an elegant greenhouse shrub from Western Australia 1 0

DELPHINIUM.

- 137 **Barr's Magnificent Varieties, mixed**, seed saved from the fine collection at our Long Ditton Nurseries, h.p. 1s. 6d. & 2 6
- 138 **dictyocarpum**, a new Perennial Larkspur from Siberia, producing dense spikes of ultra-marine-blue flowers, very beautiful, h.p., 2 to 2½ ft. 1 6
- 139 **"True Blue,"** a handsome garden variety, with large single flowers of a vivid *Gentian-blue* with black eye, h.p. **Awarded Certificate of Merit.** 2 6

DIANTHUS.

- 140 **Gloriosa**, a remarkably fine *Japanese Pink*, having large handsome flowers, with very broad petals, *white* with conspicuous large *purple-crimson* centre, h.a., ¾ ft. 1 0
- 141 **Heddewigii nanus**, a lovely dwarf strain of *Japanese Pinks*, growing only 6 in. high, with flowers of rich and varied colours, h.a. 1 0
- 142 **Knappii**, a very distinct *Pink*, bearing clusters of *pale yellow* flowers, h.p., 1 ft. 1 0
- 143 **lacinatus double "Aurora"**, bearing a proportion of very beautiful finely fringed flowers in lovely shades of *salmon-rose*; a proportion of the flowers are double, the remainder single, but very attractive, h.a., 1 ft. 1 0
- 144 **lacinatus zonalis**, a remarkably striking *Japanese Pink*, flowers finely fringed, *bright salmon-red*, with a conspicuous *blackish purple* central ring, h.a., 1 ft. 1 0
- 145 **"Oriental Beauties,"** having broad glaucous foliage and remarkably large broad-petalled single flowers of the most beautiful and brilliant colours, h.a., 15 in. 1 0
- 146 **"Royal Pinks,"** a grand new strain of *Japanese Pinks*, having very large single flowers, with petals gracefully fringed and crimped; in colour they range from *blood-red* to *carmine, pink, and white*, h.a., 15 in. 1 0
- 147 **stellaris fl. pl., the Double Star Pink**, flowers with numerous elegant starry tapering petals and of many rich shades, h.a., 1 ft. *Only a proportion comes true from seed* 6d. & 1 0
- 148 **DIASCIA Barberæ**, a very pretty annual from South Africa, forming little branching bushes covered with elegant spurred flowers of a charming *chamois-rose* shade, valuable for borders or pot-culture, h.h.a., 1 ft. 1 0
- 149 **DICENTRA chrysantha**, a good border plant having finely cut foliage and tall panicles of very fragrant *yellow* flowers, h.p., 3 ft. 0 6
- 150 **DRABA grandiflora**, a fine little alpine, forming cushions 5 in. through, covered in May with large *white* flowers, fine for rockeries, h.p., 3 in. 2 6
- 151 **DUVERNOIA Adhatoides**, an ornamental shrub from South Africa, for warm greenhouse ... 1 0

EREMURUS.

- 152 **Bungei**, a remarkably handsome species, one-third of the stem being clothed with showy *yellow* flowers having *orange-coloured* anthers, h.p., 5 to 6 ft. 2 6
- 153 **Elwesianus**, a handsome variety of *E. robustus*, bearing very large stately spikes of beautiful *flesh-coloured* fragrant flowers, h.p., 6 to 10 ft. 2 6
- 154 **himalaicus**, bearing dense flower spikes nearly 2 ft. long of beautiful *snowy white* flowers with *golden* anthers, h.p., 5 to 8 ft. 1 0
- 155 **robustus**, producing large stately spikes of *flesh-coloured* flowers, h.p., 6 ft. 1 0
- 156 **ERICA, Hardy Hybrids**, the result of hybridising various hardy Heaths, and likely to produce some beautiful new varieties 1 0

- pkt.—s. d.
- ERIGERON.**
- 157 **aurantiacus hybridus**, very pretty hybrids of the *Orange Daisy*, producing on branching stems numerous large flowers, in all shades from *white* to *rose* and *yellow* to *orange*, h.p., $\frac{1}{2}$ ft. 1 0
- 158 **Coulteri**, a grand new hardy perennial from North America, producing in June an abundance of large *snowy white* Daisy-like flowers with *golden centre*, h.p., $\frac{1}{2}$ ft. 1 0
- 159 **grandiflorus elatior**, a handsome new species from North America, producing in May a profusion of large *pale lilac* flowers, h.p., 15 in. 1 0
- 160 **ERYNGIUM spinalba**, pretty species from Dalmatia, its special attraction being the beautiful *violet-blue* colour of its stem when developed, h.p., 3 ft.; *this plant likes a rather dry soil* 1 0
- 161 **ESCHSCHOLTZIA crispa**, a beautiful new *Californian Poppy*; flowers *rose* outside and *creamy white* inside, with *primrose-coloured* anthers, the petals elegantly fluted, h.a., 1 ft. 1 0
- 162 **"Golden West,"** bearing very large handsome flowers of a *soft yellow* with a *deep orange* blotch at base of each petal; the flowers vary slightly, but all are very beautiful, h.a., 1 ft. 1 0
- 163 **EUPHORBIA Caput Medusæ**, an interesting Spurge from South Africa. Stove perennial, 2 ft. 1 0
- GAILLARDIA.**
- 164 **grandiflora**, "**Lisette**," flowers of a beautiful *pale sulphur*, with *rich maroon-coloured* centre, very distinct and striking; if sown early it blooms the same summer. About 50 per cent. come true from seed, h.p., 2 ft. 1 0
- 165 **grandiflora**, "**Margot**," a fine new variety bearing large handsome *clear canary-yellow* flowers, with *bright crimson* centre, h.p., 2 ft. 1 0
- 166 **grandiflora mixed**, **Barr's extra selected**, saved from the finest large-flowered varieties; the flowers will be greatly valued for cutting, h.p., $\frac{1}{2}$ ft. 1 0
- 167 **GAZANIA**, *white-flowered species* from South Africa, perennial 1 c
- 168 **GENTIANA Kochiana**, a rare alpine, flowers large, *dark blue* with *green spots*, h.p., 10 in. 1 0
- 169 **GERANIUM Zonale**, New "**Ventura**" Hybrids, a grand strain, with large round flowers, *scarlet*, *crimson*, *rose*, *pink*, *salmon*, *snowy white*, etc., forming very large heads; recommended for borders or pot-culture, h.h.p. 2 6
- 170 **GERBERA Jamesonii** (**The Barbaston Daisy**), a lovely plant from the Transvaal, with very large *fiery orange-scarlet* flowers, requires a south border and protection in winter, 1 ft. *As seed soon loses its vitality, we offer only young plants for supply in May or June...each 2s. 6d.*
- GLADIOLUS.**
- 171 **Finest Fertilised Hybrids** of selected strains of *Gandavensis*, *Childsii*, *Nanceianus*, *Lemoines*, etc., beautiful new varieties may be selected from this seed, hardy bulb 1 6
- 172 **New Blue Hybrids**, a fine strain of Gladioli, producing flowers ranging from *light blue* to *very dark violet* with dark or *yellow* blotches, hardy bulb 1 0
- 173 **GLOXINIA, Coquette**, the *Yellow-throated Gloxinia*, a good novelty, producing large flowers of many lovely shades, all having a yellow throat, stove perennial 1 6
- 174 **"Othello,"** a very handsome and distinct hybrid, the large flowers being almost of a *black-blue*, with velvety reflex, and dying off a velvety *purplish violet*, stove perennial 1 0
- 175 **HELENIUM nudiflorum**, a grand border plant with large branching heads of *deep orange* flowers striped and blotched more or less with *red*, h.p., 4 ft. 1 6
- 176 **HELIANTHEMUM magnificum**, a lovely little evergreen shrub for dry sunny spots on banks and rockwork, covered in summer with large handsome *reddish orange* flowers, $\frac{3}{4}$ ft. 1 0
- HELIANTHUS cucumerifolius** (**Miniature Sunflower**), all prized for cutting.
- 177 **albus fl. pl.**, the nearest approach to a white Sunflower; flowers double or semi-double, of a *very pale primrose* shaded *white*, h.a., $3\frac{1}{2}$ ft. 1 6
- 178 **"Diadem,"** a very beautiful new variety of the Miniature Sunflower "**Stella**," bearing a great abundance of pale *primrose-coloured* flowers, $3\frac{1}{2}$ in. across, with *black-brown* centre, h.a., $3\frac{1}{2}$ ft. 0 6
- 179 **Double**, a charming form of the *Miniature Sunflower*, bearing an abundance of very elegant double flowers, 3 in. across, ranging from *pale yellow* to a *deep golden*, h.a., 4 to 5 ft. 0 6
- 180 **grandiflorus**, graceful in habit, and with handsome elegantly formed flowers, *golden-yellow* with *dark* centre, measuring 4 in. across, h.a., 4 ft. 0 6
- 181 **Mars**, resembling *Stella* but much larger, flowers 3 in. across, with broad petals *bright yellow* with showy *purple* disc, h.a., $3\frac{1}{2}$ ft. 0 6
- 182 **"Meteor,"** a fine new hybrid of the *Miniature Sunflower*, bearing large *golden-yellow* flowers with *black* centre, a profuse bloomer, h.a., $2\frac{1}{2}$ ft. 1 0
- 183 **Perkêo**, a charming dwarf variety of the *Miniature Sunflower*, the plants being only 12 in. high, and forming compact bushes 14 to 16 in. in diameter, covered for months with a profusion of single *yellow* flowers with *black* centre; valuable for pots or for the flower border, h.a. 1 0



MINIATURE SUNFLOWER.

- pkt.—s. d.
- 184 **HELIOPSIS Soleil d'Or**, bearing large handsome flowers in corymbs, of a fine *golden-yellow*, a grand border plant, h.p., 3½ ft. 1 0
- 185 **HERACLEUM purpureum**, a grand stately plant, surpassing *H. giganteum* in elegance, having a very handsome foliage and purple-haired stems, h.b., 6 ft. 1 6
- 186 **HEUCHERA rosea hybrida**, a beautiful strain producing very large flowers in charming shades of colour—*rose* and *salmon* to *white*, plants of vigorous growth, h.p., 2 ft. 1 6
- 187 **Zabeliana**, a new hybrid between *H. macrophylla* and *H. sanguinea*, foliage more or less with bronze markings like a *Zonale Geranium*, flowers of a *pink* shade on tall frecc spike, h.p., 2 ft.... 1 6
- HOLLYHOCK**, handsome and stately in back borders, woodlands, etc.
- 188 **Double, Barr's Grand Prize Strain**, saved from the most perfectly formed and largest flowers, colours *snow-white*, *pink*, *rose*, *carmine*, *crimson*, *scarlet*, *yellow*, *primrose*, *apricot*, etc., h.p. 15. 6d. & 2 6
- 189 **Barr's Beautiful Single Hybrids**, saved at our Long Ditton Nurseries from best selected shades, *white*, *cream*, *yellow*, *blush*, *pink*, *rose*, *cherry-red*, and *crimson*, h.p. 1 6
- 190 **New Mammoth Fringed "Allegheny"**, a new American strain, bearing flowers of great size, petals beautifully *fringed* and of fine texture; it bears a great abundance of bloom, and lasts in flower for a very long time; the colours are rich and varied, h.p. 2 6
- IPOMÆA.**
- 191 **hederacea japonica (Japanese Morning Glories)**, a lovely race of rapidly growing climbers from Japan, suitable for greenhouse decoration or summer flowering out of doors; the flowers are of great size, some of them beautifully fringed, and in colours present the most lovely varied shades, h.h.a. 1 6
- 192 **New Morning Glories from Japan**, quite distinct from the varieties usually seen in cultivation, flowers of medium size and embracing many curious and beautiful colours, including *chocolate*, *creamy yellow*, *deep reds*, *sky-blues*, *greys*, *white*, etc., some with prettily variegated foliage. Suitable for greenhouse culture only. The plants should be pinched back so as to form a branching habit..... 15., 15. 6d. & 2 6
- 193 **IRIS Robinsoniana (The Wedding Flower of Lord Howe's Island)**, a handsome greenhouse plant of bold aspect, flowers *white*..... 1 6
- 194 **ISOTOMA axilaris**, a pretty little plant with *Lobelia-like pale violet* flowers, h.h.p., ¾ ft..... 0 6
- 195 **JASIONE Jankæ**, a rare species forming branching bushes and *blue* flower heads, superior to *J. perennis*, h.b. 1 6
- 196 **KALANCHOE flammea**, the finest of this family and a beautiful greenhouse plant, producing heads of *brilliant crimson-red* flowers, 15 in. 2 6
- 197 **KENNEDYA prostrata**, the **Coral Creeper** of South Australia, a pretty greenhouse twiner with *scarlet* flowers 1 0
- 198 **LAGERSTRÆMIA indica**, a pretty greenhouse evergreen shrub from China, bearing *pink* flowers 1 6
- 199 **LANTANA, Barr's New Dwarf**, a very carefully selected dwarf strain of these beautiful bedding and pot plants, flowers large, colours very varied, growth dwarf and compact. *Seedlings of spring flower in summer*, h.h.p., 6 to 9 in. 1 0
- LATHYRUS.**
- 200 **latifolius (Everlasting Pea)**, **Beautiful New Hybrids, mixed**, raised at our Long Ditton Nurseries, and embracing many new and beautiful shades. Purchasers will be highly pleased with these decorative hardy plants for forming floral screens and for cutting, etc., h.p., 5 ft. 15., 15. 6d. & 2 6
- 201 **maritimus (Sea Pea)**, a fine trailing species, bearing very handsome large *rosy purple* flowers 0 6
- 202 **splendens (The Pride of California)**, a grand Californian Everlasting Pea, with graceful foliage and long racemes of most brilliantly coloured flowers, *crimson-lake*, *shaded scarlet*; it is not quite hardy except in favoured localities, but makes a beautiful greenhouse plant, h.p., 4 ft. 1 6
- 203 **undulatus (syn. Sibthorpi)**, a rare variety bearing pretty *crimson-purple* flowers, early, h.p., 3 ft. 1 6
- 204 **LINUM campanulatum**, an interesting species with large *yellow* well-expanded flowers, h.p., 8 in. 1 6
- 205 **LOBELIA erinus Colibri**, a *striking little novelty*, flowers *blush-rose*, with *crimson* blotch and *white* eye, very pretty, h.h.a., ¼ ft. 1 6
- LUPINUS.**
- 206 **arboreus, "Snow Queen," the White Tree Lupin**, a grand acquisition to our border plants; it forms dense bushes about 4 ft. high, completely clothed to the ground with elegant racemes of *white* flowers, which will be found of great value for cutting, h.p..... 6d. & 1 0
- 207 **polyphyllus, "Somerset," the New Yellow Perennial Lupin**, a fine acquisition, flowers *clear soft yellow*. Awarded **First-Class Certificate R.H.S.**, h.p., 3 ft. *About 50 per cent. of the seedlings should come true* 1 6
- 203 **LYCHNIS Haageana grandiflora**, a very showy border plant, having large handsome *orange-scarlet* flowers, h.p., 15 in. 0 6

		pkt.—s. d.
209	MARIGOLD, Silver King , a very striking and beautiful variety, having <i>lemon-yellow</i> petals heavily blotched <i>velvety scarlet-maroon</i> , h.h.a., $\frac{1}{2}$ ft.	1 0
210	MICHAUXIA Tchiatchewii , a noble plant from the Cilician Taurus, producing in summer, from a large rosette of leaves, a stately spike of <i>pure white</i> flowers, h.b., 3 ft. Protect with leaves in winter	1 6
MIGNONETTE, Barr's Covent Garden Favourite , a splendid variety much in demand (see page 71).		
211	"Bismarck," a grand Mignonette, forming dense bushes covered with handsome thick flower-heads of immense size, rich in colour and deliciously scented, h.a., 1 ft. 6d. &	1 0
212	"Goliath," another grand variety, remarkable for its large, sturdy, <i>deep red</i> flower heads, h.a., 1 ft.	1 0
213	"Nineteen Hundred," a remarkably free-flowering variety, forming large spreading bushes of perfect shape, covered with <i>golden-yellow</i> flowers; <i>one plant, it is said, has borne as many as 400 flower spikes</i> , h.a., 1 ft.	1 0
214	Orange Queen , a splendid new variety of compact growth, bearing very broad <i>orange-red</i> flower spikes, h.a., 1 ft.	1 c
215	MIMOSA Spegazini glauca , a lovely species from the Argentine with <i>bluish</i> foliage and clusters of <i>rose-coloured</i> flowers followed by ornamental <i>brown</i> seed pods, stove perennial, growing quickly from seed	1 6
216	MOLOSPERMUM cicutarium , a fine border plant, with large, handsome Fern-like leaves, h.p., $2\frac{1}{2}$ ft.	0 6
217	MORREŃIA brachystephana , a beautiful climber from South America with ivy-like foliage and panicles of <i>white</i> flowers resembling the " <i>Edelweiss</i> ," vanilla-scented; these are followed by large curious fruit	1 0
MYOSOTIS (Forget-me-not).		
218	stricta alba , the <i>White "Pillar Forget-me-not,"</i> of similar growth to No. 220; very beautiful, h.p., $\frac{3}{4}$ ft.	1 0
219	stricta, "Fair Maiden," a very beautiful variety of the " <i>Pillar Forget-me-not</i> ," making an erect column-like growth, covered from the foot up with <i>bright pink</i> flowers, h.p., $\frac{3}{4}$ ft.	1 c
220	stricta, "Royal Blue," a very lovely <i>Pillar Forget-me-not</i> , of erect column-like growth, smothered in large <i>deep blue</i> handsome flowers from the foot up, h.p., $\frac{3}{4}$ ft.	1 c
221	MYOSOTIDIUM nobile , the Giant Forget-me-not , a very lovely plant from the Chatham Islands, with large succulent heart-shaped leaves and clusters of beautiful <i>blue</i> flowers. This perennial requires a warm locality in half shade, and a deep rich soil, $1\frac{1}{2}$ ft.	1 0
222	MUSA religiosa , the Fetiche Banana , a valuable introduction from the Congo; the plant is much dwarfer and more compact than <i>Musa ensata</i> , and with thicker leaves of a beautiful slightly glaucous green shade; a fine plant for greenhouse or subtropical gardening	1 0
NASTURTIUM.		
223	Tom Thumb, "Ardoise," distinct and beautiful, producing very freely large <i>rich golden-yellow</i> flowers handsomely blotched <i>dark bronze</i> , h.a., 1 ft. 6d. &	1 0
224	Tom Thumb, "Vesuvius," forming dwarf compact bushes covered with large <i>showy brick-red</i> flowers, very distinct and effective in beds and borders, h.a., 1 ft. 6d. &	1 0
225	NEMESIA Sutton Improved , a <i>very fine selection</i> , flowers large, of brilliant varied colours— <i>blood-red, scarlet, orange, carmine, rose, pink, and purple</i> , some beautifully spotted and blotched; a lovely plant for flower beds and borders or pot culture, h.h.a., 15 in. Seedlings of spring flower from June to September	1 0
PANSY.		
226	Barr's Finest Scotch Exhibition Strain , seed saved from the finest and highest-class Show and Fancy Pansies in cultivation, and will give buyers much satisfaction in the fine quality of the flowers it produces, h.p., $\frac{1}{2}$ ft. 2s. 6d. &	3 6
227	Empress Augusta Victoria , a beautiful variety, bearing large <i>porcelain-white</i> flowers, a striking <i>rich violet</i> blotch on lower petals, and a <i>golden-yellow</i> eye, h.p., $\frac{1}{2}$ ft.	1 0
228	Fairy Queen , a flower of delicate beauty, being of a pretty <i>dark azure</i> and <i>soft purple</i> , bordered <i>white</i> , h.p., $\frac{1}{2}$ ft.	1 0
229	Giant Parisian Improved , flowers of great size and handsomely marked; they also have a delicate fragrance, h.p., $\frac{1}{2}$ ft.	1 6
230	Lemoine's Extra Selected Trimardeau , a grand strain of very large flowered varieties with beautiful markings, h.p., $\frac{1}{2}$ ft.	1 0
231	Psyche , a remarkably striking and handsome variety, flowers <i>velvety violet-blue</i> , broadly edged <i>clear white</i> , and with margin of petals beautifully frilled, h.p., $\frac{1}{2}$ ft.	1 6
232	Rainbow , a beautiful novelty, flowers measuring up to 3 in. across, and with marvellous blendings of colour in the one flower, h.p., $\frac{1}{2}$ ft. 6d. &	1 0
233	Ruby King , flowers of good size and of a beautiful rich <i>dark ruby</i> with <i>violet</i> blotch; a proportion comes true, h.p., $\frac{1}{2}$ ft.	1 0

- 234 **PAPAVER alpinum laciniatum**, a lovely break in these dainty little Alpine poppies, the petals being prettily fringed or fluted, colours *white, salmon, rose, or orange*, all with *golden* stamens; about 65 per cent. come true from seed, h.b., $\frac{3}{4}$ ft. 1 0

PAPAVER nudicaule.

- 235 **Munstead Iceland Poppies, mixed**, a fine selected strain; elegant Single Poppies of rare beauty, ranging in colour from *pure white* to *yellow* and *brilliant orange-red*, flowering from May to autumn, h.b., 1 ft. 1 6

- 236 **Striped Iceland Poppy**, a very striking and beautiful strain, 30 to 40 per cent. of the flowers being striped *golden-yellow* on an *orange-red* ground, h.b., 1 ft. 1 0

PAPAVER (Giant Oriental Poppies), grand border plants. The seed offered has been saved from the varieties named, and a proportion will come true.

- 237 **bracteatum, "Brightness,"** flowers *rich glowing salmon* with *crimson-brown blotches*, and supported by green bracts, h.p., $3\frac{1}{2}$ ft. 1 0

- 238 **bracteatum, "Monarch,"** large *brilliant orange-coloured* flowers with *black blotches*, and supported by large handsome green bracts, h.p., 4 ft. 6d. & 1 0



GIANT ORIENTAL POPPY.

PAPAVER.

- 239 **orientale, Duke of Teck**, large *brilliant scarlet* flowers, very handsome, h.p., $2\frac{1}{2}$ ft. ...6d. & 1 0
- 240 " **Princess of Wales**, a grand new variety, having flowers of a *crushed strawberry* shade, h.p., 2 ft. 1 0
- 241 " **Royal Prince**, very large *brilliant scarlet* flowers, with glowing *black* spot at base of petal, h.p., 3 ft. 6d. & 1 0
- 242 " **Salmon Perfection**, large rich glowing *salmon-scarlet* flowers with *black* blotch at base of petal, handsome, h.p., 3 ft. 1 0
- 243 " **Salmon Queen**, very large flowers of a charming *soft salmon-scarlet*, h.p., 3 ft. ... 1 0
- 244 " **Trilby**, beautiful *cerise-salmon*, h.p., 2 ft. 1 0
- 245 **mixed new varieties of Giant Oriental Poppies** 6d. & 1 0

PENTSTEMON.

- 246 **Barr's Beautiful Florists' Varieties**, seed saved from the finest colours; graceful and showy plants for beds and borders, h.h.p., 2 ft. Seedlings bloom the same season 2 6
- 247 **Red Prince**, a handsome variety with very large *Gloxinia-like* flowers running from *blood-red* to *purple-crimson*, h.h.p., 2 ft. 1 0

- 248 **PETASOTYLIS labicheoides**, a rare stove plant from South Australia 1 0

PETUNIA.

- 249 **Barr's Superb Giant**, the largest flowered of all *Petunias*; the flowers are of immense size, good texture, and finely fringed, the colours very rich and varied, h.h.p., $1\frac{1}{2}$ ft. ...2s. 6d. & 3 6
- 250 **Eastern Queen**, very large handsome flowers, *dark velvety-crimson*, with *black* throat, h.h.p., 1 ft. 1 6
- 251 **Miranda**, a very lovely new strain, flowers mostly *brilliant deep rose*, beautifully crimped and curled, the edges being frilled like lace, h.h.p., $1\frac{1}{2}$ ft. 1 6
- 252 **PHLOMIS cashmeriana**, a fine border or rock plant, forming a large bush with *greyish* foliage and several flower stems 2 ft. high, each furnished with whorls of large *purplish rose* flowers, h.p. 2 6

PHLOX.

- 253 **New Dwarf "Bunch of Roses,"** a lovely little plant for edging and rockwork, covered with large flowers of a beautiful *brilliant rose*, with *snowy white* centre, h.h.a., 5 in. 1 0
- 254 **New Dwarf "Surprise,"** another little gem, dwarf and compact, with abundant bloom of a beautiful *bright salmon-rose*, with large *white* centre, h.h.a., 5 in. 1 0
- 255 **New Dwarf Yellow "Isabellina,"** quite a novelty, having large *pure yellow* flowers on a dwarf compact plant, very pretty, h.h.a., 5 in. 1 0
- 256 **Barr's Perennial**, saved from our grand "Long Ditton" collection of named varieties, h.p. 2 6
- 257 **PHORMIUM tenax (New Zealand Flax)**, a noble and graceful plant for subtropical gardens, lawns, or for conservatory decoration, 4 ft.; in mild localities it is hardy 1 0
- 258 **PHYSIANTHUS albens**, the **White Bladder Flower** of Buenos Aires, a fine greenhouse climbing shrub, bearing *white* flowers *tinged rose*; in warm localities it may be grown outside against a wall 0 6
- 259 **PINK, "Afghan Prince,"** a very handsome single Pink of a *rich deep blood-red* colour, h.p., 15 in. 1 6
- 260 **PLATYCODON Mariesii macranthum**, a splendid new variety of the *Chinese Balloon Flower*, with very large *deep blue* flowers, h.p., 2 ft. 1 0

- pkt.—s. d.
- 261 **POLEMONIUM confertum melitum**, a lovely little plant from the Rocky Mountains, producing racemes of dainty *creamy white* flowers, fragrant, h.p., 10 in. *Certificate of Merit R.H.S.* 1 0
- POLYANTHUS.**
- 262 "**Blue Beauty**," a beautiful new strain producing flowers ranging in colour from *deep violet* to *lavender*, h.p., $\frac{1}{2}$ ft. 2 6
- 263 **New Giant Yellow**, saved from very large handsome flowers, freely produced on long stems; a high percentage should come true, h.p., 1 ft. 1 6
- POPPY.** (*For Oriental Poppies and Iceland Poppies, see Papaver.*)
- 264 **Empress of China**, a very beautiful single Poppy, flowers *snowy white*, with a fringed margin of *brilliant crimson-scarlet*, h.a., 2 ft. 0 6
- 265 **Maid of the Mist**, a lovely new Poppy, with immense single *white* flowers deeply and irregularly fringed, and having a *pea-green* ovary and tan-coloured anthers, h.a. 1 0
- 266 **Miss Sherwood**, a most beautiful large single Poppy, the lower part of the flower being a *sainty white*, and the upper part a *silky chamouis-rose*, h.a., $2\frac{1}{2}$ ft. 6d. & 1 0
- 267 **Shirley Poppy, "Long Ditton" Strain**, an *extra selected* strain, flowers all of delicate shades with a *snowy white* centre. Sow from March to September, h.a., 2 ft. 1 0
- 268 **PRIMROSE, G. F. Wilson's Blue Primrose**, producing many beautiful shades of blue, from *deep violet* to *lavender*, h.p., 4 in. 2 6
- 269 **Inglescombe Highly Selected Strain**, a grand strain of these favourite plants; flowers large and colours brilliant; *purchasers cannot fail to be pleased with the results*, h.p., $\frac{1}{2}$ ft. 2 6
- PRIMULA.**
- 270 **Arctotis hybrida**, a beautiful strain of hybrid Alpine Primroses, producing in early spring large handsome flower trusses ranging in colour from *white* to *cream* and *yellow*, and shades of *rose*, *lilac*, *carmine*, and *rosy purple*, of various heights, 8 to 12 in., h.p. 1 0
- 271 **obconica kermesina**, a valuable acquisition, flowers of a *bright rich crimson-red*, especially in autumn and winter, h.b.p., $\frac{3}{4}$ ft. 1 0
- PRIMULA stellata**, a very beautiful class of Primulas, remarkable for their light, graceful habit, and soft, delicate colours; they bear loose pyramids of starry, smooth-petalled flowers, set off by a very elegant foliage; as pot plants for the greenhouse, drawing-room, or conservatory they will be highly appreciated. We offer the best forms only.
- 272 **Fairy Queen**, large flowers of a beautiful *blush*, with *yellowish* centre, dark green fern-cut foliage, *bronzy red* on under surface, stems *bronzy red*, g.p., 1 ft. 2 6
- 273 **Miss Irene**, flowers large, *bright rose-carmine* with *salmon* tinge, lighter green foliage and stem, g.p., 1 ft. 2 6
- 274 **Mrs. H. Cannell**, the *best pure white*, flowers large, with *yellowish* centre, foliage like that of *Fairy Queen*, g.p., 1 ft. 2 6
- 275 **Salmon Beauty**, flowers very pretty *bright rose* shading to *salmon-red*, foliage like that of *Fairy Queen*, g.p., 1 ft. 2 6
- 276 **PYRETHRUM Single Giant-flowered**, a fine strain of this favourite plant, producing large handsome flowers in various beautiful shades of *rose*, h.p., 2 ft. 1 0
- 277 **PYRETHRUM leucopiloides**, a fine sub-alpine from Turkey-in-Asia, with *silvery white* foliage and large *yellow* flowers, a fine rockwork plant, h.p.; $1\frac{1}{2}$ ft. 1 6
- RAMONDIA.**
- 278 **pyrenaica**, a lovely little choice alpine, having dainty *lilac-blue* flowers rising from a rosette of dark green foliage, h.p., $\frac{1}{2}$ ft. 1 0
- 279 **serbica Nathalis**, a rare and beautiful species from the Carpathian Mountains, with flowers of a richer and deeper colour than in *R. pyrenaica*, and more freely produced, h.p., $\frac{1}{2}$ ft. 2 6
- RESEDA (Perennial Mignonette).**
- 280 **alba**, a handsome plant producing freely graceful heads of *white* scentless flowers resembling Mignonette, and valuable for cutting, h.p., 2 ft. 6d. & 1 0
- 281 **glauca**, a pretty little dwarf alpine species with glaucous foliage, rare, h.p., $\frac{1}{2}$ ft. 1 0
- 282 **RHEUM palmatum rubrum**, a handsome variety of the "Turkey Rhubarb," having ornamental *deep red* flower spikes, rising to a height of 6 to 8 ft.; a majestic plant for lawns, wild gardens, etc., h.p. 1 0
- 283 **ROMNEYA Coulteri**, the **Giant White Californian Poppy**, a lovely plant for warm situations out of doors, flowers large, *snowy white* with *golden* anthers, h.p., 4 ft. 1 0
- 284 **RUBUS sorbifolius**, the **Strawberry-Raspberry**, a beautiful bramble with *white* flowers resembling a single Rose, fruit something between a Raspberry and Strawberry, and very pretty for table decoration; very ornamental on large rockeries and in wild gardens; hardy shrub, 3 ft. 2 6
- 285 **RUDBECKIA, Autumn Glory**, a grand hardy border plant, producing in October large *rich golden-yellow* flowers with *bronze-coloured* central cone, h.p., 5 ft. 1 0
- 286 **SAINTPAULIA ionantha**, a lovely plant for greenhouse, flowers *clear violet-blue*, g.p., $\frac{1}{4}$ ft. 1 0



PRIMULA STELLATA.

		pkt.—s. d.
287	SALVIA splendens , " Glory of Stuttgart ," a grand new variety, bearing bold heads of glowing velvety blood-red flowers, h.h.p., 3 ft.	1 6
288	splendens , " Rose Beauty ," a lovely new variety, bearing erect spikes of rich dark rose-coloured flowers thrown well above a handsome foliage, h.h.p., 2 ft.	1 6
289	splendens , " Silverspot ," a charming attractive plant, having a handsome spotted foliage and spikes of intense bright scarlet flowers, h.h.p., 2 ft.	1 6
290	splendens , " Triumph ," the earliest flowering Scarlet Sage , producing spikes of large handsome rich velvety scarlet flowers, h.h.p., 2½ ft.	1 0
291	verbascifolia , a splendid foliage plant from Mount Lebanon with downy white leaves and an immense inflorescence, flowers white with blue hairs, h.p., 4 ft.	1 0
292	SAPONARIA ocymoides alba , a charming new rock-garden plant of creeping habit, producing sheets of bluish-white flowers throughout summer, h.p., 3 in. <i>Award of Merit R.H.S.</i> ..	1 6
293	SCABIOSA caucasica elegans alba , an improved form, with flowers larger, purer white, and of better form than <i>S. caucasica alba</i> , h.p., 2 to 3 ft.	2 6
294	caucasica perfecta , an improved form of this beautiful plant, flowers large and having two or three rows of florets instead of one, colour light to deep azure-blue, h.p., 3 ft.	1 0
295	" Fairy ," a very beautiful new variety of the <i>Large Double Annual Scabious</i> , flowers resembling in size and colour the perennial <i>S. caucasica</i> ; of great value as a cut flower, h.a., 2 ft. ... <i>6d. &</i> ..	1 0
296	SCHIZANTHUS Wisetonensis , a charming annual with graceful Fern-like foliage and a profusion of flowers varying from almost white with yellow eye to a brilliant rose with bronzy brown centre, h.h.a., 1 to 1½ ft.	2 6
297	SCOLYMUS grandiflorus (The Golden Thistle) , an ornamental showy plant for large borders and wild gardens, thistle-like foliage and golden-yellow flowers, h.p., 3 ft. <i>Seed expected</i> ..	1 0
298	SPIRÆA aruncus Kneiffii , a lovely new Spiræa, bearing numerous graceful plumes of white flowers, very elegant foliage, h.p., 3 ft.	1 6
299	STANLEYA pinnatifida , a charming Californian plant, bearing in May tall racemes of yellow star-like flowers, h.p., 2 to 3 ft.	2 6
STATICÆ.		
300	Barr's Beautiful New Hybrids, mixed , all graceful border plants, bearing sprays of flowers ranging in colour from rich blue to violet, of great value for cutting, h.p., 1½ to 2 ft....	1 0
301	Fortunei , a pretty little yellow-flowered " <i>Sea Lavender</i> ," h.p., 1 ft.	0 6
302	sinensis , a very graceful species, flowers pure white and pale yellow, which may be dried and used as everlastings, h.p., 20 in. Spring-sown seedlings bloom in summer	1 6
STOCK.		
303	Autumn Giant , a grand new strain, forming elegant pyramidal bushes, with an immense centre spike nearly a foot long; this and the side branches are covered with large double flowers, 2½ ft. White and Crimson each colour ..	1 6
304	East Lothian "Snowdrift" , an extra fine selected strain of dwarf bushy habit, and with large trusses of snowy white flowers, very beautiful; sow in March and April for autumn and winter decoration, and in July and August for spring and early summer flowering, 1 ft. <i>1s. 6d. &</i> ..	2 6
305	Empress Elizabeth , a grand new winter variety, forming handsome pyramidal heads of large brilliant rose-carmine flowers, foliage bright green; a splendid pot plant, 1½ ft.	1 6
306	STRELITZIA Regina (Bird of Paradise Flower) , large orange and purple flowers, handsome stove perennial, 5 ft.	1 0
307	STREPTOSOLEN Jamesoni , a charming cool greenhouse shrub of elegant habit, and bearing corymbs of showy brilliant orange-yellow flowers, 3 to 4 ft.	1 6
308	STYLOPHORUM diphyllum (Celandine Poppy) , a handsome North American Poppywort for borders or rockwork, with yellow flowers and finely cut greyish foliage, h.p., 1½ ft....	2 6
SWAINSONA , elegant greenhouse evergreen shrubby plants from New Holland, and South and West Australia, flowering freely during summer and autumn in greenhouse.		
309	Greyana coccinea (The Darling River Pea) , bearing racemes of brilliant scarlet pea-shaped flowers, 2½ ft.	1 0
310	Greyana violacea , similar to the above, but with violet flowers, 2½ ft.	1 6
311	campylantha , species from Mount Lyndhurst, S. Australia	1 0
312	Maculochlana , species from Minilaya River, W. Australia	1 0
313	stipularis , species from Mount Lyndhurst, S. Australia	1 0
SWEET PEA , h.a., height 5 to 6 ft. Sow seed in spring and autumn.		
314	Black Knight , large handsome deep maroon flowers of fine form..... <i>6d. &</i> ..	1 0
315	coccinea , a striking new shade, beautiful soft cherry-red, very rich, flower large and handsome ..	1 0
316	Countess of Cadogan , flower of large size and deliciously fragrant, standard purple shot with blue, wings carulean blue, very beautiful. <i>Award of Merit</i> <i>6d. &</i> ..	1 0
317	Duke of Westminster , flowers of large size and perfect form, fragrant, standard deep rose-maroon, wings purple-violet, very distinct and handsome. <i>Award of Merit</i> <i>6d. &</i> ..	1 0
318	Earliest of All , a valuable new variety, being the harbinger of a new race of extra-early flowering Sweet Peas; the flowers are well formed and fragrant, standard rich salmon-rose, wings white; very pretty and flowering a fortnight before other varieties <i>6d. &</i> ..	1 0

SWEET PEA—continued.

pkt.—s. d.

- 319 "Gorgeous," an improvement on *Meteor*, and a gorgeously coloured flower; of great size and handsome form, standard *rich orange-salmon*, with deeper-coloured veining, wings *bright rose*. *First-Class Certificate* 6d. & 1 0
- 320 Hon. F. Bouverie, standard *flesh-pink*, wings *buff-rose*, beautiful 6d. & 1 0
- 321 Hon. Mrs. E. Kenyon, flower *deep primrose*, of good form; the largest flowered variety of this shade 6d. & 1 0
- 322 Lady Grisel Hamilton, of great size and sweetly scented, a *lovely pale lavender*, the finest of this shade 6d. & 1 0
- 323 Lady Mary Currie, flowers large and showy, of a beautiful *rosy orange*, deliciously scented 6d. & 1 0
- 324 Miss Willmott, a very fine new variety, flowers *rich deep orange-pink*, of fine substance, borne on long stems 6d. & 1 0
- 325 Mont Blanc, the earliest *pure white* Sweet Pea, flowers large, of fine form, and borne well clear of the foliage; a specially valuable variety for pots 1 0
- 326 Mrs. Dugdale, standard and wings a beautiful *soft rose*, flower large 6d. & 1 0
- 327 Navy Blue, a very distinct colour, and the nearest approach to a *true blue Sweet Pea*; the flowers are of fine form and substance, and the general effect is a *dark blue* 6d. & 1 0
- 328 Othello, standard *rich dark maroon*, with *black sheen*, wings *rich maroon* shaded *black*, very handsome; an improvement on *Stanley* and *Boreatton* 6d. & 1 0
- 329 Pink Friar, *white shaded carmine*, flowers of good form and very beautiful, of sweet fragrance 6d. & 1 0
- 330 One Packet each of the above 16 new Sweet Peas 9s.
- 331 Barr's Beautiful Mixture of New Sweet Peas, containing many beautiful new shades 1s. & 1 6
- 332 SWEET WILLIAM, Barr's Extra Selected Auricula-Flowered, a very fine selected strain saved at our Long Ditton Nurseries from the largest and finest-marked flowers only, h.p., 1½ ft. 1 6
- 333 TECOMA velutina, a lovely greenhouse shrub, easily grown from seed, producing throughout the year great spikes of large *golden-yellow* flowers 1 0
- 334 THRINAX MORRISII, a beautiful and graceful new stove Palm from the West Indies 1 6
- 335 VERBASCUM, White, a remarkably handsome plant, producing bold branching heads, 3 ft. long and 2 ft. through, smothered in creamy white flowers, h.b., 5 ft. 1 0
- 336 VERBENA, Lemoine's Extra Fine Strain of large-eyed varieties in beautiful colours, h.h.p., 1 ft. 2 6
- 337 New Dwarf "Crimson Gem," a most charming new variety for bedding, the plants growing only 8 in. high, and forming little compact branching bushes covered with brilliantly coloured flowers, *deep crimson*, with *white centre*; to bed with blue Lobelias it is a great acquisition, also as a pot plant, h.h.p., 8 in. 1 0
- 338 VICIA fulgens, a pretty trailer, bearing racemes of *dark blood-red* and *rose* flowers, foliage very graceful, h.a. 0 6
- VIOLA.
- 339 20 Finest Bedding Varieties of Tufted Pansies, 1 Packet of each, all very beautiful, and of the greatest value for filling beds and borders, or for edgings, h.p., ½ ft., 3s. 6d.
- 340 cornuta "Papilio," a very beautiful *Horned Viola* of large size and striking colour; *pale violet* with small *dark eyes* at base of petals; a group of these in bloom resembles a mass of *blue butterflies*; a lovely little bedding plant, h.p., ½ ft. 1 0
- 341 New Sweet-scented Miniature Varieties, mixed, a very beautiful new class of bedding violas, producing in abundance dainty little rayless flowers of many charming shades, all having a delicious violet fragrance, h.p., 3 to 4 in. 1 0
- 342 VITIS Colnetiæ, a lovely vine from Northern China, the handsome foliage assuming a most brilliant tint in autumn, h.p. 1 0
- WAHLENBERGIA, choice Alpine Bell-wort.
- 343 dalmatica, a pretty species with *deep violet* flowers, h.p., 4 in. 1 0
- WALLFLOWER.
- 344 Dusky Queen, a grand variety, with very large flowers of a remarkably *dark reddish colour*, said to be the darkest of all single Wallflowers, h.p., 1 ft. 6d. & 1 0
- 345 "Goliath," a new early flowering variety, of dwarf compact growth, with remarkably large single flowers of a *velvety blackish red*, very handsome, h.p., 10 in. 1 6
- 346 Phoenix, a very early flowering single Wallflower, with large handsome flowers, *rich dark red*, h.p., 1 ft. 1 0
- 347 WALLFLOWER, New Dwarf Varieties, forming sturdy little bushes 7 or 8 in. high, covered with bloom ranging in shades of *yellow*, *brown*, *red*, *violet*, and *chamois*, etc., h.p. ... 1 0
- 348 WATSONIA iridifolia Ardernei, a beautiful Cape bulbous plant, bearing elegant spikes of *snowy white* flowers, for greenhouse or south border, 2 ft. 1 6
- WISTARIA, beautiful hardy climbing shrubs from Japan.
- 349 multijuga, bearing very long racemes of flowers *purplish lilac* and *white*, beautiful, h.p. 1 0
- 350 ,, alba, similar to the above, but with *white* flowers, rare and beautiful, h.p. 2 6

BARR'S Collections of Flower Seeds

For Flower Garden and Greenhouse Decoration.

Containing a judicious and liberal selection of Flower Seeds calculated to give a continuous brilliant display of colour.

				<i>s. d.</i>
No. 1	Barr's "Covent Garden" Collection of Flower Seeds, for Flower Garden and Greenhouse			63 0
No. 2	ditto	ditto	ditto	42 0
No. 3	ditto	ditto	ditto	30 0
No. 4	ditto	ditto	ditto	21 0
No. 5	Barr's "Covent Garden" Collection of Flower Seeds, for Flower Garden Decoration			15 0
No. 6	ditto	ditto	ditto	10 6
No. 7	Barr's "Covent Garden" Collection of Flower Seeds, for Cottagers Flower Gardens			5s. 6d. & 7 6
No. 8	Barr's "Covent Garden" Collection of Flower Seeds, for Railway Station Borders, selected with a view to rendering country and suburban Railway Stations brighter and more cheerful-looking from spring to autumn			5s. 6d., 7s. 6d., & 10 6
<i>(See page 100 for Seeds for Railway Embankments)</i>				
No. 9	Barr's Collection of Flower Seeds for India and the Colonies, specially packed for export			7s. 6d., 10s. 6d., 15s., 21s., 30s., 42s., & 63 0

BARR'S Selections of Flower Seeds For Special Purposes.

Hardy Annuals. The best sorts for Flower Beds and Borders and General Decoration.

	<i>s. d.</i>
100 varieties	21 0
50 "	10 6
25 "	5 6
12 "	2 6

Half-hardy Annuals. The best for Summer Decoration in the Flower Garden
25 varieties, 7s. 6d.; 12 varieties 3 6

Hardy Perennials. The best for Border Decoration.

	<i>s. d.</i>
100 varieties	30 0
50 "	15 6
25 "	7 6
10 "	2 6

Annuals and Perennials for Greenhouse Decoration
12 varieties, 7s. 6d.; 6 varieties 4 6

Dwarf Annuals for Rockwork
21 varieties, 5s. 6d.; 10 varieties 2 6

Dwarf Perennials for Rockwork
21 varieties, 5s. 6d.; 10 varieties 2 6

Dwarf Annuals for Edgings and Panel Gardening

21 varieties, 5s. 6d.; 10 varieties 2 6

Sweet-scented Annuals

12 varieties, 3s. 6d.; 6 varieties 2 0

Annuals to Cut for Bouquets

The most beautiful 50 varieties, 12s. 6d.;
30 varieties, 7s. 6d.; 21 varieties, 5s. 6d.;
12 varieties 2 6

Annuals and Perennials for sowing in the crevices of OLD WALLS and ROCKWORK

15 varieties, 3s. 6d.; 10 varieties 2 6

Annuals and Perennials for Wild Gardens, etc., tall and dwarf varieties... 21 varieties, 5s. 6d.; 10 varieties 2 6

Hardy Annuals, etc., for Bees, a selection of showy decorative hardy annuals, etc., which will ensure a good supply of honey to bees... 30 varieties, 7s. 6d.; 21 varieties, 5s. 6d.; 12 varieties 2 6

Seeds of Everlasting Flowers.

See page 58.

ADIANTUM, *Nat. Ord. Polypodiaceæ.* **Hardy Fern.**

pkt.—s. d.

- 396
- pedatum*
- , the
- American Maiden-hair Fern*
- , a very elegant plant,
- $1\frac{1}{2}$
- ft. o 6

ADONIS, *Nat. Ord. Ranunculaceæ.*

Very effective border flowers.

- 397 *æstivalis* (*Flos Adonis*), *crimson-scarlet* flowers in summer, hardy annual, 1 ft. o 3
- 398 *pyrenaica*, a handsome Pyrenean species, with large *golden-yellow* flowers; it prefers shade, h.p., 1 to $1\frac{1}{2}$ ft. 1 o
- 399 *vernalis*, large star-shaped *yellow* flowers in spring, h.p., $\frac{3}{4}$ ft. o 3

ÆTHIONEMA, *Nat. Ord. Cruciferae.***Hardy Alpine Perennial.**

- 400 *coridifolium*, *waxy pink*, $\frac{1}{2}$ ft. o 6
- 401 *grandiflorum*, beautiful *rose-coloured* flowers, 1 ft. o 6
- 402 *persicum*, *deep rose*, pretty, $\frac{3}{4}$ ft. o 6
- 402½ *pulchellum*, flowers *rosy lilac*, distinct and pretty, of trailing habit, $\frac{1}{2}$ ft. o 6
- 403 *Mixed varieties* o 6

Charming rock-plants, covered in summer with pretty bright coloured flowers.



ÆTHIONEMA CORIDIFOLIUM.

AGAPANTHUS (*African Lily*), *Nat. Ord. Liliaceæ.* **Half-hardy Bulb.**

Noble plant for tubs, vases, or pots in greenhouse, or for summer decoration out of doors.

- 404 *umbellatus*, the *Blue African Lily*, bearing handsome umbels of *blue* flowers, 3 ft. o 6
- 405 *Mooreanus*, having graceful umbels of small *blue* flowers, 2 ft. o 6

AGATHÆA, *Nat. Ord. Compositæ.* **Half-hardy Perennial.**

- 406 *coelestis* (*Blue Marguerite*), flowers of a beautiful *blue* with *golden* centre, a charming plant for pots or summer beds, $1\frac{1}{2}$ ft. 1 o

AGERATUM, *Nat. Ord. Compositæ.* **Half-hardy Annual.**A fine bedding plant, blooming continually till destroyed by frost. For furnishing vases the cut flowers are most useful. The dwarf varieties are charming for edgings and small beds. The *Ageratum* makes a decorative pot plant.

- 407 *Barr's Dwarf Blue*, a charming variety, of fine compact growth, covered with heads of feathery flowers of a *deep lavender* colour, $\frac{1}{2}$ ft. o 6
- 408 *mexicanum*, beautiful soft *lavender-blue*, of free branching habit, 1 ft. o 3

Agrostem'ma (*Rose Campion*). See *Lychnis*.**ALLIUM**, *Nat. Ord. Liliaceæ.* **Hardy Bulb.**

A decorative family of spring and summer-flowering bulbs for borders, rockwork, or naturalising in woodlands, etc.

- 409 *karataviense*, a remarkably handsome plant with very broad glaucous green foliage and *purplish rose* flowers, $\frac{1}{2}$ ft. o 6
- 410 *Schubertii*, a remarkable species, having a quantity of pretty starry *rose-lilac* flowers radiating from the top of the stem, $1\frac{1}{2}$ ft. o 6
- 411 *Mixed species*, including the above, and also *Ostrowskianum*, *Rosenbachianum*, etc. o 6

ALONSOA, *Nat. Ord. Scrophulariaceæ.* **Half-hardy Annual.**

Charming elegant plants for flower beds and borders, also prized for pots.

- 412 *linifolia gracilis*, flowers *bright orange-scarlet*, very graceful heath-like foliage, $1\frac{1}{2}$ ft. o 3
- 413 *Warscewiczii*, *bright crimson-scarlet* flowers, a handsome plant, $1\frac{1}{2}$ ft. o 3

ALSTRÖMERIA (*Peruvian Lily*), *Nat. Ord. Amaryllidææ.* **Hardy Perennial.**

Exceedingly decorative summer-flowering plants, delighting in sunny warm positions, such as under a south wall or hedge. The brilliantly coloured flowers are greatly appreciated for cutting. Seedlings raised early in heat will bloom the same season.

- 414 *aurantiaca*, producing elegant heads of very showy flowers, *rich orange-spotted carmine*, 3 ft. o 6
- 415 *chilensis hybrida*, with flowers of many beautiful shades, of *rose, crimson, orange, yellow, buff, and blush*, all with yellow and crimson markings, 3 ft. 6d. & 1 o

ALYSUM, *Nat. Ord. Cruciferae.* **Hardy Perennials and Annuals.**

Valuable plants for rockwork, edgings, and for filling beds, etc., in the spring flower garden.

- 416 *saxatile compactum*, the *Golden Alyssum*, contrasting most charmingly with the *white Arabis* and *blue Aubrietia*, h.p., $\frac{1}{2}$ ft. 3d. & o 6
- 417 *alpestre*, a charming prostrate species with *yellow* flowers, h.p. o 6
- 418 *argenteum*, *yellow*, graceful, elegantly divided, *silvery grey* foliage, h.p., 1 ft. o 3
- 419 *gemonense*, a fine species, having larger *golden-yellow* flowers than *A. saxatile*, h.p., $\frac{1}{2}$ ft. 1 o
- 420 *odoratum* (*Sweet Alyssum*), *white*, a charming summer bedding hardy annual, $\frac{1}{2}$ ft. 3d. & o 6
- 421 " *Little Gem, white*, a charming dwarf compact-growing plant for beds and edgings, quite distinct from 420, h.a., 4 in. o 6
- 422 " *"Rock Alyssum," white*, of dwarf spreading habit, valuable for rockwork, baskets, vases, etc., h.a., 3 in. o 6

See also Novelty List, page 23.

AMARANTH'US, Nat. Ord. Amaranthaceæ. Half-hardy Annual.

Beautiful ornamental foliage plants, very striking in flower beds, mixed borders, and for conservatory decoration.

AMARANTHUS TRICOLOR
SPLENDENS.

- 423 bi'color ru'ber, leaves crimson-scarlet, striped green, shaded purple-red, beautiful, 1 ft. 3d. & o 6
- 424 „ Sulphurine, a fine contrast to the other varieties, foliage being yellow and dark green, a beautiful plant, 2 ft. ... o 6
- 425 melanco'lleus ru'ber, rich bright red foliage, beautiful, 1 ft. o 3
- 426 salicifo'lius (Fountain Plant), graceful long undulated leaves, shading to a bright orange-red, etc., 3 ft. o 6
- 427 superbu's, large handsome rich brown foliage, edged green, and with dark crimson under-surface, 15 in. o 6
- 428 tri'color splen'dens (Joseph's Coat), a most beautiful ornamental foliage plant, the leaves being variously marked with crimson, scarlet, orange, golden, or bronzy green, very beautiful, 1½ ft. 6d. & I 0
- caudatus. See Love-Lies-Bleeding.
hypochondriacus. See Prince's Feather.
Amaryllis. See Novelty List, page 23.

AMBLYLE'PIS, Nat. Ord. Compositæ.**Fragrant Hardy Annual.**

- 429 setig'era (Helénium setig'erum), pretty orange-yellow, sweet-scented flowers, very showy, 1 ft. ... o 3

AMBROS'IA, Nat. Ord. Compositæ. Fragrant Hardy Annual.

- 430 mexica'na, valued for its sweetly scented and ornamental foliage, 2 ft. o 6

AMMO'BIVM, Nat. Ord. Compositæ. Hardy Everlasting Annual.

- 431 ala'tum grandifo'rum, a fine ornamental border plant, with beautiful everlasting flowers, white with golden centre, prized for cutting, 2 ft. o 3

ANAGAL'IS (Pimpernel), Nat. Ord.*Primulacæ. Half-hardy Annual.*

ANAGALLIS.

- 432 linifo'lia Breweri, rich coppery scarlet, ½ ft. (Lovely dwarf plants, exceedingly effective as edgings, also charming on rockwork and in pots. o 6
- 433 „ cæru'lea, intense rich gentian-blue, ½ ft. o 6
- 434 „ sanguinea, coppery red, beautiful shade, ½ ft. o 6
- 435 „ beautiful mixture of colours 3d. & o 6

ANCHU'SA, Nat. Ord. Boraginacæ.

- 436 capen'sis (Cape Forget-me-not), intense blue flowers; raised in heat and bedded out, it is an effective plant in summer, hardy biennial, 1 ft. o 3
- 437 italica, a lovely border plant with branching heads of deep gentian-blue flowers in summer, hardy perennial, 3 ft., valuable for bees o 3

ANDROS'ACE (Rock Jasmine), Nat. Ord. Primulacæ. Hardy Biennial.

- 438 coronopifo'lia, a graceful little plant, producing in early summer light graceful heads of pure white flowers, charming on rockwork, ½ ft. 6d. & I 0

See also Novelty List, page 23.

ANEMO'NE (Windflower), Nat. Ord. Ranunculacæ. Hardy Biennial.

A lovely family of plants, including some of our most brilliantly coloured spring flowers, and some of our best hardy border plants.

- 439 corona'ria Victoria Giant (Empress), magnificent single Poppy Anemone, with immense saucer-shaped flowers of the most brilliant varied colours. When massed in beds, borders, and on rockwork, the effect in spring is most brilliant, ¾ ft. 6d. & I 0
- 440 „ St. Brigid, a most lovely race of Anemones, with large semi-double flowers of the most brilliant hues and delicate shades, ¾ ft. 1s. & I 6
- 441 „ The Bride, bearing beautiful large white flowers, ¾ ft. 6d. & I 6
- 442 ful'gens, flowers dazzling scarlet, and greatly prized for cutting, ½ ft. o 6
- 443 alpina, a lovely alpine, with large white flowers, tinted slaty blue, 1½ ft. o 6
- 444 „ sulphurea, a charming alpine species with delicate sulphur-yellow flowers, 1½ ft. o 6
- 445 apenni'na, a lovely early spring flower with light blue flowers and graceful foliage, ½ ft. o 6
- 446 balden'sis, a pretty May-flowering species, flowers white, tinged reddish blue outside, ½ ft. I 0
- 449 narcisso'ra, bearing umbels of snowy white flowers, very beautiful, ¾ ft. o 6
- 450 pulsatilla (The Pasque Flower), deep purple flowers, and downy foliage, ¾ ft. 3d. & I 0
- 451 rivula'ris, branching heads of pure white flowers with purple stamens, 2 ft. 3d. & I 0
- 452 sylvestris (The Snowdrop Anemone), lovely pure white flowers in May, 1 ft. 6d. & I 0
- 453 Beautiful Alpine Anemones, in mixture 6d. & I 0

For Anemone Dry Roots, see our Spring Bulb Catalogue. For Anemone Plants, see our

Hardy Plant Catalogue.

ANGELO'NIA, Nat. Ord. Scrophulariacæ. Greenhouse Annual.

- 454 grandifo'ra al'ba, an elegant pot plant producing numerous beautiful pure white flowers on dark leafy stems, 1 ft. I 0

ANTHERICUM, Nat. Ord. Liliaceæ. Hardy Perennial.

Handsome border plants, throwing up their spikes of bloom in early summer, valued for cutting. *s. d.*

- | | | | |
|-----|--|-------|-----|
| 455 | <i>lilia'go majus</i> , a fine large-flowering form of the St. Bernard's Lily , with spikes of handsome starry white flowers, 1½ ft. | 3d. & | o 6 |
| 456 | <i>lillas'trum majus</i> , handsome variety of the St. Bruno's Lily , with bold spikes of large pure white Lily-like flowers, 2 ft. | 3d. & | o 6 |
| 457 | <i>ramo sum</i> , a very graceful free-flowering species, with white flowers and grassy foliage, 2 ft. | | o 3 |
| 458 | mixed species for naturalising in wild gardens, etc. | | o 3 |

ANTIRRHINUM (Snapdragon), Nat. Ord. Scrophulariaceæ. Hardy Perennial.

For gorgeous colouring few flowers can match these Snapdragons. Raised under glass in spring and planted out, they will bloom profusely during summer and into autumn, while if sown outdoors in July and August they will give a magnificent display early the following summer. They will be greatly appreciated in flower beds and borders, also on rockwork and old walls, while as pot plants the dwarfier kinds are most charming. *About 90 per cent. of the seedlings come true to colour.*

- | | | | |
|-----|---|-------|-----|
| 459 | Barr's Queen of the North , a very lovely Snapdragon and now a universal favourite; the plant forms elegant symmetrical little bushes covered with white flowers of beautiful form, standing well above the foliage; equally beautiful in flower beds or pots, 1½ ft. | 6d. & | 1 o |
| 460 | The Bride , a splendid pure white bedding variety, 1½ ft. | | o 6 |
| 461 | Yellow Queen , forming charming little bushes well furnished with bright self-yellow flowers of fine form, 15 in. | 6d. & | 1 o |
| 462 | Barr's White Gem , a lovely little bushy plant, covered with snowy white flowers, valuable for edgings, borders, and pots, 5 in. | | o 6 |
| 463 | Romeo , flowers a delicate flesh-rose, lower lip spotted yellow, dark stem, and graceful foliage, 2 ft. ... | | o 6 |

Barr's Selected Tall Handsome Large-Flowered Varieties.

- | | | | |
|-----|--|---------|-----|
| 464 | Collection of 12 separate handsome colours | 25. 6d. | |
| 465 | Beauty , deep velvety blood-crimson, 2 ft. | | o 6 |
| 466 | Brilliant , dark velvety scarlet with golden lip and white throat, very showy, 2 ft. | | o 6 |
| 467 | Firefly , bright yellow, bronzy crimson and white, very showy, 2 ft. | | o 6 |
| 468 | Galatea , deep crimson, with clear white throat, a striking colour, 2 ft. | | o 6 |
| 469 | Mikado , crimson and carmine striped on a yellow ground, very showy, 2 ft. | | o 6 |
| 470 | Snowflake , pure white, 2 ft. | | o 6 |
| 471 | Vulcan , dark velvety blood-red, dark stems and foliage, handsome, 2 ft. | | o 6 |
| 472 | Yellow King , fine yellow, 2 ft. | | o 6 |
| 473 | Choice mixture, from the above varieties, 2 ft. | | o 6 |
| 474 | Fine mixed, 2 ft. | | o 3 |

Barr's Semi-Dwarf Large-Flowered Antirrhinums.

Most useful for pot culture, flower beds, borders, and rockwork.

- | | | | | |
|-----|-----------------------------------|-----|--|-----|
| 475 | Yellow, 1 ft. per packet 6d. | 477 | Dark velvety blood-red, 1 ft. | o 6 |
| 476 | Pure white, 1 ft. „ 6d. | 478 | Beautiful mixture of colours, 1 ft., 3d. & | o 6 |

Barr's Dwarf Bedding Large-Flowered Antirrhinums.

Valuable showy plants for pots, front borders, edgings, and rockwork.

- | | | | | |
|-----|--|-----|----------------------------------|-----|
| 479 | Dark velvety blood-red, ½ ft. ... per packet 6d. | 481 | Yellow shaded primrose, ½ ft. .. | o 6 |
| 480 | Brilliant carmine, very showy, ½ ft. „ 6d. | 482 | Pure white, ½ ft. | o 6 |
| 483 | Beautiful mixture of colours, ½ ft. | | 3d. & | o 6 |

For New Snapdragons, see Novelty List, page 23.

AQUILE'GIA (Columbine), Nat. Ord. Ranunculaceæ. Hardy Perennial.

Elegant border plants with handsome flowers in summer and graceful foliage. They will thrive in shady situations under trees, and are very beautiful naturalised in grass. The **Aquilegia** does not reproduce its colours exactly from seed, but a fair proportion may be expected to come true (see *Illustration*, page 23).

- | | | | |
|------|--|-------------------------|-----|
| 484 | Choice mixture of handsome single and duplex varieties, 2 ft. | per oz., 25. 6d.; 3d. & | o 6 |
| 484½ | <i>alpi'na</i> , a rare and beautiful alpine species, with large blue and white flowers, 1 ft. | | 1 o |
| 485 | <i>canaden'sis na'na</i> , a charming dwarf Columbine, with elegant deep scarlet and yellow flowers, 1 ft. | | o 6 |
| 486 | Turk's Cap , a remarkably showy variety, handsome scarlet flowers, 1½ ft. | | 1 o |
| 487 | <i>chrysanth'a</i> , selected, beautiful long-spurred golden-yellow flowers, 2½ ft. | 6d. & | 1 o |
| 488 | <i>cærule'a</i> , beautiful blue and white long-spurred species, 1½ ft. | | 1 o |
| 489 | „ <i>lu'tea</i> , large long-spurred flowers of a pale chrome colour, 1½ ft. | | o 6 |
| 490 | <i>glandulo'sa</i> , flowers deep azure-blue with white corolla, 1 ft. | | 1 6 |
| 491 | <i>Jaetscha'ni</i> , large showy yellow and scarlet flowers with long spurs, 2 ft. | 6d. & | 1 o |
| 492 | Munstead White , a fine single white variety, 2 ft. | | o 3 |
| 492½ | <i>pyrena'ica</i> , an exquisite alpine from the Pyrenees, with very graceful finely-cut foliage and large bright blue flowers, 1 ft. | | 1 c |
| 493 | White Queen , a lovely white-spurred variety, flowers white, in some cases shading to blush, 2 ft. ... | | 1 c |

For other beautiful Aquilegias, see Novelty List, page 23.



AQUILEGIA CÆRULEA.

ARABIS (Rock Cress), Nat. Ord. Cruciferae. Hardy Perennial, etc. pkt.—s. d.

- 494 al'bida, a valuable dwarf plant for bedding and rockwork. In early spring its masses of *white* bloom contrast charmingly with the *blue Aubrietia* and *Golden Alyssum*, h.p., $\frac{3}{4}$ ft. 3d. & o 6
- 495 petræa, a rare little alpine species with *white* flowers, 4 in. 1 o
- 496 rosea, pretty *rose-coloured* flowers, $\frac{3}{4}$ ft.; biennial duration, but reproducing itself readily from seed..... o 6

See also Novelty List, page 24.

ARA'LIA (syn. Fatsia), Nat. Ord. Araliaceae. Ornamental Shrub.

- 497 japonica, fine handsome foliage and umbels of *white* flowers, for sheltered situations, 4 ft. 1 o
- 498 papyrifera, the *Rice Paper Plant* of the Chinese, having very large handsome foliage, hardy, 4 ft. o 6
- 499 Sieboldii, a very ornamental foliage plant for pots, etc.; protect in winter, 3 ft. o 6

ARCTOTIS, Nat. Ord. Composite. Half-hardy Annual.

Beautiful dwarf plants with spreading growth, bearing in summer a profusion of showy *Gazania*-like flowers. Valuable for front of borders, edgings and rockwork.

- 500 calendula'cea, brilliant *orange-coloured* Daisy-like flowers, $\frac{1}{2}$ ft. 3d. & o 6

See also Novelty List, page 24.

ARENA'RIA (Sand-wort), Nat. Ord. Caryophyllaceae. Hardy Perennial.

Mostly dwarf creeping rock plants, valuable for clothing bare rocks and stones.

- 501 cæspitosa (syn. *Spergula Pilifera*), valuable for producing a fine *green* mossy turf o 6
- 501 $\frac{1}{2}$ " au rea, producing a fine *golden* mossy turf, valuable for carpeting, edging, etc o 6
- 502 graminifolia, an interesting species with *whitish* flowers rising from evergreen grass-like foliage, 1 ft. 1 o
- 503 loricifolia, a distinct dwarf alpine species, covered in summer with little *snowy white* flowers, $\frac{1}{2}$ ft. o 6
- 504 montana, growing into fine mounds, which in early summer are smothered with large *snowy white* flowers, a valuable rock plant 1 o

ARGEMONE (The Prickly Poppy), Nat. Ord. Papaveraceae. Hardy Annual.

Very lovely plants with an ornamental foliage and large handsome Poppy-like flowers. Remarkably effective in flower borders and shrubberies, and on large rockeries. (See Illustration on Cover of Seed Catalogue, 1900.)

- 505 grandiflora, bearing large *snowy white* flowers filled in the centre with *golden* stamens, remarkably beautiful, 2 ft. o 6
- 506 mexicana, large Poppy-like flowers of a delicate *pale yellow* shade, beautiful, 2 ft. 3d. & o 6

ARMERIA (Thrift), Nat. Ord. Plumbaginaceae. Hardy Perennial.

Charming border and rock plants, thriving anywhere. The flowers are valuable for cutting.

- 507 cephalotes varieties in mixture, the handsome flower heads range from *white* to *blush* and *dark rose*, 1 $\frac{1}{2}$ ft. o 6
- 508 mixed dwarf varieties, pretty little tufted plants covered with flower heads, *white* and *deep rose*, valuable for edgings and rockwork, $\frac{1}{2}$ ft. o 6

AR'NICA, Nat. Ord. Composite. Hardy Perennial.

- 509 montana, a showy alpine bearing large *orange-yellow* flowers, fine for borders, 1 ft. o 6

Aristoloch'ia. See Climbers, page 93.

ASCLEPIAS CURASSAVICA.

ASCLEPIAS (The Swallow-wort),

Nat. Ord. Asclepiadaceae. Perennials.

- 510 curassavica, *orange-scarlet* and *gold*, 3 ft. { Remarkably showy and beautiful greenhouse Perennials, with heads of elegantly formed flowers. } o 6
- 510 $\frac{1}{2}$ " atro-sanguinea, *deep scarlet*, handsome, 3 ft. { } o 6
- 511 incarna'ta, *rose-purple*, deliciously fragrant, a good bee-plant, 3 ft. { Two valuable hardy border Perennials of great beauty. } o 3
- 512 tuberosa, with umbels of showy *bright orange* flowers; it delights in a rather moist deep soil and half-shady situation, 2 ft. { } o 6

Asparagus (Greenhouse Varieties).

See Climbers, page 93.

ASPERULA (Woodruff),

Nat. Ord. Rubiaceae. Hardy Annuals, etc.

- 513 azurea setosa, charming heads of *light blue* fragrant flowers, h.a., 1 ft. per oz. 9d. o 3
- 514 odora'ta, the *White Sweet-scented Woodruff*, a favourite old-fashioned plant, and valuable for shady banks under trees, h.p., $\frac{3}{4}$ ft. o 6

ASPHODELUS (The Asphodel), Nat. Ord. Liliaceae. Hardy Perennial.

- 515 luteus, flowers *yellow*, 3 ft. { Producing in early summer stately flower spikes. Fine plants for shrubberies and wild gardens. } o 3
- 516 " fl. pl., flowers semi-double and *yellow*, 3 ft. { } o 6
- 517 ramosus, flowers *white*, 3 ft. { } o 3

ASTER, China, *Nat. Ord. Compositæ.* Half-hardy Annual.

The decorative value of the **Aster** cannot be overestimated. For grouping in flower borders or for filling beds its beautiful habit of growth and profusion of lovely flowers render it indispensable. **Good culture** will be repaid with abundance of fine flowers. To have a succession of Asters, sow at intervals from March to the end of May. *Cultural notes are supplied with the seed.*

The **Aster**, when in bloom, may be successfully lifted and potted up for decoration indoors.

The **Aster Seed** offered below is of the *very finest quality*, and sure to please buyers.

Aster, Pæony Perfection, Improved, height 15 inches.

This is the highest type of the Pæony-flowered Aster, and its beautifully formed incurved globular flowers are prized for exhibition purposes. The plant has a fine habit and will be found most valuable for filling beds and flower borders. *No. 520 grows a little dwarfier than the other colours.*

518 Collection of 8 separate beautiful colours		2s. 6d.	pkt.—s. d.
519 Pure white, 15 in.	per packet 1s.	521 Choice mixture of beautiful shades	1s. & 2 6
520 Glowing blood-red, 10 in.	„ 1s.		

Aster, Dwarf Pæony Perfection, height 10 inches.

A beautiful dwarf strain of this charming Aster, flowers elegantly incurved and of brilliant colours; a valuable plant for bedding.

522 Choice mixed varieties		1s. & 2 6
----------------------------	-------	-----------

Aster, Victoria, Improved, height 15 inches.

This Aster differs from the Pæony-flowered in the petals being recurved and regularly overlapping. The plants form a pyramid, and carry a quantity of fine handsome blooms.

523	Collection of 12 beautiful colours	2s. 6d.		
524	Pure white	per packet 1s.	526	Rich purple 1 0
525	Brilliant crimson-scarlet	„ 1s.	527	Choice mixture of beautiful shades 1s. & 2 6

Aster, Comet or Plume, height 10 to 12 inches.

A very distinct and beautiful race of Asters, the flowers having elegantly curled petals like a Japanese Chrysanthemum. Exceedingly attractive in flower beds and borders, while as a cut flower it is universally admired.

528	Collection of 10 separate beautiful shades of colour	2s. 6d.		
529	Pure white, 10 in.	per packet 1s. 6d.	533	Soft lavender-blue, very beautiful,
530	Delicate rose, striped white,			1 ft.
	beautiful, 1 ft.	1s. 6d.	534	White, changing to delicate pale lilac,
531	Salmon-rose, margined white,			1 ft.
	new and beautiful, 1 ft.	1s. 6d.	535	Choice mixture of beautiful shades, 1s. &
532	Blood-red, 1 ft.	1s. 6d.		2 6

Aster, New Giant Comet, height 15 inches.

A handsome variety, growing taller than the Comet Aster, and having larger flowers, but not so double. This Aster makes a good pot plant, and is a first-class border plant.

536 Pure white	per packet 1s.	539 Rose-pink, with white centre, a charm-	1 0
537 White, changing to blush, very	„ 1s.	ing colour.	
538 Salmon-rose and white, beautiful	„ 1s.	540 Azure-blue, beautiful	1 0
		541 Choice mixture of shades	1 0

Aster, New Ostrich Feather, height 1½ ft.

A grand strain, producing handsome flowers of great size with elegantly curled petals. Greatly prized for cutting.

542	Collection of 5 beautiful colours		2s.			
543	Pure white	per packet	1s.	546	Dark blue	1 0
544	Bright rose	"	1s.	547	Light yellow	1 0
545	Crimson	"	1s.	547½	Choice Mixture of Shades	1s. & 2 6

Aster, Dwarf Chrysanthemum, Improved, height 10 inches.

A valuable Aster for succession, as it blooms later than most others. Its large handsome flowers almost entirely hide the foliage, and its fine compact growth renders it a splendid pot plant, and one of the best for bedding.

548	Collection of 12 separate beautiful colours.....	2s. 6d.
549	Pure white..... per packet 1s.	551 Choice mixture of many beautiful
550	Rich dark blood-red..... „ 1s.	shades..... 1s. & 2 6

Aster, Dwarf Queen, New Large-flowered, height 9 inches.

A fine distinct Aster of dwarf spreading growth, and bearing abundance of remarkably large handsome well-formed imbricated flowers. A splendid plant for flower beds and borders.

552 Pure white	per packet 1s.	553 Choice mixture of beautiful shades	1s. & 2 6
----------------	----------------	--	-----------

Aster, Dwarf German Emperor, Improved, height 1 ft.

Valued for its very large handsome flowers, and fine robust compact growth.

554 Choice mixture of many beautiful shades		6d. & 1 0
---	-------	-----------

ASTER—continued.

Cockade or Crown Aster, height 2 ft.

pkt.—s. d.

A handsome and showy Aster, the flowers being of bright colours, and all with a large *white* centre.

- 555 **Choice mixture** of many splendid showy colours 1 0
 556 **Reine des Roses**, large flowers of a lovely *bright rose*, with clear *white* centre, a really beautiful border plant, 2 ft. 1 0

Ball or "Jewel" Aster, height 1½ ft.

This Aster has flowers of a remarkably beautiful outline, the incurved petals giving them quite a globular appearance. The colours are bright and attractive.

- 557 **Choice mixture** of many beautiful shades 1 0

Improved Quilled Aster, height 2 ft.

Of elegant free habit, flowers beautifully quilled and prized for cutting; a fine plant for mixed borders.

- 558 **Collection of 8 beautiful colours** 1s. 6d.
 559 **Choice mixture** of many beautiful colours 6d. & 1 0

VARIOUS BEAUTIFUL NEW ASTERS.

- 560 **Alpine Rose**, a lovely Aster for pots or flower beds; it forms pyramidal bouquets crowded with elegant flowers of a *soft delicate rose*, late-flowering, ht. 15 in. 0 6
 561 **Lady in White**, forming elegant little bushes covered with small *white* flowers with overlapping petals, very pretty, ht. 1 ft. 0 6
 562 **Princess**. A lovely new race, plants forming little bushes covered with Dahlia-like flowers, ht. 15 in. **Mixed soft shades**, *white, blush, rose, lavender, etc.* 6d. & 1 0
 563 **Ray Aster**, a distinct and beautiful new race, flowers large, and with very long, slender, quilled petals; of elegant free habit, ht. 21 in. **Pure white, bright rose** each colour 0 6
 564 **Snow Queen**, a grand Aster of the *Victoria* type, forming pyramidal branching bushes with very large *snowy white* handsome flowers with broad petals, ht. 2 ft. 1 0
 565 **Triomphe des Marches**, a magnificent Aster of the *Comet* type, the large handsome flowers having broad curling petals, *coppery rose margined white*, 1 ft. Inclined to sport a little 6d. & 1 0

For beautiful New Annual Asters, see **Novelty List, page 24.****PERENNIAL ASTER (Michaelmas Daisy),**
Nat. Ord. Compositæ. Hardy Perennial.

- 566 **Michaelmas Daisies**, mixed, saved from our grand **Long Ditton Collection**, which is the finest in Europe 6d. & 1 0
 567 **Amel'us bessarabicus**, a grand border plant of erect growth, bearing very large *deep violet* flowers, much prized for cutting, 2 ft. 0 6

See our **Hardy Plant Catalogue** for a complete descriptive list of Michaelmas Daisies.**ASTER. Nat. Ord. Compositæ. Hardy Perennial.**

- 568 **alp'ius**, a beautiful little alpine, producing in July *bright purple* flowers, charming on rockwork, etc., 9 in. 0 6
 569 **" albus**, a charming *white-flowered* variety of the above, 9 in. 0 6
 570 **" mixed varieties**, flowers *blue, purple, and white*, 9 in. 0 6

See also **Novelty List, page 25.****ASTRANTIA, Nat. Ord. Umbellifera. Hardy Perennial.**

- 571 **ma'jor** (Black Hellebore), a curious alpine bearing in summer pretty *pinkish* flowers, 2 ft. 0 6

ATRIplex (Orach), Nat. Ord. Chenopodiaceæ. Hardy Annual.

- 572 **horten'sis atro-sanguin'ea**, the *Giant Crimson Orach*, the leaves and seed heads turning to a rich *coppery crimson*, a striking plant in woodlands, wild gardens, etc., 6 ft. 0 6

ATHANASIA (Linas), Nat. Ord. Compositæ. Hardy Everlasting Annual.

- 573 **an'ua**, bearing in summer spreading heads of *golden-yellow* flowers, which are charming in small bouquets, 1 ft. 0 3

AUBERGINE (Egg-Plant), Nat. Ord. Solanaceæ. Half-hardy Annual.

Raised in heat and grown as pot plants, these are unique and ornamental subjects. The fruit is very handsome and forms a delicious vegetable, cut up and fried in oil.

- 574 **Mixed**, from *white, striped, scarlet, and purple-fruited* varieties, 1½ ft. 0 6

AUBRIETIA (Rock Cress), Nat. Ord. Crucifera. Dwarf Alpine Perennial.These charming dwarf plants produce in spring sheets of bloom and form a lovely contrast to the **White Arabis** and **Golden Alyssum**. For massing in front borders, edgings, or carpet bedding, they are of great value, but it is when massed in quantity on rockwork or sloping banks that the **Aubrietia** is seen in its full beauty.

- 575 **Best Purple and Lilac varieties** in mixture, ½ ft. (*when in bloom the best forms should be selected out to retain*) 3d. & 0 6
 576 **Royal Purple**, a handsome variety raised at our **Long Ditton Nurseries**, having large, handsome, *rich purple* flowers 1 0
 577 **Leichtlinii**, a lovely plant with flowers ranging from *rose to carmine*, very attractive, ½ ft. 6d. & 1 0

See also **Novelty List, page 25.**

PERENNIAL ASTER.

**AURIC'ULA, Nat. Ord. Primulaceæ. Hardy Perennial.**

The beauty of the Auricula in spring, whether under glass or out of doors, renders it a general favourite. The seed vegetates best when sown thinly in early spring in pans placed in a north aspect.

		pkt.
578	Barr's Choicest Exhibition, mixed, saved from finest named Exhibition varieties of stage Auriculas, $\frac{1}{2}$ ft., seed very scarce	s. d. 3 6
579	Barr's Choice Alpine, mixed from finest named varieties, producing many shades of very beautiful and brilliant colours, $\frac{1}{2}$ ft.	1 6
580	Fine Mixed Border Varieties, a very good mixture of showy colours, $\frac{1}{2}$ ft.	0 6

See also Novelty List, page 25.

AZALEA, Nat. Ord. Ericaceæ. Greenhouse and Hardy Shrubs.

581	Choicest Greenhouse, saved from the best decorative kinds, 3 ft.	1s. & 1 0
582	pon'tica varieties, the finest hardy sorts, ranging in colour from yellow and amber to beautiful shades of rose; valuable for pots or borders, 2 ft.	1 0

BALSAM (Impatiens), Nat. Ord. Geraniaceæ. Half-hardy Annual.

Splendid pot plants, and valuable for filling beds and borders in summer.

Barr's Improved Double Camellia-flowered Varieties, ht. $1\frac{1}{2}$ ft.

583	Mixture of Many Beautiful Colours	1 0
584	Prince Bismarck, large and very double flowers of a brilliant salmon-rose, $1\frac{1}{2}$ ft.	1 0
585	White Perfection, flowers large and very double, snowy white, beautiful	0 6
586	Barr's Large-flowered Dwarf Mixed, saved from many beautiful colours, plants only 9 in. high, valuable for pot culture and summer bedding	1 0
587	Fine mixture of many colours, for shrubby borders and wild gardens	3d. & 0 6

BAPTISIA, Nat. Ord. Leguminosæ. Hardy Perennial.

588	australis, bearing racemes of showy blue flowers in June and July, a fine border plant, 2 ft.	0 3
589	al'ba, bearing terminal racemes of white flowers in June, 3 ft.	0 3

BARBARA, Nat. Ord. Cruciferae. Hardy Perennial.

590	vulgaris fol. variegatis, the Blotch-leaved Winter Cress, a fine plant for winter decoration, having the foliage prettily variegated, $1\frac{1}{2}$ ft.	0 6
-----	--	-----

BARTONIA, Nat. Ord. Loasaceæ. Hardy Annual.

591	au'rea, a most decorative plant, with large golden blossoms and ornamental foliage. Valuable for flower borders and large rockeries, $1\frac{1}{2}$ ft.	3d. & 0 6
-----	---	-----------

BEGONIA, Nat. Ord. Begoniaceæ. Greenhouse and Half-hardy Perennials.

For brilliancy of colour, duration and profusion of bloom, few plants can compare with the tuberous-rooted Begonias offered. For greenhouse decoration and for summer bedding they are unequalled. Seedlings raised in heat early in spring will flower the same summer.

592	Barr's Prize Strain, Single Mixed, saved from finest Exhibition varieties, all having large well-formed flowers of many brilliant shades of colour	1s. 6d., 2s. 6d. & 3 6
593	Fine Mixed Single Varieties, saved from many fine colours	6d. & 1 0
594	Barr's Prize Strain Double Mixed, saved from the finest flowers	2s. 6d. & 3 6
595	Barr's Miniature Begonias Mixed, a really beautiful strain bearing in abundance dainty little flowers of brilliant colours, strongly recommended for small beds and pots	1 6
596	Barr's Miniature Begonias, fiery red, pink, and white	each colour 1 6
597	New Large-flowered Crested Begonias Mixed, a beautiful new strain, producing about 40 per cent. of flowers with very large flat petals furnished with handsome crested combs, while the remainder have large handsome single blooms; the colours are rich and varied	2 6
Begonia semperflorens, a perpetual flowering section of Begonias of the greatest value for bedding, as the colours are brilliant and the flowers borne in great profusion from summer to autumn. Seedlings of spring bloom in summer, while seedlings of summer make valuable decorative plants for the greenhouse during winter.		
598	atro-purpur'ea, brownish red foliage and bright orange-carmine flowers, 1 ft.	0 6
599	Vulcan, a handsome variety with dark brownish foliage, and flowers somewhat brilliant dark orange-carmine, a grand bedder, 1 ft.	1 0
600	ro'sea, foliage green, flowers pink, pretty, 1 ft.	0 6
601	gracilis ro'sea, brownish foliage and deep pink flowers, very pretty, 10 in.	0 6
602	al'ba, brownish foliage and pure white flowers, 10 in.	1 0
603	Erfordia, a very lovely variety with handsome dark foliage and rose-carmine flowers, 10 in.	0 6
604	Queen of Bedders, a splendid dwarf bedding plant with handsome dark bronze foliage and covered with dazzling red flowers, 5 in.	1 0
605	Rosy Gem, foliage green, flowers a pretty rose-pink	{ Splendid little plants for } 1 0
606	al'ba compacta, foliage bright green, flowers white, very pretty	{ edgings and small beds, 5 in. } 1 0
607	Rex Hybrid Varieties Mixed, with large magnificently variegated leaves, valuable decorative plants for greenhouse	1 6

For Beautiful New Begonias, see Novelty List, page 25.

BERKHEY'A, *Nat. Ord. Compositæ.* **Hardy Perennial.**

pkt.—s. d.

- 608 *radula*, a handsome and curious plant from the Transvaal, producing numerous branching stems bearing *pale yellow* flowers, h.p., 2½ ft. 1 0

BETA, *Nat. Ord. Chenopodiaceæ.* **Ornamental Foliage Plants.**

- 609 *Dell's Crimson-leaved*, beautiful as an edging or in mixed flower beds and borders, 1 ft. 0 6
 610 *Brazilian mixed*, handsome large foliage plants for large borders or subtropical effect, 2½ ft. 0 6

BIDENS, *Nat. Ord. Compositæ.* **Half-hardy Annual.**

- 611 *a-tro-sanguinea* (*Dahlia Zimapani*), a handsome border plant with *blood-crimson* flowers, 1½ ft., 3d. & 0 6
 612 *grandiflora* (*Cosmos luteus*), a fine border plant bearing abundance of beautiful *yellow* flowers, 1½ ft. 0 3

Bignonia. See Climbers, page 93.**BILLARDIE'RA**, *Nat. Ord. Pittosporaceæ.* **Evergreen Greenhouse Climber.**

- 613 *longifolia*, blue-berried variety { All ornamental green- } 1 0
 614 „ *red-berried variety* { house climbers from } 1 0
 615 „ *white-berried variety*, very rare { Tasmania. } 1 0

BOCCO'NIA (Tree-Celandine), *Nat. Ord. Papaveraceæ.* **Hardy Perennial.**

- 616 *cordata*, a remarkably handsome foliage plant with large lobed heart-shaped leaves. A splendid plant for isolated positions on lawns, in herbaceous borders, and for woodlands, 5 ft. 0 6
 See also *Novelty List*, page 25.



BRACHYCOME.

BOYKIN'IA, *Nat. Ord. Saxifragaceæ.* **Hardy Perennial.**

- 617 *aconitifolia*, a pretty plant for moist shady places, having a handsome bronze foliage and panicles of small *white* flowers, 1½ ft. 1 0

BRACHYCOME (Swan River Daisy),
Nat. Ord. Compositæ. **Half-hardy Annual.**

- 618 *iberidifolia*, flowers *rich blue* with blackish central disc surrounded with narrow white halo, ½ ft. { Elegant dwarf plants, covered with beautiful Cineraria-like flowers, and admirably adapted for small beds, edgings, and rockwork; also charming in pots. } 3d. & 0 6
 619 „ *mixed shades, blue, white, rose, etc.*, ½ ft. { } 3d. & 0 6

BRODIÆA (Californian Hyacinth), *Nat. Ord. Liliaceæ.* **Hardy Bulb.**

- 620 *laxa*, bearing large *rich Tyrian purple* flowers, very handsome, 1 ft. 0 6
 621 *Murrayana*, bearing large *deep violet-purple* flowers, ¾ ft. 0 6

BROWAL'IA, *Nat. Ord. Scrophulariaceæ.* **Greenhouse Biennial.**

- 622 *elata alba, white* { Charming plants for greenhouse decoration during winter and spring and for summer flowering outdoors in warm localities, ht. 1½ ft. } 3d. & 0 6
 623 „ *cærulea grandiflora, sky-blue* { } 0 3
 624 *speciosa major, intense violet-blue* { } 0 6
 625 *choice mixed* { } 3d. & 0 6

BUPHTHALMUM (Ox-Eye), *Nat. Ord. Compositæ.* **Hardy Perennial.**

- 626 *salicifolium*, a showy bushy plant bearing *golden-yellow* flowers in autumn, 1½ ft. 0 3
 627 *speciosum*, handsome foliage, and branching spikes of large *orange-coloured* flowers, early summer to autumn, 3 ft. 0 6

CACA'LIA (Tassel Flower), *Nat. Ord. Compositæ.* **Hardy Annual.**

- 628 *coccinea*, a very attractive border plant with *brilliant orange-scarlet* flowers, which are much prized for bouquets and vases, 1½ ft. 0 3

CACTUS, *Nat. Ord. Cactææ.* **Succulent Greenhouse Perennial.**

- 629 *Cactus, Cereus, Echinocactus, Mammillaria, Echinocereus, Echinopsis, and Opuntia*, in mixture 1 0

CALANDRI'NIA (Rock-Purslane), *Nat. Ord. Portulacææ.***Hardy Annuals and Perennials.**

Nos. 630 and 633 thrive best in dry soils and sunny situations, on rockwork, old walls, and ruins, etc.

- 630 *grandiflora*, large flowers, *bright rose* with *golden anthers*, foliage *greyish* and stems *brown*, a handsome hardy annual for edgings, dry borders, and rockwork, 1½ ft. 0 3
 631 *speciosa, purple-crimson*, ½ ft. { Charming spring flowers when sown in autumn, while if sown } 0 3
 632 „ *alba, white*, ½ ft. { in spring they are very beautiful in early summer. } 0 3
 633 *umbellata*, a charming trailing rock perennial, with *glowing crimson* flowers, ¾ ft. 0 6

Calophora. See Climbers, page 93.



BARR'S CALCEOLARIA.

CALCEOLARIA, *Nat. Ord. Scrophulariaceæ.* Greenhouse Perennials, etc.

The gorgeous beauty of these flowers renders them indispensable for greenhouse decoration.

- | | | |
|-----|--|------------|
| | | pkt.—s. d. |
| 634 | Barr's Magnificent First Prize Strain, saved from the finest selected flowers and richest colours, 2 ft. ... 2s. 6d. & | 3 6 |
| 635 | Fine Mixture of Colours, 2 ft. | 1 0 |
| 636 | Barr's Dwarf Prize Strain, of splendid colours, plants of fine compact habit, 1½ ft. | 2 6 |

CALENDULA (Pot and Cape Marigold), *Nat. Ord. Compositæ. Hardy Annual.*

- | | | |
|-----|--|-----|
| 637 | eriocarpa, a very showy single Pot-Marigold, with glowing orange flowers, producing a grand effect in borders, 1 ft. | 0 3 |
| 638 | pluvialis (Cape Marigold), large single white Marguerite-like flowers with golden centre, the underside of petals rich maroon, effective in beds and borders, 1 ft. | 0 3 |

officina lis (Pot-Marigold); the large double flowers are exceedingly attractive in flower beds and borders, also in wild gardens and woodlands.

- | | | |
|------|---|-----------|
| 639 | Favourite, creamy white, edged yellow, very pretty, 1 ft. | 3d. & 0 6 |
| 640 | Meteor, double apricot-orange, striped primrose, very pretty, 1 ft. | 3d. & 0 6 |
| 641 | Orange King, large double flowers, of an intense glowing orange, remarkably effective, 1 ft. | 3d. & 0 6 |
| 642 | superba, apricot-orange, slightly striped lemon, charming, 1 ft. | 3d. & 0 6 |
| 642½ | Trianon, with small double flowers of a delicate pale yellow, distinct and pretty, 1 ft. | 0 6 |
| 643 | Yellow Queen, large double bright golden flowers, very effective, 1 ft. | 3d. & 0 6 |
| 644 | mixed varieties, for woodlands, wild gardens, etc. | 3d. & 0 6 |

Calliop'sis. See *Coreopsis*.

CALLIRHOE (Poppy-Mallow), *Nat. Ord. Malvaceæ.*

These elegant plants have beautiful saucer-shaped flowers of a glowing colour, and are exceedingly attractive.

- | | | |
|-----|---|-----|
| 645 | pedata nana, a very effective hardy annual for flower beds and borders thriving best in poor dry soils. The flowers are of a glowing deep carmine, with white centre, 1 ft. Steep the seed before sowing... | 0 3 |
| 646 | involucrata, a very pretty dwarf trailing rock or border plant, bearing in profusion large crimson-purple flowers from early summer to autumn, hardy perennial. | 0 6 |

CAMPANULA (Bell-Flower). *Nat. Ord. Campanulaceæ.*

Hardy Annuals and Perennials.

The varieties enumerated are all beautiful. The tall and stately growing kinds will be found of great value for large borders, and to naturalise in wild gardens and woodlands, while the dwarf kinds make charming rock and edging plants. The shades of colour vary slightly from seed.

- | | | | |
|-----|--|--|-----|
| 647 | attica, rich purple, ½ ft. | These little gems carpet the ground with rich green foliage and elegant little flowers; valuable for panel beds, edgings, and rockwork, h.a. | 0 3 |
| 648 | alba, white, ½ ft. | | 0 3 |
| 649 | alliarisefolia, large heart-shaped leaves, with spike of drooping white flowers, h.p., 3 ft. | Splendid dwarf plants with handsome cup-shaped flowers; valuable for permanent flower beds, edgings, and borders, also for massing on rockwork, h.p. | 0 6 |
| 650 | carpathica, light blue, 1 ft. | | 0 3 |
| 651 | alba, white, 1 ft. | | 0 3 |
| 652 | grandiflora, light blue, 1 ft.; flowers larger than in No. 650. | | 0 6 |
| 653 | cenisia, a charming little alpine species with pale blue flowers, h.p., ½ ft. | | 1 0 |
| 654 | fragilis, a valuable prostrate plant for rockwork and window-hanging baskets, flowers clear violet-purple, h.p., ½ ft. | | 0 6 |
| 655 | garganica, blue-violet flowers, a charming plant for drooping over rocky fissures and ledges, and valuable as a window basket plant, h.p., ½ ft. | | 0 6 |
| 656 | lactiflora, a fine bold plant, for wild gardens, with light blue flowers, h.p., 4 ft. | | 0 3 |
| 657 | latifolia macrantha, a handsome border perennial with large bold purple flowers; valuable for woodlands, wild gardens, and waterside, etc., 3 ft. | | 0 3 |
| 658 | " " alba, a beautiful white-flowered variety of the above, h.p., 3 ft. | | 0 6 |
| 659 | " " pallida, flowers a soft pale purple, beautiful, h.p., 3 ft. | | 0 6 |
| 660 | Loreyi, blue-violet, 1 ft. | Charming border annuals for beds, flower borders, and masses, h.a. | 0 3 |
| 661 | alba, silvery grey, 1 ft. | | 0 3 |
| 662 | macrotyla, a most ornamental hardy annual, with large handsome flowers of curious and beautiful outline, running in shades of violet and rose; charming on rockwork and in pots, 1½ ft. | | 1 0 |
| | medium, see Canterbury Bells. | | |
| 663 | mirabilis, a splendid species from the Caucasus, of low pyramidal growth, 2 ft. through, covered with large pale blue flowers the size of a Canterbury Bell, h.p., 2 ft. | | 1 0 |
| 664 | persicifolia alba, a remarkably handsome hardy perennial with large cup-shaped white flowers; prized alike for borders and as a pot plant for the greenhouse, 2 ft. | | 0 6 |
| 665 | " " grandiflora, very large handsome white flowers, and a great advance, h.p., 2 ft. | | 1 0 |
| 666 | " " cærulea, flowers blue, a handsome border perennial, 2 ft. | | 0 3 |
| 667 | " " grandiflora, an extra fine variety raised at our Long Ditton Nurseries, with magnificent large blue flowers, h.p., 2 ft. | | 1 0 |
| 668 | " " pallida, producing a fair proportion of beautiful pale blue flowers, h.p., 2 ft. | | 0 6 |
| 669 | mixed large-flowered varieties | | 1 0 |
| 670 | pyramidalis, blue | The Chimney-Bell Flowers are noble plants, bearing stems 4 to 5 ft. | 0 3 |
| 671 | alba, white | | 0 3 |

CAMPANULA—*continued.*

		pkt.—s. d.
672	<i>pyramidalis compacta</i> , a beautiful variety, with flowers of a deep blue, habit dwarf and compact, h.p., 3 ft.	o 6
673	<i>pulla</i> , a pretty alpine with dark purple flowers, h.p., 4 in.	1 0
674	<i>rapunculoides</i> , a graceful plant for woodlands and wild gardens, etc., bearing spikes of pendant blue bells, h.p., 3½ ft.	o 6
675	<i>rotundifolia</i> , the English Harebell, a fine little plant for rockwork, flowers blue, h.p., 1 ft.	o 6
676	<i>turbinata</i> , large violet-blue, ½ ft.	} Very beautiful dwarf hardy perennials for } } borders or rockwork.
677	„ <i>alba</i> , large pure white, ½ ft.	
678	Perennial Varieties Mixed, for woodlands, wild gardens, etc., h.p., 2 to 3 ft.	o 6

See also Novelty List, page 25.

Canary Creeper. See *Tropæolum*, page 97.

CANDYTUFT (Iberis), Nat. Ord. Cruciferae. Hardy Annual.

These Candytufts are of fine habit and profuse bloomers. They soon flower from seed and remain long in beauty. For massing in flower beds and borders and for edgings they are admirably adapted, while for cutting the flowers are greatly prized.



CANDYTUFT,
BARR'S GIANT-FLOWERED WHITE.

679	<i>Dunnet'tii</i> , rich dark crimson, 1 ft.	3d. & o 6
680	Lilac (Normandy), beautiful, 1 ft.	3d. & o 6
681	Sweet-scented White, 1 ft.	3d. & o 6
682	Mixed from the above, 1 ft.	3d. & o 6
683	Barr's Giant-flowered White, a great improvement, each plant bearing very large spikes of snowy white flowers, habit sturdy and compact, a grand border plant, 1 ft.	6d. & 1 0
684	Little Prince, forming little branching bushes covered with large snowy white flower heads, fine for pots, edgings, and rockwork, ½ ft.	o 6
685	Rose Queen, of fine bushy compact growth, covered with beautiful large rose-coloured flowers, 1 ft.	o 6
686	Blush Queen, flowers of a very beautiful delicate blush colour, very bright and showy, 1 ft.	o 6
687	New Rose, lovely shades of light to rich rose, fine compact-growing plant, 1 ft.	3d. & o 6
688	New Hybrids mixed, flowers large and of beautiful delicate shades, valuable for border decoration and cutting, 1 ft.	o 6
689	Dwarf Dark Crimson, a fine little bedding and edging plant, bearing handsome little heads of rich dark crimson, ½ ft.	o 6
690	Tom Thumb White, a charming dwarf plant of branching habit, flowers pure white, valuable for edgings and rockwork, ½ ft.	o 3

CAN'NA (Indian Shot), Nat. Ord. Scitamineæ. Half-hardy Perennial.

The varieties of *Canna* of which we offer seed are the finest of Crozy's Grand New strain, and are remarkable for fine dwarf growth and large brilliantly coloured flowers. As pot plants for greenhouse decoration they are greatly prized, while for bedding out in summer they are of great value. Seedlings raised early in spring in a strong moist heat, and potted on, are decorative the first season. The seed, which is very hard, should be steeped in water twenty-four hours in a warm temperature previous to sowing.

691	Crozy's 32 Fine New Kinds, in mixture	2 6
692	Choice Mixture, made up from many fine varieties	6d. & 1 0
693	Madame Crozy, a beautiful variety with handsome apricot-coloured flowers, a fine bedder	o 6
694	variegata, a handsome new foliage plant, leaves large and a light green shot with red and yellow and margined crimson	1 0

See also Novelty List, page 25.

CAN'NABIS, Nat. Ord. Urticæ. Hardy Annual.

695	<i>gigantea</i> (Chinese Giant Hemp), a majestic plant for large borders, subtropical gardens, shrubberies, or isolated positions on lawns, 6 ft.	o 6
-----	--	-----



CANTERBURY BELLS,
CALYCANTHEMA.

CANTERBURY BELLS,

Nat. Ord. Campanulacæ. Hardy Biennials.

Handsome decorative border plants, especially when grown as single specimens. In pots or tubs on lawns and terraces they are also most effective. The seed offered has been carefully saved from the colours named, but only a proportion will come true, while the seed saved from the double flowers will produce a percentage of singles.

696	Barr's Extra Choice mixed, containing singles and doubles of many beautiful selected colours, 2½ ft.	o 6
697	Double Purple, Double White, 2½ ft.	each colour, 3d. & o 6
698	Double Rose to Blush, of delicate beauty, 2½ ft.	6d. & 1 0
699	„ mixed, saved from various beautiful shades, 2½ ft.	3d. & o 6
700	Single Blue, Single White and Single Rose-pink shades, 2½ ft., each	o 3
701	„ mixed, saved from many beautiful shades, 2½ ft.	o 3

CANTERBURY BELLS—*continued.*

702	Calycan'thema, blue	These Cup and Saucer Canterbury Bells are great favourites, and are highly decorative in the flower border, as specimens on lawns, or as pot plants in the greenhouse. The seedlings will vary a little in shade, although carefully saved from the colours specified.	pkt.—s. d.
703	" white		 0 3
704	" rose to blush		 0 3
705	" mixed		 0 6
			3d. & 0 6

Cape Gooseberry. See *Physalis*.**CAP'SICUM (Pepper),** *Nat. Ord. Solanaceæ.* **Half-hardy Annual.**

Very ornamental and decorative plants for the greenhouse and sitting-room, of characteristic growth and bearing showy handsome fruit. The varieties offered we have selected as being specially decorative.



CAPSICUM, CHERRY RED.

706	Cardinal, fruit glowing scarlet, 8 to 10 in. long, 1½ ft.	0 6
707	Cayenne, long narrow red fruit, 2 ft.	0 6
708	Cherry Red, pretty cherry-like red fruit, 2 ft.	0 6
709	Chili, the true Chilian Pepper, small narrow scarlet fruit	0 6
710	Elephant's Trunk, very large trunk-shaped scarlet fleshy fruit, 1½ ft.	0 6
711	Golden Dawn, large short thick fruit of a beautiful golden colour, very ornamental, 1½ ft.	0 6
712	Kaleidoscope, charming ornamental fruit, changing from green to orange, and on to scarlet, 1½ ft.	0 6
713	King Menelik, handsome long black fruit, 2 ft.	0 6
714	Mammoth Red, handsome large, thick, square-shaped red fruit, 1½ ft.	0 6
715	Monstrous Golden Queen, 2 ft.	0 6
716	One Packet each of the above 10 beautiful Capsicums, 4s. 6d.	
717	Mixed, from many ornamental varieties	3d. & 0 6

See also *Novelty List*, page 25.**Cardiospermum.** See *Climbers*, page 93.**CAR'DUUS (Thistle),** *Nat. Ord. Compositæ.*

Very ornamental plants in shrubby borders, wild gardens, and as single specimens on lawns.

718	Maria'nus (The Blessed Thistle), foliage beautifully variegated green and white, h.b., 3 ft.	0 3
719	pulchellus, a fine handsome species, the foliage having a silvery reverse, h.p., 3 ft.	0 6
720	tauricus (syn. <i>Onopordon tauricum</i>), one of the finest ornamental Thistles, a majestic plant, with immense woolly silvery leaves, from which rise stately whitish stems bearing a head of golden flowers, h.b., 6 ft.	0 3
721	Velenovskiy, a handsome Bulgarian Thistle, with large red flowers and web-like scales, ornamental, h.p., 4 ft.	0 6
722	Mixed Thistles from above varieties, for sowing in woodlands, wild gardens, etc.	0 6

For other beautiful Thistles, see *Novelty List*, page 25, and *Cnicus*, page 51.**CARNATIONS & PICOTEES,** *Nat. Ord. Caryophyllaceæ.* **Hardy Perennials.**

A reserve piece of ground should be devoted to the cultivation from seed of these favourite fragrant flowers for cutting, as plants raised from seed flower more profusely and last longer than propagated plants.

723	Border Carnations, collection of 20 splendid varieties, selfs, bizzarres, flakes, and fancy, 5 seeds of each	4s. 6d.
	This seed has been carefully saved from 20 varieties of highest quality, but, as with many other florists' flowers, their true reproduction cannot be quite depended upon; on an average 50 to 60 per cent. of double flowers may be expected. (See also <i>Novelty List</i> , page 25.)	
724	Border Picotees, 12 Splendid varieties, 5 seeds of each, white and yellow grounds	3s. 6d.
	The above seed has been saved from highest class flowers, but the same remarks apply here as to the No. 723.	
725	Carnations and Picotees, Barr's Extra Choice Mixture, saved from the finest double florists' flowers. A large percentage may be expected to come double, 1½ ft.	2 6
726	Carnations and Picotees, Fine Mixture, saved from very good double flowers, 1½ ft.	6d. & 1 0
727	Tree Carnation, Collection of 12 beautiful self-colours, 5 seeds of each	3s. 6d.
728	Tree Carnations, "Riviera Market," a grand strain, producing about 75 per cent. of fine double flowers of rich and delicate shades, deliciously fragrant, 2 ft.	1s. & 2 6
729	Tree Carnation, Uriah Pike, flowers large, of a glowing crimson-velvet, faultless in form, and deliciously clove-scented, 2 ft.	crop failed
730	Carnation Margaritæ, a very beautiful and valuable new race of dwarf Carnations, bearing a profusion of clove-scented flowers of rich and delicate colours. Seed sown in February flowers out of doors in July, and continues blooming throughout the autumn. This is the most valuable of all Carnations to cut from, and is largely grown for Covent Garden Market, 1 ft.	6d. & 1 0
731	Carnation Margaritæ, New Large-flowered, a splendid improved strain, with large flowers of beautiful and varied colours, 1 ft. Sow in February for flowering in July	1 0
732	Carnation Margaritæ, Primrose, producing beautiful large double sulphur-yellow flowers of good form; a fair proportion of the seedlings come true to colour, 1 ft. Sow in February for July flowering	1 6
733	Carnation Margaritæ, "White Perfection," flowers very large and double, snow-white, of good form, 1 ft. Sow in February for July flowering	1 0
734	Carnation Grenadin, double, intense scarlet, ¾ ft.	Very free-flowering, valuable for bedding. A fair proportion comes true.
735	" " White, double and very beautiful, ¾ ft.	

Castor Oil Plant. See *Ricinus*.

CARYOPTERIS. *Nat. Ord. Verbenaceæ.* **Hardy Shrub.**

pkt.—s. d.

- 736 *mastacanthus* (Moustache Plant, or Blue Spiræa), a handsome shrub for sunny borders, covered in late summer with *bright blue* flowers, 3 ft. 1 0

CATANANCHE (Cupid's Dart), *Nat. Ord. Composite.* **Hardy Perennial.**

- 737 *cærulea*, *blue*, purple centre. } The charming sprays of flowers, freely produced, } o 3
738 " *bi color*, *white*, *violet* centre. } June to September, are valued for cutting, 2½ ft. } o 3

CATCHFLY (*Silene Armeria*), *Nat. Ord. Caryophylleæ.* **Hardy Annual.**

- 739 *Lobel's Red*, an effective early-flowering plant, bearing in quantity lovely heads of *rich rose-pink* flowers; valuable for beds and borders, 1 ft. o 3

CEDRONELLA. *Nat. Ord. Labiate.* **Hardy Perennial.**

- 740 *canina*, the *Hoary Balm of Gilead*, a fine border plant bearing long spikes of *deep purplish crimson* flowers, foliage fragrant, 1½ ft. o 6

CELOSIA, *Nat. Ord. Amaranthaceæ.* **Greenhouse Annual.**



CELOSIA PLUMOSA.

Exceedingly decorative and graceful plants, bearing showy feathery plumes of flowers, which are greatly prized for vases. They are of great value for indoor decoration during summer and autumn, and when grown as large specimens they are of unrivalled beauty. For filling flower-beds and borders these plants are now largely used during summer in the London parks.

- 741 *plumosa*, Barr's choice mixture of *crimson*, *scarlet*, *orange* and *yellow* shades, 2 ft. Ed. & 1 0
742 *Thompsonii*, remarkably handsome, having *rich dark bronze* foliage, and fine *crimson* plumes, 1½ ft. o 6

See also Novelty List, page 26.

CENTAUREA (Knapweed), *Nat. Ord. Composite.*

Handsome border plants, some being prized for their handsome flowers, others for their ornamental and picturesque foliage.

- 743 *americana*, a first-class hardy border annual, with *pinkish* flowers, which are prized for cutting, 1½ ft. o 3
744 *babylonica*, a stately picturesque *silvery* foliage plant, with *golden-yellow* flowers, fine for subtropical gardens, woodlands, etc., h.p., 6 to 8 ft. o 6

- 745 *candidissima compacta*, a beautiful dwarf *silvery* foliage plant, indispensable for bedding, ribbons, baskets, etc., h.p., ¾ ft. 1 0
746 *Cyanus*, *Emperor William*, *deep blue*, 3 ft. o 6
747 " *pure white*, beautiful, 3 ft. o 6
748 " *rose*, very pretty, 3 ft. o 3
749 " *sky-blue*, a favourite old flower, 3 ft. o 3
750 " *mixed colours*, 3 ft. Ed. & o 6
751 " *Double mixed*, very beautiful, 3 ft. o 6
752 " *Victoria Blue*, a lovely little plant for edgings, rockwork, and pots, etc., flowers *bright blue*, h.a., ½ ft. Ed. & o 6
753 " *mixed*, charming dwarf plants with flowers of *bright colours*, for small beds, etc., h.a., ½ ft. o 3
754 " *cyanoïdes*, an elegant, dwarf-spreading plant covered with *rich blue* flowers, charming in pots or for massing in front of borders, h.a., ½ ft. o 3
755 *depressa*, a showy hardy border annual, flowers *gentian-blue*, with *crimson* centre, 1 ft. o 3
756 *gymnocarpa alba*, a lovely variety bearing an abundance of *snowy white* flowers, h.p., 1½ ft. o 3
757 *macrocephala*, a valuable stately plant for back of herbaceous borders, bearing large *golden* heads of bloom, h.p., 4 ft. o 3
758 *montana* (Perennial Cornflower), very showy hardy border perennial, with *bright blue* flowers, 1 ft. o 6
759 *ruthe nica*, a beautiful Russian species, bearing elegant *straw-coloured* flowers July to September, a fine border plant, h.p., 3 ft. 1 0
moschata. See Sultan, Sweet.

See also Novelty List, page 26.

CEL'SIA, *Nat. Ord. Scrophulariaceæ.* **Hardy Biennial.**

- 760 *cretica* (Cretan Mullein), a graceful border plant, large *yellow* flowers spotted brown, handsome, 4 ft. 1 0

CENTRANTHUS (Valerian), *Nat. Ord. Valerianaceæ.*

Hardy Perennial.



CERASTIUM TOMENTOSUM.

- 761 *albus*, bearing dense heads of *white* flowers, 2 ft. { Very decorative summer border plants with sweet-scented flowers. } o 3
762 *ruber*, bearing handsome heads of *bright crimson* flowers, 2 ft. } o 3

CERASTIUM (Snow-in-Summer),

Nat. Ord. Caryophylleæ. **Hardy Perennial.**

Indispensable for panel-beds, edgings, mounds, and rockwork.

- 763 *alpinum villosum*, flowers pure white, foliage covered with long silky hairs, 4 in. 1 0
764 *glaciale*, a fine little alpine, with *silvery white* foliage, 3 in. 1 0
765 *pennsylvanicum*, with beautiful *silvery white* leaves, ½ ft. o 3
766 *tomentosum*, valued for its beautiful *silvery white* foliage, ¼ ft. o 6

CHAMÆPEUCE, *Nat. Ord. Compositæ.* **Half-hardy Biennial.**

These are remarkably ornamental plants, with handsome spiny foliage, and will be much appreciated in the mixed border or on rockwork; they also make good pot plants. The best results are obtained by sowing in summer, wintering seedlings in a frame, and planting out in spring. pkt.—s. d.

- 767 *Casabo'næ* (Fish-bone Thistle), glossy dark green leaves with golden spines, very beautiful, o 6
 $1\frac{1}{2}$ ft.
 768 *diacan'tha*, very ornamental, the midrib of leaves and spines being ivory-white margined green, o 6
 $1\frac{1}{2}$ ft.

CHEIRANTH'US, *Nat. Ord. Cruciferae.* **Hardy Perennial.**

- 769 *alpi'nus* (Alpine Wallflower), a fine little plant for rockwork and old walls, etc., forming little bushes covered with pale yellow fragrant flowers, $\frac{1}{2}$ ft. o 6

CHELIDON'IUM, *Nat. Ord. Papaveraceæ.* **Hardy Perennial.**

- 770 *ma'jus fl. pl.* (The Double Greater Celandine), bearing numerous small double yellow flowers in June, 2 ft. o 6

CHELONE, *Nat. Ord. Scrophulariaceæ.* **Hardy Perennial.**

- 770 $\frac{1}{2}$ *obli'qua* (Twisted Shell-flower), a handsome border plant bearing violet-purple flowers July to September, prized for cutting, 3 ft. o 6

CHIONODOX'A (Glory of the Snow), *Nat. Ord. Liliaceæ.* **Hardy Bulb.**

- 771 *gigante'a*, a beautiful little early spring flower, soft lavender-blue, valuable for edgings, rockwork, and naturalising, $\frac{1}{2}$ ft. o 6

CHORIZ'MA, *Nat. Ord. Leguminosæ.* **Half-climbing Greenhouse Evergreens.**

- 772 *ilicifo'ium*, a fine pot plant with holly-like glaucous foliage and racemes of showy flowers, coppery orange and crimson-lake, 3 ft. I 0
 773 *var'ium*, a very ornamental plant from Western Australia, bearing showy orange and red flowers, set off by handsome dark green holly-like leaves, 4 ft. I 0

CHRYSANTHEMUM, *Nat. Ord. Compositæ.* **Annuals and Perennials.**

A beautiful family of plants, of varied character. The flowers of all are greatly prized for cutting.

- 774 **Large-flowered Chinese and Japanese Varieties, mixed**, saved from a fine collection of exhibition varieties, h. h. p. 6d. & I 0
 775 *leucanth'emum grandifo'rum*, 3 ft. o 3
 776 *max'imum*, saved from *finest new forms*, $2\frac{1}{2}$ ft. o 6
 777 *uligino'sum*, a stately plant, 4 ft. o 6
 778 *frutes'cens* (The White Paris Daisy), a charming plant for pots or summer bedding, flowers white with yellow centre, h. h. p., $1\frac{1}{2}$ ft. o 6
 779 *corona'rium*, double white, with primrose centre. o 3
 780 " " primrose-yellow o 3
 781 " " rich yellow o 3
 782 *sege'tum grandifo'rum* (Corn Marigold), flowers rich self-yellow and greatly valued for cutting, a grand border plant, h. a., 2 ft. 3d. & o 6
 782 $\frac{1}{2}$ " *Morning Star*, a fine border annual, covered with large flowers, having creamy white petals shading to yellow, and a large golden centre; very decorative, and valuable for cutting, h. a., 1 ft. I 0

- 783 *Sibthorpi'i*, large bright clear yellow flowers prized for cutting, a beautiful hardy annual, $1\frac{1}{2}$ ft. o 3

carina'tum (tricolor). **Summer Marguerites.** Hardy annuals, all of great beauty. In flower beds and borders they are exceedingly decorative, and make also charming pot plants. For cutting few flowers are of greater value.

- 784 " *al'bum*, white, with an inner yellow ring and dark centre, very beautiful, $1\frac{1}{2}$ ft. o 3

- 785 " *atro-coccin'eum*, dark velvety scarlet, with golden inner ring and dark centre, $1\frac{1}{2}$ ft. o 3

- 786 " *au'reum*, bright yellow, with dark centre, $1\frac{1}{2}$ ft. o 3

- 787 " *Burridgea'num Improved*, white, with crimson and yellow inner rings, beautiful, $1\frac{1}{2}$ ft. o 3

- 788 " *The Shah*, purple-crimson, with inner primrose ring and dark centre, handsome, $1\frac{1}{2}$ ft. o 6

- 789 " *W. E. Gladstone*, rich crimson, very beautiful, $1\frac{1}{2}$ ft. o 3

CHRYSANTHEMUM CARINATUM VAR.

- 790 *carina'tum*, Double Snow white, 1 ft. o 3

- 791 " Double Golden-yellow, 1 ft. o 3

- 792 " Double Hybrids, Mixed, producing double and semi-double flowers of many beautiful shades, $1\frac{1}{2}$ ft. 3d. & o 6

- 793 " New Double Fringed, producing very beautiful fringed flowers, white, rose, orange, scarlet, crimson, etc.; a proportion comes single, but these are also very attractive, $1\frac{1}{2}$ ft. o 6

- 794 " Choice Single Mixed, containing many very bright and effective colours, $1\frac{1}{2}$ ft. 3d. & o 6

See also Novelty List, page 26.

CHRYSOBACTRON, *Nat. Ord. Liliaceæ.* **Hardy Perennial.**

- 795 *Hook'eri* (Hooker's Golden Wand), a handsome New Zealand plant, bearing long spikes of large golden-yellow flowers, 15 in. I 0



CIMICIFUGA, Nat. Ord. Ranunculaceæ. Hardy Perennial.

pkt.—s. d.

- 796 *cordifolia*, a handsome border plant, with erect black stems, covered with feathery *white* flowers August to October, 3 ft. 1 0
- 796½ *dahurica*, bearing branching spikes of *white* flowers, lasting long in beauty, 3 ft. 1 0

CINERARIA, Nat. Ord. Compositæ. Perennial.

BARR'S PRIZE CINERARIAS.

As decorative and ornamental plants for winter decoration the Cinerarias, Nos. 797 to 802, take a foremost place, and their handsome flowers may be enjoyed by any one possessing an ordinary greenhouse where frost is excluded. The seed we offer will give much satisfaction.

- 797 **Barr's Prize Strain**, a very select, comparatively dwarf strain, with flowers of large size, having broad well-formed petals, and well-defined brilliant and delicate colours. *Buyers cannot fail to be pleased with this grand strain.* Height 10 to 12 in. **Splendid mixture of 13 beautiful colours** 2s. 6d. & 3 6
- 798 " **Mixed self-blue and violet shades** 2 6
- 799 " **Snow Queen**, large *pure white* flowers, with broad petals, beautiful 2 6
- 800 **French Large-flowered, choicest varieties**, a splendid strain, with brilliant colours, 1½ ft. 2 6
- 801 " **Dwarf, choicest varieties**, a fine dwarf strain, with flowers of brilliant colours, 1 ft. 2 6
- 802 **Fine mixed**, saved from very good flowers of many shades, 1½ ft. 1 0
- 803 **Double Finest Selected**, an extra fine strain saved from best double flowers, and will produce a fair percentage of doubles, 1½ ft. 2 6

Foliage-Cinerarias, very attractive in summer in mixed beds and borders, also on rockwork.

- 804 *maritima*, a fine plant, with finely lacinated *silvery* foliage, h.p., 1½ ft. 3d. & 0 6
- 805 " *acanthifolia*, leaves broader than in No. 804, and of a beautiful *silvery white*, h.p., 1 ft. 0 3
- 806 " **Snowdrift**, distinct and handsome, having very broad *silvery white* foliage, h.p., 1 ft. 1 0

See also Novelty List, page 26.

CISTUS (Rock-Rose), Nat. Ord. Cistineæ. Flowering Shrub.

These are among the most beautiful of dwarf flowering shrubs, bearing large handsome flowers like a single Rose. They delight in dry sunny banks, and sunny positions on rockery.

- 807 **12 Beautiful Species, 1 packet of each** 2s. 6d.
- 808 *albus*, a beautiful species, with *white* flowers 0 6
- 809 *ladaniferus* (Gum Cistus), bearing large solitary *white* flowers, with *dark chocolate* blotch 1 0
- 810 *laurifolius*, the hardiest of the Rock Roses, flowers *white*, with *yellow* blotch at base of petal, very pretty 1 0
- 811 *purpureus*, bearing handsome deep *reddish purple* flowers, with darker blotch at base of petal 0 6
- 812 *salvifolius corbariensis*, a beautiful hybrid with *white* flowers 0 6
- 813 *villosus*, large *bright purple* flowers 0 6
- 814 **mixed varieties** 0 6

CLARKIA, Nat. Ord. Onagraceæ. Hardy Annual.

- 815 *elegans*, **Purple King**, double *dark carmine*, 2 ft. 0 3
- 816 " **Salmon Queen**, double *salmon-rose*, shaded *white*, 2 ft. 0 6
- 817 " **White Queen**, double *pure white*, 2 ft. 3d. & 0 6
- 818 " **Mixed from above**, 2 ft. 3d. & 0 6
- 819 " **Tom Thumb Rose**, double *rose*, 1 ft. 0 3
- 820 *integripetala*, double *dark carmine*, 1½ ft. 0 3
- 821 " " *white*, 1½ ft. 0 3
- 822 " **Mrs. Langtry**, single *rose* with broad *white* margin, 1 ft. 0 3
- 823 " **mixed**, 1½ ft. 3d. & 0 6
- 824 " **Tom Thumb, mixed**, a pretty dwarf strain of bright colours, ¾ ft. 3d. & 0 6

Very effective and profuse-flowering border plants, bearing elegant spikes of semi-double and double large handsome flowers.

These are exceedingly showy, and in mixed borders their fresh bright colours will be highly appreciated. The double varieties produce mostly semi-double flowers.

CLEMATIS, Nat. Ord. Ranunculaceæ. Hardy Perennial.

The following are non-climbing varieties of Clematis, and make very ornamental border plants.

- 825 *alpina* (*syn. Atragene alpina*), a pretty alpine species, suitable for trailing over rockwork, flowers varying from *blue* to *grey* and *white* 0 6
- 826 *Davidiana*, a pretty Chinese species, bearing whorls of sweet-scented *pale-blue* flowers, 2½ ft. 1 0
- 827 *erecta*, forming an erect bush, covered with small *white* flowers, 4 ft. 0 6
- 828 " *Mandschurica*, a fine species, forming a bush smothered from top to bottom in *white* flowers, 5 ft. 1 0

CLEMATIS, Climbing. See Climbers, page 93, and Novelty List, page 26.

GLIANTHUS (Parrot's Beak), Nat. Ord. Leguminosæ. Half-hardy Shrub.The flowers of the **Glory Pea** are of a most gorgeous colour.

pkt.—s.

- 829 **Dampieri** (**Desert Pea**), flowers *brilliant scarlet*, with central *black* glossy boss; it may be flowered in pots or outdoors in summer if the seed is sown in heat early in spring, 3 ft. 1s. & 2 6
- 830 **punicæus** (**Glory Pea**), handsome *scarlet* flowers, a fine greenhouse plant, or for outdoors in warm localities, protected during winter, 4 ft. 0 6
- 831 ,, **magnificus**, an improved variety, with flowers of a more *brilliant scarlet* than No. 830... 1 0

See also Novelty List, page 26.

CNICUS, Nat. Ord. Compositæ. Hardy Biennial.

- 832 **conspicuus** (**The Scarlet-flowered Thistle**), a very pretty border plant, 4 ft. 0 6
- 833 **eriphorus**, a handsome **Thistle** from Bulgaria, with woolly flower-heads, 3 ft. 0 6

For other fine Thistles see *Carduus*.**Cobæa.** See Climbers, page 94.**COCKSCOMB (Celosia cristata), Nat. Ord. Amaranthaceæ. Greenhouse Annual.**

Remarkably handsome greenhouse plants, also decorative summer bedding plants for warm situations.

- 834 **Barr's Exhibition Dwarf**, a *splendid strain*, of fine dwarf habit, with bronzy foliage, and large handsome velvety combs ranging from *dark crimson* to *crimson-maroon*, 1 ft. 6d. & 1 0
- 835 **Vesuvius**, comb *golden-yellow*, the upper part *fiery red*, resembling in the sun a flame of fire, very handsome, 1 ft. 1 0

See also Novelty List, page 26.

CODONOPSIS, Nat. Ord. Campanulacæ. Hardy Perennial.

Pretty little Himalayan plants with bell-shaped flowers.

- 836 **ovata**, flowers *slaty blue*, veined and speckled *white*, of half-twining habit, 1 ft. 0 6
- 837 **viridiflora**, a new climbing species, with pretty curious flowers, *greenish white*, *grey*, and *violet*, 2 to 3 ft. 1 6

COLEUS (Flame Nettle), Nat. Ord. Labiatæ. Greenhouse Foliage Plant.

Exceedingly effective foliage plants for the greenhouse and sitting-room, also for summer bedding outdoors. The brilliantly coloured variegated leaves are very beautiful in table bouquets.

- 838 **Barr's Exhibition Varieties**, the *newest* and most beautiful *hybridised* varieties 1s. 6d. & 2 6
- 839 **Barr's Smooth-leaved Hybrid Varieties**, a very choice strain containing many brilliant colours... 1 0
- 840 **Barr's Oak-leaved Varieties**, a beautiful new strain, having foliage elegantly divided like the oak-leaf, and of brilliant colours and markings 1 6
- 841 **New Large-fringed**, a very ornamental plant, with large *coppery red* elegantly serrated leaves; beautiful in pots or summer beds 1 6

COLLIN'SIA, Nat. Ord. Scrophulariaceæ. Hardy Annual.

- 842 **bicolor**, *rose-purple* and *white*, 1 ft. { Very graceful decorative annuals. Sown in March and } 0 3
- 843 ,, **alba**, *pure white*, 1 ft. { April they bloom freely in summer; while sown in } 0 3
- 844 ,, **mixed**, 1 ft. { autumn they are beautiful the following May. } 3d. & 0 6
- 845 **tinctoria purpurea**, a handsome plant of branching pyramidal growth, and covered with large *rich purple* flowers, with *white* and *purple* upper lip, $\frac{3}{4}$ ft. 0 3

Columbine. See *Aquilegia*.**COLUTEA (Bladder Senna), Nat. Ord. Leguminosæ. Hardy Shrub.**

Very attractive plants for dry sunny banks and poor soils.

- 846 **arborescens**, flowers *yellow*, followed by ornamental seed pods, 6 ft. 0 6
- 847 ,, **purpurea**, flowers *rich coppery bronze*, followed by ornamental seed pods, 6 ft. 0 6

CONVOLVULUS, Nat. Ord. Convolvulacæ. Trailing Annuals and Perennials.

- 848 **althæoides**, *rose-purple*, with *dark eye*, pretty dwarf twiner, h.p. 0 6
- 849 **altissimus**, *white*, with *dark red* throat, beautiful trailing half-hardy perennial 0 6
- 850 **aureus superbus**, *golden-yellow*, a pretty creeping species, h.h.p. 0 6
- 851 **mauritanicus**, beautiful *soft blue*, for hanging baskets and rockwork, h.p. 0 6
- 852 **Soldanella**, a beautiful trailing hardy annual, with large handsome *rose-coloured* flowers, for drooping over rockwork, etc. 1 0
- 853 **tricolor** (*syn. minor*), *clear deep blue*, *white* centre, 1 ft. 0 3
- 854 ,, **albus**, *silky white*, very pretty, 1 ft. 0 3
- 855 ,, **kermesinus**, *crimson-violet*, handsome, 1 ft. 0 3
- 856 ,, **monstrosum**, *deep violet-blue*, *white* centre, very handsome, 1 ft. 0 3
- 857 ,, **roseus superbus**, flowers a beautiful *rose*, very charming, 1 ft. 0 6
- 858 ,, **striatus**, *blue* and *white* striped, 1 ft. 0 3
- 859 ,, **mixed** from the above, 1 ft. 3d. & 0 6

Very showy and beautiful hardy annuals for flower beds and borders, also rockwork; they bloom for a long period, and delight in sun.



EXHIBITION DWARF COCKSCOMB.

COREOPSIS BICOLOR
GRANDIFLORA.

COREOPSIS (syn. Calliopsis), Nat. Ord. Compositæ. Hardy Annuals and Perennials.

Very graceful border plants, supplying throughout summer an abundance of elegant showy flowers, which are greatly prized for bouquets and vases. They will thrive anywhere, even in town gardens, where their bright colours are highly appreciated.

Hardy Annual Varieties.

			pkt.—s. d.
860	bi'color	grandifl'ra, deep golden, with maroon-scarlet centre, 2 ft.	Graceful plants for large beds, borders, and wild gardens. The flowers are prized for cutting. } Exceedingly effective for bedding, lasting long in bloom. }
861	"	atro-sanguin'ea, dark velvety-maroon-scarlet, 2 ft.	
862	"	double mixed, very showy, 2 ft. ...	
863	"	na'na, yellow, crimson centre, 1 ft.	
864	ni gra na	na, velvety crimson, 10 in.	o 3
865	Tom Thumb "Crimson King,"	forming perfect little bushes smothered in summer with brilliant dark crimson flowers, 7 in.	o 6
866	Burridg ii,	dark maroon-scarlet, edged yellow, graceful and beautiful, 2 ft.	o 3
867	corona ta max'ima,	rich yellow, centre radiated crimson, a very effective border plant, 1½ ft.	o 3
868	Drummon dii,	golden-yellow, with maroon-scarlet central ring; a lovely plant in beds and borders, 1½ ft.	o 3
869	Engelman ni,	bright yellow with golden centre, a graceful plant, with elegant fennel-like foliage, 1 ft.	o 3
870	Stillman ni,	a beautiful species from the Sierra Nevada, flowering in five to six weeks from time of sowing, flowers golden-yellow, and of elegant outline, 1 ft.; this plant likes a sunny situation.	o 6
871	Tall varieties, mixed,	valuable for wild gardens, etc., and for cutting, 2 ft.	3d. & o 6
872	Dwarf varieties, mixed,	valuable for small mixed beds and borders, 1 ft.	3d. & o 6

Half-hardy Annual Varieties.

The following are grand border plants for sunny situations:—

873	gigante'a (syn. Leptosyne),	a plant of grand tropical aspect growing 5 ft. high, with a branched head of leathery leaves, and rich yellow flowers	o 6
874	maritima,	a handsome plant, with fine showy yellow flowers, 2 ft.	3d. & o 6
875	trichosperma,	a fine species, with finely divided foliage and branching head of yellow flowers, 3 ft.	o 6

Hardy Border Perennial Varieties.

876	grandifl'ra, selected strain,	one of our finest hardy border plants, flowers very large and of a rich deep golden colour, produced in abundance from summer to autumn, and greatly prized for vases, etc., 3 ft.	6d. & 1 o
877	lanceola'ta,	a handsome border perennial, with large yellow flowers produced in abundance from summer to autumn, and valued for cutting, 3 ft.	o 3
878	verticilla'ta,	a beautiful slender-growing species, flowers golden-yellow, continuous bloomer, 2 ft.	o 6
879	mixed perennial varieties,	fine plants for mixed borders, wild gardens, etc.	o 6

CORNFLOWER. See Centaurea.

CORONIL'LA (Crown Vetch), Nat. Ord. Leguminosæ. Hardy Perennial.

880	e'legans,	a pretty creeping species bearing numerous heads of charming rose-coloured flowers	o 6
881	varia,	forms a handsome bush covered with bloom during summer, flowers white and rose, 2½ ft.	o 3

CORYDALIS (Fumitory), Nat. Ord. Papaveracæ. Hardy Perennials, etc.

Pretty graceful plants for borders and rockwork, flowering early in summer.

882	au'rea,	a very pretty biennial species, with distinct glaucous foliage and showy golden-yellow flowers, ¾ ft.	o 6
883	glau'ca,	very glaucous foliage and rosy purple flowers, a pretty wall plant, h.a., ¾ ft.	1 o
884	no'bilis,	a handsome border perennial, with large heads of showy golden-yellow flowers, 1 ft.	o 6

COSMOS (Mexican Aster), Nat. Ord. Compositæ. Half-hardy Annual.

Plants of graceful beauty, with elegant fine feathery foliage and large flowers, like single Dahlias. Grand subjects for borders, also wild and subtropical gardens.

885	Early-flowering varieties, mixed,	containing many brilliant colours, 3½ ft.	3d. & o 6
886	Large-flowered crimson,	6 ft.	o 6
887	"	rose, 6 ft.	o 6
888	"	white, 6 ft.	o 6
889	"	mixed, 6 ft.	3d. & o 6
890	"Golden Queen,"	a fine new variety, commencing to bloom very early, and lasting decorative till November; the flowers, which are of a rich golden-yellow, are freely produced, 2 to 3 ft.	1 6
890½	sulphu'reus,	bright yellow, 2½ ft.	o 6

See also Novelty List, page 26.

COTYLEDON, Nat. Ord. Crassulacæ. Half-hardy Perennial.

891	Peacock'ii,	a lovely silvery white dwarf foliage plant of great value for summer edgings and carpet bedding, 2½ in.	1 o
-----	-------------	--	-----

COWSLIP (Primula officinalis), Nat. Ord. Primulacæ. Hardy Perennial.

These beautiful spring flowers should be naturalised wherever possible in woodlands, wild gardens, etc.

892	Barr's New Giant, mixed, extra choice,	saved from the finest large-flowered yellows and reds, 15 in.	2 6
893	"	scarlet, a splendid rich shade, and very effective in beds and borders, 15 in.	2 6
894	Fine Mixed Varieties,	of various shades, for naturalising, 1 ft.	o 6
895	Common Yellow,	for naturalising, 1 ft.	o 3

CROC'US, *Nat. Ord. Iridææ.* **Hardy Bulb.**

pkt.—s. *d.*

- 896 Autumn-, Winter-, and Spring-flowering Species, mixed, little gems for naturalising on rockwork, in grass, etc. 6d. & 10

CRUCIANEL'LA, *Nat. Ord. Rubiaceæ.* Hardy Perennial.

Charming creeping border or rock plants, producing in early summer a profusion of bright showy flowers.

- | | | | |
|-----|-----------------------|--|-----|
| 897 | style'sa, | flowers <i>bright rose-pink</i> , continuing long in bloom, $\frac{1}{2}$ ft. | o 3 |
| 898 | " Brilliant ," | flowers <i>rosy crimson</i> and very showy, $\frac{1}{2}$ ft. | o 6 |

CY'CLAMEN, *Nat. Ord. Primulaceæ.* Greenhouse and Hardy Bulbs.

Persicum, Large-flowered Varieties:—These are beautiful winter-blooming plants which may be flowered from seed in about a year, if the seedlings are pricked off and grown on rapidly without interruption. * *The flowers have a delicate fragrance.*

- | | | | | |
|-----|--|-----------|---|-----|
| 899 | Barr's Prize Strain , splendid mixture of colours from the <i>purest white</i> to the <i>richest and darkest crimsons</i> ; a grand strain, plants dwarf and compact, flowers large, broad-petalled, of great substance, and borne in great profusion well above the foliage; the colours are well-defined, brilliant, and delicate in shade. <i>Buyers will be greatly pleased with this fine strain</i> | 2s. 6d. & | 3 | 6 |
| 900 | Dark Blood-red shaded Maroon, remarkably handsome | 1s. 6d. & | 2 | 6 |
| 901 | Giant Snow-white, <i>very lovely</i> , flowers large and broad-petalled | 1s. 6d. & | 2 | 6 |
| 902 | Glowing Crimson, splendid glowing shades of deep crimson-rose and crimson-carmine, very attractive | 1s. 6d. & | 2 | 6 |
| 903 | Soft Bright Rose, very beautiful | 1s. 6d. & | 2 | 6 |
| 904 | Blush-white with Ruby-violet eye, very handsome | 1s. 6d. & | 2 | 6 |
| 905 | Princess May, pretty pale blush-rose, eye bright rose | 1s. 6d. & | 2 | 6 |
| 906 | Princess of Wales, soft rose with deep brilliant rose eye, beautiful | 1s. 6d. & | 2 | 6 |
| 907 | Fine mixture of many beautiful shades | | | 1 0 |
| 908 | Giganteum, mixed shades, flowers of great size, foliage very large and beautifully marked, 1s. 6d. & | | 2 | 6 |

See also Novelty List, page 27.

Hardy Cyclamen, Summer-, Autumn-, and Spring-flowering. These little Cyclamen are very beautiful when naturalised on rockwork, at the foot of old north walls, or near the roots of old trees.

- | | | | |
|-----|---|-----|---|
| 909 | <i>africa'num</i> , enormous silvery-zoned heart-shaped leaves, flowers <i>rosy crimson</i> | I | 0 |
| 910 | <i>co'um lilaci'num</i> , <i>rosy lilac</i> | I | 0 |
| 911 | <i>europæ'um</i> , <i>crimson</i> , sweet-scented | I | 0 |
| 912 | <i>iberic'um</i> <i>Atkinsi</i> , <i>white with crimson</i> centre | I | 0 |
| 913 | " <i>rub'rum</i> , <i>deep crimson</i> | I | 6 |
| 914 | <i>libano'ticum</i> , a pretty new species, flowers <i>pale rose shaded white</i> with <i>crimson eye</i> | 2 | 6 |
| 915 | <i>neapolita'num</i> , large silvery marbled foliage and <i>rosy pink</i> flowers | 0 | 6 |
| 916 | <i>repan'dum</i> , flowers <i>bright crimson</i> | I | 0 |
| 917 | <i>mixed species</i> | 15. | 2 |

CYDONIA (Japanese Quince), *Nat. Ord. Rosaceæ.* **Hardy Shrub.**

- | | | | |
|------|--|---|-----|
| 917½ | japonica (Pyrus), flowers rich scarlet..... | { Very beautiful shrubs for north or
south walls, and also charming
subjects for borders and large
rock gardens. } | o 6 |
| 918 | „ cardinalis, flowers deep crimson | | o 6 |
| 918½ | „ rubra grandiflora, flowers large deep crimson-
scarlet..... | | o 6 |

CYTISUS (Broom), *Nat. Ord. Leguminosæ*. Greenhouse and Hardy Shrubs.

- | | | |
|------|--|-----|
| 919 | <i>al'bus</i> (White Spanish Broom), producing in early summer a wealth of <i>snowy white</i> flowers, hardy shrub | o 6 |
| 919½ | <i>bifo'rus</i> , flowers <i>yellow</i> , growth dwarf and spreading, hardy shrub | o 6 |
| 920 | <i>capita'tus</i> , flowers <i>yellow</i> in compact heads, a good hardy shrub | o 6 |
| 921 | <i>prolif'erus</i> , a very beautiful shrub for greenhouse or for out-doors in warm localities, bearing long racemes of <i>snowy white</i> flowers | o 6 |
| | <i>scopa'rius</i> , the Common Yellow Broom. See Agricultural Seeds, page 21. | |
| 922 | <i>scopa'rius pen'dulus</i> , a pretty drooping form of the Yellow Broom, hardy shrub | o 6 |
| 923 | <i>sesselifolius</i> , a pretty hardy species from South Europe, flowers <i>yellow</i> | o 6 |
| 924 | <i>stri'pnus</i> , a trailing species with <i>yellow</i> flowers, hardy, 1 ft. | o 6 |
| 925 | <i>Mixed species for Greenhouse</i> , very graceful and decorative. | o 6 |

For other Hardy Brooms, see Genista.

CYNOGLOSSUM, *Nat. Ord. Boraginææ.* **Hardy Annual.**

- 926 **Wallichii** (Fairy Borage), a lovely little Himalayan plant with small Forget-me-not-like flowers of a rich Oxford-blue, suitable for rockwork, $\frac{3}{4}$ ft. o 6

DAISY (*Bellis perennis*), *Nat. Ord. Compositæ*. **Hardy Perennial.**

- | | | | | | |
|-----|--------|---|--|-------|-----|
| 927 | Double | Large-flowered choice, mixed, $\frac{1}{4}$ ft. | { Spring-sown seedlings flower
in summer, and in autumn
the best should be selected
out for spring bedding. | 6d. & | 1 c |
| 928 | " | Dainty Maid (<i>new</i>), flowers a delicate rosy white
with bright purple-red centre, very pretty, $\frac{1}{4}$ ft. | | | 1 0 |
| 929 | " | Snowball, flowers pure white, $\frac{1}{4}$ ft. | | | 0 6 |

DAHLIA, Nat. Ord. Compositæ. Half-hardy Perennial.

The **Dahlia** may be treated as an annual. Spring-sown seedlings produce fine flowers the same season. Few plants are more decorative in the border during autumn than the **Single and Cactus Dahlias**, the flowers of which are greatly prized for vases

- | | | | |
|-----|--|-----------|----------------|
| 930 | Single Finest Mixture , from best named varieties, 3 ft. | Is. & 6d. | pkt. s. d. 1 6 |
| 931 | Double Large-flowered mixed , saved from best selected flowers of the finest strain; a good percentage of double flowers may be expected from this strain, 3 ft. | 1s. & 6d. | 1 6 |
| 932 | Double Cactus, Finest mixed , saved from best selected named Double Cactus varieties. The seed will only produce, however, a small percentage of Cactus-flowered Dahlias, the rest being single varieties of high quality, 3 ft. | 1s. & 6d. | 1 6 |
| 933 | Single Cactus, Finest mixed , a charming new race, with elegant star-shaped single flowers of various brilliant colours, 3 ft. | 6d. & 1s. | 1 0 |

See also Novelty List, page 27.

DATURA (Thorn-Apple), Nat. Ord. Solanaceæ. Half-hardy Annual.

DATURA HUBERIANA.

Handsome plants for subtropical bedding in summer. Their large trumpet-shaped flowers are much admired. They should be given a light soil and a sunny sheltered position. Nos. 935, 936, and 937 make grand pot plants for the greenhouse.

- | | | |
|-----|---|-----|
| 934 | ceratocaula , very large sweet-scented single flowers, white tinged pink, 3 ft. | 0 3 |
| 935 | chlorantha fl. pl. , large golden-yellow fragrant double flowers, a splendid pot plant, 2 ft. | 0 6 |
| 936 | cornucopiae , First Class Certificate R.H.S., a fine variety, with immense flowers, triplicate in form, like three cones, one within the other, colour rich violet, with white interior, 1½ ft. | 0 6 |
| 937 | Golden Queen , very large double bright yellow flowers, a fine pot plant, 2½ ft. | 0 6 |
| 938 | Huberia double mixed, new and beautiful hybrids, with large duplicate flowers of many beautiful shades, 3 ft. ... | 0 6 |
| 939 | Wrightii , large white flowers, bordered lilac, very handsome, 2 ft. | 0 6 |

See also Novelty List, page 27.

DELPHINIUM, Nat. Ord. Ranunculaceæ. Hardy Perennial.

These perennial **Larkspurs** are stately border plants, their handsome spikes of blooms exhibiting some of the most beautiful blues in the floral world. Established clumps on rich ground make a brilliant show.

- | | | |
|-----|--|---------------|
| 940 | Barr's Beautiful Hybrids , saved from our grand collection at Long Ditton, 3 to 4 ft. | 1s. 6d. & 2 6 |
| 941 | Fine Hybrids Mixed , saved from a fine collection, 3 to 4 ft. | 3d. & 0 6 |
| 942 | Brunonia num (The Musk-scented Larkspur), a rare species from Tibet, flowers light blue shading to purple, with black centre, 1 ft. | 1 0 |
| 943 | cardinale , a graceful border plant of tall branching elegant growth, and bright scarlet flowers in summer, 3 ft. | 1 0 |
| 944 | cashmiria num , large lilac-blue flowers with handsome dark green foliage, a fine plant for borders and large rockeries, 1½ ft. | 0 6 |
| 945 | caucasicum , a fine species with long elegant flower spikes; in colour the flowers range from pale blue to intense deep ultramarine, 3 ft. | 0 6 |
| 946 | ela tum celesti num , producing heads of beautiful light blue flowers, 3 ft. | 0 3 |
| 947 | formosum , deep gentian-blue, with white eye, large and handsome, 2½ ft. | 0 6 |
| 948 | celesti num , beautiful large Cambridge blue flowers, 2½ ft. | 0 6 |
| 949 | grandiflorum , flowers soft porcelain-blue, 2 ft. | 0 6 |
| 950 | pumilum , a beautiful little Larkspur, of elegant dwarf branching habit, and lovely gentian-blue flowers, a gem for rockwork, 1 ft. | 0 6 |
| 951 | album , flowers satiny white, 2 ft. | 0 6 |
| 952 | nudicaule , a fine dwarf plant bearing a profusion of dazzling scarlet flowers, delighting in sunny situations on borders and rockwork, 15 in. Spring-sown seedlings flower the first season | 0 6 |
| 953 | Przewalskya num , a fine distinct species, flowers cream-coloured, sometimes tipped blue, 2 ft. | 1 0 |
| 954 | speciosum var. glabra tum , a new Himalayan species, with large, open long-spurred flowers of a dark azure, and handsome foliage, 3 ft. | 0 6 |
| 955 | vesti tum , a fine Himalayan species having deep violet-coloured flowers with black eye, 3 ft. | 1 0 |
| 956 | Zalil (syn. <i>sulphureum</i>), a fine border plant of light graceful habit, and beautiful clear sulphur-yellow flowers; it requires a shady situation, 3 ft. | 0 6 |

See also Novelty List, page 27.

DESMODIUM, Nat. Ord. Leguminosæ. Hardy Perennial.

- | | | |
|-----|---|-----|
| 957 | canadense , a hardy variety of the Telegraph Plant, bearing purple flowers throughout summer, 4 ft. | 0 6 |
|-----|---|-----|

DIANTHUS (Indian and Japanese Pinks),

Nat. Ord. Caryophyllææ. Hardy Annual.

These are amongst the most decorative of border annuals, and their brilliant colours render them indispensable for summer bedding and to cut for bouquets and vases. They all sport a little. Sow in spring and early autumn.

DIANTHUS (Indian and Japanese Pinks)—*continued.*

INDIAN PINK.

958	<i>sinen'sis imperia'lis</i> (Indian Pink), mixed, large handsome double flowers of <i>rich</i> and <i>brilliant</i> colours, 1 ft.	pkt. s. d. 3d. & 0 6
959	" <i>multiflorus</i> , a beautiful strain with branching heads like those of <i>Sweet William</i> , and flowers of many brilliant colours; remarkably decorative in beds and borders, 1 ft.	0 6
960	Heddewig'ii (Japanese Pink), Single, Barr's Extra Choice mixed, a splendid mixture of rich and brilliant colours, flowers large and handsome. Massed in flower-beds and borders these have a most brilliant effect, 1 ft.	6d. & 1 0
961	" <i>Crimson Belle</i> , large handsome flowers of a beautiful <i>blood-crimson</i> colour, 1 ft.	0 6
962	" <i>Eastern Queen</i> , large and beautiful flowers, <i>marbled rose</i> and <i>white</i> , 1 ft. It is inclined to sport a little	0 6
963	" <i>Empress</i> , handsome flowers of a <i>rich brilliant blood-crimson</i> , 1 ft.	0 6
964	" <i>Double</i> , mixed, very large handsome flowers, beautifully striped and marbled with various brilliant shades; grand border and bedding plants, 1 ft.	6d. & 1 0
965	Heddewig'ii, Double Dark Velvety Maroon-brown, very handsome, 1 ft.	0 6
966	" " <i>Mourning Cloak</i> , a very handsome variety, flowers <i>very dark velvety crimson</i> , each petal being strikingly edged <i>white</i> , 1 ft.	1 0
967	" <i>lacinia'tus</i> , choice mixed, large single flowers with petals beautifully fringed, and of rich and varied colours, 1 ft.	0 6
968	" " <i>Salmon Queen</i> , a great beauty, flowers ranging from soft <i>salmon-rose</i> to <i>rich salmon-cerise</i> , large, single, and elegantly fringed, 1 ft.	6d. & 1 0
969	" " <i>New Dwarf Hybrids</i> , mixed, a really beautiful strain of brilliant colours, each flower having a dark central ring, and being beautifully fringed, 10 in.	0 6
970	" <i>stella'ris</i> (The Star Pink), a very pretty strain producing an abundance of star-shaped flowers of many brilliant colours from summer to autumn, $\frac{3}{4}$ ft.	0 6

See also Novelty List, page 27.

DIANTHUS (Rock Pinks), Nat. Ord. Caryophyllææ. Alpine Perennials, etc.

971	<i>alpinus</i> (Alpine Pink), flowers large <i>deep rose</i> , very beautiful, 4 in.	(These are popularly known as Rock or Alpine Pinks, and are lovely little subjects for crevices in rock-work, front of borders, edgings, etc.; the colours are bright and the flowers mostly fragrant. They form a charming feature established on old walls, etc. Seedlings vary slightly in shade from the original colour.)	0 6
972	<i>annula'tus</i> , <i>blush-white</i> fringed flowers, $\frac{3}{4}$ ft.		0 6
973	<i>arena'rius</i> , <i>white</i> fringed flowers with <i>pink</i> eye, charming, 6 in.		0 6
974	<i>cæsius</i> (Cheddar Pink), <i>bright rosy pink</i> , fragrant, 3 in.		0 6
975	<i>cor'sicus</i> , <i>bright rose-carmine</i> , a gem for crevices, $\frac{1}{2}$ ft.		0 6
976	<i>cruen'tus</i> , <i>blood red</i> , sweet-scented, 1 ft.		0 6
977	<i>deltoides</i> (Maiden Pink), mixed, <i>rose</i> and <i>white</i> , $\frac{1}{2}$ ft.		0 6
978	" <i>ro'seus</i> , <i>rose</i>		0 6
979	" <i>al'bus</i> , <i>white</i>		0 6
980	<i>dento'sus</i> (Amor Pink), <i>rose</i> to <i>rose-purple</i> , $\frac{1}{2}$ ft.		0 6
981	<i>in'teger</i> , large <i>white</i> deeply fringed flowers, $\frac{3}{4}$ ft.		0 6
982	<i>petræ'us</i> , <i>white</i> fringed flowers, 6 in.		1 0
983	<i>sua'vis</i> , pretty <i>pale pink</i> fringed flowers, 6 in.		0 6
984	<i>superbus</i> Telekii, a beautiful hybrid from <i>D. Heddewigii lacinia'tus</i> × <i>D. superbus</i> , flowers single and double of rich and varied colours, 1 ft.		0 6
985	<i>sylves'tris</i> , flowers a <i>pretty rose</i> , 1 ft.		0 6
986	<i>zona'tus</i> , <i>white</i> to <i>rose</i> with <i>dark zone</i> , fringed, $\frac{3}{4}$ ft.		1 0
987	Mixed Rock or Alpine Pinks, for rockwork, old walls, ruins, etc.		0 6
* (<i>Sow in the crevices, adding a pinch of stiff soil.</i>)			

* (Sow in the crevices, adding a pinch of stiff soil.)

DICTAMNUS (Burning Bush), Nat. Ord. Rutacææ. Hardy Perennial.

988	<i>Fraxinella</i> , spikes of attractive <i>rose-purple</i> flowers, 2 ft.	{ Favourite old-fashioned border plants cultivated for their beautiful flowers and fragrant foliage. }	o 3 o 3 o 3
989	" <i>alba</i> , spikes of <i>white</i> flowers, beautiful, 2 ft.		
990	" <i>mixed</i>		

DIGITALIS (Foxglove), Nat. Ord. Scrophulariacææ. Hardy Perennial.

Handsome stately plants for shrubbery, borders, woodlands, wild gardens, etc.

991	<i>gloxiniæ'ra</i> , choice mixed, beautifully spotted large-flowered varieties of various shades, 4 ft.	0 6
992	" <i>al'ba</i> , large-flowered <i>white</i> , handsome, 4 ft.	3d. & 0 6
993	" <i>purpuræa</i> , large flowers of <i>purplish rose</i> shades, handsomely spotted, 4 ft.	0 3
994	" <i>fine mixed</i> , of many shades	0 3
995	<i>grandi'ra lu'tea</i> , with handsome spike of <i>bright yellow</i> flowers, 3 ft.	3d. & 0 6
996	<i>lana'ta</i> , pretty spikes of small <i>white</i> flowers, beautifully netted inside <i>crimson</i> or <i>brown</i> , 2 ft.	0 3

DRA'BA, Nat. Ord. Cruciferaæ. Hardy Perennial.

Dainty little alpine, forming rosettes of foliage, from which rise charming little flowers; valuable for choice positions in the rock garden.

997	<i>al'pina</i> , bearing pretty little <i>golden-yellow</i> flowers, 3 in.	0 6
-----	---	-----

DRA'BA—continued.

pkt—s. d.

- 998 *Adamsii*, a rare little Siberian species, with *white* flowers, 3 in. 1 0
 999 *aloides*, a favourite little alpine, with *bright yellow* flowers in spring, charming on old walls, ruins, etc., 3 in. 1 0
 1000 *borealis*, a pretty species, with *white* flowers, 3 in. 1 0

See also Novelty List, page 27.

DRACÆNA (Dragon-tree), *Nat. Ord. Liliaceæ.* Greenhouse Evergreens.

- 1001 *Dracæna* and *Cordylina*, choice varieties, mixed, very handsome foliage plants 1s. & 2 6

DRACOCEPHALUM (Dragon's-head), *Nat. Ord. Labiate.* Hardy Perennial.

- 1002 *Ruyschia num superbum*, a handsome plant for the mixed border or rockwork, producing pretty spikes of *rich gentian-blue* flowers, 1½ ft. 0 6

DRYAS, *Nat. Ord. Rosaceæ.* Hardy Perennial.

- 1003 *octopetala* (Mountain Avena), a charming creeping evergreen alpine, with large *white* Anemone-like flowers 0 6



ECHINOPS RITRO.

Dutchman's Pipe. See *Aristolochia*, page 93.**Echinea'cea** (Cone Flower). See *Rudbeckia*.**ECHINOPS** (Globe Thistle).*Nat. Ord. Composite.* Hardy Perennial.

- 1004 *Ritro*, handsome hedgehog-like *blue* flower heads in summer, a noble plant for large borders and shrubberies, 3 to 4 ft. 0 3
 1005 *sphaerocephalus*, finely laciniated *silvery* foliage and *whitish* flower heads, 4 ft. 0 6
 1005½ mixed species, for woodlands, shrubberies, wild gardens, etc. 3d. & 0 6

Eccremocarpus. See *Climbers*, page 94.**Edelweiss.** See *Leontopodium*.**Egg Plant.** See *Aubergine*.**EPILOBIUM** (Willow Herb),*Nat. Ord. Onagraceæ.* Hardy Perennial.

- 1007 *Fleischeri*, a pretty border plant with *deep rose-coloured* flowers, 1½ ft. 0 6
 1006 *Dodonæi*, flowers large *deep rose*, a handsome border plant, 2 ft. 1 0

ERI'GERON, *Nat. Ord. Composite.* Hardy Perennial.

Charming summer-flowering plants with attractive Daisy-like flowers; the dwarfier kinds are valuable for rockwork or the front of borders.

- 1008 *aurantiacus* (The Orange Daisy), flowers ranging from *brilliant orange* to *orange-yellow*, a valuable showy bedding plant, ½ ft. 0 6
 1009 *mucronatus*, a charming alpine species smothered with *white* and *pink* flowers, ¾ ft. 1 0
 1010 *New Rose Hybrid*, producing beautiful large Daisy-like flowers of a charming *purple-rose* shade, with *yellow* centre, in bloom all summer, 1 ft. 0 6

See also Novelty List, page 28.

ERINUS, *Nat. Ord. Scrophulariaceæ.* Alpine Perennial.

- 1011 *alpinus*, flowers *rosy purple*, ¼ ft. 0 6
 1012 „ *albus*, flowers *snow-white*, ¼ ft. 0 6
 1013 „ *carminæus*, flowers *bright crimson*, ¼ ft. 1 0
 1014 *hispanicus*, flowers similar to *alpinus*, but of a *light rose* colour, ¼ ft. 0 6

(Charming little rock plants with Daisy-like flowers, effective planted on old walls, in fissures of rock, etc.)

ERO'DIUM, *Nat. Ord. Geraniaceæ.* Hardy Perennial.

- 1015 *Manesca vi* (Heron's Bill), a handsome border plant, with spikes of large *rosy crimson* flowers in summer, 1 ft. 0 6
 1016 *macradenum*, a fine plant for sunny situations, flowers *French grey tinged rose*, delicately veined *purplish rose*, and spotted *crimson*, 1 ft. 1 0

ERYNGIUM (Eryngo), Sea Holly, *Nat. Ord. Umbelliferae.* Hardy Perennial.

ERYNGIUM ALPINUM.

Remarkably handsome plants, with ornamental foliage and thistle-like flower heads which can be dried for winter decoration. Very effective in flower and shrubby borders, on lawns, or in woodlands, wild gardens, etc. They delight in deep sandy soils. The two varieties marked * like a warm sheltered situation and slight protection in winter.

- 1017 *agavefolium*, pretty shining foliage fringed with spines, 2½ ft. 0 6
 1018 *alpinum*, one of the most beautiful hardy plants in cultivation, with large *soft lavender* heads and glistening *metallic blue* stems and bracts, 2 to 3 ft. 6d. & 1 0
 1019 *Bourga ti*, a very distinct and charming species, the stems, foliage, and flower-bracts being of a *light steely blue*, 2 ft. 1 0
 1020 **bromeliæfolium*, having distinct yucca-like spiny foliage, handsome, 4 ft. 0 6
 1021 **eburneum*, having a very ornamental Pandanus-like foliage, 3 ft. 0 6
 1022 *giganteum* (Ivory Thistle), foliage and stems *glistening white*, with large handsome flower heads, 3½ ft. 0 6

- 1023 *maritimum*, the True Sea Holly, a handsome dwarf spreading plant with *silvery grey* foliage, 1 ft. 1 0
 1024 *platinum*, *light blue* ball-shaped flower heads and spiny bracts, 3 ft. 0 3
 1025 mixed varieties, for shrubberies, woodlands, wild gardens, etc. 3d. & 0 6

See also Novelty List, page 28.

ERYSIMUM, Nat. Ord. Cruciferae. Hardy Annuals, Biennials, and Perennials.

Handsome showy border and rock plants, much resembling Wallflowers; of great value for spring bedding.

- 1026 arkansanum (The Western Wallflower), fine showy *bright yellow* flowers, h.a., 1 ft. pkt.—s. d. 0 3
- 1027 na num, "Golden Gem," forming charming little bushes covered with *bright golden-yellow* flowers, a gem for small beds and edgings, h.p., $\frac{1}{2}$ ft. 1 0
- 1028 ochroleucum helveticum, a charming species forming little bushes covered with *yellow* flowers, h.b., $\frac{3}{4}$ ft. 0 6
- 1029 Perofskianum, flowers *brilliant orange* and very showy in beds, borders, and on rockwork. Sow out of doors March and April for summer display, and in early autumn for spring decoration, h.a., 1 $\frac{1}{2}$ ft. 3d. & 0 6
- 1030 pulchellum, a charming dwarf perennial bearing a profusion of *lemon-yellow* flowers in spring; suitable for dry sunny spots on rockwork, etc., $\frac{1}{2}$ ft. 0 3

ERYTHRINA (Coral-Tree), Nat. Ord. Leguminosae. Half-hardy Shrub.

- 1031 cris ta-galli, a grand plant for south walls with protection, and for subtropical gardening. It produces in summer handsome racemes of *rich deep scarlet* flowers 1 0

ESCHSCHOLTZIA, Nat. Ord. Papaveraceae. Hardy Annual.

Brilliantly coloured flowers, producing a striking effect in flower beds and borders. They may be sown in spring for summer flowering, but to have them in their full beauty seed should be sown in August and September, thinning the seedlings out to 9 in. apart; these will give a brilliant display the following early summer, and last a long time decorative. All the varieties of *crocea* are inclined to sport a little to their original parents.



ESCHSCHOLTZIA.

- 1032 californica (Yellow Californian Poppy), flowers *clear yellow*, with *orange* centre, elegant and showy, 1 ft. 3d. & 0 6
- 1033 cro cea auran tiaca, *rich glowing orange*, a very striking colour, 1 ft., 3d. & 0 6
- 1034 " al ba, flowers a beautiful *creamy white*, 1 ft. 0 3
- 1035 " ro sea, flowers *white* shaded outside *rose*, very beautiful, 1 ft. 0 3
- 1036 " Mandarin, *bright orange-scarlet* and *gold*, a rich handsome colour, 1 ft. 3d. & 0 6
- 1037 " Rose Cardinal, flowers a pretty *dark rose*, inside *blush*, 1 ft., 3d. & 0 6
- 1038 " Rose Queen, flowers a beautiful *rich rose*, 1 ft. 0 6
- 1039 Mixed from above varieties, very showy, 1 ft. 3d. & 0 6
- 1040 caespitosa, a lovely little dwarf species with *golden-yellow* flowers, blooming very early; valuable for rockwork, 5 in. 0 6
- 1041 Douglasii, large showy *golden-yellow* flowers with *orange-yellow* centre, foliage finely cut and glaucous, very early, 10 in. 0 6
- 1042 maritima, flowers *clear yellow*, with *deep orange* centre, foliage *silvery grey*, 1 ft. 0 6
- 1043 tenuifolia, *primrose*, a charming dwarf early-flowering plant for rockwork and edgings, $\frac{1}{2}$ ft. 0 3

See also Novelty List, page 28.

EUCALYPTUS (Gum Tree), Nat. Ord. Myrtaceae. Greenhouse Tree.

- 1044 amygdali'na (The Australian Kino Tree), a fine species, recommended as one of the hardiest and therefore safer to plant in parks and shrubberies 0 6
- 1045 botryoi'des (The Swamp Mahogany of N. S. Wales), a handsome species 0 6
- 1046 calophyl'la (The Red Gum), a very beautiful species 0 6
- 1047 citriodora, the foliage has a pleasant *lemon* fragrance; it is prized as a pot plant for conservatory 1 0
- 1048 coccifera, a small-growing, elegant species, almost hardy 1 0
- 1049 colos'sea (The Karri Tree of Australia), a gigantic species much prized for its wood 1 0
- 1050 corda'ta, a fine species, almost hardy 1 0
- 1051 cornu'ta (The Yait Tree of Australia), a handsome species attaining a height of nearly 100 ft. 0 6
- 1052 ficifolia (The Scarlet-flowered Gum), a grand variety for conservatory, and the *handsomest of all*, bearing while still young *fiery scarlet* flowers 1 6
- 1053 glob'ulus (The Blue Gum), valuable as a pot plant for greenhouse or for subtropical gardening 0 6
- 1054 Gun'nii (The Tasmanian Cider Tree), forming a very elegant bush or small tree, almost hardy 0 6
- 1055 redun'ca, a species received from Western Australia 1 0
- 1056 rostra'ta (The Red Gum of Algeria), a handsome species of grand dimensions 0 6
- 1057 mixed from the above species 6d. & 1 0

EUCHARIDIUM, Nat. Ord. Onagraceae. Hardy Annual.

Charming in flower beds and borders, flowering early from seed. Sown out of doors in autumn they are lovely sight in early summer.

- 1058 Brewer'i, beautiful *light rose* fragrant flowers, early and of elegant form, $\frac{1}{2}$ ft. 0 6
- 1059 grandiflorum, mixed, shades of *rose* and *blush-white*, 1 ft. 0 3

EUPATORIUM, Nat. Ord. Compositae. Hardy Perennial.

- 1060 ageratioides, a good border plant bearing branched heads of *pure white* flowers, prized for cutting, 3 ft. 0 6
- 1061 purpur'eum, bearing in autumn branching heads of handsome *purple* flowers, 3 ft. 0 6

EUTO'CA, Nat. Ord. Hydrophallaceae. Hardy Annual.

- 1062 vis'cida, a lovely little plant with *intense brilliant blue* flowers, exceedingly effective in beds and borders, and a good bee-flower, 1 ft. 0 3



EUCHARIDIUM BREWERII.

GAURA, Nat. Ord. Onagraceæ. Hardy Perennial.

- 1086 *Lindheimeri*, a graceful plant for borders, bearing from summer to autumn long branched slender spikes of *rose* and *white* flowers, $3\frac{1}{2}$ ft. pkt.—s. d. 0 3

GENISTA (Broom), Nat. Ord. Leguminosæ. Hardy Shrub.

These charming **Brooms** are suitable for sunny exposed spots in the rock garden, or on rough banks and slopes exposed to the sun.

- 1087 *Andrea'na*, forming a handsome bush covered with *crimson* and *golden-coloured* flowers (a fair proportion of the seedlings come true) I 0
 1088 *grandifo'ra*, forming a large spreading bush, covered with large handsome *yellow* flowers 0 6
 1089 *pra'cox*, the **Cream-coloured Broom**, an early-flowering shrub of exquisite beauty, the long elegant stems being wreathed in flowers of a *creamy primrose* 6d. & I 0
 1090 *sagitta'lis*, a creeping species suitable for dry banks, flowers *golden-yellow*, $\frac{1}{2}$ ft. 0 6

GENTIA'NA (The Gentian), Nat. Ord. Gentianaceæ. Alpine Perennial.

- | | | | |
|------|---|-----------------------------|-----|
| 1091 | <i>acaul'is</i> (<i>Gentianella</i>), large <i>intense deep blue</i> flowers, $\frac{1}{4}$ ft. | These lovely hardy plants | 0 6 |
| 1092 | <i>asclepiad'ea</i> , handsome <i>purple-blue</i> flowers, $1\frac{1}{2}$ ft. | should have a place in all | I 0 |
| 1093 | " <i>alba</i> , a rare <i>white-flowered</i> variety, $1\frac{1}{2}$ ft. | borders and rock gardens ; | 0 6 |
| 1094 | <i>Andrew'sii</i> (The Closed Gentian), producing clusters of <i>blue</i> flowers 1 ft. | as edgings the dwarf | I 0 |
| 1095 | <i>bavari'ca</i> , with handsome <i>intense deep blue</i> flowers, 3 in. | kinds are charming. Their | 0 6 |
| 1096 | <i>Bigelo'vii</i> , a fine species from New Mexico, bearing an abundance of <i>bright blue</i> flowers, 1 ft. | shades of blue surpass in | 0 6 |
| 1097 | <i>crucia'ta</i> , producing whorls of <i>dark vivid blue</i> flowers, $\frac{3}{4}$ ft. | beauty and brilliancy | 0 6 |
| 1098 | <i>lu'tea</i> (Giant Yellow Gentian), a fine alpine species, 3 ft. | those found in almost any | I 0 |
| 1099 | <i>Pneumonanthe</i> (The Heath-Gentian), long flowers of a lovely <i>deep blue</i> , $\frac{3}{4}$ ft. | other family of plants. | I 0 |
| 1100 | <i>septem'fida</i> (Crested Gentian), erect heads of <i>lovely blue</i> flowers with <i>white</i> interior, 1 ft. | The intense colours of Nos. | I 6 |
| 1101 | <i>syphonanth'a</i> , a lovely species from Central Asia, bearing in May whorls of <i>brilliant blue</i> flowers, $1\frac{1}{2}$ ft. | 1091 and 1103 will arrest | 0 6 |
| 1102 | <i>tibet'ica</i> , a broad-leaved species with large <i>whitish</i> flowers, 1 ft. | the attention at a great | I 0 |
| 1103 | <i>ver'na</i> , <i>intense deep brilliant blue</i> flower, a most lovely species, $\frac{1}{4}$ ft. | distance. | I 6 |
| 1104 | <i>Walujewi</i> , plant dwarf, but stems running up to 2 ft., flowers <i>white spotted blue</i> , distinct 0 6 | | |
| 1105 | <i>mixed</i> , various species and varieties | | |

See also Novelty List, page 28.

GERA'NIUM, Nat. Ord. Geraniaceæ. Half-hardy Perennial.

Great attention still continues to be given to the improvement of the Zonale Geranium. The seeds we offer have been saved from the finest kinds only. Spring-sown seedlings flower in summer. The variegated-leaved kinds develop their colours better the second year.

- 1106 *zonal'e*, **Choicest Prize Varieties, in mixture**, saved from the highest-class flowers 1s & 2 6
 1107 " **splendid varieties in mixture**, saved from very good flowers 0 6
 1108 " **ornamental-leaved**, saved from the finest *bicolors*, *tricolors*, *gold*, *silver*, and *bronze* varieties I 6
 1109 *Ivy-leaved varieties*, beautiful trailing plants for hanging baskets, window boxes, rustic vases, etc. I 6

See also Novelty List, page 28.

GERA'NIUM, Nat. Ord. Geraniaceæ. Hardy Perennial.

Handsome early summer-flowering border plant.

- 1110 *grandifo'rum*, a fine new species, with handsome *bright ultramarine blue* flowers, $1\frac{1}{2}$ ft. I 6
 1111 *gymnocaul'on*, large handsome *purple-blue* flowers, $1\frac{1}{2}$ ft. I 0
 1112 *macrorrh'izon*, flowers *bright rosy purple*, 1 ft. 0 6
 1113 *praten'se*, bearing fine *purple-blue* flowers, 3 ft. 0 6
 1114 *sanguin'eum*, bearing large *deep crimson-purple* flowers, $\frac{3}{4}$ ft. 0 6

GES'NERA, Nat. Ord. Gesneraceæ. Stove Tuberous Perennial.

A family of very elegant stove plants, with handsome foliage and *brilliantly coloured* flowers. Plants raised from seed flower the first season.

- 1115 **Choice New Hybrids**, saved from a splendid collection 1s. & 2 6

GE'UM (Avens), Nat. Ord. Rosaceæ. Hardy Perennial.

Handsome border plants, producing a great profusion of *brilliantly coloured* flowers from spring to autumn, and for vases these are greatly valued, as they last long in water.

- chilon'se* (*syn. coccineum*).
 1116 " *grandifo'rum*, large handsome *rich dazzling scarlet* flowers, a grand border plant, 2 ft. 0 6
 1117 " *ple'num*, **selected**, handsome double or semi-double flowers, *deep scarlet*, and of great value for cutting, 2 ft. 0 6
 1118 *Heldreich'ii*, flowers a beautiful *bright orange-red*, $1\frac{1}{2}$ ft. 0 6
 1119 *monta'num*, *yellow*, 3 in. { Valuable dwarf rock plants, with very showy } 0 6
 1120 *pyrena'icum*, *yellow*, $\frac{3}{4}$ ft. { flowers in spring and summer. } 0 6

GILIA, Nat. Ord. Polemoniaceae. Hardy Annual.

GILIA TRICOLOR

Exceedingly graceful early flowers and valuable for bees. **pkt.**—s. d.

- | | | | | |
|------|--|--|---|---|
| 1121 | nivalis "Snow Queen," a lovely little plant, flowers snowy white, with golden centre, 8 in. | o | 6 | |
| 1122 | tricolor, lavender shading to white, with central violet ring, $\frac{3}{4}$ ft. | { These have long
been favourite
spring and summer
flowers for
borders and
cutting. | o | 3 |
| 1123 | "alba, beautiful pure white flowers, $\frac{3}{4}$ ft. | | o | 3 |
| 1124 | "mixed colours, very charming, $\frac{3}{4}$ ft. | | o | 3 |

GILLENIA, Nat. Ord. Rosaceae. Hardy Perennial.

- | | | | |
|------|---|---|---|
| 1125 | stipulacea, a very elegant American border plant with pure white flowers, 2 $\frac{1}{2}$ ft. | o | 6 |
| 1126 | trifoliata, a remarkably graceful plant having slender dark red stems clothed with pretty star-shaped rose and white flowers, 2 to 3 ft. | o | 6 |

GLADIOLUS, Nat. Ord. Iridaceae. Hardy Bulb.

- 1127 New French Hybrids of Gladiolus Gandavensis, saved from the finest large-flowered new varieties, and may be expected to produce really good novelties. The Gladioli bloom the second or third year from seed (See also Novelty List, page 28.) **1** o

GLAUCIUM (Horned Poppy), Nat. Ord. Papaveraceae. Hardy Biennial.

The ornamental glaucous grey foliage of the **Horned Poppy** is set off by very showy scarlet or yellow flowers. A fine plant for wild gardens, etc., delighting in poor sandy soils.

- | | | | |
|------|--|---|---|
| 1128 | corniculatum, bearing large orange-red flowers, very showy, 2 ft. | o | 6 |
| 1129 | lu teum, with large bright yellow showy flowers, 2 ft. | o | 3 |
| 1130 | Mixed varieties 3d. & | o | 6 |

GLOBE AMARANTH (Gomphrena), Nat. Ord. Amaranthaceae.

These beautiful plants, when grown in small pots, are very useful for indoor decoration. The flowers are "Everlasting," and charming in winter bouquets. **Greenhouse Annual.**

- | | | | |
|------|---|---|---|
| 1131 | Choice mixed, various beautiful colours, 1 $\frac{1}{2}$ ft. | o | 3 |
|------|---|---|---|

GLOBULARIA (Globe Daisy), Nat. Ord. Selaginaceae. Hardy Perennial.

- | | | | |
|------|---|---|---|
| 1132 | trichosantha, a pretty rock plant with globular heads of blue flowers, $\frac{1}{2}$ ft. | o | 6 |
|------|---|---|---|



BARR'S SUPERB GLOXINIAS.

GLOXINIA, Nat. Ord. Gesneraceae. Stove Perennial.

Spring-sown seedlings of these beautiful plants flower in summer and autumn.

- | | | | |
|------|--|---|---|
| 1133 | Barr's Superb Mixture, saved from some of the finest sorts in cultivation 1s. 6d., 2s. 6d. & | 3 | 6 |
| 1134 | Princess Maud, flowers crimson shading to dark carmine, edged violet, and with a broad white margin spotted violet, very beautiful. | 1 | 6 |
| 1135 | Scarlet Queen, a great improvement on Fire King, flowers large and of an intense rich deep scarlet 1 | 6 | |

See also Novelty List, page 28.

GODETIA, Nat. Ord. Onagraceae. Hardy Annual.

These are amongst the most beautiful of hardy annuals for spring and summer bedding; they form sturdy little bushes covered with large handsome flowers of brilliant and delicate shades. To cut for vases and bouquets they are of the greatest value. They are also good bee-flowers.

- | | | | |
|------|---|---|---|
| 1136 | Bridesmaid, flowers very large, beautifully blotched rose on a blush-white ground, 15 in. | o | 6 |
| 1137 | Crimson Beauty, a very beautiful new dwarf bedding variety, forming bushy little plants covered with glittering blood-crimson flowers having a white centre, $\frac{3}{4}$ ft. 6d. & | 1 | o |
| 1138 | Crimson Gem, a splendid little bedding plant, flowers of the richest blood-crimson with rose centre, $\frac{3}{4}$ ft.; this should be associated with White Gem o | 6 | |
| 1139 | Duchess of Albany, large satiny white flowers in pyramidal clusters, 1 ft. o | 6 | |
| 1140 | Duke of York, rich glittering blood-crimson, with large white centre, a very beautiful variety, with large flowers, 1 ft. 3d. & | o | 6 |
| 1141 | General Gordon, rich deep crimson-carmine, with light centre, large handsome flowers, 1 ft. 3d. & | o | 6 |
| 1142 | Marchioness of Salisbury, one of the most attractive, bearing a profusion of large bright showy flowers, vivid glowing crimson with a broad white margin, 1 ft. o | 6 | |
| 1143 | Princess Henry, flowers satiny blush, each petal blotched glowing crimson, 1 ft. o | 6 | |
| 1144 | Rosamond, a pretty light rose with white centre, a pretty companion plant to Crimson Gem, $\frac{3}{4}$ ft. 1 | o | |
| 1145 | roseo-alba, large flowers blush-white with rose centre, habit free and graceful, 2 ft. o | 3 | |
| 1146 | White Gem, a very pretty companion plant to Crimson Gem, with charming white flowers, $\frac{3}{4}$ ft. o | 6 | |
| 1147 | Whitney "Brilliant" compacta, intense glowing crimson-rose, fine compact growth, $\frac{3}{4}$ ft. o | 6 | |
| 1148 | Mixed from beautiful showy varieties, suitable for filling beds and massing in borders, 1 ft. 3d. & | o | 6 |
| 1149 | New Dwarf varieties mixed, producing dainty little flowers of many beautiful colours, $\frac{3}{4}$ ft. 3d. & | o | 6 |

Golden Feather. See Pyrethrum.

GOURDS (Ornamental-Fruited Varieties). For Decoration only.

Very elegant decorative plants for covering verandahs, arbours, trellis work, rough banks, etc.; their bright-coloured and ornamental fruits are much prized for church decoration at harvest festivals. For covering old rubbish heaps and unsightly objects in the garden these **Ornamental Gourds** will be found most valuable. Some of them are edible, others not, therefore we offer them for decorative purposes only.

GOURDS (Ornamental-Fruited Varieties)—*continued.*

- | | | pkt.—s. d. |
|------|--|-----------------|
| 1150 | Collection of 30 very Ornamental Varieties, with small and medium-sized fruits, including such pretty sorts as the <i>Pear-shaped Gourds</i> , <i>Spoon-shaped</i> , <i>Egg-shaped</i> , <i>Mock Orange</i> , <i>Hedgehog</i> , etc... | 3 6 |
| 1151 | Mixed Ornamental Varieties, with small and medium-sized fruit..... | 6d., 1s., & 1 6 |
| 1152 | Large-fruited Ornamental Gourds and Pumpkins, Mixed, all very handsome, the fruit of some attaining a great size..... | 6d. & 1 0 |

GRAMMANTHES, Nat. Ord. Crassulaceæ. Half-hardy Annual.

- 1154 *gentianoides*, forming charming little tufts of fleshy leaves covered with star-shaped flowers, orange-yellow to brilliant orange-scarlet; a gem for pots, baskets, edgings, and rockwork, delighting in warm sunny situations and on dry soil, $\frac{1}{4}$ ft. o 6



HORDEUM JUBATUM.

GRASSES, Ornamental Varieties.

Hardy Annuals, Perennials, etc.

For Flower Borders and Winter Bouquets.

A border of ornamental grasses only is a very beautiful sight, and can be recommended to all who have room for such. In wild gardening they should always have a place. To cut for bouquets and vases most of them are greatly prized, as they form a valuable winter decoration.

- 1155 Collection for Flower Borders, etc., 24 varieties, 5s. 6d.
12 varieties, 3s. 6d.
1156 Collection for Winter Bouquets, 24 varieties, 5s. 6d.
12 varieties, 3s. 6d.

Price of each of the following grasses, 3d. per packet, except those marked * which are 6d. per packet.

- | | | | |
|-------|---|-------|---|
| 1157* | <i>Agrostis</i> , light and graceful bouquet grass, h.a. | 1174 | <i>Hordeum jubatum</i> (Squirrel's Tail), h.a., $1\frac{1}{2}$ ft. |
| | <i>nebulosa</i> , very lovely, 15 in. | 1175 | <i>Lagurus ovatus</i> (Hare's Tail), h.a., $1\frac{1}{2}$ ft. |
| 1158 | <i>pulchella</i> , beautiful, 1 ft. | | <i>Melica</i> , handsome elegant bouquet grasses, h.p. |
| 1159 | <i>Avena sterilis</i> (Animated Oat), handsome in large bouquets, h.a., $2\frac{1}{2}$ ft. | 1176 | <i>altissima atropurpurea</i> , $3\frac{1}{2}$ ft. |
| | <i>Briza</i> (Quaking Grass), light and elegant in bouquets, h.a. | 1177 | <i>ciliata</i> , beautiful, $2\frac{1}{2}$ ft. |
| 1160* | <i>geniculata</i> , bluish flower heads, $1\frac{1}{2}$ ft. | 1178 | <i>papilionacea</i> , very graceful, 1 ft. |
| 1161 | <i>gracilis</i> , small and graceful, 1 ft. | 1179 | <i>Panicum capillare</i> , very graceful in bouquets, h.a., $1\frac{1}{2}$ ft. |
| 1162 | <i>major</i> , the larger variety, 1 ft. | 1180 | <i>palmifolium</i> , very elegant in pots or borders, h.h.p., $3\frac{1}{2}$ ft. |
| 1163 | <i>Briza brizæformis</i> , very effective in bouquets, <i>sown in autumn</i> , h.b., 1 ft. | 1181* | <i>virgatum</i> , very handsome in borders, h.p., 2 ft. |
| 1164 | <i>Chloris barbata</i> , bouquet grass, h.a., $1\frac{1}{2}$ ft. | 1182 | <i>Paspalum elegans</i> , handsome in vases and bouquets, h.a., 3 ft. |
| 1165 | <i>Chloropsis Blanchardiana</i> , bright rose bottle-brush-like flowers, fine in bouquets, h.a., 2 ft. | | <i>Pennisetum</i> , handsome bouquet grasses, with brush-like heads. |
| 1166 | <i>Chrysurus aureus</i> , golden-spiked, very pretty in borders or bouquets, h.a., $\frac{3}{4}$ ft. | 1183 | <i>longistylum</i> , h.a., 2 ft. |
| 1167 | <i>Coix lachrymæ</i> (Job's Tears), h.a., $1\frac{1}{2}$ ft. | 1184 | " <i>violaceum</i> , tinged violet, very fine, h.a., 2 ft. |
| 1168 | " <i>aurea zebrina</i> , foliage golden striped, h.a., $1\frac{1}{2}$ ft. | 1185* | " <i>Rueppellii</i> , h.a., 3 ft. |
| 1169 | <i>Eleusine oligostachya</i> , curious three-horned grass, h.a., $\frac{3}{4}$ ft. | 1186 | <i>Piptatherum Thomasii</i> , a very graceful feathery grass for bouquets, h.a., 2 ft. |
| 1170 | <i>Elymus Caput-Medusæ</i> , graceful in bouquets and large borders, h.p., 2 ft. | 1187 | <i>Setaria alopecuroides</i> , long drooping golden seed heads, very decorative, h.h.a., $3\frac{1}{2}$ ft. |
| | <i>Eragrostis</i> (Love Grass), light graceful bouquet grasses, h.a. | 1188 | <i>Stipa pennata</i> (Feather Grass), beautiful in bouquets, h.p., 2 ft. |
| 1171* | " <i>cylindriflora</i> , very graceful, 2 ft. | 1189 | <i>Tricholena rosea</i> , lovely in vases and bouquets, h.a., 2 ft. |
| 1172 | " <i>elegans</i> , very beautiful, $1\frac{1}{2}$ ft. | 1190* | <i>Uniola latifolia</i> (Texan Grass), elegant in bouquets, h.p., 2 ft. |
| 1173 | <i>Festuca rigida</i> , resembling a little Conifer, very elegant and distinct, h.a., $\frac{3}{4}$ ft. | | |

Tall Ornamental Grasses.

For large shrubbery borders, wild gardens, ravines, sides of lakes, etc., many of them from their majestic growth ranking as first-class subtropical plants.

Price per packet, each 6d.

- 1191 *Arundo conspicua* (New Zealand Reed), a noble plant for specimen-planting on lawns, etc., or for tubs in large greenhouses, h.p., 9 ft.
1192 *Cyperus alternifolius*, a very ornamental plant for greenhouse and sitting-room window, h.h.p., 2 ft.
1193 *Erianthus Ravenneæ*, a noble plant for subtropical gardens, with handsome violet-shaded foliage, h.h.p., 9 ft.
1194 *Eulalia japonica zebrina*, an elegant plant for lawns and shrubbery borders, h.p., 4 ft.
1195 *Gynerium argenteum* (Pampas Grass), graceful plant for lawns, large borders, etc., h.p., 10 ft.
1196 " " *aureo-variegatum*, foliage beautifully variegated, h.p., 10 ft.

For Mixed Ornamental Grasses, see page 100.



ERIANTHUS RAVENNEÆ.

GREVILLEA, *Nat. Ord. Proteaceæ. Greenhouse Shrub.*

pkt. s. d.

- 1197 *robusta*, a most graceful and beautiful plant, with fern-like foliage; a charming pot plant when 2 to 3 ft. high, and elegant bedded out in summer, 4 to 5 ft. 1 0

GYPSOPHILA, *Nat. Ord. Caryophyllaceæ.***Hardy Annuals and Perennials.**

GYPSOPHILA.

- | | | | |
|------|---|---|-----|
| 1198 | <i>elegans</i> , <i>rose-lilac</i> , 1½ ft. | { Graceful plants of light fairy-like growth. Much in demand for cutting for bouquets and vases, h.a. } | o 3 |
| 1199 | " <i>alba improved</i> , <i>white</i> , 1½ ft. | | o 3 |
| 1200 | " <i>rosea</i> , flowers a pretty <i>pale rose</i> , 1½ ft. | | o 3 |
| 1201 | <i>muralis</i> , a lovely little rock or edging plant with <i>rose-pink</i> flowers, h.a., ½ ft. | | o 3 |
| 1202 | <i>paniculata</i> , a graceful border plant forming bushes 3 ft. high, smothered in summer with small <i>white</i> flowers, valuable to cut for vases and bouquets, h.p. | | o 6 |
| 1203 | " <i>compacta</i> , a fine dwarf selection of <i>G. paniculata</i> , and a valuable border plant, h.p., 2½ ft. | | o 6 |
| 1204 | <i>Saxifraga</i> , an elegant little plant for rockwork, <i>pink</i> flowers, h.p., ½ ft. | | o 3 |
| 1205 | <i>Stevenii</i> , resembling <i>paniculata</i> , but with larger flowers and of dwarfier growth, h.p., 2 ft. | | o 6 |

HAWKWEED (Crepis), *Nat. Ord. Compositæ. Hardy Annual.*

- | | | | |
|------|--|--|-----|
| 1206 | Bright Rose, semi-double, 1 ft. | { Their bright colours render them favourites in flower beds and borders, also for edgings and rockwork. } | o 3 |
| 1207 | Pure White, semi-double, 1 ft. | | o 3 |
| 1208 | Light Yellow, with <i>crimson-brown</i> centre, single, 1 ft. | | o 3 |

HEDYSARUM (French Honeysuckle), *Nat. Ord. Leguminosæ. Hardy Biennial.*

- | | | | |
|------|---------------------|---|-----|
| 1209 | Crimson, 3 ft. | { Showy border plants for large shrubberies, wild gardens, rockeries, etc., bearing in summer dense spikes of bloom. Seedlings flower the first year. } | o 3 |
| 1210 | White, 3 ft. | | o 3 |
| 1211 | Mixed, 3 ft. | | o 3 |

HELENIUM, *Nat. Ord. Compositæ. Hardy Perennial.*

- | | | | |
|------|--|--|-----|
| 1212 | autumnale <i>superbum</i> , a grand variety with large beautiful <i>yellow</i> flowers, 5 ft. | { Handsome border plants, remaining long in beauty. Summer and autumn-flowering. } | 1 0 |
| 1213 | <i>Bolanderi</i> , flowers <i>yellow</i> with a <i>dark</i> disc, showy, 2½ ft. | | o 6 |
| 1214 | <i>Hoopesii</i> , <i>brilliant orange-yellow</i> , 2½ ft. | | o 6 |
| 1215 | Mixed varieties | | o 6 |

See also Novelty List, page 28.

HELIANTHEMUM (Sun Rose), *Nat. Ord. Cistincæ. Evergreen Shrub.*

- | | | |
|------|---|-----------|
| 1216 | <i>croceum</i> , having <i>yellow</i> flowers and pretty silvery foliage, ¾ ft. | 1 0 |
| 1217 | " <i>Golden Queen</i> ," flowers <i>brilliant yellow</i> , very beautiful on sunny banks and rockwork, ¾ ft. | o 6 |
| 1218 | <i>Pink Beauty</i> , soft <i>rosy pink</i> , beautiful, ¾ ft. | 1 0 |
| 1219 | <i>roseum</i> , flowers <i>rose</i> , very pretty, ¾ ft. | o 6 |
| 1220 | <i>rubrum</i> , flowers <i>red</i> , showy, ¾ ft. | o 6 |
| 1221 | " <i>Snowflake</i> ," <i>pure white</i> with <i>yellow</i> anthers | o 6 |
| 1222 | Mixed varieties, little dwarf evergreen shrubs delighting in dry sunny situations on banks, rockwork, and borders. During summer they are covered with large flowers of most brilliant varied colours, ¾ ft. | 3d. & o 6 |

See also Novelty List, page 28.

HELIANTHUS (Sunflower), *Nat. Ord. Compositæ. Hardy Annuals, etc.*

These comprise plants of majestic growth and immense showy flowers, suitable for shrubberies, woodlands, wild gardens, and subtropical gardening; the dwarfier kinds, with smaller flowers, are charming when grouped in mixed flower borders.

Annual Varieties.

- | | | |
|------|--|-----------|
| 1223 | <i>argophyllus</i> , <i>silvery</i> foliage and medium-sized <i>yellow</i> flowers with <i>dark</i> centre, a very effective plant for mixed borders, shrubberies, and woodlands, 5 ft. | 3d. & o 6 |
| 1224 | <i>californicus</i> , heads of large handsome double flowers of a <i>rich yellow</i> , 5 ft. | 3d. & o 6 |
| 1225 | <i>cucumerifolius</i> (The <i>Miniature-flowered Sunflower</i>), a charming species, with abundance of small <i>rich golden-yellow</i> flowers with <i>brown-black</i> centre, prized for vases, 3½ ft. | 3d. & o 6 |
| 1226 | " <i>Stella</i> ," a very pretty new variety bearing a great quantity of <i>golden-yellow</i> flowers, measuring about 3½ in. across, with <i>dark</i> centre, petals elegantly twisting, 3½ ft. | o 6 |
| 1227 | <i>globosus</i> , handsome large double <i>golden-yellow</i> flowers, with quilled petals, 5 ft. | o 3 |
| 1228 | <i>Golden Nigger</i> , a fine distinct new variety, of branching habit with dark green foliage and dark stem, and an abundance of <i>golden-yellow</i> flowers 3 in. across with an <i>almost black</i> centre, 6 ft. | o 6 |
| 1229 | <i>Hungarian Giant</i> , the <i>largest flowered</i> Single Sunflower, each plant bearing only a few flowers, but these are of an immense size, 10 ft. | o 3 |
| 1230 | <i>Munstead Primrose</i> , a very effective plant, with flowers about 7 in. across, of a beautiful <i>soft primrose</i> with very <i>dark</i> handsome centre, very handsome, 4 ft. | o 6 |
| 1231 | <i>Queen of the South</i> , a distinct and handsome variety bearing branching heads of single flowers, 5 in. across, <i>golden-yellow</i> with <i>brown</i> centre, 6 ft. | 3d. & o 6 |
| 1232 | <i>uniflorus</i> , a grand stately plant, with immense single flowers, <i>golden yellow</i> with large <i>dark</i> centre, 10 ft. | 3d. & o 6 |
| 1233 | <i>mixed varieties</i> , for shrubberies, woodlands, wild gardens, etc. | 3d. & o 6 |

See also Novelty List, page 28.

INCARVILLEA, *Nat. Ord. Bignoniaceæ.* **Hardy Perennial.**

pkt.—s. d.

- 1284 *Delavayi*, a grand hardy species from China, producing heads of large elegant Gloxinia-like flowers ranging from *rose* to *carmine*, with *golden-yellow* throat, and graceful foliage; for out-doors or greenhouse it is equally valuable, 2 ft. (See coloured plate in "The Garden," November 26th, 1898) 1 0
- 1285 *varia*, a new and rare shrubby perennial for warm, sheltered situations, forming fine branching bushes, bearing an abundance of charming *pink* flowers from May to October, 2 to 2½ ft.; if sown early it blooms the same year 0 6

IN'ULA, *Nat. Ord. Compositæ.* **Hardy Perennial.**

- 1286 *glandulosa*, large handsome *golden-yellow* flowers, 4 to 5 in. across, 2 ft. Handsome plants with large showy flowers in summer, valuable for borders or for naturalising in wild gardens, etc. 1 0
- 1287 *Hele'nium*, large heads of *bright yellow* flowers, 5 to 6 ft. 0 6

IONOPSIS'UM (Cochlearia), *Nat. Ord. Cruciferae.* **Hardy Annual.**

- 1288 *acaulis* (*Violet Cress*), a lovely miniature rapid-growing and early-flowering plant, forming dense tufts of foliage smothered in tiny *pale lilac* flowers; it thrives best in damp or shady situations, such as the foot of rockwork, on old shady walls, etc., height 2 in. 0 6

Ipomœa (Morning Glory). See Climbers, page 94, and also Novelty List, page 29.**IPOMœ'A**, *Nat. Ord. Convolvulacæ.* **Hardy Perennial.**

- 1289 *leptophylla* (*Colorado Man-root*, or *Bush Moon-flower*), a branching bush with graceful foliage and delicate *rose-purple* flowers, 2 to 3 ft. 1 6

I'RIS, *Nat. Ord. Iridææ.* **Hardy Perennial.**

Descriptions of these beautiful Irises will be found in our Hardy Plant Catalogue.

- 1290 *Tall Bearded Flag Irises*, mixed, from 24 beautiful named varieties 1 0
- 1291 *Japanese Flag Iris (I. laevigata)*, mixed varieties, saved from our grand "Long Ditton" collection; magnificent large flowers of lovely colours produced July and August 1 0
- See also Novelty List, page 29.

JACOBÆ'A (Senecio), *Nat. Ord. Compositæ.* **Half-hardy Annual.**

- 1292 *Double mixed colours*, including *white*, *ruby*, and *bright carmine*; for flower beds and borders these are favourite bedding plants, and are largely used in the London parks. They are continuously in bloom, and their fine heads of double flowers are prized for vases, 1 ft. 3d. & 0 6
- 1293 *Dwarf Double, mixed colours*, splendid dwarf bedding plants, of rich colours and uniform in height. They produce a brilliant effect in flower beds, ribbons, and mixed flower borders 3d. & 0 6

JASIONE, *Nat. Ord. Campanulacææ.* **Hardy Perennial.**

- 1294 *perennis*, a pretty border plant with small *blue* heads of flower resembling a *Scabious*, 3 ft. 0 3
- See also Novelty List, page 29.

KAULFUSSIA, *Nat. Ord. Compositæ.* **Hardy Annual.**

- 1295 *amelloides*, *soft azure-blue*, ½ ft. 3d. & 0 6
- 1296 " *mixed colours*, *azure*, *white*, *violet*, *crimson*, etc., very attractive 3d. & 0 6
- Very effective little plants for edgings, front of borders and rockwork.

KNIPHOFIA (Tritoma), *Nat. Ord. Liliacææ.* **Hardy Perennial.**A noble border plant, popularly known as *Torch Lily* or *Redhot Poker*.

- 1297 *Mixed, from several fine species* 1 0
- 1298 *Tuckii*, a fine species, with handsome *Yucca*-like foliage, and showy flower heads, *bright red* passing to *yellow*, 4 ft. 0 6

The following species and varieties can be had separately:—1299 *caulescens*; 1300 *grandis*; 1301 *glaucescens*; 1302 *Victor Lemoine*; 1303 *Macowanii*; 1304 *Otto Mann*; 1305 *John Benary*; 1306 *Max Leichtlin*; 1307 *President Cleveland*. (For descriptions see our Hardy Plant Catalogue) each 0 6

LANTANA, *Nat. Ord. Verbenacææ.***Half-hardy Perennials.**

These charming plants have large *Verbena*-like heads of richly coloured flowers, and are very effective in flower beds and borders. As pot plants they are very beautiful, and for cutting greatly prized. *Spring-sown seedlings* bloom in summer.

- 1308 *Newest French Hybrids*, mixed, saved from a beautiful selection of colours, *bright red*, *orange*, *rose*, *salmon*, etc., 1 ft. 3d. & 0 6
- 1309 *nana compacta*, new hybrids, mixed, rich and varied colours, from *golden-yellow* to *deep red*, *rose*, *white*, etc., plants of fine compact growth, ¾ ft. 0 6

See also Novelty List, page 29.

Lapage'ria. See Climbers, page 94.

KAULFUSSIA.



LANTANA, FRENCH HYBRIDS.

1310	Dwarf Double	Stock-flowered, mixed, 1 ft.	{ Attractive summer bedding plants bearing a profusion of bright-coloured flowers, principally shades of <i>white</i> , <i>rose</i> , <i>blue</i> , and <i>purple</i> . No. 1310 is the first to flower. }	3d.	&	o	6
1311	"	" Emperor, mixed, of candlebra habit, fine, 1½ ft.		3d.	&	o	6
1312	Tall Double	Stock-flowered, mixed, 2½ ft.	{ These handsome Larkspurs are very effective in borders and planted amongst shrubs. The graceful spikes of bloom are much valued for vases. They continue long in bloom, especially if sown in the autumn. }	3d.	&	o	6
1313	"	" Branching, mixed, 2½ ft.		3d.	&	o	6
1314	"	" " dark blue to purple, handsome, 2½ ft.				o	3
1315	"	" " lustrous carmine, very beautiful, 2½ ft.		6d.	&	1	o
1316	"	" " white, 2½ ft.			o	3	

1317 californica, sown in spring it is very effective in June and July, while if sown in autumn it produces a sheet of *rich deep golden* flowers in spring, a valuable plant for beds, borders, or pots, $\frac{3}{4}$ ft. ... *3d.* o 6

LEAF OF L. ARBOREA
VARIEGATA.

1318 *Lavan'dula spi'ca*, an old garden favourite o 6

1319	<i>arbo'rea variega'ta</i> ,	a strikingly handsome foliage plant, with leaves beautifully <i>splashed white</i> ; it makes a noble specimen plant for lawns or subtropical gardens, h.b., 4 ft.	3d. &	o 6
1320	<i>trimes'tris</i> , <i>rose striped pink</i>	{ Handsome profuse flowering plants, } { valuable for large borders, wood- } { lands, etc. Hardy annuals, 3 ft. } {	o 3	o 3
1321	<i>„ al'ba</i> , <i>beautiful snowy white...</i>			

1322	<i>e'legans</i> , yellow, bordered white, with golden centre, 1 ft.	{ Very beautiful profuse-flowering plants for beds and borders, remaining long in beauty. Sow in spring to flower in early summer, and in autumn to bloom in spring. }	o 3 o 6
1323	<i>glandulo'sa</i> , beautiful pure white, 1 ft.		

1324 **alpinum** (*Gnaphalium Leontopodium*), this favourite alpine, with its star-shaped *silvery white* flowers, grows freely on rockwork, or any exposed spots in the flower border; the flowers being "Everlasting" are much prized for cutting 6d. & 1 s. 0d.

	1325	<i>au'reus</i> , bright golden-yellow, 3 in.	{ For small beds, edgings, and rock work, these are ex- quisite little gems.	3d.	&	o	6
	1326	<i>ro'seus</i> , brilliant rose, 3 in.		3d.	&	o	6
	1327	<i>hybridus</i> , brilliant shades from yellow to scarlet and white, 3 in.		3d.	&	o	6
	1328	<i>androsac'eus al'bus</i> , flowers snowy white, with golden centre, very beautiful, $\frac{1}{2}$ ft.		..		o	3
	1329	<i>densiflo'rus</i> , flowers soft rose- lilac, 1 ft.	{ These are of chaste beauty both in flower and foliage, and in beds and borders are very beauti- ful.	} o 3			
	1330	„ <i>al'bus</i> , snow-white, flowers very beautiful, 1 ft.					

LEPTOSIPHON HYBRIDUS. 1331 argen'teum (The Cape Silver Tree), a beautiful plant for greenhouse, having *silvery* leaves, much prized for decoration.....6d. & 1

Beautiful North American border plants, producing in early autumn long handsome flower spikes; they also thrive at the margin of streams, and are excellent bee-plants.

- | | | |
|------|---|-----|
| 1332 | graminifol'ia du'bia, <i>the finest of all</i> , having long spikes of <i>rich crimson-purple</i> flowers, 3 ft. | 1 0 |
| 1333 | pycnostach'ya, producing stems 4 ft. high, crowded with <i>crimson-purple</i> flowers in autumn | 0 6 |
| 1334 | scario'sa, large handsome spikes of <i>rich dark purple</i> flowers, 3 ft. | 0 6 |
| 1335 | spica'ta, producing long spikes densely crowded with <i>rosy purple</i> flowers, 2 to 3 ft. | 0 6 |

1336	Douglas'iggrandiflora, yellow,	Flowers very beautiful and favourites with bees; for spring and summer decoration on banks, rockwork, and as edgings in borders these charming plants are of great value.	} 3 l. & o 6
	edged white, 3 ft.		
1337	„ alba, white, 3 ft.		 o 3

LINA'RIA (Toad-Flax), Nat. Ord. Scrophulariaceæ. Annuals and Perennials, etc.

A very pretty family of graceful plants, all thriving in hot and sunny situations.

pkt.—s. d.

1338	biparti'ta	al'ba, beautiful snow-white, with golden blotch, 1 ft.	Charming free-flowering hardy annuals, beautiful in flower beds and borders, the flowers being prized for bouquets and vases. Sow spring and autumn.		o	3
1339	„	Queen of Roses, rich rose-carmine, very beautiful, 1 ft.			o	6
1340	splen'dida,	rich deep purple, 1 ft.			o	3
1341	reticulata	au'rea, maroon-scarlet, with golden blotch, very striking, 1 ft.			o	6
1342	mixed varieties,	very pretty, 1 ft.		3d. &	o	6
1343	triornithoph'ora	(Three-birds Toadflax), rose-violet, 1½ ft.	{ Beautiful border perennials, having flowers arranged on the stems like three birds perched on a spur. Spring-sown seedlings bloom in summer.		o	6
1344	„	car'nea, flesh-coloured, 1½ ft.			o	6
1345	tris'tis,	a beautiful little hardy annual, flowers yellow, blotched crimson, charming for edgings, bedding, and rockwork, ¾ ft.			o	3
1346	alpi'na,	a lovely little rock plant with purple and orange flowers, h.b., ¼ ft.; it may be sown where intended to bloom, on old walls, rockwork, etc.			o	6
1347	„	ro'sea, a beautiful new variety, flowers pale rose with orange-scarlet blotch, h.b., ¼ ft.		1	o	0
1348	cymbala'ria,	lilac, ¼ ft.	{ The Kenilworth Ivy, pretty little trailing hardy perennials soon covering rockwork and old walls; they are also charming in hanging baskets		o	3
1349	„	al'ba, white, ¼ ft.			o	6
1350	dalmatica,	large showy yellow and orange flowers, prized for cutting; a fine border plant, h.p., 3 to 4 ft.			o	6

LINDELO'FIA, Nat. Ord. Boraginæ. Hardy Perennial.

1351	specta'bilis	(Himalayan Hound's Tongue), a showy border plant bearing clusters of rich purple flowers, 1½ ft.		o	6
------	--------------	---	-------	---	---

LINUM (Flax), Nat. Ord. Linacæ.**Hardy Perennials and Annuals.**

LINUM GRANDIFLORUM
COCCINEUM.

1352	alpi'nium,	a pretty little trailer for rockwork or pots, flowers <i>blue</i> , 3 in.	o	6
1353	fla'vum,	<i>soft yellow</i> , a beautiful hardy perennial for the rock-garden, 1 ft.	o	6
1354	grandiflo'rum	coccin'eum, one of the <i>most brilliantly coloured</i> of summer annuals, flowers <i>glowing crimson-rose</i> , very beautiful in beds and borders, and may be had in bloom from May to October by successive sowings, h.a., 1 ft.	3d. &	o 6
1355	monogy'nium	(New Zealand White Flax), a beautiful species with large <i>snowy white</i> flowers, 1½ ft.	1	o
1356	narbonen'se,	very graceful <i>glaucous</i> foliage, and charming <i>azure-blue</i> flowers, h.p., 1 ft.		o 6
1357	peren'ne,	<i>intense blue</i> , 2 ft.	{ Graceful hardy perennials, in flower throughout the summer, useful for mixed borders and shrubberies.	o 3
1358	„	al'bum, <i>white</i> , 2 ft.		o 3

See also Novelty List, page 29.

LOA'SA (Chili Nettle), Nat. Ord. Loasacæ. Half-hardy Annual.

Two very curious and beautiful plants, which should be given a position on rockwork where the centres of the drooping flowers can be seen. The stems and foliage are furnished with minute stinging hairs.

1359	his'pida,	flowers golden-yellow, with white centre, 1 ft.		o	6
1360	vulca'nica	(syn. Wallisii), flowers white, with centre beautifully marked scarlet and yellow; the plant forms an elegant pyramidal bush, 1½ ft.		o	6

LOBE'LIA, Nat. Ord. Campanulacæ. Half-hardy Annuals and Perennials.

The blue Lobelia is universally cultivated for bedding, edgings, and as a pot plant for indoor decoration. An abundance of plants can easily be raised from seed at a trifling outlay, and the best plan is to sow thinly in a frame, close to the glass, in rows, and when in bloom select out the plants of best colour and habit, and plant out where intended to bloom. Nos. 1361 to 1367 are profuse bloomers, of free habit, and are valuable for flower beds and borders, pots, hanging baskets, etc. Nos. 1368 to 1375 are of very compact tufted growth, and suitable for edgings, carpet bedding, etc.

1361	Eri'nus,	Barnard's Perpetual, the finest blue Lobelia, of graceful habit, a most profuse bloomer, flowers large and brilliant dark blue with white eye, ½ ft.	6d. &	1	o
1362	„	Celeste, fine little bushes covered with flowers light blue with white eye, ½ ft.		o	6
1363	„	Cobalt-Blue, very large flowers, deep azure-blue with white eye, ½ ft.		o	6
1364	„	Prima Donna, beautiful maroon-crimson, ½ ft.		o	6
1365	„	Royal Blue, flowers large, rich dark blue with white eye, of pretty free habit, ½ ft.	6d. &	1	o
1366	„	specio'sa, selected, deep blue, foliage dark red-bronze, of free graceful habit, ½ ft.	3d. &	o	6
1367	„	"White Lady," large white flowers, of elegant free habit, ¾ ft.	6d. &	1	o

LOBELIA—*continued*.

			pkt.—s. d.
1368	Erinus, compacta	alba, pure white, $\frac{1}{2}$ ft.	o 6
1369	"	" Crystal Palace variety, large intense blue flowers and bronzy foliage of fine close habit, $\frac{1}{2}$ ft.	1 0
1370	"	" Emperor William, rich deep blue, $\frac{1}{2}$ ft.	6d. & 1 0
1371	"	mixed from above varieties, very decorative in mixed beds and borders	3d. & o 6
1372	"	pu'mila magnifica, bright blue, $\frac{1}{2}$ ft.	6d. & 1 0
1373	"	Oxonian, flowers large rich dark Oxford blue with white eye, forming fine little compact bushes, $\frac{1}{2}$ ft.	1 0
1374	"	splen dens, brilliant dark blue with white eye, very dwarf and compact, 3 in.	1 6
1375	"	White Gem, beautiful pure white, $\frac{1}{2}$ ft.	3d. & o 6
1376	"	ramo'sa, deep purple-blue, $\frac{3}{4}$ ft.	3d. & o 6
1377	"	Heavenly Blue, beautiful pale sky-blue, $\frac{3}{4}$ ft.	{ The Ramosa varieties have very large flowers, and the plants are of light, graceful, erect habit; very beautiful in flower beds and borders, or in pots. }
1378	"	ro'sea, a pretty rose, $\frac{3}{4}$ ft.	
1379	"	Queen of Whites, pure white, $\frac{3}{4}$ ft.	
1380	cardinalis,	crimson-scarlet, $1\frac{1}{2}$ ft.	
1381	"	Crimson Beauty, deep blood-red, very handsome, $2\frac{1}{2}$ ft.	1 0
1382	fulgens,	"Queen Victoria," intense vermilion-scarlet, 3 ft.	1 0
1383	"	beautiful mixed hybrids, of various beautiful shades, 3 ft.	1 0

For New Lobelia, see Novelty List, page 29.

Lophospermum. See Climbers, page 95.**Love-in-a-Mist.** See Nigella.**LOVE-LIES-BLEEDING (Amaranthus caudatus),**Nat. Ord. *Amaranthaceæ*. **Hardy Annual.**

1384	Dark crimson, 2 ft.	{ Handsome plants, with large graceful drooping racemes of flowers, imparting a fine effect to shrubberies, flower borders, etc. When flowered in small pots under glass they are very charming. }	o 3
1385	Straw-coloured, 2 ft.		o 3

LUNA'RIA (Honesty), Nat. Ord. *Cruciferae*. **Hardy Biennial.**

1386	bien nis, rich purple, 2 ft.	{ A handsome spring-flowering border plant, thriving almost anywhere; for naturalising in shady and damp places it is very useful. The glistening silvery seed-pods are prized for winter decoration. }	o 6
1387	" crimson, 2 ft.		o 6
1388	" white, 2 ft.		o 6
1389	" mixed, 2 ft.		3d. & o 6

LUPINUS (The Lupin), Nat. Ord. *Leguminosæ*. **Annuals and Perennials.**

The following Lupins are all handsome and graceful plants, and the elegant racemes of flowers prized for cutting; the taller growing kinds are effective in borders, and the dwarfer varieties charming in flower beds. *From seed they sport a little.*

1390	arbor'eus, yellow, 5 ft.	{ These Tree Lupins form large bushes, crowded with terminal racemes of fragrant flowers, which may be gathered daily for a long time without diminishing the effect. Grand shrubby perennials for sheltered sunny positions. }	o 6
1391	" blue and white		1 0
1392	" mixed shades, all very beautiful, 5 ft.		6d. & 1 0
1393	Hartweg'ii cœlesti'nus, sky-blue, an effective border plant, h.a., 2 ft.		o 3
1394	hyb'ridus atro-coccin'eus, a lovely plant, flowers crimson with rose and white, h.a., $2\frac{1}{2}$ ft.		o 3
1395	lu'teus, the well-known fragrant dwarf yellow Lupin, pretty in beds and borders, h.a., 1 ft.		o 3
1396	Menzie'sii, forming handsome bushes covered with racemes of showy bright yellow flowers, h.a., $1\frac{1}{2}$ ft.		o 3
1397	muta bilis versic'olor, flowers of various delicate shades of purple, blue, and lilac on the same plant; a very beautiful border plant, h.a., $3\frac{1}{2}$ ft.		o 3
1398	na'nus, flowers blue and white, 1 ft.	{ Lovely dwarf plants for beds and front of borders, h.a. }	o 3
1399	" al'bus, flowers pure white, 1 ft.		o 3
1400	subcarneo'sus, flowers handsome dark blue and white, prized for cutting, h.a., 1 ft.		o 3
1401	Mixed annual varieties for wild gardens, etc., 2 to $2\frac{1}{2}$ ft.		o 3
1402	Douglas'ii, a charming hybrid of <i>L. polyphyllus</i> × <i>L. Hartwegii</i> , producing long spikes of flowers of various shades of pink, purple, blue, and white, 3 ft. If sown early, seedlings bloom the same season	{ All hardy perennials and handsome border plants, yielding during summer masses of bloom available for cutting. (For plants of selected types see our Hardy Plant Catalogue .) }	o 6
1403	nootkaten'sis, a fine species, with spikes of bright dark blue flowers, $1\frac{1}{2}$ ft.		o 6
1404	polyphyllus, stately spikes of blue flowers, 3 ft.		o 3
1405	" al'bus, stately spikes of white flowers, 3 ft.		o 3
1406	" Fox'ii, handsome spikes of rich blue and white flowers, $2\frac{1}{2}$ ft.		o 3
1407	" Purple King, spikes of rich purple flowers, very handsome, 3 ft.		o 6
1408	" Mixed New Hybrids, saved at our Long Ditton Nurseries, and containing many beautiful shades		o 6
1409	Mixed perennial varieties for wild gardens, etc.		3d. & o 6

See also Novelty List, page 29.

LYCH'NIS, *Nat. Ord. Caryophyllææ.* **Hardy Perennial.**Valuable hardy summer-flowering border plants with flowers of brilliant colours. **pkt.—s. d.**

- 1410 *chalcedon'ica*, brilliant scarlet, 3 ft. { Handsome bold border plants, valuable } o 3
 1411 „ *al'ba*, white, 3 ft. { for distant effect. } o 3



LYCHNIS HAAGEANA.

- 1412 *corona'ria atro-sanguinea*, intense crimson, 2 ft. { Very showy summer } o 3
 1413 „ *al'ba*, pure white, beautiful, 2 ft. { border plants. The } o 3
 1414 „ *mixed*, white and crimson shades, 2 ft. { cut flowers are } o 3
 1415 *Flos-Jo'vis*, bright rose, 1½ ft. { much prized for } o 3
 1416 *hyb'rida*, brilliant rosy crimson, 1½ ft. { vases and bouquets } o 3
 1417 *Haagea'na*, large orange-scarlet, 1 ft. { (also called Agrostemma). } I o
 1418 „ *mixed hybrid varieties* in various beautiful shades, 1 ft. { The flowers of these are large } o 6
 1419 „ *dwarf mixed varieties* of various beautiful shades, ¾ ft. { and resemble a Maltese } o 6
 1420 *ful'gens*, a handsome border plant, flowers deep velvety scarlet, with petals slightly laciniated, 10 in. { cross; their rich colours } o 6
 1421 *alpi'na*, a charming little rock plant with bright rose-coloured flowers, ½ ft. { render them valuable for } o 6
 1422 *Lagas'cæ*, a lovely little alpine for rock fissures, etc., bearing a profusion of bright rose-coloured flowers, 4 in. { select positions in flower } o 6
 1423 *Preslii*, brilliant rose-coloured flowers produced in spring, a valuable border plant, 1 ft. { borders and on rock- } o 6
 1424 *visca'ria*, a pretty rock plant with panicles of rosy red flowers, ¾ ft. { work. } o 6
 1425 „ *al'ba grandifl'ora*, bearing large single white flowers, pretty on rockwork, 3 in. { } o 6

See also Novelty List, page 29.

LYSIMACH'IA, *Nat. Ord. Primulacææ.* **Hardy Perennial.**

- 1426 *puncta'ta*, a fine showy plant for wild gardens and damp marshy places, bearing numerous spikes of yellow flowers, 2 ft. o 6

LYTHRUM (Loose-strife), *Nat. Ord. Lythraceæ.* **Hardy Perennial.**

Elegant border plants and well suited for damp situations.

- 1427 *ala'tum*, bearing spikes of rosy purple flowers, 3 ft. o 3
 1428 „ *superb'um*, flowers bright rose, a good border plant, 3 ft. o 3
 1429 *virga'tum* "Rose Queen," the best of the Loose-strifes, having long graceful spikes of bright rose-coloured flowers, which are much prized for cutting, 4 ft. o 6

MAGNOLIA (The Lily Tree), *Nat. Ord. Magnoliacææ.* **Hardy Tree.**

- 1430 *conspic'ua* (The Yulan), a grand tree bearing in May a profusion of large snowy white flowers I o
 1431 *grandifl'ora* (The Great Laurel Magnolia), large fragrant white flowers; a noble evergreen tree for covering walls in sheltered positions o 6
 1432 *Ko'bus*, a rare species from Japan, bearing large white flowers; treatment as for *M. grandiflora* ... I o

Maize, Ornamental. See *Zea*.**MALCOLMIA**, *Nat. Ord. Cruciferææ.* **Hardy Annual.**

- 1433 *littor'ea*, an elegant little border or edging plant, with greyish foliage and clusters of pale rose-coloured flowers throughout summer, 1 ft. o 6
maritima, see *Virginian Stock*.

MA'LOPE (Mallow-wort), *Nat. Ord. Malvaceææ.***Hardy Annual.**

- 1435 *grandifl'ora*, dark glossy rose-crimson, 2 ft. { Showy plants for large } o 3
 1436 „ *al'ba*, white, 2 ft. { mixed flower and } o 3
 1437 „ *ro'sea*, a pretty blush shade, 2 ft. { shrubby borders. } o 3
 { The flowers are large and handsome. } o 3

MAL'VA (Mallow), *Nat. Ord. Malvaceææ.***Hardy Perennials and Annuals.**

- 1438 *cris'pa* (Curled Mallow), a very ornamental plant for isolated positions; it has an erect pyramidal growth with large foliage prettily frilled at margin, h.a., 3 to 5 ft. o 3
 1439 *moscha'ta ro'sea* (Musk Mallow), beautiful pink, 2 ft. { Favourite hardy border perennials, with large attractive } o 3
 1440 „ *al'ba*, snow-white, 2 ft. { fragrant flowers in summer. } o 3
 1441 *zebri'na atro-ru'bens*, flowers blush to rose, veined dark crimson, h.a., 3 ft. o 3

Mandevil'la. See *Climbers*, page 95.

MALVA CRISPA.

MARIGOLD (*Tagetes*), *Nat. Ord. Compositæ.* Half-hardy Annual. pkt.—s. d.

Spring sowings of Marigolds will produce abundance of brilliantly coloured flowers by July, and maintain a fine display of bloom right on into autumn. *The following strains are all extra selected.*

1442	African Large-flowered Orange, double, 2 ft.	Magnificent border plants of fine	o	6
1443	" " Light Yellow, double, 2 ft.	bold aspect and large handsome	o	6
1444	" Primrose, a lovely pale yellow, double, 1½ ft.	blossoms. The varieties offered	o	6
1445	" mixed from the above, valuable for shrub-	have been saved from the finest	3d. &	o 6
	beries and wild gardens, etc.	strain of double flowers; still a		
1446	" Dwarf Golden, large-flowered, double, 1 ft.	few will come single, and these	o	6
		should be pulled up.		
1447	aurea floribunda, double, golden-yellow, a fine dwarf bedder,		1	o
	¾ ft.		6d. &	
1448	French, Double, Barr's Dwarf Gold-striped, very fine, 1 ft.		o	6
1449	" " Golden, very fine, 1 ft.		o	6
1450	" " Dwarf mixed, very fine, 1 ft.		3d. &	o 6
1451	" " Barr's Extra Dwarf Gold-edged, deep velvety scarlet			
	finely edged gold, handsome, ¾ ft.		1	o
1452	" " Lilliput Orange, very beautiful, ¾ ft.		o	6
1453	" " Primrose-Yellow, a delicate shade, ¾ ft.		o	6
1454	" " Spotted, light yellow, blotched crimson, ¾ ft.		o	6
1455	" " Miniature Queen, crimson and yellow, habit light			
	and graceful, ¾ ft.		o	6



SINGLE MARIGOLD,
LEGION OF HONOUR.

These Double French Marigolds are splendid bedding and border plants. The varieties offered are of the very finest strains, and are sure to please. A few plants, however, will come single, and perhaps a few over the stated height; these should be pulled up. Nos. 1452 to 1455 form lovely little bushes, and are valuable for small beds, edgings, etc.

1456	French, Single Self Yellow, very showy in flower beds and borders,			
	1 ft.		o	3
1457	" " Legion of Honour, a most striking variety, flowers			
	golden-yellow, with clear, distinct dark velvety			
	crimson blotches, very beautiful, ¾ ft.		3d. &	o 6

1458	French Single mixed, a very handsome showy strain, some flowers self yellow, others with			
	maroon blotches, while some are scarlet with golden edge, ¾ ft.		o	6

See also Novelty List, page 30.

MARTYNIA, *Nat. Ord. Pedalineeæ.* Half-hardy Annual.



MARTYNIA FRAGRANS.

1459	fragrans, an interesting plant, with bold massive stems			
	bearing panicles of large crimson-purple Gloxinia-like			
	flowers, sweetly scented, followed by curiously double			
	horned fruit, which is sometimes used when young for			
	pickling, and is called by the French Ongles du Diable,			
	1½ ft.		o	3

MARVEL-OF-PERU (*Mirabilis*), *Nat. Ord. Nyctagineæ.* Half-hardy Perennial.

The Marvel-of-Peru blooms the first season from seed; culture like that of Dahlias.

1460	Choice mixed, producing dense compact bushes, covered			
	with a profusion of bright attractive flowers, colours			
	white, blush, lilac, rose-crimson, and yellow; of great			
	value for specimen planting in beds, borders, and sub-			
	tropical gardening, 2½ ft.		3d. &	o 6
1461	longiflora, flowers white, valued for the delicious fragrance			
	it emits morning and evening		o	3

MATHIOLA (Night Scented Stock), *Nat. Ord. Cruciferae.* Hardy Annual.

1462	bicornis, the flowers in the morning, evening, and after a shower emit a delicious perfume			
	perceptible at a considerable distance. The seed should be scattered freely about the garden, as			
	is done with Mignonette, 1 ft.		per. oz. 1s. &	3d. & o 6

Maurandya. See Climbers, page 95.

MECONOPSIS, *Nat. Ord. Papaveraceæ.* Hardy Biennials and Perennial.

1463	nepalensis (The Sulphur-coloured Himalayan Poppy), a striking and beautiful plant of stately			
	appearance and bearing large pale yellow flowers, h.b., 4 ft.		2	6
1464	Wallichii (The Blue Himalayan Poppy), one of the most stately of Poppies. In summer, from			
	amidst a very ornamental foliage, rises a pyramidal stem 4 to 5 ft. high, bearing large handsome			
	saucer-shaped flowers, pale blue with golden stamens, h.b. It thrives best in a cool, moist,			
	shady situation, planted in a rough peaty soil		2	6
1465	cambrica (The Welsh Yellow Poppy), a beautiful plant which freely establishes itself on old walls,			
	ruins, and rockwork, h.p., 1 ft.		o	6

Medeola. See Asparagus, under Climbers.

MEDICAGO, *Nat. Ord. Leguminosaeæ.* Hardy Annual.

1466	Echinus (The Calvary Clover or Crown of Thorns), a pretty little plant, the foliage of which			
	when young has striking red blotches; the seeds are contained in spirally twisted prickly pods,			
	which can be unrolled to a great length, ¾ ft.		o	6

MELIANTHUS, *Nat. Ord. Sapindaceæ.* **Half-hardy Perennial.** pkt.—s. d.

- 1467 **major** (Cape Honey-flower), a handsome plant, with finely cut *rich green* foliage, valuable as a conservatory plant, and as single specimens in beds, borders, and subtropical gardens, where its distinct elegant appearance always attracts attention; seedlings raised early in spring are ready for planting out in summer, 3 to 4 ft. 1 0

MESEMBRYANTHEMUM, *Nat. Ord. Ficoideæ.* **Half-hardy Annuals, etc.**

- 1468 **Cape Perennial Species in mixture**, for greenhouse decoration, very beautiful 1 0
- 1469 **capitatum** (Fig Marigold), a pretty dwarf perennial with *yellow* flowers, very beautiful on rockwork, dry banks, and in sunny situations 0 3
- 1470 **tricolor**, *brilliant rose-carmine*, with *purple-crimson* centre, $\frac{1}{2}$ ft. { Lovely little annuals }
 1471 **album**, *white*, *purple* centre, $\frac{1}{2}$ ft. { for sunny banks }
 { and warm nooks } 3d. & 0 6
 { on rockwork, with }
 { Daisy-like flowers. } 3d. & 0 6

MESEMBRYANTHEMUM
TRICOLOR.**MEUM**, *Nat. Ord. Umbelliferæ.* **Hardy Perennial.**

- 1472 **athamanticum**, an uncommon hardy British plant, with graceful feathery green foliage, valuable for cutting; a good border or rock plant, $1\frac{1}{2}$ ft. 0 6

MICHAUXIA, *Nat. Ord. Campanulaceæ.* **Hardy Biennial.**

- 1473 **campanuloides**, a stately plant for dry south borders, with branching spikes of beautiful large *rosy white* blooms, resembling Passion-flowers, in summer, 3 ft. 1 0

See also Novelty List, page 30.

MIGNONETTE (*Reseda odorata*), *Nat. Ord. Resedaceæ.* **Hardy Annual.**

Seed of this universal favourite should be scattered freely in flower and shrubby borders, also on dry banks, old walls, margins of gravel paths, close to the wall of the house, and in any dry sunny situations.

The varieties we offer are all delightfully fragrant, but differ in shade of colour or habit of growth.

- 1474 **Common Mignonette Improved**, very sweet-scented, 1 ft. 5s. 6d. per lb., 6d. per oz. 0 3
- 1475 **Barr's Covent Garden Favourite**, the *largest-flowered variety and best of all for pot culture*, richly scented; the growers for Covent Garden Market prefer this variety to all others, 1 ft. ... 3s. 6d. per oz.; 6d. 1 0
- 1476 **Barr's Giant White**, produces fine bold heads of a light colour, 1 ft. (A fine associate for No. 1475.) 6d. & 1 0
- 1477 **Golden Gem**, forming handsome little compact bushes covered with *rich yellow* flower heads; a valuable pot plant, $\frac{1}{2}$ ft. 0 6

MIGNONETTE, BARR'S
COVENT GARDEN FAVOURITE.

- 1478 **Golden Queen**, very distinct, fine heads of bloom of a bright colour, more or less *yellow*, 1 ft. 0 6
- 1479 **Macnet**, large heads of rich colour, plants dwarf, robust, and compact, a grand variety for pots, and can be strongly recommended, $\frac{3}{4}$ ft. 2s. 6d. per oz. 0 6
- 1480 **Improved**, an advance on the above, flower heads being larger and plants still more compact, $\frac{3}{4}$ ft. 1 0
- 1481 **golden**, a handsome variety with large *yellow* flower heads, $\frac{3}{4}$ ft. 0 6
- 1482 **Miles Spiral**, a fine light-coloured variety with fine heads, very free, valuable for pots, 1 ft. 0 6
- 1483 **Victoria Crimson Improved**, large heads of rich deep colour, very dwarf and compact, a lovely little pot plant, $\frac{1}{2}$ ft. 0 6

See also Novelty List, page 30.

MIMOSA, *Nat. Ord. Leguminosæ.* **Greenhouse Annual.**

- 1484 **pu'dica** (Sensitive Plant), so sensitive are the leaves of this plant that when touched they instantly fold up; it is an ornamental plant for the conservatory and sitting-room, and may also be planted outdoors in warm sheltered positions; seedlings are soon decorative, $1\frac{1}{2}$ ft. 0 6

MIMULUS (Monkey-flower), *Nat. Ord. Scrophulariaceæ.***Hardy Perennials, etc.**

Splendid plants for the conservatory, sitting-room, or outdoors. The flowers are of most brilliant colours, many of them having rich hieroglyphic markings. They grow well in warm, shady, damp, and marshy situations, or by the waterside. In mixed flower beds, vases, and rustic baskets they are deserving of extensive cultivation. When cultivated indoors stand the pots in saucers of water.

- 1485 **Barr's Giant Strain**, flowers of large size and brilliant colours, richly tiger-spotted, 1 ft. 1s. & 2 6
- 1486 **Choice mixed**, containing many beautiful colours, 1 ft. 6d. & 1 0
- 1487 **cardinalis grandiflorus**, handsome *dark scarlet*, very effective, 1 ft. 1 0
- 1488 **cupreus "Prince Bismarck"**, flowers *rich deep velvety crimson*, very beautiful, $\frac{1}{2}$ ft. 1 0
- 1489 **Fire King**, flowers *yellow* margined *fiery scarlet*, very handsome 0 6
- 1490 **luteus**, seed collected in a northern climate, from plants which had well withstood the winter, a fine showy hardy perennial for moist or marshy places, flowers *bright yellow*, $\frac{3}{4}$ ft. 1 0

Mi'na. See Climbers, page 95.

Mira'bilis. See Marvel-of-Peru.

MONARDA, Nat. Ord. Labiatae. Hardy Perennial.

pkt.—s. d.

- 1491 *didyma* (Bergamot), a showy plant for borders and naturalising in wild gardens and woodlands, having large whorls of *bright crimson* flowers, and fragrant foliage, 3 ft. o 6

MONTBRETIA, Nat. Ord. Iridae. Hardy Bulb.

The *Montbretias* rank amongst our most decorative summer-flowering bulbous plants. In early August they throw up graceful spikes of brilliantly coloured flowers which last decorative a long time, and are universally prized for vases. They prefer a sunny situation. *Steep the seed in water twenty-four hours before sowing.*

- 1492 *crocsmæloflora*, elegant branched spike of large handsome showy flowers, *brilliant orange-red shaded golden*, a grand flower for cutting, 2½ ft. o 6
 1493 „ *Étoile de Feu*, handsome spike of large open flowers, *intense deep glowing vermilion*, shaded *orange-scarlet*, and with *golden* centre and anthers, 2 ft. 1 0
 1494 „ *mixed beautiful hybrids*, very decorative 1 0

MORINA, Nat. Ord. Dipsacae. Hardy Perennial.

- 1495 *longifolia*, a handsome border plant with deep green spiny foliage and long spikes clothed with *rose and white* flowers, 2½ ft. o 6

Morning Glory (Ipomœa). See Climbers, page 94, and also Novelty List, page 29.

MUSA (Banana Tree), Nat. Ord. Scitamineae.

- 1496 *Ensete* (Abyssinian Banana), a grand large foliage plant for tubs in warm greenhouses or for subtropical bedding outdoors in summer 1 0
 1497 *sumatran*, a handsome stove species, with brown-spotted foliage 1 0
See also Novelty List, page 30.

MUSCARI (Grape Hyacinth), Nat. Ord. Liliaceae. Hardy Bulb.

These lovely blue spring flowers are unsurpassed in beauty for massing in borders, on rockwork, and for edgings; they should be freely naturalised in all woods, shrubberies, etc. *The seed grows readily.*

- 1498 *armeniacaum*, beautiful little spikes of *ultramarine-blue* flowers, 4 in. o 3
 1499 *paradoxum*, long handsome spikes, almost *black*, an interesting species, ½ ft. o 6
 1500 *mixed species* for naturalising on banks, in woodlands, on rockwork, etc. 3d. & o 6

MUSK-PLANT (Mimulus moschatus), Nat. Ord. Scrophulariaceae.

Hardy Perennial.

- 1501 Musk-plant, flowers *yellow*, very fragrant, valuable for pots, window-boxes, etc., ½ ft. 3d. & o 6
 1502 „ *large-flowered dwarf*, of fine compact habit, and abundance of very fragrant good-sized flowers, a valuable pot and border plant, ¾ ft. 6d. & 1 0

MYOSOTIS (Forget-me-not), Nat. Ord. Boraginaceae. Hardy Perennial.

M. sylvatica and its varieties should be largely used for naturalising along woodland walks, in copses, wild gardens, etc. For very early flowering *M. dissitiflora* with its large handsome flowers is recommended. *M. palustris semperflorens* flowers throughout summer in damp and shady situations, and should be used for damp borders and ditches, stream sides, etc. All the Forget-me-nots, if potted up in autumn and kept under glass, flower throughout the winter.

- 1503 *azorica*, a charming Azorean Forget-me-not of erect growth and with beautiful *deep blue* flowers; especially valuable for pot culture, and very decorative in flower borders during June and July, ¾ ft. 6d. & 1 0
 1504 *dissitiflora*, the *earliest* Forget-me-not, flowering in February when the season is favourable, and throughout the spring; flowers *deep clear blue*, large and handsome, ½ ft. 6d. & 1 0
 1505 „ *alba*, flowers *pure white* and very beautiful, ¾ ft. 1 0
 1506 „ *Perfection*, flowers very large and of a lovely *clear blue*, ½ ft. 1 0
 1507 *sylvatica*, blue, ¾ ft. { These Wood Forget-me-nots are early summer-flowering, } 3d. & o 6
 1508 „ *na'na*, *rich blue*, ½ ft. { profuse bloomers, and thriving anywhere. } o 6
 1509 „ *Distinction*, large *bright azure* flowers, very beautiful, ½ ft. { Handsome new summer Forget-me-nots, } o 6
 1510 „ *“Jewel,”* *bright blue* flowers, ½ ft. { of robust compact habit, each plant } o 6
 1511 „ *Star of Love*, covered with *deep sky-blue* flowers, compact and beautiful, ½ ft. { producing a mass of very large handsome flowers; splendid on rockwork and for pots. } 1 0
 1512 „ *Victoria*, *rich blue*, ¾ ft. { } 6d. & 1 0
 1513 *palustris semperflorens*, large *rich blue* flowers with *yellow* eye, ¾ ft. { } 6d. & 1 0
 1514 „ *Little Queen*, a little gem covered from early summer to autumn with *pale blue* flowers, 4 in. { Lovely little plants for damp places. } 6d. & 1 0
 1515 „ *grandiflora (new)*, a very beautiful variety, and a great advance, ¾ ft. { } 1 0

See also Novelty List, page 30.

NARCIS'SUS (Daffodil), Nat. Ord. Amaryllidaceae. Hardy Bulb.

(See our Daffodil Catalogue for descriptions.) With the exception of the Miniature Daffodils these take 5 to 7 years to flower from seed.

- 1516 Choice mixed Trumpet varieties, saved at our Long Ditton Nurseries from many fine named sorts 2 6
 1517 „ from all sections, saved at our Long Ditton Nurseries 2 6
 1518 Countess of Annesley, Bicolor Cabeceiras, and Princes each o 3
 1519 Obvallaris, Proserpine, Santa Maria, Saragossa Daffodil, and Shirley Hibberd each o 6
 1520 Miniature Daffodils, flowering soon from seed—*corbularia citrina*, *corbularia* large early Spanish yellow, and *triandrus albus*, all beautiful on rockwork each 1 c

NASTURTIIUM (Tropæolum), Nat. Ord. Geraniaceæ. Hardy Annual.

Few plants are so useful or rich in colour as the **Nasturtiums**. They surpass the *Geranium* and *Calceolaria* in brilliancy of colour and profusion of bloom; they should be given a dry poor soil, as on a rich or manured ground they are inclined to run to leaf. Where such is the case lime rubbish should be mixed with the soil. To those who have no glass they are a boon, and valuable plants in case of deficiency or failure of "bedding plants." The sorts we enumerate are the most decorative and beautiful of all.

			pkt.
1521	Tom Thumb	Scarlet King, <i>intense scarlet</i> , more effective in beds and borders than the scarlet <i>Geranium</i> , 1 ft.	s. d. 0 6
1522	"	" Golden King, <i>golden-yellow</i> , more effective in bedding than the yellow <i>Calceolaria</i> , 1 ft.	0 6
1523	"	" Empress of India, flowers <i>intense crimson-scarlet</i> , with a rich velvety gloss, profusely covering a compact bushy plant, <i>rich dark foliage</i> , 1 ft.	0 6
1524	"	" Fire King, flowers <i>rich orange-scarlet</i> , making a grand show in beds and borders, 1 ft.	0 6
1525	"	" Ruby King, <i>ruby-rose</i> , a beautiful colour, slightly variable, 1 ft.	0 6
1526	"	" Spotted King, <i>yellow</i> , <i>spotted crimson</i> , very showy, 1 ft.	0 6
1527	"	" King Theodore, <i>rich dark crimson</i> , very handsome, 1 ft.	0 6
1528	"	" Aurora, <i>rosy chamois</i> , suffused <i>orange-red</i> , a very effective colour, 1 ft.	0 6
1529	"	" Chameleon, a beautiful but variable colour, shades of <i>cream colour</i> or <i>primrose</i> with <i>crimson</i> and <i>rose</i> markings, 1 ft.	0 6
1530	"	" Terra Cotta, flowers of a curious <i>coppery buff</i> colour, 1 ft.	0 6
1531	"	" Crystal Palace Gem, <i>sulphur</i> , <i>spotted maroon</i> , effective, 1 ft.	0 6
1532	"	" Pearl, flowers running from a <i>creamy white</i> to a beautiful <i>pale chrome-yellow</i> , a charming variety, 1 ft.	0 6
1533	"	" choice mixed, from the <i>finest</i> showy varieties, 1 ft.	0 6
1534	"	" fine mixed varieties, all colours, a good showy mixture, 1 ft.	0 6
1535	Liliput,	a charming new race of <i>Miniature Nasturtiums</i> , forming compact little bushes covered with small dainty flowers of many bright colours, $\frac{1}{2}$ ft.; avoid a moist or heavy soil in order to maintain the dwarf compact habit.	0 6

See also Novelty List, page 30. For Climbing Nasturtiums, see pages 95 and 97.

NEMESIA, Nat. Ord. Scrophulariaceæ. Half-hardy Annual.

1536	compacta, mixed,	pretty little bushy plants, bearing a profusion of <i>white</i> , <i>blue</i> , and <i>blue and white</i> flowers, valuable for edgings, rockwork, etc., $\frac{3}{4}$ ft.	0 6
------	------------------	---	-----

For a fine Improved Strain of *Nemesia Suttoni*, see Novelty List, page 30.

NEMOPHILA, Nat. Ord. Hydrophyllaceæ. Hardy Annual.

These beautiful annuals being very uniform in height and comprising colours of strong contrast we strongly recommend them for ribbon borders, filling small beds, etc.; on rockwork they are very charming.



NEMOPHILA MACULATA
GRANDIFLORA.

1537	atoma'ria	ocula'ta, flowers <i>celestial blue</i> , with <i>black blotches</i> , very handsome, $\frac{1}{2}$ ft.	0 6
1538	"	" "Blue Bell," beautiful <i>Cambridge blue</i> , with <i>white</i> centre, dwarf and compact, $\frac{1}{2}$ ft.	0 6
1539	insig'nis	grandiflo'ra, <i>clear light blue</i> , large flowers, with <i>white</i> centre, the favourite variety for beds, ribbons, and borders, very effective, $\frac{3}{4}$ ft.	0 3
1540	"	" al'ba, <i>pure white</i> , a charming companion plant to No. 1539, $\frac{3}{4}$ ft.	0 3
1541	macula'ta	grandiflo'ra, very large handsome flowers, <i>white</i> , veined and blotched <i>violet</i> , $\frac{3}{4}$ ft.	0 3
1542	mixed,	from the above varieties, very effective	0 6

NERTE'RA, Nat. Ord. Rubiaceæ. Hardy Perennial.

1543	depres'sa (The Coral-berried Duckweed),	a remarkably pretty little plant for rockwork or pots, forming dense little tufts of foliage covered with tiny <i>orange-scarlet</i> berries.	1 0
------	---	--	-----

NIEREMBERGIA (Cup-flower),

Nat. Ord. Solanaceæ. Half-hardy Perennial.

1544	frutes'cens,	a very pretty elegant plant for pots, with <i>white</i> flowers veined <i>lilac</i> , 1 ft.	0 3
1545	"	" atro-viola'cea, a fine new variety with handsome <i>dark violet</i> flowers, 1 ft.	0 6
1546	"	" White Queen, a very beautiful new variety, with flowers almost <i>pure white</i> , 1 ft.	0 6
1547	grac'ilis,	flowers <i>white</i> , shading to and veined <i>lavender</i> , an exceedingly graceful plant for hanging baskets, rockwork, etc., $\frac{1}{2}$ ft.	0 6

NICOTIA'NA (Tobacco Plant),

Nat. Ord. Solanaceæ. Half-hardy Annual.

The large-leaved kinds are handsome foliage plants and valuable for subtropical gardens and as specimen plants on lawns, etc. Nos. 1548 and 1551 are prized as greenhouse plants, also for summer borders outdoors.

1548	affi'nis,	large <i>pure white</i> flowers, deliciously scented morning and evening, a valuable pot plant, 3 ft.	1 0
------	-----------	--	-----



NIEREMBERGIA FRUTESCENS.

NICOTIANA (Tobacco Plant)—*continued*.

pkt.—s. d.

- 1549 *colos'sea*, a grand stately plant with immense *deep green* leaves and *rose-coloured* flowers, 5 ft. ... 1 0
 1550 *gigante'a purpur'ea*, large majestic picturesque foliage and *dark crimson-rose* flowers, 4 ft. 0 6
 1551 *sua veolens*, beautiful *white* flowers, sweetly scented morning and evening, a fine pot plant, 2 ft. 0 6
 1552 *sylves tris*, a very distinct and valuable species; from a handsome foliage rise several spikes, well furnished with an abundance of long tubular *white* flowers, which do not close up in the daytime, 4 ft. 6d. & 1 0
 1553 *Wigandioi des*, a stately plant with immense handsome foliage and *dark crimson-rose* flowers, 5 ft. 0 6
 1554 *Choice mixed varieties of Tobacco (of Commerce)*, the best for cultivation in England, Scotland, and Ireland 6d. & 1 0

NIGELLA (Love-in-a-Mist), Nat. Ord. Ranunculaceæ. Hardy Annual.

NIGELLA DAMASCENA.

- 1555 *damasc'e'na cælesti'na*, beautiful *azure*, 1½ ft. 0 3
 1556 " *alba*, *white*, very beautiful, 1½ ft. 0 3
 1557 *hispa'nica alba*, large *pure white* flowers, 1½ ft. 0 3
 1558 " *atro-purpur'ea*, large *deep purplish blue* flowers, 1½ ft. 0 3
 1559 *mixed varieties* 0 3
- { Very graceful border plants, the flowers being partially hidden by the curious fine feathery green bracts. }

NYCTERINIA, Nat. Ord. Scrophulariaceæ.**Half-hardy Annual.**

- 1560 *capen'sis*, *white* with *brown* eye, delightfully fragrant, ½ ft. 0 6
 1561 *selaginoides*, clusters of star-shaped flowers, *white to lavender*, with *yellow* eye, ½ ft. 0 3
- { Charming little plants for pots, edgings, and rockwork. }

ÆNOTHERA (Evening Primrose), Nat. Ord. Onagraceæ.

These are all beautiful for beds, borders, rockwork, and shrubberies.

- 1563 *Drummondii na'na*, *soft yellow*, 1 ft. { Beautiful half-hardy annuals for flower } 0 3
 1564 " *alba*, *delicate creamy white*, 1 ft. { beds, borders, and banks. } 0 3
 1565 *Fra'seri*, bushy plant, with a profusion of showy *yellow* flowers on reddish stems, beautiful hardy perennial, 1½ ft. 0 3
 1566 *Lamarckia'na*, immense *bright yellow* flowers, very handsome, hardy biennial, 5 ft. 0 3
 1567 *macrocar'pa*, immense *rich yellow* flowers on long trailing stems, a grand plant for front borders, banks, and rockwork, hardy perennial, ½ ft. 0 6
 1568 *taraxacifol'ia*, a prostrate trailer, with large beautiful *snow-white* flowers, charming on banks and rockwork, hardy biennial (on light soils a perennial) 0 6

Omphalodes linifolia. See Venus' Navelwort.**ONONIS (Rest-Harrow), Nat. Ord. Leguminosæ. Hardy Perennial.**

- 1569 *Nat'rix*, flowers *yellow*, veined *red*, 2 ft. { Pretty border or rock } 0 6
 1570 *rotundifol'ia*, bearing numerous *bright rose-coloured* flowers, 1½ ft. { plants, belonging to the Pea family. } 0 6

ORNITHOGALUM, Nat. Ord. Liliacæ. Hardy Bulb.

- 1571 *pyramid'ale*, a very beautiful growing variety of the *Star of Bethlehem*, bearing in spring large spikes of *snowy white* flowers, 2 ft. 0 6

OROBUS (Bitter Vetch), Nat. Ord. Leguminosæ. Hardy Perennial.

- 1572 *lathyroi'des*, a lovely border plant, bearing racemes of *violet-purple* flowers, 2½ ft. 0 3
 1573 *lut'eus*, a pretty species, with *yellow* flowers, charming on rockwork, 1 ft. 0 6
 1574 *ver'nus*, a charming spring-flowering plant, forming a bush covered with very pretty flowers, *blue and purple* with *red* veins and keels, valuable for border or rock garden, 1 ft. 0 3
 1575 *mixed*, all graceful border plants 3d. & 0 6

OXALIS (Wood Sorrel) Nat. Ord. Geraniacæ.

- 1576 *cornicul'a'ta ru'bra*, *crimson-brown* foliage, *yellow* flowers, charming for edgings, walls, and rockwork, hardy biennial, ½ ft. 0 6
 1577 *floribun'da*, bearing pretty *bright rose-coloured* flowers all the summer, hardy perennial, ½ ft. 0 6
 1578 *ro'sea*, flowers *rosy purple*, a charming plant in pots, half-hardy annual, ½ ft. 0 6
 1579 *valdivien'sis*, beautiful for edgings, old walls, and rockwork, flowers *bright yellow*, hardy annual, ½ ft. 0 3

OXLIP, Nat. Ord. Primulacæ. Hardy Perennial.

- 1580 *Choice mixed orange, red, and yellow*, charming old-fashioned fragrant flowers, prized for naturalising in the spring garden, ½ ft.; they flower quickly from seed 3d. & 0 6

PALAVA, Nat. Ord. Malvaceæ. Half-hardy Annual.

- 1581 *flexuo'sa*, beautiful *rose-pink* Mallow-like flowers, a charming and graceful rock plant, 1 ft. 0 6

Pansy. See *Viola tricolor*, page 89, and Novelty List, page 30.

PAPA'VER (Poppy), *Nat. Ord. Papaveraceæ.* **Hardy Perennials, etc.**

All valuable decorative border plants, the cut flowers being prized for vases, etc.

alpinum (Alpine Poppy), graceful miniature Poppies from the higher Alps, with prettily cut glaucous foliage, and the daintiest of flowers; on rockwork they are most beautiful, h.b., $\frac{3}{4}$ ft. (The colours from seed sport a little.) pkt.

pkt.—s. *d.*

1582	al'bum, flowers <i>white</i> , and very beautiful, h. b., $\frac{3}{4}$ ft.	O 6
1583	auran'tiacum, flowers <i>orange-red to brick-red</i> , very beautiful, h. b., $\frac{3}{4}$ ft.	I 0
1584	lu'teum, flowers <i>delicate canary-yellow</i> , h. b., $\frac{3}{4}$ ft.	O 6
1585	ro'seum, flowers <i>pale silky rose</i> , very beautiful, h. b., $\frac{3}{4}$ ft.	I 0
1586	<i>mixed varieties</i> , colours <i>white, rose, yellow, and orange-red</i> , very bright and pretty, h. b., $\frac{3}{4}$ ft.	O 6
1587	bracte'a'tum, large deep <i>blood-crimson</i> flowers, with glittering <i>black</i> blotch at base of each petal, very fine, h. p., 4 ft.	O 6



PAPAVER BRACTEATUM.

1588 *bractea'tum* (Giant Oriental Poppy), beautiful mixed hybrids, producing immense flowers of brilliant shades of *blood-crimson* and *crimson-scarlet*, with large *black* blotches; magnificent plants of noble aspect for borders, woodlands, wild gardens, etc. h.p., 3 to 3½ ft., ... 6d. &

1589 **orienta'le** (**Giant Oriental Poppy**), mixed hybrids, large showy flowers ranging in colour from *orange-scarlet* to *crimson-scarlet*; grand plants for borders, woodlands, wild gardens, etc., h. p., 2 to 3 ft. 3d. & o 6

1590 Collection of 10 splendid named varieties of Oriental Poppies
3s. 6d.

1591 **Munstead Iceland Poppy** (*P. nudicaule*), various shades from *white to pale lemon, orange and orange-red*. It is impossible to overestimate the value and beauty of this Poppy, which produces its graceful flowers in great abundance from May to September. For cutting no poppies are more highly prized, h.b., 1 ft. 6d. &

1592	nudicaule (Iceland Poppy), yellow, 1 ft.	{ These are the perfection of grace ; they bloom the first season from seed, and should be freely used on rockwork and front borders, h.b. }	o 3
1593	„ al'bum, white, 1 ft.		o 6
1594	„ minia'tum, brilliant orange-red, 1 ft.		o 6
1595	„ double mixed shades, producing about 30 to 40 per cent. of very beautiful double and semi-double flowers, white, yellow, and orange-red. On rockwork and in front borders they are charming subjects, h.b., 1 ft.		1 0
1596	pilo'sum, woolly foliage and graceful orange-buff flowers, h.p., 2 ft.		o 6
1597	ruifra'gum, flowers a lovely orange-buff, produced all summer, and valued for cutting, 1½ ft.		o 6

Indian Poppies, see Meconopsis. **Annual Poppies, page 78.**

For New Poppies, see Novelties, page 31.

PARNASSIA, *Nat. Ord. Saxifragaceæ.* **Hardy Perennial.**

1598 palus'tris (Grass of Parnassus), a pretty plant for moist shady situations, yielding in summer an abundance of pretty *white* flowers, $\frac{1}{2}$ ft.

Passion-Flower (Passiflora). See Climbers, page 95.

Peas, Sweet. *See Climbers, page 96.*

PELARGO'NIUM, *Nat. Ord. Geraniaceæ.* **Greenhouse Perennial.**

For greenhouse decoration this plant is very popular, and when well grown its effect is matchless.

1599	Mixed, finest strains of large-flowered and fancy varieties, 1½ ft.	1s. 6d. & 2 6
------	--	---------------

PENTSTE'MON, *Nat. Ord. Scrophulariaceæ.* **Perennials, mostly Hardy.**

A handsome family of border plants. The elegant beauty of the large Gloxinia-like flowers of the **Florists' varieties** elicits the admiration of all.

To cut for vases they are all valuable.

1600	Barr's Large-flowered Florists' varieties in mixture, saved from flowers <i>bluish-white to deepest crimson and purple, roses and scarlets</i> , flowering summer to autumn, h.h.p., 2 ft. Seedlings of spring flower the same season	15. s.	1 6
1601	Fine Mixed Florists' varieties, saved from many colours, h.h.p., 2 ft.		0 6
1602	<i>acuminatus</i> , bearing <i>purple-blue</i> flowers in July, h.p., 1 ft.		0 6
1603	<i>barbatus coccineus</i> (<i>Chelone</i>), long spikes of <i>bright coral-red</i> flowers, h.p., 3 ft.		0 6
1604	<i>breviflorus</i> , a distinct species with <i>yellowish</i> flowers, h.h.p., 1½ ft.		0 6
1605	<i>conferus</i> , a curious species from the Rocky Mountains, bearing spikes of <i>cream-coloured</i> flowers, h.p., 1½ ft.		0 3
1606	„ var. <i>ceruleo-purpureus</i> , having compact heads of <i>deep violet-blue</i> flowers, h.p., 1 ft.		0 6
1607	<i>diffusus</i> , small <i>violet-blue</i> flowers in branching heads, showy, h.p., 2 ft.		0 6
1608	<i>glaber</i> (<i>Smooth Snake's Head</i>), a charming border plant, flowers varying from <i>light to dark blue</i> , h.p., 1 ft.		0 3
1609	<i>heterophyllus</i> , graceful spikes of lovely <i>azure-blue</i> flowers, h.p., 1½ ft.		0 6
1610	<i>humilis</i> , a charming alpine species of compact habit, with pretty <i>blue</i> flowers <i>tinged rosy purple</i> , h.p., ½ ft.		0 6
1611	<i>Menziesii</i> , a dwarf shrubby species, flowers <i>violet-blue to purple</i> , h.p., 1 ft.		0 6



PENTSTEMON. FLORIST VARS.

PENTSTE MON—*continued.*

pkt.—s. d.

- 1612 *Murrayanus*, a noble plant, with stately spikes of *scarlet* flowers and handsome *glaucous* foliage, 4 ft. Sow early in heat, and treat as a h.h.p., very decorative first season o 6
- 1613 *ovatus*, producing in July pretty spikes of *purple-blue* flowers, h.p., 3 ft. o 6
- 1614 *pubescens*, a good border plant with *pale purple* flowers, h.p., 1½ ft. o 6
- 1615 *punctatus*, producing long showy racemes of *vermilion-coloured* flowers, h.p., 2 ft. o 6
- 1616 *speciosus*, bearing clusters of flowers *sky-blue* to *deep blue*, remarkably handsome, h.p., 3½ ft. o 6
- 1617 *Wrightii*, with spikes of *rosy carmine* flowers, h.b., 3 ft. 1 0

*See also Novelty List, page 31.***PERILLA**, *Nat. Ord. Labiate.* **Half-hardy Annual.**

Valuable foliage plant for back lines and ribbons, or as single specimens in mixed borders.

- 1618 *nankinensis*, *dark mulberry-coloured* foliage, a most useful bedding plant, 1½ ft. 3d. & o 6

PETUNIA, *Nat. Ord. Solanaceae.* **Half-hardy Perennial.**

For its decorative value in summer bedding the Petunia is of the greatest value. A splendid effect is produced by training them over hooped beds, and on trellis work and rustic fences. We strongly recommend them also for planting on old walls and old tree stumps, for drooping over rock formations, etc., where their beauty can be fully appreciated. As pot plants and for hanging baskets the Petunia is most valuable, continuing in bloom until late in autumn.

- 1619 *Barr's Large-flowered choice mixed*, a splendid strain of large handsome flowers of brilliant colours, smooth-petalled and fringed, 1½ ft. 1s. 6d. & 2 6
- 1620 *Barr's Superb Double-fringed*, saved from *Hand Fertilised Flowers*, an extra fine strain of double-fringed Petunias, producing 50 to 80 per cent. of double flowers, while the remainder are exquisitely fringed singles; the colours are *rich and varied*, 1½ ft. 2 6
- 1621 *Barr's White Fringed*, producing very beautiful *snowy white* flowers, elegantly fringed, some very large, 1½ ft. 1 6
- 1622 *venosa maxima*, *mixed*, flowers mostly beautifully veined and netted, *velvety crimson* or *purple*, on a *blush* or *rosy* ground, flowers large, smooth-petalled or fringed, 1½ ft. 6d. & 1 0
- 1623 *Fine Mixed*, from many beautiful colours, very decorative, 1½ ft. 3d. & o 6

Dwarf Bedding Petunias, charming subjects for small beds and edgings.

- 1624 *Adonis*, flowers like the *Countess of Ellesmere*, but *purplish rose* with *white* centre, a charming little plant, ½ ft. o 6
- 1625 *Admiration*, flowers *white*, heavily blotched *violet-purple*, very striking and handsome, 1 ft. 1 0
- 1626 *compacta Dwarf Queen*, flowers *white*, elegantly blotched *crimson*, very pretty, ¾ ft. o 6
- 1627 *compacta "Rose Superbe"*, compact and bushy growth, flowers large and of a *brilliant rose*, a lovely little bedder and very attractive, 1 ft. o 6
- 1628 *Countess of Ellesmere*, flowers of medium size, *brilliant rose* with *white* throat, a very charming bedding plant, ¾ ft. o 6
- 1629 *Dainty Maid*, a charming variety to bed with No. 1628, *purplish lilac* with *white* throat, very pretty, ¾ ft. 1 0

*See also Novelty List, page 31.***PHACELIA**, *Nat. Ord. Hydrophyllaceae.* **Hardy Annual.**

Very beautiful Californian annuals.



PHACELIA CAMPANULARIA.

- 1630 *campanularia*, one of the most lovely blue flowers in cultivation, blooms quickly from seed, bearing a profusion of *intense gentian-blue* flowers standing well above a handsome foliage; in beds and borders or as a pot plant it is most beautiful, 8 in. o 6

- 1631 *Parryi*, flowers large, of a lovely *violet-purple*, 1 ft. o 3
- 1632 *tanacetifolia*, bearing heads of pretty *blue* flowers, a good bee-plant, 2 ft. o 3

PHLOX, *Nat. Ord. Polemoniaceae.* **Half-hardy Annuals, etc.**

These superb plants have richly coloured flowers of many hues, and are brilliantly effective in flower beds and borders, or on rockwork. The dwarf varieties are also charming in pots and rustic baskets, etc.

Phlox Drummondii, *Barr's Improved Large-flowered.* Height 1 foot. **Half-hardy Annual.**

For bedding these Phloxes can be strongly recommended for their bright and attractive colours.



PHLOX DRUMMONDII, LARGE FLOWERED.

- 1633 *Collection of 12 most beautiful distinct colours* 3s. 6d.
- 1634 *Salmon-rose*, with *white* centre 6d. & 1 0
- 1635 *Brilliant Blood-crimson*, with *white* centre 6d. & 1 0
- 1636 *Pure white* 6d. & 1 0
- 1637 *Choicest mixed* 6d. & 1 0
- 1638 *Phlox Drummondii*, *fine mixed*, from many beautiful colours, 1 ft. 3d. & o 6

Phlox Drummondii, *Barr's Improved Large-flowered Dwarf.* Height ½ foot. **Half-hardy Annual.**

These dwarf Phloxes make charming edgings, and are very attractive in small beds and borders.

- 1639 *Fiery Rose-Scarlet* per pkt. 1s. 6d. 1641 *Choicest mixed* 1s. & 2 5
- 1640 *Snow-white* " 1s. 6d. 1642 *Fine mixed* 6d. & 1 0

PHLOX—*continued*.

- pkt.—s. d.
- 1643 **Phlox Hortensiaeflora**, splendid mixed, a beautiful large-flowered dwarf strain of spreading growth and of great value for filling small beds, edgings, and for rockwork; the colours range from dark scarlet and brilliant rose to delicate rose and white, 8 in. 1s. & 2 6
- 1644 **Phlox Hortensiaeflora "Triumph,"** brilliant fiery scarlet, very handsome, $\frac{1}{2}$ ft. 1 6
- 1645 **Barr's Improved Large-flowered Star Phloxes**, mixed, a splendid strain of annual Phloxes with beautiful star-shaped and fringed flowers in many beautiful shades, 1 ft. 6d. & 1 0
- 1646 **Perennial Phlox**, choicest mixed, saved from Lemoine's newest and most beautiful large-flowered varieties. (See our Hardy Plant Catalogue.) 1 0

See also Novelty List, page 31.

PHYGE'LIIUS, *Nat. Ord. Scrophulariaceæ*. **Hardy Perennial.**

- 1647 **capensis**, pyramidal spikes of handsome brilliant scarlet flowers in autumn, 2 ft. 0 6

Picotees. See Carnations.**PHYSALIS (Winter Cherry)**, *Nat. Ord. Solanaceæ*. **Perennial.**

Ornamental-fruited plants, prized for room decoration and for skeletonising.



PHYSALIS ALKEKENGI.

- 1648 **Alkekeng'i** (Chinese Lantern or Winter Cherry), bearing in autumn scarlet cherry-like berries enclosed in orange-scarlet inflated calyxes, remarkably showy and greatly prized for winter decoration, h.p., 1 $\frac{1}{2}$ ft. 3d. & 0 6
- 1649 **edulis** (The Cape Gooseberry), forming branching bushes, with small yellow and purple flowers, followed by yellow fruit, used sometimes for tarts, etc., g.p., $\frac{3}{4}$ ft. 0 6
- 1650 **macrocarpa**, flowers large, yellow with dark centre, followed by large yellow fruit, a very large-fruited variety of the above, g.p., 2 ft. 0 6
- 1651 **Franchet'ti**, a giant variety of the Chinese Lantern, flowers yellow with dark centre, followed by large scarlet fruit enclosed in orange-scarlet calyxes of great size, remarkably handsome, h.p., 1 $\frac{1}{2}$ ft. 6d. & 1 0
- 1652 **viola'cea**, a variety producing violet-coloured fruit, g.p., 1 ft. 0 6

PHYTEU'MA, *Nat. Ord. Campanulaceæ*.**Hardy Perennial.**

- 1653 **Michel'ii**, a pretty alpine for front borders and rockwork, with blue flowers in July, 1 ft. 0 6

PHYTOLAC'CA, *Nat. Ord. Phytolaccaceæ*. **Hardy Perennial.**

- 1654 **acino'sa**, a handsome border plant, with red stems and glossy black fruit, 6 ft. 0 6
- 1655 **decan'dra** (Pigeon-Berry) forming a large bush covered in autumn with long rigid sprays of glistening black fruit, 5 ft. 0 6

PINK, *Nat. Ord. Caryophyllææ*. **Hardy Perennial.**

Charming old favourite flowers, much esteemed for their delightful fragrance.

- 1656 **Barr's Choicest Exhibition**, saved from the finest double-fringed flowers, of several beautiful shades, 1 ft. 2s. 6d. & 3 6
- 1657 **New Perpetual-flowering**, a fine large-flowered strain of single, semi-double, and double flowers, of bright colours, with broad petals, deliciously scented, 1 ft. 1 0
- 1658 **Cyclops**, a lovely strain of large-flowered single Pinks, mostly rose or crimson, with a large blood-crimson centre; they last long in bloom, and are most valuable for cutting, 16 in. 6d. & 1 0

See also Novelty List, page 31.

PLATYSTE'MON, *Nat. Ord. Papaveraceæ*. **Hardy Annual.**

- 1659 **californicum**, pale cream-coloured, a very beautiful plant on rockwork and in flower borders. Sow in spring and autumn, $\frac{1}{2}$ ft. 3d. & 0 6

PLATYCO'DON (Chinese Bell-flower), *Nat. Ord. Campanulaceæ*.**Hardy Perennial.**

- 1660 **grandiflorum**, large deep blue, 1 $\frac{1}{2}$ ft. { First-class border plants, bearing } 3d. & 0 6
- 1661 **album**, large pearly white, 1 $\frac{1}{2}$ ft. ... { handsome flowers in July, and with } 3d. & 0 6
- 1662 **Maries'ii**, large deep blue, $\frac{3}{4}$ ft. { an ornamental foliage. As pot } 3d. & 0 6
- 1663 **album**, handsome new white form, $\frac{3}{4}$ ft. ... { plants they are charming. } 6d. & 1 0
- 1664 **chinen'se** (*syn. autumnale*), a fine autumn-flowering species with handsome rich blue flowers, 3 ft. 0 6

See also Novelty List, page 81.

Plumbago. See Climbers, page 96.**POLEMON'IUM** (Jacob's Ladder), *Nat. Ord. Polemoniaceæ*. **Hardy Perennial.**

Beautiful summer-flowering border and rock plant, the flowers useful for cutting.

- 1665 **Mixed from beautiful border varieties**, colours sky-blue to white, 2 ft. 0 6
- 1666 **flavum**, a very distinct species with buff-yellow flowers, 2 ft. 0 3
- 1667 **rep'tans**, a pretty little species bearing panicles of slaty blue flowers, $\frac{1}{2}$ ft. 0 6

See also Novelty List, page 32.

POLYANTHUS, Nat. Ord. Primulaceae. Hardy Perennial.

pkt.—s. d.

The *Polyanthus* is an indispensable spring flower, and should be largely used in flower beds and borders, also in wild gardens and on rockwork. The varieties we offer are of the finest selected strains, with large flowers of pronounced colours. Nos. 1671 to 1673 come pretty true to colour, but it is impossible in this family to quite fix any particular shade.

1668	Barr's Finest Gold-laced, from the best Scotch and English strains, $\frac{1}{2}$ ft.	6d., 1s. &	2 6
1669	Barr's Superb Highly Coloured Strain, rich red, crimson and dark shades, $\frac{1}{2}$ ft.	6d., 1s. &	2 6
1670	New Fancy Giant, a fine strain of mixed colours, $\frac{1}{2}$ ft.	6d. &	1 0
1671	Barr's selected shades of rich and deep crimsons, $\frac{1}{2}$ ft.	1s. 6d. &	2 6
1672	" " rich yellows, $\frac{1}{2}$ ft.	6d. &	1 6
1673	" " white, $\frac{1}{2}$ ft.	1 0	1 0
1674	Fine Mixed Varieties, in great variety of colour, $\frac{1}{2}$ ft.	6d. &	1 0
1675	Hose in Hose, splendid mixed varieties, $\frac{1}{2}$ ft.	1 0	1 0

See also Novelty List, page 32.

POLYGONUM (Knot-Weed), Nat. Ord. Polygonaceae.

1676	orientale pernilum, a handsome plant bearing an abundance of crimson flowers in drooping racemes; recommended for borders and wild gardens, hardy annual, $2\frac{1}{2}$ ft.	0 3
1677	" " album, a charming white variety of the above, hardy annual, 3 ft.	0 6
1678	sachalinense, a fine elegant foliage plant for isolated positions in large borders, wild gardens, and on grass, hardy perennial, 10 ft.	0 6

POPPY (Papaver), Nat. Ord. Papaveraceae. Hardy Annual.

These favourite flowers should be largely used in flower beds and borders, shrubberies, woodlands, and for distant effect generally. (See also Novelty List, page 32.)

1679	Barr's Scarlet King, a magnificent double scarlet variety, flowers large and beautifully fringed, 2 ft.	0 6
1680	Rawson's Fringed, large double exquisitely fringed flowers, glowing rose-scarlet on a white ground, a remarkably handsome and striking Poppy, $2\frac{1}{2}$ ft.	0 6
1681	Barr's Fringed Hybrids, a beautiful mixture of double, semi-double, and single Poppies with prettily fringed large flowers ranging in colour from deep scarlet, crimson, and rose to pure white, 2 ft. ...	0 6
1682	Barr's White Colossal, a grand Poppy with massive snow-white double flowers of immense size, 2 ft. ...	0 6
1683	Shirley Poppy, the most graceful of all Poppies, the beautiful satiny flowers ranging in colour from delicate shades of rose, pink, and blush to glowing crimson, all with white centres. By sowing in spring and early autumn a succession of flowers for cutting may be had from May to October, 1 ft.	6d. & 1 0
1684	Shirley Poppy, saved from Rose Pink and Blush Shades only, all of delicate beauty, 2 ft.	1 0
1685	" " pure white, very beautiful, 2 ft.	1 0
1686	" " double and semi-double, saved from various beautiful colours, 2 ft.	1 0
1687	French or Ranunculus Poppy, choice mixed, fine thin-petalled double flowers of brilliant colours, 2 ft.	3d. & 0 6
1688	Carnation Poppy, mixed, very large handsome double flowers, finely fringed, and of various brilliant colours; splendid border plants, $2\frac{1}{2}$ ft.	3d. & 0 6
1689	Tulip Poppy, flowers glowing dazzling scarlet of cup-and-saucer form, a remarkably effective Poppy, 1 ft.	3d. & 0 6
1690	Pæony-flowered, double choice mixed, large double flowers of rich and brilliant colours, grand border plants, $2\frac{1}{2}$ ft.	3d. & 0 6
1691	" " " Cream-coloured, a beautiful delicate shade, $2\frac{1}{2}$ ft.	0 6
1692	" " " Rose Frilliant, very beautiful soft salmon-rose, large handsome flowers, $2\frac{1}{2}$ ft.	0 6
1693	" " " dwarf, mixed, a beautiful dwarf strain, with large flowers of brilliant colours, $1\frac{1}{2}$ ft., 3d. & 0 6	0 6
1694	" " " dwarf, Blush-Rose, very beautiful large flowers, blush-rose, $1\frac{1}{2}$ ft.	0 6
1695	The Bride, producing large handsome single pure white flowers, 2 ft., 3d. & 0 6	0 6
1696	The Cardinal, large double bright scarlet fringed flowers, very striking, $1\frac{1}{2}$ ft.	3d. & 0 6
1697	White Swan (Snowdrift), very large double snowy white flowers, beautifully fringed, 2 ft.	3d. & 0 6
1698	Caucasian Single Scarlet Poppy (P. umbrosum), flowers intense deep scarlet, with glittering black blotches, an elegant flower, 1 ft.	0 3
1699	Mephis to, rich deep scarlet, with large dark purple blotches, flowers single and beautifully fringed, $2\frac{1}{2}$ ft.	0 3
1700	Othello, flowers double, and of a handsome glossy maroon-black, 2 ft. ...	0 6
1701	Victoria Cross, flowers single, crimson-scarlet, with a broad white cross in the centre, very beautiful, 2 ft.	0 3
1702	Mixed Annual Poppies of all sorts, for scattering in wild gardens, woodlands, etc.	3d. & 0 6

For Munstead Iceland Poppies and Giant Oriental Poppies, see *Papaver*.
For Indian Poppies, see *Meconopsis*.

PORTULACA (Sun Plant), Nat. Ord. Portulacaceae. Half-hardy Annual.

1703	Single splendid mixed, large flowered, $\frac{1}{2}$ ft.	6d. & 1 0
1704	" " fine mixed, very showy, $\frac{1}{2}$ ft. ...	3d. & 0 6
1705	Double splendid mixed, large flowered, $\frac{1}{2}$ ft.	1s. & 2 6
1706	" " fine mixed, very showy, $\frac{1}{2}$ ft. ...	6d. & 1 0

Portulacas surpass all other outdoor plants for brilliancy and beauty of colour. They delight in sunny situations and light dry soils, where they rapidly carpet the ground.



CAUCASIAN SCARLET POPPY.



PORTULACA SINGLE.

POTENTILLA, Nat. Ord. Rosaceæ. Hardy Perennial.

pkt.—s. d.

1707	Double, choice mixed, saved from named varieties, 1½ ft.	{ These beautiful border plants are almost always in flower, and the cut blooms are prized for vases. }	2	6
1708	Single mixed Hybrids, very beautiful, 1½ ft.		0	6
1709	alchemilloides, a charming Pyrenean species with pretty foliage and white flowers, 1 ft.		1	0
1710	multiflora na'na, a pretty variety with semi-double yellow and crimson flowers, 1½ ft.		0	6
1711	nepalensis, a charming border plant, bearing myriads of cherry-coloured flowers, 1½ ft.		0	3
1712	rupes tris, produces in summer large elegant white flowers, 1½ ft.		0	3
1713	Mixed beautiful species for naturalising in wild gardens, etc.		6d. &	1 0

PRAETIA, Nat. Ord. Campanulacææ. Hardy Perennial.

1714	repens, a very pretty little creeping plant for sunny nooks on rockwork, bearing white flowers followed by violet-coloured berries.	0	6
------	--	---	---

PRIMROSE, Nat. Ord. Primulacææ. Hardy Perennial.

These favourite spring flowers should be freely naturalised in orchards, wild gardens, on banks and hedgerows. In rustic vases, baskets, and pots they are also very charming.

1715	Barr's splendid mixed varieties, extra selected, most beautiful varieties, ½ ft.	1s. &	2	6
1716	Common Yellow, for naturalisation, ½ ft.	¼ oz. 2s. 6d.	0	6

See also Novelty List, page 32.

PRIMROSE-POLYANTHUS, Nat. Ord. Primulacææ. Hardy Perennial.

The characteristic feature in this beautiful race of Primroses is that early in the year the plants generally show the solitary flowers of the **Primrose**, and later on the bunch flowers of the **Polyanthus**. In beds, borders, and naturalised, they are very attractive, also when grown as pot plants.

1717	Choice mixed, saved from large-flowered varieties, of beautiful distinct colours, ½ ft.	1s. &	2	6
1718	Fine mixed varieties, from many colours, very decorative, ½ ft.	6d. &	1	0
1719	Saved from selected shades of Yellow and Orange, very beautiful, ½ ft.	6d. &	1	0
1720	„ „ beautiful White varieties, ½ ft.		1	0

PRIMULA SINENSIS (Chinese Primrose), Nat. Ord. Primulacææ.**Greenhouse Perennials.**

For winter decoration *Primula sinensis* is one of the most valuable of greenhouse plants, and it is of considerable importance that the seed should be saved from flowers of the highest type. The following are all of the finest strains, flowers large, pure in colour and of good form and substance.

1721	Barr's "Covent Garden," choicest mixed, a very select strain, flowers large, of fine form and substance, and colours brilliant and well defined, ¾ ft.	1s. 6d. &	2	6
1722	„ „ „ White, flowers large, with broad petals, of fine substance, and very beautiful, ¾ ft.	1s. 6d. &	2	6
1723	„ „ „ Scarlet, a magnificent variety, flowers large, of great substance, with broad well-formed petals, and of a glorious colour, rich deep madder-scarlet, with well-defined eye, ¾ ft.	1s. 6d. &	2	6
1724	„ „ „ Ruby, a beautiful colour, flowers large and handsome, ¾ ft.	1s. 6d. &	2	6
1725	„ „ „ Blue, the finest blue variety in cultivation, flowers large and of a beautiful deep lavender with well-defined yellowish eye, ¾ ft.	1s. 6d. &	2	6
1726	alba magnifica, improved, flowers very large and fringed, blush-white with yellow eye, foliage very elegantly cut, ¾ ft.	1s. 6d. &	2	6
1727	Avalanche, large pure white flowers, and handsome fern-leaved foliage, ¾ ft.	1s. 6d. &	2	6
1728	Crimson Glow, intense glowing crimson, shaded scarlet, a most brilliant colour, flowers with broad petals and of good substance, ¾ ft.	1s. 6d. &	2	6
1729	Kathleen (new), large smooth snowy white flowers and dark green fern-leaved foliage, very beautiful, ¾ ft.		2	6
1730	Rose Beauty, large flowers of a delicate light rose, with well-defined yellowish eye, very beautiful, ¾ ft.	1s. 6d. &	2	6
1731	Rosy Morn, a very lovely colour, bright rose shading to a deeper tint towards the centre		2	6
1732	rubra superbissima, flowers large and fringed, of a rich shade of red, ¾ ft.		2	6
1733	Snow Queen (new), a very beautiful variety, large flowers of great substance, with broad and snowy white petals, and standing well above the light green foliage, ¾ ft.		2	6
1734	Sunlight, rich deep rose with silvery white margin, petals broad and elegantly crimped, very beautiful, ¾ ft.	1s. 6d. &	2	6
1735	fine mixed varieties, from many beautiful colours, ¾ ft.	6d. &	1	0
1736	Barr's double white, a variety much esteemed, ¾ ft.		2	6
1737	„ „ „ carnation-striped, very beautiful.		2	6
1738	„ „ „ crimson, beautiful rich colour, ¾ ft.		2	6
1739	„ „ „ rose-carmine, very attractive, ¾ ft.		2	6
1740	„ „ „ scarlet, a fine rich colour, ¾ ft.		2	6
1741	„ „ „ soft pink, very lovely, ¾ ft.		2	6
1742	„ „ „ mixed varieties, of many beautiful shades, ¾ ft.	1s. 6d. &	2	6

{ These Double Primulas are valuable on account of not dropping their flowers when cut. They also bloom earlier than the single varieties. The strain we offer is a very select one. }



PRIMULA STELLATA.

PRIMULA STELLATA (The Star Primula),*Nat. Ord. Primulaceæ. Greenhouse Perennial.*

A remarkably beautiful strain of Primulas, and a great acquisition to our decorative greenhouse plants. The plants have a free and graceful habit, bearing loose pyramids of starry smooth-petalled flowers of beautiful soft shades, set off by a very ornamental foliage. Any one with an ordinary greenhouse can grow these beautiful plants.

- 1743 **White Lady**, bearing loose pyramids of starry smooth-petalled *pure white* flowers with *bright yellow* eye, and set off by very ornamental dark foliage and stems, 1 ft. **1 6**
- 1744 **Rosy Purple**, having the same habit as the above, but flowers a pleasing *rosy purple*, 1 ft. **1 0**

See also Novelty List, page 32.

PRIMULA—Hardy Alpine Primroses, *Nat. Ord. Primulaceæ.*

Except where marked h.h.p. (half-hardy perennial), these are hardy and exceedingly valuable for rockwork and select alpine gardens, or for pot culture in a cool greenhouse. **P. japonica** and its varieties have massive whorls of flowers, and are very decorative; in damp shady places the flower heads attain a height of 2 ft. **P. obconica** is a valuable pot plant, producing a great profusion of elegant flowers prized for cutting.



PRIMULA SIEBOLDI.

- 1745 **cortusoides**, pretty *rose-coloured* flowers, $\frac{3}{4}$ ft. **0 6**
- 1746 **denticulata**, a handsome section with large globular heads of bloom.
- 1746 **alba**, a beautiful *white* variety, 1 ft. **1 0**
- 1747 **cashmiriana**, *rich violet-purple*, 1 ft. **1 0**
- 1748 **mixed**, beautiful shades, 1 ft. **1 0**
- 1749 **farinosa** (**Bird's Eye Primrose**), pretty *rose-lilac* with *yellow* eye, a charming alpine, $\frac{1}{2}$ ft. **1 0**
- 1750 **Forbesii**, with pretty pyramidal heads of *pink*, h.h.p., 1 ft. **1 0**
- 1751 **floribunda**, *bright yellow* flowers, h.h.p., $\frac{1}{2}$ ft. **0 6**
- 1752 **grandiflora**, an improved large-flowered variety, h.h.p., $\frac{1}{2}$ ft. **1 0**
- 1753 **japonica** (**Japanese Primrose**), handsome *purple-crimson* flowers, 1 ft. **0 6**
- 1754 **alba**, flowers *white* to *blush* with *yellow* eye, beautiful, 1 ft. **1 0**
- 1755 **splendida**, *fiery crimson* flowers, handsome, 1 ft. **1 0**
- 1756 **mixed**, beautiful colours, 1 ft. **1 0**
- 1757 **obconica**, flowers *lilac* to almost *white*, a perpetual bloomer, h.h.p., $\frac{3}{4}$ ft. **0 6**
- 1758 **obconica grandiflora**, selected, flowers *deep lilac*, large and of good substance, h.h.p., $\frac{3}{4}$ ft. **1 0**
- 1759 **alba**, flowers large, *pure white* with small *yellow* eye, very beautiful, h.h.p., $\frac{3}{4}$ ft. **1 0**
- 1760 **new hybrids mixed**, ranging from *rose* to *lilac*, *violet*, and *white*, h.h.p., $\frac{3}{4}$ ft. **1 0**
- 1761 **Parryi**, a rare North American species, bearing *rosy purple* flowers on stout stems, $\frac{3}{4}$ ft. **1 0**
- 1762 **Poissoni**, large heads of bright *rose-coloured* flowers with conspicuous *yellow* eye, fine, $1\frac{1}{2}$ ft. **1 0**
- 1763 **rosea grandiflora**, *bright rose*, large and beautiful, $\frac{3}{4}$ ft. **Ed. & 1 0**
- 1764 **Sieboldi**, saved from beautiful large-flowered varieties, 1 ft. **1 0**
- 1765 **sikkimensis** (**The Sikkim Cowslip**), a beautiful Himalayan species, bearing umbels of drooping *pale yellow* fragrant flowers, $1\frac{1}{2}$ ft. **1 0**
- 1766 **verticillata** (**Abyssinian Primrose**), a lovely species for pot culture, foliage covered with white farina, and flowers *bright yellow*, produced in whorls, h.h.p., $\frac{1}{2}$ ft. **1 6**
- 1767 **villosa**, a pretty little species, with *purplish-rose* flowers, 4 in. **1 0**
- 1768 **mixed**, from beautiful hardy varieties. **1 0**

See also Novelty List, page 32.

PRINCE'S FEATHER, *Nat. Ord. Amaranthaceæ. Hardy Annual.*

- 1769 **Prince's Feather**, large *dark crimson* heads of blooms, and handsome *dark crimson-bronze* foliage, ornamental in flower borders, effective as pot plants, 3 ft. **0 3**

PYRETHRUM, *Nat. Ord. Compositæ. Hardy Perennial.*

- 1770 **aureum** (**Golden Feather**), *golden* foliage, 1 ft. **3d. & 0 6**
- 1771 **selaginoides**, *golden* foliage, elegantly serrated and gracefully arched ... **6d. & 1 0**
- 1772 **crispum**, *new golden curled*, a most beautiful dwarf variety with closely curled parsley-like *golden* foliage ... **0 6**
- 1773 **Golden Gem**, flowers double *white*, leaves *golden*, 1 ft. **0 6**
- The Golden-leaved Pyrethrums (*Aureum varieties*) are "the gardener's friend," always to be relied upon, and always in season. In spring they look like masses of gold; in summer they relieve and light up the whole garden, and harmonise with everything. Sow several times a year under glass, or in semi-shade out of doors. **Aureum selaginoides** is most beautiful, its elegantly serrated leaves arching gracefully over. **0 6**

PYRETHRUM—*continued*.

pkt.—s. d.

- 1774 *parthe'nium* "Golden Ball," a fine hardy decorative border perennial, flowering the first year, compact and bushy, and smothered with *yellow* flowers, 1½ ft. o 6
- 1775 " " *Snowball*, with double *pure white* flowers, a fine border plant, 2 ft. 1 0
- 1776 *ro'seum*, double and single mixed varieties, *selected strain*, fine elegant border perennials, decorative in May and June; the flowers, which are mostly singles, are greatly prized for cutting (*For Single and Double Pyrethrum Plants, see our Hardy Plant Catalogue*), 2 ft. 1s. 6d. & 2 6
- 1777 " " *single mixed varieties, selected strain*, very decorative border perennials, the elegant flowers being much prized for cutting, 2 ft. 1 0
- 1778 *Tchihatchew'ii* (*Turfing Daisy*), a valuable plant for dry hot banks or under trees where few other plants will thrive; it forms a dwarf carpet of dark green foliage, which retains its verdure even during drought. The little *white* flowers should be picked off o 3

See also Novelty List, page 32.

RHE'UM (Rhubarb), Nat. Ord. Polygonaceæ. Hardy Perennial.

Majestic foliage plants for wild gardens, large borders, or isolated positions on lawns.

- 1779 *Collinia'num*, with handsome deeply cut foliage, 6 ft. o 6
- 1780 *Emo'di*, a fine species with large wrinkled *bronzy green* leaves, *veined coppery red*, 4½ ft. o 6
- 1781 *officina'le* (*The Medicinal Rhubarb*), having immense palmate leaves and producing a striking effect, 6 ft. o 6
- 1782 *palma'tum tanghu'ticum*, a fine species with bold, prettily cut palmate foliage, 9 ft. o 6

See also Novelty List, page 32.

RHODANTHE (The Swan River Everlasting),*Nat. Ord. Compositæ. Half-hardy Annual.*

Few of the plants brought to Covent Garden Market charm the visitor so much as the pots of these *rose-tinted silvery-looking* flowers. In the flower garden they are very charming, and the dried flowers are much prized in bouquets for winter decoration.

- 1783 *Mangle'sii*, large *bright rose* flowers, beautiful, 1 ft. 3d. & o 6
- 1784 *macula'ta*, flowers *rosy purple*, with *crimson* circle, very graceful, 1½ ft. 3d. & o 6
- 1785 " *alba*, flowers *silvery white*, 1½ ft. 3d. & o 6
- 1786 *mixed*, very decorative 3d. & o 6

RHODANTHE MACULATA.

RHODODEN'DRON, Nat. Ord. Rhodoreæ. Shrub.

- 1787 *Hardy Rhododendron, finest hybrids, mixed*, saved from a fine collection 1 0
- 1788 *Greenhouse Rhododendron, splendid varieties mixed* 2 6
- 1789 *Rhododen'dron ferrugin'eum* (*The Alpine Rose*), a lovely hardy alpine shrub bearing clusters of *brilliant deep rose-coloured* flowers, 1½ ft. 1 0

R'ICINUS (Castor-Oil Plant), Nat. Ord. Euphorbiaceæ. Half-hardy Annual.

These are remarkable for their large picturesque elegant foliage. The plants in autumn are studded with interesting grotesque fruit. On the lawn or terrace, their noble and majestic appearance surpasses that of all other plants, while the effect is quite subtropical. In shrubbery borders, by ravines, rivulets, and lakes, they look grand. From seed they rapidly attain gigantic proportions.

- 1790 *africa'nus*, a handsome plant with leaves, stems, and fruit of a *silvery glaucous* colour, 5 ft. o 3
- 1791 *borbonien'sis arbor'eus*, large handsome ornamental *dark green* foliage with *brown* stems, 5 ft. ... o 6
- 1792 *Cambodgen'sis*, rich lustrous *crimson-black* foliage and *ebony-like blackish* stems, a remarkably handsome plant, 5 ft. o 6
- 1793 *Gibso'nii*, handsome *bronzy mulberry-coloured* stems and foliage, very effective, 5 ft. o 6
- 1794 " *mira'bilis*, a fine variety with *dark brown* foliage and *brown* stems, fruit *brilliant carmine*, 4 ft. o 6
- 1795 *sanguin'eus*, stems red, leaves in a young state *reddish*, later on *green* with *red* ribs, fruit of a *striking bright red*, produced in large bunches, 5 ft. o 3
- 1796 *zanzibarien'sis*, very large handsome *light green* foliage with *whitish* ribs, stems *light glaucous green*, a noble plant, 6 to 8 ft. o 6
- 1797 " *enor'mis*, leaves of enormous size, about 3 ft. across, changing from *brown-purple* to *dark green*, with *reddish* ribs, very handsome, 6 to 8 ft. o 6
- 1798 *choice mixed varieties* 6d. & 1 0

RIV'INA, Nat. Ord. Phytolaccaceæ. Greenhouse Shrubs.

Elegant pot plants for greenhouse and table decoration, having long drooping graceful racemes of berries during the autumn and winter months.

- 1799 *auran'tiaca*, sown in spring, this plant is covered with *orange* berries in autumn and winter, 2 ft. ... o 6
- 1800 *hu'milis*, sown in spring, this plant is covered with *scarlet* berries in autumn and winter, 2 ft. o 6

ROCKET, SWEET (Hesperis), Nat. Ord. Crucifereæ. Hardy Perennial.

- 1801 *Mixed shades of purple, lilac, and white (Sweet Rocket)*, exceedingly decorative in spring, and a valuable plant for borders, woodlands, wild gardens, etc., lasting long in beauty, 2 ft. o 3
- 1802 *Dwarf white*, a charming little border plant, with *pure white* flowers, 1 ft. o 6

ROEMERIA, Nat. Ord. Papaveraceae. Hardy Annual.

pkt.—s. d.

- 1803 *viola'cea* (Wind Rose), a pretty member of the Poppy family with dainty little flowers, dark blue with azure-blue stamens, 10 in. I 0

ROSA (The Rose), Nat. Ord. Rosaceae. Hardy Shrub.

- 1804 *multiflora* (Miniature Fairy Roses), forming little bushes, covered with dainty little single, semi-double, and double flowers, ranging from rose to white; valuable for bedding beneath other roses or for pots and rockwork, 1½ ft. o 6
- 1805 *pisocarpa*, pretty single rose-coloured flowers followed by small scarlet fruit, 2½ ft. o 6
- 1806 *rugosa*, showy Japanese species with large single rose-coloured flowers, valuable for banks, etc., 2 ft. o 6

RUDBECKIA, Nat. Ord. Compositae. Hardy Perennials, etc.

These are exceedingly showy plants, very effective in beds, borders, and for naturalisation in semi-wild situations. The cut flowers of all are prized for bouquets and vases. (See Plant Catalogue.)



RUDBECKIA AMPLEXICAULIS.

- 1807 *amplexicaulis*, flowers golden-yellow, with long dark central cone, a beautiful hardy annual, 2 ft. o 6
- 1808 *bicolor*, bright yellow, dark centre, h.a., 2 ft. o 3
- 1809 " *superba*, a lovely variety forming elegant bushes covered with deep golden flowers, which have a central brown ring and disc, h.a., 2 ft. o 6
- 1810 *californica*, golden-yellow, with brown centre, h.p., 4 to 6 ft. o 6
- 1811 *Drummondii* (syn. *texana*), flowers velvety brown, tipped golden, remarkably handsome, h.b., 2 ft. 3d. o 6
- 1812 *hirta*, showy flowers, rich yellow, with dark centre; a fine hardy perennial, 2½ ft. o 6
- 1813 *purpurea*, large handsome purple-crimson flowers, with black cone-like centre, in autumn, h.p., 3 ft. I 0
- 1814 *speciosa* (Newmanii), orange-yellow, with black disc, h.p., 2 ft. 3d. o 6
- 1815 mixed perennial varieties for woodlands, wild gardens, etc. o 6

See also Novelty List, page 32.

SALPIGLOSSIS, Nat. Ord. Solanaceae. Half-hardy Annual.

BARR'S LARGE-FLOWERED SALPIGLOSSIS.

For gorgeous beauty few plants can match these Salpiglossis, with their beautiful large Alströméria-like pencilled flowers. In beds and borders their vivid colours and rich markings at once attract the eye. As pot plants they are elegant and beautiful; the cut flowers are greatly prized for vases and bouquets.

- 1816 Barr's Large-flowered choicest mixed, from a magnificent strain of large-flowered varieties, which can hardly fail to be appreciated for their exquisitely marked flowers, 2 ft. 6d. & I 0
- 1817 *Beauty*, maroon-crimson, veined gold, 2 ft. o 6
- 1818 *Princess Ida*, creamy white, marked with gold, 2 ft. o 6
- 1819 *The Moor*, rich coppery brown, 2 ft. o 6
- 1820 *Violet Queen*, rich violet-blue, marked with gold, 2 ft. o 6
- 1821 *superbis'sima*, a grand new strain remarkable for its very large flowers, which are of brilliant varied colours all veined golden, 2 ft. 6d. & I 0
- 1822 " *"Crimson King,"* large handsome flowers, velvety crimson with violet glow and beautifully marked, 2 ft. I 0
- 1823 Barr's dwarf choice mixed, flowers of brilliant colours, valuable for bedding, 1½ ft. 3d. & o 6

SALVIA (Sage), Nat. Ord. Labiate. Annuals and Perennials.

All very decorative plants. The perennial varieties flower the first season from seed and are very showy.

- 1824 *argentea*, large ornamental silvery green leaves and branching heads of large white flowers, h.p., 3 ft. o 6
- 1825 *Blue Beard*, the blue-purple heads of this plant are very beautiful in beds and borders, and valuable for cutting, h.a., 1 ft. 3d. o 6
- 1826 *coccinea splendens*, brilliant scarlet, a beautiful showy plant for beds, borders, and pots, h.a., 1½ ft. o 6
- 1827 *patens*, large rich deep blue, a well-known and most beautiful half-hardy perennial, 3 ft. 6d. & I 0
- 1828 *pratensis*, a fine hardy border perennial, flowers blue to rose and sometimes white, 2 ft. o 3
- 1829 *ringens*, a semi-shrubby species from Greece with large showy blue and white flowers, 2 ft. I 0
- 1830 *splendens compacta alba*, white, of fine compact growth, 2 ft. o 6
- 1831 " *erecta*, deep-glowing scarlet, very brilliant, 2 ft. I 6
- 1832 golden-leaved, flowers large, deep glowing scarlet, foliage bright golden, striking and beautiful, 2½ ft. I 0
- 1833 " *grandiflora*, a great advance, flowers large and of a very brilliant and bright scarlet, 3 ft. I 0

(Splendid half-hardy perennials, producing a brilliant display in the greenhouse in pots. No. 1830 produces about 40 per cent. of white flowers.)

See also Novelty List, page 33.



SANVITALIA PROCUMBENS.

SANVITALIA, *Nat. Ord. Composite.***Hardy Annual.**

Effective profuse-flowering dwarf plants for small beds, edgings, and rockwork, and charming in baskets.

		pkt.—s. d.
1834	procumbens, disc <i>crimson-brown</i> , ray petals <i>rich yellow</i> , $\frac{1}{2}$ ft.	o 3
1835	double, <i>rich golden-yellow</i> , resembling a small Ranunculus flower, $\frac{1}{2}$ ft.	o 6

SAPONARIA, *Nat. Ord. Caryophyllaceæ.* **Hardy Annuals, etc.**

1836	cæspitosa, a pretty little alpine, forming rosettes of green foliage and beautiful <i>rose-coloured</i> flowers, h.p., $\frac{3}{4}$ ft.	I o
1837	calabrica, <i>rich rose-carmine</i> , $\frac{1}{2}$ ft.	o 3
1838	alba, <i>white</i> , $\frac{1}{2}$ ft.	o 3
1839	Scarlet Queen, <i>deep rose-carmine</i> , $\frac{1}{2}$ ft.	o 6
1840	mixed varieties.	o 3
1841	ocymoides, <i>rose-pink</i> , a valuable early summer plant for rockwork, etc., h.p., $\frac{1}{2}$ ft.	3d. & o 6

See also Novelty List, page 33.

SAXIFRAGA, *Nat. Ord. Saxifragææ.* **Hardy Perennial.**

1842	Selected mossy varieties in mixture, splendid little dwarf rock and wall plants, quickly covering the surface with their fresh green foliage and beautiful flowers.	I o
1843	Selected encrusted varieties in mixture, forming silvery tufts in the form of rosettes, and some producing handsome sprays of bloom; lovely plants for sunny dry positions on rockwork, etc.	I o
1845	aizo marginata, forming pretty silvery tufts of foliage.	o 6
1846	Cymbalaria, of trailing habit, with glossy green foliage and a mass of <i>golden-yellow</i> flowers.	o 6
1847	Hostia, ornamental encrusted foliage and <i>white</i> flowers, $\frac{1}{2}$ ft.	o 6
1848	lingula ta superb a, long leaves and very large spikes of <i>white</i> flowers, handsome.	I o
1849	longifolia, bearing <i>snowy white</i> plumes of flowers, beautiful, $1\frac{1}{2}$ ft.	I o
1850	oppositifolia, flowers <i>bright rose</i> , a fine rock plant, $\frac{3}{4}$ ft.	o 6
1851	pelta ta (Giant Californian Saxifrage), large bold foliage and <i>pink</i> flowers, 2 ft.	I o
1852	Mixed, all sorts, for naturalising on rockwork, etc.	6d. & I o

SAXIFRAGA LIGULATA (*syn. Megasea*), *Nat. Ord. Saxifragææ.***Hardy Perennial.**

1853	Mixed Hybrids of the Large Rock-foil, handsome border or rock plants, with large bold foliage and dense panicles of flowers <i>pale pink</i> to <i>rosy purple</i> , 9 in. to 1 ft.	1s. 6d. & 2 6
------	--	---------------



SCABIOSA.

SCABIOSA (Pincushion Flower),

Nat. Ord. Dipsacæ. **Hardy Annuals, etc.**

Hardy Annual Varieties (Sweet Scabious).

These very showy hardy annuals produce a lovely effect in beds and borders, while the handsome heads of bloom are highly prized for bouquets and vases. If sown in June or July, potted up when small, and grown on in a cold frame, they make charming winter flowering plants for the greenhouse.

1854	Large-flowered Double, choice mixed, $1\frac{1}{2}$ ft.	6d. & I o
1855	German mixed, very showy, 2 ft.	3d. & o 6
1856	Black King, very large dark <i>crimson-maroon</i> flowers, 2 ft., 3d.	o 6
1857	Crimson King, large double flowers, <i>brilliant dark crimson</i> , $1\frac{1}{2}$ ft.	3d. & o 6
1858	Snowball, double <i>pure white</i> , 2 ft.	3d. & o 6
1859	Yellow Prince, pretty, <i>bright yellow</i> , double, $2\frac{1}{2}$ ft.	6d. & I o
1860	Dwarf Double, mixed, beautiful colours, h.a., 1 ft.	3d. & o 6

Hardy Perennial Varieties.

Handsome plants for borders and naturalising in wild gardens, etc.

1861	caucasica, a lovely hardy perennial, with large heads of <i>soft lilac-blue</i> flowers, 2 to 3 ft.	6d. & I o
1862	alba, charming <i>white</i> -flowered variety of the above, 2 to 3 ft.	I o
1863	lu'tea, heads of <i>primrose-coloured</i> flowers, 6 ft.	o 3

See also Novelty List, page 33.

SCHIZANTHUS, *Nat. Ord. Solanacææ.* **Hardy and Half-hardy Annuals.**

1864	Gra'hami, <i>red and orange</i>	(If sown in autumn, and wintered under glass, few plants in May and June are of equal beauty; raised in heat in spring, they make decorative pot or border plants in summer; half-hardy annuals, 2 ft.)	o 3
1865	retusus, <i>rosy crimson and gold</i>		o 3
1866	alba, <i>white and gold</i>		o 3
1867	mixed from above, h.a.		3d. & o 6

SCHIZANTHUS—continued.

SCHIZANTHUS
PAPILIONACEUS.

- | | | pkt.—s. d. |
|------|--|------------|
| 1868 | pyramidalis compactus, violet-purple, spotted black, 1½ ft. | 0 3 |
| 1869 | grandiflorus albus, large pure white flowers, sulphur eye, 1½ ft. | 0 3 |
| 1870 | papilionaceus, spotted and laced purple and yellow shading to crimson, 1½ ft. | 0 3 |
| 1871 | Mixed from the above, h.a., 1½ ft. | 3d. & 0 6 |
- These hardy annuals, with their beautiful spotted flowers, claim a position in every flower garden. Sown in autumn, they make effective plants for the greenhouse during winter and spring.

See also Novelty List, page 33.

SCHIZOPETALON, Nat. Ord. Cruciferae.

Hardy Annual.

- 1872 Walkeri, white flowers, delightfully fragrant in the morning, evening, or after a shower; scatter the seed, as is done with Mignonette, everywhere in beds, borders, etc., 1 ft. per oz. 1s. 6d.; 3d. & 0 6

SCILLA (Squill), Nat. Ord. Liliaceae. Hardy Bulb.

- 1873 odorata, with pretty little spikes of fragrant blue flowers in spring, ½ ft. 0 6
1874 italica, bearing little heads of pale blue flowers in May, ½ ft. 1 0

SCOLYMUS (Golden Thistle), Nat. Ord. Compositae. Hardy Perennial.

- 1875 hispanicus, a remarkably handsome thistle, with large golden flower heads, 4 ft. 0 6
See also Novelty List, page 33.

SEDUM (Stonecrop), Nat. Ord. Crassulaceae. Hardy Perennials, etc.

- 1876 cæruleum, pale azure-blue, a pretty dwarf annual, charming in pots and on rockwork, ¼ ft. 0 6
1877 Ewersii, a rare species, with pretty rose-coloured flowers, ¾ ft. 0 6
1878 turkestanicum, a pretty variety, with dark rose purple flowers, ¾ ft. 0 6
1879 maximum, a bold species, bearing large heads of yellow flowers, 1½ ft. 0 6
1880 purpurascens, foliage of a purplish shade, flowers rose, ½ ft. 0 6
1881 spectabile, a grand hardy border plant, with large corymbs of rose-coloured flowers, admirable for growing in shady situations, such as under trees, etc., h.p., 1½ ft. 0 6
1882 Mixed, fine perennial species of Stonecrop, beautiful on walls, rockwork, etc. 6d. & 1 0

SEMPERVIVUM (Houseleek), Nat. Ord. Crassulaceae. Hardy Perennial.

Beautiful rock plants or hot dry situations, such as old walls, dry banks, etc.

- 1883 Three fine species: Regina Amaliae, triste, and tabulaforme one packet of each for 1s. 6d.
1884 Mixed, many fine species 6d. & 1 0

Senecio Jacobaea. See Jacobaea. Sensitive Plant. See Mimosa.

Shamrock. See Trifolium, page 88.

SIDALCEA, Nat. Ord. Malvaceae. Hardy Perennial.

- 1885 candida, large pure white flowers, 3 ft. { Handsome border plants, thriving anywhere, and bearing in summer large heads of beautiful flowers. } 0 6
1886 malvaeflora, rose, 3 ft. { } 0 6

SILENE (Catchfly), Nat. Ord. Caryophyllaceae. Hardy Annuals, etc.

Pendula Varieties—hardy annuals.

These charming dwarf hardy annuals are of great value for spring gardening; massed in beds, borders, and on rockwork they are exceedingly effective. The Compact varieties make valuable edgings. Sow in spring for summer, and in autumn for spring decoration.



SILENE PENDULA ROSEA.

- | | | |
|------|---|-----------|
| 1887 | rosea, bright rose, 1 ft. | 3d. & 0 6 |
| 1888 | „ pleina, flowers double rose, foliage dark, 1 ft. | 3d. & 0 6 |
| 1889 | alba, pure white, 1 ft. | 3d. & 0 6 |
| 1890 | compacta, bright rose, ½ ft. | 3d. & 0 6 |
| 1891 | „ Empress of India, brilliant deep crimson-rose, habit dwarf and bushy, very effective as an edging, 4 in. | 3d. & 0 6 |
| 1892 | „ Snow King, pure white, ½ ft. | 3d. & 0 6 |
| 1893 | „ double brilliant rose, ½ ft. (a small percentage comes single) | 0 3 |
| 1894 | „ Amelia, pretty bright rose, very dwarf and compact, valuable for edgings, 4 in. | 3d. & 0 6 |
| 1895 | „ mixed varieties, ½ ft. | 3d. & 0 6 |

Hardy Perennial and Biennial Varieties, etc.

- 1896 acaulis, from dense cushions of foliage arise bright pink flowers, h.p., ¼ ft. 1 0
1897 alpes tris, sheets of glistening white flowers, a fine rock plant, h.p., ¼ ft. 0 6
1898 maritima, a pretty trailing species with white flowers, h.p., ½ ft. 0 6
1899 orientalis, having large broad glaucous foliage and large umbels of bright rose flowers, a handsome border plant, h.b., 2½ ft. 0 3
1900 Schafta, large purple-rose flowers, beautiful on rockwork, h.p., ½ ft. 0 3
1901 stricta (syn. muscipula), a pretty, early summer-flowering hardy annual with purplish rose flowers, 1½ ft. 3d. & 0 6

Smilax. See Asparagus, under Climbers. Snapdragon. See Antirrhinum.

SOLANUM, Nat. Ord. Solanaceæ. Ornamental Fruit and Foliage Plants.

SOLANUM ROBUSTUM.

The following are picturesque and beautiful half-hardy plants for beds and borders in summer, and for conservatory decorations throughout the year. The best results are obtained from Nos. 1903, 1904 and 1905 by sowing in July, wintering the seedlings in a frame, and planting out the following spring. Nos. 1906 and 1907 are handsome winter conservatory and sitting-room plants.

- | | | |
|------|--|------------|
| | | pkt.—s. d. |
| 1902 | Balbi'sii , a very pretty plant for summer beds, having a prettily cut foliage with reddish spines and large flowers of a delicate pale French grey with yellow anthers, followed by ornamental seed-vessels, 1½ ft. | o 6 |
| 1903 | marginatum , a conspicuous and very ornamental plant for specimens or for groups; the leaves are elegantly scalloped and margined silvery white, a fine pot plant, 4 ft. | o 6 |
| 1904 | pyracanthum (Fire Thorn), a pretty, picturesque plant, covered with scarlet prickles, 3 ft. | o 6 |
| 1905 | robustum , a magnificent species with large effective foliage, covered with long spines; the young leaves are of a rich brown tint, 5 ft. | o 6 |
| 1906 | capsicastrum , small orange-scarlet fruit, literally covering the plant at Christmas, 1½ ft. | o 3 |
| 1907 | Lobelii , fruit as large as an apricot, and changing from orange to blood-red when ripe | o 6 |

SOLDANELLA, Nat. Ord. Primulaceæ. Hardy Perennial.

- 1908 **alpina** (Blue Moonwort), a lovely little spring-flowering high alpine, with beautifully fringed bell-shaped pale blue flowers; for cool shady spots on rockwork, 3 in.

1 0

SPARAXIS, Nat. Ord. Iridææ. Hardy Bulb.

- 1909 **tricolor**, mixed, saved from many beautiful colours; these are little gems for rockwork or pots, the flowers having most brilliant and gorgeous colours, ½ ft.

o 6

SPARTIUM, Nat. Ord. Leguminosæ. Hardy Shrub.

- 1910 **junceum** (Spanish Broom), a useful shrub, being covered with clusters of fragrant bright yellow flowers from August to October, 8 ft.

o 3

SPECULARIA, Nat. Ord. Campanulaceæ. Hardy Annual.

Charming species of the **Venus' Looking Glass**, valuable for trailing over rockwork, etc.

- | | | |
|------|--|-----|
| 1911 | speculum procumbens , flowers violet-blue with white eye, of dwarf creeping habit, 4 in. | o 3 |
| 1912 | " album , flowers white, a charming associate for the above, 4 in. | o 3 |

Spergula pilifera (Pearlwort). See Arenaria.**SPHENOGYNE, Nat. Ord. Compositæ. Hardy Annual.**

- 1913 **speciosa aurea**, a most showy annual of dwarf spreading habit with rich golden-yellow Marguerite-like flowers, charming in beds, edgings, and on rockwork, ½ ft.

o 3

STACHYS (Betony), Nat. Ord. Labiatæ.**Hardy Perennial.**

- | | | |
|------|--|-----|
| 1914 | coccinea , a fine showy border plant with long spikes of scarlet flowers, 1 ft. | o 3 |
| 1915 | grandiflora , a good border plant with whorls of violet flowers, 1 ft. | o 6 |
| 1916 | lavandulæfolia , a distinct species with dark red flowers and a silvery foliage, ¾ ft. | 1 0 |

STATICE (Sea Lavender),**Nat. Ord. Plumbaginææ. Annuals and Perennials.**

The flowers of most of the Statice are "Everlastings" and much prized for winter decoration. The hardy varieties are first-class border plants, and much prized for cutting.

- | | | |
|------|--|-----|
| 1917 | arborescens , handsome spikes of blue flowers, g.p., 2 ft. | 1 0 |
| 1918 | Bonduelii , producing numerous heads of bright yellow flowers, valuable for drying, very attractive, h.h.a., 2 ft. | o 6 |
| 1919 | eximia , a pretty dwarf species with lilac or pale rose flowers, h.p., ¾ ft. | o 3 |
| 1920 | macrophylla , large handsome spikes of white flowers, g.p., 2 ft. | 1 0 |
| 1921 | Suworowii , beautiful bright rose, h.h.a., 1 ft. | o 6 |
| 1922 | sinuata hybridæ , various charming colours, h.h.a., 1 ft. | o 3 |
| 1923 | candidissima , white, dying off bluish, very beautiful, h.h.a., 1 ft. | o 3 |
| 1924 | Gmelini , bearing elegant spreading panicles of blue flowers, h.p., 1½ ft. | o 6 |
| 1925 | incana hybrida , flowers pink to blue in spreading panicles, h.p., 1 ft. | o 3 |
| 1926 | latifolia , deep lavender-blue flowers in panicles, h.p., 2½ ft. | o 6 |
| 1927 | Limonium , large handsome heads of deep blue, h.p., 2 ft. | o 6 |

See also Novelty List, page 33.



SPHENOGYNE AUREA.

STOCKS, DOUBLE—*continued*.**Giant Brompton Large-flowered Stock, height 2 feet.**

This splendid strain of **Brompton Stock** is remarkable for its robust growth and immense spike of large double flowers. Sown in June or July it blooms the following summer. Winter the seedlings on a dry border (*in mild districts*), or in a cold airy frame, pit, or greenhouse, planting out in spring. **pkt.**—*s. d.*

1966	Collection of 6 beautiful distinct colours, 2s. 6d.	1968	Crimson	1s. &	2 6
1967	Pure White	per pkt. 1s. & 2s. 6d.	1969	Choice mixed	1s. & 2 6
1970	Dwarf Large-flowered Brompton Stock, "Sunrise," a very beautiful variety forming dwarf branching plants well furnished with bold heads of bright rose-coloured flowers; a splendid border or pot plant, 1 ft.				1 0

For Beautiful New Stocks, see Novelty List, page 33.

Stock, Night-scented. See *Mathiola*.

STREPTOCARPUS (Cape Primrose), Nat. Ord. Gesneraceæ.**Greenhouse Perennial.**

- 1971 New Hybrids, mixed, handsome pot plants, bearing for a long time in succession large trumpet-shaped flowers, ranging in colour from lavender, purple, and rose to pure white. Seedlings raised in early spring flower in summer, $\frac{3}{4}$ ft. 1 0
- 1972 **Wendlandii**, a remarkable species, producing one enormous solitary leaf, from the axil of which rise a succession of hairy stems, 2 ft. high, bearing numerous lovely blue and white flowers; a valuable warm greenhouse plant. 1 6

SULTAN, Sweet (Centaurea), Nat. Ord. Compositæ. Hardy Annuals.

Showy border annuals, the flowers emitting a delicate honey perfume, and much prized in bouquets. Seedlings from autumn sowings produce finer flowers, and the plants bloom longer than the spring sowings.

1973	Purplish rose, $1\frac{1}{2}$ ft.	per pkt. 3d.	1975	White, $1\frac{1}{2}$ ft.	0 3
1974	Yellow, beautiful, $1\frac{1}{2}$ ft.	6d.	1976	Mixed varieties, $1\frac{1}{2}$ ft.	0 6
1977	Margarietæ, producing very beautiful large white flowers, $1\frac{1}{2}$ ft.	3d. &			0 6
1978	Beautiful New Hybrids, the result of crossing No. 1973 with No. 1977; from elegant bushes an abundance of very large sweet-scented flowers are borne on long stems, colours white, rose, purple, etc., all greatly valued for cutting, 3 ft.	6d. &			1 0

Sunflower. See *Helianthus*.

Sweet Peas. See *Climbers*, page 96.

SWEET WILLIAM (Dianthus barbatus),**Nat. Ord. Caryophyllæ. Hardy Perennial.**

SWEET WILLIAM,
BARR'S PERFECTION.

Matchless border plants, which when well grown have large heads equal in size and beauty to perennial Phloxes.

- 1979 **Barr's Perfection**, Auricula-flowered, mixed, a splendid strain with large handsome flowers of rich and brilliant colours, white-eyed and white-margined, $1\frac{1}{2}$ ft. 1 0
- 1980 **Splendid mixed**, highly coloured, large flowers and rich colours, $1\frac{1}{2}$ ft. 6d. & 1 0
- 1981 **Fine mixed**, all colours, $1\frac{1}{2}$ ft. 3d. & 0 6
- 1982 **Barr's Large-flowered Double Mixed**, a splendid strain, producing about 50 per cent. of fine double flowers, $1\frac{1}{2}$ ft. 6d. & 1 0
- 1983 **Richly coloured Hybrids**, running in shades of dark maroon, dark scarlet, vermilion, rosy scarlet, rosy purple, etc., all very showy in beds and borders, $1\frac{1}{2}$ ft. 3d. & 0 6
- 1984 Pure white, chaste and beautiful, $1\frac{1}{2}$ ft. 0 6
- 1985 **Barr's New Dwarf**, mixed, a beautiful strain, plants dwarf, compact, and profuse-flowering, 1 ft. (*in spite of constant selection these will always produce a proportion of plants a little taller, which should at once be pulled up*) 6d. & 1 0

See also Novelty List, page 34.

SYMPHYANDRA, Nat. Ord. Campanulacæ. Hardy Perennial.

- 1986 **Hoffmannii**, a fine border plant, with large pendulous white tubular flowers, $1\frac{1}{2}$ ft. 0 6

Tacsonia. See *Climbers*, page 97.

TAGETES, Nat. Ord. Compositæ. Half-hardy Annual.

- 1987 **pu'mila, Improved**, for bedding purposes superior to the yellow *Calceolaria*, forming sturdy little bushes smothered in golden-yellow flowers from summer to late in autumn, 1 ft. 3d. & 0 6

THALICTRUM (Meadow Rue), Nat. Ord. Ranunculacæ. Hardy Perennial.

Very graceful border plant, with elegantly cut foliage; they thrive in any soil.

- 1988 **angustifolium**, flowers pale yellow, 4 ft. 0 3
- 1989 **aquilegifolium album**, white } Graceful plants, with branching heads of bloom } 1 0
- 1990 " **purpureum**, purple } and very elegantly-cut foliage, ht. 4 ft. } 0 6
- 1991 **flavum**, having an elegant foliage and feathery balls of golden-yellow flowers, 4 ft. 0 6
- 1992 **minus**, having foliage resembling a *Maiden-hair Fern*, 1 ft. 0 6
- 1993 **orientale**, a rare little Alpine from Greece, with pretty rose-coloured flowers 1 6

THERMOPSIS, *Nat. Ord. Leguminosæ.* **Hardy Perennial.**

pkt.—s. d.

- 1994 *caroliniana*, a very handsome border plant producing in early summer, in profusion, racemes of bright yellow flowers, 5 ft. o 6
- 1995 *montana* (*syn. fabacea*), a showy border plant, clothed with silky hairs, and producing erect spikes of yellow Lupin-like flowers, 2 ft. o 6

Thunbergia. See Climbers, page 97.**THYMUS**, *Nat. Ord. Labiata.* **Hardy Perennial.**

- 1996 *Serpyl'ium* (Wild Mountain Thyme), a favourite little plant for rockwork and covering sunny banks, foliage hairy and flowers purple, 3 in. o 6
- 1997 *vulgaris* (The Common Thyme), having strongly scented smooth foliage, $\frac{1}{2}$ ft. o 6
- 1998 *Serpyl'ium splen dens*, a lovely new variety, with large dark-crimson flowers, 3 in. 1 6

Tobacco. See Nicotiana.**TOMATO**, **Ornamental-fruited Varieties.** *Nat. Ord. Solanaceæ.*

Very beautiful effects can be obtained by the use of these ornamental-fruited plants either for indoor or outdoor decoration. *All are suitable for eating.*

- 1999 Red Cherry Tomato, of elegant growth, with an abundance of cherry-like bright red fruit in pretty clusters, 4 ft. o 6
- 2000 Yellow Cherry Tomato, of the same character as the above, except that the fruit is of a bright yellow o 6
- 2001 Red-Currant Tomato, remarkably pretty, with long elegant clusters of small scarlet currant-like fruit o 6

TORE'NIA, *Nat. Ord. Scrophulariaceæ.* **Half-hardy Annual.**

Beautiful profuse-flowering plants, charming in pots and for outdoors in warm situations.



T. FOURNIE'RI
GRANDIFLORA.

- 2002 Fournie'ri *grandiflora*, sky-blue, blotched velvety purple with yellow spot, $\frac{3}{4}$ ft. 1 0
- 2003 „ *Princesse Hélène* (*new*), large flowers, porcelain-blue, spotted deep indigo-blue, beautiful, $\frac{3}{4}$ ft. 1 0
- 2004 „ "White Wings," white, flushed rose, with yellow throat, very beautiful, $\frac{3}{4}$ ft. 1 0
- 2005 *fla'va* (*syn. Bailloni*), a very handsome species, flowers bright golden with dark maroon, remarkably striking, $\frac{3}{4}$ ft. 1 0

TRIFOLIUM (Trefoil or Clover), *Nat. Ord. Leguminosæ.*

- 2006 *mi'nus* (The Shamrock of Ireland), a pretty little annual for rockwork and dry banks, h. a. o 3
- 2007 *pannon'icum*, an ornamental trefoil with creamy white flowers, h. p. o 3
- 2008 *re'pens atropurpur'eum*, a handsome purple-leaved variety of the Dutch clover, h. p. o 3
- 2009 *ru'bens*, producing dense heads of showy carmine flowers, a fine plant for dry banks, h. p. o 3

TROL'LIIUS (Globe Flower), *Nat. Ord. Ranunculaceæ.* **Hardy Perennial.**

Elegant showy border plants, with luxuriant foliage and handsome globe-shaped yellow flowers. (See Hardy Plant Catalogue.)

- 2010 Mixture of several species, including the finest in cultivation, 2 ft. 6d. & 1 0

Tropæolum. See Climbers, page 97.**Venidium.** See Arctotis.**VENUS' LOOKING-GLASS** (*Campanula pentagonia*),*Nat. Ord. Campanulacæ.* **Hardy Annual.**

- 2011 Large Rich Purple, $\frac{1}{2}$ ft. { Remarkably pretty free-flowering annuals, for small } o 3
- 2012 Large Pure White, $\frac{1}{2}$ ft. { beds, baskets, vases, rockwork, and borders. } o 3

VENUS' NAVELWORT, *Nat. Ord. Boraginæ.* **Hardy Annual.**

- 2013 Venus' Navelwort (*Omphalo'des linifolia*), a most elegant plant, with pure white flowers and greyish foliage, very charming on rockwork, $\frac{1}{2}$ ft. o 3

VERATRUM, *Nat. Ord. Liliacæ.* **Hardy Perennial.**

- 2014 *al'bum* (The White Hellebore), a characteristic plant with large handsome foliage and panicles of creamy white flowers, fine for wild gardens, etc., 3 ft. o 6
- 2015 *ni'grum*, bearing large panicles of striking blackish-purple flowers, 4 ft. o 6

VERBASCUM, *Nat. Ord. Scrophulariaceæ.***Hardy Biennials, etc.**

Grand plants for shrubberies, large flower borders, and to naturalise. They prefer warm dry soils.

- 2016 *olymp'icum*, producing massive silvery leaves, from which rise great branched flower-spikes, studded with thousands of yellow blossoms, very striking, h. b., 6 ft. o 6
- 2017 *panno'sum*, flowers yellow, 2 in. in diameter, large broad grey foliage, h. b., 6 ft. 3d. & o 6



VERBASCUM PHOENICEUM.

VERBASCUM—*continued*.

		pkt.—s. d.
2018	<i>ni'grum</i> , spikes of numerous yellow flowers, h.p., 2½ ft.	0 3
2019	<i>phlomo'i'des</i> , a magnificent border plant; from the massive <i>green</i> foliage rise stout branched stems, crowded with thousands of <i>bright yellow</i> flowers, h.b., 5 ft.	0 6
2020	<i>phœni'ceum hybrids</i> , charming graceful border plants, with elegant spikes of bloom, <i>violet, rose, white</i> , etc., h.p., 3 ft.	0 6
2021	Mixed from the above	0 6

See also Novelty List, page 34.

VERBE'NA, *Nat. Ord. Verbenaceæ*. Perennials.

Verbenas are easily obtained from seed; sown in spring they flower early in summer. The seeds of all are saved from the finest strains, and good varieties may be expected. They come pretty true from seed.

Barr's Extra Selected Bedding Varieties.

2022	Dark Blue-purple, 1 ft. per pkt. 6d. & 1s.	2024	Glowing Brilliant Scarlet, with white eye, 1 ft. 6d. & 1s.	1 0
2023	Snow-white, 1 ft. 6d. & 1s.			
2025	Barr's very choice mixed, beautiful shades of <i>white, rose, scarlet, blue, purple</i> , etc., 1 ft. 1s. & 6d.			2 6
2026	Fine mixed, a beautiful mixture of colours, very decorative, 1 ft. 6d. & 1s.			1 0
2027	Miniature Blood-red... { Two little gems for bedding, edgings, and rockwork, forming little }			1 0
2028	„ Snow-white { spreading bushes covered with bloom, h.h.p., ½ ft. }			1 0

Verbenas, Various Species.

2029	<i>erino'i'des</i> , forming elegant little spreading bushes with finely cut foliage and pretty heads of bloom, <i>purplish rose</i> changing to <i>Oxford blue</i> , h.p., 1 ft.	0 6
2030	„ <i>al'ba</i> , of the same character as above, but with <i>white</i> flower heads, very pretty, h.p., 1 ft.	1 0
2031	<i>teucro'i'des</i> , <i>white</i> , with delightful <i>Jasmine</i> fragrance, h.h.p., 1½ ft.	0 3
2032	<i>veno'sa</i> , <i>rose-purple</i> , effective in beds and for broad edgings, h.p., 1½ ft.	0 3
2033	<i>lemon-scented</i> , foliage very fragrant, and much prized in bouquets, etc., h.h.p., 1½ ft. 3d. & 0 6	

See also Novelty List, page 34.

VERON'ICA, *Nat. Ord. Scrophulariaceæ*. Shrubs and Annuals.

VERONICA SYRIACA.

The shrubby varieties flower out of doors in autumn and are beautiful in the conservatory; *Syriaca* and *Glaucæ* are best sown in autumn for spring flowering.

2034	Mixed Greenhouse Species, pretty flowering shrubs, blooming the second year from seed	0 6
2035	<i>sy'riaca</i> , <i>bright blue</i> , ½ ft.	0 3
2036	„ <i>al'ba</i> , <i>white</i> , ½ ft.	0 3
2037	<i>glau'cæ</i> , large <i>bright blue</i> flowers, ½ ft.	0 3

2038	<i>inca'na</i> , foliage silvery grey, flowers <i>violet</i> , ½ ft.	{ Valuable summer- flowering border and rock plants; all hardy perennials. }	0 6
2039	„ <i>ela'tior</i> , greyish foliage and <i>violet</i> flowers, 1½ ft.		0 6
2040	<i>spica'ta</i> <i>ma'ior</i> , bearing long spikes of <i>violet-blue</i> flowers, 1½ ft.		0 3
2041	„ <i>al'ba</i> , spikes of <i>snowy white</i> flowers, 1 ft.		0 3
2042	„ <i>fol. var.</i> , with pretty variegated foliage, 1 ft.		0 3
2043	Mixed Hardy Perennial Varieties of best sorts for borders, woodlands, etc.		0 6

VESICA'RIA, *Nat. Ord. Cruciferae*. Hardy Perennial.

2044	<i>utricula'ta</i> (Bladder-pod), a showy rock-plant, resembling an <i>Alpine yellow</i> Wallflower, followed by inflated seed pods, 1 ft.	0 6
------	---	-----

VIO'LÀ (Heartsease or Pansy), *Nat. Ord. Violaceæ*. Hardy Perennials.

In spring the Pansy blooms continuously, producing a matchless effect in designs, beds, and ribbons. Seed sown in winter and spring flowers spring and summer; sown in summer flowers in autumn.

Barr's Varieties of Viola Tricolor (Heartsease or Pansy).

2045	Choice Scotch and English Exhibition Pansies, handsome flowers of fine quality	1s. & 6d.	1 0
2046	Choice Fancy Belgian, pretty fancy-coloured flowers, including <i>reds, browns, and bronzes</i> , etc., ½ ft.	6d. & 1s.	1 0
2047	Trimardeau Giant, saved from flowers about 3 in. in diameter, and all of fine quality and rich colours; this is the largest Pansy known, ½ ft.	3d., 6d., & 1s.	1 0
2048	„ „ striped, saved from very large handsome flowers, of showy colours, beautifully striped, ½ ft.	6d. & 1s.	1 0



VIOLA (Heartsease or Pansy)—continued.

		pkt.—s. d.
2049	Large-flowered Parisian, a splendid strain, having large handsome showy flowers of fine colours, many beautifully marbled and striped, $\frac{1}{2}$ ft.	6d. & 1 0
2049 $\frac{1}{2}$	New Giant Crimped, a remarkable Pansy, with large handsome flowers having the petals elegantly undulating at the margin; the colours are varied and beautiful, and include new shades, h.p., $\frac{1}{2}$ ft.	1 0
2050	Fine mixed varieties, saved from many colours, very decorative, $\frac{1}{2}$ ft.	3d. & 0 6
2051	Freya, crimson-purple, margined clear white, edges of petals prettily crimped, beautiful, $\frac{1}{2}$ ft.	6d. & 1 0
2052	Kaiser Fritz, velvety maroon-brown, with golden edge and face, very handsome, $\frac{1}{2}$ ft.	0 6
2052 $\frac{1}{2}$	L'Aurore, a most beautiful new strain of Pansies in charming shades of chamois, terra-cotta, and salmon, all with violet eyes, h.p., $\frac{1}{2}$ ft.	1 0
2053	Mahogany-brown, ranging from mahogany-brown to golden-brown, very pretty, $\frac{1}{2}$ ft.	0 6
2054	Peacock Pansy, beautiful shades of velvety maroon, violet and blue, flower having a distinctly crimped white edge, very beautiful, $\frac{1}{2}$ ft.	6d. & 1 0
2055	Victoria Red, ruby-red with dark blotch, very beautiful, $\frac{1}{2}$ ft.	0 6

See also Pansies in Novelty List, page 30.

Barr's Beautiful Bedding Violas or Tufted Pansies.

For descriptions see our Hardy Plant Catalogue.

These **Tufted Pansies** are unrivalled where a continual mass of bloom of bright and attractive colours is required from Spring to Autumn, as, if cut back in July after the first crop of flowers is over, the plants again burst into bloom and remain decorative for a long time. The flowers are mostly self-coloured, and rayless, or nearly so.

2056	Collection Packet containing 20 beautiful separate varieties. 3s. 6d.	
2057	Barr's Selected Yellow, $\frac{1}{2}$ ft.	Charming varieties for bedding together. } 1 0
2058	" " White, $\frac{1}{2}$ ft.	
2059	" " Lavender, $\frac{1}{2}$ ft.	
2060	" " Dark Blue, $\frac{1}{2}$ ft.	
2060 $\frac{1}{2}$	" Choicest Mixture, made up from a great variety of beautiful shades, such as will produce a charming effect in beds and borders. $\frac{1}{2}$ ft.	1s. & 2 6

See also Violas in Novelty List, page 34.



VIOLA CORNUTA.

Viola cornuta, or Horned Viola.

These are continuous bloomers, and are very charming as edgings or on rockwork.

2061	al'ba, white, fragrant, $\frac{1}{2}$ ft.	3d. & 0 6
2062	lu'tea, beautiful yellow, $\frac{1}{2}$ ft.	3d. & 0 6
2063	Purple Queen, pale lavender-purple, $\frac{1}{2}$ ft.	0 6
2064	Mixed varieties, $\frac{1}{2}$ ft.	3d. & 0 6

See also Novelty List, page 34.

Viola odorata—The Sweet Violet.

2065	Choice mixture of many varieties.	0 6
------	--	-----

Virginian Creeper. See Ampelopsis (Climbers), page 92.

VIRGINIAN STOCK (Malcolmia maritima), Nat. Ord. Cruciferae.

2066	Rose, passing off mauve, $\frac{1}{2}$ ft.	Sown in February or March these pretty annuals are gay in the period between the spring and summer flowers, their fresh bright colours in lines and beds producing a charming effect. Nos. 2068 and 2069 are very showy. } 3d. & 0 6
2067	White, $\frac{1}{2}$ ft.	
2068	Crimson King, opens crimson and passes off rose-purple, $\frac{1}{2}$ ft.	
2069	Fairy Queen, glowing deep crimson, dark foliage, $\frac{1}{2}$ ft.	
2070	Mixed, from the above beautiful varieties	3d. & 0 6

Hardy Annual.

VISCARIA ELEGANS PICTA.

VISCARIA, Nat. Ord. Caryophyllae. Hardy Annual.

It is scarcely possible to overestimate the brilliant effect in beds, lines, and masses of the richly coloured flowers of **Cardinalis**, and the soft delicate blue of **Cerulea**. They will grow anywhere, but delight in hot sunny positions.

2071	cardina'lis, ranging from brilliant crimson-scarlet to the richest crimson, $1\frac{1}{2}$ ft.	3d. & 0 6
2072	cæru'lea, pale blue, a nice contrast to Cardinalis (sports slightly), $1\frac{1}{2}$ ft.	0 3
2074	e'legans pic'ta, crimson, broadly margined white, beautiful, $1\frac{1}{2}$ ft.	0 3
2075	ocula'ta brun'ea, flowers of a rich red-brown, a novel and very beautiful colour, $1\frac{1}{2}$ ft.	3d. & 0 6
2076	Fine mixed, from the above, $1\frac{1}{2}$ ft.	3d. & 0 6

WALLFLOWER (*Cheiranthus Cheiri*),

Nat. Ord. Cruciferae. Hardy Perennial.

Barr's Improved Double Varieties.

			pkt.—s. d.
2077	Rocket, splendid mixed, 1½ ft.	{These handsome Double German Wallflowers will be highly appreci- ated for their mas- sive spikes of large sweet-scented showy flowers. In flower beds and borders they are ex- ceedingly effective.	1s. & 2 6
2078	" golden-yellow, 1½ ft.		 1 0
2079	" deep red-brown, 1½ ft.		 1 0
2080	Dwarf Branching, splendid mixed, 1 ft.		1s. & 2 6
2081	" " golden-yellow, 1 ft.		 1 0
2082	" " deep red- brown, 1 ft.		 1 0
2083	Tall and Dwarf Double German, mixed, for wild gardens, shrub- beries, etc.		6d. & 1 0

Barr's Beautiful Single Wallflowers.

2084	Barr's "Covent Garden" Blood-red, 1 ft.	{These are the Single Wallflowers, and are the finest in cultivation, being very carefully selected strains. They are very free- flowering, and will be found exceed- ingly attractive in flower beds and borders, also for naturalising in wild gardens, shrubberies, etc., while for cutting they are invalua- ble.	6d. & 1 0
2085	" " Golden, 1 ft.		6d. & 1 0
2086	Barr's Extra Dwarf Blood-red, ¾ ft.		6d. & 1 0
2087	" " Golden, ¾ ft.		6d. & 1 0
2088	Barr's "Covent Garden" Tall Blood-red, 1½ ft.		6d. & 1 0
2089	Harbinger, Large red, very large showy flowers, brownish red to orange-red, early, 1¼ ft.		 0 6
2090	Old Gold, fine clear yellow, with dark crimson calyx, 1 to 1½ ft.		6d. & 1 0
2091	Primrose Dame, each plant forming a bush covered with beautiful soft primrose-coloured flowers, ¾ ft.		6d. & 1 0
2092	Ruby Gem, flowers a beautiful ruby-violet, very effective in beds and borders, 1 ft.		6d. & 1 0
2093	Salmon Queen, a lovely variety, flowers opening a <i>chamois</i> colour, and changing to a <i>salmon-rose</i> ; charming in beds and borders, 1 ft.		6d. & 1 0
2094	The Moor, a fine early variety, which, if sown in spring, will bloom in autumn, or, sown late, will bloom in February; flowers a <i>rich dark brown</i> , plants of fine compact habit, 1 ft.		 1 0
2095	Vulcan, a splendid variety, forming compact bushes covered with very large flowers of a <i>rich dark madder-scarlet</i> , 1 ft. ...		 1 6
2096	Barr's splendid mixed, single, very decorative		6d. & 1 0
2097	Extra Early Parisian Wallflower; this charming Wallflower can be had in flower from June to October by sowing under glass in February and March, and planting out in May, while sowings made in May and June will flower in September, and continue in bloom throughout winter if the weather is mild. The flowers are very showy, <i>yellow, shaded orange- red</i> , and delightfully fragrant, ¾ ft.		6d. & 1 0

See also Novelty List, page 34.

WHITLAVIA, *Nat. Ord. Hydrophyllaceae.* Hardy Annual.

2098	grandiflora, fine violet-blue, 1 ft. ...	{These have beautiful Gloxinia- like blossoms, and are charming in beds and borders spring and summer. Sow spring and autumn.	 0 3
2099	" gloxinioides, deep la- vender-blue, with white throat, 1 ft.		 0 3
2100	" mixed, 1 ft.		3d. & 0 6

Winter-Cherry. See *Physalis*.



WHITLAVIA.

XERANTHEMUM, *Nat. Ord. Compositae.* Everlasting Hardy Annual.

2101	Mixed varieties, colours <i>white, purple</i> , and <i>rose</i> , very beautiful in beds and borders; the hand- some double everlasting flowers are highly valued in summer and winter for bouquets and vases. Sow spring and autumn	3d. & 0 6
------	---	-----------

YUCA (Adam's Needle), *Nat. Ord. Liliaceae.* Hardy Evergreen.

All very noble plants for planting as isolated objects on lawns, in middle of beds, or on rock slopes.

2102	angustifolia, the smallest species, with narrow rigid foliage, fringed with white filaments, 3 ft. ...	1 0
2103	filamentosa, a handsome species, having foliage covered with long white hairs, and producing a fine branched panicle of <i>white</i> flowers, 4 ft.	1 0
2104	Gloriosa, a fine bold species, of rigid habit, and bearing an immense pyramidal head of <i>whitish</i> flowers, 4 ft.	1 0
2105	Whipp'lei, a handsome and distinct Californian species, 4 ft.	1 0

ZAUSCHNERIA, *Nat. Ord. Onagraceae.* Hardy Perennial.

2106	californica (Californian Fuchsia), a fine showy plant for hot dry situations, bearing in autumn a profusion of drooping tubular flowers of a <i>brilliant vermilion</i> colour, 1½ ft.	1 0
------	--	-----



Z.E.A.

ZE'A (Maize), Nat. Ord. Gramineæ.**Ornamental Foliage Plants.**

These charming grasses form objects of great beauty in mixed beds and borders or isolated in groups on lawns, in subtropical gardens, etc.; they thrive in rich light warm soils. pkt.—s. d.

- | | | |
|------|---|-----------|
| 2107 | japon'ica variegata, matchless in beauty for conservatory and flower garden, 4 ft. | 3d. & o 6 |
| 2108 | „ gigante'a quadri'color, foliage variegated, deep green, yellow, cream, and red; a plant of striking beauty, 6 ft. | 1 o 0 |
| 2109 | Caragu'a, Giant Maize, very graceful and majestic, 12 ft. to 15 ft., 3d. & o 6 | |
| 2110 | gracil'lina, the Miniature Maize, very graceful and beautiful, 3 ft. | 3d. & o 6 |
| 2111 | „ variegata, beautifully striped white, on a deep green ground, 4 ft. | o 6 |
| 2112 | „ pu'mila variegata, forming charming compact and bushy plants with foliage beautifully variegated, 3 ft. | o 6 |
| 2113 | „ gigante'a variegata, a majestic plant, with long, broad, drooping foliage, prettily striped white on a deep green, 6 to 10 ft. | o 6 |
| 2114 | Mixed varieties of Maize, ornamental varieties | 3d. & o 6 |

ZINNIA, Nat. Ord. Compositæ. Half-hardy Annual.

For brilliancy of colouring the Zinnia is unsurpassed. For filling flower beds and borders and for cutting few flowers are more useful, as they remain long in beauty.

Barr's Selected Handsome Double Varieties, height 1½ feet.

Although the following have been carefully saved from the colours named, they will sport a little, but not to any serious extent.



ZINNIA HAAGEANA FL. PL.

- | | | |
|------|---|-------------------|
| 2115 | Collection of 8 most beautiful colours | 1s. 6d. & 2s. 6d. |
| 2116 | Dark Velvety Blood-red | o 6 |
| 2117 | Deep Golden | o 6 |
| 2118 | Rich Dark Carmine | o 6 |
| 2119 | Brilliant Deep Vermilion | o 6 |
| 2120 | Choicest mixture | 6d. & 1 o |
| 2121 | Fine mixed | 3d. & o 6 |
| 2122 | grandifl'ora double mixed, a robust growing strain with bold foliage and flowers of immense size with broad petals; colours rich and brilliant, 2 ft. | 6d. & 1 o |
| 2123 | Dwarf Double choicest mixed, plants of fine dwarf habit and large handsome flowers, 1 ft. | 6d. & 1 o |
| 2124 | Haagea'na, single golden flowers striped orange, very showy in beds and borders, etc., 1 ft. | 3d. & o 6 |
| 2125 | „ fl. pl., double flowers, golden striped orange, a valuable bedder, 1 ft. | o 6 |
| 2126 | Miniature Zinnias, mixed, a lovely little class producing dwarf compact little plants covered with smallish flowers of rich and brilliant colours, ½ ft.; 60 to 70 per cent. may be relied upon coming true from seed | o 6 |
| 2127 | Single, choice mixed, flowers large and showy, very effective in shrubby borders, wild gardens, etc., 1½ ft. | 3d. & o 6 |

SEEDS OF**Ornamental Climbers and Twiners.**

ADLUMIA CIRRHOSA.

No glass erection, whether conservatory, greenhouse, or stove, can be considered furnished unless the walls, pillars, etc., are covered with Climbers. For the flower garden the hardier kinds are valuable for covering arbours, verandahs, trellises, rustic fences, old tree stumps, etc., and for forming elegant chains and festoons. (For Plants of Hardy Climbers, see our

Hardy Plant Catalogue.)

ADLU'MIA, Nat. Ord. Fumariaceæ.**Hardy Biennial Climber.**

Graceful rapid-growing climbers, quickly covering rustic fences, etc.; in their earlier stage the seedlings do not show their climbing character.

- | | | |
|------|--|-----|
| 2128 | cirr'ho'sa (The Alleghany Vine), flesh-coloured flowers, and delicate pale green pinnate foliage | o 6 |
| 2129 | „ purpur'ea, a handsome variety with purple flowers | o 6 |

AMPELOPSIS (Virginian Creeper),**Nat. Ord. Ampelideæ. Hardy Climber.**

Favourite rapid-growing climbers for walls, etc.

- | | | |
|------|--|-----|
| 2130 | Veitch'ii, Veitch's small-leaved self-clinging Virginian Creeper, soon covering a wall | o 6 |
|------|--|-----|

ARISTOLOCH'IA, *Nat. Ord. Aristolochiaceæ.* Handsome Climber.

pkt.—s. d.

- 2131 **Si'pho**, a noble foliage plant; quite hardy, and trained against the house or on arches the effect of its massive foliage is matchless; its small **Pitcher-plant-like** flowers enjoy the name "**Dutchman's Pipe**," h.p. 6d. & 1 0

ASPARA'GUS, *Nat. Ord. Liliacæ.* Graceful Perennial Climbers and Trailers.

The graceful foliage of these beautiful plants is much prized for cutting.

- 2132 **deflex'us**, a distinct new variety, making long growths of graceful pendulous foliage, flowers very minute, *white* with *lemon-coloured* anthers, followed by scarlet berries, g.p. 1 6
- 2133 **medeoloi'des**, also called **Medeola asparagoides**, **Myrsiphyllum**, and **Smilax**, a most elegant plant for hanging baskets and table decoration, producing spray-like branchlets of small glossy green heart-shaped leaves, flowers delicately *orange-scented*, g.p. 1 0
- 2134 **plumo'sus na'nus**, very beautiful greenhouse perennial, with remarkably graceful spreading sprays of feathery fern-like foliage 1 6
- 2135 **Spreng'eri** (**Emerald Feather**), a very elegant foliage plant for hanging baskets, etc.; the minute flowers, which are produced in pretty racemes, are of a *rose* colour with *orange* anthers, g.p., 6d. & 1 0
- 2136 **verticilla'tus**, a very graceful climber, with feathery foliage and *scarlet* berries, h.p. 0 6

BIGNON'IA (Tecoma), *Nat. Ord. Bignoniaceæ.* Magnificent Climbers.

- 2137 **radi'cans**, *orange-scarlet*, h.p. { Popularly known as the **Trumpet Flower**, producing panicles of gorgeously coloured flowers. For the conservatory they are truly noble plants, and for walls and trellises outdoors they are greatly prized. } 0 6
- 2138 **grandifl'ora**, rich *orange-scarlet*, h.p. .. { } 0 6
- 2139 **Smith'ii**, producing an abundance of showy flowers, *yellow*, *shaded orange-red*; a beautiful autumn-flowering plant for cool greenhouses. *Seedlings raised in heat early in spring can be had in bloom early in autumn* 1 0

See also Novelty List, page 34, under Tecoma.

CAIOPHORA (*syn. Blumenbachia*),*Nat. Ord. Loasacæ.*

- 2140 **laterit'ia** (**Chilian Nettle**), a rapid-growing twiner for covering trellises, arbours, or trailing over rockwork, etc.; it has an ornamental but rather stinging foliage, and very pretty *orange-red* flowers; out of doors it is a half-hardy annual, but indoors a perennial 0 3

Canary Creeper. See *Tropæolum canariense*.**CALYSTE'GIA** (Bearbind),*Nat. Ord. Convolvulacæ.* Hardy Perennial.These are **Giant Perennial Convolvuli**, and being rapid-growing twiners are valuable for quickly covering trellises, old tree stumps, rough banks, etc.; also for naturalising in hedgerows and copses.

- 2141 **dahur'ica**, flowers a pretty *rose-purple* 0 6
- 2142 **sepium**, the common bindweed of our hedgerows and copses, flowers *white to bluish* 0 3

- 2143 **Two Fine Varieties, mixed**: **sepium gigantea**, a large-flowered *pure white*, and **sepium incarnata**, large-flowered *rose-pink* 0 6

CARDIOSPER'MUM (Balloon Vine), *Nat. Ord. Sapindacæ.*

Half-hardy Annual.

- 2144 **halicaca'bum**, a pretty and interesting climber with light graceful foliage and small *white* flowers which are succeeded by inflated membranous capsules and heart-shaped seed. 0 3

CLE'MATIS, *Nat. Ord. Ranunculacæ.* Hardy Climber.

These rank amongst the most beautiful of hardy climbers. (See also Novelty List, page 26.)

- 2145 **Beautiful New Hybrids**, bearing large flowers of beautiful shades 1 0
- 2146 **coccin'ea**, flowers *scarlet*, of elegant form, very beautiful rambling over sunny banks and rockwork 0 6
- 2147 **hyb'rida**, lovely new hybrids of *C. coccinea*, flowers ranging in colour from *white* to *rose*, *scarlet*, *blue* and *violet*, and all delightfully vanilla-scented { For plants of the best varieties of Hardy Clematis, see our Plant Catalogue. } 1 0
- 2148 **flam'mula**, sprays of small *white* sweet-scented flowers 0 3
- 2149 **integrifol'ia**, an elegant species with *blue* flowers, 2 ft. 0 3
- 2150 **monta'na grandifl'ora**, a favourite rapid-growing climber, producing an abundance of *white* flowers, resembling Wood Anemones 0 6
- 2151 **orienta'lis** (*syn. graveolens*), a rapid climber from Thibet, reaching to 15 ft., flowers *yellow tinged green* 0 6



CAIOPHORA LATERITIA.

COBÆ'A, Nat. Ord. Polemoniaceæ.**Half-hardy Perennial Climbers.**

pkt.—s. d.

Rapid-growing climber, producing a grand effect under glass, and during summer on south walls, verandahs, arbours, etc. *Seedlings flower very soon.*

- | | | | |
|------|---|---|---|
| 2152 | scan'dens, bearing large bell-shaped purple-lilac flowers | o | 6 |
| 2153 | ,, al'ba, resembles above, but the flowers are white | 1 | 0 |

CONVOLVULUS MAJOR (Morning Glory),**Nat. Ord. Convolvulaceæ. Annual Climber.**

Lovely graceful plants for covering rustic work, rough fences, trellises, verandahs, stumps of trees, and forming festoons, etc., also for hanging baskets. (See also Novelty List, page 26.)

- | | | | |
|------|--|-------|-----|
| 2154 | Collection of 5 beautiful distinct colours, white, rose, crimson, dark blue, and rich purple | 1s. | |
| 2155 | Choice mixed, from many beautiful colours | 3d. & | o 6 |

- | | | | |
|------|--|---|---|
| 2156 | Double, producing a proportion of double flowers, white, spotted red or blue at base | o | 6 |
|------|--|---|---|

For Dwarf Convolvulus, see page 51.

ECCREMOCAR'PUS, Nat. Ord. Bignoniaceæ. Hardy Perennial Climber.

A magnificent plant for south walls, verandahs, pillars, etc. In the South of Wales, South-west of England, and South and West of Ireland it continues green during winter, and even continues in flower throughout winter if the season is mild.

- | | | | |
|------|--|---|---|
| 2157 | sca ber (Chilian Glory-flower), rich orange-scarlet, a beautiful climber | o | 6 |
| 2158 | ,, ro'sea, salmon-rose, a new colour, and very beautiful | o | 6 |

ECHINOCYSTIS, Nat. Ord. Cucurbitaceæ. Annual Climber.

- | | | | |
|------|---|---|---|
| 2159 | loba'ta (Wild Balsam Apple), a rapid-growing climber, useful for quickly covering unsightly objects in the garden, tree stumps, etc. | o | 6 |
|------|---|---|---|

HUM'ULUS (Japanese Hop), Nat. Ord. Urticaceæ. Hardy Annual Climber.

This is a grand climber for quickly covering arbours, trellises, floral screens, and pyramids, alone or with Convolvulus, Canary Creeper, Tropæolum Lobbianum, etc., etc.

- | | | | |
|------|---|-------|-----|
| 2160 | japon'icus, a rapid-growing climber, covering a large space in a short time | o | 6 |
| 2161 | ,, variega'tus, foliage white and green, beautiful and very effective | 6d. & | 1 0 |

IPOMÆ'A (The Morning Glory), Nat. Ord. Convolvulaceæ.

Pre-eminently beautiful plants for the flower garden, conservatory, greenhouse, and stove.

Greenhouse and Outdoor Annual Varieties.

- | | | | |
|------|--|-------|-----|
| 2162 | "Heavenly Blue," one of the most lovely of greenhouse plants, flowers very large and of exquisite beauty, beautiful deep azure, delicately shading to white towards the centre | 6d. & | 1 0 |
| 2163 | Ivy-leaved Blue, a beautiful variety, with sky-blue flowers, h.h.a. | o | 3 |
| 2164 | ,, Rosy Dawn, flowers beautifully marbled rose and white, h.h.a. | o | 3 |
| 2165 | ,, Scarlet, an elegant variety with fiery scarlet flowers, h.h.a. | o | 3 |
| 2166 | ,, choice mixed, various beautiful colours and including varieties with green and variegated leaves, h.h.a. | 3d. & | o 6 |
| 2167 | Quamo'clit (Cypress Vine), mixed varieties, remarkably graceful climbers, with fine feathery foliage, and flowers ranging from red and rose to white, h.h.a. | o | 3 |

- | | | | |
|------|--|---|---|
| 2168 | rub'ro-cærulea, very large and beautiful sky-blue flowers, h.h.a. | o | 6 |
| 2169 | ,, al'ba, very large beautiful pure white flowers, h.h.a. | o | 6 |

Greenhouse and Stove Perennial Varieties.

As climbers the beauty of the following ought to ensure them a place in every glass structure.

- | | | | |
|------|--|---|---|
| 2170 | chrysoi'des, flowers yellow, a handsome species | o | 6 |
| 2171 | Horsfal'ia, deep rich glossy rose flowers, showy and handsome | 1 | 0 |
| 2172 | Lear'ii (true), splendid large handsome flowers of a lapis-lazuli-blue, changing to red | o | 6 |
| 2173 | mexica na grandifo'ra al'ba (The Moon-flower), immense snowy white flowers, very effective | o | 6 |
| 2174 | scarlati'na, a charming variety from Fernando Po, of great beauty, bearing umbels of vermilion-scarlet flowers | o | 6 |

See also Novelty List, page 29.

LAPAGE'RIA, Nat. Ord. Iiliaceæ. Greenhouse Climber.

- | | | | |
|------|---|---|---|
| 2175 | ro'sea, large bell-shaped rosy carmine flowers, mottled with white (Remarkably handsome plants) { | 1 | 6 |
| 2176 | ,, superb'a, large flowers of brilliant crimson colour { for cool greenhouse, } | 1 | 6 |



COBÆA SCANDENS.



IVY-LEAVED IPOMÆA.

LATHYRUS, *Nat. Ord. Leguminosæ*. **Hardy Perennials, etc.**

			pkt.—s. d.
2177	latifolius	splendens, deep carmine-rose, h.p., 5 ft. ...	3d. & 0 6
2178	„	albus, pure white, h.p., 5 ft.	3d. & 0 6
2179	„	delicatus, white, flushed pink, very pretty, h.p., 5 ft.	 0 6
2179½	„	Pink Beauty, a very beautiful Everlasting Pea; the flowers are borne in large clusters and are of a deep pink shading to a lighter tint, h.p., 5 ft.	6d. & 1 0
2180	„	roseus, light rose, h.p., 5 ft.	 0 3
2181	„	mixed varieties, from many beautiful shades, h.p., 5 ft. per oz. 1s. 6d.	3d. & 0 6
2182	rotundifolius	brilliant cherry-red flowers, beautiful on stony banks and rockwork, h.p., 1½ ft.	0 6
2183	sativus	azureus, bright blue, 1 ft. { Charming hardy annuals for rockwork or front }	3d. & 0 6
2184	„	albus, beautiful clear white, 1 ft. { borders; the flowers are prized for cutting. }	 0 3
2185	sylvestris	Wagneri, beautiful dark red flowers, a charming hardy perennial trailer, 3 ft.	0 3
2186	tingitanus	a very handsome trailer, flowers dark crimson-rose shading to maroon, h.a., 3 ft.	0 3
2187	tuberosus	flowers vivid crimson, showy and graceful, 2 ft.	0 6

See also Novelty List, page 29.

LOPHOSPERMUM, *Nat. Ord. Scrophulariaceæ*. **Half-hardy Perennial.**

Exceedingly handsome plants with beautiful *Gloxinia*-like flowers, valuable for covering verandahs and pillars, or for growing in hanging baskets, etc.; from seed they flower very soon.

- 2188 scan-dens, a charming evergreen climber, bearing handsome purplish violet flowers 0 6
 2189 coccineum, flowers bright crimson-violet, very handsome ... 1 0

MANDEVILLA (Chili Jasmine),*Nat. Ord. Apocynaceæ*. **Greenhouse Climber.**

- 2190 suaveolens, large and deliciously fragrant snow-white flowers in bunches, very beautiful 0 6

MAURANDYA, *Nat. Ord. Scrophulariaceæ*.**Half-hardy Perennial.**

These graceful plants have elegant *Gloxinia*-like flowers ranging in colour from pure white to lavender, violet, and rose-purple; for hanging baskets, trailing over vases or wire globes, up pillars, on trellises, etc., under glass or out of doors they are very beautiful. Seedlings flower very soon.

- 2191 Mixed varieties, very beautiful 0 6

Medeola (*syn. Myrsiphyllum*.) See Asparagus.

MAURANDYA.

MINA, *Nat. Ord. Convolvulaceæ*. **Half-hardy Annual.**

- 2192 lobata, orange-red { Very beautiful climbers, bearing their flowers in twin- } 6d. & 1 0
 2193 sanguinea, brilliant blood-crimson { like racemes; charming on pillars, trellises, etc. } 0 6

NASTURTIIUM, *Tall, Nat. Ord. Geraniaceæ*. **Hardy Annual.**

Valuable for covering trellises, fences, rooteries, large rockwork, etc.; flowers large and handsome.

- 2194 Collection of 7 beautiful colours, 1 packet of each 1s. 6d.
 2195 Scarlet, crimson, deep golden, spotted, brick-red, nankeen-yellow, or rose each colour 0 3
 2196 Mixed, beautiful colours 3d. & 0 6

See Tropæolum for a more refined class of climbing Nasturtiums.

PASSIFLORA (Passion-flower), *Nat. Ord. Passifloraceæ*.

The matchless beauty of the *Passiflora* is best realised when the long slender shoots, covered with blossoms, are unfastened and allowed to drape the conservatory; few effects are more charming than the Blue Passion Flower mantling a villa with its rich green foliage and sky-blue flowers, followed later by an abundance of handsome fruit.

- 2197 cerulea (Blue Passion-flower), sky-blue, h.p. 0 6
 2198 incarnata (May Pops or May Apple), if raised early, and planted out in May or June in a warm sunny spot, the plants are soon covered with white purple-rayed sweet-scented flowers; under indoor treatment it produces handsome yellow fruits of pleasant flavour, g.p. 0 6
 2199 quadrangularis (The Granadilla Vine), flowers red and white, very fragrant, stove perennial 1 0

Peas, Everlasting (*Lathyrus latifolius*).**Peas, Sweet.** See Sweet Peas.

PLUMBA'GO, *Nat. Ord. Plumbaginaceæ.* **Greenhouse Climber.**

pkt.—s. *d.*

- | | | |
|------|---|-----|
| 2200 | zeylan'ica, a very beautiful stove wall shrub, with elegant <i>white</i> flowers | o 6 |
| 2201 | capen'sis, flowers <i>pale blue</i> , a graceful and beautiful plant for pillars, lattice-work, etc.; when
planted out on grass in summer it forms an object of great beauty | 1 o |

RHODOCH'ITON, *Nat. Ord. Scrophulariaceæ.* **Greenhouse Climber.**

- 2202 volu'bile, a beautiful climber, with attractive *purplish rose* flowers 6d. & 10

RHYNCOSPERMUM, *Nat. Ord. Apocynaceæ*. Greenhouse Climber.

- 2203 *jasminoides* (Chinese Jasmine), a pretty climber for greenhouse, producing heads of very fragrant white flowers

SWEET PEAS (*Lathyrus Odoratus*), *Nat. Ord. Leguminosæ.* **Hardy Annual.**

In the formation of floral screens to shut out unsightly objects, **Sweet Peas** are most valuable. Trained over pyramids of twiggy faggots they form objects of great beauty in the shrubbery and mixed flower border. If grown in pots during winter, a plentiful supply of bloom for cutting can be had very early in the season. Sow out of doors from August to November for early summer flowering, and again in spring for cutting during summer and autumn. All grow 5 to 6 ft. high.

It will be noticed that some of the old kinds of Sweet Peas have been omitted from our list. These have been improved upon and superseded, and are therefore no longer required. We can supply them, however, if wanted, at 3d. per packet.

- [illegible]

SWEET PEAS (*Lathyrus Odoratus*)—continued.

		pkt.—s. d.
2245	Shahzada, rich <i>darh maroon</i> , very handsome.....	3d. & o 6
2246	Stella Morse, <i>rosy apricot</i> , suffused on a <i>creamy</i> ground, very pretty	3d. & o 6
2247	Triumph, standard <i>rosy salmon</i> , wings <i>white</i> with <i>purplish flush</i> , fine	3d. & o 6
2248	Venus, standard <i>delicate pale rosy blush</i> , with <i>buff tinge</i> , very lovely.....	3d. & o 6
2249	Splendid mixed, from the finest named varieties	per lb. 7s. 6d. ; 1 oz. pkt. 9d. o 6
2250	Fine mixed, from many beautiful colours	per lb. 3s. ; 1 oz. pkt. 3d.

For Beautiful New Sweet Peas, see Novelty List, page 33.

TACSONIA, *Nat. Ord. Passifloraceæ*. Greenhouse Climber.

2251	Van Volxem'ii, a magnificent rapid-growing climber with large <i>scarlet</i> flowers suspended on long thread-like filaments	1 o
------	--	-----

THUNBERGIA, *Nat. Ord. Acanthaceæ*. Half-hardy Annual Climbers, etc.

Slender-growing climbers, rapidly covering wire globes, pillars, trellises, etc. In sheltered places they can be grown out of doors.

2252	ala ta auran'tiaca, <i>soft buff-orange</i> , rich dark maroon eye	o 6
2253	„ choice mixed varieties	3d. & o 6

TROPÆOLUM, *Nat. Ord. Geraniaceæ*. Annual and Perennial Climbers.

2254	canarien'se (Canary Creeper), flowers <i>bright yellow</i> , elegant foliage, charming to grow over arches, etc., or over the side of flower boxes, h.h.a.	per oz. 1s. 6d. ; 6d. & 1 o
2255	pentaphyllum, beautiful hardy perennial climber, with <i>scarlet</i> flowers, tipped <i>green</i> ; it revels in sunny situations and a light warm soil, and should be used for pillars, south walls, etc.	o 6
2256	speciosum, a beautiful hardy perennial climber with <i>bright scarlet</i> flowers ; it can be successfully grown in the South of England if planted where the sun's rays do not reach, and the roots are kept fairly moist.	Fresh Seed o 6

Lobbianum Varieties.—Half-hardy Annuals.

A refined class of climbing Nasturtiums, flowers being generally smaller and growth not so rampant as in the *Tall Nasturtium* (page 95). All are charming and graceful, bearing a large profusion of bloom, rich and brilliant in colour. They are beautiful indoors, while outside, for covering arbours, rustic fences, trellis work, etc., they are of the greatest value. The different varieties are liable to sport a little.

2257	fulgens, flowers <i>dazzling scarlet</i> and foliage very dark, handsome and showy.....	o 6
2258	Lucifer, <i>deep fiery scarlet</i> , with rich dark blue-green foliage	o 6
2259	Marguerite (<i>new</i>), large flowers <i>primrose-flamed blood-red</i> , calyx and spur <i>orange-red</i> , dark foliage, beautiful	6d. & 1 o
2260	Spitfire, flowers <i>vermilion-scarlet</i> , very effective	o 6
2261	Choice mixed, including the finest varieties	1 o
2262	Fine mixed.....	o 6
2263	New Ivy-leaved Tropæolum, a very pretty strain, having prettily cut dark foliage resembling Ivy leaves in form, flowers small and graceful, ranging from <i>scarlet</i> to <i>orange</i>	1 o



TROPÆOLUM LOBBIANUM VAR.

For the Dwarf Compact Bedding Tropæolums, see Nasturtium on page 73.

A Descriptive Catalogue of**BULBS AND TUBERS**

For WINTER and SPRING PLANTING,

Including choice Anemones, Begonias, Cannas, Dahlias, Gladioli, Lilies, Ranunculus, Tigridias, Tuberoses, etc.,

WILL BE SENT ON APPLICATION.

BARR'S CHEAP OFFER

SHOWY FLOWER SEEDS BY WEIGHT

OF

Suitable for Bedding, Massing, Edging, Shrubberies, Woodlands,
Wild Gardens, Etc.

☛ The prices quoted are for not less than $\frac{1}{2}$ oz. For smaller quantities see packets
offered in body of Catalogue.

FOR FULLER DESCRIPTIONS SEE BODY OF CATALOGUE.

h.a. = <i>hardy annual</i> .		h.h.a. = <i>half-hardy annual</i> .		h.p. = <i>hardy perennial</i> .		h.b. = <i>hardy biennial</i> .	
		per oz.—s. d.				per oz.—s. d.	
2264	Adonis aestivalis, <i>crimson-scarlet</i> , h.a., 1 ft.	0	9	2299	Chrysanthemum coronarium, mixed, <i>white and yellow</i> , h.a., $2\frac{1}{2}$ ft.	0	9
2265	Alyssum odoratum, <i>white</i> , sweet-scented, h.a., $\frac{1}{2}$ ft.	1	0	2300	„ segetum grandiflorum, <i>yellow</i> , h.a., 2 ft.	0	9
2266	„ saxatile compactum, <i>golden-yellow</i> , h.p., 1 ft.	2	6	2301	Cineraria maritima, <i>silvery foliage plant</i> , h.p., $1\frac{1}{2}$ ft.	2	6
2267	Amaranthus melancholicus, <i>red foliage</i> , h.h.a., 1 ft.	1	6	2302	Clarkia, <i>Purple King</i> , double dark carmine, h.a., 2 ft.	0	9
2268	Anemone coronaria, <i>Victoria Giant</i> , mixed colours, h.p., $\frac{3}{4}$ ft.; $\frac{1}{2}$ oz. 2s. 6d.			2303	„ Salmon Queen, double, <i>salmon-rose</i> , h.a., 2 ft.	1	0
2269	Anthericum liliastrum majus, <i>white</i> , h.p., 2 ft.	2	6	2304	„ White Queen, double, <i>pure white</i> , h.a., 2 ft.	1	0
2270	Antirrhinum, <i>fine mixed</i> , h.p., 2 ft.	1	6	2305	„ integrifolius, double, <i>dark carmine</i> , h.a., $1\frac{1}{2}$ ft.	0	9
2271	„ The Bride, <i>white</i> , h.p., $1\frac{1}{2}$ ft.	3	6	2306	„ „ alba, <i>white</i> , h.a., $1\frac{1}{2}$ ft.	0	9
2272	Aquilegia, <i>choice mixed</i> , h.p., 2 ft.	2	6	2307	„ „ mixed, h.a., $1\frac{1}{2}$ ft.	0	9
2273	Asperula azurea setosa, <i>blue</i> , h.a., 1 ft.	0	9	2308	„ „ Tom Thumb, mixed, h.a., 1 ft.	0	9
2274	Bartonia aurea, <i>golden-yellow</i> , h.a., $1\frac{1}{2}$ ft.	0	9	2309	Collinsia bicolor, <i>rose-purple and white</i> , h.a., 1 ft.	0	6
2275	Beta, <i>Dell's crimson-leaved</i> , 1 ft.	0	10	2310	„ „ alba, <i>white</i> , h.a., 1 ft.	0	9
2276	„ Brazilian, mixed, handsome, $2\frac{1}{2}$ ft.	1	6	2311	„ „ mixed, h.a., 1 ft.	0	9
2277	Calandrinia grandiflora, <i>rose</i> , h.a., $1\frac{1}{2}$ ft.	2	6	2312	Convolvulus tricolor, <i>blue</i> , h.a., 1 ft.	0	6
2278	„ speciosa, <i>rose-purple</i> , h.a., $\frac{1}{2}$ ft.	0	9	2313	„ „ albus, <i>white</i> , h.a., 1 ft.	0	6
2279	Calendula eriocarpa, <i>orange</i> , h.a., 1 ft.	1	0	2314	„ „ mixed, h.a., 1 ft.	0	6
2280	„ pluvialis, <i>white</i> , h.a., 1 ft.	0	9	2315	„ „ major, <i>choice mixed</i> , h.a.	0	9
2281	„ officinalis, mixed, h.a., 1 ft.	0	9	2316	Corcepsis bicolor grandiflora, <i>yellow</i> , <i>scarlet centre</i> , h.a., 2 ft.	0	9
2282	„ „ Orange King, h.a., 1 ft.	1	0	2317	„ „ nana, <i>yellow, crimson centre</i> , h.a., 1 ft.	0	9
2283	Campanula pyramidalis, mixed, h.p., 4 ft.	$\frac{1}{2}$ oz. 2s.		2318	„ Drummondii, <i>yellow</i> , with <i>scarlet ring</i> , h.a., $1\frac{1}{2}$ ft.	0	9
2284	Candytuft Dunnetti, <i>crimson</i> , h.a., 1 ft.	1	0	2319	„ „ tall mixed, h.a., 2 ft.	0	9
2285	„ Sweet-scented white, h.a., 1 ft.	0	9	2320	„ „ dwarf mixed, h.a., 1 ft.	1	0
2286	„ „ mixed, <i>crimson, white, and lilac</i> , h.a., 1 ft.	0	9	2321	„ „ grandiflora, <i>orange-yellow</i> , h.p., 3 ft.	2	6
2287	„ „ Tom Thumb, <i>white</i> , h.a., $\frac{1}{2}$ ft.	1	0	2322	Cowslip, <i>fine mixed</i> , h.p., 1 ft.	3	6
2288	Canterbury Bells, mixed, h.b., $2\frac{1}{2}$ ft.	3	0	2323	„ „ yellow, h.p., 1 ft.	2	6
2289	Carnation Margaritæ, in most beautiful colours, h.p., 1 ft.	$\frac{1}{2}$ oz. 2s. 6d.		2324	Crucianella stylosa, <i>rose-pink</i> , h.p., $\frac{1}{2}$ ft.	1	6
2290	Catchfly, <i>red</i> , h.a., 1 ft.	0	9	2325	Delphinium (Perennial Larkspur), <i>fine mixed</i> , h.p., 3 ft.	2	6
2291	Centaurea (Corn-flower), mixed, h.a., 3 ft.	0	9	2326	Dianthus imperialis, mixed, double <i>Indian Pink</i> , h.a., 1 ft.	2	6
2292	„ „ deep blue, h.a., 3 ft.	1	0	2327	„ „ Heddewigii, <i>choice mixed</i> , h.a., 1 ft.	3	6
2293	„ „ sky-blue, h.a., 3 ft.	0	9	2328	„ „ laciniatus, mixed, fringed, h.a., 1 ft.	2	6
2294	„ „ dwarf bright blue, h.a., $\frac{1}{2}$ ft.	2	6				
2295	„ „ depressa, <i>gentian-blue</i> , <i>crimson centre</i> , h.a., 1 ft.	0	9				
2296	Cerastium pennsylvanicum, <i>silvery bedding foliage plant</i> , h.p., $\frac{1}{2}$ ft.	2	6				
2298	Chrysanthemum carinatum, mixed, h.a., $1\frac{1}{2}$ ft.	1	0				

SHOWY FLOWER SEEDS BY WEIGHT—continued.

	per oz.	s. d.		per oz.—s. d.
2329 Digitalis (Foxglove), mixed, h.p., 4 ft.	1	0	2371 Lathyrus azureus, blue, h.a., 1 ft.	0 6
2330 Eryngium, handsome species, mixed, h.p., 3 ft.	5	6	2372 " " albus, white, h.a., 1 ft.	0 6
2331 Erysimum arkansum, bright-yellow, h.a., 1 ft.	0	9	2373 " latifolius, mixed, carmine, rose and white, h.p., 5 ft.	1 6
2332 " Perofskianum, brilliant orange, h.a., 1½ ft.	0	9	2374 " " roseus, rose, h.p., 5 ft.	2 6
2333 Eschscholtzia aurantiaca, orange, h.a., 1 ft.	0	9	2375 Lavandula spica (Lavender)	0 9
2334 " californica, yellow, orange centre, h.a., 1 ft.	0	9	2376 Lavatera, rose or white, h.a., 3 ft., each	1 0
2335 " Mandarin, orange-scarlet and gold, h.a., 1 ft.	1	6	2377 Leptosiphon aureus, golden-yellow, h.a., 3 in.	1 6
2336 " Rose Cardinal, dark rose and blush, h.a., 1 ft.	1	6	2378 " densiflorus, rose-lilac or white, h.a., 1 ft., each	1 6
2337 " mixed, h.a., 1 ft.	0	9	2379 " hybridus, mixed, yellow, scarlet, and white, h.a., 3 in.	2 6
2338 " tenuifolia, primrose, h.a., ½ ft.	0	9	2380 " " roseus, brilliant rose, h.a., 3 in.	2 0
2339 Eucharidium grandiflorum, mixed, shades of rose and blue-white, h.a., 1 ft.	1	0	2381 Limnanthes grandiflora, yellow, a valuable bee-flower, h.a., ½ ft.	1 0
2340 Eutoca viscida, intense blue, h.a., 1 ft.	0	9	2382 Linaria, mixed, h.a., 1 ft.	1 6
2341 Gaillardia Drummondii, crimson and yellow, h.a., 1 ft.	0	9	2383 " dalmatica, yellow and orange, h.p., 3 ft.	2 6
2342 " amblyodon, blood-red, margined gold, h.a., 1 ft.	0	9	2384 Linum grandiflorum coccineum, crimson-rose, h.a., 1 ft.	1 0
2343 Galega officinalis, pale blue, h.p., 4 ft.	0	6	2385 " perenne, blue, h.p., 2 ft.	0 9
2344 Gilia tricolor, lavender, white, and lilac, h.a., ¾ ft.	0	6	2386 Love-lies-bleeding, crimson, h.a., 2 ft.	0 6
2345 " tricolor, mixed, h.a., ¾ ft.	0	6	2387 Lunaria (Honesty), mixed, h.b., 2 ft.	1 6
2346 " nivalis, Snow Queen, snow-white, h.a., 8 in.	0	9	2388 Lupinus Hartwegii celestinus, sky-blue, h.a., 2 ft.	0 9
2347 Godetia, General Gordon, rich deep crimson, h.a., 1 ft.	1	6	2389 " nanus, blue, h.a., 1 ft.	0 6
2348 " splendid mixed, h.a., 1 ft.	1	0	2390 " " albus, white, h.a., 1 ft.	0 9
2349 Gourds, ornamental, mixed, small and medium-sized fruit	2	6	2391 " polyphyllus, blue or white, h.p., 3 ft., each	1 0
2349½ " " large-fruited, mixed	2	0	2392 " " Foxii, blue and white, h.p., 2½ ft.	2 0
2350 Gypsophila elegans, rose-lilac, h.a., 1½ ft.	0	9	2393 " " Purple King, h.p., 3 ft.	3 6
2351 " muralis, rose-pink, h.a., ½ ft.	1	3	2394 " arboreus (Tree Lupin), yellow, h.p., 5 ft.	3 0
2352 " paniculata, white, h.p., 2½ ft.	1	6	2395 Lychnis chalcidonica, scarlet, h.p., 3 ft.	1 6
2353 Hawkweed, red, white, or yellow, h.a., 1 ft.	0	9	2396 " coronaria, intense crimson, h.p., 2 ft.	1 6
2354 Hedysarum, mixed, crimson and white, h.b., 3 ft.	1	3	2397 " Flos Jovis, rose, h.p., 1½ ft.	0 9
2355 Helenium, mixed, h.p.	1	0	2398 " Haageana, mixed, scarlet to white, h.p., 1 ft.	2 6
2356 Helianthus argophyllus, h.a., 5 ft.	1	0	2399 Maize, Japanese, variegated, 3 ft.	0 9
2357 " californicus, h.a., 5 ft.	1	0	2400 Malope, crimson or white, h.a., 2 ft.	0 6
2358 " cucumerifolius, h.a., 3½ ft.	1	6	2401 Marigold, Single Yellow, h.a., 1 ft.	1 6
2359 " Munstead Primrose, h.a., 4 ft.	1	6	2402 " Legion of Honour, golden and crimson, h.a., ¾ ft.	2 6
2360 " uniflorus, h.a., 10 ft.	0	9	2403 Marvel of Peru, mixed, h.a., 2½ ft.	0 9
2361 Hibiscus africanus major, cream, centre brown, h.a., 1½ ft.	1	0	2404 Mathiola bicornis, fragrant, h.a., 1 ft.	1 0
2362 Hymenoxys californica, yellow, h.a., ½ ft.	½	0z. 1s. 6d.	2405 Mesembryanthemum tricolor, rose-carmine, h.a., 3 in.	2 0
2363 Ice Plant, h.h.a., 1 ft.	1	6	2406 Mignonette, large-flowered, sweet-scented, h.a., 1 ft., per lb., 5s. 6d.	0 6
2364 Kaulfussia amelloides, soft azure-blue, h.a., ½ ft.	2	0	2407 " Earr's "Favourite," h.a., 1 ft.	3 6
2365 " mixed, blue, violet, crimson, etc., h.a., ½ ft.	2	0	2408 " "Golden Queen," h.a., 1 ft.	2 0
2366 Kniphofia Tuckii, red and yellow, h.p., 4 ft.	2	0	2409 " Machet	2 6
2367 Larkspur, dwarf Stock-flowered, mixed, h.a., 1 ft.	1	6	2410 Myosotis sylvatica, blue, h.p., ¾ ft.	3 6
2368 " tall Stock-flowered, mixed, h.a., 2½ ft.	1	0	2411 Narcissus princeps, for naturalising	0 6
2369 " " branching, mixed, h.a., 2½ ft.	1	0	Nasturtium, h.a., 1 ft.	
2370 Lasthenia californica, golden-yellow, h.a., ¾ ft.	2	0	2412 " Scarlet King	1 3
			2413 " Golden King	1 6
			2414 " Empress of India, intense crimson scarlet	1 6
			2415 " Ruby King, ruby-rose	1 3
			2416 " Spotted King, yellow, spotted crimson	1 3

SHOWY FLOWER SEEDS BY WEIGHT—continued.

		per oz.—s. d.			per oz.—s. d.
2417	Nasturtium, King Theodore, dark crimson	1 3	2452	Primrose-Polyanthus, yellow vars., mixed, h.p., $\frac{1}{2}$ ft.	$\frac{1}{2}$ oz., 3s. 6d.
2418	„ Pearl, creamy white	1 3	2453	Prince's Feather, dark crimson, h.a., 3 ft.	0 9
2419	„ choice mixed	1 3	2454	Pyrethrum, Golden Feather, h.p., 1 ft.	4 6
2420	„ fine mixed	0 9	2455	Rocket, Sweet, mixed, h.p., 2 ft.	0 9
2421	„ tall mixed	0 9	2456	Rudbeckia amplexicaulis, yellow, h.a., 2 ft.	2 6
2422	Nemophila atomaria oculata, blue with black blotch, h.a., $\frac{1}{2}$ ft.	0 9	2457	Salvia, Blue Beard, h.a., 1 ft.	1 0
2423	„ insignis grandiflora, clear bright blue, h.a., $\frac{1}{2}$ ft.	0 6	2458	Sanvitalia procumbens, crimson-bronze and yellow, h.a., $\frac{1}{2}$ ft.	1 6
2424	„ „ alba, pure white, h.a., $\frac{1}{2}$ ft.	0 6	2459	Saponaria calabrica, rose-carmine, h.a., $\frac{1}{2}$ ft.	1 0
2425	„ „ mixed, h.a., $\frac{1}{2}$ ft.	0 6	2460	„ „ alba, white, h.a., $\frac{1}{2}$ ft.	1 6
2426	„ maculata grandiflora, white blotched violet, h.a., $\frac{3}{4}$ ft.	0 9	2461	„ „ ocyroides, h.p., $\frac{1}{2}$ ft.	1 0
2427	„ „ mixed, all varieties, h.a.	0 9	2462	Scabiosa, German, mixed, h.a., 2 ft.	1 6
2428	Nigella damascena (Love-in-a-mist), beautiful azure, h.a., 1 ft.	0 9	2463	Schizanthus, mixed, h.h.a., 2 ft.	1 0
2429	Enothera Drummondii nana, yellow, h.a., 1 ft.	2 0	2464	„ „ mixed, h.a., $\frac{1}{2}$ ft.	1 6
2430	„ „ alba, white, h.a., 1 ft.	2 0	2465	Schizopetalon Walkeri, white, sweet-scented, h.a., 1 ft.	1 6
2431	„ „ Lamarckiana, yellow, h.b., 5 ft.	1 0	2466	Silene pendula rosea, pink, h.a., 1 ft.	0 6
2432	Oxlip, choice mixed, fragrant, h.p., $\frac{1}{2}$ ft.	$\frac{1}{2}$ oz. 2s.	2467	„ „ alba, white, h.a., 1 ft.	0 6
2433	Pæony Broteri, lovely single species, h.p.	2 6	2468	„ „ compacta, pink, h.a., $\frac{1}{2}$ ft.	1 3
2434	Papaver, Giant Oriental Poppies, splendid mixed, h.p., $\frac{1}{2}$ oz. 2s.	3 6	2469	„ „ „ Snow King, white, h.a., $\frac{1}{2}$ ft.	1 3
2435	„ „ nudicaule, yellow, $\frac{1}{2}$ oz. 2s. 6d.		2470	Specularia procumbens, violet-blue, h.a., 4 in.	1 6
2436	„ „ mixed (Iceland Poppies) $\frac{1}{2}$ oz. 3s.		2471	Sphenogyne aurea, yellow, h.a., $\frac{1}{2}$ ft.	0 6
2437	Peas, Sweet, fine mixed, from many beautiful colours, 3s. lb.	0 3	2472	Sultan, Sweet, yellow, h.a., $\frac{1}{2}$ ft.	1 6
2438	„ „ splendid mixed, including the newer kinds, 7s. 6d. lb.	0 9	2473	„ „ mixed, white, purple, and yellow, h.a., $\frac{1}{2}$ ft.	1 0
2439	Perilla nankinensis, dark mulberry-coloured foliage, h.h.a., $\frac{1}{2}$ ft.	1 6	Sunflower, see Helianthus.		
2440	Platycodon Mariesii, blue, h.p., $\frac{3}{4}$ ft.	2 6	2474	Sweet William, fine mixed, h.p., $\frac{1}{2}$ ft.	1 6
2441	Polyanthus, fine mixed, to naturalise, h.p., $\frac{1}{2}$ ft.	$\frac{1}{2}$ oz. 2s. 6d.	2475	Tagetes pumila, Improved, golden-yellow, h.h.a., 1 ft.	2 6
2442	Poppy, Carnation, mixed, h.a., $\frac{2}{3}$ ft.	1 0	2476	Tropæolum Lobbianum, fine mixed, h.h.a.	2 0
2443	„ „ Caucasian, scarlet and black, h.a., 1 ft.	1 0	2477	„ „ canariense (Canary Creeper)	1 6
2444	„ „ French double mixed, h.a., 1 ft.	1 0	2478	Venus Looking-glass, blue, h.a., $\frac{1}{2}$ ft.	0 9
2445	„ „ Pæony-flowered double mixed, h.a., 2 ft.	1 0	2480	Virginian Stock, rose, h.a., $\frac{1}{2}$ ft.	0 6
2446	„ „ Barr's Fringed mixed, h.a., 2 ft.	1 6	2481	„ „ white, h.a., $\frac{1}{2}$ ft.	0 6
2447	„ „ Empress of China, single white and scarlet, h.a., 2 ft.	2 6	2482	„ „ Fairy Queen, deep crimson, h.a., $\frac{1}{2}$ ft.	0 9
2448	„ „ Rawson's Fringed, double scarlet and white, h.a., $\frac{2}{3}$ ft.	2 6	2483	„ „ mixed, h.a., $\frac{1}{2}$ ft.	0 6
2449	„ „ Scarlet King, double scarlet, h.a., 2 ft.	2 6	2484	Viscaria cardinalis, crimson-scarlet, h.a., $\frac{1}{2}$ ft.	1 6
2450	Portulaca, single mixed, h.h.a., $\frac{1}{2}$ ft., $\frac{1}{2}$ oz. 1s. 6d.		2485	Wallflower, Barr's Blood-red, h.p., 1 ft.	2 0
2451	Primrose, common yellow, to naturalise, h.p., $\frac{1}{2}$ ft.	$\frac{1}{2}$ oz. 2s. 6d.	2486	„ „ Barr's Golden-yellow, h.p., 1 ft.	2 0
			2487	„ „ Barr's Tall Blood-red, h.p., $\frac{1}{2}$ ft.	2 0
			2488	„ „ Harbinger, showy red-brown to orange, h.p., 15 in.	1 6
			2489	„ „ mixed, very decorative, h.p.	1 3
			2490	„ „ Extra Early Parisian, h.p., $\frac{3}{4}$ ft.	2 6
			2491	Whitlavia grandiflora, violet-blue, h.a., 1 ft.	0 9
			2492	Zinnia, Double, fine mixed, h.h.a., $\frac{1}{2}$ ft.	2 6
			2493	„ „ Single, choice mixed, h.h.a., $\frac{1}{2}$ ft.	2 0

- 2494 **Mixed Flower Seeds for Naturalisation**, containing a large assortment of *Annuals* and *Perennials*, dwarf and tall, for naturalising in Woodlands, Wildernesses, on Railway Embankments, Hedgerows, Moors and Heaths, or wherever it is desired to naturalise a flora. (The mixture is quite unsuitable for the Flower Garden.) For a Summer and Autumn Display, sow March, April, and May, at the rate of six to seven pounds per acre; sow the seed thinly in isolated patches here and there, covering with a little soil, then tread or roll the ground. The seed should not be scattered amongst long grass, but in such places patches should be specially cleared for sowing. For a Spring and Early Summer Display sow August, September, and October per lb. 4s. 6d.; oz. 6d.
- 2495 **Mixed Ornamental Grasses for Naturalisation**, containing a large assortment of beautiful grasses, dwarf and tall. Use in the same manner as with the *Mixed Flower Seeds*. A Garden of Ornamental Grasses is an object of great beauty per oz. 1s.

Barr's Garden Requisites, Horticultural Sundries and Implements.

Aphis Brush (*see Illustration*), 1/6 each.

Aprons, Gardener's, best Shalloon, 39 inches. 4/9; 42 inches, 5/-; 45 inches, 5/3 each.

„ „ „ Serge, 39 inches, 3/9; 42 inches, 4/-; 45 inches, 4/3 each.

Bamboo Canes, for Chrysanthemums, etc.

4 ft., per 100, 3/6, 4/6, and 5/6; per doz., 6d., 8d., and 10d. Price according to thickness.

5 ft., „ 8/6 and 10/6; per doz., 1/3 and 1/6. Price according to thickness.

6 ft., „ 9/6 and 11/6; per doz., 1/4 and 1/6. „ „ „

7 ft., „ 10/6 and 12/6; per doz., 1/6 and 1/9. „ „ „

Bass. *See* **Raphia.**

Bellows, "The Malbec," Improved, the best powder distributor, 8/6 each. (*See Illustration*, p. 108.)

„ small size, ordinary make, 2/6 each.

Bouquet Stalk Wire, 7-in. lengths, in bundles of 1 lb., thinnest, 1/3; medium thin, 1/-; thick, 10d.; very thick, 9d. per lb.

„ **Steel Wire**, 7-in. lengths, for Camellias, etc., in bundles of 1 lb., thin, 1/3; medium, 1/-.

„ **Binding Wire**, per reel, 2d. and 6d.; **Silvered Binding Wire**, per reel, 2d. and 8d.

Bowls, Fancy Decorative Native Japanese, suitable for growing bulbs in pebbles and water, 6 in. diameter, 1/3; 7 in. dia., 1/9; 8½ in. dia., 3/-; 9½ in. dia., 4/-; 10½ in. dia., 6/-; 12 in. dia., 8/6.

Bulb Planter, *see* **Garden Tools**, page 105.

CUTLERY (Saynor's):—



Garden Knives, Budding, of the most useful sizes, 204, 3/-; 204B, 4/-; 207, 3/6; 207B, 4/6; 323, 3/-; B.L., 3/-; 332, with botanical lens, 4/-; 3321, with botanical lens and 2 blades, 5/.

„ „ **Pruning**, of the most useful sizes.

187 188 188B C 192 193 194 199 199½ 200 938
2/9 ... 3/- ... 3/- ... 3/- ... 3/6 ... 2/9 ... 3/6 ... 3/6 ... 2/- ... 3/6

„ „ **Pruning, with two blades**, 199½A 196½ 228 232
4/6 ... 4/6 ... 3/6 ... 3/6

„ „ „ and tweezers and pin, 230, 4/6.

„ „ **Pocket**, 468, 1/-; 469, 1/3; 568, 2 blades, 1/6.

„ „ **for Asparagus**, 3/6 each.

GARDEN REQUISITES—CUTLERY, Etc.—continued.

Flower Gatherers (Selby), 5/6 each ; on 5 ft. Bamboo Rod, 12/6 each.

„ and **Fruit Gatherers** (Dubois Patent) length 3 to 4 ft., 14/6 each.

Vine Scissors (Saynor's), see *Illustration* (No. 3794), finest quality, per pair, 6 in., 2/- ; 7 in., 2/6.

Pruning Scissors (Brehaut's), finest quality, 5 in., 3/6 ; 6 in., 4/- ; 7 in., 4/6 per pair.

„ **Secateurs** (Saynor's) see *Illustration* (No. 555A), best, 6 in., 3/6 ; 7 in., 4/ ; 8 in., 4/6 per pair.

„ „ „ see *Illustration* (No. 6003), Ridal's Improved Patent, 7/6 per pair.
 „ „ (French make) double cut; improved Springs, 6½ in., 3/6 ; 7½ in., 4/- ;
 8½ in., 4/6 ; 9½ in., 5/- per pair.

Tweezers, Ivory Double Pointed (No. 67¾), for dressing Chrysanthemums, etc., 6 in., 2/6 each.

Daisy and Dock Grubbers. See *Garden Tools*, page 105.

Dibbers. See *Garden Tools*, page 105.

Diffuser, a small useful spray diffuser, for floral work, 1/6 each.


„ in the form of a miniature syringe, very useful for distributing insecticides or for spraying, 2/6 each.

„ **Improved Pneumatic**, a substantial apparatus for producing a vapour-like spray for the purpose of distributing water or liquid insecticides over plants in an effectual and economical manner.

A very important improvement is the independent regulator, which enables simple adjustment of the spray by the user, and also, in the event of the outlet becoming obstructed, enables the jet to be removed (for clearing) and replaced without in any way interfering with the adjustment.

The objections in connection with ordinary pneumatic sprayers previously in use are successfully overcome by this Patent Sprayer, the simple and perfect action of which places it in advance of any other pattern. It is easy to work, and there are no delicate parts to get out of order.

Copper vessels, tinned inside, best quality and finish.



No. 1. 1 pint size ... 13/6

No. 2. 1 quart size ... 20/-

No. 2 is fitted with a coarse jet in addition to a fine one, and the brass fittings are proportionately larger than No. 1.

No. 3. 1 pint size ... 9/- each.

Distributors, for distributing powder :

Indiarubber, "The Duplex," with two polished wood nozzles, 2/9 each ; with brass nozzle, 2/6, 3/- and 3/6 each.

Metal, filled with insect powder, 1/- each.

Floral Cement or Bouquet Gum, for fixing the petals of Geraniums, Primulas, etc., superior quality, per bottle, 1/- and 2/-.

Flower Sticks, Wooden, plain, best quality, in bundles of 100.

1 ft., 6d. ; 1½ ft., 9d. ; 2 ft., 1/3 ; 2½ ft., 1/6 ; 3 ft., 2/- ; 3½ ft., 2/6 ; 4 ft., 3/- per 100.

„ „ Wooden, painted green, best quality, in bundles of 1 dozen.

1 ft., 3d. ; 1½ ft., 4d. ; 2 ft., 5d. ; 2½ ft., 6d. ; 3 ft., 7d. ; 3½ ft., 9d. ; 4 ft., 10d. per dozen.

„ **Stakes**, very durable, for Dahlias, Roses, etc., extra stout, square, green painted, with tarred bottoms, per doz., 4 ft., 2/6 ; 5 ft., 3/6 ; 6 ft., 4/6.

Forks. See *Garden Tools*, page 106.

Fumigators, "The Paxton" Improved, 21/- each, in box. See also "X. L. Ali Fumigator," "Lethorion Cones," and McDougall's Fumers, page 108.

Garden Hose, superior quality—prices and particulars on application.

Giishurstine, unrivalled as a Dubbing on the Soles and Uppers of Boots and Shoes, keeping the feet dry and warm. Full directions for use supplied. In tin boxes, 6d. and 1/- ; by post, 8d. and 1/3.

Gloves (Dent's), Gent's strong pruning, Oxford, tan, small, 1/9 per pair ; large, 2/- per pair.

„ „ „ Drummond's, faced leather, 1 button, 2/6 per pair.

„ „ „ Gardener's pruning, strong, 1/6 ; extra strong, 2/- ; heavy, 1/9 per pair.

„ „ „ Gent's gardening, Nantwich, 1 button (sizes 8½ and 9), 3/- per pair.

„ „ „ „ 2 „ „ 8½, 9, and 9½, 3/6 per pair.

„ „ „ Ladies' gardening, Nantwich, with gauntlets (sizes 6½ and 7), 2/9 per pair.

„ „ „ „ „ Mock Buck, 4 button (sizes 6, 6½, 7, and 7½), 2/9 per pair.

GARDEN REQUISITES—Gloves—continued.

Gloves, "The Woodstock," leather backs, with waterproof fine canvas fronts, a highly recommended Gauntlet Glove.

Gent's small, 2/9 per pair.

" large, 3/6 "

Ladies' small, 2/9 "

" large, 3/6 "



Grafting Wax, best French cold, valuable for grafting and budding, in tin boxes, 6d., 1/-, and 2/-.

Gum, or Floral Cement, for fixing the petals of Geraniums, Primulas, etc., per bottle, 1/- and 2/-.

Hyacinth Glasses, Plain colours, each, 6d.; per doz., 5/6.

" " in Fancy Designs, 8d., 10d., 1/- to 2/6 each; 7/6, 9/6, 11/6, to 28/- per dozen.

" wire supports (brass), 4/6 per doz.


Knives, best budding and pruning (Saynor's), of finest quality. See **Cutlery**, page 101.

Labels, Wooden, for pots, etc., painted white, superior quality, packed in boxes of 100 each.

4 in. 5 in. 6 in. 7 in. 8 in. 9 in. 12 in.
8d. ... 10d. ... 1/- ... 1/3 ... 1/6 ... 2/- ... 3/6 per 100.

" " for suspending, painted white, superior quality, 4 in., per 100, 9d.; 6 in., per 100, 1/-.

" " very stout, best yellow deal, planed and pointed, tarred bottoms 14 in. long. 1½ in. wide, ½ inch thick, same as we use at our Long Ditton Nurseries, painted with ordinary white paint, using raw linseed oil, and written on while paint is wet with Wolfe's indelible ink pencil, will last 3 to 4 years, per 100, 14/6; per doz., 2/-.

METALLIC GARDEN LABELS.

Per 100—No. 1, 4¼ in. by 3½ in., 4/-	No. 2, 4 in. by 2¾ in., 3/-	No. 3, 4 in. by 3 in., 3/6
" No. 4, 5 in. by 1 in., 3/-	No. 5, 3½ in. by 2½ in., 3/6	No. 6, 2 in. by 2¼ in., 2/6
" No. 7, 2¾ in. by ¾ in., 2/-	No. 13, 1¼ in. by 2½ in., 2/-	No. 14, 1¼ in. by 1½ in., 1/6
" No. 15, 4¼ in. by ¾ in., 1/6	No. 10, Layering Pins, 1/3.	No. 16, Verbena Pegs, 1/- per gross.

Indelible Ink, for writing on metallic labels, per bottle, 6d. and 1/-.

Varnish, for Metallic Labels, finest prepared, for applying over the written surface, making it permanent and indelible (full instructions sent), per bottle, 8d.


Labels, New Ideal Patent Label, with plain zinc tablet, 2 in. by 1 in., on 6-inch holder, for alpiners and pot plants, 11/6 per gross, 1/- per doz.

" " ditto, in stouter zinc, with any name stamped on to order, per doz., 3/-.

" " 2½ in. by 1¼ in., on 14-inch holder, useful for herbaceous borders, 15/- per gross, 1/4 per doz.

" " ditto, in stouter zinc, with any name stamped on to order, per doz., 3/6.

**Barr's Special Labels for Bulbs, Herbaceous Plants, etc.
Cast with Raised Letters.**



No. 1, with solid metal shank, about 9 inches long. We specially recommend this for beds and borders. 4d. each.

No. 2, with stout wire stem, 6 or 9 inches long; specially suitable for pots, etc. (in ordering please state whether a short or long shank is required). 3d. each.

Ditto, with 12-inch stem, 4d. each.

No. 3, for Suspending, 3d. each.

The above prices include the stamping of any name required.

These labels are not kept in stock, being made only to order. The time taken to execute an order is generally from 2 to 3 weeks.

GARDEN REQUISITES—SYRINGES—continued.

New Triple-action Syringe (White's Patent). The advantage of this syringe is that the action can be altered instantaneously: by simply turning the syringe round in the hand, a single-stream jet, a coarse spray, or a fine spray can be produced at will, without changing the nozzle.



Extra Strong, Best Quality, fitted with Adjustable Plunger, Cooper's Protector, and Reid's Ball Valve, 16 in. long, $1\frac{1}{4}$ in. diameter, 10/3; 18 by $1\frac{1}{2}$ in., 13/-; 20 by $1\frac{3}{4}$, 16/9.



Plain Finish, Polished Barrel, 14 in. long, 1 in. diameter, 5/3; 16 by $1\frac{1}{4}$ in., 7/-; 18 by $1\frac{1}{2}$ in., 9/-.
Barr's Portable Garden Engines, Heated Frames, Garden Seats, etc.

Price List on application.

Thermometer, boxwood scale, 1/- each.

- " " " superior make, 1/6 each.
- " " " with enamelled tube, good reliable instrument, 2/6 each.
- " " " in japanned case, maximum and minimum self-registering, 5/6 and 7/6 each.
- " **Iron (Negretti & Zambra),** self-registering minimum, 3/6 each.
- " **Hot Bed,** for plunging, in oak frame, 1 ft., 5/6; $1\frac{1}{2}$ ft., 7/6; 2 ft. 10/6.

Tiffany, a light and cheap shading material for conservatories, greenhouses, etc.:—No. 1, 20 yards long, 39 in. wide, per piece, 5/-. No. 2, manufactured with mineral solution, 6/- per piece. No. 3, double strength, 18 yds. long by 36 in. wide, per piece, 7/-. No. 4, treble strength, per piece, 9/-.
Samples free on application.

Tarred Twine, best hemp, in 1 lb. balls, thin, 1/- per lb.; thick, 10d. per lb.

Tweezers, for dressing Chrysanthemums, etc. See under **Cutlery**, page 102.


Watering Pots, Haws's Patent. Where a fine spray is required, these watering cans are unquestionably the best.

With two roses, 1-quart, 2/8; 2-quart, 3/9;
4-quart, 5/-; 6-quart, 6/-; 8-quart, 6/9.

Ditto, without the special flat spraying rose, 2/- and 3/- each.

With two roses and extra joint, 3-quart, 4/6.

Special Shelf can, 9-in. spout, one fine rose and extra joint, 2-quart, 2/9; 3-quart, 3/6.



A Few Good Garden Tools.

Barr's Special Bulb Planter. Specially designed for planting Bulbs in grass. It lifts a clean circular little sod of grass, which is released from the scoop as the second hole is being made, and lies ready at hand to place back over the bulb. By the use of BARR'S SPECIAL BULB PLANTER a large quantity of bulbs may be planted in a very short time.
Further particulars as to its use will be found on page 1 of Autumn Bulb Catalogue. 10/6 each.

Rd. 368338.



BARR'S BULB PLANTER, 36 IN.

Bill Hook, best quality double edge (see *Illustration*, page 106), 9 in., 2/9.

Daisy Grubbers, 1/6 and 2/6 each.

Dock Grubber, handled, superior quality (Parkes') (see *Illustration*, page 106), 5/- each.


Dibbers, Barr's Special Bulb and Potato

Dibber, steel shod, with strong iron tread and cross wood handle, 36 in., 9/6 each.

" with eye handle, steel shod, 1/6 each.

" " " plain, 1/- each.

" special light make (French), steel shod, 8d. each.



BARR'S BULB AND POTATO DIBBER, 36 IN.

Edging Irons, best steel, superior make, 7 in., 3/-; 8 in., 3/3; 9 in., 3/6; 10 in., 3/9 each.

GARDEN TOOLS—*continued.*

DIGGING FORK
Extra best quality.



ASPARAGUS OR
TRENCHING FORK
XXX strength.



PARKES' CAST STEEL
No. 2.



PARKES' CAST STEEL
No. 2, extra strong.



BILL HOOK.

Forks, Digging (Parkes'), extra best quality, socket digging fork, 4 pronged, bright steel oval prongs
(see *Illustration*), 5/6 each.

- | | | | |
|---|---|---|---|
| " | " | " | light flat prong border fork, cast steel, 3 pronged, 2/9. |
| " | " | " | best cast steel spading fork, with bright triangular prongs, 4 pronged, 5/-. |
| " | " | " | 4 pronged trenching or Asparagus fork, XXX strength (see <i>Illustration</i>), 6/9 |
| " | " | " | cast steel elastic prong manure fork, 4 pronged, 4/3; 5 pronged, 4/9. |
| " | " | " | cast steel, Ladies' fork, 4 pronged, bright oval prongs, 4/3. |



DOCK GRUBBER.

Grubber, handled, for grubbing Docks, etc., superior quality (Parkes'), 5/- each.

Hoes, swan-necked Draw Hoe, best steel, superior make, 6 in., 2/-; 7 in., 2/2; 8 in., 2/4; 9 in., 2/6; 10 in., 2/8 each.

- | | |
|---|--|
| " | Dutch, a useful tool for breaking surface soil, superior make, 4 in., 1/4; 5 in., 1/6; 6 in., 1/8; 7 in., 1/10; 8 in., 2/- each. |
| " | Onion, solid cast steel, a useful little tool in the rock-garden, etc., with 2-in. blade, 1/2; 2½-in., 1/4; 3-in., 1/6; 3½-in., 1/8; 4-in., 1/10 each, complete with handle. |

GARDEN REQUISITES—TOOLS—continued.

Rakes, light American Garden Rake, made in one piece, a great improvement on the old-fashioned rake with riveted teeth. *Best English steel, well-handled*, 8 teeth, 3/-; 10 teeth, 3/4; 12 teeth, 3/8; 14 teeth, 4/-.

Shears, Garden or Hedge (Warranted), with 8-in. blades and pruning notch, 5/6; 9-in. ditto, 6/- each; 10-in. ditto, 6/6 (without notch 6d. each less),

Spades (Parkes'), Axe-Temper Cast Steel Spade No. 2, a good tool for general use, 7½ by 12 in. (see *Illustration, page 106*), 4/6.


“ “ “ “ “ “ with extra long and side straps, a very strong and durable spade, 7½ by 12 in. (see *Illustration, page 106*), 5/-.

“ “ solid bright steel Ladies' Spade, 5½ by 9 in., 3/6.

Trowels, Barr's Special Bulb-Trowel, best steel, especially designed for lifting and planting bulbs, etc., and it will be found of great value for general garden purposes, 2/9 each.

Garden, 6 in., 9d.; 7 in., 1/- each.

Fern, bright steel, best English make, 2/3 each, with leather sheath, 3/3 each.




BARR'S SPECIAL BULB TROWEL.

SET OF LADIES' GARDEN TOOLS


(Parkes' best quality), CONTAINING :—

Bright and Blued solid cast steel Spade, 5½ in. by 9 in.; cast steel Fork, 4 pronged; light American-pattern Rake, 8 teeth, well-handled; Draw Hoe, cast steel, well-handled, 6 in. 12/6 per set.

LAWN MOWERS (Ransomes').



THE AUTOMATON. (Gear action.)



THE AUTOMATON. (Chain action.)

The Patent Gear and Chain Automaton Machines shown above are capable of dealing with grass of all kinds, leaving a fine and even surface; they embody all the most recent improvements, which consist of *Patent Double-Angle Cutting Barrel*, *Patent Front Roller Adjustment* for regulating the length of the cut, *Patent Ribbed Rollers*, and *Patent Single-Screw Adjustment*.

The Knives are made of best steel and iron rolled together, and are riveted to the barrel by hydraulic pressure. The Gearing is all covered in.

All the wearing parts are interchangeable.

The Gear and Chain Automaton are of the same general design and construction, the only difference being in the gearing. The Gear Machines, being driven at a greater speed than the Chain Machines, have five cutting knives, whilst the Chain Machines have seven. Both machines make equally good work. The Chain Automaton is the lighter-running of the two, and are practically noiseless, but the Gear Automaton is rather stronger and more economical in wear.


PRICES.

8 in.	...	...	...	...	£2 15 0	18 in.	...	...	...	...	£8 2 6
10 in.	...	...	...	...	3 17 6	20 in.	...	...	...	...	8 12 6
12 in.	...	...	...	...	4 17 6	22 in.	...	...	...	...	9 5 0
14 in.	...	...	...	...	6 0 0	24 in.	...	...	...	...	9 15 0
16 in.	...	...	...	...	7 0 0						

Whippetree for Pony or Donkey, 5/- extra. Side rollers for cutting long grass, from 2/- to 4/6 extra.

LAWN MOWERS (Ransome's),—*continued*.

THE "ANGLO-PARIS."



THE "LION."

The "Anglo-Paris" Mowers are recommended as the very best *Light Machines* made. They have large driving wheels, large cutting cylinders with five knives, renewable brass bearings, and the *patent single-screw adjustment*. They are very useful for small gardens, for ladies' and amateurs' use, and as an extra machine in large gardens for odd places, uneven ground, and Golf Links.

Grass Boxes which fit on the front of the machines can be supplied when desired.

PRICES.

6 in., 27/6	... with Grass Box, 32/6.
8 in., 32/6	 37/6.
10 in., 37/6	 42/6.
12 in., 45/-	 52/-.
14 in., 52/6	 59/6.
16 in., 60/-	 67/-.
18 in., 70/-	 78/-.
20 in., 80/-	 88/-.

Lawn Mower Oil, best quality, per bottle, 6d.

The "Lion" Lawn Mowers are of the same general design as the "Anglo-Paris," but are lighter and cheaper. They are well fitted and will do excellent work, but of course have not all the advantages of the "Anglo-Paris" Machines. They have four knives instead of five, and the bottom blade is adjusted to the cutting barrel instead of having the Patent Single-Screw Adjustment. The grass boxes fix on *behind* instead of in *front* of the machine. At the low price charged no machine has ever been brought out comparable with this.

PRICES.

9 in., 24/-	... with Grass Box, 28/-.
11 in., 26/-	 30/6.
13 in., 28/-	 33/-.
15 in., 30/-	 35/6.

INSECTICIDES, FUNGICIDES, Etc.

Anti-Blight and Mildew Powder, a boon to Tomato growers; this is the best fungicide yet discovered. It has proved to be the most efficacious antidote in use for the prevention of mildew on *Potatoes, Vines, Tomatoes, Hops, Cucumbers, Peas, Roses*, etc. Fuller particulars on application. 1 lb., 1/-; 3 lb., 2/9; 7 lb., 5/6; 14 lb., 10/6; 28 lb., 18/-; 56 lb., 35/-.

Beetle Powder, for destroying beetles in greenhouses, etc., per box, 6d. each.

Entomacide (The Lightning Insect Destroyer), certain death to *Slugs*, plant parasites, and all garden pests; the plants should be syringed occasionally with a solution made from this preparation, in tins, 1/- and 2/- each.

"Electric" Mildew and Insect Destroyer (Murray), a most effective and safe insecticide for spraying; in bottles, 1/-, 1/3, 1/6, and 2/6 each (Pneumatic Diffusers: see page 102).


Fir Tree Oil, a good and safe insect destroyer, half-pint, 1/6; pint, 2/6; quart, 4/6.

Gishurst Compound, a well-known insecticide and one of the best, in boxes, 1/-, 3/-, and 10/6 each.

Hellebore Powder, for the destruction of Caterpillars, etc., in tins, 1/- and 2/- each.

"Lethorion" (Vapour Cone), a certain destroyer of all insect life affecting plants or trees. One of the safest and best of fumigating mediums. For 50 to 100 cubic ft., cones, 6d. each; for 700 to 1000 ft., 8d. each; for 1500 to 2000 ft., 1/-, Full particulars on application.

McDougall's Insecticide Fumer, a most efficient fumigator, destructive to all insect life and quite harmless to plants. It leaves no odour after use. **Fumers** (complete with full directions for use), 1/- each; 9/- per dozen. Each Fumer is sufficient to fumigate 1000 cubic ft.



MALBEC BELLWS IMPROVED, 8s. 6d. each.

INSECTICIDES, Etc.—continued.

McDougall's Fumigating Sheets, for 1000 cubic ft., 1/- each; 9/- per doz.

Mealy Bug Destroyer, per bottle, 1/-, 2/6, and 5/-.

Mildew Composition (Murray's), per bottle, 1/6.

Quassia Chips, 6d. per lb.

Slugs, the best preparation for the destruction of these and other plant pests is **Entomacide**, the **Lightning Insect Destroyer**. See page 108.

Styptic (Thompson's), prevents the bleeding of vines after pruning, per bottle, 3/-.

„ (Hughes') „ „ „ „ „ 1/6.

Sulphur, Flour of, 7 lb., 3/-; per lb., 6d.

Tobacco Paper, very superior quality, per lb., 1/6; 7 lb., 9/-; 14 lb., 17/-.

„ Powder, in tins, 1/-, 2/6, and 5/-.

„ „ **Distributors.** (See “Distributors,” page 102.)

Wasp Destroyer (Scott's), per bottle, 1/6 and 2/6.

Weed Destroyer. See **Watson's Lawn Sand**, page 110.

Woodlice Exterminator, specially prepared for destroying Woodlice, Ants, etc., on Mushroom Beds, in Cucumber Frames, etc., tins 6d. and 1/- each.

Worm Destroyer, completely eradicates all worms without injury to the most delicate plants; invaluable for lawns, per box 1/-.

XL-all Liquid Insecticide, destroys all insects which infest plants and fruit trees; for syringing, spraying, dipping, or sponging. We can confidently recommend this preparation; it is a most effective and a perfectly safe insecticide. Per $\frac{1}{4}$ -pint, 8d.; $\frac{1}{2}$ -pint, 1/2; pint, 2/-; quart, 3/6.

XL-all Mildew Wash, destroys mildew and insects at the same time, per $\frac{1}{2}$ -pint, 1/4; pint, 2/6; quart, 4/-.



XL-ALL FUMIGATOR (PATENT.)

XL-ALL VAPORISING FUMIGATOR. Easy, effectual, and economical. We confidently recommend this fumigator. For destroying Green and Black Fly, Thrip, Mealy Bug, etc., it is most certain in effect, and it may be used with every confidence in houses containing the most tender plants in full bloom without the least damage to either foliage, flowers, or fruit. The vapour does not alter the natural scent of the flowers or the flavour of ripe fruit. *It may be safely used for all Vines except Lady Downes and Muscat.*

XL-All Vaporising Compound, for using in the fumigators; in bottles:—

No. 1, enough for 40,000 cubic feet	20/-
No. 2, „ „ 20,000 „ „	10/6
No. 3, „ „ 10,000 „ „	5/6
No. 4, „ „ 5,000 „ „	2/10
No. 5, „ „ 2,000 „ „	1/2
No. 6, „ „ 1,000 „ „	8d.

FUMIGATORS (complete with lamp, etc., see Illustration), made in two sizes, small size for 1000 to 2000 cubic feet, 1/9 each; large size for 5000 feet, 2/- each.

The fumigators will last for years, and any of the parts can be supplied separately at moderate prices.


XL-All “Amateur” Vaporising Fumigator, complete, with compound, sufficient for 500 cubic feet, specially made for window conservatories, frames, etc., 9d. each.

XL-ALL VAPORISING COM- POUND.

In Solid Dry Cake.

This Cake, when used in the Fumigator as seen above, first melts to a liquid, and then passes entirely away as vapour, which is fully as effective and safe as that produced by the **XL-All Liquid Compound**.

Each Cake contains sufficient Compound for 1000 cubic feet.



In Boxes of 40 Cakes, No. 1, sufficient for 40,000 cubic feet	20/- per box.
„ „ 20 „ No. 2, „ „ 20,000 „ „	10/6 „ „
„ „ 10 „ No. 3, „ „ 10,000 „ „	5/6 „ „
„ „ 5 „ No. 4, „ „ 5,000 „ „	2/10 „ „
„ „ 2 „ No. 5, „ „ 2,000 „ „	1/2 „ „

Separate Cakes 9d. each.

WATSON'S LAWN SAND OR WEED DESTROYER.

The only original Lawn Sand (Improved).

The best Weed Killer for use on Lawns (4 oz. to the square yard). This preparation has the remarkable property of destroying Daisies outright with the first application. Other Weeds having tap-roots, such as Plantains, Dandelions, etc., often require a second application; with these weeds it is advisable to cut off the heads close to the ground and apply a pinch of sand to the headless stumps; this makes their extermination certain. The Sand also acts as a manure and improves the Grass, enriching the colour and thickening the sward.

Watson's Lawn Sand may be applied at any time except during winter, but the early spring months are most recommended, as it then not only destroys the Seedling Weeds, but, by invigorating the grass, prevents, to some extent, the burning up during hot, dry weather. The "Lawn Sand" is clean, easy of application, and inodorous. Circular with full directions on application.

Sample Canisters, 1/-, 2/6, and 5/6; per $\frac{1}{4}$ -cwt., 9/6; $\frac{1}{2}$ -cwt., 18/-; 1 cwt., 34/-.

MANURES.

"PHYTOBROMA," Barr's New Plant Food for Flowers, Vegetables, Fruit, and Lawns. We can confidently recommend this manure to our customers as a valuable food for all kinds of plants, being rich in those chemical properties essential to the health and productiveness of vegetable life. It contains a large percentage of phosphates and potash salts in a form acting directly on the roots of a plant. It is cleanly to handle and without offensive odour. *Further particulars can be had on application.*

Per 2-lb. tin, 1/-; in bags, 7 lb., 2/6; 14 lb., 4/6; 28 lb., 7/6; 56 lb., 12/6; 1 cwt., 20/-.

Prepaid orders for 28 lb. and upwards sent carriage paid to any station in Great Britain or to any port on the Irish coast.

Basic Slag, per cwt., 10/6; 7 lb., 1/-.

Bone Meal (*genuine crushed bones*), best quality, per cwt., 14/-; 7 lb., 1/3.

Crushed Bones, best quality, $\frac{1}{2}$ in. or $\frac{1}{4}$ in., for Vine borders, etc., per cwt., 14/-; 7 lb., 1/3.

Clay's Fertiliser, a well-known effective manure, confidently recommended. Tins, 6d. and 1/- each; in bags, 7 lb., 2/6; 14 lb., 4/6; 28 lb., 7/6; $\frac{1}{2}$ -cwt., 12/-; 1 cwt., 20/-.

Florævita, for plants in pots, an inodorous, safe, and effective stimulating compound. Per bottle, 2/6.

Ichthemic Guano, 7 lb., 2/6; 14 lb., 4/6; 28 lb., 7/6; 56 lb., 12/6; 1 cwt., 20/-.

Sample tins, 6d. and 1/-. *Orders for 28 lb. and upwards (if prepaid) sent carriage free.*

Standen's Gardeners' and Amateurs' Manure, in tins, 6d., 1/-, 2/6, and 5/6; in bags, 28 lb., 10/6; 56 lb., 18/-; 1 cwt., 32/-.

Sulphate of Potash, per cwt., 21/-; per 7 lb., 1/9.

Thomson's Vine and Plant Manure, 1 lb., 1/-; 3 lb., 2/-; 7 lb., 3/6; per $\frac{1}{4}$ -cwt., 6/-; $\frac{1}{2}$ -cwt., 10/-; 1 cwt., 20/-.

Fresh Sphagnum Moss, 3/6 per bushel.

SOILS.

Loam, Peat, Leaf Soil, Silver Sand and Prepared Potting Soil, per bushel, 2/6 (*bags free*).

Cocoa Fibre, superior quality, 1/3 per bushel; 4 bushels for 4/6 (*bags free*).

Barr's Prepared Charcoal and Cocoa Fibre, for growing Bulbs in Jardinets, Glasses, etc.

Full directions for use are given in our Autumn Bulb Catalogue. 3/6 per bushel; 1/- per peck.

Jadoo Fibre, cleanly to use, very light, for growing plants and bulbs in hanging baskets, vases, jardinets, etc.; it is also an excellent medium for raising seeds, cuttings, etc., and can be recommended as an excellent winter mulching in preference to cocoa fibre. *Full particulars and testimonials on application.* Per peck, 1/-; per bushel, 3/6; per 3 bushels, 8/-. Special quotations for larger quantities.

GISHURSTINE.

For Keeping the Feet Warm and Dry.

Unrivalled as a dubbing on the soles and uppers of boots and shoes. Tin boxes, 6d. and 1/-; by post 8d. and 1/3.

A Descriptive Catalogue of

BULBS AND TUBERS

For WINTER AND SPRING PLANTING,

Including choice Anemones, Begonias, Cannas, Dahlias, Gladioli, Lilies, Ranunculus, Tigridias, Tuberoses, etc.,

WILL BE SENT ON APPLICATION.

BOOKS ON PRACTICAL GARDENING, Etc.

Messrs. BARR & SONS will be pleased to procure any books on Gardening not mentioned below.

Free by post for

	£	s.	d.
Amaryllidæ (by J. G. Baker, F.R.S., F.L.S.), including the <i>Alstroemeria</i> and <i>Agaveæ</i>	0	5	3
Asparagus Culture (by W. Robinson, F.L.S.), illustrating the best methods employed in England and France	0	1	2
Amateur Gardener (by Mrs. Loudon), dealing with every branch of gardening in each month of the year.....	0	1	2
Begonia Culture (by B. C. Ravenscroft), illustrated, containing full directions for the successful culture of the <i>Begonia</i> under glass and in the open air	0	1	2
Beeton's Gardening , a very useful work, containing information on Fruits, Flowers and Vegetables, and everything appertaining to the Garden and Greenhouse	0	1	2
Bee-Keeping (by W. D. Webster), a very useful book on Apiculture.....	0	1	2
Bulb Culture (by W. D. Drury), a useful treatise on Bulb Culture.....	0	1	2
Cactus Culture (by W. Watson), containing concise descriptions of Cacti grown in this country, with full and valuable instructions for their successful cultivation.....	0	5	3
Carnation, The (by E. S. Dodwell), its history, properties, and management, with a descriptive list of the best varieties in cultivation	0	1	7
Carnation Culture (by B. C. Ravenscroft). The culture of Carnations and Picotees of all classes in the open ground and in pots. Illustrated	0	1	2
Chrysanthemum Culture (by E. Molyneux), <i>tenth edition</i> , a practical treatise on propagating, growing, and exhibiting Chrysanthemums. Illustrated	0	1	2
Chrysanthemum Culture (by B. C. Ravenscroft), containing valuable information for the successful cultivation of the Chrysanthemum for market, etc.	0	1	2
Cottage Gardening (by E. Hobday), a comprehensive treatise on gardening	0	1	8
Dictionary of Gardening (by G. Nicholson, A.L.S.), a practical Encyclopædia of Horticulture, for amateurs and professionals. In 4 vols. Illustrated with 2,440 engravings.....	3	0	0
„ „ Century complete supplement, 1901, bringing the whole work up to date	1	0	0
Encyclopædia of Gardening , a dictionary of cultivated plants, etc., with general notes on culture, and a complete list of their common or popular names	0	3	10
English Flower Garden (by W. Robinson), latest edition (1900), in one vol., a book for all lovers of gardening. Part I. deals with Art in relation to Flower Gardening, Garden Design, and Landscape Gardening, with illustrations of existing examples of British gardens; the Hardy Flower Border, Flowering Shrubs, Bulbous and Tuberous Plants, Annuals and Biennials from seed, Climbers, etc., with chapters specially devoted to the Alpine and Rock Garden, Rose Garden, Wild Garden, Spring Gardens, etc., etc. Part II. contains an alphabetical list of the Flowers, Shrubs, Trees, Evergreens, and Hardy Ferns, for the open-air Flower Garden in the British Isles, with their cultivation, and positions most suitable to them	0	15	6
English or Popular Names of Plants (by W. Miller), as applied in England (English-Latin, Latin-English)	0	12	6
English Tulip and its History , with notes on culture and the raising of New Seedlings, compiled from the papers read at the great Tulip Conference of the Royal National Tulip Society, held at the Royal Botanic Gardens, London, 1897	0	1	0
Ferns, the Book of (by Geo. Schneider) for the Garden, Conservatory and Stove, describing and giving explicit cultural directions for the best Ferns and Selaginellas in cultivation. Illustrated with Coloured Plates and numerous Wood Engravings. In 3 vols.....	3	3	0
Ferns, Choice British (by C. T. Drury, F.L.S.), their varieties and culture. Illustrated	0	2	9
Fruit Culture for Amateurs (by S. T. Wright), an illustrated handbook on growing fruits in the open or under glass; with an appendix on insect and other pests injurious to trees	0	3	9
Gardening for Beginners (by E. T. Cook), a most comprehensive work on gardening; it contains a calendar of operations for every season of the year and a classified Gardening Chart showing the arrangement of plants, names of varieties, time of flowering, colour, etc., ninety full-page illustrations from photographs, and an index of fully 3,000 references	0	10	11
Gardening Chart (by H. C. Davidson), a Guide to the Cultivation of the Year's Vegetables, describing what should be done each month. On strong paper, 1/1; mounted on cloth... ..	0	1	8
Garden Recipes (by C. W. Quin), the gardener's friend	0	1	8
Grape Growing for Amateurs (by E. Molyneux), giving a comprehensive list of varieties most suitable for the amateur, and useful hints on culture.....	0	1	2
Greenhouse Management for Amateurs (by W. J. May), descriptions of the best Greenhouses and Frames, with instructions for building them. Illustrated descriptions of the most suitable plants, with special cultural directions	0	5	4
Hardy Flowers (by W. Robinson), describing the most desirable plants, Alpine and Herbaceous, for Borders, Rockeries, and Shrubberies, etc., alphabetically arranged, in cloth	0	1	8

BOOKS ON PRACTICAL GARDENING, Etc.—continued.

Free by post for

	£	s.	d.
Hardy Ornamental Flowering Trees and Shrubs (by A. D. Webster), a valuable and practical guide to the planting of trees and shrubs	0	3	3
Hardy Perennials and Old-fashioned Garden Flowers (by J. Wood), describing the most desirable plants for Borders, Rockeries, and Shrubberies, illustrated	0	3	9
Home Gardening (by W. D. Drury), containing instructions for the laying-out, stocking, cultivation, and management of Small Gardens	0	1	2
Irideæ, Handbook of the (by J. G. Baker, F.R.S., F.L.S.), a very useful book of reference	0	5	3
Irises, Bulbous (by Prof. M. Foster), almost every species is fully described, and particulars as to distinguishing characteristics, growth, time of flowering, native country, etc., are given. Profusely illustrated. In paper cover	0	2	8
Johnston's Dictionary of Gardening (revised by C. H. Wright and D. Dewar)	0	9	6
Lilies for English Gardens (by Gertrude Jekyll), a beautifully illustrated work, containing concise information in short chapters on the Best Lilies for English Gardens	0	8	10
Lilies—Notes on Lilies and their Culture (by Dr. Wallace), a reliable book on this interesting family. (<i>This book is now out of print, but we still have a few copies</i>)	0	5	0
Mushroom Culture (by W. J. May), with full directions for successful culture in houses, sheds, and out of doors, illustrated	0	1	2
Orchids, British (by A. D. Webster), containing descriptions of each species and variety, also chapters on Cultivation, Fertilisation, etc., illustrated	0	5	3
Orchids: their Culture and Management (by W. Watson), illustrated with coloured plates and engravings, with numerous descriptions of all kinds in general cultivation	1	1	0
Orchids: The Amateur Orchid Cultivator's Guide Book (by H. A. Burberry), treating extensively on the culture and management of Orchids throughout the year, with beautifully coloured illustrations	0	5	3
Popular Gardening , giving many useful hints to the Amateur Gardener	0	0	7
"Pot-Pourri from a Surrey Garden" (by Mrs. C. W. Earle). <i>The Westminster Gazette</i> says: "A book divided into twelve chapters, entitled with the twelve months of the year, with directions for making flowers grow, and recipes for cooking dishes, with a sprinkling of poetical quotations and reflections on things in general . . . a book for practical women and men with a literary instinct"	0	7	9
Roses: A Book about Roses (by Dean Hole), how to grow and show them, causes of failure, etc., also containing a select list of Exhibition and Garden Roses, illustrated. <i>Eighteenth Edition, Revised</i>	0	3	10
Roses for Amateurs (by Rev. H. D'Ombrian), a practical guide to the selection and cultivation of the best Roses for exhibition, etc.	0	1	2
Rose Book, The Amateur's (by Shirley Hibberd, revised by G. Gordon), on the cultivation of the Rose, in the open and under glass, with lists of the best varieties for outdoors and for forcing, also the work to be done in the Rose garden in every season of the year.	0	3	10
Sweet-scented Flowers and Fragrant Leaves (by D. McDonald), "Interesting Associations from many Sources"; alphabetical list of fragrant flowers and leaves	0	3	10
Tomato Culture (by B. C. Ravenscroft), a very useful treatise on the cultivation and selection of Tomatoes for Amateurs	0	1	2
Vegetables for Exhibition and Home Consumption (by E. Beckett), a handy book, containing full details of the cultivation of all Vegetables grown for exhibition and for the supply of the household, with a calendar of Kitchen Garden operations for the twelve months. Numerous illustrations of the finest types of Vegetables	0	3	9
Vegetables and Fruit for Profit and Exhibition (by G. Garner), a useful handbook for the amateur, giving concise and reliable hints on growing and exhibiting, illustrated.	0	1	8
Vegetable Culture for Amateurs (by W. J. May), an exhaustive treatise on the cultivation of vegetables, profusely illustrated	0	1	2
Vines and Vine Culture (by A. F. Barron), an exhaustive treatise on the cultivation of Vines, with special chapters on planting and pruning, diseases and injuries, and the packing of Grapes, with a complete list of European and American varieties	0	5	3
Wall and Water Gardens (by Gertrude Jekyll), instructions and hints on the cultivation of suitable plants on Dry Walls, Rock-walls, in Streams, Marsh-pools, Lakes, Tanks, and Water margins, with 133 full-page illustrations	0	12	10
Wood and Garden (by Gertrude Jekyll). "Notes and Thoughts, Practical and Critical, of a Working Amateur." With 71 illustrations from photographs by the Author	0	10	11
"Ye Narcissus or Daffodil!" (by Peter Barr and F. W. Burbidge). A few copies still remain of "Ye Daffodil." This is a record of the first Daffodil Conference, 1884, and contains a great deal of very interesting matter connected with the History and Literature of the Daffodil, with notes on culture and hybridisation; also a complete descriptive list of all Daffodils, ancient and modern, known up to 1884	0	1	0

SPRING, 1902.

BARR'S SPECIAL LIST OF SWEET PEAS.

A SELECTION OF THE FINEST SORTS IN CULTIVATION.

In the formation of floral screens to shut out unsightly objects, **Sweet Peas** are most valuable. Trained over pyramids of twiggy faggots they form objects of great beauty in the shrubbery and mixed flower border. If grown in pots during winter, a plentiful supply of bloom for cutting can be had very early in the season. Sow out of doors from August to November for early summer flowering, and again in spring for cutting during summer and autumn.

LARGE FLOWERED NEW VARIETIES.

Height of all—5 to 6 feet.

	Per Packet.	s.	d.
Black Knight , large handsome, <i>deep maroon</i> flowers of fine form ...	6d. &	1	C
Coccinea , a striking new shade, beautiful <i>soft cherry-red</i> , very rich, flower large and handsome ...		1	0
Countess of Cadogan , flower of large size and deliciously fragrant, standard <i>purple shot with blue</i> , wings <i>cærulean blue</i> , very beautiful. <i>Award of Merit.</i> ...	6d. &	1	0
Duke of Westminster , flowers of large size and perfect form, fragrant, standard <i>deep rose-maroon</i> , wings <i>purple-violet</i> , very distinct and handsome. <i>Award of Merit.</i> ...	6d. &	1	0
Earliest of All , a valuable new variety, being the harbinger of a new race of <i>extra-early flowering</i> Sweet Peas; the flowers are well formed and fragrant, standard <i>rich salmon-rose</i> , wings <i>white</i> ; very pretty, and flowering a fortnight before other varieties ...	6d. &	1	0
"Gorgeous," an improvement on <i>Meteor</i> , and a gorgeously coloured flower; of great size and handsome form, standard <i>rich orange-salmon</i> , with deeper-coloured veining, wings <i>bright rose</i> . <i>First Class Certificate</i> ...	6d. &	1	0
Hon. F. Bouverie , standard <i>flesh-pink</i> , wings <i>buff-rose</i> , beautiful ...	6d. &	1	0
Hon. Mrs. E. Kenyon , flower <i>deep primrose</i> , of good form; the largest flowered variety of this shade ...		1	0
Lady Grisel Hamilton , of great size and sweetly scented, a <i>lovely pale lavender</i> , the finest of this shade ...	6d. &	1	0
Lady Mary Currie , flowers large and showy, of a beautiful <i>rosy orange</i> , deliciously scented ...	6d. &	1	0
Miss Willmott , a very fine new variety, flowers <i>rich deep orange-pink</i> , of fine substance, borne on long stems ...		1	0
Mont Blanc , the earliest <i>pure white</i> Sweet Pea, flowers large, of fine form, and borne well clear of the foliage; a specially valuable variety for pots ...		1	0
Mrs. Dugdale , standard and wings a beautiful <i>soft rose</i> , flower large ...	6d. &	1	0
Navy Blue , a very distinct colour, and the nearest approach to a <i>true blue Sweet Pea</i> ; the flowers are of fine form and substance, and the general effect is a <i>dark blue</i> ...	6d. &	1	0
Othello , standard <i>rich dark maroon</i> , with black sheen, wings <i>rich maroon shaded black</i> , very handsome; an improvement on <i>Stanley</i> and <i>Borcutton</i> ...	6d. &	1	0
Pink Friar , <i>white shaded carmine</i> , flowers of good form and very beautiful, of sweet fragrance ...	6d. &	1	0

One Packet each of the above 16 new Sweet Peas, 9s.

Barr's Beautiful Mixture of New Sweet Peas, containing many beautiful new shades ... 1s. & 1 6

BARR'S GENERAL LIST OF SWEET PEAS.

A CAREFUL SELECTION OF FINE LARGE FLOWERED SORTS.

 It will be noticed that some of the old kinds of Sweet Peas have been omitted from our list. These have been improved upon and superseded, and are therefore no longer required. We can supply them, however, if wanted, at 3d. per packet.

Height of all—5 to 6 feet.

	Per Packet. <i>s. d.</i>
Aurora , <i>white</i> , shaded and mottled <i>salmon-rose</i> , very charming	3d. & 0 6
Blanche Burpee , one of the largest <i>pure white</i> Sweet Peas, very beautiful	3d. & 0 6
Blanche Ferry , <i>extra early</i> , standard a pretty <i>rose</i> , wings <i>blush-white</i> , very early and free	3d. & 0 6
Captain of the Blues , large handsome flowers, the <i>finest blue Sweet Pea</i>	3d. & 0 6
Captivation , standard <i>rosy-claret</i> , wings <i>purple-carmine</i>	3d. & 0 6
Countess of Powis , standard <i>rich salmon</i> , wings <i>full rose</i> , very attractive	3d. & 0 6
Countess of Radnor , <i>delicate pale heliotrope</i> , a most lovely colour	3d. & 0 6
Crown Princess of Prussia , now superseded by Katherine Tracey and Lady Beaconsfield .	
Dorothy Tennant , <i>rosy heliotrope</i> , fine large flower	0 6
Duchess of Sutherland , <i>pearly white</i> , suffused <i>delicate pink</i> , very beautiful	0 6
Duke of Clarence , a beautiful self <i>rich dark claret</i> with <i>purple tinge</i> , a rich and distinct colour	3d. & 0 6
Duke of York , standard <i>brilliant deep rose</i> , wings <i>white flushed carmine</i> , very attractive, an improvement on Blanche Ferry	3d. & 0 6
Emily Eckford , <i>soft pale lavender-purple</i> , large and handsome	3d. & 0 6
Emily Henderson , the best <i>white</i> Sweet Pea for general use, flowers <i>pure white</i> , large and well-formed	3d. & 0 6
Empress of India , standard <i>rich salmon-rose</i> , wings <i>white</i> , a striking colour	3d. & 0 6
Firefly , the nearest approach to a <i>real scarlet</i> Sweet Pea, standard <i>glowing scarlet</i> , wings <i>brilliant carmine-erimson</i>	3d. & 0 6
Gala Beauty , a remarkably striking flower, <i>brilliant crimson-scarlet</i> , marbled <i>clear white</i>	3d. & 0 6
Her Majesty , large <i>brilliant glowing carmine-rose</i> , very effective	3d. & 0 6
Katherine Tracey , <i>pale blush-rose</i> , shaded <i>white</i> , very beautiful	3d. & 0 6
Lady Beaconsfield , standard <i>pale blush-rose</i> , wings <i>white tinged primrose</i> , large and very beautiful	3d. & 0 6
Lady Nina Balfour , <i>pale heliotrope</i> shaded <i>white</i> , in the way of Countess of Radnor , but flowers larger	3d. & 0 6
Lottie Eckford , <i>white</i> , suffused <i>lavender</i> , with <i>blue</i> edge, very pretty	3d. & 0 6

Barr's General List of Sweet Peas—continued.

Barr's General List of Sweet Peas—continued.		Per Packet. s. d.
Lottie Hutchins , large well-formed flowers, delicately <i>flaked pink</i> , on a <i>cream-coloured</i> ground	...	0 6
Lovely , standard beautiful <i>rose-pink</i> , wings <i>pale rose</i> shaded <i>white</i> , flowers large.	...	3d. & 0 6
First-Class Certificate , ...	...	...
Maid of Honour , <i>white</i> , margined and flushed <i>lavender</i> ; an improved large	...	3d. & 0 6
Butterfly ...	...	...
Mars , a most brilliantly coloured flower, large and of handsome form; standard <i>vivid crimson-scarlet</i> , wings <i>glowing deep carmine</i> . Award of Merit	...	3d. & 0 6
Meteor , standard <i>orange</i> , shaded <i>rose</i> , wings <i>bright rose-carmine</i> , large and fine; an improvement on Orange Prince	...	3d. & 0 6
Mrs. Eckford , delicate <i>primrose</i> , large well-formed flower	...	3d. & 0 6
Mrs. Joseph Chamberlain , very large flower, striped <i>bright rose</i> on a <i>white</i> ground	...	3d. & 0 6
Oriental , standard <i>bright rose</i> <i>marbled salmon</i> , wings <i>bright rose</i> , very fine	...	0 6
Prima Donna , standard <i>pale blush-rose</i> , wings a beautiful <i>blush</i> shaded <i>rose</i> , large flowers	...	3d. & 0 6
Prince Edward of York , standard <i>crimson-scarlet</i> , wings <i>deep rose</i> , very bright	...	0 6
Prince of Wales , standard and wings <i>rich rosy crimson</i> , very large showy flower	...	3d. & 0 6
Princess Beatrice , beautiful large <i>blush-rose</i> flowers, a favourite market variety	...	3d. & 0 6
Princess of Wales , <i>deep azure blue</i> and <i>purple</i> <i>marbled white</i> ...	...	3d. & 0 6
Princess Victoria , standard <i>brilliant deep salmon-rose</i> , wings <i>deep carmine</i> , <i>veined rose</i> , large, bright and attractive	...	3d. & 0 6
Queen Victoria , delicate <i>primrose</i> , flowers large; an improvement on Mrs. Eckford	...	0 6
Ramona , <i>white</i> , flushed <i>bright rose</i> , large and beautiful	...	3d. & 0 6
Sadie Burpee , the Largest White Sweet Pea , flowers of great size, faintly tinged <i>blush</i> when young, but turning to a <i>pure white</i>	...	0 6
Salopian , standard <i>rich crimson</i> shaded <i>scarlet</i> , wings <i>brilliant deep crimson</i> , very large flower	...	3d. & 0 6
Shahzada , rich <i>dark maroon</i> , very handsome	...	3d. & 0 6
Stella Morse , <i>rosy apricot</i> , suffused on a <i>creamy</i> ground, very pretty	...	3d. & 0 6
Triumph , standard <i>rosy salmon</i> , wings <i>white</i> with <i>purplish flush</i> , fine	...	3d. & 0 6
Venus , standard delicate <i>pale rosy blush</i> , with <i>buff tinge</i> , very lovely	...	3d. & 0 6

BARR'S COLLECTIONS & MIXTURES OF SWEET PEAS.

From the foregoing choice varieties.

1 packet each of 25 Beautiful Named Varieties...		5/6
1 " " 12 " " "		2/9
Splendid mixed, from the finest named varieties	per lb. 7s. 6d.; 1 oz. pkt. 9d.; 0	6
Fine mixed, from many beautiful colours	per lb. 3s.; 1 oz. pkt. 3d.	—

 For New Sweet Peas, see page 1.

For Dwarf Cupid Peas, see page 4.

SWEET PEAS.

NEW DWARF "CUPID" SECTION.

A charming new race, forming dwarf spreading plants only about 6 in. high, covered with an abundance of dainty flowers in clusters on stiff stems; charming in pots and on rockwork, also as basket plants.

Height of all—6 inches.

	Per Packet.	s. d.
Blue-Purple (<i>Captain of the Blues</i>), standard <i>reddish purple</i> , wings <i>purplish blue</i> , flowers large and handsome, h.a., 6 in.	6d. &	1 0
Brilliant Deep Scarlet (<i>Firefly</i>), a splendid introduction, the gorgeously coloured flowers contrasting strikingly with the emerald green foliage	6d. &	1 0
Creamy Buff Tinged Apricot (<i>Stella Morse</i>), a beautiful shade	6d. &	1 0
Creamy White Shaded Flesh-Pink (<i>Alice Eckford</i>), with wings <i>white flushed rose</i> , very beautiful	6d. &	1 0
Deep Rose-Pink (<i>Royalty</i>), flowers large and of a charming shade... ..	6d. &	1 0
Delicate Heliotrope (<i>Countess of Radnor</i>), a very lovely shade, flowers of great size	6d. &	1 0
Delicate Rose (<i>Beauty</i>), with <i>rosy carmine</i> wings, flowers large	6d. &	1 0
Maroon Shaded Black (<i>Boreatton</i>), flowers large and well formed, very handsome	6d. &	1 0
Pink , a charming variety	6d. &	1 0
Primrose , flowers <i>cream-coloured</i> , a beautiful variety	6d. &	1 0
White , the first introduction of this dwarf section	6d. &	1 0
White Suffused Rose (<i>Apple Blossom</i>), flowers large and beautiful	6d. &	1 0
Choice Mixture , from the above named varieties	6d. &	1 0

BARR & SONS,
11, 12 & 13, King Street, Covent Garden,
 **LONDON.**

Nurseries: LONG DITTON, NEAR SURBITON, SURREY.

BARR'S NURSERIES are situated within a mile of Surbiton Station. Visitors invited to see the Daffodils in Flower during March and April; Tulips in Flower, April and May; and during Summer and Autumn, Hardy Perennials, Alpines, and many rare and beautiful Bulbous Plants. *Cabs can always be had at Surbiton Station.*

Special Notices.

Orders.

We shall esteem it a favour if our Customers will kindly use the Order Sheet that accompanies this Catalogue, and be particular to fill in the full postal and rail address: sometimes Orders reach us without either name or address, and it is impossible to trace the senders.

Free Carriage of Seeds.

All Prepaid Orders for Seeds, over 5s. in value, sent Carriage Paid to any town in Great Britain or Ireland. Orders not prepaid, if over 10s. in value, carriage may be deducted at settlement of account. *All Flower Seeds are sent Carriage Free.*

Prepaid Orders.

Besides sending Prepaid Orders "Carriage Paid," we allow 1s. in the £ (with exception of the Special Collections offered on page 1, *which are strictly nett*), which may either be deducted by the Customer when remitting, or if this is not done, a liberal equivalent in goods will be added to the Order.

Cash Discount 5%

1s. in the £ discount may be deducted from all accounts when paid within 14 days from date of invoice (excepting Collections page 1, *which are strictly nett*).

Terms of Credit.

Our books are made up at Christmas and Midsummer, when all accounts are due nett.

Remittances.

Money Orders and Postal Orders to be made payable at Covent Garden Post Office; these and all Cheques should be crossed "London and County Bank." Small amounts may be remitted in Postage Stamps or Coin, in a Registered Letter.

Packages.

Boxes, Bags, etc., are charged at cost price, but these may be deducted from our account if returned Carriage Paid within a fortnight. *Returned empties should have the sender's name on the address label for identification, and a notification should be sent by post, stating date of despatch and name of Railway Company.*

Catalogues.

Our Seed Guide is published in January, **Descriptive Catalogue of Bulbs and Tubers for Winter and Spring Planting** in January, **Hardy Plant Catalogue** in February, **Daffodil and General Bulb Catalogues** in August. We are always pleased to forward any of these Catalogues, free of charge, to friends of our Customers on receipt of a line requesting us to do so.

Nurseries, Long Ditton.

Our Nurseries are situated near to Surbiton Station (London and South-Western Railway). Visitors are invited during March, April, and May to see our magnificent Collections of Daffodils and Tulips in flower; and during summer and Autumn to see our collection of Herbaceous Plants and Alpines, and many rare and beautiful Bulbous Plants. *Cabs are always to be had at Surbiton Station.*

Daffodil Prizes for 1902.

Full particulars will be given in our *Plant Catalogue*, which will be issued in February.

Notices to our Foreign and Colonial Correspondents.

Prepayment necessary.

Owing to the difficulty of collecting accounts abroad, we beg that Customers will kindly enclose with their Orders *a remittance, a draft, or an "order to pay,"* on a London Bank, or Agent; the remittance should be sufficient to cover cost of carriage when the freight is required to be paid in advance.

Particulars of Freight.

Australia, per Parcel Post at 6d. per lb. (1s. being charged for the first lb.), or per "Eastern Express," at 6d. per lb., minimum 2s.)

New Zealand, per Parcel Post, 3 lb. for 1s.; 7 lb. for 2s.; 11 lb. for 3s.

We recommend the Parcel Post to be used where possible, parcels thus sent being delivered at the Customer's house quicker, and without any additional charges.

India.—Seeds and Bulbs can be despatched to all postal towns in India, by Parcel Post, at the rate of 1 lb. for 1s.; 2 lb. for 1s. 8d.; 3 lb., 2s. 4d.; 7 lb., 3s. 6d.; 11 lb., 5s.; or by "Eastern Express," at 6d. per lb. up to 30 lbs., after 30 lbs. cheaper as cargo.

Shipping, etc.

In Shipping Bulbs and Plants to Australia, New Zealand, America, India, and the Cape, we exercise great care in selecting, preparing, and properly packing the same. Still there are so many contingencies that we cannot, in any way, hold ourselves responsible for the condition in which Plants or Bulbs reach their destination. *Our Customers will confer a favour if they report, on arrival, the condition of the goods.* Our experience in *successfully preparing and shipping Seeds, Bulbs, and Plants* to India and the Colonies extends over a long period.

BARR'S

Seed Guide

1902

ORDER FORM

for BARR'S SEED GUIDE, 1902.

Telegraphic Address—
BARR, COVENT GARDEN, LONDON.

FOR GARDEN REQUISITES,
USEFUL GARDEN TOOLS, ETC.,
see pages 101 to 112 of Seed Guide.

Free Carriage of Seeds.

BULBS FOR SPRING-PLANTING.
Descriptive List of Bulbs and Tutors for
Spring-planting, free on application.

All Prepaid Orders for Seeds over 5s. in value will be sent Carriage Paid to any town in Great Britain or Ireland. Orders not prepaid, if over 10s. in value, carriage may be deducted at settlement of account.

PARCEL POST.—The Parcel Post offers great facilities in forwarding small packages, especially to families residing outside the radius of the Railway delivery. We shall avail ourselves of this mode of transit *when cheapest*, and the articles ordered weigh under eleven pounds and admit of being packed for safe transmission by "Parcel Post." Heavy packages we shall, as hitherto, send by Rail.

Please fill in the full postal and rail address; sometimes orders reach us without either name or address, and it is impossible to trace the senders.

To the Account of _____
Full Postal Address _____
Railway and nearest Station _____
Name of Gardener (for Catalogues) _____

If prepaid, please fill in amount of remittance; 1s. in the £ discount may be deducted, or if this is not done a liberal equivalent in goods will be added (excepting Barr's "Covent Garden" Collections, which are strictly nett).

£ s. d.

Prepaid Orders for Seeds (over 5/- in value) sent Carriage Free.

Money and Postal Orders payable Covent Garden; these and Cheques should be crossed "London & County Bank."

Date _____ 1902.

Signed _____

* * The Names, Numbers, etc., in this Order Form correspond to those in the Seed Guide; we therefore hope our Customers will mark their wants on this, as it will give them less trouble than writing out an order, and it will facilitate its execution.

BARR'S FAMOUS "COVENT GARDEN" COLLECTIONS OF VEGETABLE SEEDS.

Sent Carriage Paid, Box and Packing free on receipt of remittance.

..... Barr's "A" Collection, £5 5s. 0d.
..... Barr's "B" Collection, £3 3s. 0d.
..... Barr's "C" Collection, £2 2s. 0d.

..... Barr's "D" Collection, £1 11s. 6d.
..... Barr's "E" Collection, £1 1s. 0d.
..... Barr's "F" Collection, 12s. 6d.

..... Barr's "G" Collection, 7s. 6d.
..... Barr's "H" Collection, 5s. 6d.
..... Barr's "I" Collection, 10s. 6d.

BARR'S FAMOUS "COVENT GARDEN" COLLECTIONS OF FLOWER SEEDS.

(See page 35 of Catalogue.)

..... No. 1, 63s.
..... No. 2, 42s.

..... No. 3, 30s.
..... No. 4, 21s.

..... No. 5, 15s.
..... No. 6, 10s. 6d.

..... No. 7, 7s. 6d.
..... No. 8, 5s. 6d.

..... No. 8, Barr's Collections for Railway Station Borders, 5s. 6d., 7s. 6d., and 10s. 6d.

..... No. 9, Barr's Collections for India and the Colonies, 7s. 6d., 10s., 15s., 21s., 30s., 42s., and 63s.

BARR'S SEPARATE SELECTIONS OF FLOWER SEEDS.

(See page 35 of Catalogue.)

Hardy Annuals.

Quantity.	s.	d.
..... 100 Varieties	21	0
..... 50 "	10	6
..... 25 "	5	6
..... 12 "	2	6

Half-hardy Annuals.

..... 25 Varieties	7	6
..... 12 "	3	6

Hardy Perennials.

..... 100 Varieties	30	0
..... 50 "	15	6

Hardy Perennials—continued.

Quantity.	s.	d.
..... 25 Varieties	7	6
..... 10 "	2	6

Annuals and Perennials for Greenhouse.

..... 12 Varieties	7	6
..... 6 "	4	6

Annuals for Rockwork.

..... 21 Varieties	5	6
..... 10 "	2	6

Perennials for Rockwork.

Quantity.	s.	d.
..... 21 Varieties	5	6
..... 10 "	2	6

Dwarf Annuals for Edgings.

..... 21 Varieties	5	6
..... 10 "	2	6

Sweet-scented Annuals.

..... 12 Varieties	3	6
..... 6 "	2	6

Annuals to cut for Bouquets.

Quantity.	s.	d.
..... 50 Varieties	12	6
..... 30 "	7	6
..... 21 "	5	6
..... 12 "	2	6

Perennials and Annuals for Old Walls, etc.

..... 30 Varieties	7	6
..... 15 Varieties	3	6
..... 10 "	2	6

Perennials and Annuals for Wild Gardens, etc.

Quantity.	s.	d.
..... 21 Varieties	5	6
..... 10 "	2	6

"Bee-Keeper's" Hardy Flowers.

..... 30 Varieties	7	6
..... 21 "	5	6
..... 12 "	2	6

ARTICHOKES.

Quantity.	s.	d.
Globe seed, per pkt., 6d. &	1	0
" plants, per doz.	10	6
Jerusalem, Barr's New Silver-skinned tubers, per 14 lb.	2	6
Chinese, tubers, 14 lb. for 14/-; 7 lb. for 7/6; per lb.	1	3

ASPARAGUS.

Barr's New White seed, per oz.	0	6
" " Mammoth seed, per pkt.	0	6
" " 1-year-old roots, per 100	6	6
" " 2-year-old " "	8	6
" Green Canadian seed, per oz.	0	6
" " 2-year-old roots, p. 100	6	6
" " 3-year-old " p. 100	7	6
Mortlake Giant, 1-year-old " p. 100	4	6
" " 2-year-old " "	6	6
" " 3-year-old " "	8	6
" " strong forcing " "	21	0
Conover's American Colossal, seed, per oz.	0	4
" " 1-year-old roots, per 100	3	6
" " 2-year-old " "	5	6
" " 3-year-old " "	7	6
Late Giant Purple Argenteuil, seed, per oz.	0	6
Ditto ditto 2-year-old roots, per 100	7	6
Ditto ditto 4-year-old " "	9	6

AUBERGINE.

Barr's Extra Early Long Purple, per pkt., 6d. &	1	0
" " Dwarf Purple, per pkt., 6d. &	1	0

BROAD BEANS.

Barr's Monstrous Long Pod...per quart	2	6
Barr's Improved Large White Windsor per quart	1	3
Barr's Improved Large Green Windsor per quart	2	0
Barr's Selected Early Long Pod " "	0	8
Mammoth, New Green Long Pod " "	1	9
Taylor's Large Windsor " "	0	10

DWARF FRENCH BEANS.

Barr's Golden Wax Pod Butter per pint, 1/3; per quart	2	0
Barr's "Monster" Negro Mammoth Long Pod per quart	1	9
Barr's Green Haricot per pint, 1s. 6d.; per quart	2	9
Canadian Wonder, Improved " "	1	9
Magnum Bonum, per pint, 1/6; per quart	2	9
Ne Plus Ultra, selected.....	1	6
Dun, Cream-coloured, or Yellow " "	0	10
New Stringless.....	2	9

TALL RUNNER BEANS.

Barr's "Lightning Runner" per quart	2	6
"Best of All" Scarlet Runner " "	2	6
Invicta Scarlet Runner " "	2	6
Giantess (Painted Lady Improved) " "	2	0
Tender and True " "	2	0
White Runner, "The Czar" " "	2	0
Eclipse, or Giant White " "	1	0
Scarlet Runner " "	1	0
Butter Bean, Early Golden Cluster, p. pt., 1/6; p. qt.	2	6
" " Mont d'Or " 1/9; " "	3	0
" " Transylvanian " 1/6	—	—

BEEF.

Quantity.	per pkt.	per oz.
Cheltenham Green Top, Barr's extra selected	0	6...1 3
Barr's Covent Garden, Com- pact Top	0	6...1 3
Early Red Globe Improved ...	0	6...1 6
Pragnell's Exhibition	0	4...1 0
Pine Apple	0	3...0 8
Nutting's Dwarf.....	0	4...0 9
Dell's Crimson-leaved.....	0	4...1 0
Fine Blood Red, selected	—	...0 6

Ornamental Foliage Beets.

See under Beta, page 8 of

Order Form.

BEEF.—Edible-leaved.

Spinach Beet	0	3...0 8
Seakale Beet	0	4...1 0

BORECOLE OR KALE.

Barr's Asparagus Kale	0	4...1 0
Barr's Paragon Giant Parsley- Curled	0	4...1 0
Barr's Exquisite Dwarf Purple Curled	0	4...1 0
Barr's Exquisite Dwarf Green Moss-Curled	0	4...1 0
Buda Kale	0	3...0 8
Cottager's Kale	0	3...0 8
Improved Hearting Kale	0	4...1 0
Ragged Jack	0	3...0 8
Scotch Kale, selected	0	3...0 8
Tall Green Moss-Curled	0	3...0 6

Ornamental Kale.

Barr's Variegated Curled Gar- nishing	1	0... —
--	---	--------

BROCCOLI.**Division I.**

Walcheren	0	6...1 6
Winter Mammoth	1	0...2 6
Self-Protecting Autumn	0	8...2 0

Division II.

Barr's Hardy Winter White ...	1	0...2 6
Snow's Superb Winter White	1	0...2 6
St. Valentine	1	6... —
Christmas Purple Sprouting, or Extra Early Asparagus Broccoli	0	6...1 6

Division III.

Barr's Champion	1	0...2 6
Perfection	0	6...1 9
Leamington.....	0	6...1 3
Purple Sprouting, or Asparagus Broccoli	0	3...0 10

Division IV.

Barr's May Queen.....	1	6...3 6
Standwell	0	8...2 0
Cattell's Eclipse.....	0	4...1 0

Barr's Selections of Broccoli.

8 pkts. in 8 best varieties, 5s. 6d.	—	... —
4 " in 4 " " 3s.	—	... —
8 oz. in 8 " " 10s. 6d.	—	... —
4 " in 8 " " 5s. 6d.	—	... —

BRUSSELS SPROUTS.

Barr's Standard	1	0...2 6
Barr's Covent Garden Favourite	0	6...1 6
Barr's French Small Sprouts...	0	6...1 6
Scrymger's Giant	0	4...0 10
The Wroxtton	0	6...1 6

CABBAGE.

Quantity.	For Spring-sowing.	per pkt.		per oz	
		s.	d.	s.	d.
.....	Barr's Best of All Dwarf				
	Autumn-Cutting	0	6...	1	6
.....	Barr's Little Queen	0	6...	1	6
.....	„ Miniature Red	0	4...	1	0
.....	St. John's Day Early Dwarf ...	0	4...	0	9
.....	Christmas Drumhead	0	6...	1	0
.....	Nonpareil Improved Dwarf ...	0	3...	0	10
.....	Large York.....	0	3...	0	6
.....	Red Dutch Improved	0	4...	0	9
.....	Sugar Loaf.....	0	4...	0	9
.....	Winningstadt, selected	0	3...	0	8

For Autumn-sowing.

Barr's Dwarf Spring-Cutting. .	0	8...1 9
" Eclipse, Summer-Cutting	0	8...1 9
" Criterion, Spring-Cutting	0	8...1 9
Cocoa Nut	0	3...0 8
Ellam's Early Dwarf	0	4...1 0
Enfield Market, selected.....	0	3...0 6
Wheeler's Imperial	0	4...0 9
Colewort Green Rosette	0	6...1 3

Barr's Selections of Cabbages

8 oz. in 8 successional vars. 6s. 6d.	—	... —
4 oz. in 8 " " 3s. 6d.	—	... —
8 pkts. in 8 " " 2s. 6d.	—	... —
4 pkts. in 4 " " 1s. 6d.	—	... —

CABBAGE, SAVOY.

Barr's Earliest of All	0	6...1 6
" Very Dwarf	0	4...1 0
" Golden Globe.....	0	3...0 9
Gilbert's Universal	0	6...1 6
Perfection	0	6...1 3
Dwarf Green Curled.....	0	3...0 8
Drumhead	0	3...0 6
Vienna, Early Dwarf (Tom Thumb)	0	3...0 9

CAPSICUM AND CHILI.

See Flower Seed List.

CARDOONS.

Spanish Cardoons	0	6...1 0
French "	0	6...1 0

CARROT.

Barr's Earliest French Short Horn.....	0	4...0 10
Barr's Stump-Rooted Scarlet	0	4...0 10
" New Intermediate	0	4...1 0
Early Short Horn	0	3...0 6
Covent Garden, Long Surrey, Selected	0	4...0 10
James' Intermediate Scarlet...	0	3...0 8
Altrincham Improved.....	0	3...0 8

Barr's Selections of Carrots.

8 oz. in 4 best varieties, 5s. 6d.	—	... —
4 oz. in 4 " " 3s.	—	... —

CAULIFLOWER.

Barr's Early Dwarf "Best of All"	2	6... —
Autumn Mammoth 6d. &	1	0...2 6
King of Cauliflowers	1	0...2 6
Early Snowball	2	6... —
Covent Garden Early London 6d. &	1	0...1 9
Veitch's Autumn Giant .. 6d. &	1	0...2 0
Walcheren 6d. &	1	0...1 6

CELERY.

Quantity.	per pkt.—s. d.
Barr's New Solid Pink	1s. 6d. & 2 6
„ Champion Solid White	1s. & 2 6
Pink Beauty	1 0
Covent Garden Tall White	6d. & 1 0
„ „ „ Red	6d. & 1 0
„ „ „ Dwarf White	6d. & 1 0
„ „ „ Red	6d. & 1 0
Major Clark's Red	6d. & 1 0
Barr's Apple-shaped Celeriac	6d. & 1 0
Soup Celery Seed	per lb., 2s.

CHERVIL.

Curled Chervil	per pkt., 6d. & 1 0
----------------------	---------------------

CHICORY (Barbe de Capucin).

	per pkt. per oz.
	s. d. s. d.
Chicory	0 4...1 0

Chicory, Large Tuberos-rooted. See Witloof.

Chives. See page 5 of Order Form.

CHOU DE BURGHLEY.

Chou de Burghley	1 0...2 6
------------------------	-----------

CORN SALAD or Lamb's Lettuce.

Large-leaved	—...0 3
Large Rosette Green Cabbaging	—...0 4

COUVE TRONCHUDA.

Couve Tronchuda	0 4...1 0
-----------------------	-----------

CRESS.

	per oz. pint.
	s. d. s. d.
Australian Salad	0 4... —
Plain-leaved	per quart, 2s. 0 3...1 3
Triple-Curled	per quart, 2s. 6d. 0 4...1 6
Winter, or American	0 4... —
Water-Cress	per pkt., 6d. 1 6... —
„ true Erfurt Sweetest	per pkt., 1s. —... —

CUCUMBER, FRAME.

	per pkt.—s. d.
Barr's Pride of the Market	1 6
„ Improved Telegraph	1s. & 1 6
Matchless	1 6
Rochford's Covent Garden	1s. & 1 6
Lockie's Perfection	1 0
Rollison's Telegraph	0 6

CUCUMBER, Ridge or Hardy.

Barr's Excelsior Ridge	6d. & 1 0
„ Improved Pickler	0 6
Stockwood's Selected Long Ridge	0 6
Barr's Little Russian	3d. & 0 6
New Japanese Climbing Cucumber	0 6

DANDELION.

Improved Broad-leaved	1 0
New Thick-leaved Cabbaging	1 0

Egg Plant. See Aubergine, pp. 2 & 42.

ENDIVE.

	per pkt. per oz.
	s. d. s. d.
Barr's Perfection Silver Moss	—... —
Curled	0 6...1 6
Batavian Imperial Green	0 4...0 10
Extra fine Green Curled	0 4...0 10

Garlic. See page 5 of Order Form.

Gourds. See Pumpkin.

HERBS, POT AND SWEET.

Quantity.	per pkt.	Quantity.	per pkt.
	s. d.		s. d.
Angelica	6d.	Marjoram, Pot	6d.
Balm	6d.	„ Sweet	6d.
Basil, Bush gr.	6d.	Pot Marigold	6d.
„ Sweet gr.	6d.	Purslane	6d.
Borage	6d.	Rosemary	1s.
Caraway	6d.	Rue	6d.
Clary	6d.	Sage	6d.
Coriander	6d.	Savory, Summer	6d.
Dill	6d.	„ Winter	6d.
Fennel	6d.	Tarragon, plants only	6d.
Horehound	6d.	Thyme, English	6d.
Hyssop	6d.	Woodruff	6d.
Lavender	6d.		

HERB PLANTS.

5s. per doz. ; 6d. each :—

Balm ; ... Burnet ; ... Horehound ; ... Hyssop ;
... Lavender ; ... Marjoram, Pot ; ... Mint ;
... Pennyroyal ; ... Rosemary ; ... Sage ;
... Savory, Winter ; ... Sorrel ; ... Tarragon ;
... Thyme ; ... Lemon Thyme ; ... Woodruff.

For sundry Culinary Roots see page 5.

Horse-Radish. See page 5.

Indian Corn. See Maize.

Kale. See Borecole.

KOHL RABI,

Knol Kohl, or Turnip-rooted Cabbage.

	per pkt.—s. d.
Barr's Earliest Green Erfurt	0 6
Lamb's Lettuce. See Corn Salad.	

LEEK.

	per pkt. per oz.
	s. d. s. d.
Barr's Giant Winter	1 0...2 6
Barr's Selected Prizetaker	—... —
„ per pkt. 1/6 &	2 6... —
Musselburgh Selected	0 6...1 6
Ayton Castle	0 6...1 3
London Flag	0 3...0 6

COS LETTUCE.

Barr's Covent Garden Summer White	6d. & 1 0...2 6
Barr's Covent Garden Winter White Self-folding	6d. & 1 0...1 6
Barr's Covent Garden Winter Brown	6d. & 1 0...2 0
Barr's Long-standing White	0 6...1 6
Jumbo	1 0...2 6
„ The Barnum	0 6...1 6
Dwarf Perfection	1 0...2 6
Paris White, selected stock	0 4...1 0

Barr's Selections of Cos Lettuces.

6 pkts. 6 best vars. 3s. 0d. & 4s. 6d.	
3 „ 3 „ 1s. 9d. & 2s. 9d.	

Cabbage Lettuce.

Barr's Paragon	1 0...2 6
„ Green Favourite	1 0...2 6
„ White Favourite	1 0...2 6
„ Little Gem	1 0...2 6
„ Green-Fringed Salad	1 0...2 6
„ Tom Thumb, selected	0 6...1 6
All the Year Round	0 6...1 3
Covent Garden Summer White	0 6...1 6
„ „ Winter White	0 6...1 6
Drumhead Selected	0 4...0 9
Harbinger Forcing	1 0...2 6
The New Yorker	0 6...1 6

Barr's Selections of Cabbage Lettuces.

6 packets 6 good vars. 3s. 0d. & 5s. 6d.	
3 „ 3 „ 1s. 9d. & 2s. 9d.	

MAIZE or Indian Corn.

Quantity.	per oz.—s. d.
Cory	0 6
Country Gentleman	0 6
Crosby Early	0 6

Martynia. See Flower Seed List.

MELON.

	per pkt.—s. d.
Eureka	1s. 6d. & 2 6
A 1	1s. 6d. & 2 6
Best of All	2 6
Frogmore Scarlet	2 6
Golden Perfection	1 0
Hero of Lockinge	1s. & 1 6
High Cross Hybrid	1 6
Monro's Little Heath	6d. & 1 0
Triumph	1s. & 1 6
American Musk Melon, "Long Island Beauty"	0 6
„ „ „ Netted Gem	0 6
„ „ „ The Paul Rose	0 6
„ „ „ Emerald Gem	0 6
Hardy Green Flesh Climbing Melon	0 6
Water Melon, "Fordhook Early"	0 6

MUSHROOM SPAWN.

Fresh Mushroom Spawn, 4 cakes for 1s. 6d. ; 16 cakes for 5s. 6d. ...

MUSTARD.

	per oz. pint.
	s. d. s. d. s. d. quart.
White	0 3...1 3...2 0
New Chinese	0 4...2 0... —

NASTURTIUM.

See Descriptive List of Flower Seeds.

ONION.**1.—Flat and Semi-Flat Onions.**

	per pkt. per oz.
	s. d. s. d.
A 1	0 6...1 6
Rousham Park Hero	0 6...1 3
White Spanish, selected	0 4...1 0
Nuneham Park „	0 4...0 10
Barr's Long Keeper	0 6...1 6
Banbury Cross	0 6...1 6
Zittau Giant	0 4...1 0

2.—The Globe Onion.

Up-to-Date (Hurst)	1 0...2 6
The Giant	2 6... —
Ailsa Craig	1 6... —
Cranston's Excelsior	1 0...2 6
Trebons Selected	0 6...1 3
Barr's Silver Globe	1 0...2 6
Magnum Bonum	0 4...0 9
Bedfordshire Champion	0 6...1 6
James' Long Keeping	0 4...0 10
Early Golden Gem	1 0... —

3.—The Blood-red Onion.

Barr's Crimson Globe	0 6...1 6
„ Blood-red Flat	0 4...0 10

4.—The Tripoli Onion.

Tripoli Giant Globe Rocca	0 4...1 0
„ Flat Red Genoa	0 4...0 10

5.—The Silver-skinned Onion.

Barr's Large Silver Flat	1 0...2 6
„ Covent Garden Silver-skinned Pickling	0 6...1 3
White Lisbon	0 4...0 10

Barr's Selections of Onions.

2 oz. each of 5 best vars. 8s. 6d.	
1 oz. „ 5 „ 4s. 6d.	

Underground or Potato Onions and Egyptian Tree Onions. See Culinary Roots, page 5.

Quantity.	PARSLEY.	per pkt.		per oz.	
		s.	d.	s.	d.
.....	Barr's Perfection Moss-curled	0	4	1	0
.....	" Perennial	1	0	—	—
.....	Fern-leaved	0	4	0	10
.....	Myatt's Extra Fine Garnishing	0	3	0	3
.....	Hamburg, or Turnip-rooted	0	3	0	6

PARSNIP.

.....	Barr's New White Marrow	0	4	0	10
.....	"The Student"	0	3	0	6
.....	Hollow Crown Improved	—	0	0	3

ROUND-SEEDED PEAS.

Peas. Division I.

		per quart.	
		s.	d.
.....	Bountiful	1	9
.....	Lightning	2	0
.....	William the First, Barr's Selected Dwarf Stock	1	6

Peas. Division II.

.....	Telegraph, Selected Stock	1	9
.....	Fillbasket	1	0
.....	Hundredfold	0	10

Peas. Division III.

.....	Pride of the Market	1	6
.....	Princess Royal Improved	0	10

MARROWFAT PEAS.

Peas. Division IV.

.....	The Herald	per pint, 2s. 6d.	4	6
.....	Little Marvel	per pint, 2s.	3	6
.....	Excelsior	2	0	
.....	Empress of India	1	9	
.....	Gradus	per pint, 2s.	3	6
.....	May Queen	2	0	
.....	The Sherwood	per pint, 2s.	3	6
.....	Thomas Laxton	per pint, 2s. 6d.	1	9
.....	William Hurst	1	9	
.....	American Wonder, Selected Stock	1	9	

Peas. Division V.

.....	Boston Unrivalled	2	0	
.....	British Empire	per pint, 1s. 6d.	2	0
.....	Daisy	2	0	
.....	Duke of Albany	2	0	
.....	Heroine	1	9	
.....	Telephone, Selected	2	0	
.....	Abundance	1	0	
.....	Duke of York	1	9	

Peas. Division VI.

.....	Prizewinner	2	6	
.....	Sharpe's Queen	1	6	
.....	Stratagem	2	0	
.....	Alderman	1	9	
.....	Peerless	per pint, 2s.	3	6
.....	Magnum Bonum	2	0	
.....	Majestic	2	6	
.....	British Queen	1	0	
.....	Champion of England	1	0	

Peas. Division VII.

.....	Autocrat	2	0	
.....	Captain Cuttle	2	3	
.....	Continuity	2	6	
.....	Late Queen	2	6	
.....	Ne Plus Ultra, Barr's Selected Stock	1	6	
.....	Veitch's Perfection	1	6	
.....	Walker's Perpetual Bearer	1	6	

Peas, Edible Podded.

.....	Tall, edible-podded Sugar Pea	2	6	
.....	Barr's Extra Early edible-podded Sugar Pea	3	6	

Barr's Selections of Peas.

.....	12 quarts best successional vars.	18s. 0d.		
.....	6 " " " "	9s. 6d.		
.....	12 pints " " " "	9s. 6d.		
.....	6 " " " "	5s. 0d.		

POTATOES.

Quantity.	Best Early.	per peck.—s. d.	
		s.	d.
.....	Barr's Selected Early Old Ashleaf	3	6
.....	Myatt's Prolific Early Ashleaf	2	6
.....	Albert Victor	3	0
.....	Clipper	3	0
.....	Early Puritan	2	6
.....	Harbinger	2	6
.....	Ninetyfold	5	0
.....	Ringleader	3	6
.....	Sharpe's Victor	2	6

POTATOES. Second Early.

.....	British Queen	3	0
.....	Beauty of Hebron	2	6
.....	Cigarette	2	9
.....	Challenge	2	6
.....	Early Regent	3	0
.....	Early Rose	2	6
.....	General French	4	6
.....	General Roberts	3	0
.....	Snowdrop, Barr's Improved	3	6
.....	Supreme	3	0

POTATOES. Main Crop and Late.

.....	Colossal	2	6
.....	Professor Walker	3	6
.....	Satisfaction	3	6
.....	Schoolmaster	3	0
.....	Snowball	2	9
.....	Triumph	2	6
.....	Up-to-Date	2	6
.....	Windsor Castle	3	0

The Potatoes offered above are all specially hand-picked for seed.

POTATO SEED.

.....	14 Different Crosses, 1 qt. of each.	5s. 6d.
.....	Mixed Crosses, per pkt 1s. 6d. & 2s. 6d.	

PUMPKIN, GOURD, OR

SQUASH.

		per pkt.—s. d.	
		s.	d.
.....	Hundredweight Gourd	0	6
.....	Large Red Etampes	0	6
.....	Spanish Gourd	0	6
.....	Mixed Varieties	0	6

RADISH.

The varieties which grow most rapidly and do best under glass are marked with an *.

Olive or Oval-shaped.

		p. oz.		p. pint	
		s.	d.	s.	d.
.....	* Barr's "First of All" Scarlet	0	5	3	6
.....	* Barr's "First of All" White	0	5	3	6
.....	* Barr's Scarlet Intermediate	0	5	3	9
.....	* French Breakfast Scarlet, white-tipped	0	4	2	6
.....	Jewel	1	3	—	—
.....	Mixed Olive-shaped Varieties	0	4	2	6

Turnip-shaped Radishes.

.....	* Barr's Scarlet Perfection	0	5	3	9
.....	* Barr's Early White	0	4	2	6
.....	* Gem	0	4	2	6
.....	Deep Scarlet	0	3	2	0
.....	White	0	3	2	0
.....	Mixed Turnip-shaped Varieties	0	3	2	0

Long Radishes.

.....	Barr's Scarlet Queen	0	5	3	9
.....	" Early Red	0	4	3	0
.....	" Early White	0	4	3	0
.....	Mixed Long Varieties	0	4	3	0

Winter Radishes.

		per oz.	
		s.	d.
.....	Black Spanish	0	6
.....	Scarlet China	0	6
.....	White Spanish	0	6
.....	Mixed Winter Varieties	0	6

Quantity.	RAMPION.	s. d.	
		s.	d.
.....	Rampion	per pkt. 6d. & 1	0

RAPE.

.....	Rape	per quart	1	0
-------	------	-----------	---	---

RHUBARB ROOTS.

			s.	d.
.....	Tobolsh		5	6
.....	Hawke's Champagne...	per doz. 10s. 6d.	1	0
.....	"	" Strong Forcing Roots	2	6
.....	Johnston's St. Martin, per doz. 10s. 6d.		1	0
.....	"	" Strong Forcing Roots	2	6
.....	Kershaw's "Early Paragon"			
		per doz. 15s.	1	6
.....	"	" Strong Forcing Roots	2	6
.....	Dancer's Early Scarlet, per doz. 10s. 6d.		1	0
.....	"	" Strong Forcing Roots		
		per doz. 18s.	1	9
.....	Early Albert	per doz. 10s. 6d.	1	0
.....	"	" Strong Forcing Roots...	2	6
.....	Goliath	per doz. 10s. 6d.	1	0
.....	"	Strong Forcing Roots	2	6
.....	Prince Albert	" 10s. 6d.	1	0
.....	"	" Strong Forcing Roots	2	6
.....	Victoria	per doz. 10s. 6d.	1	0
.....	"	Strong Forcing Roots	2	6

SALSAFY.

.....	Barr's Mammoth	per pkt. per oz. 0 6d. 2 6
-------	----------------	----------------------------

Savoy. See Cabbage Savoy.

SCORZONERA.

.....	Scorzonera	0	6	1	0
-------	------------	---	---	---	---

SEA-KALE.

.....	Sea-Kale	0	3	0	9
.....	" Lily White	0	6	1	3
.....	Roots of Sea-Kale, Extra Strong for forcing, per doz., 2s. 6d.; per 100, 18s. 6d.				
.....	Strong, for forcing, per doz., 2s. 3d.; per 100, 18s. 6d.				
.....	Planting Size, per doz., 1s. 3d.; per 100, 8s. 6d.				

New Ivory White Sea-Kale.

.....	Extra Strong Forcing Roots, per 100, 30s.				
.....	Strong Forcing Roots,			21s.	
.....	Planting Roots,			15s.	

Shallots. See page 5 of Order Form.

SORREL.

.....	French broad-leaved	per pkt. per oz. 0 3s. 0 6
-------	---------------------	----------------------------

SPINACH.

		per oz.		per qt.	
		s.	d.	s.	d.
.....	Barr's Dwarf Thick-leaved	0	4	3	6
.....	Thick-leaved Round or Summer	0	3	2	6
.....	Longstander, Summer	0	3	2	6
.....	Prickly Flanders, or Winter	0	3	2	0
.....	New Zealand	0	6	—	—

Squash. See Pumpkin.

STRAWBERRY SEED.

		per pkt.—s.
.....	Strawberry, mixed	6d. & 1
.....	Strawberry, Alpine Red.....	6d. & 1
.....	Strawberry, "Saint Joseph".....	1

TOMATO.

Those marked * succeed most seasons outdoors.

.....	Barr's Thick-fleshed	1	0	
.....	* " Early Ruby	1	0	
.....	" Long Keeper	1	0	
.....	" "Perfection"	6d. &	1	0
.....	Stirling Castle	1	0	
.....	Chiswick Peach	1s. 6d. &	2	6
.....	Invercargill Pink	2	6	
.....	" Scarlet	2	6	
.....	* Early Prolific	1	0	
.....	Golden Nugget	1	0	
.....	Golden Jubilee	1	6	

Quantity.	TOMATO	per pkt.—s. d.
.....	Neild's Seedling.....	0 6
.....	Winter Beauty.....	1 6
.....	Holmes' Supreme.....	1 6
.....	Up to-date.....	1 0
.....	Conference Tomato.....	6d. & 1 0
.....	* Large Red Italian.....	3d. & 0 6
.....	* Open Air.....	6d. & 1 0

Quantity.	TURNIP.	per pint, per oz.
.....	Barr's Flat Red.....	3 6..0 8
.....	„ Golden Nugget.....	— ..0 9
.....	Covent Garden Snowball.....	2 6..0 6
.....	Extra Early Munich Purple Top.....	2 6..0 6
.....	Chirk Castle Black Stone.....	2 0..0 6
.....	Early White Dutch.....	1 6..0 3
.....	„ „ Strap-Leaf.....	2 6..0 6
.....	Green Top Stone.....	1 6..0 3
.....	Jersey Navet.....	1 9..0 4
.....	Orange Jelly.....	2 6..0 6
.....	Red Top American Stone, or Mousetail.....	1 9..0 4
.....	Swedish.....	— ..0 3

Barr's Selections of Turnips.

.....	12 oz. in 6 best varieties, 3s. 6d.
.....	6 „ 6 „ „ 2s. 0d.

VEGETABLE MARROW.

	per pkt.—s.	d.
..... Improved Custard	6d. &	1 0
..... Bush or Cluster	6d. &	1 0
..... Long White	3d. &	0 6
..... Moore's Vegetable Cream.....	6d. &	1 0
..... Long Green Striped	6d. &	1 0
..... Pen-y-Byd		1 0

WITLOOF.

Quantity.	Witloof, per packet, 6d.; per oz., 1s. 6d.
-----------	--

SUNDRY CULINARY ROOTS and PLANTS, etc.

.....	Chinese Yam, per doz., 4s. 6d.
.....	Chives, tufts, per doz., 4s. 6d.
.....	Egyptian Tree Onions, bulbs, per lb., 3s. 6d.
.....	Garlic, per lb., 9d.; 7 lb. for 4s. 6d.
.....	Horse-radish, for planting, per doz., 2s. 6d.
.....	Shallots, per lb., 1s., 7 lb. for 5s. 6d.
.....	„ New Mammoth per lb., 1s. 6d.; 7 lb. for 8s. 6d.
.....	Underground or Potato Onions, per lb., 8d.; 7 lb. for 3s. 6d.

BARR'S PURE GRASS SEEDS.

.....	Barr's New Mixture of Dwarf Grasses for producing an Extra Fine Smooth Lawn, per lb., 2s.; per 10 lb., 19s. 6d.; per 20 lb., 38s.
.....	Barr's "Standard" Grass Seeds for Garden Lawns, Tennis Courts, etc., per lb., 1s. 6d.; per 10 lb., 14s.; per 20 lb., 28s.
.....	Barr's "Thames Embankment" Grass Seeds for Parks, Golf Links, Cricket Grounds, etc., per lb., 1s. 3d.; per 10 lb., 12s.; per 20 lb., 23s.
.....	Barr's Special Mixture of Grasses for sowing under Trees, per lb., 2s. 3d.; per 10 lb., 21s.
.....	Dutch Clover, Finest White, per lb. 1s. 6d.

Permanent Pasture Grasses and Clovers in Mixture—Specially Cleaned.

Quantity.	For laying down Heavy, Medium, or Light Soils to Permanent Pasture or Meadow, price per acre. 28s. to 36s.
.....	Watson's Weed Destroying Lawn Sand, per tin, 1s., 2s. 6d. and 5s. 6d.; 28 lb., 9s. 6d.; 56 lb., 18s.; 1 cwt., 34s.
.....	Phytobroma, Barr's New Plant Food, 2 lb. tin, 1s.; 7 lb., 2s. 6d.; 14 lb., 4s. 6d.; 28 lb., 7s. 6d.; 56 lb., 12s. 6d.; 1 cwt., 20s.

AGRICULTURAL SEEDS.

.....	Beet, Sugar (sow 12 lb. per acre), per lb., 1s. 3d. to 1s. 6d.
.....	Broom, per lb., 10d. to 1s.
.....	Cabbage (sow 2 lb. per acre), per lb., 3s. 6d. to 4s. 6d.
.....	Carrot (sow 8 lb. per acre), per lb., 2s. 6d. to 3s. 6d.
.....	Furze or Gorse, per lb., 1s. 3d. to 1s. 9d.
.....	Gourds, for Field culture, per lb., 3s. 6d.
.....	Kohl Rabi (sow 4 lb. per acre, or if trans- planted, 1 lb. per acre), per lb., 5s. to 6s.
.....	Lucerne (sow 20 lb. per acre), per lb., 1s. to 1s. 3d.
.....	Mangel, per lb., 1s. to 1s. 6d.
.....	Parsnip, per lb., 1s. 3d.
.....	Sainfoin (sow 56 lb. per acre), per lb., 1s. to 1s. 3d.
.....	Sunflower, per lb., 1s. 3d. to 1s. 6d.
.....	Swede (sow 4 lb. per acre), per lb., 1s. to 1s. 3d.
.....	Turnips (sow 4 lb. per acre), per lb., 7d. to 10d.

For List of GARDEN REQUISITES—mats,
labels, insecticides, fumigators, manures,
Garden Tools, etc., see page 101 of Catalogue.

BARR'S FLOWER SEED NOVELTIES AND SPECIALITIES for 1902.

Quantity.		per pkt.—s. d.
..... 30	<i>Abutilon vitifolium album</i>	1 0
..... 31	<i>Acæna cyanophylla</i>	1 0
..... 32	<i>Achillea sericea</i>	1 0
..... 33	<i>Adenophora Potanini</i>	1 6
..... 34	<i>Ajuga metallica crispa</i>	1 0
..... 35	<i>Alyssum gemonense sulphureum</i>	1 0
..... 36	„ <i>rostratum</i>	0 6
..... 37	<i>Alyxia buxifolia</i>	1 0
..... 33	<i>Amaryllis, Barr's Choice New Hybrids</i>	1s. & 1 6
..... 39	<i>Androsace carnea</i>	1 0
..... 40	„ <i>obtusifolia</i>	1 0
..... 41	<i>Anigosanthus Manglesii</i>	1 0
..... 42	<i>Antirrhinum, Barr's Giant-flower- ed, mixed</i>	6d. & 1 0
..... 43	„ <i>Black Prince</i>	6d. & 1 0
..... 44	„ <i>Black and White</i> ..	1 6
..... 45	„ <i>Asarina</i>	1 0
..... 46	<i>Aquilegia, Barr's Extra Selected Long-spurred, mixed</i>	2 6
..... 47	„ <i>Barr's Giant Blue and White</i>	2 6
..... 48	„ <i>Barr's Giant Rose and White</i>	2 6
..... 49	„ <i>Chrysanthus fl. pl.</i>	1 6
..... 50	„ „ <i>hybrida</i> ..	1 0
..... 51	„ <i>Helenae</i>	1 0
..... 52	<i>Arabis pumila</i>	1 0
..... 53	<i>Arnebia cornuta</i>	1 0
..... 54	<i>Arctotis grandis</i>	1 0
..... 55	„ <i>species from Namaqualand</i>	2 6
..... 56	<i>Aster sinensis</i>	6d. & 1 0
..... 57	„ <i>Chrysanthemum "Doris"</i> ..	1 0
..... 58	„ <i>Comet, "Empress Frederic"</i> ..	1 6
..... 59	„ <i>Comet, "King Humbert"</i> ..	1 0

Quantity.		per pkt.—s. d.
..... 60	Aster Daybreak	1 6
..... 61	„ Dwarf Comet, Perfection, Rose	1 0
..... „	„ „ „ „ White	1 0
..... „	„ „ „ „ white to rose ...	1 0
..... 62	„ „ Ostrich Feather, pure white	1 0
..... „	„ „ „ „ white to rose...	1 0
..... „	„ „ „ „ crimson carmine	1 0
..... 63	„ Dwarf Perfection, Rose Brillante	1 0
..... 64	„ Giant Comet “Charlotte”...	1 6
..... 65	„ Gloria	1 6
..... 66	„ Hohenzollern Rose	1 0
..... 67	„ Lady, “Phyllis”	1 0
..... 68	„ Late Queen	1 0
..... 69	„ New Tree, mixed	1 0
..... 70	„ New Yellow “Sunlight” ..	1 0
..... 71	„ Phoenix, “Little Maid”	1 0
..... 72	„ Triumph, mixed	1 0
..... 73	„ alpinus grandiflorus	1 6
..... 74	„ „ superbus	1 0
..... 75	„ Porteri	1 0
..... 76	Aubrietia, Dr. Mules	2 6
..... 77	„ Fire King	2 6
..... 78	„ Souvenir de W. Ingram	1 6
..... 79	Auricula, New Giant Yellow Sweet- scented	2 6
..... 80	Begonia marmorata, “Butterfly”	1 0
..... 81	„ New Large - flowered Fringed	1 0
..... 82	„ Perpetual - flowering Double	1 0
..... 83	„ Semperflorens magnifica	1 0
..... 84	Bigelovia graveolens.....	1 0

Quantity.		per pkt.—s. d.
..... 85	Bocconia japonica microcarpa ...	1 0
..... 86	Borecole "Albino"	2 6
..... 87	Buddleia japonica	1 0
..... 88	Camellia, large single white	1 6
..... 88½	„ old single red	1 0
..... 89	„ Sasanqua	1 6
..... 90	„ „ mixed varieties	2 6
..... 91	„ Thea	2 6
..... 92	Campanula Allioni	1 0
..... 93	„ elegans	1 0
..... 94	„ michauxioides	1 0
..... 95	„ patula	1 0
..... 96	„ persicifolia Moorhemii	1 0
..... 97	„ versicolor	1 0
..... 98	Canna, Tait's Choice Hybrids	1 6
..... 99	Capsicum nigrum	1 0
..... 100	Carduus, New Hybrid	1 0
..... 101	„ nutans hybridus	1 0
..... 102	„ Salteri	1 6
..... 103	Carnation, Douglas's Splendid New Hybrids	2 6
..... 104	„ Douglas's Tree Varieties	3 6
..... 105	„ Géant de Nice	2 6
..... 106	Carthamus tinctorius	0 6
..... 107	Cassia artemisioides	1 0
.....	„ eremophila	1 0
..... 108	Castilleja indivisa	1 6
..... 109	Celosia argentea linearis	1 0
..... 110	„ Thompsoni magnifica	2 6
..... 111	Centaurea americana alba ... 6d. &	1 0
..... 112	„ Prealta	1 0
..... 113	„ depressa "King of Blues"	1 0
..... 114	Cheiranthus Allioni	1 6
..... 115	Chamaelaucium meganopetalum	1 0
..... 116	Chrysanthemum, double mixed ...	3 6

ORDER FORM—BARR'S SEED GUIDE, 1902.

Quantity.	per pkt.—s. d.	Quantity.	per pkt.—s. d.	Quantity.	per pkt.—s. d.					
.....117	Chrysanthemum, single red.....	1 6	195	Jasione Jankæ.....	1 6	274	Primula stellata, Mrs. H. Cannell	2 6		
.....118	".....".....white.....	1 6	196	Kalanchoe flammea.....	2 6	275	".....".....Salmon Beauty	2 6		
.....119	".....".....yellow.....	1 6	197	Kennedy prostrata.....	1 0	276	Pyrethrum, Single Giant-flowered	1 0		
.....120	Chrysopsis villosa Rutteri.....	1 0	198	Lagerstromia indica.....	1 6	277	".....".....leucopiloides.....	1 6		
.....121	Cineraria cruenta hybrids.....	1 6	199	Lantana, Barr's New Dwarf	1 0	278	Ramondia pyrenaica.....	1 0		
.....122	maritima elegantissima.....	1 6	200	Lathyrus latifolius, New Hybrids	2 6	279	".....".....serbica Nathalie.....	2 6		
.....123	Clematis hybrids.....	3 6	201	mixed.....1s. 1s. 6d. &	0 6	280	Reseda alba.....6d. &	1 0		
.....124	Clianthus Dampieri German Flag	1 0	202	".....maritimus.....	1 6	281	".....".....glauca.....	1 0		
.....125	Cockscomb, "Fire King".....	1 0	203	".....splendens.....	1 6	282	Rheum palmatum rubrum.....	1 0		
.....126	Cosmos diversifolia.....	1 0	204	".....undulatus.....	1 6	283	Romneya Coulteri.....	1 0		
.....127	".....New Dwarf "Early Dawn".....	1 6	205	Linum campanulatum.....	1 6	284	Rubus sorbifolius.....	2 6		
.....128	".....New Giant "Rainbow".....	1 6	206	Lobelia erinus Colibri.....	1 0	285	Rudbeckia, Autumn Glory.....	1 0		
.....129	Convolvulus, "White Tassel".....	1 0	207	Lupinus arboreus, Snow Queen 6d. &	1 6	286	Saintpaulia ionantha.....	1 0		
.....130	Cyclamen, New Feathered White	2 6	208	polyphyllus, Somerset.....	0 6	287	Salvia splendens, Glory of Stutt-	1 6		
.....131	Papilio.....	2 6	209	".....Lychnis Haageana grandiflora.....	1 0	288	".....".....Rose Beauty.....	1 6		
.....132	Dahlia, Double, "Gloria".....	1 0	210	".....Marigold, Silver King.....	1 6	289	".....".....Silverspot.....	1 6		
.....133	".....Double Cactus, Tait's	2 6	211	".....Michauxia Tchiathewii.....	1 0	290	".....".....Triumph.....	1 0		
.....134	".....Hybrids.....1s. 6d. &	2 6	212	".....Mignonette, Bismarck.....6d. &	1 0	291	".....".....verbascifolia.....	1 0		
.....135	".....Miniature Single.....	1 0	213	".....Goliath.....	1 0	292	Saponaria ocymoides alba.....	1 6		
.....136	".....Single, Fire King.....	1 0	214	".....Nineteen Hundred.....	1 0	293	Scabiosa caucasica elegans alba	2 6		
.....137	".....Goldelse.....	1 0	215	".....Orange Queen.....	1 6	294	".....".....perfecta.....	1 0		
.....138	Datura, Huberiana "Purity".....	1 0	216	Mimosa Spegazini glauca.....	0 6	295	".....".....".....Fairy".....6d. &	1 0		
.....139	Daviesia cordata.....	1 0	217	Molopospermum cicutarium.....	1 0	296	Schizanthus Wisetonensis.....	2 6		
.....140	Delphinium, Barr's Magnificent,	2 6	218	Morrenia brachystephana.....	1 0	297	Scolymus grandiflorus.....	1 0		
.....141	mixed.....1s. 6d. &	2 6	219	Myosotis stricta alba.....	1 0	298	Spiræa aruncus Kneiffii.....	1 6		
.....142	".....dictyocarpum.....	1 6	220	".....".....Fair Maiden.....	1 0	299	Stanleya pinnatifida.....	2 6		
.....143	".....".....True Blue".....	2 6	221	".....".....Royal Blue.....	1 0	300	Statice, Barr's New Hybrids, mixed	1 0		
.....144	Dianthus Gloriosa.....	1 0	222	Myosotidium nobile.....	1 0	301	".....Fortunei.....	0 6		
.....145	".....Heddewigii nanus.....	1 0	223	Musa religiosa.....	1 0	302	".....sinensis.....	1 6		
.....146	".....Knappii.....	1 0	224	Nasturtium, Tom Thumb Ardoise	1 0	303	Stock, Autumn Giant, white.....	1 6		
.....147	".....laciniatus double Aurora	1 0	225	".....".....6d. &	1 0	304	".....".....crimson.....	1 6		
.....148	".....zonalis.....	1 0	226	".....".....Yesuvius 6d. &	1 0	305	".....".....East Lothian Snowdrift	2 6		
.....149	".....Oriental Beauties.....	1 0	227	Pansy, Barr's Finest Scotch Exhi-	3 6	306	".....".....Empress Elizabeth.....	1 6		
.....150	".....Royal Pinks.....	1 0	228	".....".....bition Strain.....2s. 6d. &	1 0	307	Strelitzia Regina.....	1 0		
.....151	".....stellaris fl. pl.....6d. &	1 0	229	".....".....Empress Augusta Victoria	1 0	308	Streptosolen Jamesoni.....	1 6		
.....152	Diascia Barberæ.....	0 6	230	".....".....Fair Queen.....	1 6	309	Stylophorum diphyllum.....	2 6		
.....153	Dicentra chrysantha.....	2 6	231	".....".....Lemoine's Trimardeau.....	1 0	310	Swainsona Greyana coccinea.....	1 0		
.....154	Draba grandiflora.....	1 0	232	".....".....Psyche.....	1 6	311	".....".....violacea.....	1 6		
.....155	Duvernoia Adhatoides.....	2 6	233	".....".....Rainbow.....6d. &	1 0	312	".....".....campylantha.....	1 0		
.....156	Eremurus Bungei.....	2 6	234	".....".....Ruby King.....	1 0	313	".....".....Maculochiana.....	1 0		
.....157	".....Elwesianus.....	1 0	235	Papaver alpinum laciniatum.....	1 0	314	".....".....stipularis.....	1 0		
.....158	".....himalaicus.....	1 0	236	".....".....nudicaule, Munstead Ice-	1 6	315	Sweet Pea, Black Knight.....6d. &	1 0		
.....159	".....robustus.....	1 0	237	".....".....land.....1s. &	1 0	316	".....".....coccinea.....	1 0		
.....160	Erica, Hardy Hybrids.....	1 0	238	".....".....Striped.....	1 0	317	".....".....Countess of Cadogan	6d. &	1 0	
.....161	Erigeron aurantiacus hybridus.....	1 0	239	".....".....bracteatum, Brightness.....	1 0	318	".....".....Duke of Westminster	6d. &	1 0	
.....162	".....Coulteri.....	1 0	240	".....".....Monarch 6d. &	1 0	319	".....".....Earliest of All.....6d. &	1 0		
.....163	".....grandiflora elatior.....	1 0	241	".....".....orientale, Duke of Teck	1 0	320	".....".....Gorgeous.....6d. &	1 0		
.....164	Eryngium spinalba.....	1 0	242	".....".....Princess of Wales.....	1 0	321	".....".....Hon. F. Bouverie 6d. &	1 0		
.....165	Eschscholtzia crispa.....	1 0	243	".....".....Royal Prince 6d. &	1 0	322	".....".....Hon. Mrs. E. Kenyon	1 0		
.....166	".....Golden West.....	1 0	244	".....".....Salmon Perfection.....	1 0	323	".....".....Lady Grisell Hamilton	6d. &	1 0	
.....167	Euphorbia Caput Medusæ.....	1 0	245	".....".....Salmon Queen.....	1 0	324	".....".....Lady Mary Currie 6d. &	1 0		
.....168	Gaillardia grandiflora, Lisette.....	1 0	246	".....".....Tribly.....	1 0	325	".....".....Miss Willmott.....	1 0		
.....169	".....Margot.....	1 0	247	".....".....mixed New Giant Oriental	1 0	326	".....".....Mont Blanc.....	1 0		
.....170	".....selected.....	1 0	248	".....".....Poppies.....6d. &	1 0	327	".....".....Mrs. Dugdale.....6d. &	1 0		
.....171	Gazania, white-flowered species	1 0	249	".....".....Peas, Sweet. See Sweet Peas.	2 6	328	".....".....Navy Blue.....6d. &	1 0		
.....172	Gentiana Kochiana.....	1 0	250	Pentstemon, Barr's Florists' va-	2 6	329	".....".....Othello.....6d. &	1 0		
.....173	Geranium zonale, New "Ventura"	2 6	251	".....".....rieties.....	1 0	330	".....".....Pink Friar.....6d. &	1 0		
.....174	".....Hybrids.....	2 6	252	".....".....Red Prince.....	1 0	331	".....".....One packet each of	above 15 varieties 9s.	1 6	
.....175	Gerbera Jamesonii, young plants	2s. 6d. each	253	".....".....Petasostylis labicheoides	1 0	332	".....".....Beautiful Mixture 1s. &	1 6		
.....176	".....".....	1 0	254	".....".....Petunia, Barr's Superb Giant	3 6	333	".....".....Sweet William, Barr's Auricula-	flowered.....	1 6	
.....177	Gladiolus, Finest Hybrids.....	1 0	255	".....".....Eastern Queen.....	1 6	334	".....".....Tecoma velutina.....	1 0		
.....178	".....".....New Blue Hybrids.....	1 6	256	".....".....Miranda.....	1 6	335	".....".....Thrinax Morrisii.....	1 6		
.....179	Gloxinia, Coquette.....	1 0	257	".....".....Phlomis cashmeriana.....	2 6	336	".....".....Verbascum, White.....	2 6		
.....180	".....".....Othello.....	1 6	258	".....".....Phlox New Dwarf Bunch of Roses	1 0	337	".....".....Verbena, Lemoine's Strain.....	2 6		
.....181	Helenium nudiflorum.....	1 0	259	".....".....".....Surprise.....	1 0	338	".....".....New Dwarf Crimson Gem	0 6		
.....182	Helianthemum magnificum.....	1 0	260	".....".....".....Yellow Isabellina	1 0	339	".....".....Vicia fulgens.....	1 0		
.....183	Helianthus cucumerifolius albus	1 6	261	".....".....Barr's Perennial.....	2 6	340	".....".....Viola, 20 Bedding Varieties, 1 pkt.	of each.....3s. 6d.	1 0	
.....184	".....".....fl. pl.....	0 6	262	".....".....Phormium tenax.....	1 0	341	".....".....".....cornuta, Papilio.....	1 0		
.....185	".....".....double.....	0 6	263	".....".....Physianthus albens.....	0 6	342	".....".....New Sweet-scented Minia-	ture Varieties, Mixed.....	1 0	
.....186	".....".....grandiflorus.....	0 6	264	".....".....Pink Afghan Prince.....	1 6	343	".....".....Yitis Coignetia.....	1 0		
.....187	".....".....Mars.....	1 0	265	".....".....Platycodon Mariessii macranthum	1 0	344	".....".....Wahlenbergia dalmatica.....	1 0		
.....188	".....".....Meteor.....	1 0	266	".....".....Polemonium confertum melitum	2 6	345	".....".....Wallflower, Single, Dusky Queen	6d. &	1 0	
.....189	".....".....Perkeo.....	1 0	267	".....".....Polyanthus, Blue Beauty.....	1 6	346	".....".....".....Goliath.....	1 0		
.....190	Heliopsis Soleil d'Or.....	1 6	268	".....".....New Giant Yellow.....	0 6	347	".....".....".....Phoenix.....	1 0		
.....191	".....".....Heraclum purpureum.....	1 6	269	".....".....Poppy, Empress of China.....	1 0	348	".....".....".....New Dwarf	Varieties.....	1 0	
.....192	".....".....Heuchera rosea hybrida.....	1 6	270	".....".....Maid of the Mist.....	1 0	349	".....".....".....Watsonia iridifolia Ardernei	1 0		
.....193	".....".....Zabeliana.....	1 6	271	".....".....Miss Sherwood.....6d. &	1 0	350	".....".....".....Wistaria multijuga.....	1 0		
.....194	".....".....Hollyhock, Double, Barr's Grand	2 6	272	".....".....Shirley, Long Ditton Strain	1 0					
.....195	".....".....Prize Strain 1s. 6d. &	2 6	273	".....".....Primrose, G. F. Wilson's Blue	2 6					
.....196	".....".....Barr's Single Hybrids.....	1 6		".....".....Inglescombe, Highly-	2 6					
.....197	".....".....New Mammoth Fringed	2 6		".....".....selected Strain.....	2 6					
.....198	".....".....Allegheny.....	2 6		".....".....Primula Arctotis hybrida.....	1 0					
.....199	".....".....Ipomœa hederacea japonica.....	1 6		".....".....obconica kermesina.....	1 0					
.....200	".....".....New Morning Glories from	2 6		".....".....stellata, Fairy Queen.....	2 6					
.....201	".....".....Japan.....1s. 1s. 6d. &	2 6		".....".....Miss Irene.....	2 6					
.....202	".....".....Iris Robinsoniana.....	1 6								
.....203	".....".....Isotoma axilaris.....	0 6								

ALPHABETICAL LIST Of The Best Flower Seeds.

Quantity.	per pkt.—s. d.	Quantity.	per pkt.—s. d.	Quantity.	per pkt.—s. d.	Quantity.	per pkt.—s. d.
380	0 6	458	0 3	529	1 6	529	1 6
381	0 6	459	0 3	530	1 0	530	1 0
382	1 0	460	0 6	531	1 0	531	1 0
383	1 0	461	1 0	532	1 6	532	1 6
384	0 6	462	0 6	533	1 0	533	1 0
385	1 6	463	0 6	534	1 0	534	1 0
386	0 6	464	0 6	535	2 6	535	2 6
387	0 6	465	0 6	536	1 0	536	1 0
388	0 6	466	0 6	537	1 0	537	1 0
389	1 0	467	0 6	538	1 0	538	1 0
390	0 6	468	0 6	539	1 0	539	1 0
390 ¹ / ₂	1 0	469	0 6	540	1 0	540	1 0
391	0 3	470	0 6	541	1 0	541	1 0
392	0 6	471	0 6	542	1 0	542	1 0
393	0 6	472	0 6	543	1 0	543	1 0
394	0 6	473	0 6	544	1 0	544	1 0
395	0 6	474	0 3	545	1 0	545	1 0
396	0 6	475	0 6	546	1 0	546	1 0
397	0 3	476	0 6	547	1 0	547	1 0
398	1 0	477	0 6	547 ¹ / ₂	2 6	547 ¹ / ₂	2 6
399	0 3	478	0 6	548	1 0	548	1 0
400	0 6	479	0 6	549	1 0	549	1 0
401	0 6	480	0 6	550	1 0	550	1 0
402	0 6	481	0 6	551	2 6	551	2 6
402 ¹ / ₂	0 6	482	0 6	552	1 0	552	1 0
403	0 6	483	0 6	553	2 6	553	2 6
404	0 6	484	0 6	554	1 0	554	1 0
405	0 6	484 ¹ / ₂	1 0	555	1 0	555	1 0
406	1 0	485	0 6	556	1 0	556	1 0
407	0 6	486	1 0	557	1 0	557	1 0
408	0 3	487	1 0	558	1 0	558	1 0
409	0 6	488	1 0	559	1 0	559	1 0
410	0 6	489	0 6	560	0 6	560	0 6
411	0 6	490	1 6	561	0 6	561	0 6
412	0 3	491	1 0	562	1 0	562	1 0
413	0 3	492	0 3	563	0 6	563	0 6
414	0 6	493	1 0	564	1 0	564	1 0
415	1 0	494	0 6	565	1 0	565	1 0
416	0 6	495	1 0	566	1 0	566	1 0
417	0 6	496	0 6	567	1 0	567	1 0
418	0 3	497	1 0	568	0 6	568	0 6
419	1 0	498	0 6	569	0 6	569	0 6
420	0 6	499	0 6	570	0 6	570	0 6
421	0 6	500	0 6	571	0 6	571	0 6
422	0 6	501	0 6	572	0 6	572	0 6
423	0 6	501 ¹ / ₂	0 6	573	0 3	573	0 3
424	0 6	502	1 0	574	0 6	574	0 6
425	0 3	503	0 6	575	0 6	575	0 6
426	0 6	504	1 0	576	0 6	576	0 6
427	0 6	505	0 6	577	1 0	577	1 0
428	1 0	506	0 6	578	1 0	578	1 0
429	0 3	507	0 6	579	3 6	579	3 6
430	0 6	508	0 6	580	1 6	580	1 6
431	0 3	509	0 6	581	1 6	581	1 6
432	0 6	510	0 6	582	1 0	582	1 0
433	0 6	510 ¹ / ₂	0 6	583	1 0	583	1 0
434	0 6	511	0 3	584	1 0	584	1 0
435	0 6	512	0 6	585	0 6	585	0 6
436	0 3	513	0 3	586	0 6	586	0 6
437	0 3	514	0 6	587	1 0	587	1 0
438	1 0	515	0 3	588	0 3	588	0 3
439	1 0	516	0 6	589	0 3	589	0 3
440	1 0	517	0 3	590	0 6	590	0 6
441	1 0	518	1 0	591	0 6	591	0 6
442	1 6	519	1 0				
443	0 6	520	1 0				
444	0 6	521	2 6				
445	0 6	522	2 6				
446	0 6	523	1 0				
449	1 0	524	1 0				
450	0 6	525	1 0				
451	0 6	526	1 0				
452	1 0	527	2 6				
453	0 6	528	2 6				
454	1 0						
455	0 6						
456	0 6						
457	0 3						

Quantity.		per pkt.—s. d.	Quantity.		per pkt.—s. d.	Quantity.		per pkt.—s. d.
592	Begonia, Barr's Prize Strain, Single Mixed, 1s. 6d., 2s. 6d. & Fine mixed Single, 6d. & 1s. 6d.	3 6	657	Campanula latifolia macrantha	0 3	726	Carnations and Picotees, Fine Mixture	6d. & 1 0
593	"	1 0	658	" " alba	0 6	727	Tree Carnations, 12 Splendid Varieties, 5 seeds each, 3s. 6d.	
594	" Barr's Prize, Double Mixed, 2s. 6d. & 3s. 6d.	3 6	659	" " pallida	0 6	728	Tree Carnations, "Riviera Market"	2 6
595	" Barr's Miniature Mixed	1 6	660	" Loreyi	0 3	730	Carnation Margaritæ	6d. & 1 0
596	" " Fiery Red	1 6	661	" " alba	0 3	731	" " New large-flowered	1 0
"	" " Pink	1 6	662	" macrostyla	6d. & 1 0	732	" " Primrose	1 6
"	" " White	1 6	663	" mirabilis	6d. & 1 0	733	" " White Perfection	1 0
597	" New Large-flowered Crested mixed	2 6	664	" persicifolia alba	3d. & 0 6	734	" Grenadin	0 6
598	" Semperflorens atro-purpurea	0 6	665	" " alba grandiflora	1 0	735	" " White	0 6
"	" " Vulcan	1 0	666	" " cærulea	0 3	736	Caryopteris mastacanthus	1 0
599	" " rosea	0 6	667	" " grandiflora	1 0	737	Catananche cærulea	0 3
600	" " gracilis rosea	0 6	668	" " pallida	0 6	738	" " bicolor	0 3
601	" " alba	1 0	669	" " mixed	6d. & 1 0	739	Catchfly, Lobel's Red	0 3
602	" " Erfordia	0 6	670	" pyramidalis	0 3	740	Cedronella cana	0 6
603	" " Queen of Bedders	1 0	671	" " alba	0 3	741	Celosia plumosa, Barr's choice mixed	6d. & 1 0
604	" " Rosy Gem	1 0	672	" pyramidalis compacta	0 6	742	" Thompsoni	0 6
605	" " alba compacta	1 0	673	" pulla	1 0	743	Centaurea americana	0 3
606	" " Rex Hybrids Mixed	1 6	674	" rapunculoides	0 6	744	" " babylonica	0 6
607	" " "	1 6	675	" rotundifolia	0 6	745	" " candidissima compacta	1 0
608	Berkheya radula	1 0	676	" turbinata	0 3	746	" " Cyanus, Emperor William	0 6
609	Beta, Dell's Crimson-leaved	0 6	677	" " alba	0 3	747	" " Cyanus, pure white	0 6
610	" " Brazilian, mixed	0 6	678	" Perennial mixed	0 6	748	" " rose	0 3
611	Bidens atro-sanguinea (Dahlia Zimapani)	3d. & 0 6	679	Candytuft Dunnettii	3d. & 0 6	749	" " sky blue	0 3
612	" " grandiflora (Cosmos luteus)	0 3	680	" " Lilac	3d. & 0 6	750	" " mixed	3d. & 0 6
613	Billardiera longifolia, blue-berried	1 0	681	" " Sweet-scented White	3d. & 0 6	751	" " Double mixed	0 6
614	" " red-berried	1 0	682	" " Mixed	3d. & 0 6	752	" " Victoria Blue	3d. & 0 6
615	" " white-berried	1 0	683	" " Barr's Giant White	6d. & 1 0	753	" " " mixed	0 3
616	Bocconia cordata	0 6	684	" " Little Prince	0 6	754	" " " cyanoides	0 3
617	Boykinia aconitifolia	1 0	685	" " Rose Queen	0 6	755	" " depressa	0 3
618	Brachycome iberidifolia	0 3	686	" " Blush Queen	0 6	756	" " gymnocarpa alba	0 3
619	" " mixed, 3d. & 0 6	0 6	687	" " New Rose	3d. & 0 6	757	" " macrocephala	0 3
620	Brodiaea laxa	0 6	688	" " New Hybrids mixed	0 6	758	" " montana	0 6
621	" " Murrayana	0 6	689	" " Dwarf Dark Crimson	0 6	759	" " ruthenica	1 0
622	Browallia elata alba	0 3	690	" " Tom Thumb White	0 3	760	Celsia cretica	1 0
623	" " cærulea grandiflora	0 3	691	Canna, Crozy's 32 Fine New Kinds, in mixture	2 6	761	Centranthus (Valerian) albus	0 3
624	" " speciosa major	0 6	692	" " Choice Mixture	6d. & 1 0	762	" " ruber	0 3
625	" " choice mixed	3d. & 0 6	693	" " Madame Crozy	0 6	763	Cerastium alpinum villosum	1 0
626	Bupththalmum salicifolium	0 3	694	" " variegata	1 0	764	" " glaciale	1 0
627	" " speciosum	0 6	695	Cannabis gigantea	0 6	765	" " pennsylvanicum	0 3
628	Cacalia coccinea	0 3	696	Canterbury Bells, Barr's Extra Choice, mixed	0 6	766	" " tomentosum	0 6
629	Cactus, Cereus, Echinocactus, Mammillaria, Echinocereus, Echinopsis, and Opuntia mxd.	1 0	697	" " Double Purple	3d. & 0 6	767	Chamæpeuce Casabonæ	0 6
630	Calandrinia grandiflora	0 3	698	" " " White	3d. & 0 6	768	" " diacantha	0 6
631	" " speciosa	0 3	699	" " " Rose to Blush	6d. & 1 0	769	Cheiranthus alpinus	0 6
632	" " alba	0 3	700	" " " Mixed	3d. & 0 6	770	Chelidonium majus, fl. pl.	0 6
633	" " umbellata	0 6	701	" " " Single Blue	0 3	771	Chionodoxa gigantea	0 6
634	Calceolaria, Barr's Magnificent First Prize Strain	2s. 6d. & 3 6	702	" " " White	0 3	772	Chorizema ilicifolium	1 0
635	" " First Mixture	1 0	703	" " " Rose - pink shades	0 3	773	" " varium	1 0
636	" " Barr's Dwarf Compact Prize Strain	2 6	704	" " " Mixed	0 3	774	Chrysanthemum, Chinese and Japanese mixed	6d. & 1 0
637	Calendula eriocarpa	0 3	705	" " " Calycanthema, blue	0 3	775	" " leucanthemum grandifl.	0 3
638	" " pluvialis	0 3	706	" " " white	0 3	776	" " maximum	0 6
639	" " officinalis, Favourite	3d. & 0 6	707	" " " rose to blush	0 6	777	" " uliginosum	0 6
640	" " Meteor	3d. & 0 6	708	" " " mixed 3d. & 0 6	0 6	778	" " frutescens	0 6
641	" " Orange King	3d. & 0 6	709	" " " Capsicum, Cardinal	0 6	779	" " coronarium, double white	0 3
642	" " " superba	3d. & 0 6	710	" " " Cayenne	0 6	780	" " " primrose	0 3
642½	" " " Trianon	0 6	711	" " " Cherry-red	0 6	781	" " " rich yellow	0 3
643	" " " Yellow	0 6	712	" " " Chili	0 6	782	" " " segetum grandifl.	3d. & 0 6
"	" " " Queen	3d. & 0 6	713	" " " Elephant's Trunk	0 6	782½	" " " Morning Star	1 0
644	" " " mixed	3d. & 0 6	714	" " " Golden Dawn	0 6	783	" " " Sibthorpii	0 3
645	Callirhoe pedata nana	0 3	715	" " " Kaleidoscope	0 6	784	" " " carinatum album	0 3
646	" " involucrata	0 6	716	" " " King Menelik	0 6	785	" " " atro-coccineum	0 3
647	Campanula attica	0 3	717	" " " Mammoth Red	0 6	786	" " " aureum	0 3
648	" " alba	0 3	718	" " " Monstrous Golden Queen	0 6	787	" " " Burridgeanum Improved	0 3
649	" " alliariaefolia	0 6	719	" " " One Packet each of the above 10 beautiful Capsicums, 4s. 6d.	0 6	788	" " " The Shah	0 6
650	" " carpathica	0 3	720	" " " " "	0 6	789	" " " W. E. Gladstone	0 3
651	" " alba	0 3	721	" " " " "	0 6	790	" " " Double Snow-white	0 3
652	" " grandiflora	0 6	722	" " " " "	0 6	791	" " " Double Golden-Yellow	0 3
653	" " cenisia	1 0	723	" " " Carnations and Picotees—Border Carnations, 5 seeds each of 20 splendid varieties	4s. 6d.	792	" " " Double Hybrids, mixed	3d. & 0 6
654	" " fragilis	0 6	724	" " " " " "	3s. 6d.	793	" " " New Double Fringed	0 6
655	" " garganica	0 6	725	" " " " " "	2 6	794	" " " Choice Mixture of Colours	3d. & 0 6
656	" " lactiflora	0 3				795	Chrysobactron Hookeri	1 0

Quantity.		per pkt.—s. d.	Quantity.		per pkt.—s. d.	Quantity.		per pkt.—s. d.
796	<i>Cimicifuga cordifolia</i>	1 0	874	<i>Coreopsis maritima</i>	3d. & 0 6	939	<i>Datura Wrightii</i>	0 6
796½	" <i>dahurica</i>	1 0	875	" <i>trichosperma</i>	0 6	940	<i>Delphinium, Barr's Beautiful</i>	
797	<i>Cineraria, Splendid mixture of</i>		876	" <i>grandiflora</i>	6d. & 1 0		<i>Hybrids</i> ..1s. 6d. &	2 6
	13 colours ..2s. 6d. &	3 6	877	" <i>lanceolata</i>	0 3	941	" <i>Fine mixed</i>	3d. & 0 6
798	" <i>Mixed self-blue and</i>		878	" <i>verticillata</i>	0 6	942	" <i>Brunonianum</i>	1 0
	<i>violet shades</i>	2 6	879	" <i>Mixed Perennial vars.</i>	0 6	943	" <i>cardinale</i>	1 0
799	" <i>Snow Queen</i>	2 6	880	<i>Coronilla elegans</i>	0 6	944	" <i>cashmirianum</i>	0 6
800	" <i>French Large-flowered</i>	2 6	881	" <i>varia</i>	0 3	945	" <i>caucasicum</i>	0 6
801	" <i>Dwarf</i>	2 6	882	<i>Corydalis aurea</i>	0 6	946	" <i>elatum celestinum</i>	0 3
802	" <i>Fine mixed</i>	1 0	883	" <i>glauca</i>	1 0	947	" <i>formosum</i>	0 6
803	" <i>Double, Finest Selected</i>	2 6	884	" <i>nobilis</i>	0 6	948	" <i>celestinum</i>	0 6
804	" <i>maritima</i>	3d. & 0 6	885	<i>Cosmos, Early-flowering Varie-</i>		949	" <i>grandiflorum</i>	0 6
805	" <i>acanthifolia</i>	0 3		<i>ties, mixed</i>	3d. & 0 6	950	" <i>pumilum</i>	0 6
806	" <i>Snowdrift</i>	1 0	886	" <i>Large-flowered, crimson</i>	0 6	951	" <i>album</i>	0 6
807	<i>Cistus, 12 Beautiful Species,</i>		887	" <i>rose</i>	0 6	952	" <i>nudicaule</i>	0 6
	1 packet of each ..2s. 6d.		888	" <i>white</i> ..3d. &	0 6	953	" <i>Przewalskianum</i>	1 0
808	" <i>albus</i>	0 6	889	" <i>mixed</i> ..3d. &	0 6	954	" <i>speciosum var. gla-</i>	
809	" <i>ladaniferus</i>	1 0	890	" <i>Golden Queen</i>	1 6		<i>bratum</i>	0 6
810	" <i>laurifolius</i>	1 0	890½	" <i>sulphureus</i>	0 6	955	" <i>vestitum</i>	1 0
811	" <i>purpureus</i>	0 6	891	<i>Cotyledon Peacockii</i>	1 0	956	" <i>Zalil</i>	0 6
812	" <i>Salvifolius corbariensis</i>	0 6	892	<i>Cowslip, New Giant, mixed</i>	2 6	957	<i>Desmodium canadense</i>	0 6
813	" <i>villosus</i>	0 6	893	" <i>scarlet</i>	2 6	958	<i>Dianthus sinensis imperialis,</i>	
814	" <i>Mixed</i>	0 6	894	" <i>fine mixed</i>	0 6		<i>mixed 3d. &</i>	0 6
815	<i>Clarkia elegans, Purple King</i>	0 3	895	" <i>Common Yellow</i>	0 3	959	" <i>multiflorus</i>	0 6
816	" <i>Salmon Queen</i> ..3d. &	0 6	896	<i>Crocus, Mixed Species</i>	6d. & 1 0	960	" <i>Heddwigii, Barr's extra</i>	
817	" <i>White Queen</i>	3d. & 0 6	897	<i>Crucianella stylosa</i>	0 3		<i>choice mixed 6d. &</i>	1 0
818	" <i>Mixed from above 3d. &</i>	0 6	898	" <i>" Brilliant "</i>	0 6	961	" <i>Crimson Belle</i>	0 6
819	" <i>Tom Thumb Rose</i>	0 3	899	<i>Cyclamen persicum, splendid</i>		962	" <i>Eastern Queen</i>	0 6
820	" <i>integripetala, double dark</i>			<i>mixture, 2s. 6d. &</i>	3 6	963	" <i>Empress</i>	0 6
	<i>carmine</i>	0 3	900	" <i>Dark Blood-red</i>		964	" <i>Double, mixed 6d. &</i>	1 0
821	" <i>double white</i>	0 3		<i>shaded maroon</i>		965	" <i>Dark Velvety</i>	
822	" <i>Mrs. Langtry</i>	0 3		<i>1s. 6d. &</i>	2 6		<i>Maroon-brown</i>	0 6
823	" <i>mixed</i>	3d. & 0 6	901	" <i>Giant Snow-</i>		966	" <i>Mourning Cloak</i>	1 0
824	" <i>Tom Thumb mxd.</i>			<i>white 1s. 6d. &</i>	2 6	967	" <i>laciniatus, choice</i>	
	<i>3d. &</i>	0 6	902	" <i>Glowing crim-</i>			<i>mixed</i>	0 6
825	<i>Clematis alpina</i>	0 6		<i>son</i> ..1s. 6d. &	2 6	968	" <i>Salmon Queen,</i>	
826	" <i>Davidiana</i>	1 0	903	" <i>Soft bright rose</i>			<i>6d. &</i>	1 0
827	" <i>erecta</i>	0 6		<i>1s. 6d. &</i>	2 6	969	" <i>New Dwarf</i>	
828	" <i>Mandschurica</i>	1 0	904	" <i>Blush-white</i>			<i>Hybrids, mxd.</i>	0 6
829	<i>Clianthus Dampieri</i>	1s. & 2 6		<i>with Ruby-</i>		970	" <i>stellaris</i>	0 6
830	" <i>puniceus</i>	0 6		<i>violet eye</i>		971	" <i>alpinus</i>	0 6
831	" <i>magnificus</i>	1 0		<i>1s. 6d. &</i>	2 6	972	" <i>annulatus</i>	0 6
832	<i>Cnicus conspicuus</i>	0 6	905	" <i>Princess May</i>		973	" <i>arenarius</i>	0 6
833	" <i>eriphorus</i>	0 6		<i>1s. 6d. &</i>	2 6	974	" <i>cæsius</i>	0 6
834	<i>Cockscomb, Barr's Exhibition</i>		906	" <i>Princess of</i>		975	" <i>corsicus</i>	0 6
	<i>Dwarf</i>	6d. & 1 0		<i>Wales 1s. 6d. &</i>	2 6	976	" <i>cruentus</i>	0 6
835	" <i>Vesuvius</i>	1 0	907	" <i>Fine Mixture</i> ..	1 0	977	" <i>deltoides, mixed</i>	0 6
836	<i>Codonopsis ovata</i>	0 6	908	" <i>giganteum mixed</i>		978	" <i>roseus</i>	0 6
837	" <i>viridiflora</i>	1 6		<i>1s. 6d. &</i>	2 6	979	" <i>albus</i>	0 6
838	<i>Coleus, Barr's Exhibition 1s 6d. &</i>	2 6	909	" <i>africanum</i>	1 0	980	" <i>dentosus (Amoor Pink)</i>	0 6
839	" <i>Barr's Smooth-leaved</i> ..	1 0	910	" <i>coul lilacinum</i>	1 6	981	" <i>integer</i>	1 0
840	" <i>Barr's Oak-leaved</i>	1 6	911	" <i>europæum</i>	1 0	982	" <i>petraeus</i>	0 6
841	" <i>New large-fringed</i>	1 6	912	" <i>ibericum Atkinsi</i> ..	1 0	983	" <i>suavis</i>	1 0
842	<i>Collinsia bicolor</i>	0 3	913	" <i>rubrum</i>	1 6	984	" <i>superbus Telekii</i>	0 6
843	" <i>alba</i>	0 3	914	" <i>libanoticum</i>	2 6	985	" <i>sylvestris</i>	1 0
844	" <i>mixed</i>	3d. & 0 6	915	" <i>neapolitanum</i>	0 6	986	" <i>zonatus</i>	0 6
845	" <i>tinctoria purpurea</i>	0 3	916	" <i>repandum</i>	1 0	987	" <i>Mixed Rock or Alpine</i>	
846	<i>Colutea arborescens</i>	0 6	917	" <i>mixed species, 1s. &</i>	2 6		<i>Pinks</i>	3d. & 0 6
847	" <i>purpurea</i>	0 6	917½	<i>Cydonia japonica</i>	0 6	988	<i>Dictamnus Fraxinella</i>	0 3
848	<i>Convolvulus althæoides</i> ..	0 6	918	" <i>cardinalis</i>	0 6	989	" <i>alba</i>	0 3
849	" <i>altissimus</i>	0 6	918½	" <i>rubra grandifl.</i>	0 6	990	" <i>mixed</i>	0 3
850	" <i>aureus superbus</i>	0 6	919	<i>Cytisus, albus</i>	0 6	991	<i>Digitalis gloxiniflora, choice</i>	
851	" <i>mauritanicus</i>	0 6	919½	" <i>biflorus</i>	0 6		<i>mixed</i>	0 6
852	" <i>Soldanella</i>	1 0	920	" <i>capitatus</i>	0 6	992	" <i>alba, 3d. &</i>	0 6
853	" <i>tricolor</i>	0 3	921	" <i>proliferus</i>	0 6	993	" <i>purpurea</i>	0 3
854	" <i>albus</i>	0 3	922	" <i>scoparius pendulus</i>	0 6	994	" <i>fine mixed</i>	0 3
855	" <i>kermesinus</i>	0 3	923	" <i>sessilifolius</i>	0 6	995	" <i>grandiflora lutea, 3d. &</i>	0 6
856	" <i>monstrosus</i>	0 3	924	" <i>supinus</i>	0 6	996	" <i>lanata</i>	0 3
857	" <i>roseus</i>	0 6	925	" <i>Mixed species</i>	0 6	997	<i>Draba alpina</i>	0 6
	<i>superbus</i>	0 6	926	<i>Cynoglossum Wallichii</i>	0 6	998	" <i>Adamsii</i>	1 0
858	" <i>striatus</i>	0 3	927	<i>Daisy, Double Large-flowered,</i>		999	" <i>aizoides</i>	1 0
859	" <i>mixed 3d. &</i>	0 6		<i>choice mixed</i>	6d. & 1 0	1000	" <i>borealis</i>	1 0
860	<i>Coreopsis bicolor grandiflora</i>	0 3	928	" <i>Double Dainty Maid</i> ..	1 0	1001	<i>Dracæna and Cordyline, choice</i>	
861	" <i>atro-sanguinea</i>	0 3	929	" <i>Snowball</i>	0 6		<i>varieties, mixed</i>	1s. & 2 6
862	" <i>Double mixed</i>	0 3	930	<i>Dahlia, Single Finest Mixed 1s. &</i>	1 6	1002	<i>Dracocephalum Ruyschianum</i>	
863	" <i>nana</i>	0 3	931	" <i>Double, Large-flowered,</i>			<i>superbum</i>	0 6
864	" <i>nigra nana</i>	0 3		<i>mixed</i>	1s. & 1 6	1003	<i>Dryas octopetala</i>	0 6
865	" <i>Tom Thumb Crimson King</i>	0 6	932	" <i>Cactus, Finest</i>		1004	<i>Echinops Ritro</i>	0 3
866	" <i>Burridgii</i>	0 3		<i>mixed</i>	1s. & 1 6	1005	" <i>sphærocephalus</i>	0 6
867	" <i>coronata maxima</i>	0 3	933	" <i>Single Cactus, Finest</i>		1005½	" <i>mixed species</i>	3d. & 0 6
868	" <i>Drummondii</i>	0 3		<i>mixed</i>	6d. & 1 0	1006	<i>Epilobium Dodonæi</i>	1 0
869	" <i>Engelmanni</i>	0 3	934	<i>Datura ceratocaula</i>	0 3	1007	" <i>Fleischeri</i>	0 6
870	" <i>Stillmanni</i>	0 6	935	" <i>chlorantha fl. pl.</i>	0 6	1008	<i>Erigeron aurantiacus</i>	0 6
871	" <i>Tall vars. mixed 3d. &</i>	0 6	936	" <i>cornucopiæ</i>	0 6	1009	" <i>mucronatus</i>	1 0
872	" <i>Dwarf vars. mixed 3d. &</i>	0 6	937	" <i>Golden Queen</i>	0 6	1010	" <i>New Rose Hybrid</i>	0 6
873	" <i>gigantea</i>	0 6	938	" <i>Huberiana Double mixed</i>	0 6	1011	<i>Erinus alpinus</i>	0 6

Quantity.		per pkt.—s. d.	Quantity.		per pkt.—s. d.	Quantity.		per pkt.—s. d.
.....1012	<i>Erinus alpinus albus</i>	0 6	1094	<i>Gentiana Andrewii</i>	0 6	1174	<i>Grasses, Hordeum jubatum</i>	0 3
.....1013	" <i>carmineus</i>	1 0	1095	" <i>bavarica</i>	1 0	1175	" <i>Lagurus ovatus</i>	0 3
.....1014	" <i>hispanicus</i>	0 6	1096	" <i>Bigelovii</i>	0 6	1176	" <i>Melica altissima atropur-</i>	
.....1015	<i>Erodium Manescavi</i>	0 6	1097	" <i>cruciata</i>	0 6		<i>purea</i>	0 3
.....1016	" <i>macradenum</i>	1 0	1098	" <i>lutea</i>	0 6	1177	" " <i>ciliata</i>	0 3
.....1017	<i>Eryngium agavefolium</i>	0 6	1099	" <i>Pneumonanthe</i>	1 0	1178	" " <i>papilionacea</i>	0 3
.....1018	" <i>alpinum</i>	1 0	1100	" <i>septemfida</i>	1 0	1179	" <i>Panicum capillare</i>	0 3
.....1019	" <i>Bourgati</i>	1 0	1101	" <i>syphonanthe</i>	1 6	1180	" " <i>palmitifolium</i>	0 6
.....1020	" <i>bromeliæfolium</i>	0 6	1102	" <i>tibetica</i>	0 6	1181	" " <i>virgatum</i>	0 6
.....1021	" <i>eburneum</i>	0 6	1103	" <i>verna</i>	1 0	1182	" <i>Paspalum elegans</i>	0 3
.....1022	" <i>giganteum</i>	0 6	1104	" <i>Walujewi</i>	1 0	1183	" <i>Pennisetum longistylum</i>	0 3
.....1023	" <i>maritimum</i>	1 0	1105	" <i>mixed species and vars.</i>	0 6	1184	" " <i>violaceum</i>	0 3
.....1024	" <i>planum</i>	0 3	1106	<i>Geranium zonale, choicest vars.,</i>		1185	" " <i>Rueppellii</i>	0 6
.....1025	" <i>mixed varieties</i>	0 6		<i>in mixture, ls. & d.</i>	2 6	1186	" <i>Piptatherum Thomasi</i>	0 3
.....1026	<i>Erysimum arkansanum</i>	0 3	1107	" " <i>splendid mixed</i>	0 6	1187	" <i>Setaria alopecuroides</i>	0 3
.....1027	" <i>nanum Golden Gem</i>	1 0	1108	" " <i>ornamental - lvd.</i>	1 6	1188	" <i>Stipa pennata</i>	0 3
.....1028	" <i>ochroleucum helveti</i>	0 6	1109	" " <i>Ivy-leaved varieties</i>	1 6	1189	" <i>Tricholana rosea</i>	0 3
.....1029	" <i>Perofskianum</i>	0 6	1110	" <i>grandifolium</i>	1 6	1190	" <i>Uniola latifolia</i>	0 6
.....1030	" <i>pulchellum</i>	0 3	1111	" <i>gymnocaulon</i>	1 0	1191	" <i>Arundo conspicua</i>	0 6
.....1031	<i>Erythrina crista-galli</i>	1 0	1112	" <i>macrorhizon</i>	0 6	1192	" <i>Cyperus alternifolius</i>	0 6
.....1032	<i>Eschscholtzia californica</i>	0 6	1113	" <i>pratense</i>	0 6	1193	" <i>Erianthus Ravennæ</i>	0 6
.....1033	" <i>crocea aurantiaca</i>	0 6	1114	" <i>sanguineum</i>	0 6	1194	" <i>Eulalia japonica zebrina</i>	0 6
.....1034	" " <i>alba</i>	0 3	1115	<i>Gesnera, Choice Hybrids</i>	2 6	1195	" <i>Gynierium argenteum</i>	0 6
.....1035	" " <i>rosea</i>	0 3	1116	<i>Geum chilense grandiflorum</i>	0 6	1196	" " <i>aureo-</i>	
.....1036	" " <i>Mandarin</i>	0 6	1117	" " <i>plenum, selected</i>	0 6		<i>variegatum</i>	0 6
.....1037	" " <i>Rose Cardinal</i>	0 6	1118	" " <i>Heldreichii</i>	0 6	1197	<i>Grevillea robusta</i>	1 0
.....1038	" " <i>Rose Queen</i>	0 6	1119	" " <i>montanum</i>	0 6	1198	<i>Gypsophila elegans</i>	0 3
.....1039	" " <i>mixed, from above</i>	0 6	1120	" " <i>pyrenaicum</i>	0 6	1199	" " <i>alba improved</i>	0 3
.....1040	" <i>cæspitosa</i>	0 6	1121	<i>Gilia nivalis, Snow Queen</i>	0 6	1200	" " <i>rosea</i>	0 3
.....1041	" <i>Douglasii</i>	0 6	1122	" " <i>tricolor</i>	0 3	1201	" " <i>muralis</i>	0 3
.....1042	" <i>maritima</i>	0 6	1123	" " <i>alba</i>	0 3	1202	" " <i>paniculata</i>	0 6
.....1043	" <i>tenuifolia</i>	0 3	1124	" " <i>mixed colours</i>	0 3	1203	" " <i>compacta</i>	0 6
.....1044	<i>Eucalyptus amygdalina</i>	0 6	1125	<i>Gillenia stipulacea</i>	0 6	1204	" " <i>Saxifraga</i>	0 3
.....1045	" <i>botryoides</i>	0 6	1126	" " <i>trifoliata</i>	0 6	1205	" " <i>Stevenii</i>	0 6
.....1046	" <i>calophylla</i>	0 6	1127	<i>Gladolus, New French Hybrids</i>	1 0	1206	<i>Hawkweed, Bright Rose</i>	0 3
.....1047	" <i>citriodora</i>	1 0	1128	<i>Glaucium corniculatum</i>	0 6	1207	" " <i>Pure White</i>	0 3
.....1048	" <i>coccifera</i>	1 0	1129	" " <i>luteum</i>	0 3	1208	" " <i>Light Yellow</i>	0 3
.....1049	" <i>colossea</i>	1 0	1130	" " <i>mixed</i>	0 6	1209	<i>Hedysarum, Crimson</i>	0 3
.....1050	" <i>cordata</i>	1 0	1131	<i>Globe Amaranth, choice mixed</i>	0 3	1210	" " <i>White</i>	0 3
.....1051	" <i>cornuta</i>	0 6	1132	<i>Globularia trichosantha</i>	0 6	1211	" " <i>Mixed</i>	0 3
.....1052	" <i>ficifolia</i>	1 6	1133	<i>Gloxinia, Barr's Superb Mixture,</i>		1212	<i>Helenium autumnale superbum</i>	1 0
.....1053	" <i>globulus</i>	0 6		<i>ls. 6d., 2s. 6d., & d.</i>	3 6	1213	" <i>Bolanderi</i>	0 6
.....1054	" <i>Gunnii</i>	0 6	1134	" " <i>Princess Maud</i>	1 6	1214	" " <i>Hoopseii</i>	0 6
.....1055	" <i>redunca</i>	1 0	1135	" " <i>Scarlet Queen</i>	1 6	1215	" " <i>Mixed</i>	0 6
.....1056	" <i>rostrata</i>	0 6	1136	<i>Godetia Bridesmaid</i>	0 6	1216	<i>Helianthemum croceum</i>	1 0
.....1057	" <i>mixed</i>	1 0	1137	" " <i>Crimson Beauty</i>	1 0	1217	" " <i>Golden Queen</i>	0 6
.....1058	<i>Eucharidium Brewerii</i>	0 6	1138	" " <i>Crimson Gem</i>	0 6	1218	" " <i>Pink Beauty</i>	1 0
.....1059	" <i>grandiflorum, mxd.</i>	0 3	1139	" " <i>Duchess of Albany</i>	0 6	1219	" " <i>roseum</i>	0 6
.....1060	<i>Eupatorium ageratoides</i>	0 6	1140	" " <i>Duke of York</i>	0 6	1220	" " <i>rubrum</i>	0 6
.....1061	" <i>purpureum</i>	0 6	1141	" " <i>General Gordon</i>	0 6	1221	" " <i>Snowflake</i>	0 6
.....1062	<i>Eutoca viscida</i>	0 3	1142	" " <i>Marchioness of Salisbury</i>	0 6	1222	" " <i>Mixed</i>	0 6
.....1063	<i>Everlastings, Collection of 12</i>		1143	" " <i>Princess Henry</i>	0 6	1223	<i>Helianthus argophyllus</i>	0 6
	<i>packets, 3s. 6d.</i>		1144	" " <i>Rosamond</i>	1 0	1224	" " <i>californicus</i>	0 6
.....1064	" <i>Collection of 6</i>		1145	" " <i>roseo-alba</i>	0 3	1225	" " <i>cucumerifolius</i>	0 6
	<i>packets, 1s. 6d.</i>		1146	" " <i>White Gem</i>	0 6	1226	" " <i>Stella</i>	0 6
.....1065	<i>Ferns, Greenhouse species, mixed</i>	1 0	1147	" " <i>Whitneyi Brilliant com-</i>		1227	" " <i>globosus</i>	0 3
.....1066	" <i>Hardy species, mixed</i>	1 0		<i>pacta</i>	0 6	1228	" " <i>Golden Nigger</i>	0 6
.....1067	<i>Ferula tingitana</i>	0 6	1148	" " <i>Mixed</i>	0 6	1229	" " <i>Hungarian Giant</i>	0 3
.....1068	<i>Fragaria indica</i>	0 6	1149	" " <i>New Dwarf, mixed</i>	0 6	1230	" " <i>Munstead Primrose</i>	0 6
.....1069	<i>Francoa appendiculata</i>	0 6	1150	<i>Gourds, ornamental, Collection of</i>		1231	" " <i>Queen of South</i>	0 6
.....1070	" <i>ramosa</i>	0 6		<i>30 Varieties, 3s. 6d.</i>		1232	" " <i>uniflorus</i>	0 6
.....1071	<i>Fuchsia, Choice mixed vars., ls. & d.</i>	2 6	1151	" " <i>small and medium-</i>		1233	" " <i>mixed vars.</i>	0 6
.....1072	<i>Gaillardia grandiflora maxima</i>	0 6		<i>fruited, mxd 6d., 1s., & d.</i>	1 6	1234	" " <i>Mixed Perennial Sun-</i>	
.....1073	" " <i>choice mixed</i>		1152	" " <i>large-fruited</i>	1 0		<i>flowers</i>	1 0
	<i>hybrids 3d. & d.</i>	0 6	1153	<i>Grammanthes gentianoides</i>	0 6	1235	<i>Helichrysum, Golden King</i>	0 3
.....1074	" " <i>compacta</i>	0 6	1154	<i>Grasses, Flower Borders, 24 vars.,</i>		1236	" " <i>Silver Queen</i>	0 3
.....1075	" " <i>Lorenziana</i>	0 6		<i>5s. 6d.; 12 varieties, 3s.</i>		1237	" " <i>Large-flowered, Double,</i>	
.....1076	" " <i>golden</i>	0 6	1155	" " <i>Winter Bouquets, 24</i>		1238	<i>choice mixture</i>	0 6
.....1077	" " <i>Drummondii</i>	0 3		<i>vars., 5s. 6d.; 12 vars., 3s.</i>			" " <i>Dwarf Double Large-</i>	
.....1078	" " <i>coccinea</i>	0 3	1156	" " <i>Agrostis nebulosa</i>	0 6	1239	<i>flowered mixed, 3d. & d.</i>	0 6
.....1079	" " <i>amblyodon</i>	0 3	1157	" " <i>pulchella</i>	0 3	1240	" " <i>Fireball</i>	0 6
.....1080	" " <i>sanguinea</i>	0 6	1158	" " <i>Avena sterilis</i>	0 3	1241	<i>Heliopsis laevis</i>	0 6
.....1081	" " <i>mixed annual vars.</i>	0 6	1159	" " <i>Briza geniculata</i>	0 6	1242	" " <i>scabra</i>	0 6
.....1082	<i>Galega officinalis</i>	0 3	1160	" " <i>gracilis</i>	0 3		<i>Heliotropium, mixed, newest</i>	
.....1083	" " <i>compacta</i>	0 6	1161	" " <i>major</i>	0 3		<i>varieties</i>	1 0
.....1084	" " <i>alba</i>	0 3	1162	" " <i>Bromus brizæformis</i>	0 3	1243	<i>Helleborus orientalis, hybrids</i>	1 0
.....1085	<i>Galtonia candicans</i>	0 6	1163	" " <i>Chloris barbata</i>	0 3	1244	<i>Heracleum giganteum</i>	0 6
.....1086	<i>Gaura Lindheimeri</i>	0 3	1164	" " <i>Chloropsis Blanchardiana</i>	0 6	1245	" " <i>Matteazzianum</i>	0 6
.....1087	<i>Genista Andreana</i>	1 0	1165	" " <i>Chrysurus aureus</i>	0 3	1246	<i>Heuchera brizoides</i>	1 0
.....1088	" <i>grandiflora</i>	0 6	1166	" " <i>Coix lachrymæ</i>	0 3	1247	" " <i>erubescens</i>	0 6
.....1089	" <i>præcox</i>	1 0	1167	" " " <i>aurea zebrina</i>	0 3	1248	" " <i>sanguinea alba</i>	0 6
.....1090	" <i>sagittalis</i>	0 6	1168	" " <i>Eleusine oligostachya</i>	0 3	1249	" " " <i>splendens</i>	0 6
.....1091	<i>Gentiana acaulis</i>	0 6	1169	" " <i>Elymus Caput-Medusæ</i>	0 3	1250	<i>Hibiscus africanus major</i>	0 3
.....1092	" " <i>asclepiadea</i>	0 6	1170	" " <i>Eragrostis cylindriflora</i>	0 6	1251	" " <i>Golden Vase</i>	1 0
.....1093	" " <i>alba</i>	1 0	1171	" " " <i>elegans</i>	0 3	1252	<i>Hieracium aurantiacum</i>	0 3
			1172	" " <i>Festuca rigida</i>	0 3	1253	" " <i>villosum</i>	0 3

Quantity.		per pkt.—s. d.	Quantity.		per pkt.—s. d.	Quantity.		per pkt.—s. d.	
.....1254	Hollyhock, Barr's Double Vars., 12 distinct colours, 3s. 6d.		1325	Leptosiphon aureus.....3d. &	0 6	1404	Lupinus polyphyllus.....	0 3	
.....1255	" Barr's Double Vars., 6 distinct colours, 2s. 0d.		1326	" roseus.....3d. &	0 6	1405	" " albus.....	0 3	
.....1256	" Barr's Choice Double Varieties, mixed 1s. &	2 6	1327	" hybridus.....3d. &	0 6	1406	" " Foxii.....	0 3	
.....1257	" Barr's "Rosy Dawn" ...	1 0	1328	" androsaceus albus.....	0 3	1407	" " Purple King.....	0 6	
.....1258	" " White Queen.....	1 0	1329	" densiflorus.....	0 3	1408	" " New Hybrids.....	0 6	
.....1259	" " Black Prince.....	0 6	1330	" " albus.....	0 3	1409	" mixed perennial vars. 3d. &	0 6	
.....1260	" Fine mixed double 3d. &	0 6	1331	Leucadendron argenteum...6d. &	1 0	1410	Lychnis chalcidonica.....	0 3	
.....1261	" Single Beautiful Mixture all shades, 6d. &	1 0	1332	Liatris graminifolia dubia.....	1 0	1411	" " alba.....	0 3	
.....1262	" " 12 separate colours, 2s. 6d.		1333	" pycnostachya.....	0 6	1412	" coronaria atrosanguinea.....	0 3	
.....1263	" " 6 " " 1s. 6d.		1334	" scariosa.....	0 6	1413	" " alba.....	0 3	
.....1264	" " Primrose.....3d. &	0 6	1335	" spicata.....	0 6	1414	" " mixed.....	0 3	
.....1265	Humea elegans.....6d. &	1 0	1336	Limnanthes Douglasii grandiflora.....3d. &	0 6	1415	" Flos Jovis.....	0 3	
.....1266	" " alba.....	1 0	1337	" Douglasii alba.....	0 3	1416	" hybrida.....	1 0	
.....1267	" " purpurea.....	1 0	1338	Linaria bipartita alba.....	0 3	1417	" Haageana.....	0 6	
.....1268	Hunnemannia fumarifolia.....	0 6	1339	" " Queen of Roses.....	0 6	1418	" " mixed.....	0 6	
.....1269	Hutchinsia alpina.....	0 6	1340	" " splendida.....	0 3	1419	" " dwarf mixed.....	0 6	
.....1270	Hymenoxys californica.....3d. &	0 6	1341	" reticulata aurea.....	0 6	1420	" fulgens.....	0 6	
.....1271	Hypericum calycinum.....	0 3	1342	" mixed varieties.....3d. &	0 6	1421	" alpina.....	0 6	
.....1272	" " coris.....	1 0	1343	" triornithophora.....	0 6	1422	" Lagascae.....	1 0	
.....1273	Iberis correaefolia.....	0 6	1344	" " carnea.....	0 6	1423	" Preslii.....	0 3	
.....1274	" gibraltarica.....	0 6	1345	" tristis.....	0 3	1424	" viscaria.....	0 3	
.....1275	" Little Gem.....	0 6	1346	" alpina.....	0 6	1425	" " alba grandiflora.....	0 6	
.....1276	" Perfection.....	1 0	1347	" " rosea.....	1 0	1426	Lysimachea punctata.....	0 6	
.....1277	" sempervirens.....	0 3	1348	" cymbalaria.....	0 3	1427	Lythrum alatum.....	0 3	
.....1278	" " Garrexiana.....	1 0	1349	" " alba.....	0 6	1428	" " superbum.....	0 3	
.....1279	" " Snow Queen.....	0 6	1350	" " dalmatica.....	0 6	1429	" virgatum "Rose Queen".....	0 6	
.....1280	" stylosa.....	1 0	1351	Lindelofia spectabilis.....	0 6	1430	Magnolia conspicua.....	1 0	
.....1281	Ice Plant (Mesembryanthemum crystallinum).....3d. &	0 6	1352	Linum alpinum.....	0 6	1431	" grandiflora.....	0 6	
.....1282	Impatiens Sultani, new hybrids, mixed.....	1 0	1353	" flayum.....	0 6	1432	" Kobus.....	1 0	
.....1283	" " Roylei.....	0 6	1354	" grandifl. coccineum...3d. &	0 6	1433	Malcolmia littorea.....	0 6	
.....1284	Incarvillea Delavayi.....	1 0	1355	" monogynum.....	1 0	1435	Malope grandiflora.....	0 3	
.....1285	" variabilis.....	0 6	1356	" narbonense.....	0 6	1436	" " alba.....	0 3	
.....1286	Inula glandulosa.....	1 0	1357	" perenne.....	0 3	1437	" " rosea.....	0 3	
.....1287	" Helenium.....	0 6	1358	" " album.....	0 3	1438	Malva crispa.....	0 3	
.....1288	Ionopsidium acaule.....	0 6	1359	Loasa hispida.....	0 6	1439	" moschata rosea.....	0 3	
.....1289	Ipomœa leptophylla.....	1 6	1360	" vulcanica.....	0 6	1440	" " alba.....	0 3	
.....1290	Iris Tall Bearded Flag, mixed ...	1 0	1361	Lobelia Erinus, Barnard's Perpetual-flowering, 6d. &	1 0	1441	" zebrina atro-rubens.....	0 3	
.....1291	" Japanese Flag, mixed.....	1 0	1362	" Erinus, Celeste.....	0 6	1442	Marigold, African Orange.....	0 6	
.....1292	Jacobæa Double mixed.....3d. &	0 6	1363	" " Cobalt-Blue.....	0 6	1443	" " light yellow...0 6		
.....1293	" Dwarf Double mxd. 3d. &	0 6	1364	" " Prima Donna...0 6		1444	" " Primrose.....	0 6	
.....1294	Jasione perennis.....	0 3	1365	" " Royal Blue 6d. &	1 0	1445	" " mixed from above...3d. &	0 6	
.....1295	Kaulfussia amelloides.....3d. &	0 6	1366	" " speciosa, select 3d. &	0 6	1446	" " Dwarf Golden.....	0 6	
.....1296	" " mixed 3d. &	0 6	1367	" " White Lady...6d. &	1 0	1447	" aurea floribunda 6d. &	1 0	
.....1297	Kniphofia, mixed species...6d. &	1 0	1368	" " compacta alba.....	0 6	1448	" French, Dwarf gold- striped.....	0 6	
.....1298	" Tuckii.....	0 6	1369	" " " Crystal Palace var. 1 0		1449	" " Dwarf Golden...0 6		
.....1299	" caulescens.....	0 6	1370	" " " Emperor William 6d. &	1 0	1450	" " Dwarf mixed 3d. &	0 6	
.....1300	" grandis.....	0 6	1371	" " mixed 3d. &	0 6	1451	" " Extra Dwarf Gold- edged...6d. &	1 0	
.....1301	" glaucescens.....	0 6	1372	" " pumila magnifica 6d. &	1 0	1452	" " Liliput Orange...0 6		
.....1302	" Victor Lemoine.....	0 6	1373	" " " Oxonian...1 0		1453	" " Primrose- Yellow...0 6		
.....1303	" Macowanii.....	0 6	1374	" " " splendens...1 6		1454	" " " spotted...0 6		
.....1304	" Otto Mann.....	0 6	1375	" " " White Gem 3d. &	0 6	1455	" " " Miniature Queen...0 6		
.....1305	" John Benary.....	0 6	1376	" " ramosa.....3d. &	0 6	1456	" " " Single Self-yellow...0 3		
.....1306	" Max Leichtlin.....	0 6	1377	" " " Heavenly Blue 6d. &	1 0	1457	" " " Legion of Honour 3d. &	0 6	
.....1307	" President Cleveland...0 6		1378	" " " rosea.....3d. &	0 6	1458	" " " mixed.....	0 6	
.....1308	Lantana, Newest Hybrids...3d. &	0 6	1379	" " " Queen of Whites, 3d. &	0 6	1459	Martynia fragrans.....	0 3	
.....1309	" " nana compacta, mixed...0 6		1380	" cardinalis.....	1 0	1460	Marvel-of-Peru, mixed...3d. &	0 6	
.....1310	Larkspur, Dwarf Stock-flowered, mixed.....3d. &	0 6	1381	" " Crimson Beauty...1 0		1461	" " longiflora.....	0 3	
.....1311	" Dwarf Emperor, mxd. 3d. &	0 6	1382	" fulgens, "Queen Victoria" 1 0		1462	Mathiola bicornis, per oz. 1s.; 3d. &	0 6	
.....1312	" Tall Stock-flowered, mixed.....3d. &	0 6	1383	" " mixed hybrids...1 0		1463	Meconopsis nepalensis.....	2 6	
.....1313	" Tall Branching, mixed 3d. &	0 6	1384	Love-Lies-Bleeding, Dark crimson 0 3		1464	" Wallichii.....	2 6	
.....1314	" " " dark blue to purple 0 3		1385	" " Straw-coloured 0 3		1465	" cambrica.....	0 6	
.....1315	" " " lustrous carmine 6d. &	1 0	1386	Lunaria biennis, rich purple.....	0 6	1466	Medicago Echinus.....	0 6	
.....1316	" " " white.....	0 3	1387	" " crimson.....	0 6	1467	Melianthus major.....	1 0	
.....1317	Lasthenia californica.....3d. &	0 6	1388	" " white.....	0 6	1468	Mesembryanthemum Cape Species 1 0		
.....1318	Lavandula spica.....	0 6	1389	" " mixed 3d. &	0 6	1469	" capitatum.....	0 3	
.....1319	Lavatera arborea variegata 3d. &	0 6	1390	Lupinus arboreus, yellow.....	0 6	1470	" tricolor.....3d. &	0 6	
.....1320	" trimestris.....	0 3	1391	" " blue and white...1 0		1471	" " album.....3d. &	0 6	
.....1321	" " alba.....	0 3	1392	" " mixed...6d. &	1 0	1472	Meum athamanticum.....	0 6	
.....1322	Layia elegans.....	0 3	1393	" Hartwegii caelestinus...0 3		1473	Michauxia campanuloides 1 0		
.....1323	" glandulosa.....	0 6	1394	" hybridus atro-coccineus 0 3		1474	Mignonette, Common Improved 5s. 6d. per lb.; 6d. per oz. 0 3		
.....1324	Leontopodium alpinum.....6d. &	1 0	1395	" luteus.....	0 3	1475	" Barr's Covent Garden Favourite 3s. 6d. per oz.; 6d. &	1 0	
			1396	" Menziesii.....	0 3	1476	" Barr's Giant White 6d. &	1 0	
			1397	" mutabilis versicolor...0 3		1477	" Golden Gem.....	0 6	
			1398	" nanus.....	0 3	1478	" Golden Queen.....	0 6	
			1399	" " albus.....	0 3	1479	" Machet.....2s. 6d. per oz. 0 6		
			1400	" subcarneus.....	0 3	1480	" " Improved.....	1 0	
			1401	" mixed annual vars. 0 3		1481	" " golden.....	0 6	
			1402	" Douglasii.....	0 6				
			1403	" nootkatensis.....	0 6				

Quantity.	per pkt.—s. d.	Quantity.	per pkt.—s. d.	Quantity.	per pkt.—s. d.
.....1482 Mignonette, Miles' Spiral	0 6	1554 Nicotiana, Choice mixed Tobacco	6d. & 1 0	1634 Phlox Drummondii, Large-flowered	6d. & 1 0
.....1483 " Victoria Crimson Improved	0 6	1555 Nigella damascena caelestina	0 3	1635 " Salmon-rose	6d. & 1 0
.....1484 Mimosa pudica	0 6	1556 " alba	0 3	1636 " Brilliant Blood-crim. 6d. & 1 0	
.....1485 Mimulus, Barr's Giant Strain, 1s. & 2d. & 6d. & 1 0		1557 " hispanica alba	0 3	1637 " Pure white	6d. & 1 0
.....1486 " Choice mixed	1 0	1558 " atro-purpurea	0 3	1638 " Choicest mixed	6d. & 1 0
.....1487 " cardinalis grandiflorus	1 0	1559 " mixed varieties	0 3	1639 " Fine mixed	3d. & 0 6
.....1488 " cupreus "Prince Bismarck"	0 6	1560 Nycteria capensis	0 6	1640 " Fiery Rose-Scarlet	1 6
.....1489 " Fire King	1 0	1561 " selaginoides	0 3	1641 " Snow-white	1 6
.....1490 " luteus	1 0	1562 Enothera Drummondii nana	0 3	1642 " Choicest mixed	1s. & 2 6
.....1491 Monarda didyma	0 6	1563 " alba	0 3	1642 " Fine mixed	6d. & 1 0
.....1492 Montbretia crocosmaeflora	0 6	1564 " Fraseri	0 3	1643 Phlox Hortensiaeflora, Splendid	mixed 1s. & 2 6
.....1493 " Etoile de Feu	1 0	1565 " Lamarckiana	0 3	1644 " Triumph	1 6
.....1494 " mixed	1 0	1566 " macrocarpa	0 6	1645 Phlox, Barr's Star, mixed	6d. & 1 0
.....1495 Morina longifolia	0 6	1567 " taraxacifolia	0 6	1646 " Perennial, choicest mixed	1 0
.....1496 Musa Ensete	1 0	1568 Ononis Natrix	0 6	1647 Phygellus capensis	0 6
.....1497 " sumatrana	1 0	1570 " rotundifolia	0 6	1648 Physalis Alkekengi	3d. & 0 6
.....1498 Muscari armeniacum	0 3	1571 Ornithogalum pyramidale	0 6	1649 " edulis	0 6
.....1499 " paradoxum	0 6	1572 Orobus lathyroides	0 3	1650 " macrocarpa	0 6
.....1500 " Mixed Species	3d. & 0 6	1573 " luteus	0 6	1651 " Franchetti	6d. & 1 0
.....1501 Musk-Plant	3d. & 0 6	1574 " vernus	0 3	1652 " violacea	0 6
.....1502 " large-flowered dwarf, 6d. & 1 0		1575 " mixed varieties	3d. & 0 6	1653 Phyteuma Michellii	0 6
.....1503 Myosotis azorica	6d. & 1 0	1576 Oxalis corniculata rubra	0 6	1654 Phytolacca acinosa	0 6
.....1504 " dissitiflora	6d. & 1 0	1577 " floribunda	0 6	1655 " decandra	0 6
.....1505 " alba	1 0	1578 " rosea	0 6	1656 Pink, Barr's Choicest Exhibition	2s. 6d. & 3 6
.....1506 " Perfection	1 0	1579 " valdiviensis	0 3	1657 " New Perpetual flowering	1 0
.....1507 " sylvatica, blue	3d. & 0 6	1580 Oxlip, choice mixed	3d. & 0 6	1658 " Cyclops	6d. & 1 0
.....1508 " nana	0 6	1581 Palava flexuosa	0 6	1659 Platystemon californicum	3d. & 0 6
.....1509 " Distinction	0 6	1582 Papaver alpinum, album	0 6	1660 Platycodon grandiflorum	3d. & 0 6
.....1510 " Jewel	0 6	1583 " aurantiacum	1 0	1661 " album	3d. & 0 6
.....1511 " Star of Love	1 0	1584 " luteum	0 6	1662 " Maricssii	3d. & 0 6
.....1512 " Victoria 6d. & 1 0		1585 " roseum	1 0	1663 " album, 6d. & 1 0	
.....1513 " palustris semperfl. 6d. & 1 0		1586 " mixed	0 6	1664 " chinense	0 6
.....1514 " Little Queen 6d. & 1 0		1587 " bracteatum	0 6	1665 Polemonium, Mixed varieties	0 6
.....1515 " grandiflora	1 0	1588 " mixed hybrids 6d. & 1 0		1666 " flavum	0 3
.....1516 Narcissus, mixed Trumpets	2 6	1589 " orientale, hybrids 3d. & 0 6		1667 " reptans	0 6
.....1517 " from all sections	2 6	1590 " 10 named vars. 3s. 6d. & 1 0		1668 Polyanthus, Barr's Finest Gold-	laced 6d. 1s. & 2 6
.....1518 " Countess of Annesley	0 3	1591 " Munstead Iceland 6d. & 1 0		1669 " Barr's Superb Highly Coloured	6d. 1s. & 2 6
.....1519 " Bicolor Cabeceiras	0 3	1592 " nudicaule	0 3	1670 " New Fancy Giant	6d. & 1 0
.....1520 " princeps	0 6	1593 " album	0 6	1671 " Barr's crimson shades 1s. 6d. & 2 6	
.....1521 " Obvallaris	0 6	1594 " miniatum	0 6	1672 " rich yellows	1 6
.....1522 " Prosperpine	0 6	1595 " double mixed	1 0	1673 " white	1 0
.....1523 " Santa Maria	0 6	1596 " pilosum	0 6	1674 " Fine Mixed Varieties 6d. & 1 0	
.....1524 " Saragossa Daffodil	0 6	1597 " rupifragum	0 6	1675 " Hose in Hose, splendid mxd.	1 0
.....1525 " Shirley Hibberd	0 6	1598 Parnassia palustris	0 6	1676 Polygonum Orientale pumilum	0 3
.....1526 " corbularia citrina	1 0	1599 Pelargonium, mixed	1s. 6d. & 2 6	1677 " album	0 6
.....1527 " early Spanish yellow	1 0	1600 Pentstemon, Barr's Large-		1678 " sachalinense	0 6
.....1528 " triandrus albus	1 0	1601 " flowered mixed 1s. & 1 6		1679 Poppy, Barr's Scarlet King	0 6
.....1529 Nasturtium, Tom Thumb—		1602 " Fine mixed	0 6	1680 " Rawson's Fringed	0 6
.....1530 " per oz.		1603 " acuminatus	0 6	1681 " Barr's Fringed Hybrids	0 6
.....1531 " Scarlet King	1s. 3d. & 3d. & 0 6	1604 " barbatus coccineus	0 6	1682 " White Colossal	0 6
.....1532 " Golden King	1s. 6d. & 3d. & 0 6	1605 " brevisflorus	0 3	1683 " Shirley	6d. & 1 0
.....1533 " Empress of India	1s. 6d. & 3d. & 0 6	1606 " confertus	0 3	1684 " saved from Rose-Pink	and Blush shades
.....1534 " Fire King	1s. 3d. & 3d. & 0 6	1607 " var. cœruleo-		1685 " pure white	1 0
.....1535 " Ruby King	1s. 3d. & 3d. & 0 6	1608 " diffusus	0 6	1686 " double and semi-double	1 0
.....1536 " Spotted King	1s. 3d. & 3d. & 0 6	1609 " glaber	0 3	1687 " French or Ranunculus,	choice mixed
.....1537 " King Theodore	1s. 3d. & 3d. & 0 6	1610 " heterophyllus	0 6	1688 " Carnation, mixed	3d. & 0 6
.....1538 " Aurora	3d. & 0 6	1611 " humilis	0 6	1689 " Tulip	3d. & 0 6
.....1539 " Chameleon	3d. & 0 6	1612 " Menziesii	0 6	1690 " Pæony-flowered, choice	mixed
.....1540 " Terra Cotta	3d. & 0 6	1613 " Murrayanus	0 6	1691 " cream-coloured	0 6
.....1541 " Crystal Palace Gem	3d. & 0 6	1614 " ovatus	0 6	1692 " Rose Brilliant	0 6
.....1542 " Pearl	1s. 6d. & 3d. & 0 6	1615 " pubescens	0 6	1693 " dwarf, mixed	3d. & 0 6
.....1543 " choice mixed	1s. 3d. & 0 6	1616 " punicus	0 6	1694 " Blush-Rose	0 6
.....1544 " fine mixed	9d. & 3d. & 0 6	1617 " speciosus	0 6	1695 " The Bride	3d. & 0 6
.....1545 " Liliput	0 6	1618 " Wrightii	1 0	1696 " The Cardinal	3d. & 0 6
.....1546 Nemesis compacta, mixed	0 6	1619 Perilla nankinensis	3d. & 0 6	1697 " White Swan (Snowdrift)	3d. & 0 6
.....1547 Nemophila atomaria oculata 3d. & 0 6		1620 Petunia, Barr's Large-flowered		1698 " Caucasian Single Scarlet	0 3
.....1548 " "Blue Bell"	0 6	1621 " choice mixed 1s. 6d. & 2 6		1699 " Nephisto	0 3
.....1549 " insignis grandiflora	per oz. 6d. & 0 3	1622 " Barr's Superb Double-		1700 " Othello	0 6
.....1550 " alba	0 3	1623 " fringed	2 6	1701 " Victoria Cross	0 3
.....1551 " maculata grandiflora	0 3	1624 " White Fringed	1 6	1702 " Mixed Annual	3d. & 0 6
.....1552 " mixed	3d. & 0 6	1625 " venosa maxima, mxd. 6d. & 1 0		1703 Portulaca, splendid mixed single	6d. & 1 0
.....1553 Nertera depressa	1 0	1626 " Fine mixed	3d. & 0 6	1704 " fine mixed single 3d. & 0 6	
.....1554 Nierembergia frutescens	0 3	1627 " Adonis	0 6	1705 " double splendid mixed	1s. & 2 6
.....1555 " atroviolacea	0 6	1628 " Admiration	1 0	1706 " fine mixed 6d. & 1 0	
.....1556 " White Queen	0 6	1629 " compacta Dwarf Queen	0 6	1707 Potentilla, double, choice mixed	2 6
.....1557 " gracilis	0 6	1630 " Rose Superbe	0 6		
.....1558 Nicotiana affinis	6d. & 1 0	1631 " Countess of Ellesmere	0 6		
.....1559 " colossea	1 0	1632 " Dainty Maid	1 0		
.....1560 " gigantea purpurea	0 6	1633 Phacelia campanularia	0 6		
.....1561 " suaveolens	0 6	1634 " Parryi	0 3		
.....1562 " sylvestris	6d. & 1 0	1635 " tanacetifolia	0 3		
.....1563 " wigandoides	0 6	1636 Phlox Drummondii, Large-flowered			
		1637 " 12 distinct colours	3s. 6d.		

Quantity.		pkt.—s. d.	Quantity.		per pkt.—s. d.	Quantity.		per pkt.—s. d.
.....1708	Potentilla, single mixed Hybrids	0 6	1780	Rheum Emodi	0 6	1863	Scabiosa lutea	0 3
.....1709	" alchemilloides	1 0	1781	" officinale	0 6	1864	Schizanthus Grahami	0 3
.....1710	" multiflora nana	0 6	1782	" palmatum tanghucum	0 6	1865	" retusus	0 3
.....1711	" nepalensis	0 3	1783	Rhodanthe Manglesii	3d. & 0 6	1866	" albus	0 3
.....1712	" rupestris	0 3	1784	" maculata	3d. & 0 6	1867	" mixed	3d. & 0 6
.....1713	" mixed species	6d. & 1 0	1785	" alba	3d. & 0 6	1868	" pyramidalis compactus	0 3
.....1714	Pratia repens	0 6	1786	" mixed	3d. & 0 6	1869	" grandiflorus albus	0 3
.....1715	Primrose, Barr's splendid mixed	1s. & 2 6	1787	Rhododendron, hardy mixed	1 0	1870	" papilionaceus	0 3
.....1716	" Common Yellow	0 6	1788	" greenhouse, mixed	2 6	1871	" fine mixed	3d. & 0 6
	($\frac{1}{4}$ oz. 2s. 6d.)	0 6	1789	" ferrugineum	1 0	1872	Schizopetalon Walkeri	1s. 6d. per oz.; 3d. & 0 6
.....1717	Primrose-Polyanthus, choice	2 6	1790	Ricinus africanus	0 3	1873	Scilla odorata	0 6
.....1718	" Fine mixed	6d. & 1 0	1791	" borbonicnsis arboreus	0 6	1874	" italica	1 0
.....1719	" Selected shades of	2 6	1792	" Cambodgensis	0 6	1875	Scolymus hispanicus	0 6
	Yellow and Orange	6d. & 1 0	1793	" Gibsonii	0 6	1876	Sedum caruleum	0 6
.....1720	" White varieties	1 0	1794	" mirabilis	0 6	1877	" Ewersii	0 6
.....1721	Primula sincnsis, Barr's choicest	2 6	1795	" sanguineus	0 3	1878	" turkestanicum	0 6
	mixed 1s. 6d. & 2 6	2 6	1796	" zanzibariensis	0 6	1879	" maximum	0 6
.....1722	" Barr's White	1s. 6d. & 2 6	1797	" enormis	0 6	1880	" purpurascens	0 6
.....1723	" Barr's Scarlet	1s. 6d. & 2 6	1798	" choice mixed	6d. & 1 0	1881	" spectabile	0 6
.....1724	" Barr's Ruby	1s. 6d. & 2 6	1799	Rivina aurantiaca	0 6	1882	" mixed	6d. & 1 0
.....1725	" Barr's Blue	1s. 6d. & 2 6	1800	" humilis	0 6	1883	Sempervivum, Regina Amaliae,	triste, and tabulaforme, one
.....1726	" alba magnifica im-	2 6	1801	Rocket, Sweet, mixed shades	0 3		packet of each for 1s. 6d.	
	proved	1s. 6d. & 2 6	1802	" Dwarf white	0 6	1884	Sempervivum, mixed	6d. & 1 0
.....1727	" Avalanche	1s. 6d. & 2 6	1803	Roemeria violacea	1 0	1885	Sidalcea candida	0 6
.....1728	" Crimson Glow	1s. 6d. & 2 6	1804	Rosa multiflora	0 6	1886	" malvæflora	0 6
.....1729	" Kathleen	2 6	1805	" pisocarpa	0 6	1887	Silene pendula rosea	3d. & 0 6
.....1730	" Rose Beauty	1s. 6d. & 2 6	1806	" rugosa	0 6	1888	" plena	3d. & 0 6
.....1731	" Rosy Morn	2 6	1807	Rudbeckia amplexicaulis	0 6	1889	" alba	3d. & 0 6
.....1732	" rubra superbissima	2 6	1808	" bicolor	0 3	1890	" compacta	3d. & 0 6
.....1733	" Snow Queen	2 6	1809	" superba	0 6	1891	" Empress of India	3d. & 0 6
.....1734	" Sunlight	1s. 6d. & 2 6	1810	" californica	0 6	1892	" Snow King	3d. & 0 6
.....1735	" fine mixed	6d. & 1 0	1811	" Drummondii	3d. & 0 6	1893	" double brilliant	0 3
.....1736	" Barr's double white	2 6	1812	" hirta	0 6		rose	0 3
.....1737	" Barr's double car-	2 6	1813	" purpurea	1 0	1894	" Amelia	3d. & 0 6
	nation-striped	2 6	1814	" speciosa	3d. & 0 6	1895	" mixed	3d. & 0 6
.....1738	" Barr's double crimson	2 6	1815	" mixed perennial vars.	0 6	1896	" acaulis	1 0
.....1739	" Barr's double rose-	2 6	1816	Salpiglossis, Barr's Large-flowered	1 0	1897	" alpestris	0 6
	carmine	2 6		choicest mxd. 6d. & 1 0	1 0	1898	" maritima	0 6
.....1740	" Barr's double scarlet	2 6	1817	" Beauty	0 6	1899	" orientalis	0 3
.....1741	" Barr's double soft pink	2 6	1818	" Princess Ida	0 6	1900	" Schafta	0 3
.....1742	" Barr's double mixed	1s. 6d. & 2 6	1819	" The Moor	0 6	1901	" stricta	3d. & 0 6
.....1743	Primula stellata White Lady	1 6	1820	" Violet Queen	0 6	1902	Solanum Balbisii	0 6
.....1744	" Rosy Purple	1 0	1821	" superbissima	6d. & 1 0	1903	" marginatum	0 6
.....1745	Primula cortusoides	0 6	1822	" Crimson King	1 0	1904	" pyracanthum	0 6
.....1746	" denticulata alba	1 0	1823	" Barr's Dwarf choice	3d. & 0 6	1905	" robustum	0 6
.....1747	" cashmiriana	1 0	1824	Salvia argentea	0 6	1906	" capsicastrum	0 3
.....1748	" mixed	1 0	1825	" Blue Beard	3d. & 0 6	1907	" Lobellii	0 6
.....1749	" farinosa	1 0	1826	" coccinea splendens	0 6	1908	Soldanella alpina	1 0
.....1750	" Forbesii	1 0	1827	" patens	6d. & 1 0	1909	Sparaxis, tricolor mixed	0 6
.....1751	" floribunda	0 6	1828	" pratensis	0 3	1910	Spartium junceum	0 3
.....1752	" grandiflora	1 0	1829	" ringens	1 0	1911	Specularia speculum procumbens	0 3
.....1753	" japonica	0 6	1830	" splendens compacta alba	0 6	1912	" album	0 3
.....1754	" alba	1 0	1831	" erecta	1 6	1913	Sphenogyne speciosa aurea	0 3
.....1755	" splendida	1 0	1832	" golden-leaved	1 0	1914	Stachys coccinea	0 3
.....1756	" mixed	1 0	1833	" grandiflora	1 0	1915	" grandiflora	0 6
.....1757	" obconica	0 6	1834	Sanvitalia procumbens	0 3	1916	" lavandulæfolia	1 0
.....1758	" grandiflora	1 0	1835	" double	0 6	1917	Statice arborea	1 0
.....1759	" alba	1 0	1836	Saponaria cæspitosa	1 0	1918	" Bonduelli	3d. & 0 6
.....1760	" New	1 0	1837	" calabrica	0 3	1919	" eximia	0 3
	hybrids, mixed	1 0	1838	" alba	0 3	1920	" macrophylla	1 0
.....1761	" Parryi	1 0	1839	" Scarlet Queen	0 6	1921	" Suworowi	0 6
.....1762	" Poissoni	1 0	1840	" mixed	0 3	1922	" sinuata hybrida	0 3
.....1763	" rosea grandiflora	6d. & 1 0	1841	" ocymoides	3d. & 0 6	1923	" candidissima	0 3
.....1764	" Sieboldi	1 0	1842	Saxifraga, mossy vars. mixed	1 0	1924	" Gmelini	0 6
.....1765	" sikkimensis	1 0	1843	" encrusted vars. mxd.	1 0	1925	" incana hybrida	0 3
.....1766	" verticillata	1 6	1844	" aizoon marginata	0 6	1926	" latifolia	0 6
.....1767	" villosa	1 0	1845	" Cymbalaria	0 6	1927	" Limonium	0 6
.....1768	" mixed	1 0	1846	" Hostii	0 6			
.....1769	Prince's Feather	0 3	1847	" lingulata superba	1 0			
.....1770	Pyrethrum aureum (Golden	0 6	1848	" longifolia	1 0			
	Feather)	3d. & 0 6	1849	" oppositifolia	0 6			
.....1771	" selaginoides	6d. & 1 0	1850	" peltata	1 0			
.....1772	" crispum	0 6	1851	" mixed all sorts	6d. & 1 0			
.....1773	" Golden Gem	0 6	1852	Saxifraga ligulata (Megasea),	2 6			
.....1774	" parthenium, Golden	0 6		mixed hybrids	1s. 6d. & 2 6			
.....1775	" Ball	0 6	1853	Scabiosa Large-flowered Double	1 0			
.....1776	" Snowball	1 0		choice mixed	6d. & 1 0			
.....1777	" roseum Double and	2 6	1855	" German mixed	3d. & 0 6			
	Single mxd. 1s. 6d. & 2 6	2 6	1856	" Black King	3d. & 0 6			
.....1778	" roseum Single mixed	1 0	1857	" Crimson King	3d. & 0 6			
.....1779	" Tchihatchewii	0 3	1858	" Snowball	3d. & 0 6			
		0 6	1859	" Yellow Prince	6d. & 1 0			
		0 6	1860	" Dwarf Double, mxd. 3d. & 0 6	0 6			
		0 6	1861	" caucasica	6d. & 1 0			
		0 6	1862	" alba	1 0			

STOCKS, DOUBLE.

Ten-week Large-flowered Stock—

.....1928	Triumph	1 6
.....1929	13 splendid distinct cols., 3s. 6d.	
.....1930	Pure White	1s. & 2 6
.....1931	Delicate Rose	1s. & 2 6
.....1932	Glowing Rose-crimson	1 0
.....1933	Deep Blood-crimson	1 0
.....1934	Soft Rose-lilac	1 0
.....1935	Dark Violet	1 0
.....1936	Primrose	1 0
.....1937	Soft Coppery Rose	1 0
.....1938	Choice mixed	1s. & 2 6
.....1939	" smaller packet	0 6

Quantity.	per pkt.—s. d.
Ten-week Dwarf Bouquet Stock—	
.....1940 Splendid mixed	1s. & 2 6
.....1941 " " smaller packet...	0 6
Ten-week "Perfection" Stock—	
.....1942 Barr's Giant Primrose.....	1 0
.....1943 6 beautiful distinct cols., 2s. 6d.	
.....1944 Snow-white	1 0
.....1945 Soft Primrose.....	1 0
.....1946 Rose	1 0
.....1947 Pale Flesh-colour	1 0
.....1948 Rich Crimson	1 0
.....1949 Rich Purple.....	1 0
.....1950 Choice mixed	1s. & 2 6
.....1951 " " smaller packet...	0 6
.....1952 Barr's Giant Branching mixed	1s. & 2 6
Ten-week Giant Globe Pyramidal Stock—	
.....1953 Barr's White Standard	1 6
.....1954 7 beautiful distinct cols. 2s. 6d.	
.....1955 Choice mixed	1s. & 2 6
.....1955½ " " smaller packet.....	0 6
.....1956 Ten-week Stock, fine mixture	3d. & 0 6
"Covent Garden" Intermediate Stock—	
.....1957 6 beautiful distinct cols., 2s. 6d.	
.....1958 Pure White.....	1s. & 2 6
.....1959 Deep Crimson.....	1s. & 2 6
.....1960 Choice mixed	1s. & 2 6
East Lothian or Emperor Stock—	
.....1961 8 beautiful distinct cols., 2s. 6d.	
.....1962 Pure White.....	1s. & 2 6
.....1963 Rich Blood-crimson	1s. & 2 6
.....1964 Choice mixed	1s. & 2 6
.....1965 Winter Avalanche	1 0
Giant Brompton Stock—	
.....1966 6 beautiful distinct cols., 2s. 6d.	
.....1967 Pure White.....	1s. & 2 6
.....1968 Crimson	1s. & 2 6
.....1969 Choice mixed	1s. & 2 6
Dwarf Brompton Stock—	
.....1970 Sunrise	1 0
.....1971 Streptocarpus, New Hybrids.....	1 0
.....1972 " Wendlandii	1 6
.....1973 Sultan, Sweet, Purplish Rose.....	0 3
.....1974 " " Yellow	0 6
.....1975 " " White	0 3
.....1976 " " Mixed vars., 3d. & 0 6	
.....1977 " " Margaritæ ...3d. & 0 6	
.....1978 " " New Hybrids 6d. & 1 0	
Sweet William—	
.....1979 Barr's Perfection, Auricula-	
flowered, mixed.....	1 0
.....1980 Splendid mixed	6d. & 1 0
.....1981 Fine mixed	3d. & 0 6
.....1982 Barr's Large-flowered Double	
Mixed	6d. & 1 0
.....1983 Richly coloured Hybrids 3d. & 0 6	
.....1984 Pure White	0 6
.....1985 Barr's New Dwarf, mixed 6d. & 1 0	
.....1986 Symphyandra Hoffmanni	0 6
.....1987 Tagetes pumila Improved...3d. & 0 6	
.....1988 Thalictrum angustifolium	0 3
.....1989 " aquilegifolium album 1 0	
.....1990 " " purpureum	0 6
.....1991 " " flavum	0 6
.....1992 " " minus	0 6
.....1993 " " orientale	1 6
.....1994 Thermopsis caroliniana	0 6
.....1995 " " montana	0 6
.....1996 Thymus Serpyllum	0 6
.....1997 " " vulgare	0 6
.....1998 " " Serpyllum splendens	1 6
.....1999 Tomato, Red Cherry.....	0 6

Quantity.	per pkt.—s. d.
.....2000 Tomato, Yellow Cherry	0 6
.....2001 " Red Currant	0 6
.....2002 Torenia Fournieri grandiflora ...	1 0
.....2003 " " Princesse Hélène 1 0	
.....2004 " " "White Wings" 1 0	
.....2005 " flava	1 0
.....2006 Trifolium minus.....	0 3
.....2007 " pannonicum.....	0 3
.....2008 " repens atropurpureum 0 3	
.....2009 " rubens	0 3
.....2010 Trollius, mixed species	6d. & 1 0
Venus' Looking-glass—	
.....2011 Large Rich Purple	0 3
.....2012 Large Pure White.....	0 3
.....2013 Venus' Navelwort	0 3
.....2014 Veratrum album	0 6
.....2015 " nigrum	0 6
.....2016 Verbascum olympicum	0 6
.....2017 " pannosum	3d. & 0 6
.....2018 " nigrum	0 3
.....2019 " phlomoides	0 6
.....2020 " phoeniceum hybrids 3d. & 0 6	
.....2021 " Mixed	0 6
.....2022 Verbena, Dark Blue-Purple 6d. & 1 0	
.....2023 " Snow-white	6d. & 1 0
.....2024 " Brilliant Scarlet ...6d. & 1 0	
.....2025 " Barr's very choice	
mixed	1s. & 2 6
.....2026 " Fine Mixed	6d. & 1 0
.....2027 " Miniature Blood-red ...	1 0
.....2028 " " Snow-white 1 0	
.....2029 " erinoides	0 6
.....2030 " " alba.....	1 0
.....2031 " teucroides	0 3
.....2032 " venosa	0 3
.....2033 " lemon-scented ...3d. & 0 6	
.....2034 Veronica, Greenhouse Species, mx d. 0 6	
.....2035 " syriaca	0 3
.....2036 " " alba	0 3
.....2037 " glauca	0 3
.....2038 " incana	0 6
.....2039 " " elatior	0 6
.....2040 " spicata major	0 3
.....2041 " " alba	0 3
.....2042 " " fol. var.	0 6
.....2043 " Mixed Hardy Perennial 0 6	
.....2044 Yescaria utriculata	0 6
.....2045 Viola tricolor, choice Scotch and	
English Exhibition Pansies	1s. & 1 6
.....2046 " tricolor, choice Fancy	
Belgian 6d. & 1 0	
.....2047 " " Trimardeau Giant,	
3d., 6d. & 1 0	
.....2048 " " " striped, 6d. & 1 0	
.....2049 " " Large-flowered	
Parisian 6d. & 1 0	
.....2049½ " " New Giant Crimped 1 0	
.....2050 " " Fine mixed	3d. & 0 6
.....2051 " " Freya	6d. & 1 0
.....2052 " " Kaiser Fritz	0 6
.....2052½ " " L'Aurore.....	1 0
.....2053 " " Mahogany-Brown ...	0 6
.....2054 " " Peacock Pansy, 6d. & 1 0	
.....2055 " " Victoria Red	0 6
.....2056 Viola, 20 separate varieties, 3s. 6d.	
.....2057 " Barr's Selected Yellow ...	1 0
.....2058 " " " White	1 0
.....2059 " " " Lavender	1 0
.....2060 " " " Dark Blue.....	1 6
.....2060½ " " Choicest Mixture, 1s. & 2 6	
.....2061 Viola cornuta alba	3d. & 0 6
.....2062 " " lutea	3d. & 0 6
.....2063 " " Purple Queen	0 6

Quantity.	per pkt.—s. d.
.....2064 Viola cornuta, mixed vars., 3d. & 0 6	
.....2065 Viola odorata, mixed varieties... 0 6	
.....2066 Virginian Stock, Rose.....3d. & 0 6	
.....2067 " White	3d. & 0 6
.....2068 " " Crimson King 3d. & 0 6	
.....2069 " " Fairy Queen 3d. & 0 6	
.....2070 " mixed	3d. & 0 6
.....2071 Viscaria cardinalis	3d. & 0 6
.....2072 " cærulea	0 3
.....2074 " elegans picta	0 3
.....2075 " oculata brunea ...3d. & 0 6	
.....2076 " fine mixed	3d. & 0 6
Wallflower—	
.....2077 Double Rocket, splendid mixed	1s. & 2 6
.....2078 " " golden-yellow ...	1 0
.....2079 " " deep red-brown	1 0
.....2080 " Dwarf Branching, splen-	
did mixed	1s. & 2 6
.....2081 " Dwarf Branching, golden	
yellow.....	1 0
.....2082 " Dwarf Branching, deep	
red-brown.....	1 0
.....2083 " Tall and Dwarf Double	
German mixed...6d. & 1 0	
.....2084 Single "Covent Garden" blood-	
red	6d. & 1 0
.....2085 " "Covent Garden" Golden	
6d. & 1 0	
.....2086 " Dwarf Blood-Red ...6d. & 1 0	
.....2087 " " Golden.....6d. & 1 0	
.....2088 " "Covent Garden" Tall	
Blood-Red	6d. & 1 0
.....2089 " Harbinger, Large Red ...	0 6
.....2090 " Old Gold	6d. & 1 0
.....2091 " Primrose Dame	6d. & 1 0
.....2092 " Ruby Gem	6d. & 1 0
.....2093 " Salmon Queen	6d. & 1 0
.....2094 " The Moor	1 0
.....2095 " Vulcan	1 6
.....2096 " Barr's Splendid mx d. 6d. & 1 0	
.....2097 " Extra Early Parisian 6d. & 1 0	
.....2098 Whitlavia grandiflora	0 3
.....2099 " " " gloxinoides 0 3	
.....2100 " " mixed...3d. & 0 6	
.....2101 Xeranthemum mixed	3d. & 0 6
.....2102 Yucca angustifolia	1 0
.....2103 " filamentosa	1 0
.....2104 " Gloriosa	1 0
.....2105 " Whipplei	1 0
.....2106 Zauschneria californica	1 0
.....2107 Zea japonica variegata	3d. & 0 6
.....2108 " " gigantea quadricolor 1 0	
.....2109 " Caragua.....	3d. & 0 6
.....2110 " gracillima	3d. & 0 6
.....2111 " " variegata	0 6
.....2112 " " pumila variegata... 0 6	
.....2113 " " gigantea variegata 0 6	
.....2114 " mixed vars. of Maize ...3d. & 0 6	
Zinnia, Handsome Double vars.	
.....2115 " 8 beautiful cols., 1s. 6d. & 2s. 6d.	
.....2116 " Dark velvety Blood-red ...	0 6
.....2117 " Deep Golden	0 6
.....2118 " Rich Dark Carmine	0 6
.....2119 " Brilliant Deep Vermilion ...	0 6
.....2120 " Choicest mixture	6d. & 1 0
.....2121 " Fine mixed	3d. & 0 6
.....2122 " grandifl. double mixed 6d. & 1 0	
.....2123 " Dwarf double choicest	
mixed ... 6d. & 1 0	
.....2124 " Haageana	3d. & 0 6
.....2125 " " fl. pl.	0 6
.....2126 " Miniature mixed	0 6
.....2127 " Single choice mixed ...3d. & 0 6	

CLIMBERS AND TWINERS.

Quantity.		per pkt.—s. d.
.....2128	<i>Adlumia cirrhosa</i>	0 6
.....2129	" " <i>purpurea</i>	0 6
.....2130	<i>Ampelopsis Veitchii</i>	0 6
.....2131	<i>Aristolochia Siphon</i>	6d. & 1 0
.....2132	<i>Asparagus deflexus</i>	1 6
.....2133	" <i>Medeoloides</i>	1 0
.....2134	" <i>plumosus nanus</i>	1 6
.....2135	" <i>Sprengeri</i>	6d. & 1 0
.....2136	" <i>verticillatus</i>	0 6
.....2137	<i>Bignonia radicans</i>	0 6
.....2138	" <i>grandiflora</i>	0 6
.....2139	" <i>Smithii</i>	1 0
.....2140	<i>Caiphora lateritia</i>	0 3
.....2141	<i>Calystegia dahurica</i>	0 6
.....2142	" <i>sepium</i>	0 3
.....2143	" <i>sepium gigantea</i> and <i>incarnata</i> mixed ...	0 6
.....2144	<i>Cardiospermum halicacabum</i> ...	0 3
.....2145	<i>Clematis, Beautiful New Hybrids</i>	1 0
.....2146	" <i>coccinea</i>	0 6
.....2147	" " <i>hybrida</i>	1 0
.....2148	" <i>flammula</i>	0 3
.....2149	" <i>integrifolia</i>	0 3
.....2150	" <i>montana grandiflora</i> ...	0 6
.....2151	" <i>orientalis</i>	0 6
.....2152	<i>Cobæa scandens</i>	0 6
.....2153	" " <i>alba</i>	1 0
Convolvulus Major—		
.....2154	" 5 distinct colours	1s.
.....2155	" Choice mixed	3d. & 0 6
.....2156	" Double	0 6
.....2157	<i>Eccelemocarpus scaber</i>	0 6
.....2158	" " <i>rosea</i>	0 6
.....2159	<i>Echinocystis lobata</i>	0 6
.....2160	<i>Humulus japonicus</i>	0 6
.....2161	" " <i>variegatus</i> 6d. &	1 0
.....2162	<i>Ipomœa, Heavenly Blue</i> ...	6d. & 1 0
.....2163	" Ivy-leaved Blue	0 3
.....2164	" " <i>Rosy Dawn</i>	0 3
.....2165	" " <i>Scarlet</i>	0 3
.....2166	" " choice mxd	3d. & 0 6
.....2167	" <i>Quamoclit, mixed</i>	0 3
.....2168	" <i>rubro-cærulea</i>	0 6
.....2169	" " <i>alba</i>	0 6
.....2170	" <i>chrysoides</i>	0 6
.....2171	" <i>Horsfalliæ</i>	1 0
.....2172	" <i>Learii</i>	0 6
.....2173	" <i>mexicana grandiflora</i> <i>alba</i>	0 6
.....2174	" <i>scarlatina</i>	0 6
.....2175	<i>Lapageria rosea</i>	1 6
.....2176	" " <i>superba</i>	1 6
.....2177	<i>Lathyrus latifolius splendens</i> 3d. &	0 6
.....2178	" " <i>albus</i> ...3d. &	0 6
.....2179	" " <i>delicatus</i>	0 6
.....2179½	" " <i>Pink Beauty</i> 6d. &	1 0
.....2180	" " <i>roseus</i>	0 3
.....2181	" " mixed vars.	per oz. 1s. 6d.; 3d. & 0 6
.....2182	" <i>rotundifolius</i>	0 6
.....2183	" <i>sativus azureus</i> ...3d. &	0 6
.....2184	" " <i>albus</i>	0 3
.....2185	" <i>sylvestris Wagneri</i> ...	0 3
.....2186	" <i>tingitanus</i>	0 3
.....2187	" <i>tuberosus</i>	0 6
.....2188	<i>Lophospermum scandens</i>	0 6
.....2189	" <i>coccineum</i>	1 0
.....2190	<i>Mandevilla suaveolens</i>	0 6
.....2191	<i>Maurandya, mixed</i>	0 6
Medeola asparagoides. See Asparagus.		
.....2192	<i>Mina lobata</i>	6d. & 1 0
.....2193	" <i>sanguinea</i>	0 6
.....2194	<i>Nasturtium Tall, collection of 7</i> colours 1s. 6d.	0 3
.....2195	" " <i>scarlet</i>	0 3
" " " <i>crimson</i>	0 3	
" " " <i>deep golden</i> ...	0 3	
" " " <i>spotted</i>	0 3	

Quantity.		per pkt.—s. d.
.....2195	Nasturtium Tall, brick-red	0 3
....."	" " nankeen-yellow	0 3
....."	" " rose	0 3
.....2196	" " mixed ... 3d. &	0 6
.....2197	Passiflora cærulea	0 6
.....2198	" incarnata	0 6
.....2199	" quadrangularis	1 0
.....2200	Plumbago zeylanica.....	0 6
.....2201	" capensis	1 0
.....2202	Rhodochiton volubile.....6d. &	1 0
.....2203	Rhyncospermum jasminoides ...	1 0

Sweet Peas—

2204	25 Beautiful vars. 1 pkt. of each 5s. 6d.	
2205	12 Beautiful vars. 1 pkt. of each 2s. 9d.	
2206	<i>Aurora</i>	3d. & 0 6
2207	<i>Blanche Burpee</i>	3d. & 0 6
2208	<i>Blanche Ferry, extra early</i> 3d. &	0 6
2209	<i>Captain of the Blues</i>	3d. & 0 6
2210	<i>Captivation</i>	3d. & 0 6
2211	<i>Countess of Powis</i>	3d. & 0 6
2212	<i>Countess of Radnor</i>	3d. & 0 6
2213	<i>Dorothy Tennant</i>	0 6
2214	<i>Duchess of Sutherland</i>	0 6
2215	<i>Duke of Clarence</i>	3d. & 0 6
2216	<i>Duke of York</i>	3d. & 0 6
2217	<i>Emily Eckford</i>	3d. & 0 6
2218	<i>Emily Henderson</i>	3d. & 0 6
2219	<i>Empress of India</i>	3d. & 0 6
2220	<i>Firefly</i>	3d. & 0 6
2221	<i>Gala Beauty</i>	3d. & 0 6
2222	<i>Her Majesty</i>	3d. & 0 6
2223	<i>Katherine Tracey</i>	3d. & 0 6
2224	<i>Lady Beaconsfield</i>	3d. & 0 6
2225	<i>Lady Nina Balfour</i>	3d. & 0 6
2226	<i>Lottie Eckford</i>	3d. & 0 6
2227	<i>Lottie Hutchins</i>	0 6
2228	<i>Lovely</i>	3d. & 0 6
2229	<i>Maid of Honour</i>	3d. & 0 6
2230	<i>Mars</i>	3d. & 0 6
2231	<i>Meteor</i>	3d. & 0 6
2232	<i>Mrs. Eckford</i>	3d. & 0 6
2233	<i>Mrs. Joseph Chamberlain</i> 3d. &	0 6
2234	<i>Oriental</i>	0 6
2235	<i>Prima Donna</i>	3d. & 0 6
2236	<i>Prince Edward of York</i>	0 6
2237	<i>Prince of Wales</i>	3d. & 0 6
2238	<i>Princess Beatrice</i>	3d. & 0 6
2239	<i>Princess of Wales</i>	3d. & 0 6
2240	<i>Princess Victoria</i>	3d. & 0 6
2241	<i>Queen Victoria</i>	0 6
2242	<i>Ramona</i>	3d. & 0 6
2243	<i>Sadie Burpee</i>	0 6
2244	<i>Salopian</i>	3d. & 0 6
2245	<i>Shahzada</i>	3d. & 0 6
2246	<i>Stella Morse</i>	3d. & 0 6
2247	<i>Triumph</i>	3d. & 0 6
2248	<i>Venus</i>	3d. & 0 6
2249	<i>Splendid mixed, per lb. 7s. 6d.;</i> per oz. 9d.	0 6
2250	<i>Fine mixed, per lb. 3s.; per oz. 3d.</i>	
2251	<i>Tacsonia Yan Volxemii</i>	1 0
2252	<i>Thunbergia alata aurantiaca</i> ...	0 6
2253	" " mixed ... 3d. &	0 6
2254	<i>Tropæolum canariense</i> per oz. 1s. 6d.; 6d. &	1 0
2255	" <i>pentaphyllum</i>	0 6
2256	" <i>speciosum</i>	0 6
2257	" <i>Lobbianum fulgens</i>	0 6
2258	" " <i>Lucifer</i>	0 6
2259	" " <i>Marguerite</i> 6d. &	1 0
2260	" " <i>Spitfire</i>	0 6
2261	" " choice mixed ...	1 0
2262	" " fine mixed	0 6
2263	" " New Ivy-leaved	1 0

BARR'S CHEAP OFFER

OF

SHOWY FLOWER SEEDS BY WEIGHT.

See page 98 of Seed Guide.

GARDEN REQUISITES, Etc.

See pages 101 to 112 of Seed Guide.

BARR & SONS,

Seedsman, Bulb Growers and Nurserymen,

11, 12 & 13 King Street,

Covent Garden, LONDON.

Halfpenny
Stamp
required.

1898—1899.

General Trade Catalogue

of

Vegetable, Agricultural, Flower, Tree,

and other

SEEDS

offered by

ERNST BENARY

SEED MERCHANT AND GROWER

ERFURT

(GERMANY).

ADDRESS FOR TELEGRAMS: "BENARY, ERFURT".

Terms, Conditions of Sale, etc.

All seeds travel at purchasers' risk and are delivered free on board Hamburg or Bremen; Insurance charges have, however, to be borne by the addressees. Insurance will be provided for in all cases where possible, unless special instructions be given to the contrary. Flower seeds, when not less than £ 10 in value, will be delivered franco London, except such sorts as are quoted and usually sold by the Cwt. or fraction thereof. If the package or packages contain Vegetable seeds also, the freight to London on the Flower seeds will be deducted in Invoice, provided that their value exceeds £ 10. and that they do not belong to the category just mentioned.

Small Parcels can be sent to Great Britain and Ireland by Imperial Parcel Post at the following rates:

The carriage on parcels not exceeding 5 Kilos (about 11 lbs.) is { via Belgium 1 s. 9 d.
" Hamburg 1 " 6 "

Accounts are due net at Midsummer. Remittances, either by Draft, Cheque, Postal or Post Office Order, according to the importance of the Amount, should accompany all Orders from Firms with which I have not yet done business; failing this, satisfactory references must be given to ensure their execution.

 **Important.** The execution of Orders and the invoicing of the seeds supplied will be very much facilitated if customers will kindly observe the following points when writing out the lists of their requirements:

I^o Place the quantity wanted before the name of the article.

II^o Devote an entire line to each article.

III^o Where several qualities of one and the same article are given in my Catalogue, use the exact designations under which they are quoted.

IV^o Enumerate the articles alphabetically and, as far as possible, in the same order as quoted in the present Catalogue, viz.: First the Garden and Agricultural seeds, then the Collections, then the Annuals, Biennials, etc., and so on.

 **Packing and Shipment of Orders for America and British Colonies.** If customers have any particular instructions to give, they will oblige by explicitly stating them with each order. When none are given, I shall use my own judgment and pack and ship in the manner I consider most likely to ensure the safe and prompt arrival of the goods, without, however, assuming any responsibility in the matter.

 **Postage.** Please note that the rates of postage for correspondence posted in countries comprised in the Postal Union and addressed to Germany are as follows; —

For a Letter, per half-ounce 2½ d. or 5 cents.
For a Post-Card 1 d. „ 2 „

Unpaid letters are charged double the prepaid rate. Partially prepaid letters and post-cards of less value than indicated above are charged double the deficiency. Post-cards sent for 1 d. must have the words "Post-Card" printed on the address side, or they are charged 3 d. on delivery here.

E. B. takes the opportunity of mentioning that he has no Agents. All communications are therefore to be addressed direct to Erfurt.

CONTENTS.

	PAGES.		PAGES.
Agricultural Seeds	11 to 12	Coniferae	56 to 57
Album Benary	13	Ferns	55 " 56
Annuals, Biennials, Perennials, and Stove and Greenhouse Plants	25 to 54	German Flower Seeds in Assortments and by weight	14 to 24
Aquatics	56	Grasses, Natural	12
Assortments (Collections)	14 to 24	" Ornamental	54 to 55
Bird Seed	13	Herbs, etc.	6
Bulbs, Tubers, etc.	61	Novelties (Flower Seed)	62 " 64
Cactus	56	" (Vegetable Seed)	13
Carnations and Picotees (layers)	60	Palms and Pandanus	55
Clovers	12	Pictorial Flower Seed Pockets } see enclosed	
Collections (Assortments)	14 to 24	" Vegetable Seed Labels } yellow list.	
" " Pictorial	24	Trees and Shrubs	58 to 60
Coloured Plates	64	Vegetable or Garden Seeds	1 " 11
Conditions of Sale, Terms, etc., see above.		Wooden Labels and Stakes	64

Ernst Benary sends out only seeds that will, to the best of his belief, give entire satisfaction; it must, however, be expressly understood that, immunity from error being unattainable and success more often dependent on climatic or local influences than is generally supposed, he warrants neither description, growth nor productiveness of any seeds he sells, nor will he hold himself in any way responsible for the crop. **E. B.** will take it for granted that all who order from him do so with a full knowledge of the preceding.

Erfurt, November 28th 1898.

Ernst Benary.

Garden Seeds.

Not bound to these prices for articles subject to variation by the influence of the Market.

The indication (Alb. .) placed after many of the varieties offered in this List signifies that they are chromolithographed in the "Album Benary", the numbers given refer to the plates in which the articles are figured.

 *For Herbs, &c., see page 6.*

 *Quantities under 14 lbs. will be invoiced at the lb. price.* 

ARTICHOKE.

	Cwt.	lb.
	s.	s. d.
French Green, or Green Provence	—	5 0
" Purple, or Purple Provence	—	9 0
Italian Purple	—	4 0
Laon or Paris, Large Green	—	9 0
Naples, Large Green	—	11 0

ASPARAGUS.

Argenteuil Giant Purple	120	1	3
Conover's Colossal	116	1	2
Erfurt Giant White	70	0	9
" Large White	60	0	8
Palmetto, American sort of great merit	—	2	6

BEANS.

Early Erfurt	19	0	3
" Mazagan	25	0	4
Long Pod, Aqua dulce, the longest	38	0	5
" " Hangdown	25	0	4
" " Johnson's Wonder	28	0	4
" " Monarch	26	0	4
" " Seville, the earliest	33	0	5
Windsor, Large	28	0	4
" Green	31	0	5

Dwarf French, Kidney, or Snap Beans.

Best of All, very long fleshy pods of finest flavour	29	0	5
" " " White-seeded, excellent	38	0	5
Black-seeded Wax, yellow pods, stringless	38	0	5
Canadian Wonder, long-podded	32	0	5
Canterbury Long White	27	0	4
Case-Knife, white-seeded	40	0	6
Crimson Flageolet, large (Alb. 7.)	29	0	5
Earliest White-seeded Frame (Alb. 7.)	33	0	5
Early Yellow Six-weeks	20	0	4
Everbearing (L'Inépisable), new introduction of great merit, the earliest of all, flowers within 3 weeks and produces an abundance of pods in uninterrupted succession, quite distinct and very remarkable	104	1	2
Emperor William, very long-podded, white-seeded, the earliest and best sort for frame ..	38	0	5
Flageolet Wax, yellow stringless pods	45	0	6
" Victoria or Magnum Bonum, the largest-podded of the Flageolet Beans	52	0	7
Glory of Lyons, for frame, extremely productive	24	0	4
Golden Butter Wax, black-seeded, yellow stringless pods, the earliest of the Wax sorts ..	45	0	6
Green Gem, of superior flavour	30	0	5
Grey-seeded, white pods, for forcing	29	0	5

Dwarf Beans — continued.

	Cwt.	lb.
	s.	s. d.
Hundred-for-one, small yellow	44	0 6
Ilseburg Purple-speckled, very early	23	0 4
Ilseburg White or Longsword, very prolific	32	0 5
Mont d'or (Benary), golden yellow stringless pods	92	1 0
Negro (Alb. 7.), extra dwarf	26	0 4
" Long-podded, or Black Canterbury	28	0 4
Ne plus ultra, fine forcing variety	26	0 4
Osborn's Forcing	25	0 4
Pale Dun, Early, for forcing	24	0 4
Princess, small round white	33	0 5
" Earliest Thin-skinned, white-seeded, very tender	39	0 6
Swabian Speckled Forcing, dwarfest, heavy bearer	33	0 5
Sion House	20	0 4
Wax Date, yellow, long-podded, early, stringless	42	0 6
White-seeded Wax, yellow stringless pods ..	64	0 8

Tall Kidney, Running, or Pole Beans.

Algiers, very broad, greenish white, stringless pods, beans black, early (Alb. 11.)	52	0	7
Asparagus (Dolique Asperge)	—	1	6
Black-seeded Wax (Algerian), (Alb. 11.)	—	1	0
Blue or Purple-podded (Alb. 11.)	58	0	8
Bulgarian Butter, quite stringless	72	0	9
Emperor Frederick, excellent sort; pods golden yellow, tinted with rose, and very tender; bears abundantly till late in autumn ..	74	0	9
Epicure, extremely prolific and long bearer	52	0	7
Giant Butter, Liver-coloured Japanese	62	0	8
" White	39	0	6
July, the earliest of all Runner Beans, of medium height, extremely free-bearing ..	84	0	10
Largest Broad White Dutch (Case-Knife, White Seimitar) (Alb. 11.)	58	0	8
Mont d'or, or Golden Butter, splendid sort, golden yellow, stringless pods, very prolific ..	74	0	9
Painted Lady (Price variable)	30	0	5
Princess, or Sugar Pearl, round white (Alb. 11.)	62	0	8
" Yellow-podded Wax	74	0	9
" Van Celst, very long pods ..	80	0	10
Searlet Runners (Alb. 11.) (Price variable) ..	27	0	4
" " Leviathan Prize	32	0	5
Sugar, very long-podded	52	0	7
" Earliest, very fine sort	52	0	7
" Fillbasket, extremely productive	64	0	8
" Yellow-podded (Alb. 11.), white-seeded ..	64	0	8
The Czar, very large and thick podded	60	0	8
Transylvanian Butter, broad, green, stringless pods, 8 to 10 in. long, of excellent quality ..	63	0	8
Wax Flageolet, very prolific, large, yellow, stringless pods of delicious flavour	64	0	8

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

BEANS.

Tall Kidney — continued.

	Cwt.	lb.
	s.	s. d.
Wax Victoria, <i>the thickest-fleshed of all yellow-podded Beans, very tender and stringless, quite hardy</i>	84	0 10
White-seeded Wax, <i>yellow stringless pods</i>	—	1 2
White Lady (Alb. 11.)	28	0 4

B E E T.

Turnip, Arlington's Favourite.....	50	0 7
" Bastian's Early Red.....	32	0 5
" Blood Red, or Round Dark Red, early (Alb. 10.).....	40	0 6
" Eclipse, <i>very early, dark copper-red</i>	36	0 5
" Edmand's Early Blood.....	38	0 5
" Egyptian Earliest Dark Red (Benary) (Alb. 10.), <i>excellent sort</i>	45	0 6
" Yellow or Round Yellow (Alb. 10.).....	40	0 6
Bassano, Early Flat Red.....	32	0 5
Black-leaved Improved Pear-shaped.....	84	0 10
Covent Garden Red.....	72	0 9
Crapaudine, or Rough Skin (Alb. 10.), <i>dark red</i>	60	0 8
Crown Prince, <i>flesh blood-red</i>	54	0 7
Dark-leaved for Flower-gardens, <i>proved stock, quite pure</i>	—	1 6
Dell's Black-leaved, <i>root dark red, very fine</i>	72	0 9
Erfurt Long Black Red (Alb. 10.), <i>root smooth and almost black, excellent sort</i>	30	0 5
" Long Black Red Dark-leaved (Alb. 10.).....	80	0 10
Non plus ultra, <i>deep crimson foliage, dark red root, very good</i>	72	0 9
Nutting's Selected Dwarf, <i>blood-red</i>	100	1 0
Omega, <i>medium-sized, deep crimson root</i>	—	1 0
Osborn's Selected Dark Red.....	90	1 0
Queen of the Blacks, <i>new, foliage almost black, root pear-shaped, very dark red colour, highly recommendable</i>	150	1 6
Strasburg Dark Red Pyriform.....	40	0 6
Victoria, <i>blood-red foliage, with metallic hue</i>	72	0 9
Veitch's Improved Black, <i>flesh almost black, highly recommended</i>	150	1 6
Whyte's Early Deep Blood Red.....	40	0 6

SUGAR-BEET, see *Agricultural Seeds*.

SWISS CHARD.

Chilian, Large-ribbed Scarlet.....	100	1 0
" " " Yellow.....	100	1 0
Crimson Veined Brazilian.....	—	0 8
Golden " ".....	—	0 8
Scarlet " ".....	—	0 8
Spinage Beet Yellow Cutting.....	36	0 5
" " Common Green.....	30	0 5
" " Perpetual, <i>true, English stock</i>	40	0 6
White Silver, or Sea Kale Spinage.....	32	0 5
" " Improved, <i>dwarf, with dark green leaves and very broad white ribs</i>	40	0 6
" " Curled, <i>Large-ribbed, extra</i>	42	0 6
Zurich, <i>yellowish green, extra fine curled</i>	36	0 5

BORECOLE, or KALE.

	Cwt.	lb.
	s.	s. d.
Dwarf Green-curled (Alb. 3.), <i>extra selected stock</i> (German Greens).....	72	0 9
" Green-curled Erfurt, <i>yellowish-green, extra</i>	116	1 2
" Purple-curled, <i>extra fine</i> (Alb. 3.).....	94	1 0
Semi-Dwarf Moss-curled, <i>extra selected</i>	140	1 5
Tall Green-curled, or Scotch, <i>extra fine</i> (Alb. 3.).....	120	1 3
" " " Mosbach Winter, <i>very good</i>	140	1 5
" Purple-curled (Alb. 3.).....	110	1 2
Buda or Siberian, Dwarf Green, <i>for picking</i>	—	0 8
" " " Purple, " ".....	—	0 8
Couve Tronchuda, or Portugal Cabbage (Branza Marrow), <i>curled</i>	100	1 0
Flanders Purple, or Tall Red.....	154	1 6
Jersey, or Tree Kale, Tall Green.....	84	0 10
Marrow-stem, Red.....	154	1 6
" " White.....	154	1 6
Pe-tsai Improved China.....	—	1 4
Thousand-headed (Polo, Mille têtes).....	56	0 7
Yellow Butter.....	64	0 8
" " Self-heading.....	200	2 0
Palm Tree-formed (Alb. 21.).....	—	2 0
Curled, Red-Striped.....	—	3 6
" White " (Alb. 21.).....	—	3 0
" Lacinated Red (Alb. 21.).....	—	3 6
" Neapolitan (Alb. 21.).....	154	1 6
" Proliferous (Alb. 21.).....	—	3 6
" and Striped Garnishing, mixed.....	—	2 6

very ornamental

BROCCOLI.

Adam's Early.....	—	4 6
Cattell's Eclipse.....	—	4 6
Chappel's Cream.....	—	4 6
Dilecock's Bride.....	—	4 6
Early White Spring.....	—	4 6
Favourite.....	—	4 6
Knight's Protecting.....	—	4 6
Late White.....	—	5 0
Leamington.....	—	4 6
Monarch.....	—	5 6
Purple French.....	—	3 0
" Sprouting.....	—	1 10
White French.....	—	3 0
" Mammoth.....	—	5 0

BRUSSELS SPROUTS.

Tall, <i>extra selected stock</i> (Alb. 3.).....	120	1 3
Dwarf, Improved.....	140	1 5
Aigburth, <i>most productive, exceedingly firm sprouts</i>	200	2 0
Craig's Favourite, <i>very select stock</i>	200	2 0
Gilbert's King.....	180	1 9
<i>Heracles, see Novelties.</i>		
Matchless, <i>of vigorous growth</i>	190	1 10
Reading Exhibition, <i>large solid sprouts</i>	300	2 10
Scrymger's Giant.....	160	1 7
Semi-Dwarf Improved Erfurt.....	170	1 8

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

CABBAGE.

	Cwt. lb.		
	s.	s.	d.
All Heart, <i>oval-shaped</i>	150	1	6
Amager, Danish Winter, <i>round, long-keeper</i> ..	300	2	10
Bleichfeld Giant, Early (Alb. 25.).....	—	3	6
Brunswick Large White (Fottler's), <i>flat, short-stemmed, 1st quality</i> (Alb. 1.) ...	150	1	6
" Large White, Dutch-saved seed	78	0	10
Cocoa-nut, Early (Wheeler's)	140	1	5
Conical, Early, <i>excellent, early, short-stemmed, very solid pointed heads, good keeper</i> ..	190	1	10
Drumhead, or Scotch, <i>for cattle</i>	110	1	2
Earliest of All, <i>very early</i>	220	2	2
" Favourite, <i>new, for spring and autumn sowing</i> ..	—	2	0
Early Flat Dutch (Premium)	64	0	8
East Ham, Early	—	1	6
Emperor, Early	—	1	6
Enfield Market	—	1	6
Erfurt Large White, <i>very useful variety</i>	124	1	3
" Small White (Alb. 1.), <i>very early</i>	144	1	5
Étampes, <i>Very Early, one of the earliest, fine</i> ..	220	2	2
Express, <i>Very Early, pointed head</i>	220	2	2
Filder, or Pomeranian (Alb. 25.), <i>very pointed head, very hardy, excellent</i>	310	3	0
Henderson's Early Summer, <i>very fine sort</i>	200	2	0
Jersey Wakefield, <i>esteemed American sort</i>	150	1	6
London Market, <i>extra selected</i>	—	2	0
Magdeburg Large White Solid, <i>flat (Sauerkraut)</i> ..	104	1	2
Nonpareil, Dwarf.....	—	1	8
Oxheart, Large	130	1	4
Quintal d'Auvergne, <i>new, Improved Strasburg Quintal</i> ..	240	2	4
Russian Flat Giant } <i>very large late sorts</i>	230	2	3
" Round Giant }	190	1	10
St. John's Day Earliest (Joanet), <i>flat</i>	110	1	2
" " " Large Late	110	1	2
Schlitzer, <i>blue-edged</i>	180	1	9
Schweinfurt Quintal, <i>Largest White</i> (Alb. 1.), <i>early, true</i>	130	1	4
Strasburg Quintal, or Cwt. Drumhead... ..	180	1	9
Sugarloaf, <i>very early</i>	140	1	5
Ulm Quintal, <i>large white</i>	130	1	4
Winnigstadt (Alb. 1.), <i>pointed head</i>	188	1	10
York, Early	94	1	0
" Large	—	1	6
Blood Red, Berlin (Alb. 25.), <i>middle-sized, fine</i> ..	200	2	0
" " Dutch, Early Small	200	2	0
" " Erfurt, Early Small, <i>very dark, the best for pickling</i> (Alb. 1.)	306	3	0
" " " Late Giant	—	4	0
" " Large Late Drumhead (Alb. 1.)... ..	174	1	9
" " President Garfield, <i>pointed head, early</i> ..	—	3	6
" " Ulm, Late	200	2	0

CAPSICUM, or PEPPER.

Cardinal, <i>new, fruit glowing scarlet, 8 to 10 inches in length</i>	—	4	0
Cayenne, Long Red Narrow (Alb. 17.)	—	2	0
Celestial, <i>charming</i>	—	3	0
Cherry Red (Alb. 17.)	—	1	8
" Yellow (Alb. 17.)	—	1	8
Chili (Alb. 17.)	—	1	10
Elephant's Trunk, <i>very fleshy scarlet fruits, of very mild flavour</i>	—	9	0

CAPSICUM — continued.

	Cwt. lb.		
	s.	s.	d.
Fancy Wrinkled Yellow	—	3	0
Golden Dawn, <i>golden yellow fruit, 12 to 24 on a single plant, very ornamental</i>	—	2	6
Kaleidoscope, <i>charming</i>	—	1	8
Large Bell, Sweet Spanish or Bull Nose (Alb. 17.) ..	190	1	10
Long Red (Alb. 17.)	110	1	2
" Yellow (Alb. 17.)	—	1	6
Monstrous, or Grossum	—	3	4
" Golden Yellow, <i>enormous fruits, of mild flavour</i>	—	6	0
Procop's Giant, <i>very fine and distinct</i> ... " 8 "	—	8	0
Red Cluster, or Dwarf Chili, <i>coral red fruit</i>	—	2	0
" Spanish Mammoth, or Mountain	—	2	6
" Squash, or Tomato-shaped (Alb. 17.)	—	2	6
Ruby King, <i>bright red</i>	—	3	6
Scarlet Maddaloni, <i>large conical fruit</i>	—	4	0
Yellow Nocera, <i>large yellow fruit</i>	—	4	0
" Squash, or Tomato-shaped	—	2	0

CARROT.

	Bearded Seed			Rubbed Seed		
	Cwt.	lb.		Cwt.	lb.	
Earliest Red Horn, or French, <i>for forcing</i> (Carotte très-courte de Paris) (Alb. 4.)	84	0	10	112	1	2
Early Red Horn, or Dutch, <i>early short scarlet, for forcing</i> ..	68	0	9	92	1	0
Half Long Scarlet Amsterdam, <i>new, without core, finest for forcing</i>	—	2	6	—	3	6
" " " Carentan, <i>extra early</i>	74	0	9	100	1	0
" " " Chantenay, <i>stump-rooted, very productive</i>	—	—	—	86	1	0
" " " Guérande or Oxheart, <i>stump-rooted, (Early Gem)</i>	90	1	0	120	1	3
" " " Horn Exhibition (Deverill's), <i>stump-rooted, without core</i> ..	120	1	3	180	1	9
" " " Luc, <i>stump-rooted</i> ..	75	0	10	108	1	2
" " " Nantes (Alb. 4.), <i>improved stump-rooted</i>	78	0	10	110	1	2
" " " Stump-rooted, <i>early</i> ..	68	0	9	92	1	0
" " Red Danvers	—	—	—	66	0	8
Intermediate Scarlet (James's) or Half Long Scarlet, <i>root tapering to a point</i>	48	0	7	72	0	9
" Scarlet Exhibition (Deverill's), <i>splendid strain</i>	140	1	5	210	2	0
" Yellow	48	0	7	74	0	9
Long Red Erfurt, <i>very good</i>	48	0	7	74	0	9
" " Surrey (Brunswick, or Long Orange) (Alb. 4.) ..	45	0	6	68	0	9
" " Stump-rooted, <i>without core</i>	48	0	7	72	0	9
" " St. Valery	48	0	7	72	0	9
" Scarlet Altringham, <i>fine long</i> ..	50	0	7	75	0	10
" " green top, <i>selected</i> ..	64	0	8	84	0	10
" Yellow, or Lemon (Alb. 4.) ..	—	—	—	66	0	8
" " Belgian (green top) (Alb. 4.) ..	56	0	7	74	0	9
" White Belgian Improved (green top) (Alb. 4.)	50	0	7	72	0	9
" " Transparent (Alb. 4.) ...	—	0	10	—	1	4
" " Thick Vosges	48	0	7	72	0	9

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

CARDOON.

	4lb.
	s. d.
Alexander, golden yellow, prickly.....	3 0
Large Sicilian	4 6
" Solid Tours, prickly	1 8
Puvis, or Artichoke-leaved	1 10
Spanish, smooth	1 8

CATERPILLARS (Scorpiurus), small and large, mixed	5 0
---	-----

CAULIFLOWER.

Erfurt Large White Early	20 0
" Dwarf Earliest, best for forcing and open ground, finest of all varieties, 1st quality. Grown specially for me by the most reliable Erfurt market-gardeners	oz. 10 s. 150 0
" Dwarf Early 11 th quality, good .. " 3 "	40 0
" Very Dwarf Small-leaved (Early Snowball), for forcing and open ground, solid pure white heads; not over 15 inches in height, excellent sort	oz. 5 s. 70 0
 To prevent error, customers will please indicate the exact names and prices of the sorts of Erfurt Cauliflower required.	

Algiers, extra fine	24 0
Asiatic, Large Late	5 6
Dutch, Dwarf	9 0
Early London, or Early Dutch	5 6
Emperor (Imperial), very early, splendid	16 0
Italian Early Giant (Veitch's Autumn Giant), extra fine, large white heads. My stock of this popular sort is very select and has given for years past the greatest satisfaction ..	5 6
Lenormand, large and superior French sort	14 0
" Short-stemmed, not affected by drought	16 0
<i>Maltese Dwarf, see Novelties.</i>	
Paris, Earliest, or Salomon, very tender	9 0
" Half-early, or Nonpareil	10 0
Standholder, Large Late	6 0
Walcheren	6 0

CELERY.

	Cwt.	4lb.
	s.	s. d.
Claywood Park Prize, red	150	1 6
Cole's Crystal White	100	1 0
English White Solid	100	1 0
Golden Self-blanching (plein blanc doré, Céleri Chemin)	420	4 0
Golden Yellow Rose-ribbed, new, charming	—	6 0
Ivery's Nonsuch Red	120	1 3
Large-ribbed Dwarf Solid	—	1 6
Leicester Red	100	1 0
Pascal White Giant	—	1 6
Perfection, new, white-ribbed	—	2 0
Sandringham Dwarf White	—	1 6
White Plume, early, a valuable standard sort ..	—	6 0
Wright's Improved Red	150	1 6
" " White	150	1 6
Hollow Cutting	60	0 8
Soup Celery	60	0 8

CELERIAC, or Turnip-rooted.

	Cwt.	4lb.
	s.	s. d.
Celeriac, or Turnip-rooted Celery	144	1 5
Erfurt, Large Early	164	1 8
" Short-leaved, extra	190	1 10
" Tom Thumb, for edgings in the kitchen-garden. Packets: per dozen 4 s., each 5 d.		
Prague Giant, very large and smooth root	200	2 0
Small-leaved Apple, tubers round and quite smooth	184	1 10
Variegated-leaved, bulbs similar to those of the Apple Celeriac, leaves mottled yellow and green with pale rose ribs. Packets: per dozen 3 s., each 4 d.		

CHICORY.

Brussels, or Witloof	76	0 10
Christmas, new, pale-green lacinated leaves, very long-keeping... for	—	3 0
Common, or Wild (Barbe de Capucin) salads	—	1 4
Improved Spotted	94	1 0
" Very Large-leaved, excellent ..	135	1 4
Large-rooted Long Magdeburg, or Coffee, strap-leaved (Alb. 12.)	40	0 6

CHIVES (Ciboulette) 10,000 seeds 4 s.

CORN SALAD.

Large Round-leaved, small-seeded..	42	0 6
Large-leaved Dutch, large-seeded.. (Alb. 35.)	80	0 10
Italian (Valeriana coronata)	76	0 10
Concave-leaved, large dark green, spoon-shaped leaves, of compact habit (Alb. 35.)	100	1 0
Green Cabbaging, rosette-shaped (Alb. 35.)	78	0 10
Lettuce-leaved	80	0 10

CRESS.

Garden, Common, or Plain	20	0 4
" Curled	21	0 4
" Extra Curled Dwarf	29	0 5
" Golden Yellow, or Australian	26	0 4
Water	—	3 6
" Erfurt, very mild and tender oz. 1s. 2d.	—	14 0
American, or Early Winter, grey-seeded	60	0 8
" Variegated-leaved, true from seed	—	2 0

CUCUMBER.

OUT-DOOR SORTS.

Bismarck, Long Dark Green, white-spined fruit ..	300	2 10
Boston Market, white-spined, very early	260	2 6
Chinese Remaining Green (Alb. 6.)	330	3 2
French Green, Short	120	1 3
" " Parisian (Cornichon)	188	1 10
" " Longest or Long Prickly	190	1 10
" " Bourbon, smooth, thin-skinned, 15 to 20 inches long, very productive..	370	3 6
Goliath, Long Green Giant, 20 to 25 inches, also excellent for frame, very prolific. oz. 1s.	—	12 0
Green, Middle-sized (Alb. 6.)	225	2 3
" " White-spined, remaining green, very early	260	2 6
" Long	260	2 6
" Longest (Alb. 6.), 12 to 16 inches	325	3 2

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

CUCUMBER.

Cwt. lb.
s. s. d.

OUT-DOOR SORTS — continued.

Green Long Athens or Grecian (Alb. 6.), <i>extremely prolific, 1½ ft., excellent</i>	290	2	9
" Short Remaining Green	310	3	0
" Japanese Climbing, <i>very early and prolific, fruit green, about 16 inches long; does not become bitter, nor suffer from mildew</i>	510	4	10
Russian Netted, or Agourci	—	3	0
" Murom, <i>the smallest; very early</i>	—	1	10
" Shortest Green or Russian Gherkins (Alb. 6.), <i>earliest of all, prolific, and very hardy</i>	84	0	10
West-India Gherkins, small	—	3	4
White, Short (Alb. 6.), <i>5 to 6 inches, extra</i> ...	300	2	10
" Dutch, or Long Early Yellow Dutch	—	3	4
" Long Early	—	4	0

FRAME SORTS.

per lb. per oz.

Berlin Eel, <i>fine, long, thick, green variety, also good for the open ground</i>	24	0	1	10
Cluster, <i>especially useful for cold frames</i> ...	26	0	2	0
Duke of Edinburgh (Alb. 30.) (English seed) 100 seeds 2 s. 8 d.	—	—	24	0
Giant of Arnstadt, <i>one of the finest, 20 to 25 inches, good bearer</i>	32	0	2	6
" " Arnstadt, Snow-white	32	0	2	6
Glory of Erfurt (Alb. 30), <i>snow-white, extra</i> ..	32	0	2	6
Himalaya, Long Green	—	—	2	6
" " White	—	—	3	0
Indefatigable, <i>a favourite German sort</i>	36	0	2	10
Lockie's Perfection, <i>of medium length, straight, unribbed, and of a fine green; flesh exceedingly crisp</i> 100 seeds 1 s.	—	—	6	0
Noa's Forcing (Alb. 30), <i>one of the most productive sorts, 30 to 36 inches</i> ...	36	0	2	10
Non Plus Ultra, <i>green, extra</i>	12	0	1	0
Prescott Wonder, <i>rapid growing and prolific sort; long dark green fruit produced in clusters</i>	—	—	4	0
Rollisson's Telegraph (Alb. 30.), <i>excellent, most prolific sort</i> (English seed) 100 seeds 2 s. 4 d.	—	—	20	0
Roman Emperor	12	0	1	0
Swan-neck, <i>extra, 30 inches long</i>	26	0	2	0
Triumph, <i>splendid novelty, fruit of perfect form, bears throughout the whole year in greatest abundance</i> 100 seeds 1 s. 4 d.	—	—	10	0

CYPERUS esculentus (Rush Nut, Earth Almond)

DANDELION.

Cultivated ...	1	8	0	2
Improved Large-leaved, Early ...	7	0	0	8
" Thick-leaved or Cabbaging	9	0	0	10

EGG PLANT.

Black-fruited Pekin, <i>very ornamental</i>	5	0	0	6
Cardinal, <i>oval-shaped fruits of a bright scarlet colour; very early, resists all weathers, highly decorative</i>	10	0	0	10
Dwarf Purple, <i>very early</i>	5	0	0	6
Long White	3	0	0	4
" " Tunis, <i>fruits from 10 to 12 in. length</i> ..	3	0	0	4
" " Giant	3	6	0	4

EGG PLANT — continued.

per lb. per oz.
s. d. s. d.

Long Purple, or Violet	1	6	0	2
" " Very Early	3	6	0	4
Negro Prince, <i>medium-sized, perfectly black fruit, very early</i>	—	—	0	10
New York Giant, <i>round purple-fruited</i>	10	0	0	10
Pear-shaped Purple Giant, <i>fruits of extraordinary size, from 2 to 4 lb. in weight</i> ..	6	0	0	6
Round White	3	0	0	4
" Purple, or Violet	3	6	0	4
Striped Guadeloupe, <i>oval-shaped fruit</i>	4	0	0	4
Tomato-formed Red	3	6	0	4

ENDIVE.

Cwt. lb.

Courte à cloche, <i>dwarf, very tender, well-filled, and finely-curved hearts</i>	—	2	0
Green-curved Winter (Alb. 33.)	130	1	4
Guilande, <i>extra fine sort, with firm heads</i> ..	—	2	2
Imperial Curled, <i>very fine, pale yellow</i>	(Alb. 33.) 254	2	5
Italian, Green-curved Summer, <i>extra</i>	160	1	7
Meaux, <i>Finest Green-curved Winter</i>	150	1	6
Moss-curved, <i>extra fine</i> (Alb. 33.)	220	2	2
" " White, <i>new, splendid</i>	240	2	4
Pencalière, <i>large sort, green-curved leaves</i>	—	1	9
Rouen, or Staghorn, <i>Fine-curved</i> (Alb. 33.) ...	180	1	9
Ruffee, <i>Large Green-curved</i>	220	2	2
White-curved (Alb. 33.)	260	2	6
Broad-leaved Green (Batavian, Scarole) (Alb. 33.)	164	1	8
" " " Paris, <i>extra</i>	174	1	9
" " Gloire du Var, <i>dark green, quite distinct</i> ..	200	2	0
" " White, or Lettuce-leaved (Alb. 33.)	164	1	8

GARLIC (bulbs)

GOURD.

per lb. per oz.
s. d. s. d.

EDIBLE SORTS (Squashes).

Boston Marrow	4	0	0	4
Bush Summer Crookneck, Yellow	3	0	0	4
Custard Marrow, Golden	4	0	0	4
" " White	4	0	0	4
Hubbard Squash	5	0	0	6
Hundredweight Yellow Netted Melon, <i>from 100 to 150 lb. specimens</i> ...	10	0	0	10
" Green	9	0	0	10
" Scarlet	5	0	0	6
" Yellow	7	0	0	8
" White	8	0	0	8
Large Green	1	2	0	2
" Yellow	1	2	0	2
Mammoth Pumpkin	7	0	0	8
King of the Mammoths	7	0	0	8
Neapolitan, or Early Portmanteau, <i>dark green</i> ..	2	6	0	3
Potiron jaune, <i>from large, dark yellow, netted fruits weighing 60 to 100 lbs.</i>	7	0	0	8
Valparaiso	4	0	0	4
Vegetable Marrow, Long Green	2	6	0	3
" " Long Green Bush	2	6	0	3
" " " White	2	0	0	2
" " " Bush	2	6	0	3
" " " Yellow	2	6	0	3
" " " Cream	2	0	0	2
" " " Italian Bush, or Cocozelle, <i>very productive</i>	2	0	0	2

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

GOURD.

per lb. per oz.
s. d. s. d.

EDIBLE SORTS — continued.

Vegetable Marrow King's Acre Cream	2	6	0	3
" " Pen-y-byd, cream-coloured globular fruit, very productive	3	0	0	4
" " Moore's Cream	2	6	0	3
" " Perfect Gem, small, of a milky white	5	0	0	6
White Pine-Apple Squash	3	0	0	4
Common Field .. cwt. 60 s.	0	8		
Mixed large sorts	3	4	0	4

ORNAMENTAL SORTS.

Angora (Alb. 15.), black-seeded, white-spotted fruits, rapid-growing climber, very useful for arbours, etc.	4	0	0	4
Bishop's Mitre, Orange (Alb. 15.)	4	0	0	4
" " Three-coloured, new	6	0	0	6
" " White	4	0	0	4
" " " Green-striped	4	0	0	4
Bottle	3	0	0	4
Clava Herculis (Hercules' Club)	3	0	0	4
Corsican, or Dish	3	0	0	4
Powderhorn	3	0	0	4
Siphon, or Dipper	3	0	0	4
Turk's Turban, Red (Alb. 15.)	5	0	0	6
" " Chamois, Red-striped	6	0	0	6
" " Yellow, White-striped	6	0	0	6
" " Green	5	0	0	6
" " Small Red China	6	0	0	6
" " White, Red-striped	6	0	0	6
" " White, Red- and Green-striped	6	0	0	6
" " mixed	5	0	0	6
10 other fine sorts, each				0 8
Fine mixed Ornamental Sorts	3	6	0	4

SMALL ORNAMENTAL SORTS.

Apple, 5 sorts, each	5	0	0	6
" Yellow, Red-striped, new	8	0	0	8
Egg-shaped, White	5	0	0	6
Gooseberry, the smallest	6	0	0	6
Lemon, or Orange	5	0	0	6
Pear-shaped, Green, White-striped	5	0	0	6
" " Black, new	5	0	0	6
" " Yellow, Red-striped, new	8	0	0	8
pyriformis, Small Pear, 4 sorts, each	5	0	0	6
6 other fine small sorts, each				0 6
Fine mixture of small Ornamental sorts	3	6	0	4

HERBS, &c.

Cwt. lb.
s. s. d.

Angelica (Angelica Archangelica)	—	1	8
Anise (Pimpinella Anisum)	58	0	8
Balm (Melissa officinalis)	—	2	6
Basil, Sweet, Large Green (Ocimum Basilicum) (Alb. 32.)	—	1	2
" " Large Purple (Alb. 32.)	—	2	0
" Bush, Green (Alb. 32.)	—	1	4
" " compact, very dwarf	—	4	0
" " Purple (Alb. 32.)	—	2	0
" " " compact, very dwarf	—	8	0
" Lettuce-leaved	—	2	0

HERBS, &c. — continued.

Cwt. lb.
s. s. d.

Bene (Sesamum orientale)	—	1	4
Blessed Thistle (Centaurea benedicta)	—	0	8
Borage (Borago officinalis)	125	1	3
Burnet, Garden (Poterium hortense)	100	1	0
Cape Gooseberry (Physalis edulis), true.. oz. 1 s.	—	12	0
Caraway (Carum Carvi)	32	0	5
Cardoon, Spanish, Smooth (Cynara Cardunculus)	—	1	8
Catnip (Nepeta Cataria) .. oz. 1 s.			
Chervil, Plain, or Common (Anthriscus Cerefolium) (Alb. 32.)	90	1	0
" Curled, or Double, extra Moss-curved (Alb. 32.)	90	1	0
" Sweet-scented (Myrrhis odorata)	—	3	0
" Turnip-rooted (Chaerophyllum bulbosum) (Alb. 12.)	—	1	10
Coriander (Coriandrum sativum)	23	0	4
Cowslip, Common (Primula officinalis). oz. 8 d.	—	8	0
Cumin (Cuminum Cyminum)	—	0	10
Curled Mint (Mentha crispa) 1000 seeds 1 s. 6 d.			
Dill (Anethum graveolens)	38	0	5
Elecampane (Inula Helenium)	—	6	0
Fennel, Common, or Bitter (Foeniculum vulgare)	45	0	6
" Florentine	—	3	0
" Large Sweet	54	0	7
Horehound (Marrubium vulgare)	—	2	0
Hyssop (Hysopus officinalis)	—	1	2
Ice Plant (Mesembryanthemum cristallinum)	—	3	4
Lavender (Lavendula Spica) (scarce)	—	2	6
Lovage (Levisticum officinale)	—	3	0
Marigold, Pot (Calendula officinalis)	—	1	2
Marjoram, Sweet (Majorana hortensis)	98	1	0
" Pot, or Perennial (Origanum vulgare)	—	6	8
Mignonette, Large-flowering	94	1	0
Nasturtium, Tall mixed	72	0	9
Patience (Rumex patientia)	42	0	6
Penny-Royal (Mentha Pulegium) .. oz. 4 s. 0 d.			
Peppermint (Mentha piperita) 1000 seeds 1 " 6 "			
Purslain, Green (Portulaca oleracea)	—	1	0
" Golden	—	1	4
" " Large-leaved	—	1	6
Rampion (Campanula Rapunculus)	—	4	6
Rocket (Brassica Eruca)	—	1	6
Rosemary (Rosmarinus officinalis), (failure)	—	—	—
Rue (Ruta graveolens)	—	1	6
Saffron (Carthamus tinctorius)	—	0	6
Sage (Salvia officinalis)	140	1	5
Savory, Summer, or Annual (Satureja hortensis)	38	0	5
" Winter, or Perennial (" montana)	—	1	6
Seurvy Grass (Cochlearia officinalis)	—	1	4
Sorrel, Common German	78	0	10
" Golden-leaved Lyons, new, broad-leaved	134	1	4
" Large-leaved French	88	1	0
Tansy (Tanacetum vulgare)	oz. 1 s.	—	12 0
Tarragon, Russian (Artemisia Dracunculus) " 2 "	—	26	0
Thyme, Summer, French (Thymus vulgaris)	—	2	0
" Winter, German	154	1	6
Woodroof (Asperula odorata)	oz. 6 d.	—	6 0
Wormwood (Artemisia Absinthium)	—	3	0

KALE, see Borecole.

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

KOHL RABI.

	Cwt.	lb.	
	s.	s.	d.
Green, Early Smooth	80	0	10
" Earliest Erfurt, finest open-ground sort, stands long without becoming stringy	260	2	6
" Vienna Earliest Short-leaved	200	2	0
" " " Frame, extra selected (Alb. 18.)	300	2	10
" Large Late	116	1	2
" Late Giant (Alb. 18.)	164	1	8
" " Goliath	225	2	3
Purple, Early Smooth (Alb. 18.)	125	1	3
" Vienna Earliest Short-leaved	220	2	2
" " " Frame, extra selected (Alb. 18.)	310	3	0
" Large Late	125	1	3
" Late Giant (Alb. 18.), weighs up to 8 lbs. ..	190	1	10
" " Goliath, of enormous size, very tender ..	250	2	5

LEEK.

Winter, Erfurt } withstand the severest winters	104	1	2
" Brabant }	114	1	2
" Bangholm Prizetaker, splendid variety	160	1	7
" Carentan Giant, hardy	144	1	5
" Coldstream Giant, very large	240	2	4
" Musselburgh Large, from Scotch seed	180	1	9
" Rouen, very large, hardy	144	1	5
" The Lyon, of extraordinary size	—	3	6
Broad-leaved Flag, or London	90	1	0
Large Yellow Poitou, broad-leaved	—	2	4

LETTUCE.

(w white-seeded, b black-seeded.)

CABBAGE VARIETIES.

Bruine Geel, or Boston Market, early ...	w	188	1	10
Commodore Nutt (Improved Green Tennisball) ...	b	150	1	6
Egg, small, early, solid	w	250	2	5
Early Dwarf Brown Forcing, small, compact	w	200	2	0
Forcing Emperor, yellow, the earliest, splendid, but suited only for frame...	w	200	2	0
Royal Cabbage (Alb. 9.), red-fringed ...	w	188	1	10
Stone-head (White Tennisball) (Alb. 9.)...	w	250	2	5
" " Golden Yellow, or Golden Ball (Alb. 26.), of superior quality, very solid	w	330	3	2
Wheeler's Tom Thumb (Alb. 26.), true	b	200	2	0
All the Year Round (Turkish or Black-seeded Butter), large-headed	b	180	1	9
American Giant, brown-edged	w	200	2	0
Batavian, Green	w	240	2	4
" Red-edged (Crystal Cabbage) (Alb. 5.) ..	w	240	2	4
" White, or White Silesian	w	240	2	4
Blonde de Berlin (Alb. 26.), large yellow ...	b	154	1	6
Blood Red, Large (Alb. 5.)	b	—	2	0
Bossin's Giant, very large (failure)	b	—	—	—
Brown Dutch, or Haarlem, large solid brown	b	150	1	6
Buttercup, heads bright citron yellow, solid, and durable; fine both for winter and summer use, also for forcing	w	330	3	2
Chavignè, early, compact, of delicious flavour. ..	w	260	2	6
Drumhead, or Malta	w	110	1	2
Early Simpson, curled	w	—	2	0
Erfurt, yellow, very tender	w	230	2	3
First Crop, new, the earliest of all open-ground varieties, very long-standing, of excellent flavour, capital sort for market	w	330	3	2

LETTUCE.

CABBAGE VARIETIES — continued.

Golden Spotted (Benary), (Alb. 26.), golden yellow, speckled with brown red	w	280	2	8
Grand Admiral, (Large Versailles, Cyrius) (Alb. 9.)	w	160	1	7
Green Unctuous (verte grasse), large and very long-standing sort (Alb. 26.)	b	180	1	9
Hardy White Dutch, large	w	170	1	8
Imperial, or Asiatic (Alb. 9.), large pale green	w	160	1	7
Improved Spotted, or Tigred (Alb. 9.)	w	—	2	0
Large Yellow Market, particularly tender and very fine large heads of greenish yellow; turns in quickly and is of an especially hardy nature	w	380	3	8
Marvel, or Red Besson, dark green, tinged with bright bronzy red, very fine	b	290	2	9
Naples, or Neapolitan, large	w	230	2	3
Paris Sugar, extra fine large sort	w	230	2	3
Passe Partout, or Fearnought, large yellow. ..	b	220	2	2
Perpignan (Alb. 5.), large green	w	160	1	7
" Improved, excellent, the longest-standing sort of all, very shy seeder	w	—	5	6
Satisfaction, or Salamander, one of the best for summer; firm yellow heads	b	180	1	9
Solid-headed Yellow, or Yellow-seeded Butter, large, firm, crisp, and tender	180	1	9	
Spotted, or Tigred (Alb. 26), large	w	160	1	7
Stubborn-headed, Large Yellow (Trotzkopf) (Alb. 5.), fine sort	w	235	2	3
" " New Brown, (Alb. 5.), large, extra	w	250	2	5
Victoria Cabbage	w	170	1	8
" " Red-edged	w	188	1	10
White Summer Cabbage, or Butter-head ...	w	170	1	8
Winter Passion, Brown, improved	w	150	1	6
" " Best of All, new, light green with golden yellow heart, tender, withstands the severest winters ...	w	250	2	5
" " White	w	160	1	7
Cabbage Lettuce, numerous varieties mixed	160	1	7	

COS VARIETIES.

Ballon or Bougival, large summer variety ...	b	164	1	8
Bath or Brown, Black-seeded	b	150	1	6
" " " White-seeded	w	150	1	6
Champion Brown, a large variety	b	150	1	6
Dwarf Yellow Self-folding, very good	w	150	1	6
Green Paris, extra selected	w	160	1	7
White " " "	w	160	1	7
Magnum Bonum	w	150	1	6
Red, or Blood Winter	b	150	1	6
Spotted	w	—	1	6
Trionon, Early White Self-folding, new	w	180	1	9
Victoria or Florence	w	150	1	6
White Heart, new, earliest sort	w	150	1	6
Asparagus Lettuce (Laetuca angustana) ...	b	—	2	6

VARIETIES FOR PICKING.

American Curled, or American Gathering, red-fringed, exceedingly tender, fine flavour; in use from spring until autumn	w	280	2	8
Australian Yellow Curled, very good	w	280	2	8
Californian Curled, green, very effective also on lawns	w	—	4	0
Canadian Gathering, see Novelties.				

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

LETTUCE.

PICKING VARIETIES — continued.

	Cwt.	lb.	s.	s.	d.
Endive-like Curled	b	104	1	2	
Moss-curled	b	—	2	6	
Oak-leaved Cabbaging	w	—	2	0	
Small Picking	w	90	1	0	

LOVE APPLE, see Tomato.

MANGOLD WURZEL, see Agricultural Seeds.

MELON.

	per lb.	per oz.	s.	d.	s.	d.
Berlin Netted, extra large, round, very good	—	—	1	8		
Cavaillon (Alb. 19.), red-fleshed	4	0	0	4		
Green Climbing, for trellises exposed to the sun, very prolific, small	6	0	0	6		
" " Red-fleshed, new	8	0	0	8		
Malta, Red-fleshed	4	0	0	4		
" " Green-fleshed	7	0	0	8		
Pine Apple, Green-fleshed	8	0	0	8		
" " Red-fleshed	10	0	0	10		
Tours Netted Sugar	8	0	0	8		
Fine mixed sorts	—	—	—	—		

CANTALOUPE MELONS.

Algiers (Alb. 19.)	16	0	1	4
Black Portugal	12	0	1	0
Carmes, Large (Noir des Carmes)	16	0	1	4
Consul Schiller, yellow-fleshed, very large	20	0	1	6
Orange, very good	12	0	1	0
Paris (Alb. 19.) (Prescott hâtif)	10	0	0	10
Woldemar Gratscheff, scarlet-fleshed, fine	16	0	1	4
Mixed	12	0	1	0

ENGLISH FRAME SORTS.

Albert Victor	20	0	1	6
Bishop's Favourite, new	—	—	1	8
Blenheim Orange	20	0	1	6
Duke of Edinburgh	16	0	1	4
Eclipse, new	—	—	2	0
Gilbert's Green-Fleshed	20	0	1	6
Golden Champion	20	0	1	6
Hero of Bath	12	0	1	0
" " Lockinge	20	0	1	6
Imperial Green-Fleshed	16	0	1	4
Invincible Scarlet	20	0	1	6
Knowsley Favourite	20	0	1	6
Lord Beaconsfield	20	0	1	6
Munroe's Little Heath (Alb. 19.)	20	0	1	6
Prince of Wales Hybrid	—	—	1	0
Read's Hybrid Scarlet-Fleshed (Alb. 19.)	14	0	1	2
Royal Horticultural Prize	16	0	1	4
Sir Garnet Wolseley	16	0	1	4
Triumph, new	—	—	2	0

WATER MELONS.

Black-seeded	2	4	0	3
Red-seeded	1	8	0	2
American sorts: Cuban Queen, Ice Cream, Icing, Mountain Sprout, Phinney, Rattlesnake, each	4	0	0	4

OENOTHERA biennis (Evening Primrose) 1 0 0 2

OKRA, Long Green 2 0 0 2

ONION.

	Cwt.	lb.	s.	s.	d.
Strasburg or Erfurt Pale Red (Alb. 16.)	134	1	4		
Brown Spanish, or Deptford	124	1	3		
White Spanish, or Sulphur Yellow (Alb. 16.)	164	1	8		
Bedfordshire Champion (Alb. 29.)	200	2	0		
Blood Red (Alb. 16.)	212	2	2		
Deep Blood Red, or Purple (Alb. 16.)	220	2	2		
Early White Silver-skinned, or Round White Hard Dutch (Alb. 16.), long-keeping, excellent pickling Onion	280	2	8		
James's Long-keeping (Alb. 16.)	194	2	0		
Lisbon Late White (Alb. 22.)	92	1	0		
Magnum Bonum (Alb. 29.)	200	2	0		
Pear-shaped (pyriforme) (Alb. 16.)	124	1	3		
" " Silver-skinned, new, very fine	—	3	0		
Potato-Onion, Red, seed	—	5	0		
" " Yellow, seed	—	5	0		
Rousham Park Hero	—	2	10		
Straw-coloured	140	1	5		
Trebons (Alb. 29.), large yellow, oval-shaped	240	2	4		
Vertus (Alb. 29.), pale yellow, very good sort	140	1	5		
Welsh White, or English	130	1	4		
Wethersfield Red (Alb. 16.), blood-red	200	2	0		
White Globe, (Alb. 29.), long-keeper	—	3	6		
" Paris, early	—	2	10		
Wroxton Globe	260	2	6		
Zittau Giant Yellow (Alb. 16.), handsome glo-bular bulb, of finest flavour, remains sound until June	310	3	0		
" " Blood-Red	250	2	5		
" " Sulphur Yellow, new	—	2	8		

TRIPOLI SORTS.

Italian, Barletta, pure white, very small, of an extreme earliness	260	2	6		
" Como, or Golden Queen, long-keeper	—	5	0		
" Deep Red, Large Globe (Alb. 22.)	140	1	5		
" Giant White, Flat (Alb. 22.)	180	1	9		
" " Rocca (Alb. 22.), reddish yellow	140	1	5		
" " Straw, or Lemon-coloured	150	1	6		
" Mammoth White Flat (Alb. 29.), the largest of the section, mild and fine	260	2	6		
" Neapolitan Maggiaiola, white, of very rapid growth	180	1	9		
" Nocera White, very early, extra	230	2	3		
" Red Bassano, or Genoa, large globe, extra	140	1	5		
" The Queen (Alb. 22.), silver-skinned, very early, small and mild flavoured	250	2	5		
Madeira Flat (Alb. 22.), very large varieties	160	1	7		
" Globe	160	1	7		
Portuguese Delicacy, a large, dark yellow, oval-shaped variety of very mild flavour	—	6	0		

ORACH.

Dark Red	46	0	6
Deep Blood Red, striking and effective	—	0	8
Lee's Giant, green	—	0	10
Yellow, or White	—	0	8
" Improved, very large dark yellow leaves	—	0	10

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

PARSLEY.

	Cwt.	lb.
	s.	s. d.
Beauty of the Parterre, <i>the handsomest sort extant, perfectly distinct</i> (Alb. 35.) ...	94	1 0
Curled, or Double, <i>English stock</i>	30	0 5
" " " <i>German</i> (Alb. 35.)	33	0 5
Fern-leaved, <i>extra selected</i> (Alb. 35.)	36	0 5
Glory of Erfurt, <i>turnip-rooted, with curled leaves</i>	84	0 10
Hamburg, <i>turnip-rooted</i>	64	0 8
Hybrid Moss-curled, <i>extra selected</i> (Alb. 35.) ...	42	0 6
Plain, Common or Sheeps' (Alb. 35.)	32	0 5
Triple-curled Dwarf, Extra (Myatt's) (Alb. 35.) ..	42	0 6

PARSNIP.

Long (Alb. 12.)	27	0 4
Magnum Bonum	29	0 5
Parsons's Guernsey, <i>long</i> ...	30	0 5
Sutton's Student, <i>the longest</i> } <i>from English seed</i>	32	0 5
Turnip-rooted, or Round Early (Alb. 12.)	32	0 5
PEA NUT (Earth-nut) (<i>Arachis hypogaea</i>) —	0	10

PEAS.

ROUND VARIETIES.

de Grace $\frac{1}{2}$ foot high (Alb. 27), <i>for forcing</i> ...	30	0 5
Earliest of All Improved	25	0 4
Giant White Scimitar	33	0 5
Pride of the Market	28	0 4
Ringleader, or First Crop	20	0 4
Sangsters' No. I. Improved	20	0 4
Telegraph	32	0 5
White Scimitar	25	0 4

WRINKLED VARIETIES.

Abundance	35	0 5
Alpha	29	0 5
American Wonder (Alb. 27.), <i>very dwarf</i>	35	0 5
British Queen	35	0 5
Champion of England	35	0 5
Daisy, <i>new, dwarf, very prolific</i>	63	0 8
Dr. Mae Lean	33	0 5
Duke of Albany	45	0 6
Gradus, <i>splendid new introduction</i>	125	1 3
Laxton's Omega	35	0 5
Little Gem	38	0 5
Stratagem	45	0 6
Veitch's Perfection	40	0 6
Telephone (Alb. 27.)	43	0 6
William Hurst, <i>dwarf</i>	38	0 5

SUGAR, OR EDIBLE-PODDED.

Tall, 4 feet high (Alb. 23.)	42	0 6
" Grey-seeded (Alb. 23.)	42	0 6
Dwarf, 1 ft. high (Alb. 23.), <i>early</i>	40	0 6
" Early Prolific, Grey-seeded (1 ft. high) ..	32	0 5
Giant (Alb. 23.), <i>very large-podded, grey-seeded</i> ..	48	0 7
" Grey Scimitar, <i>extraordinary large pods, very fleshy and tender</i>	52	0 7
Heinrich's Earliest, <i>the earliest of all</i>	40	0 6
White Thick-podded Butter	43	0 6

PEPPER, *see Capsicum.*

POTATO SEED, *from good sorts oz. 1 s. 2 d.* — 14 0

RAPHANUS caudatus, Rat-tailed Radish. — 6 0

RAPONTICA (*Oenothera biennis*)

RADISH.

(*Saved from transplanted roots only.*)

	Cwt.	lb.
	s.	s. d.
Turnip, Red or Rose (Alb. 20.)	48	0 7
" Early Deep Red, <i>short-leaved, for forcing</i> ..	58	0 8
" Red, White-tipped (Alb. 20.)	52	0 7
" Deep Blood-Red	120	1 3
" White	50	0 7
" " Early, <i>short-leaved</i> (Alb. 20.), <i>extra early, for forcing</i>	60	0 8
" <i>Mottled Forcing, see Novelties.</i>		
" Purple (Alb. 20.)	50	0 7
" Yellow (Alb. 20.), <i>very early</i>	54	0 7
" Scarlet (Alb. 20.), <i>very good.</i>	50	0 7
" " Gem, or Scarlet White-tipped, <i>very short-leaved, suitable for frame</i> ...	75	0 10
" " Globe, <i>short-leaved, excellent for frame. Brilliant red colour, flesh fine white, tender, and crisp</i>	110	1 2
" " Earliest Erfurt (Alb. 20.), <i>short-leaved, extra early, deep scarlet, excellent</i> ..	60	0 8
" " Non plus ultra, <i>the earliest forcing Radish, fit for use in 3 weeks, round, bright scarlet and very tender</i>	120	1 3
" Violet (Purple), White-tipped	72	0 9
Olive-shaped Scarlet (Alb. 20.)	64	0 8
" " Scarlet White-tipped (French Break-fast) (Alb. 20.)	58	0 8
" " Early Deep Scarlet Short-leaved	90	1 0
" " " " White-tipped	70	0 9
" " Forcing Carmine, <i>short-leaved, extra early, excellent</i>	150	1 6
" " White (Alb. 20.)	68	0 9
" " " Extra Early Forcing, <i>new, the earliest of all, ready for use in three weeks</i> ..	130	1 4
" " Violet (Purple) White-tipped (Alb. 20.) ..	90	1 0
Long White Naples (Alb. 20.)	58	0 8
" " Russian Frame (Alb. 8.), <i>extra long, of fine and delicate flavour</i>	108	1 2
" " Vienna or Early White Lady Finger ..	64	0 8
" " Wood's Earliest Frame, <i>new, very good</i> ..	150	1 6
" " Icicle, <i>see Novelties.</i>		
" Purple (Alb. 20.)	72	0 9
" Rose, White-tipped (Chartier)	66	0 8
" Scarlet (Alb. 20.)	62	0 8
" " Earliest Frame, <i>new, excellent.</i>	—	2 0
" " Wood's Frame	60	0 8
" " White-tipped or Amiens	80	0 10
Summer, Black Round Improved, <i>fine</i>	54	0 7
" Yellow or Grey Round (Alb. 8.)	38	0 5
" Early Yellow Improved Round, <i>fine</i>	58	0 8
" Golden Yellow Round Dresden (Surprise) ..	56	0 7
" Golden Yellow Olive-shaped (Benary) (Alb. 8.), <i>very early, adapted both for forcing and the open ground.</i> ...	60	0 8
" White, Long	52	0 7
" " Round, <i>fine</i> (Alb. 8.)	52	0 7
" " Olive-shaped Frame, <i>very early.</i>	66	0 8
" " Philadelphia Box	72	0 9
" " Strasburg, or Hospital, <i>root middle-sized and of fine flavour</i> (Alb. 36)	50	0 7
" " Giant Stuttgart, <i>excellent</i> (Alb. 36.) ..	64	0 8
" " Delicacy, <i>early, semi-long, snow-white, smooth, and tender; first-rate for forcing</i> ..	64	0 8

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

RADISH — continued.

	Cwt.	lb.	s.	d.
Autumnal Red (Alb. 36.)	45	0	6	
" Half-long Munich, Lark-coloured, <i>skin white mottled with brown</i> (Alb. 36.)	100	1	0	
Winter, Spanish, Round Black, <i>extra</i> (Alb. 36.)	28	0	4	
" " Round White	30	0	5	
" " " Munich, <i>long-keeper</i> (Alb. 36.)	40	0	6	
" " Long Black (Alb. 36.)	30	0	5	
" " Long Coal-black Parisian (Alb. 36.)	48	0	7	
" " " White	30	0	5	
" " Grey Laon (Alb. 36.)	64	0	8	
" " Large Purple Gournay (Alb. 36.)	64	0	8	
" " Olive-shaped Black Red	60	0	8	
" China Rose (Alb. 8.)	70	0	9	
" " Round Scarlet	370	3	6	
" " " Purple, <i>reddish violet</i> (<i>scarce</i>)	—	3	6	

RHUBARB.

Champagne	—	3	6	
Linnaeus	—	5	0	
Mitchell's Royal Albert	—	4	6	
St. Martin	—	3	6	
Victoria	120	1	3	
Mixed (various sorts)	90	1	0	
SALSIFY, or Vegetable Oyster (Alb. 12.)	130	1	4	
Large Mammoth Island	—	2	6	

SAVOY.

Aubervilliers, Large, <i>very good</i>	190	1	10	
Brunswick, <i>half-early, very good market variety</i>	114	1	2	
Chou Marceclin, <i>hardy</i>	120	1	3	
Cologne Large Late Green	125	1	3	
Drumhead Large Late	110	1	2	
Dwarf Green-curled	140	1	5	(Alb. 2.)
Early Dwarf Ulm, <i>extra</i>	134	1	4	
Erfurt Early Sugar-loaf, <i>new, dark green, very tender</i>	190	1	10	
Favourite (Alb. 31.), <i>very early</i>	120	1	3	
Frankfurt Early Yellow Sugar-loaf (Alb. 31.)	120	1	3	
Golden Yellow Early (Alb. 2.)	114	1	2	
Green-curled, <i>second early</i>	100	1	0	
Kitzinger (Alb. 31.), <i>conical-shaped, the earliest sort for open ground, very tender</i>	170	1	8	
Large Late Erfurt (Alb. 31.)	140	1	5	
" " Ulm, <i>extra</i> (Alb. 2.)	150	1	6	
Small Early Vienna	120	1	3	
Sutton's Tom Thumb (Alb. 31.), <i>very fine sort</i>	150	1	6	
Vertus, <i>very large</i> (Alb. 2.)	150	1	6	
Victoria, <i>much curled</i>	140	1	5	

SCORZONERA (Alb. 12.)	160	1	7	
Large Russian	—	2	10	

SEA KALE (Crambe maritima)	—	2	10	
----------------------------	---	---	----	--

SHALLOT seed, Jersey, Pkts.: per doz. 4 s.	—	6	0	
Common Red, seed	—	6	0	

SKIRRET (Sium Sisarum)	—	2	6	
------------------------	---	---	---	--

SPINAGE.

	Cwt.	lb.	s.	d.
Amsterdam Giant, <i>long and broad leaved, very good</i> (prickly seed)	42	0	6	
Bloomsdale, <i>highly esteemed in America</i>	40	0	6	
Broad Flanders, <i>very large</i> (round seed)	42	0	6	

SPINAGE — continued.

	Cwt.	lb.	s.	d.
Catillon Long Standing	46	0	6	
Largest-leaved Yellow (<i>round seed</i>)	42	0	6	
Large Round-leaved (<i>round seed</i>)	42	0	6	
Large-leaved Prickly, or Winter (<i>prickly seed</i>)	34	0	5	
Long-standing (<i>lent à monter</i>), <i>in use 3 weeks longer than other sorts</i>	40	0	6	
Monstrous Viroflay, <i>extra large, round-leaved</i>	42	0	6	
Victoria, <i>dark-green, new</i>	42	0	6	
The crop of all varieties of Spinage has been a very poor one, stocks are very small.				
New Zealand (Tetragonia expansa)	64	0	8	
Perpetual, or Sorrel-leaved (Patience, Rumex Patientia)	42	0	6	

SQUASH, see Gourd, edible sorts.

STRAWBERRY.

Large-fruited sorts.

	per lb.	per oz.	s.	d.	s.	d.
Docteur Morère, Edouard Lefort, Jucunda, Marguerite, Noble, President Carnot, Reine des hâtives, Victesse de Thury, Wonderful, each					4	0
Finest Large-fruited sorts, mixed	12	0	1	0		
Alpine Red	10	0	0	10		
" Bush, Red (without runners)			4	0		
" " White " "			7	0		

SWISS CHARD, see Beet.

TOMATO (Love Apple).

Aeme, <i>superior American sort, salmon</i>	7	0	0	8		
All the year round, <i>new, bright red, plum-shaped</i>	10	0	0	10		
Autocrat, <i>new American hybrid, large, in colour resembles the well-known Aeme</i>	10	0	0	10		
Cardinal, <i>deep scarlet</i>	6	0	0	6		
Challenger, <i>new, bright scarlet, heavy fruit</i>	20	0	1	6		
Champion, <i>very early and prolific</i>	8	0	0	8		
Chemin, <i>red, early, very large and fleshy</i>	7	0	0	8		
Cherry-formed Red (Alb. 24.)	2	0	0	2		
" " Yellow (Alb. 24.)	2	0	0	2		
Conqueror, <i>very early, red</i> (Alb. 34.)	6	0	0	6		
Criterion, <i>oval-shaped, dark salmon</i>	7	0	0	8		
Currant-fruited Red (Alb. 24.), <i>very ornamental</i>	4	0	0	4		
Democrat, <i>new American hybrid, of a fine dark purplish red, a vigorous grower</i>	6	0	0	6		
Early Dwarf Red, <i>very early</i>	4	0	0	4		
Ficarazzi, <i>scarlet, the earliest and best for forcing, extremely productive</i>	6	0	0	6		
Fulton Market, <i>scarlet</i> (Alb. 34.)	3	0	0	4		
Golden Nugget, <i>rich golden yellow fruit</i>	5	0	0	6		
Golden Queen, <i>large, round, smooth fruit of deep golden yellow</i> (Alb. 34.)	6	0	0	6		
Green Gage, <i>citron-yellow</i>	7	0	0	8		
Grenier, <i>with erect stem, red</i>	12	0	1	0		
Hathaway's Excelsior, <i>red</i>	6	0	0	6		
King Humbert, <i>smooth glossy scarlet fruit of the size of a large plum; very early and productive</i> (Alb. 34.)	6	0	0	6		
Large Red (Alb. 24.)	0	9				
" Yellow (Alb. 24.)	5	0	0	6		
Lemon Blush, <i>skin and flesh bright lemon yellow, with a faint rose blush</i>	6	0	0	6		
Livingston's Favourite, <i>blood-red, round, smooth</i>	6	0	0	6		
Little Gem, <i>scarlet</i>	4	0	0	4		

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

TOMATO — continued.	per pt.		per oz.	
	s.	d.	s.	d.
Long-Keeper, <i>very hardy, handsome fruits</i> ..	10	0	0	10
Maincrop, <i>new, clusters of large glossy scarlet fruits</i>	8	0	0	8
Mayflower, <i>cherry-red, small-fruited</i>	4	0	0	0
Mikado, <i>purplish red, smooth, of immense size, flesh very solid (Alb. 34.)</i>	10	0	0	10
“ Scarlet, <i>new, very early</i>	10	0	0	10
Nisbet's Victoria, <i>oval, scarlet smooth fruit, in clusters, very productive (Alb. 34.)</i> ..	4	0	0	4
Optimus, <i>fruit large, handsome, smooth, free from cracks, and borne in clusters of 5; firm crimson flesh (Alb. 34.)</i> ..	6	0	0	6
Paragon, <i>early, round, crimson</i>	3	0	0	4
Peach, <i>like a peach in color and shape</i>	6	0	0	6
“ Yellow, <i>fruits pale yellow</i>	2	0	0	2
Pear-shaped Red (Alb. 24.)	4	0	0	4
Perfection, <i>bright scarlet, very solid</i>	6	0	0	6
Plum-shaped Yellow	3	0	0	4
Ponderosa, <i>purplish red, smooth, very large</i> ..	22	0	1	8
“ Scarlet, <i>new</i>			2	0
Prolific, <i>bright scarlet, very productive</i>	5	0	0	6
Prelude, <i>bright crimson, round and smooth, first-class sort for frame</i>	5	0	0	6
President Garfield, <i>weighs 2 to 3 lbs.</i>	12	0	1	0
Prince Albert Victor, <i>new, large bright crimson fruits, standard late sort</i>	20	0	1	6
Terra-Cotta, <i>very productive, of terra-cotta colour, quite unlike any other</i>	8	0	0	8
Trophy, <i>standard late sort, scarlet (Alb. 34.)</i> ..	10	0	0	10
“ New Golden (Alb. 34.)	8	0	0	8
White Apple	3	0	0	4

TURNIP.

GARDEN SORTS.

	Cwt.	q.
	s.	s. d.
TURNIP.		
GARDEN SORTS.		
Early White Dutch	30	0 5
" Yellow Dutch.....	30	0 5
" Milan Strap-leaf, Purple Top, very fine and the earliest of all	130	1 4
" Red Top Flat.....	57	0 7
" Purple Top Munich	84	0 10
" Round Snow-white Earliest of All, see Novelties.		
" Red Top Strap-leaved (American Stone).	60	0 8
" White " " "	60	0 8
" Snowball	60	0 8
All the Year Round, fine green-top yellow sort	45	0 7
Bortfeld, Long Yellow	32	0 5
Chirk Castle Black Stone.....	64	0 8
Finland, flat yellow	100	1 0
Montagny, flat yellow, purple top ..	—	1 4
Petrowski, dark yellow, fine flavour	—	1 8
Prince Engalitscheff, yellow, striped scarlet, early	—	1 6
Robertson's Golden Ball, or Orange Jelly ...	74	0 9
Russian Scarlet Flat	100	1 0
Teltow, or Berlin, the smallest, for pickling....	78	0 10
Vertus, or Jersey, long early white	58	0 8
FIELD SORTS.		
Dale's Hybrid, Yellow Green Top.....	53	0 7
Fosterton Hybrid, " " "	58	0 8
Green Top Yellow Scotch.....	56	0 7
Grey Stone.....	54	0 7

TURNIP — continued.

TURNIP — continued.	Cwt.	q.
	s.	s. d.
Orange Jelly	60	0 8
Purple Top Yellow Scotch	60	0 8
Skirving's Purple Top Yellow	60	0 8
Tankard, White Green Top	48	0 7
" " Red Top	48	0 7
" Yellow Green Top	48	0 7
White Globe	45	0 6
" " Lincolnshire Red Top	48	0 7
" " Norfolk Green Top	45	0 6
" Pomeranian Globe	48	0 7
" Purple Top Mammoth	48	0 7
Swedish, White-fleshed	30	0 5
" " " Purple Top	34	0 5
" Yellow, Green Top	32	0 5
" " " Improved	45	0 6
" " Purple Top	32	0 5
" " " Improved	42	0 6

WATER CRESS, see *Cress*.

WINGED PEA, Scarlet (*Lotus tetragonolobus*) 48 0 7

AGRICULTURAL SEEDS, etc.

Prices variable. Samples on application.

Prices variable. Samples on application.	Cwt.	lb.
	s.	d.
ACHILLEA millefolium (Yarrow), <i>clean seed</i> ..	—	2 10
ANISE.....	58	0 8
BEANS Dwarf Kidney, Common Field, Small		
Round White	18	0 3
" " Common Field, Large White	21	0 4

B E E T, S U G A R.

 Special quotations for large quantities.

White Silesian (Alb. 13.)	24	0	4
" Imperial, <i>extra</i> (Alb. 13.)	24	0	4
" Vilmorin's Improved	25	0	4
" Wanzleben , <i>curled small-leaved, excellent</i> . .	24	0	4

BENE, or Oily Grain (<i>Sesamum orientale</i>)....	—	1	4
CANARY	16	0	3
CARAWAY (<i>Carum Carvi</i>).....	32	0	5
CHAMOMILE (<i>Matricaria Chamomilla</i>) oz. 10 d.	—	10	0
CHICORY, Long Large-rooted.....	40	0	6
CORIANDER	23	0	4
DAISY, single (<i>Bellis perennis</i>)... . oz. 1 s.	—	12	0
FENNEL, Common.....	45	0	6
HEMP	22	0	4
HENBANE (<i>Hyosciamus niger</i>)	—	2	0
HOLCUS saccharatus (Sugar Cane, Sorgho) ..	38	0	5
Sorghum (Broom Corn)	20	0	4
HOLLYHOCK, Black Tinctorial.....	—	1	6
HOP (<i>Humulus Lupulus</i>)	—	20	0
HORSE BEANS, Common	16		
JUTE (<i>Corchorus textilis</i>)	—	3	0
LENTILS, Small, for cooking	21 s. to	25	
Very Large	28 " "	34	
LINSEED, or Flax, Erfurt.....	22	0	4
American White	36	0	5
Riga	23	0	4
LUPINS, Yellow	14		
Blue	15		

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

AGRICULTURAL SEEDS —

continued.

	Cwt.	qt.	s.	s.	d.
MAIZE, Cinquantino	20	0	4		
Giant (Zea Caragua), 10 to 14 feet high ..	30	0	5		
Red-seeded	19	0	3		
Small Yellow, the earliest	18	0	3		
Wrinkled Sugar	45	0	6		

MANGOLD WURZEL.

Grown from carefully selected stocks.

Long Red (Alb. 14.)	32	0	5		
" Yellow (Alb. 14.)	32	0	5		
" Red Mammoth, or Giant Long Red (Alb. 14.)	35	0	5		
" Golden Yellow Mammoth (Yellow-fleshed) ..	44	0	6		
" Yellow Smooth Erfurt (Alb. 14.)	35	0	5		
" Red Smooth Erfurt (Alb. 14.)	35	0	5		
Champion Yellow Globe	34	0	5		
Dobito's Improved Yellow Globe	32	0	5		
Golden Tankard, Yellow-fleshed (Alb. 13.) ..	38	0	5		
Oberndorf Yellow Globe (Alb. 13.)	32	0	5		
" Red Globe (Alb. 13.)	32	0	5		
Olive-shaped Yellow, or Intermediate (Alb. 14.)	34	0	5		
" " Red, extra fine (Alb. 14.)	34	0	5		
MILLET, French White, fine	23	0	4		
Red or Blood	18	0	3		
Yellow	16	0	3		
MUSTARD, White	24	0	4		
Brown Dutch	36	0	5		
NIGELLA sativa	50	0	7		
PEA, Wood Everlasting (Lathyrus sylvestris	100	1	0		
Wagneri), well known Forage Plant, true					
POLYGONUM sachalinense, highly esteemed	—	6	0		
Forage Plant from Japan .. oz. 0 s. 6 d.					
well cleaned seed	—	12	0		
POPPY, or Maw, Blue-seeded	45	0	6		
White-seeded, for Opium	48	0	7		
RAPE, Summer, for birds	23	0	4		
Winter	22	0	4		
SERADELLA (Ornithopus sativus)	20	0	4		
SPURRY, Common (Spergula arvensis)	19	0	3		
" Giant	21	0	4		
SUNFLOWER	22	0	4		
Largest-seeded Russian	34	0	5		
TARES, Common, or Spring Vetches	17	0	3		
Villous (Vicia villosa)	26	0	4		
TEASEL, Fuller's (Dipsacus fullonum)	24	0	4		

TOBACCO.

Long-leaved	—	2	0		
Round-leaved	—	2	4		
Brazilian, Cape, Salonichi, each	—	3	0		
Latakia, Turkish sort, imported seed	—	4	6		
American Kinds:					
Abago, Connecticut, Cuba, Florida, Goundi,					
Havana, Kentucky, Maryland, Missouri,					
Ohio, Portorico, Virginia, each	—	4	6		
Sorts especially adapted for the English climate:					
Gold Leaf, Granville, County Yellow, Hester,					
Hico, Primus, Sterling, Tuckahoe, Yellow					
Orinoko, Yellow Pryor each per oz. 1 s. 4 d.					

GRASSES, CLOVERS, etc.

(Samples on application.)

	Cwt.	qt.	s.	s.	d.
AGROSTIS capillaris	54	0	7		
stolonifera (Piorin, or Creeping Bent), Ger-					
man seed	48	0	7		
AIRA cacasitosa (Tufted Hair Grass)	32	0	5		
ALOPECURUS pratensis (Meadow Foxtail) ..	72	0	9		
ANTHOXANTHIUM Puelli	26	0	4		
odoratum (True Sweet Vernal), dark-seeded	90	1	0		
AVENA elatior (Tall Oat Grass)	50	0	7		
BROMUS inermis	60	0	8		
mollis (Soft Brome Grass)	19	0	3		
pratensis (Meadow Brome Grass)	42	0	6		
CERATOCHELOA australis (Bromus Schraderi)	42	0	6		
CYNOSURUS cristatus (Dogstail), 1st quality .	80	0	10		
DACTYLIS glomerata (Cock's-foot)	56	0	7		
FESTUCA duriuscula (Hard Fescue)	32	0	5		
elatior (Tall Fescue)	58	0	8		
heterophylla (Various-leaved Fescue)	54	0	7		
ovina (Sheep's Fescue)	32	0	5		
" angustifolia (Small or Narrow-leaved)	56	0	7		
pratensis (Meadow Fescue)	38	0	5		
rubra (Red, or Creeping Fescue)	38	0	5		
HOLCUS lanatus (Woolly Soft Grass), 1st quality	28	0	4		
LOLIUM italicum (Italian Rye Grass)	17	0	3		
perenne tenue (Perennial Rye Grass), extra					
clean, 1st qual. (28 lb. per bush.)	16	0	3		
PANICUM germanicum (Mohar-Millet)	20	0	4		
PHALARIS arundinacea (Reed-like Canary Grass)	180	1	9		
PHLEUM pratense (Timothy)	28	0	4		
POA annua (Annual Meadow Grass)	48	0	7		
aquatica (Water " ")	104	1	0		
nemoralis (Wood " ")	86	1	0		
pratensis (Smooth-stalked Meadow Grass,					
Kentucky Blue-Grass), finest quality,					
Imported Seed	46	0	6		
trivialis (Rough-stalked Meadow Grass)	92	1	0		
Grass Seeds for Garden-Lawns, mixture of the					
finest species, 1st quality	38	0	6		
" " " Parks and Pleasure-Grounds ..	29	0	5		
" " " Permanent Pasture (with Rye					
Grass), mixture composed					
of most suitable species ..	29	0	5		
BURNET (Poterium sanguisorba)	30	0	5		
CLOVER, Alsike (Trifolium hybridum)	63	0	8		
Bokhara (Melilotus alba altissima)	50	0	7		
Honey or Bec (Melilotus cocculeus)	110	1	2		
Italian (Trifolium incarnatum)	32	0	5		
Red (Trifolium pratense)	55 s. to	65	0	8	
White (Trifolium repens)	60 " "	75	0	10	
FENUGREEK (Trigonella foen. graec.)	16	0	3		
LUCERN, French (Medicago sativa) ..	70 s. to	75	0	9	
RIB-GRASS (Plantago lanceolata) ...	24	0	4		
SAINTFOIN (Onobr. sativa, Esparset)	21	0	4		
TREFOIL Yellow (Medicago lupulina)	23 s. to	26	0	4	

Market prices

 TREE SEEDS, see page 56 to 60.

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

New varieties of Vegetables.

- Brussels Sprouts, Hercules.** *A semi-dwarf variety of very quick growth, being thickly covered with sprouts by the beginning of October, often to the number of 70 on a single plant. The well-developed sprouts are arranged spirally in rows of six around the stem, giving the plant a peculiar pyramidal shape...* Packets: hundred 32 s., dozen 5 s.
- Canliflower, Dwarf Maltese.** *Of dwarf habit and earlier than the Algiers Cauliflower, this fine-leaved variety bears equally splendid white heads and is considerably hardier* Packets: hundred 40 s., dozen 6 s.
- Lettuce, Canadian Gathering.** *Resembles in appearance and general qualities the American Gathering, but the leaves are of a brighter yellow, whereby the brown edge is more prominent, and the plant has also more tendency to head. The seed is yellow.* Packets: hundred 32 s., dozen 5 s.
- Radish, Turnip, Mottled Forcing (Triumph).** *A striking new variety with scarlet stripes on white ground, very pretty for the table.* Packets: hundred 32 s., dozen 5 s.
- Radish, Long White Icicle.** *A pure white long Radish of quick growth and delicate flavour* Packets: hundred 40 s., dozen 6 s.
- Turnip, Round Snow-white, Earliest of All.** *A beautiful variety, perfect in shape and flavour and earlier than the Munich or Milan. Splendid for forcing* Packets: hundred 40 s., dozen 6 s.

Bird Seeds.

In consequence of repeated enquiries from my customers, I have made Bird Seeds a special department, and what I here offer is of the very best quality procurable and specially cleaned for the purpose. I have abstained from quoting any mixtures, as they are made up in different ways by every dealer, but if desired I shall be glad to supply them.

	Cwt. lb.				Cwt. lb.		
	s.	s.	d.		s.	s.	d.
Buckwheat, Grey-seeded	18	0	4	Millet, Red or Blood.....	18	0	3
Canary	16	0	3	" Senegal, Smallest-seeded ..	23	0	4
Cembra-nut (Pinus cembra)	48	0	7	" Yellow	16	0	3
Gold of Pleasure (Myagrum sativum).....	21	0	4	Oats, Shelled	22	0	4
Gourds	32	0	5	Rape, Summer or Bird	23	0	4
Hemp	22	0	4	" German or Winter	22	0	4
Lettuce Seed, White	92	1	0	Rib Grass (Plantago lanceolata)	24	0	4
" " Black	64	0	8	Rice in the husk	28	0	4
Linseed	22	0	4	Sunflower, Small-seeded	22	0	4
" Largest-seeded	23	0	4	" Largest-seeded Russian ..	34	0	5
Maw or Poppy, Blue-seeded	45	0	6	Tares	15	0	3
" " " Grey-seeded	34	0	5	Teasel (Dipsacus fullonum).....	24	0	4
Millet, French White.....	23	0	4	Thistle Seed (Bur seed)	36	0	5
" " " in the ear, bunches	36	0	5				

A great many other varieties of seeds which are used for bird-feeding may be found under their different headings, such as the different varieties of Pinus and Larix under Tree Seeds, various Grasses etc. I am also at the disposal of my customers for procuring Ant's Eggs and such-like articles, all to be quoted at the cheapest rate.

Pictorial Vegetable Seed Tickets or Labels.

I beg to call attention to these very popular articles, specimens of which I shall be pleased to send on application. Price and a list of varieties will be found on the last page of the enclosed yellow list.

Album Benary.

This work consists of artistically executed coloured plates of Vegetables of established merit, a list of which can be supplied on application. Several plates are now out of print, so that I am unable to supply complete copies, but still hold a large number of plates at the disposal of my customers. They are suitable for framing and form a good advertisement. Price (reduced) per plate 9 d., or 8 s. per doz.

German Flower Seeds.

The nomenclature of the colours contained in the most important races will be found useful in ordering such separately by weight. For any colour sold out, the nearest approach to it will be substituted, if no instructions to the contrary be given. If the selection be left to me, only the most striking colours will be chosen, as is done in making up the sealed Assortments. The labels of my Assortments bear engravings of a single bloom or of a plant in flower of the race or species contained therein.  All the mixtures offered are unexcelled for richness of colour.

Stocks.

These are very extensively grown by myself, besides this, a number of the most experienced florists of this city grow, and have done for years past, the different races solely for me.

The seed offered of the following races has been saved exclusively from plants cultivated in pots. Seed of Dwarf and Large-flowering Ten-week Stocks, from plants grown in the open ground, is quoted at page 15.

The Assortments (Collections) of Stocks and Wallflowers contain 105 seeds of each variety.

Dwarf German Ten-week Stock.

White.	Brilliant Rose.	Azure Blue.
Apple Blossom.	Carmine Rose.	Violet.
Canary Yellow.	Carmine.	Brown Violet.
Isabel-colour.	Crimson.	Ash Grey.
Flesh-colour.	Fiery Crimson.	Chestnut-colour.
Chamois (buff).	Brick Red.	Black Brown.
Dark Chamois (buff).	Copper Red.	Dark Black Brown.
Chamois Rose.	Blood Red.	
Light Rose.	ShiningPurpleCarmine.	
Rose.	Light Blue.	

Each of the above 28 varieties 4l. 70 s., oz. 5 0

Finest mixed, all colours " 50 " " 3 8

" " brilliant colours only " 66 " " 4 6

Assortments of 24 varieties: dozen 17 s., each 1 6

" " 18 " " 11 " " 1 0

" " 12 " " 8 " " 0 9

" " 10 " " 7 " " 0 8

" " 8 " " 5 " " 0 6

" " 6 " " 4 " " 0 5

Large-flowering Dwarf Ten-week Stock.

White.	Carmine Rose.	Lilac.
White, dwarf.	Carmine.	Light Blue.
Apple Blossom.	Shining Purple	Violet.
Aurora-colour.	Carmine.	Brown Violet.
Sulphur Yellow.	Crimson.	Purple Violet.
Canary Yellow.	Dark Crimson.	Reddish Grey.
Flesh-colour.	Blood Red.	Ash Grey.
Chamois (buff).	Brick Red.	Chestnut-colour.
Rose.	Copper Red.	Purple Brown.
Brilliant Rose.	Lilac Red.	Black Brown.

Each of the above 29 varieties 4l. 90 s., oz. 6 6

Finest mixed, all colours " 70 " " 5 0

" " brilliant colours only " 84 " " 5 6

Assortments of 24 varieties: dozen 20 s., each 1 9

" " 18 " " 15 " " 1 4

" " 12 " " 10 " " 0 11

" " 10 " " 9 " " 0 10

" " 8 " " 7 " " 0 8

" " 6 " " 5 " " 0 6

Perpetual Dwarf Ten-week Stock.

White.	Blood Red.	Red Brown.
Flesh-colour.	Brick Red.	Ash Grey.
Rose.	Dark Blue.	Black Brown.
Crimson.		

Each of the above 10 varieties oz. 6 6

Finest mixed 4l. 72 s., " 5 0

Assortments of 8 varieties: dozen 7 s., each 0 8

" " 6 " " 5 " " 0 6

Victoria Bouquet Ten-week Stock.

White, very fine, Canary Yellow, Rose, Chamois, Crimson, Dark Blood Red, Purple Carmine each oz. 6 6

Finest mixed 4l. 80 s., " 5 6

Assortment of 6 varieties: dozen 5 s., each 0 6

Dwarf Bouquet Ten-week Stock.

White.	Crimson.	Ash Grey.
Flesh-colour.	Azure Blue.	Dark Mordoré.
Rose.	Light Blue.	Black Brown.
Carmine.	Reddish Grey.	

Each of the above 11 varieties oz. 6 6

Finest mixed 4l. 80 s., " 5 6

Assortments of 10 varieties: dozen 9 s., each 0 10

" " 8 " " 7 " " 0 8

" " 6 " " 5 " " 0 6

Large-flowering Pyramidal Ten-week Stock.

White.	Reddish Lilac.	Brick Red.
White, Wallfl.-leaved.	Carmine.	Light Blue.
Sulphur Yellow, Wallfl.-leaved.	Crimson.	Violet.
Aurora-colour.	Dark Crimson.	Purple Violet.
	Blood Red.	Black Brown.

Each of the above 14 varieties oz. 7 6

Finest mixed 4l. 90 s., " 6 6

Sky-blue (Bleu céleste), splendid " 7 6

Princess May, Primrose-coloured, new, fine. 10 6

Assortments of 12 varieties: doz. 12 s., each 1 1

" " 10 " " 10 " " 0 11

" " 8 " " 8 " " 0 9

" " 6 " " 6 " " 0 7

Triumph Ten-week Stock, Brilliant Crimson.

New, is of vigorous growth, 1 to 1½ feet high, of branching habit and produces about 70 per cent. of plants with very large double flowers of graceful shape and especially striking colour oz. 10 0

Large-flowg. Dwarf Pyramidal Ten-week Stock,

extra double, splendid race.

White.	Crimson.	Reddish Grey.
Flesh-colour.	Copper Red.	Ash Grey.
Chamois.	Light Blue.	Red Brown.
Rose.	Dark Blue.	Black Brown.

Each of the above 12 varieties oz. 10 0

Finest mixed 4l. 124 s., " 8 4

Assortments of 12 varieties: dozen 12 s., each 1 1

" " 10 " " 10 " " 0 11

" " 8 " " 8 " " 0 9

" " 6 " " 6 " " 0 7

Dwarf Queen Ten-week Stock, Dark Blood Red.

New, only 9 inches high, of compact habit and vigorous growth, producing numerous umbels of large intensely blood red flowers, which stand out effectively from the broad green leaves. oz. 9 0

Dwarf Forcing Ten-week Stock Snowflake,

very effective wallflower-leaved variety, the earliest of the whites, excellent for forcing, large spikes of snow white flowers ... oz. 28 s., ½ oz. 1 0

Giant Perfection Ten-week Stock.

Splendid race of pyramidal growth, with long spikes of beautiful large double flowers. Height 2½ feet. The finest for open ground.

White.	Fiery Crimson.	Brown Violet.
Sulphur Yellow.	Brick Red.	Ash Grey.
Flesh-colour.	Copper Red.	Red Brown.
Chamois Rose.	Light Blue.	Dark Brown.
Rose.	Dark Blue.	

Each of the above 14 varieties oz. 7 0

Finest mixed 4l. 90 s., " 6 6

Assortments of 12 varieties: dozen 12 s., each 1 1

" " 10 " " 10 " " 0 11

" " 8 " " 8 " " 0 9

" " 6 " " 6 " " 0 7

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

Tree, or Giant Ten-week Stock.

 I have ceased growing this race as the Giant Perfection Stock is much superior to it in every respect.

Wallflower-leaved Ten-week Stock.

Excellent class with deep green foliage, brilliant colours.

White.	Rose.	Fiery Crimson.	Light Blue.
Sulphur Yellow.	Carmine Rose.	Copper Red.	Violet.
Flesh-colour.	Crimson.	Light Lilac.	Ash Grey.

Each of the above 12 varieties..... oz. 5 0

Finest mixed £ 56 s., " 4 0

Assortments of 12 varieties: dozen 9 s., each 0 10

" " 10 " " 7 " " 0 8

" " 8 " " 6 " " 0 7

" " 6 " " 4 " " 0 5

Large-flowering Wallflower-leaved

Ten-week Stock, splendid.

White.	Crimson.	Brown Violet.
Sulphur Yellow.	Copper Red.	Chestnut.
Porcelain Blue.	Dark Blood Red.	Black Brown.
Carmine Rose.	Dark Blue.	

Each of the above 11 varieties..... oz. 6 6

Finest mixed £ 72 s., " 5 0

Assortments of 8 varieties: dozen 7 s., each 0 8

" " 6 " " 5 " " 0 6

Dresden Perpetual, or Branching

Ten-week Stock.

Apple Blossom.	Rose.	Crimson.
Canary Yellow.	Violet.	Red Brown.
Flesh-colour.	Light Blue.	

Each of the above 8 varieties..... oz. 7 0

White (Princess Alice), beautiful large spikes, excellent variety..... £ 104 s., oz. 7 0

Finest mixed " 80 " " 5 6

Assortments of 8 varieties: dozen 8 s., each 0 9

" " 6 " " 6 " " 0 7

White Giant Perpetual (White Dresden Improved),

one enormous spike of large double pure white flowers, 2 to 2½ feet high, splendid £ 108 s., oz. 7 4

Open Ground Ten-week Stock Seed.

Dwarf German, mixed..... £ 23 s., oz. 1 8

separate colours " 40 " " 3 0

" " Large-flowering, mixed..... " 34 " " 2 8

separate colours " 50 " " 3 8

Intermediate (Autumnal) Stock.

White.	Carmine.	Blood Red.	Light Blue.
Flesh-colour.	Crimson.	Light Blue.	Chestnut-colour.
Rose.	Brick Red.	Violet.	Black Brown.

Each of the above 12 varieties..... oz. 11 6

Finest mixed " 10 0

Assortments of 12 varieties: dozen 13 s., each 1 2

" " 8 " " 9 " " 0 10

" " 6 " " 7 " " 0 8

Earliest-flowering Intermediate Stock.

White.	Rose.	Copper Red.	Dark Blue.
Flesh-colour.	Carmine.	Light Blue.	Light Brown.

Each of the above 8 varieties..... oz. 11 6

Finest mixed " 10 0

Assortments of 8 varieties: dozen 9 s., each 0 10

" " 6 " " 7 " " 0 8

Large-flowering Emperor Stock.

White.	Crimson.	Light Blue.
Flesh colour.	Dark Blood Red.	Dark Violet.
Rose.	Dark Carmine	Red Brown.
Brilliant Rose.	Purple.	Black Brown.
Carmine.	Copper Red.	

Each of the above 13 varieties..... oz. 16 0

Finest mixed " 14 0

Assortments of 12 varieties: dozen 16 s., each 1 5

" " 10 " " 14 " " 1 3

" " 8 " " 11 " " 1 0

" " 6 " " 8 " " 0 9

East Lothian Autumnal Stock, very fine.

White.	Brick Rose.	Crimson.	Violet.	s. d.
--------	-------------	----------	---------	-------

Each of the above 4 varieties..... oz. 20 s., 1 oz. 2 8

White, Wallflower-leaved, splendid..... " 20 " 1 " 2 8

Finest mixed " 18 " 1 " 2 6

Assortments of 4 varieties: dozen 8 s., each 0 9

Brilliant Rose (Benary), new, one of the finest and

showiest varieties of biennial Stocks oz. 20 s., 1 oz. 2 8

Packets: hundred 24 s., dozen 4 0

Winter, or Biennial Brompton Stock.

White.	Carmine.	Light Blue.
White, Wallflower-lyd.	Fiery Red, Wallf.-lyd.	Violet.
Sulphur Yellow, Wall-	Crimson.	Violet, Wallflower-
flower-leaved.	Dark Crimson.	leaved.
Flesh-colour.	Brick Red.	Dark Mordoré.
Rose.	Blood Red.	Black Brown.

Each of the above 16 varieties..... oz. 10 0

Finest mixed £ 126 s., " 8 4

Large-flowering, Snow White, Shining, splendid,

earliest variety, Flesh-colour, Rose,

Shining Carmine, Brilliant Crimson,

Copper Red, Violet, each..... oz. 10 0

" " Sunrise (Benary), new, most brilliant colour,

of compact habit, capital market plant

Packets: hundred 24 s., dozen 4 s., 1 oz. 3 6

" " Finest mixed..... oz. 8 4

Assortments of 18 varieties: dozen 18 s., each 1 7

" " 12 " " 12 " " 1 1

" " 8 " " 8 " " 0 9

" " 6 " " 6 " " 0 7

" " 8 large-flowered vars. " 9 " " 0 10

" " 6 " " 7 " " 0 8

Dwarf Bouquet Winter Stock.

White.	Brick Red.	Light Blue.
Rose.	Crimson.	Violet.

Each of the above 6 varieties..... oz. 11 0

Finest mixed " 10 0

Assortments of 6 varieties: dozen 7 s., each 0 8

Cocardeau, or Giant Cape Winter Stock.

White.	Azure Blue.	Crimson.
Apple Blossom.	Dark Blue.	Violet Purple.

Each of the above 6 varieties..... oz. 10 0

Finest mixed " 8 6

Assortments of 6 varieties: dozen 6 s., each 0 7

Wallflowers, Double.

(40,000 pots of plants are grown for seed).

Double Tall Tree.

Creamy White..... oz. 7 0

Canary Yellow (Sulphur Yellow)..... " 4 4

Golden Yellow, splendid..... " 4 4

Dark Brown, extra..... " 4 4

Black Brown, the darkest, splendid..... " 8 4

Blue (Violet), splendid..... " 5 6

Finest mixed " 4 6

Double Tall Branching.

Creamy White..... oz. 6 6

Canary Yellow (Sulphur Yellow)..... " 4 4

Golden Yellow..... " 4 4

Dark Brown..... " 4 4

Blue (Violet), very fine..... " 5 0

Finest mixed " 4 6

Double Dwarf Tree.

Creamy White, new, very fine..... oz. 8 4

Canary Yellow (Sulphur Yellow)..... " 8 4

Golden Yellow, extra..... " 8 4

Dark Brown, extra..... " 6 6

Blue (Violet), splendid..... " 7 0

Finest mixed " 8 0

Double Dwarf Branching.

Creamy White, new..... oz. 10 0

Canary Yellow..... " 7 0

Golden Yellow..... " 7 0

Dark Brown..... " 5 6

Blue (Violet), extra..... " 7 0

Finest mixed " 6 6

Splendid mixture of all sorts... £ 88 s., " 6 0

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

Wallflower, Double — continued.			s. d.
Double Mixed, Tall Sorts	4. 64 s., oz.	4	6
" " Dwarf	" " " "	7	6
" Assorts. of 18 varieties:	dozen 23 s., each	2	0
" " 12 " "	" 15 " " "	1	4
" " 10 " "	" 13 " " "	1	2
" " 8 " "	" 11 " " "	1	0
" " 6 " "	" 8 " " "	0	9

Wallflower, Single.

Single Dark Brown	4. 3 s. 0 d., oz.	0	4
" " Red (Blood Red)	" 3 " 0 " " "	0	4
" Belvoir Castle	" 5 " 6 " " "	0	6
" Cloth of Gold, large-flowered	" 5 " 6 " " "	0	6
" Golden King, early	" 4 " 0 " " "	0	4
" " Tom Thumb	" 8 " 0 " " "	0	8
" Primrose (sulphur yellow)	" 7 " 0 " " "	0	8
" Purple (Blue)	" 3 " 0 " " "	0	4
" Early Black Brown or Dresden, compact, fine for forcing	4. 4 s., oz.	0	4
" " Harbinger, splendid	" 3 " " " "	0	4
" Earliest Paris, new, seedlings flower the first year, very valuable	4. 9 s., oz.	0	10
" Eastern Queen, new, bright chamois, changing to salmon red, charming	4. 12 s. 0 d., oz.	1	0
" Yellow	" 3 " 8 " " "	0	4
" Ruby Gem, new, violet with bluish sheen	4. 14 s. 0 d., " "	1	2
" mixed	" 2 " 8 " " "	0	3
" " Benary's Non plus ultra	" 5 " 6 " " "	0	6
" Assortments of 12 var.	dozen 8 s., each	0	9
" " 8 " "	" 5 " " " "	0	6
" " 6 " "	" 4 " " " "	0	5

Asters.

 **Important Notice.** The weather for the Aster crop has not been altogether favourable, but still the seed will be found of fair average growth.

The Assortments (Collections) of Asters contain 105 seeds of each variety.

Shakespeare Aster.

White.	Blood Red.	White and Violet.
White and Crimson.	Light Blue and White.	Violet and White.
Crimson and White.	White and Light Blue.	Dark Blue.
Crimson.	Light Blue.	Black Blue.
Each of the above 12 varieties	oz.	4 0
Finest mixed	4. 40 s., "	3 0
Assortments of 10 varieties:	dozen 7 s., each	0 8
" " 6 " "	" 4 " " "	0 5

Triumph Aster (Paeony-flowered Tom Thumb).

Excellent new Aster, for bedding and pot culture.

Dark Scarlet	oz.	10 0
" " and White (Benary)	"	7 0

Dwarf German Aster.

White.	Cinnabar Carmine.	Dark Purple and White.
White and Carmine.	Crimson and White.	White.
Flesh Colour.	Crimson.	Lilac.
Light Red and White.	Dark Red and White.	Light Blue.
Brilliant Rose.	Dark Purple.	Violet.
Carmine.		Violet and White.
Each of the above 16 varieties	oz.	2 6
Finest mixed	4. 26 s., "	2 0
Assortments of 12 varieties:	dozen 6 s., each	0 7
" " 6 " "	" 3 " " "	0 4

Boltze's Dwarf Bouquet Aster.

Charming class, 8 inches high, habit constant.

White.	Coppery Rose & White.	Crimson.
White with Red Centre.	Coppery Rose.	Crimson and White.
White and Dark Blue.	Carmine Rose.	Dark Blue.
Rose and White.	Dark Carmine & White.	Dark Violet & White.
Each of the above 12 varieties	oz.	3 4
Finest mixed	4. 30 s., "	2 4
Assortments of 12 varieties:	dozen 8 s., each	0 9
" " 10 " "	" 7 " " "	0 8
" " 8 " "	" 6 " " "	0 7
" " 6 " "	" 4 " " "	0 5

Dwarf Queen Aster.

beautiful class, excellent for pots and borders.

White, one of the finest dwarf white Asters	4. 78 s., oz.	5 4
Crimson, Rose, Lilac, Light Blue, Dark Blue	each "	5 4
Finest mixed	4. 60 s., "	4 4
Assortments of 6 varieties:	dozen 5 s., each	0 6

Dwarf Pyramidal Aster.

White.	Carmine and White.	Azure Blue and White.
White tinted with Lilac.	White and Carmine.	White.
White and Azure Blue.	Dark Scarlet and White.	Sky-blue.
Rosy Lilac.	Crimson.	Violet and White.
Peach-blossom.	Azure Blue.	Brown Violet.
White and Rose.		
Each of the above 15 varieties	oz.	3 6
Finest mixed	4. 32 s., "	2 6
Assortments of 12 varieties:	dozen 8 s., each	0 9
" " 6 " "	" 4 " " "	0 5

Dwarf Pyramidal Bouquet Aster, very fine.

White.	Scarlet.	Purple Violet and White.
White and Carmine.	Carmine and White.	Light Blue.
Peach Blossom.	Crimson.	Dark Blue and White.
Rose.	Dark Blood Red.	White.
Dark Rose.	Dark Blood Red & White.	Dark Blue.
Carmine.	Purple.	
Scarlet and White.	Purple Violet.	
Each of the above 18 varieties	oz.	4 4
Finest mixed	4. 44 s., "	3 4
Assortments of 12 varieties:	dozen 9 s., each	0 10
" " 8 " "	" 6 " " "	0 7
" " 6 " "	" 4 " " "	0 5

Dwarf Chrysanthemum Aster, extra.

White.	Crimson.	Dark Brown
White turning to Azure Blue.	Fiery Scarlet.	Red and White.
White turning to Rose.	Fiery Scarlet and White.	Red Violet.
Flesh-colour.	Coppery Scarlet.	Purplish Violet.
Peach Blossom.	Cinnabar Scarlet and White.	Lilac.
Rose.	Cinnabar scarlet.	Light Blue.
Brilliant Rose.	Fiery Copper Red and White.	Light Blue and White.
Rose and White.	Claret (needle-shaped).	Indigo on White Ground.
Brick Rose and White.	Lilac and White.	Dark Blue.
Carmine.	Red Lilac and White.	Dark Blue and White.
Carmine & White.	White.	
Brick Rose.		
Each of the above 31 varieties	oz.	4 0
Finest mixed	4. 48 s., "	3 6
Assortments of 18 varieties:	dozen 14 s., each	1 3
" " 12 " "	" 9 " " "	0 10
" " 10 " "	" 8 " " "	0 9
" " 8 " "	" 7 " " "	0 8
" " 6 " "	" 5 " " "	0 6

Dwarf Chrysanthemum Perfection Aster.

Rose tinted White, Scarlet, Lilac	} <i>very large-flowered, splendid</i>	each oz.	6 8
" "		Finest mixed "	5 6

Dwarf Victoria Aster, extra.

The finest class of dwarf Asters and also the best for pots.

White (improved).	Reddish Lilac.	White and Dark Blue (Benary).
Flesh Colour.	Rosy Lilac.	Brown Violet.
Apple Blossom.	Carmine.	Indigo Blue.
Rose.	Brilliant Crimson.	Light Carmine, needle shaped.
Carmine Rose.	Dark Crimson.	
Bright Rose, white-tipped.	Light Blue and White.	
Peach Blossom.	Light Blue.	
Hortensia Red.		
Each of the above 19 varieties	oz.	7 0
Finest mixed	4. 84 s., "	6 0
Dark Scarlet (Benary), new, very fine	"	8 0
Assortments of 18 varieties:	dozen 20 s., each	1 9
" " 12 " "	" 12 " " "	1 1
" " 10 " "	" 10 " " "	0 11
" " 8 " "	" 8 " " "	0 9
" " 6 " "	" 6 " " "	0 7

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

Dwarf Crown Aster (White Centre), <i>extra</i> .			
Rose.	Crimson.	Light Blue.	Violet.
Each of the above 4 varieties.....			
Assortments of 4 varieties:.....			

Dwarf Paeony Perfection Aster (Benary).

A dwarf class of great beauty.

White.	Crimson & White.	Purplish Violet
Flesh Colour.	Crimson.	and White.
Rose.	Azure Blue.	Black Blue.
Rose and White.	Light Blue.	Black Blue
Reddish Lilac.	Light Blue	and White.
Light Carmine.	and White.	
White & Carmine.		
Each of the above 15 varieties.....		
Shining Dark Scarlet, <i>charming, very showy</i>		
Assortments of 12 varieties:.....		
" " 10 "	" 7 "	" 0 8
" " 8 "	" 6 "	" 0 7
" " 6 "	" 5 "	" 0 6

Quilled German Aster.

White.	Peach-blossom.	Sky Blue & White.
White, Large-flowering.	Light Rose and White.	Ash Blue.
White and Rose.	Dark Red.	Light Blue.
White with Red	Crimson.	Dark Blue.
Centre.	Crimson and White.	Violet.
Light Rose.	Dark Crimson.	Violet and White.
Rose.	Lilac.	Brown Violet
Rose and White.	Azure Blue.	and White.
Each of the above 22 varieties:.....		
Dark Scarlet and White (Benary), <i>very fine</i>		
Assortments of 18 varieties:.....		
" " 12 "	" 5 "	" 0 6
" " 10 "	" 4 "	" 0 5
" " 6 "	" 3 "	" 0 4

Large Globe-flowered German Aster.

White.	Carmine prickled	Dark Lilac.
White prickled Black	White.	Ash Blue.
Blue.	Crimson.	Light Blue.
Flesh-colour.	Dark Crimson and	Light Violet.
Rose.	White.	Violet.
Dark Rose.	Dark Crimson.	Dark Violet.
Light Carmine.	Dark Red.	Brown Violet.
Each of the above 18 varieties:.....		
White with Blood Red Centre (Benary), <i>splendid</i>		
Assortments of 18 varieties:.....		
" " 12 "	" 5 "	" 0 6
" " 6 "	" 3 "	" 0 4

Comet Aster, superb class, semi-dwarf.

Flowers similar to those of the Japan Chrysanthemum.

White.	White tinted Rose.	Light Blue.
White and Rose.	Rose.	Light Blue
Rose and White.	Bright Brick Rose.	and White.
Lilac and White.	Carmine.	
Peach Blossom.	Reddish Lilac.	
Each of the above 12 vars. (except white):.....		
Assortments of 12 varieties:.....		
" " 10 "	" 10 "	" 0 11
" " 8 "	" 8 "	" 0 9
" " 6 "	" 6 "	" 0 7

Giant Comet Aster.

Superb new class, with very large flowers and long petals.

White tinted Rose.	Dark Violet.	Azure Blue
Rose.	Rose and White.	and White.
Lilac and White.	Azure Blue.	Light Blue
Each of the above 8 varieties:.....		
White, <i>extra fine</i>		
Light Yellow, <i>very delicate new shade</i>		
Rosy Lilac (Mauve), <i>new, very beautiful</i>		
The Bride (White passing to Rose), <i>most beautiful</i>		
new Aster.....		
White passing to Light Blue, <i>new, splendid</i>		
Assortments of 12 varieties:.....		
" " 10 "	" 12 "	" 1 1
" " 8 "	" 9 "	" 0 10
" " 6 "	" 6 "	" 0 7

Lilliput-flowered Aster.

Small flowers in great abundance, for cutting.

White, excellent.	Rose.	White and Dark
White with Rose Centre.	Carmine.	Crimson.
White with Carmine	Dark Blue.	Crimson.
Centre.		Dark Crimson.
Each of the above 9 varieties.....		
Assortments of 8 varieties:.....		
" " 6 "	" 3 "	" 0 4

Schiller Aster, extremely floriferous, for bouquets.

White, <i>extra fine for</i>	Dark Carmine and	Brown Violet.
florists.	White.	Light Blue.
Rose.	Crimson.	Dark Blue.
Rose and White.	Dark Crimson.	
Carmine.	Dark Red.	
Each of the above 11 varieties.....		
Assortments of 8 varieties:.....		
" " 6 "	" 3 "	" 0 4

Princess Aster, splendid new class.

Similar to the Mignon Aster, but with shorter petals, very long and free bloomer, excellent for florists.

Pure White or Snowball (Benary), <i>one of the most</i>	
<i>useful white Asters</i>	
Rose (Rosalind) <i>charming, White passing to Rose,</i>	
<i>White passing to Lilac, Light Blue, Peach-</i>	
<i>blossom new colours, each</i>	
Assortment of 6 varieties:.....	

Mignon Aster (Benary).

Habit, height, and form similar to the Victoria race, but still more floriferous, flowers of refined form.

Pure White, <i>finest white Aster for cutting</i>	
Peach Blossom, Rose, Crimson, Lilac Red, Light	
Blue, White passing to Lilac, White passing	
to Rose, each.....	
Rosy Lilac (Benary), <i>excellent new colour</i>	
Lilac, <i>splendid novelty</i>	
Assortments of 8 varieties:.....	
" " 6 "	" 6 "

Dwarf Mignon, see Novelties.

Lady Aster.

Distinct by its graceful habit and light green ensiform foliage. Of unapproached freedom of blooming, from 40 to 70 buds, borne on slender stems, being successively produced by one plant.

White (Lady in White).....	
Rose, White passing to Rose, <i>novelties of last</i>	
<i>year, very beautiful</i>	
Above 3 colours mixed.....	
Assortments of 3 varieties:.....	

Queen of the Market Aster.

Three weeks earlier than other Asters.

White.	Rose.	Crimson.	Light Blue.	Red Lilac.	Dark Blue.
Each of the above 6 varieties.....					
Assortments of 6 varieties:.....					

Paeony-flowered Globe, or Uhland Aster.

Very useful large-flowering class.

White.	Cinnabar Carmine and	Reddish Violet
White and Rose.	White.	and White.
Peach-blossom.	Scarlet and White.	Brown Violet
Rose and White.	Crimson.	and White.
Rose tipped with	Dark Crimson and White	Dark Blue.
White.	Brilliant Lilac.	Violet.
Carmine and White.	Light Blue.	Black Blue.
Each of the above 18 varieties.....		
Assortments of 16 varieties:.....		
" " 12 "	" 7 "	" 0 8
" " 10 "	" 6 "	" 0 7
" " 8 "	" 5 "	" 0 6
" " 6 "	" 4 "	" 0 5

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

Giant Emperor Aster, very large flowers.

White. Rose.	Copper Rose. Carmine. Azure Blue.	Red Violet. " " and White. Dark Blue.	s. d.
" and White.			
Each of the above 9 varieties		oz.	5 0
The same mixed			4 0
Assortments of 8 varieties:	dozen 8 s., each		0 9
" " 6 " "	" " 6 " "		0 7

Large-flowered Rose Aster, splendid.

White. White with Buff Centre. White and Dark Lilac. Flesh-colour. Rose. Rose and White.	Dark Rose, white-tipped. Cinnabar Red. " Carmine and White. Crimson. Crimson and White. Dark Scarlet and White.	Purple and White. Light Blue. Light Blue. White-tipped. Violet and White. Dark Violet.	
Each of the above 17 varieties		44 s., oz.	3 4
Finest mixed			2 6
Dark Scarlet, beautiful and effective		" 40 "	3 0
Assortments of 12 varieties:	dozen 7 s., each		0 8
" " 10 " "	" " 6 " "		0 7
" " 8 " "	" " 5 " "		0 6
" " 6 " "	" " 4 " "		0 5

Victoria, Aster (Benary's Prize Asters).

Large coloured plate of this finest of all Asters.

White. Light Yellow. White tinted with Rose. White turning to Rose. White turning to Azure Blue. Apple-blossom. Peach-blossom. Rose and White.	Eosy Lilac (Benary). Bright Rose. tinged White. Carmine Rose. Crimson. " and White. Dark Crimson. Reddish Lilac. Reddish Lilac and White. Dark Scarlet.	Light Blue and White. Light Blue. Light Violet. Indigo on White Ground. Dark Blue and White. Violet. Brown Violet.	s. d.
Each of the above 24 varieties		88 s., oz.	6 0
Finest mixed			5 0
Light Lilac (Benary), splendid novelty		" 70 "	8 0
Assortments of 24 varieties:	dozen 24 s., each		2 2
" " 18 " "	" " 18 " "		1 7
" " 12 " "	" " 12 " "		1 1
" " 10 " "	" " 10 " "		0 11
" " 8 " "	" " 8 " "		0 9
" " 6 " "	" " 6 " "		0 7

Victoria Needle (Hedgehog) Aster, extra.

Peach-blossom. Carmine Rose. Hortensia Red. Crimson.	Dark Crimson. Fiery Scarlet, extra. Red Lilac.	Light Blue. Dark Blue. White, Dwarf.	
Each of the above 10 varieties		oz.	6 0
Finest mixed			5 0
Assortments of 10 varieties:	dozen 10 s., each		0 11
" " 8 " "	" " 8 " "		0 9
" " 6 " "	" " 6 " "		0 7

Washington Aster, largest-flowering.

White. White tinged with Rose.	Silver Grey. Peach-blossom. Carmine.	Scarlet. Light Blue. Brown Violet.	
Each of the above 8 varieties		56 s., oz.	4 0
Finest mixed			3 0
Assortments of 8 varieties:	dozen 7 s., each		0 8
" " 6 " "	" " 5 " "		0 6

Imbricated Pompon Aster.

Fine class, for bouquets and for dyeing.

White. White turning to Azure Blue. White and Reddish Lilac. White and Carmine. Rose. Brick Rose. Hortensia Red and White.	Reddish Lilac and White. Crimson. Crimson and White. Dark Scarlet. Dark Purple. Blood Red. Lilac and White. Sky Blue.	Light Blue and White. Light Blue. Violet. Violet and White. Brown Violet. Brown Violet and White. Blood Brown (Zulu King).	
Each of the above 22 varieties		oz.	3 8
Finest mixed			2 8
Scarlet, new, very fine		" 56 "	5 6
White passing to rose, new charming		" 80 "	8 0
Assortments of 18 varieties:	dozen 14 s., each		1 3
" " 12 " "	" " 8 " "		0 9
" " 8 " "	" " 6 " "		0 7
" " 6 " "	" " 4 " "		0 5

Pompon Crown Aster (White Centre), charming class.

Rose. Carmine.	Crimson. Blood Red.	Light Blue. Violet.	Brown Violet.	s. d.
Each of the above 7 varieties				oz. 3 6
Finest mixed				2 8
Assortments of 6 varieties:	dozen 4 s., each			0 5

Ball or Jewel Aster.

New class with short petals and perfectly round flowers.

Apple Blossom. Deep Rose. Scarlet (Benary). Crimson (Benary).	Light Blue. Purplish Violet (Benary). Purplish Violet and White (Benary). Dark Blue.		
Each of the above 8 colours		oz.	4 0
The same mixed			3 4
White, splendid new variety		" 60 "	6 0
Assortments of 8 varieties:	dozen 6 s., each		0 7
" " 6 " "	" " 4 " "		0 5

Truffaut's Paeony-flowered Perfection

Aster. (Benary's Improved).

Snow White. White and Black Blue. White & Carmine. Rose. Rose and White. Dark Rose & White. Light Carmine and White. Carmine. Dark Crimson and White. Crimson.	Dark Red & White. Dark Scarlet. Dark Scarlet and White. Glowing Dark Crimson. Victoria Red. Victoria Red and White. Dark Blood Red. Lilac Red & White. Reddish Violet and White.	Light Blue. Light Blue and White. Violet. Violet and White. Purple Violet. Purple Violet and White. Black Blue. Black Blue and White.	s. d.
Each of the above 27 varieties		64 s., oz.	4 6
Finest mixed			3 8
Assortments of 24 varieties:	dozen 18 s., each		1 7
" " 18 " "	" " 13 " "		1 2
" " 12 " "	" " 9 " "		0 10
" " 10 " "	" " 8 " "		0 9
" " 8 " "	" " 6 " "		0 7
" " 6 " "	" " 5 " "		0 6
La Superbe: Rose, Sky Blue and White		each oz.	4 8

Betteridge's Quilled Aster.

White. White and Carmine. Peach-blossom. Rose and White. Rose, White Centre.	Crimson. Crimson, White Centre. Lilac. Lilac and White. Ash-blue.	Light Blue. Brown Violet. Violet. Violet, White Centre.	
Each of the above 14 varieties		9 s. 0 d., oz.	0 10
Finest mixed			0 7
Sulphur Yellow, new, the best yellow		" 14 "	1 4
Assortments of 12 varieties:	dozen 5 s., each		0 6
" " 8 " "	" " 4 " "		0 5
" " 6 " "	" " 3 " "		0 4

Crown or Cocardean Aster (White Centre).

Rose. Dark Crimson.	Lilac Red. Light Blue.	Violet. Brown Violet.	
Each of the above 6 varieties		52 s., oz.	3 8
Finest mixed			2 8
Assortments of 6 varieties:	dozen 4 s., each		0 5

Pyramidal-flowered German Aster.

White. Apple-blossom. Sulphur Yellow. Salmon-colour. Rose. Rose and White.	Coppery Rose. Fiery Scarlet. Crimson. Dark Crimson & White. Dark Blood Red. Dark Lilac.	Brown Lilac. Red Brown. White and Dark Blue. Dark Blue. Violet.	
Each of the above 17 varieties		oz.	2 0
Finest mixed			1 6
Assortments of 12 varieties:	dozen 6 s., each		0 7
" " 6 " "	" " 3 " "		0 4

Tall Chrysanthemum Aster, extra fine.

White. Rose. Rose and White. Carmine and White.	Magenta. Cherry Red. Lilac Rose and White. Hortensia Red.	Light Blue. Light Blue and White. Slate Blue. Dark Violet.	
Each of the above 12 varieties		40 s., oz.	3 0
Finest mixed			2 4
Assortments of 12 varieties:	dozen 8 s., each		0 9
" " 8 " "	" " 6 " "		0 7
" " 6 " "	" " 4 " "		0 5


ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

Goliath Aster, large-flowering.				s.	d.
Mont Blanc.	Dark Rose.	Light Blue.	Brown Violet.		
Mont Rose.	Crimson.	Dark Blue.			
Each of the above 7 varieties:				£. 30 s., oz.	2 4
Finest mixed				" 20 " "	1 6
Assortments of 6 varieties:				dozen 4 s., each	0 5

Various Sorts of Asters.					
Aster, Harlequin (striped petals)					
" Prince of Wales, White, Crimson, Light Blue,				£. 26 s., oz.	2 0
Dark Blue, Purplish Violet, each				oz.	4 0
" of Wales, finest mixed				£. 32 s., "	2 6
" Queen of the Earlies, White				"	4 0
" Ray Aster, White, Rose, new, each				"	6 0
" Single-flowered, new, 8 sep. col., each				"	0 10
" " mixed				£. 7 s., "	0 8
" Surprise, new French, pink flushed with red "				"	5 4
" White Boston, new, imbricated, very floriferous, fine				£. 40 s., oz.	3 0
" " Branching (Vick's), very large pure white flowers, borne on long stems, valuable as the latest-blooming Aster				£. 26 s., oz.	2 0
" " Ostrich Plume, last year's novelty, Giant Comet-like				oz.	8 0

Benary's Prize Mixtures of Aster Seed.					
Aster, Tall classes, choicest mixed					
" Semi-Dwarf " " " " " " " " " "				£. 32 s., oz.	2 6
" Dwarf classes " " " " " " " " " "				" 28 " "	2 4
" Tall White Varieties, " " " " " " " " " "				" 32 " "	2 6
" Assorts. of 12 White-flowering var.: doz. 9 s., each				"	0 10
" " 6 " " " " " " " " " "				" 5 " "	0 6
" " Pictorial, see page 24.					

Balsams.



The Assortments (Collections) of Balsams contain 50 seeds of each variety.

Double Balsam, very fine mixed.		s.	d.
Especially rich, effective, and popular mixture of fine double varieties		£. 5 s., oz.	0 6

Dwarf Double Balsam.			
White.	Tricolor.	Scarlet.	
Peach-blossom.	Incarnate Red.	Crimson.	
Light Red.	Scarlet and White.	Lilac.	
Bicolor.	Dark Lilac and White.	Dark Blue.	
Each of the above 12 varieties			
Finest mixed " 6 " "			
Assortments of 12 varieties: dozen 7 s., each			
" " 6 " " " 4 " "			

Dwarf Spotted Balsam.					
Flesh-colour.	Scarlet.	Crimson.	Brick Red.	Light Blue.	Violet.
Each of the above 6 varieties					
Finest mixed " 8 " "					
Assortments of 6 varieties: dozen 4 s., each					

Double Rose-flowered Balsam.					
Very double, the best Balsams for florists.					
(These and the French Camellia Balsams are identical.)					
White.	Rosy Buff (Chamois Rose).	Brick Red.			
White tinged with Rose.	Rose.	Crimson.			
Pale Yellow.	Pomegranate Red.	Purple.			
Flesh-colour.	Scarlet.	Lilac.			
Each of the above 13 varieties					
Splendid mixture " 12 " "					
Assortments of 12 varieties: dozen 8 s., each					
" " 10 " " " 6 " "					
" " 8 " " " 5 " "					
" " 6 " " " 4 " "					

Double Spotted Balsam.				s.	d.
Flesh-colour.	Pomegranate Red.	Crimson.	Dark Lilac.		
Light Red.	Scarlet.	Copper Red.	Light Violet.		
Carmine Rose.	Copper Scarlet.	Lilac Rose.	Violet.		
Each of the above 12 varieties				£. 16 s., oz.	1 4
Splendid mixture " 12 " "				"	1 0
Assortments of 12 varieties: dozen 8 s., each				"	0 9
" " 10 " " " 6 " "				"	0 7
" " 8 " " " 5 " "				"	0 6
" " 6 " " " 4 " "				"	0 5

Improved Camellia-flowered Balsam.

Benary's Prize Balsams.			
Extra double and very large flowers.			
White, reflecting Lilac.	Light Yellow.	Pure Scarlet.	
White, reflecting Rose.	Crimson.	Scarlet, spotted.	
Rose.	Rose, spotted.	Violet.	
Each of the above 10 varieties: £. 40 s., oz.			
Finest mixed " 32 " "			
Pure White (alba perfecta), my last year's introduction, extra double, superb			
Pkts.: hundred 20 s., dozen 3 0			
Assortments of 8 superb vars.: dozen 9 s., each			
" " 6 " " " 7 " "			
" " 4 " " " 5 " "			

Prince Bismarck, see Novelties.

Carnation-striped Balsam, very pretty.			
White and Carmine.	White and Rose.	White, Crimson, and Lilac.	
White and Crimson.	White and Scarlet.	Peach Blossom and Scarlet.	
White and Copper-red.	White, Crimson, and Cinnabar.	Tricolor.	
White and Pomegranate Red.	White and Violet.		
Each of the above 11 varieties: £. 12 s., oz.			
Finest mixed " 8 " "			
Assortments of 8 varieties: dozen 5 s., each			
" " 6 " " " 4 " "			
Atrosanguinea plenissima, splendid, deep blood red, very double			
£. 12 s., oz.			
Solferino Balsam, white, spotted and striped with lilac and scarlet, very fine			
£. 10 s., oz.			
Victoria, satiny white, punctated and spotted with scarlet			
£. 8 s., oz.			
Mixture of finest double sorts (Rose-flowered and Spotted)			
£. 10 s., oz.			

Carnations and Picotees.

For choiceness and extent my Collections of these general favourites are unequalled. I grow myself, in pots, for seed, over 15,000 plants of the finest named sorts. (Large coloured Plate.) My Carnations and Picotees have been spoken of in particularly favourable terms by the English horticultural press. That well-known authority, Mr. J. Douglas, who visited my grounds in summer 1892, gives in the "Garden" of Aug. 1892 a highly complimentary account of my method of cultivation, making a list of the varieties of my raising he most admired, at the head of which he places the beautiful yellow self "Germania". Again in the "Gardener's Chronicle" of Sept. 17th he describes the seed-gathering process, remarking how deeply he was impressed with the care and forethought bestowed on the smallest details of the work.

Large Gold State Medal at the Hamburg International Show 1897.

Border Carnations:		s.	d.
Double, mixed good quality	£. 26 s., oz.	2	0
" " very fine quality, highly recommendable strain	£. 64 s., oz.	4	6
" finest mixed (Benary's Non plus ultra Border Carnations). Having been saved from flowers of very finest quality only, this seed will give highly favourable results	oz. 72 s., 1/2 oz. 5 s., 1000 seeds	6	0
" Early-flowering Dwarf Vienna, extra fine mixed, excellent class, mostly Picotees	£. 22 s., oz.	1	8
" " flowering Dwarf Vienna, white, quite constant, very fine	£. 44 s., oz.	3	4
" Grenadin, 60 to 70 per cent. of charming double scarlet flowers; dwarf and compact; very early	£. 120 s., oz.	8	0
" " semi-dwarf, scarlet, very good quality " " " " " " " " " "	"	4	0
" "	"	11	0

Invaluable for florists.

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

Carnations — continued.

Saved exclusively from stage-flowers.

				s.	d.
Carnations: Bizarre, Flake, Painted Lady, Self,					
each class separate	1000 seeds	12 s.,	100 seeds	1	6
splendid mixed	1000 " 11 "	100 "		1	4
Picotees: White Ground	1000 " 12 "	100 "		1	6
Yellow Ground	1000 " 16 "	100 "		1	10
finest mixed	1000 " 14 "	100 "		1	8
Benary's Yellow Ground Fancies, unrivalled strain.					
1000 seeds	16 s.,	100 seeds		1	10
Victoria (Benary), semi-dwarf class, excellent. The seed does not reproduce them exactly but gives splendid vars.					
1000 seeds	36 s.,	100 seeds		4	0
Germania (Benary), acknowledged as the finest yellow Self Pict. Pkts. (5 seeds):					
hundred	56 s.,	dozen		8	0
Assorts. of 50 vars.		each		6	0
" 25 "	5 seeds of each	dozen	36 s.,	"	3 3
" 18 "		"	26 "	"	2 4
" 12 "		"	18 "	"	1 7
" 10 "		"	15 "	"	1 4
" 8 "		"	12 "	"	1 1
" 6 "		"	9 "	"	0 10

Carnations and Picotees, Stage-flowers, all classes, extra fine mixed (Benary's Prize mixture). Of unrivalled quality and will give the greatest satisfaction to the most critical growers
 oz. 116 s., $\frac{1}{2}$ oz. 30 s., $\frac{3}{4}$ oz. 4 0
 10,000 seeds 92 s., 1000 seeds 10 0

Perpetual or Tree Carnations,

very fine mixture 4l. 56 s., oz. 4 0
 " choice quality (about 80 per cent. of doubles)
 $\frac{1}{2}$ oz. 18 s., $\frac{3}{4}$ oz. 2 s. 6 d., 1000 seeds 6 0
Pict. Pkts.: hundred 32 s., dozen 5 0

Alégatière's Strain, excellent class, great display of rich colours; very high percentage of doubles, extra $\frac{1}{2}$ oz. 12 s., 1000 seeds 8 0

Dwarf (à tige de fer), highly recommendable class for bouquets, rich and varied colours; from a splendid strain $\frac{1}{2}$ oz. 12 s., 1000 seeds 8 0

Yellow Ground (Benary), new and extremely valuable introduction, about two thirds true from seed
 4l. 120 s., oz. 8 s., 1000 seeds 1 0

Earliest French (Chabaud Carnation), new hardy class, combining the perfection of flowers of the Perpetuals with the earliness of Margaret Carnations and blooming within 7 months after being sown, excellent 4l. 80 s., oz. 5 6

" **French Dwarf White, new, excellent** 1000 sds. 8 0

" **Giant, an improved class of Chabaud Carnations, very large flowers** 1000 seeds 8 0

" **Yellow Ground, new, very fine vars.** 1000 " 16 0

Margaret. The seedlings of this very valuable class begin blooming the fourth month and produce large and very sweet-scented flowers when other Carnations are over; about 80 per cent. of them are double and yield a rich display of colours. My improved strain is of the semi-dwarf class and of unsurpassed quality 4l. 40 s., oz. 3 0

Margaret White, new, much improved and nearly true from seed, extra fine 4l. 72 s., oz. 5 0

" **Giant, new, very fine large-flowering strain, splendid mixture** 4l. 120 s., oz. 8 0

" **Yellow, new, very fine** $\frac{1}{2}$ oz. 2 s., 1000 seeds 5 0

Riviera Market (Guillard Carnation). The finest Perpetual Carnations, of nearly as rapid growth as the Margaret class; (over 90 per cent. of splendid double flowers, with a large percentage of yellows) ... oz. 120 s., $\frac{1}{2}$ oz. 4 s., 1000 seeds 10 0

Riviera Market Yellow, very fine ... 1000 " 10 0

Hermine, pure white 1000 " 10 0

Jean Sisley, salmon very fine 1000 " 8 0

Le Favori, rosy carmine varieties 1000 " 8 0

Scarlet, very fine 1000 " 10 0

Assorts. of 12 vars., 5 seeds each: dozen 12 s., each 1 1

For layers of Carnations see page 60.

The following Assortments (Collections) contain, unless otherwise specified, a good-sized packet of each variety.

Antirrhinum (Snapdragon).

For varieties and mixtures, see page 26.

				s.	d.
Assorts. of 12 tall varieties:					
" 10 "	"	"	dozen 8 s., each	0	9
" 8 "	"	"	" 7 "	"	0 8
" 6 "	"	"	" 5 "	"	0 6
" 12 dwarf	"	"	" 4 "	"	0 5
" 10 "	"	"	" 8 "	"	0 9
" 8 "	"	"	" 7 "	"	0 8
" 6 "	"	"	" 5 "	"	0 6
" 12 Tom Thumb vars.	"	"	" 4 "	"	0 5
" 10 "	"	"	" 10 "	"	0 11
" 8 "	"	"	" 8 "	"	0 9
" 6 "	"	"	" 6 "	"	0 7
" 6 "	"	"	" 5 "	"	0 6

Cockscombs, Dwarf. Celosia cristata nana.

Separate sorts, see Celosia page 30.

Finest mixture, 1st quality 4l. 64 s., oz. 4 6					
Assorts. of 12 dwarf varieties: dozen 10 s., each 0 11					
"	"	10	"	"	" 8 " " 0 9
"	"	8	"	"	" 7 " " 0 8
"	"	6	"	"	" 5 " " 0 6

Hollyhocks, Double.

Mixed, very good quality 4l. 20 s., oz. 1 6

Hollyhocks, Finest German.

White.	Dark Rose.	Carmine Scarlet.
Peach Blossom.	Salmon Rose.	Crimson.
Sulphur Yellow.	Carmine.	Chamois.
Chestnut.	Purplish Violet.	Scarlet.
Rose.	Amaranth crimson.	Violet Lilac.
Each of the above 15 varieties, separate		oz. 3 0
Finest Double German, mixed.....		4l. 30 s., " 2 4
Assortments of 18 varieties:		dozen 15 s., each 1 4
" " 12 "	" " 10 "	" " 0 11
" " 10 "	" " 9 "	" " 0 10
" " 8 "	" " 7 "	" " 0 8
" " 6 "	" " 5 "	" " 0 6

Hollyhocks, Chater's Superb.

Benary's Prize Strain, unsurpassed.

Pure White.	Isabel colour.	Cherry Red.
Yellowish White on	Salmon Rose.	White on Purple
Purple Ground.	Golden Yellow.	Ground.
Sulphur Yellow.	Crimson.	Peach.
Scarlet.	Light Apricot.	Purplish Lilac.
Rose.	Dark Crimson.	
Each of the above	15 Prize varieties	 oz. 8 0
	Splendid mixed	4l. 100 s., 7 0
Assortments of 18	varieties:	dozen 23 s., each 2 0
" " 12 "	"	" 15 " " 1 4
" " 10 "	"	" 12 " " 1 1
" " 8 "	"	" 10 " " 0 11
" " 6 "	"	" 8 " " 0

Ipomoea purpurea. Convolvulus major (Morning Glory).

White.	Tricolor.	Dark Red.	Dark Blue.		
" striped rose.	Carmine.	Lilac.	Black Blue		
" " violet.	Incarnat.	Light Blue.	(Indiana).		
Rose.				s.	d.
Each of the above 12 varieties			4l. 1 s., oz.	0	2
Splendid mixture cwt. 62 s.,			" 8 d.,	0	2
Assortments of 12 varieties:			dozen 7 s., each	0	8
"	" 10 "	"	" 6 "	"	0 7
"	" 6 "	"	" 4 "	"	0 5
New double, <i>very fine, late-flowering</i> . .			4l. 6 s., oz.	0	6

Double Larkspurs. (68)

Dwarf German Rocket (Hyacinth-flow.), extra. (H)				
White.	Apple-blossom.	Brick Red.	Azure Blue.	Violet.
White, shining	Chamois (buff).	Red Lilac.	Light Blue.	Fawn-
Violet.	Rose.	Dark Lilac.	Dark Blue.	colour.
Each of the above 13 varieties . . . 4l 3 s. 6 d., oz.				0 4
The same mixed				" 2 " 8 " " 0 3
Assortments of 12 varieties:				dozen 6 s., each 0 7
" 10 "	"	"	" 5 " "	0 6
" 8 "	"	"	" 4 " "	0 4
" 6 "	"	"	" 3 " "	0

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

Giant Hyacinth-flowered Larkspur.

White.	Reddish Grey.	Indigo.	⑧
White, reflecting Blue.	Brick Red.	Violet.	
Rose.	Light Violet.		s. d.
Each of the above	8 varieties	£ 3 s. 6 d.	0 4
The same mixed		" 2 " 8 " "	0 3
Assortments of 6 varieties:		dozen 3 s., each	0 4

Tall German Rocket Larkspur. D. elatior fl. pl.

White.	Ash Red.	Light Violet.	⑬
White shaded Blue.	Brick Red.	Violet.	
Apple-blossom.	Lilac.	Indigo Blue.	
Rose.	Light Blue.	Dark Brown.	
Each of the above	12 varieties	£ 2 s. 6 d.	0 3
Finest mixed		" 2 " 0 " "	0 2
Assortments of 12 varieties:		dozen 6 s., each	0 7
"	" 10 "	" 5 " " "	0 6
"	" 8 "	" 4 " " "	0 5
"	" 6 "	" 3 " " "	0 4

Stock-flowered Tall Branching Larkspur.

Delphinium consolida fl. pl., finest for florists.

White.	Bright Rose.	Red Grey.	Bicolor.	Black Blue.	⑨
Flesh-colour.	Lilac.	Violet.	Tricolor.		
Each of the above	9 varieties	£ 2 s. 6 d.	0 3		
Finest mixed		" 2 " 0 " "	0 2		
Assortments of 10 varieties:		dozen 5 s., each	0 6		
"	" 8 "	" 4 " " "	0 5		
"	" 6 "	" 3 " " "	0 4		

Lustrous Carmine, very fine

Ranunculi-flowered Larkspur, charming.

White.	Lilac Red.	Brick Red.	Ash Blue.	⑧	
Flesh-colour.	Rose.	Violet.	Ash Grey.		
Each of the above 8 varieties				4. 3 s. 0 d., oz.	0 4
The same mixed				" 2 " 6 " "	0 3
Assortments of 6 varieties:				dozen 3 s., each	0 4

Dwarf Candelabrum-formed Larkspur.

White.	Rose.	Carmine.	Light Blue.	Bicolor.	Dark Blue.	⑨
Each of the above	6 varieties	£ 2 s. 6 d.	0 3			
Finest mixed		" 2 s. "	2 0			
Assortment of 6 varieties:		dozen 6 s., each	0 7			

Emperor Larkspur.

Delphinium imperiale fl. pl., splendid.

White.	Flesh-colour.	Striped.	Violet.	⑩	
White, striped light blue.	Rose.	Azure Blue.	Apple Blossom.		
Tricolor.	Black Blue.				
Each of the above 10 varieties.....				4 6 s., oz.	0 6
The same mixed " 5 " "					0 6
Assortments of 8 varieties:				dozen 5 s., each	0 6
" 6 "	" 4 " "				0 5
Brilliant carmine, striped dark red, new, fine...				oz.	2 6

Brilliant carmine, striped dark red, new, fine

Marigolds. (See also Tagetes, page 51.)

Double African. Tagetes erecta fl. pl.

Assortments of 8 varieties:	dozen 5 s., each	0 6
" " 6 "	" 4 " " "	0 5

Marigold, Double French. T. patula fl. pl.

Assort. of 12 vars. (tall and dwarf sorts)	dozen 7 s., each	0 8
" " 10 "	" 6 " " "	0 7
" " 8 "	" 5 " " "	0 6
" " 6 "	" 4 " " "	0 5
" " 6 " (only dwarf sorts)	" 4 " " "	0 5

Marvel of Peru. Mirabilis Jalapa.

White.	Red and White.	Red and Yellow.	Lilac and White.
White and Yellow.	Yellow.	Crimson.	Lilac.
White and Red.	Rose.	Crimson Violet.	Tricolor.
Each of the above	12 varieties	£ 1 s. 2 d.	0 2
Splendid mixed		cwt. 72 s.,	0 2
Assortments of 10 varieties:		dozen 5 s., each	0 6
"	" 8 "	" 4 " " "	0 5
"	" 6 "	" 3 " " "	0 4

Marvel of Peru, striped-leaved.

White.	Yellow.	Crimson.
White and Red.	Yellow and Red.	Tricolor.
Each of the above	6 varieties	£ 1 s. 2 d.
The same mixed		cwt. 72 s.,
Assortments of 6 varieties:		dozen 3 s., each

Marvel of Peru, Tom Thumb.

Excellent class, striped-leaved, true from seed.

White (Benary).	Yellow and Red.	Red and Yellow.	Yellow.	s. d.
Tricolor.	White and Red.	Crimson.		
Each of the above	7 varieties	£ 3 s.	0 4	
The same mixed		" 2 " " "	0 2	
Assortments of 6 varieties:		dozen 4 s., each	0 5	

Pansies, or Heartseases. (See also Viola, page 53.)

Assortments of 24 varieties:	dozen 24 s., each	2 1
" " 18 "	" 18 " " "	1 7
" " 12 "	" 12 " " "	1 1
" " 10 "	" 10 " " "	0 11
" " 8 "	" 8 " " "	0 9
" " 6 "	" 6 " " "	0 7
" " 6 Giant varieties	" 11 " " "	1 0

Pictorial, see page 24.

Petunia hybrida grandiflora.

Colours and mixtures, see page 44 and 45.

Assorts. of 12 Large-flg. Single vars.	doz. 18 s., each	1 7
" " 8 "	" 12 " " "	1 1
" " 6 "	" 9 " " "	0 10
" " 4 "	" 6 " " "	0 7
" " 8 " " Fringed "	" 12 " " "	1 1
" " 6 " " " "	" 9 " " "	0 10
" " 4 " " " "	" 6 " " "	0 7
" " 12 " " Double "	" 24 " " "	2 1
" " 6 " " " "	" 12 " " "	1 1
" " 12 " " " Fringed "	" 20 " " "	1 9
" " 6 " " " " "	" 12 " " "	1 1

Phlox Drummondii.

Separate sorts, see page 45 and 46.

Drummondii	Assorts. of 18 fine vars.: doz. 12 s., each	1 1
" " 12 "	" 9 " " "	0 10
" " 10 "	" 8 " " "	0 9
" " 8 "	" 6 " " "	0 7
" " 6 "	" 5 " " "	0 6
" cuspidata, Star Phlox	" 6 " " "	0 7
" nana compacta	" 12 " " "	1 2
" " " "	" 10 " " "	1 0
" " " "	" 8 " " "	0 10
" " " "	" 7 " " "	0 8
" grandiflora	" 18 " " "	1 4
" " " "	" 12 " " "	0 11
" " " "	" 8 " " "	0 9
" " " "	" 10 " " "	0 8
" " " "	" 6 " " "	0 7

Poppies, Double Carnation. Papaver

somniferum fl. pl. (laciniatum).

White.	Cinnabar, white ground.	Dark Lilac.
White and Light Purple.	Rose.	Dark Violet.
White, striped scarlet.	Bright Rose.	Steel Blue and Cinnabar.
Light Yellow.	Scarlet.	Black Brown " "
Red, striped white.	Ash Grey.	Purple on black brown.
Pomegranate on white.	Dark Ash Grey.	Purple.
Each of these 18 varieties:	£ 1 s. 4 d.	0 2
Finest mixed cwt. 100 s.,		1 " 0 " " "
Assortments of 18 varieties:		dozen 8 s., each
" " 12 "	" 6 " " "	0 7
" " 10 "	" 5 " " "	0 6
" " 8 "	" 4 " " "	0 5

Poppies, Double Paeony-flowered.

Papaver paeoniflorum fl. pl.

White.	Fiery Scarlet.	Cinnabar on violet ground.
White striped with Red.	Scarlet and White.	Black Brown and Cinnabar.
White and Light Purple.	Dark Scarlet on violet ground.	
Light Yellow.	Light Mordoré.	Purple.
Coppery Scarlet.	Dark Mordoré.	Black.
Rose.	Pinky Grey.	Lilac and Scarlet.
Each of these 18 varieties:	£ 1 s. 4 d.	0 2
Finest mixed cwt. 100 s.,		1 " 0 " " "
Assortments of 18 varieties:		dozen 8 s., each
" " 12 "	" 6 " " "	0 7
" " 10 "	" 5 " " "	0 6
" " 8 "	" 4 " " "	0 5

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

Poppies, Double Dwarf Paeony-flowered.

Papaver paeoniflorum nanum fl. pl.

White.	Rose.	Dark Scarlet.	s. d.
White striped with Red.	Rose and Crimson.	Purple.	
White and Light Purple.	Ponceau (Rich Crimson).	Lilac.	
Chamois.	Scarlet and White.	Black.	
Brilliant Rose.			
Each of the above 13 varieties...	£t. 2 s. 0 d., oz.	0 2	
Finest mixed	1 " 6 " "	0 2	
Salmon Rose (Benary), <i>brilliant</i> ...	7 " 0 " "	0 8	
Assortments of 12 varieties:	dozen 6 s., each	0 7	
" " 6 " "	" 4 " "	0 5	

Poppies, Double Dwarf Carnation.

Papaver somniferum nanum fl. pl.

White.	Ash Grey on Crimson ground.	Scarlet.	s. d.
Chamois.	Lilac.	Ponceau.	
Copper Red.	Brilliant Rose.	Rose.	
Rose on Crimson ground.	Scarlet on dark ground.		
Each of these 11 varieties...	£t. 2 s. 0 d., oz.	0 2	
Finest mixed	1 " 6 " "	0 2	
Assortments of 8 varieties:	dozen 5 s., each	0 6	
" " 6 " "	" 4 " "	0 5	
cardinale (Cardinal Poppy), <i>new</i> ...	£t. 2 s. 0 d., oz.	0 2	
" hybrids, mixed (Benary 1896)...	9 " 0 " "	0 10	
" Bright Rose, Copper Rose, Chamois, Brick Red (Benary 1897), <i>very fine colours</i> , each	£t. 40 s., oz.	3 0	

Poppies, Dwarf Ranunculi-flowered.

P. ranunculiflorum (Rhoeas) nanum fl. pl.

White.	Scarlet.	Crimson.	
Rose.	Scarlet and White.	Crimson & White.	
Each of the above 6 varieties		4t. 2 s. 0 d., oz.	0 2
	Finest mixed	1 " 6 " "	0 2
Assortments of 6 varieties:		dozen 4 s., each	0 5
Japanese Pompon, finest mixed		1 " 6 " "	0 6
" " new-dwarf " " last year's novelty		1 " 6 " "	0 2

Salpiglossis variabilis (see also page 49).

Assorts. of 8 tall vars.:	dozen 5 s., each	0 6	
" " 6 " "	" 4 " "	0 5	
" " 10 " splendid	" 8 " "	0 9	
" " 8 " large-flowered	" 7 " "	0 8	
" " 6 " varieties	" 5 " "	0 6	
" " 8 dwarf vars.:	" 5 " "	0 6	
" " 6 " "	" 4 " "	0 5	

Senecio elegans fl. pl., Tall Double Jacobaea.

White.	Flesh.	Lilac.	Purple.	Red.	s. d.
Each of these 5 double varieties...	£t. 26 s., oz.	2 0			
Finest mixed	18 " "	1 6			
Assortments of 5 varieties:	dozen 5 s., each	0 6			

Senecio elegans nanus fl. pl., Dwarf Double.

White.	Blue.	Purple.	Red.	s. d.
Each of these 4 extra double varieties...	£t. 26 s., oz.	2 0		
Finest mixed	18 " "	1 6		
pomponicus purpureus fl. pl., <i>very fine</i> ...	26 " "	2 0		
" ruber fl. pleno	" " "	2 0		
" albidus " " <i>new cream</i> ...	" " "	2 0		
" carneus " " <i>flesh</i> ...	" " "	2 8		
Assortments of 6 varieties:	dozen 6 s., each	0 7		

Scabious, Dwarf Double (Benary).

White.	Brick Red.	Lilac.	Azure Blue.	s. d.
Flesh-colour.	Dark Brick Red.	Fiery Crimson.	Purple.	
Rose.	Cherry Red.	Striped.	Black Purple.	
Each of the above 12 varieties...	£t. 2 s. 0 d., oz.	0 2		
Finest mixed	1 " 8 " "	0 2		
nana fol. aureis, <i>yellow leaves</i> ...	2 " 0 " "	0 2		
Assortments of 12 varieties:	dozen 7 s., each	0 8		
" " 10 " "	" 6 " "	0 7		
" " 8 " "	" 5 " "	0 6		
" " 6 " "	" 4 " "	0 5		

Scabious, Semi-dwarf compact, large-flowered.

White.	Cherry Red	Black Purple and	s. d.
" and Rose,	double,	White, double.	
White & Lilac,	Lilac,	Black Purple, single.	
Cherry Red,	double,	Fiery Red	
Each of the above 10 varieties...	£t. 11 s., oz.	1 0	
Finest mixed	9 " "	0 10	
Assorts. of 6 dwarf compact varieties	doz. 4 s., each	0 5	

Scabious, Large-flowered.

Scabiosa atropurpurea major.

White.	Fiery Red.	Lilac.	s. d.
Flesh-colour.	Cherry Red.	Black Purple.	
Brick Red.	Cherry Red and White.	Black Purple & White.	
Each of the above 9 vars.	£t. 2 s. 0 d., oz.	0 2	
Finest mixed ...	1 " 4 " "	0 2	
Assortments of 10 varieties:	dozen 6 s., each	0 7	
" " 8 " "	" 5 " "	0 6	
" " 6 " "	" 4 " "	0 5	

Scabious, Large-flowered Double.

Scabiosa atropurpurea grandiflora fl. pl.

White.	Lilac.	Dark Brick Red.	s. d.
White and Lilac.	Cherry Red.	Black Purple.	
Flesh.	Cherry Red and White.	Black Purple and White.	
Rose.	Brick Red.	White.	
Each of the above 11 vars.	£t. 4 s. 0 d., oz.	0 4	
Finest mixed	3 " 6 " "	0 4	
Assortments of 8 varieties:	dozen 5 s., each	0 6	
" " 6 " "	" 4 " "	0 5	

Sweet Peas. Lathyrus odoratus (see also pages 39 and 40).

Assorts. of 12 varieties:	dozen 6 s., each	0 7	
" " 10 " "	" 5 " "	0 6	
" " 8 " "	" 4 " "	0 5	
" " 6 " "	" 3 " "	0 4	
" " 24 " "	" 13 " "	1 2	
" " 18 " "	" 9 " "	0 10	
" " 12 " "	" 7 " "	0 8	
" " 10 " "	" 6 " "	0 7	
" " 8 " "	" 5 " "	0 6	
" " 6 " "	" 4 " "	0 5	

Zinnia elegans, single.

White.	Scarlet.	Dark Scarlet.	s. d.
Sulphur Yellow.	Golden Yellow.	Crimson.	
Each of the above 6 varieties:	£t. 2 s. 8 d., oz.	0 3	
Finest mixed	2 " 4 " "	0 3	
Assortments of 6 single vars.:	dozen 4 s., each	0 5	

Zinnia elegans fl. pl., Tall Double.

White.	Flesh.	Scarlet.	Dark Purple.	s. d.
Sulphur Yellow.	Rose.	Crimson.	Purple.	
Golden Yellow.	Lilac.	Purple.		
Each of the above 10 tall vars.:	£t. 7 s. 0 d., oz.	0 8		
Finest mixed	5 " 6 " "	0 6		
Assorts. of 12 double vars.:	dozen 11 s., each	1 0		
" " 10 " "	" 9 " "	0 10		
" " 8 " "	" 7 " "	0 8		
" " 6 " "	" 5 " "	0 6		
crispa, <i>new crested, very fine</i> ...	£t. 11 s., oz.	1 0		
grandiflora robusta plenissima, <i>Giant Zinnias</i> , mixed, <i>excellent class, enormous flowers</i>	£t. 14 s., oz.	1 2		
" aurea, <i>largest citron yellow</i> ...	£t. 14 " "	1 2		
" Queen Victoria (Benary), <i>largest-flowered pure white, very fine, novelty 1897</i>	£t. 48 s., oz.	3 6		
Pompon (Darwini fl. pl.), <i>finest mixed, small, very double flowers</i> ...	£t. 6 s., oz.	0 6		
Striped, striata fl. pl., (50% true)	" 11 " "	1 0		

Zinnia elegans pumila fl. pl., Semi-dwarf double.

White.	Salmon.	Purple.	s. d.
Sulphur Yellow.	Scarlet.	Violet.	
Golden Yellow.	Crimson.		
Each of the above 8 finest vars.	£t. 7 s. 6 d., oz.	0 8	
Finest mixed	6 " 0 " "	0 6	
Assorts. of 8 dwarf double vars.:	doz. 7 s., each	0 8	
" " 6 " "	" 5 " "	0 6	
Striped, Benary's strain (pumila striata fl. pl.), <i>splendid, about 70 per cent. true per</i>	£t. 26 s., per oz.	2 0	
Lilliput-flowered, mixed, <i>smallest-flowered, charming class for bouquets</i> ...	£t. 11 s., oz.	1 0	
" Lilac Gem, <i>new</i> ...	£t. 26 " "	2 0	
" Golden Gem	£t. 14 s., 1/8 oz.	1 0	
" Orange " <i>excellent</i> ...	£t. 18 s., oz.	1 6	
" Scarlet " <i>new</i> ...	" 22 " "	1 8	
" White " <i>varieties</i> ...	" 18 " "	1 6	
Assorts. of 4 vars.:	dozen 7 s., each	0 8	
Tom Thumb, <i>double mixed (Benary), charming, but varying in height</i> ...	£t. 12 s., oz.	1 0	
" " White " " "	" 16 " "	1 4	

Various other Assortments.

		per dozen	each
Annuals.		s.	s. d.
(See also Pictorial Collections, page 24.)			
Assort. of 100 sorts	Annuals	—	4 0
" " 50	"	—	2 0
" " 25	"	10	0 11
" " 12	"	5	0 6
" " 12	" white-flowered for cutting	6	0 7
" " 12	" odoriferous-flowered	6	0 7
" " 12	" for edgings	6	0 7
" " 12	" bees	6	0 7
" " 12	" cutting purposes	6	0 7
" " 12	" pots	6	0 7
" " 12	Amarantus	6	0 7
" " 12	Calliopsis	6	0 7
" " 10	"	5	0 6
" " 8	"	4	0 5
" " 6	Centaurea Cyanus (Cornbottle)	4	0 5
" " 12	Chrysanthemum carinatum	7	0 8
" " 8	"	5	0 6
" " 6	"	4	0 5
" " 6	Clarkia	4	0 5
" " 8	Convolvulus minor (tricolor)	4	0 5
" " 18	Dianthus	11	1 0
" " 12	" chinensis	8	0 9
" " 10	" and	6	0 7
" " 8	" Heddeewigi	5	0 6
" " 6	"	4	0 5
" " 6	" Heddeewigi and laciniatus	4	0 5
" " 6	Gaillardia	4	0 5
" " 6	Godetia	4	0 5
" " 6	Iberis (Candytuft)	4	0 5
" " 12	Ipomoea (not purpurea)	6	0 7
" " 12	Lobelia	8	0 9
" " 6	"	4	0 5
" " 12	Lupinus	6	0 7
" " 6	"	3	0 4
" " 12	Mimulus	8	0 9
" " 6	"	4	0 5
" " 12	Nemophila	5	0 6
" " 6	"	3	0 4
" " 6	Papaver (annual single sorts)	4	0 5
" " 8	Petunia hybrida	5	0 6
" " 8	Portulaca grandiflora	4	0 5
" " 10	" fl. pleno	9	0 10
" " 8	"	7	0 8
" " 6	"	5	0 6
" " 12	Reseda (Mignonette)	8	0 9
" " 10	"	6	0 7
" " 8	"	5	0 6
" " 6	"	4	0 5
" " 12	Ricinus	6	0 7
" " 6	"	3	0 4
" " 6	Salvia	5	0 6
" " 6	Schizanthus	4	0 5
" " 8	Silene	4	0 5
" " 5	Thunbergia	5	0 6
" " 18	Tropaeolum Lobbi	10	0 11
" " 12	"	7	0 8
" " 8	"	5	0 6
" " 6	"	4	0 5
" " 12	" majus (Tall Nasturtium)	7	0 8
" " 10	"	6	0 7
" " 8	"	5	0 6
" " 6	"	4	0 5
" " 12	" Tom Thumb	7	0 8
" " 10	"	6	0 7
" " 8	"	5	0 6
" " 6	"	4	0 5
" " 12	Verbena hybrida	15	1 4
" " 10	"	13	1 2
" " 8	"	10	0 11
" " 6	"	8	0 9

		per dozen	each
Herbaceous Plants.		s.	s. d.
Assort. of 25 sorts		11	1 0
" " 12	"	5	0 6
" " 12	" for rock-work	9	0 10
" " 12	Aquilegia	8	0 9
" " 6	"	4	0 5
" " 12	Campanula	8	0 9
" " 6	Canterbury Bells	4	0 5
" " 12	Dahlia, single	12	1 1
" " 6	"	6	0 7
" " 8	Delphinium	5	0 6
" " 6	" hybridum fl. pleno	8	0 9
" " 6	Dianthus barbatus (Sweet William)	4	0 5
" " 12	Digitalis (Foxglove)	6	0 7
" " 6	"	4	0 5
" " 10	Mycosotis alpestris	9	0 10
" " 6	"	5	0 6
" " 8	Papaver (Poppy)	6	0 7
" " 6	Pentstemon (species)	6	0 7
" " 6	" gentianoides (Hartwegi)	9	0 10
" " 6	Viola odorata semperflorens	8	0 9

Greenhouse and Stove Plants.

Assort. of 12 sorts		9	0 10
" " 6	Abutilon	9	0 10
" " 12	Acacia	10	0 11
" " 12	Aquatics	15	1 4
" " 12	Begonias, Tuberous-rooted	28	2 6
" " 6	"	15	1 4
" " 12	Cactus	17	1 6
" " 12	Canna	8	0 9
" " 6	"	4	0 5
" " 6	" dark-leaved varieties	5	0 6
" " 12	" Crozy's new	15	1 4
" " 8	"	9	0 10
" " 6	"	8	0 9
" " 24	Coleus	26	2 3
" " 18	" 40 seeds	19	1 8
" " 12	" of each	13	1 2
" " 8	"	9	0 10
" " 6	"	7	0 8
" " 6	" large-leaved, 30 sds. of each	8	0 9
" " 6	Cordylina and Dracaena	9	0 10
" " 12	Cyclamen	28	2 6
" " 6	" persicum and grandifl.	14	1 3
" " 12	Ferns	22	2 0
" " 6	"	12	1 1
" " 12	Fuchsias, 12 seeds of each	12	1 1
" " 6	" 12 " " "	6	0 7
" " 12	Heliotropium	12	1 1
" " 6	"	6	0 7
" " 6	Palms	18	1 8
" " 12	Primula chin. fimbriata	23	2 0
" " 10	" chin. fimbriata	19	1 8
" " 8	"	16	1 5
" " 6	"	12	1 1
" " 6	" double	20	1 9
" " 6	Solanum	6	0 7

Everlasting Flowers. (Immortelles.)

Assort. of 25 distinct species and varieties		17	1 6
" " 18	"	11	1 0
" " 12	"	8	0 9
" " 8	"	5	0 6
" " 6	"	4	0 5
" " 12 sorts	Elichrysium monstrosum fl. pl.	8	0 9
" " 10	"	7	0 8
" " 8	"	6	0 7
" " 6	"	5	0 6
" " 6	" nanum	5	0 6
" " 6	Gomphrena (Globe Amaranth)	4	0 5
" " 4	Rhodanthe	4	0 5
" " 6	Xeranthemum	4	0 5

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

Sundry Assortments.				per dozen	each	Sundry Assortments. — continued.				per dozen	each
Assort.	of 25 sorts	Ornamental	Grasses	s.	s. d.	Assort.	of 8 sorts	Ornamental Kales (Borecole)	s.	s. d.	
"	" 18	"	"	10	0 11	"	" 12	" Leaved Plants	10	0 11	
"	" 12	"	"	7	0 8	"	" 12	Bedding Plants	8	0 9	
"	" 8	"	"	5	0 6	"	" 8	Capsicum (Pepper)	5	0 6	
"	" 6	"	"	4	0 5	"	" 12	Fragrant Plants	9	0 10	
"	" 12	"	Climbers	6	0 7	"	" 12	Lilliput Plants for pots	12	1 1	
"	" 6	"	"	4	0 5	"	" 6	Plants for hanging-baskets	8	0 9	
"	" 6	"	" for greenhouse	12	1 1	"	" 10	Tomato	5	0 6	
"	" 12	"	Fruited Plants	6	0 7						
"	" 25	"	Gourds	12	1 1						
"	" 12	"	"	6	0 7						
"	" 6	"	"	4	0 5						
"	" 12	"	" smallest	6	0 7						
"	" 6	"	"	4	0 5						
Trees and Shrubs.											
	Assort. of 25 species	Coniferae		14	1 3						
	" 12	"		7	0 8						
	" 12	Trees and Shrubs		6	0						

Trees and Shrubs.

Assort. of 25 species	Coniferae	14	1	3
" " 12	" "	7	0	8
" " 12	Trees and Shrubs	6	0	7

Pictorial Collections of Annual Flower Seeds.

 These Collections are especially adapted for the retail trade, being put up in so attractive a style that they command an extensive sale. They are composed of large packets of only such annuals as will produce in succession a fine display. The seed of each variety, and cultural directions for it, are contained in one of my Pictorial Pockets, the superior execution of which has elicited general admiration, and the whole is enclosed in a sealed envelope bearing on the face a particularly elegant and artistic floral design beautifully printed in colours.

Pictorial Collection B. 8 sorts. of Choice		Price	
Annuals. Containing:		per doz. Collec-tions	each Collec-tion
		s. d.	s. d.
Asters, Victoria, mixed. Balsams, Rose-flowered, mixed. Dianthus imperialis fl. pleno. Large-flowered Ten-Week Stocks, mixed. Pansies, fine mixture. Mignonette Machet. Phlox Drummondii grandiflora, mixed. Petunia hybrida, finest mixed		8 0	0 9

Pictorial Collection D. 12 sorts. Con-taining the preceding and:		Price	
		per doz. Collec-tions	each Collec-tion
		s. d.	s. d.
Snapdragon, finest mixed. Sweet Peas, finest mixed. Verbena hybrida, very fine mixture. Zinnia, finest double, mixed		11 0	1 0

Pictorial Collection F. 18 sorts. Con-taining the preceding and:		Price	
		per doz. Collec-tions	each Collec-tion
		s. d.	s. d.
Dianthus Heddewigi hybr. fl. pl. Elichrysum monstrosum fl. pl., finest mixed. Salpiglossis grandiflora, " " Nasturtium Tom Thumb, " " Convolvulus major, best mixture. Marvel of Peru, finest mixed		15 0	1 4

Pictorial Collection H. 24 sorts. Con-taining the preceding and:		Price	
		per doz. Collec-tions	each Collec-tion
		s. d.	s. d.
Schizanthus, fine mixed. Chrysanthemum annual var. mixed. Clarkia elegans, single and double, mixed. Portulaca grandiflora, single mixed. Marigold, Dwarf French Striped. Larkspur, Dwarf German Rocket, finest mixed		20 0	1 9

Pictorial Collection K. 30 sorts. Con-taining the preceding and:		Price	
		per doz. Collec-tions	each Collec-tion
		s. d.	s. d.
Calliopsis, fine mixed. Gaillardia Lorenziana, double mixed. Lobelia erinus Crystal Palace. Papaver Rhoeas fl. pl., Scabious, dwarf double mixed. Silene pendula, fine mixed		26 0	2 4

 These Collections are prepared beforehand and for Orders for a limited number only, no changes can be made in the contents. Provided, however, a tolerably large number of Collections containing the same number of varieties be ordered, I am willing to make them up specially, and to leave the selection of the varieties to the purchaser, but they must be chosen from among those Annuals of which I have issued Pictorial Pockets. A list of them accompanies this catalogue.

Pictorial Collections of Asters, Sweet Peas, Pansies.

 Highly attractive and useful Collections containing good-sized Pictorial packets of Mixed Seed of the choicest Classes of Asters and seed of Separate Vars. of Sweet Peas and Pansies, enclosed in charmingly illuminated envelopes, specially got up for the purpose.

Pictorial Collection L. of 6 classes of Asters, containing:		Price	
		per doz. Collec-tions	each Collec-tion
		s. d.	s. d.
Victoria. Paeony Perfection. Comet. Dwarf Chrysanthemum. Crown or Cocardeau. Dwarf Pyramidal Bouquet		8 6	0 10

Pictorial Collection M. of 8 classes of Asters, contains preceding and:		Price	
		per doz. Collec-tions	each Collec-tion
		s. d.	s. d.
Imbricated Pompon. Dwarf Paeony Perfection		11 0	1 0

Pictorial Collection N. of 10 classes of Asters, contains preceding and:		Price	
		per doz. Collec-tions	each Collec-tion
		s. d.	s. d.
Large-flowered Rose. Boltze's Dwarf Bouquet		13 0	1 2

Pictorial Collection O. of 12 classes of Asters, contains preceding and:		Price	
		per doz. Collec-tions	each Collec-tion
		s. d.	s. d.
Betteridge's Quilled. Dwarf Victoria		15 0	1 4

Pictorial Collection P. of 8 vars. of Sweet Peas, containing:		Price	
		per doz. Collec-tions	each Collec-tion
		s. d.	s. d.
White. Invincible Scarlet. Painted Lady Light Blue and Purple. Black Purple (Black). Primrose. Orange Prince. Scarlet Striped		6 0	0 7

Pictorial Collection Q. of 12 vars. of Sweet Peas, containing preceding and:		Price	
		per doz. Collec-tions	each Collec-tion
		s. d.	s. d.
Boreatton. Delight. Duchess of Edinburgh. Vesuvius		8 0	0 9

Pictorial Collection R. of 16 vars. of Sweet Peas, containing preceding and:		Price	
		per doz. Collec-tions	each Collec-tion
		s. d.	s. d.
Countess of Radnor. Queen of the Isles. Splendour. Venus		10 0	0 11

Pictorial Collect. S. of 6 vars. of Pansies, White (Black Centre). Yellow (Black Centre). Lord Beaconsfield. Faustus Black Striped and Mottled. Odier or Blotched		Price	
		per doz. Collec-tions	each Collec-tion
		s. d.	s. d.
		7 6	0 9

Pictorial Collection T. of 8 vars. of Pansies, contains preceding and:		Price	
		per doz. Collec-tions	each Collec-tion
		s. d.	s. d.
English Pansy, finest mixed. Candidissima (Snow Queen)		9 0	0 10

Pictorial Collection U. of 10 vars. of Pansies, contains preceding and:		Price	
		per doz. Collec-tions	each Collec-tion
		s. d.	s. d.
Emperor William. Trimardeau		11 0	1 0

Pictorial Collection V. of 12 vars. of Pansies, contains preceding and:		Price	
		per doz. Collec-tions	each Collec-tion
		s. d.	s. d.
Gold-margined. Silver-edged		13 0	1 2

Annuals, Biennials, Perennials, and Stove and Greenhouse Plants.

Explanation of the signs employed in the following List.

The sign ⊙ designates the Annuals; ♂ the Biennials; ♀ the Perennials; ♀⊙ the Perennials which, if sown early, flower the first year; § the Climbers; △ the Stove and Greenhouse Plants; △⊙ the Stove and Greenhouse Plants which bloom the first year, if sown early.

Where no sign is appended, the one preceding is to be taken as showing the class to which the species or variety belongs. Two signs indicate that the species combines the two characters thereby expressed. For instance, ⊙§ denote an Annual Climber, and so on. Several of the species to which the Stove and Greenhouse Plant sign is prefixed, require no protection during the summer months. Orn. Cuc. stands for Ornamental Cucurbitaceae.

N. B. Seeds of Aquatics, Cactus, Ferns, Ornamental Grasses, Palms, and Trees and Shrubs are quoted under their respective headings (See Index).

I beg to call attention to the Packets of Choice Seeds, such as Begonias, Calceolarias, Cinerarias, Gloxinias, Petunias &c., in Pictorial Pockets, which are very popular.

		per lb.		per oz.				per lb.		per oz.		
		s.	d.	s.	d.			s.	d.	s.	d.	
24	ABOBRA viridiflora (Orn. Cuc.), fine	12	0	1	0	24	ACONITUM uncinatum, blue, fine			0	8	
⊙	ABRONIA arenaria, yellow, fine	5	0	0	6		above sorts mixed			1	0	
	umbellata, rosy lilac	4	0	0	4	⊙	ACROCLINIUM roseum	2	0	0	2	
	" grandiflora, pure rose, fine ..	4	0	0	4		roseum fl. albo, white	2	0	0	2	
	villosa, dark rose			1	0		" fl. pleno	3	0	0	4	
△	ABRUS precatorius, light purple	5	0	0	6		" " " album (50 per cent. true)	3	0	0	4	
				s.	d.	24	ADENOPHORA liliifolia, light blue			1	0	
△	ABUTILON compactum Fireball	1000	seeds	4	0		snaveolens, light blue			1	0	
	Alphonse Karr, Darwini, Duc de Malakoff,					24	ADLUMIA cirrhosa } beautiful climbers ..	18	0	1	6	
	E. Lagueillon, Firefly, Pluton, Rêve d'or,						cirrhosa purpurea }			1	6	
	each	1000	seeds	3	0	⊙	ADONIS aestivalis (Flos Adonis), red..	1	0	0	2	
	Thompsoni fol. var.	1000	"	6	0		autumnalis, red	1	0	0	2	
	hybrids, fine mixed .. oz. 8 s. 6 d., 1000 "			2	4	24	vernalis, bright yellow, very fine	2	4	0	3	
	" new sorts, finest mixed					△	AECHMEA coerulea	1000	seeds	3	s.	
	oz. 14 s. 0 d., 1000 "			3	6		fulgens, brilliant red .. 1000 " 8 "					
△ ACACIA.		s.	d.	s.	d.	⊙	AETHIONEMA Buxbaumi, pale lilac....	5	0	0	6	
albicans	oz. 1 2					24	coriditolum, rose }			2	0	
armata ..	th. 7 s., " 0 8						grandiflorum, " }			3	6	
Baileyana ..	100 seeds 1 0						persicum, pink }	5	0	0	6	
Cavenia	oz. 1 4					△	AGAPANTHUS umbellatus, blue			1	4	
cultriformis	" 1 4					△	AGATHAEA coelestis, blue, floriferous..	40	0	3	0	
dealbata ..	th. 5 s., " 0 6					△	AGAVE americana	12	0	1	0	
Decaisneana	" 3 4						americana fol. var. 1000 seeds 2 s. 4 d.					
decurrens th. 7 s. 6 d., "	" 0 8						Versehaelti	1000	"	6	0	
eburnea ..	th. 3 s., " 0 4						above species mixed 1000 "	3	0	0	0	
Farnesiana ..	" 2 " " 0 2					⊙△	AGERATUM conspicuum, white, very	20	0	1	6	
floribunda ..	" 7 " " 0 8						long bloomer, excellent for cutting.					
leiophylla ..	" 4 " " 0 4						Lasseauxi, fine rose flowers, long bloom-	11	0	1	0	
leptophylla ..	" 3 " " 0 4					⊙	er, very valuable for cutting	3	4	0	4	
linifolia	" 0 8						mexicanum (coeruleum), blue	3	4	0	4	
longifolia ..	th. 3 s., " 0 4						" albiflorum, white	3	4	0	4	
longissima elegans "	" 0 8						" nanum, dwarf blue	3	8	0	4	
							" " albiflorum, dwarf white ..	3	8	0	4	
							" " Blue Perfection, last					
							year's novelty, excellent					
							Pkts.: hundr. 20 s., doz. 3 s.					
							" " luteum, light yellow			1	0	
							" Imperial Dwarf, blue } excellent	9	0	0	10	
							" " " white } sorts	5	6	0	6	
							" Little Dorrit, azure blue, splendid	5	0	0	6	
							" " " White (Benary), fine	9	0	0	10	
							" Swanley Blue, large-flowered	7	0	0	8	
24	ACANTHUS latifolius } fine-foliaged,	2	4	0	3	⊙	AGROSTEMMA Coeli Rosa	2	0	0	2	
	lusitanicus	2	4	0	3		Coeli Rosa alba, whitish	1	8	0	2	
	mollis	2	4	0	3		" " nana fimbriata	5	0	0	6	
	spinosus	4	0	0	4		" coronaria (Rose Campion), red	3	0	0	4	
24	ACHILLEA Ptarmica fl. pleno } abundant small			3	6		" alba, white ..	3	0	0	4	
	The Pearl, new, pure white						" atrosanguinea, dark blood-red..	3	0	0	4	
	1/16 oz. 1 s. }						" bicolor, white and red	2	0	0	2	
	1/16 oz. 1 s. }						" fine mixed	2	8	0	3	
△	ACHIMENES, best varieties mixed,						flos Jovis, rose	2	6	0	3	
	saved from one of the finest con-											
	tinental collections	1/16	oz.	28	s.		24	ALLIUM azureum, very fine			2	4
	Packets: hundred 40 s., dozen 6 "							neapolitanum, white, fine for bouquets.			1	2
	Dazzle, small scarlet flowers, charming						⊙	ALONSOA albiflora, white, constant ..	2	6	0	3
	1/16 oz. 12 s., Packets: dozen 6 s.							grandiflora, scarlet, very fine	2	6	0	3
24	ACONITUM Napellus (Monk's Hood), blue	18	0	1	6							
	Lycotomum, yellowish white			1	2							
	pyramidalum, blue			1	0							
	Tauscheanum, yellow			1	4							

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

	per lb.		per oz.			per lb.		per oz.	
	s.	d.	s.	d.		s.	d.	s.	d.
⊙ ALONSOA grandiflora chamois, fine	3	0	0	4	4 ANEMONE Pulsatilla, violet lilac.....			1	0
linifolia (Rocz), scarlet, pyramidal habit	3	6	0	4	sylvestris, white, fine.....			1	6
" gracilis, very graceful.....	5	0	0	6	⊙ ANGELONIA grandiflora, spikes of sweet-			22	0
Mutisi, chamois.....	3	0	0	4	scented lilac flowers $\frac{1}{16}$ oz. 1 s. 6 d.				
myrtifolia (acutifolia), scarlet, fine...	2	6	0	3	grandiflora alba (Benary), last year's				
Warscewicz, brilliant scarlet.....	4	0	0	4	novelty, pure white, charming				
" compacta.....	4	6	0	5	Pkts.: hundred 32 s., dozen 5 s.				
fine mixed.....	3	8	0	4	⊙ ANOMATHECA cruenta, dark red.....			2	0
⊙ ALOE, species mixed 1000 seeds 3 s. 8 d.					4 ANTENNARIA margaritacea, white Ever-				
4 ALSINE pinifolia (gracilis), pure white,	7	0	0	8	lasting (clean seed)..... $\frac{1}{16}$ oz. 1 s.				
dwarf, very pretty for edgings...					⊙ ANTHEMIS arabica, golden yellow.....	3	8	0	4
4 ALSTROEMERIA chilensis (pulchella, versicolor)			1	6	purpureascens, brown red.....	1	6	0	2
brasiliensis..... $\frac{1}{8}$ oz. 2 s.					4 Kelwayi, yellow.....			2	4
4 ALTHAEA, see Hollyhocks, page 20.					4 ANTHERICUM Liliago, white.....	5	0	0	6
4 ALYSSUM argenteum, yellow-flowered	3	6	0	4	Lilium, white.....			1	4
Benthami (maritimum), Sweet Alyssum	4	0	0	4	" major, very fine.....			2	0
" compactum (erectum, Little Gem)	5	0	0	6	variegatum..... 1000 sds. 5 s.				
" procumbens (White Carpet), fine	5	6	0	6	⊙ ANTHURIUM acaule..... 1000 " 8 "				
4 saxatile, yellow.....	3	6	0	4	Dechardi..... 1000 " 8 "				
" compactum, for edgings.....	4	0	0	4	floribundum..... 100 " 6 "				
serpyllifolium, yellow, earliest, pigmy	5	0	0	6	Scherzerianum..... 1000 " 10 "				
Wierzebecki, yellow.....	3	6	0	4	" grandiflorum..... 1000 " 12 "				
⊙ AMARANTUS abyssinicus.....	2	0	0	2	" Rothschildianum..... 100 " 6 "				
amabilis tricolor.....	7	0	0	8	⊙ ANTIRRHINUM, Snapdragon.				
atropurpureus, very fine.....	0	7	0	2	majus album, pure white.....	7	0	0	8
bicolor, leaves green, striped with red	2	6	0	3	" albo-roseum, white with rose lip	7	0	0	8
" ruber, carmine scarlet, splendid.	2	6	0	3	" Brilliant, scarlet, golden and white	7	0	0	8
caudatus (Love-lies-bleeding), red...	0	7	0	2	" Crescia, fine deep scarlet.....	7	0	0	8
coleifolius (superbus), very decorative.	5	0	0	6	" Delila, carmine, white throat....	7	0	0	8
cruentus (Prince's Feather), red....	0	7	0	2	" Firefly, scarlet " ".....	7	0	0	8
Henderi, splendid.....	7	0	0	8	" Galathée, crimson " ".....	7	0	0	8
Margaritae, dark red, dwarf.....	0	6	0	2	" lilacinum, lilac.....	7	0	0	8
melancholicus ruber, blood-red leaves.	1	8	0	2	" luteum, yellow.....	7	0	0	8
monstrosus, speciosus aureus, each	0	7	0	2	" nigrescens, dark purple.....	7	0	0	8
nobilis pyramidalis.....	3	0	0	4	" papilionaceum, very fine.....	7	0	0	8
Princess of Wales.....			0	10	" striatum, finest striped varieties..	7	0	0	8
Queen Victoria.....	7	0	0	8	" Tall varieties, best mixed ..	5	0	0	6
salicifolius, highly decorative.....	11	0	1	0	" grandiflor. album..... new large-			3	0
tricolor (Joseph's Coat), very showy.	3	0	0	4	" " Delila..... flowered			2	6
" giganteus, fine.....	4	0	0	4	" " Firefly..... vars.,			2	6
" roseus, very fine.....	1	2			" " luteum..... splendid			2	6
" splendens, very beautiful.....	9	0	0	10	" " striatum..... (not quite			3	0
mixed sorts.....	0	8	0	2	" " yellow and orange..... true from			1	0
⊙ AMARYLLIS, finest Dutch and Bri-					" " striped red..... seed)	11	0	1	0
tish hybrids, from a splendid					" " finest mixed.....	10	0	0	10
collection 1000 sds. 64 s., 100 sds. 7 s.					nanum album, Brilliant, chamois,				
Graveana..... 100 seeds 1 s. 6 d.					Crescia, Firefly, Galathée,				
AMERICAN COWSLIP, see Dodecatheon.					Henry IV., kermesinum splen-				
⊙ AMMOBIUM alatum, white Everlasting ..	1	6	0	2	dens, luteum, Niobe, papilio-				
alatum grandiflorum, large-flowered	2	4	0	3	naceum, salmoneum, each....	7	6	0	8
⊙ ANAGALLIS grandiflora carnea, flesh			1	0	" atrocooccineum, new, brilliant ..	14	0	1	2
grandiflora coccinea (Breweri), scarlet	9	0	0	10	" striatum, finest striped.....	7	6	0	8
" coerulea, blue.....	9	0	0	10	" picturatum, blotched vars. ...	5	6	0	6
" Eugénie, light blue and white ..			1	4	" " Victoria, white and red, fine	7	6	0	8
" Napoléon III., lilac.....	9	0	0	10	" Semi-dwarf vars., best mixed	5	6	0	6
" finest mixed, very showy and rich	7	0	0	8	" Pink Empress, dark rose, dis-			10	0
⊙ ANCHUSA capensis, dwarf, azure-blue,					tinct new colour, very fine				
long bloomer, splendid for bouquets	3	0	0	4	" Queen of the North, new, pure				
4 affinis, dwarf, azure blue, very pretty.			2	4	" white, small-leaved, very pretty.	11	0	1	0
4 angustifolia, azure-blue, charming ..	5	0	0	6	" grandiflorum Golden Queen,				
Barrelieri, new, dwarf, dark blue,					new, large-flowered, pure yellow	26	0	2	0
earliest, splendid species.....			1	0	Tom Thumb album.....	14	0	1	2
gigantea, sky-blue.....	6	0	0	6	" Brilliant, Firefly, each.....			1	6
incarnata, flesh.....	2	8	0	3	" " kermesinum.....			1	4
italica, blue, fine.....	6	0	0	6	" " luteum.....	14	0	1	2
sempervirens, " very good for bees	3	6	0	4	" " niveum, new, snow-white ..			6	0
4 ANDROSACE coronopifolia, white, quite					" " Orange, roseum, each.....			1	8
dwarf, very early.....			3	0	" " striatum, striped.....	14	0	1	2
4 ANEMONE canadensis, white.....			1	0	" " album rubro-striatum, cinna-				
chinensis (coronaria), finest Caen mixed	11	0	1	0	" barinum, cupreatum, Delila,				
" St. Brigid, large, handsome flowers,					Galathée, Henry IV., luteum				
mostly semi-double.....			10	0	rubro-striatum, each....			1	2
fulgens, scarlet.....			2	4	" " varieties, finest mixed..	11	0	1	0
4 japonica (elegans), rose.....			3	0	" " fl. pleno, new, semi-double,				
" Honorine Jobert, white, splendid.			4	0	copper-red with white throat				
" " new giant 1000 seeds 2 s.					$\frac{1}{16}$ oz. 2 s., Pkts.: doz. 4 s.				

Tall Varieties.

Semi-dwarf Varieties.

Very dwarf Varieties.

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

	per lb.		per oz.			per lb.		per oz.	
	s.	d.	s.	d.		s.	d.	s.	d.
24 APOCYNUM androsaemifolium (Catchfly) 1000 seeds 1 s. 6 d.					⊂§ ARISTOLOCHIA elegans, immense flowers, dark purple and white, splendid climber 1000 sds. 10 d.			8	6
24 AQUILEGIA (Columbine) alpina, blue	5	0	0	6	labiosa, yellow and brown 1000 " 8 s.				
alpina atrocoerulea, fine	5	0	0	6	ornithocephala 1000 " 3 "				
" superba, blue and white, fine ...	15	0	1	4	ringens (brasiliensis) ... 1000 " 4 "				
arctica, brick-red and green			0	10	24 ARMERIA cephalotes, rose, fine	3	0	0	4
aurea, pretty	5	0	0	6	dianthoides, white, fine	5	0	0	6
bicolor fl. pleno, blue and white	5	6	0	6	formosa (Statice Pseudo-Armeria), red	3	0	0	4
" rubra fl. pleno	5	0	0	6	" alba, fine	2	6	0	3
californica hybrida, large yellow flow- ers, dark orange spurs, splendid			6	0	maritima (Statice Armeria), carmine rose	7	0	0	8
canadensis, scarlet and yellow, very fine			1	6	" splendens (Laucheana), dark, fine	8	0	0	8
" atropurpurea, pretty			0	8	⊙ ARNEBIA cornuta, innumerable golden yellow flowers, spotted dark brown, splendid, clean seed 1000 seeds 2 s.			8	0
" elatior, very fine			1	8	Pict. Pkts.: hundr. 20 s., doz. 3 "				
" nana, quite distinct, charming ..			1	4	seed in the husk	40	0	3	0
caryophylloides fl. pl., striped varie- ties, very fine, true from seed ..	20	0	1	6	⊙ ARTEMISIA annua, highly decorative gracilis (spec. St. Petersburg, procera)	1	4	0	2
chrysantha, golden yellow, fine	26	0	2	0	⊂ ASCLEPIAS curassavica, orange	7	0	0	8
" grandiflora alba, semi-dwarf			6	0	curassavica atrosanguinea	8	0	0	8
" nana, semi-dwarf, fine			1	0	24 incarnata, flesh	9	0	0	10
coerulea, very beautiful species			4	0	tuberosa, orange, very fine, true			2	6
Pictorial Pkts.: hundr. 12 s., doz. 2 s.					⊂§ ASPARAGUS comoriensis (plumosus) 1000 seeds 24 s.				
" lutea, new, large light yellow flowers, semi-dwarf			4	0	decumbens, new, white flowers with red anthers, sweet-scented 100 seeds 8 s.				
" hybrida (haylodgensis), large sulphur-yellow flowers, blue spurs and sepals, fine				8	plumosus nanus (expected) 1000 sds. 36 s., 100 sds. 4 s.				
Durandi fl. pleno, striped, very fine ..	5	6	0	6	Sprengeri 1000 " 18 " 100 " 2 "				
flabellata nana alba, dwarf, early, fine	5	0	0	6	24§ verticillatus, decorative foliage, red fruits, fine for cutting	20	0	1	6
formosa fl. pleno, blue	5	0	0	6	⊙ ASPERULA azurea setosa, free bloomer	1	0	0	2
" rubra fl. pleno	5	0	0	6	24 hexaphylla, white, excellent for cutting	2	0	0	2
glandulosa (major), dark blue, fine ...	6	0	0	6	odorata (Woodroof), very odoriferous; chief ingredient of the "Maitrank".	6	0	0	6
" vera, large erect blue flowers, pure white corolla. $\frac{1}{32}$ oz. 1 s.			28	0	24 ASTER alpinus, blue	11	0	1	0
haylodgensis, see coerulea hybrida.					alpinus albus, new, very fine			3	6
Jaetschauli, large yellow, reddish spurs			1	6	" speciosus, large flowered variety, very handsome $\frac{1}{8}$ oz. 1 s.				
jucunda fl. pleno, copper-rose			0	6	bessarabicus (iberiens), blue, dwarf ..			3	0
leptoceras lutea, yellow, dwarf			0	6	Bigelowi, blue, semi-dwarf			1	0
lucida fl. pleno, copper-brown	5	0	0	6	cassubicus, lilac, large flowered			1	2
nivea grandiflora, white, semi-double ..	5	0	0	6	" grandiflorus, new, dark blue			2	4
olympica, large blue flowers			1	0	gymnocephalus, rose $\frac{1}{8}$ oz. 1 s. 6 d.				
" fl. pleno, very fine	7	0	0	8	horizontalis grandiflorus, new, very fine, various colours			4	0
Skinneri, true, scarlet, tipped with green, very handsome $\frac{1}{8}$ oz. 1 s.			14	0	Novae Angliae, mixed			1	4
" hybrida fl. pleno, fine. $\frac{1}{16}$ " 2 "					ptarmicoides, new, white, excellent ...			2	8
spectabilis, dark blue, very fine ..	5	6	0	6	pyramidalis hybridus, blue shades, fine			2	4
stellata fl. pl., erect flowered, mixed ..			0	8	perennial varieties, finest mixed ...	26	0	2	0
" " alba, fine	5	6	0	6	" " large flowered, mixed ..			4	6
Stuarti, similar to A. glandulosa vera, splendid, very hardy species $\frac{1}{16}$ oz. 3 s.					ASTERS, see pages 16, 17, and 18.				
truncata, scarlet and yellow, dwarf, earliest species, splendid			1	6	24 ASTRAGALUS alopecuroides			0	8
Vervaeana fol. variegatis, beautiful foliage, true from seed ..	11	0	1	0	galegiformis, yellow	2	0	0	2
" " fl. pleno, very fine	5	6	0	6	narbonensis, "			0	6
" " atroviolacea plenissima (Benary)	20	0	1	6	purpureus, very dwarf			0	6
vulgaris fl. pl., double varieties, mixed	5	0	0	6	⊙ ATHANASIA annua (Lonas inodora), dark yellow Everlasting	2	8	0	3
" " alba, double white, very fine			1	0	⊙ ATRIPLEX hortensis cupreata, distinct	0	8	0	2
" " fol. aureis, fine	5	0	0	6	24 AUBRIETIA Bougainvillei, dark blue, fine			1	8
single sorts, mixed	4	0	0	4	deltoidea, dark blue, pretty			1	8
" and double sorts, finest mixed, unsurpassed for richness	4	6	0	5	erubescens, reddish white			0	6
24 ARABIS alpina, white, quite dwarf	14	0	1	2	Eyrrii, large dark blue flowers, very fine			5	6
alpina nana compacta, new, very pretty			6	0	graeca, blue, dwarf, charming	11	0	1	0
⊂ ARALIA nymphaeifolia 1000 seeds 5 s. 6 d.					Hendersoni, large reddish blue flowers			3	6
papyrifera 1000 " 1 " 0 "			2	4	Leichtlini, large rosy carmine flowers, the finest Aubrietia $\frac{1}{16}$ oz. 1 s.			14	0
Sieboldi, ready end of March, orders booked. 10,000 sds. 8 s., 1000 sds. 1 s.					purpurea $\frac{1}{16}$ oz. 1 s.	11	0	1	0
seed in berries	12	0	1	0	AUCUBA, see Tree Seeds.				
⊙ ARCTOTIS breviscapa, orange, fine ..			2	6	AURICULA, see Primula Auricula.				
⊂ ARDISIA crenulata 1000 seeds 12 s.					⊂ AZALEA indica, mixed, first quality, saved by one of the best growers from the finest sorts (clean seed) $\frac{1}{8}$ oz. 11 s., $\frac{1}{16}$ oz. 3 s., 1000 seeds			0	10
⊙ ARGEMONE mexicana, light yellow ..	3	0	0	4	indica, very fine quality, from an Italian Collection (clean seed) oz. 14 s., $\frac{1}{16}$ oz.			1	0
platyceras grandiflora, white	3	0	0	4					
fine mixed	2	8	0	3					

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

	per fl.	per oz.	
	s. d.	s. d.	
⊙§ BALLOON VINE (<i>Cardiospermum halic.</i>)	1 6	0 2	
BALM, MOLDAVIAN, <i>see</i> <i>Dracocephalum</i> .			
BALSAMS, <i>see</i> pages 18 and 19.			
2/4 BAPTISIA australis, light blue, fine ...	3 8	0 4	
2/4 BARBAREA vulgaris foliis aureo-variegatis (<i>Erysimum</i>), true from seed	1 0	0 2	
⊙ BARTONIA aurea, golden yellow ...	2 4	0 3	
aurea nana, dwarf ...	3 0	0 4	
BEAUCARNEA, <i>see</i> <i>Pincenectitia</i> .			

⊙ Begonia	Erfordia, cross between B. Vernon and Schmidt, rosy carmine, profuse bloomer, excellent for groups 10,000 seeds 4 s., 1/2 oz.	s. d.	
Schmidt, white, very floriferous ...	3 2	2 4	
semperflorens alba ...	4 0		
" atropurpurea (Vernon), new, dark-leaved, excellent plant ...	12 0		
" carnea, new, fine ... 1000 seeds	0 8		
" Fleur de neige, white with rose hue ...	3 2	0 3	
" fol. aureis, yellow-leaved ...	10 0		
" gracilis, bright rose, very floriferous, excellent ...	1/2 oz. 6 0		
" rosea, very fine for bedding ...	4 0		
" Vulcan, new, dark scarlet, dark-leaved, distinct and fine ... 1/2 oz. 12 s., 10,000 seeds	4 0		
" compacta alba } dwarf compact, 1/8 oz.	3 6		
" " rosea } very fine varieties 1/8 "	4 6		
" " atropurpurea (Dwarf Vernon), excellent novelty, quite distinct ... 1/2 oz.	3 0		
Pkts.: hundred 16 s., dozen	2 6		
" fine mixed ...	6 0		
⊙ Credneri, excellent, winter-blooming 1000 seeds	3 6		
Martiana gracilis, rose, splendid species for bedding ... 1/4 oz. 6 s., 1000 seeds	0 6		
metallica, metallic foliage, brilliant rose flowers, excellent ... 10,000 seeds 8 s., 1000 seeds	1 0		
Rex (Ornamental-leaved), finest mixed 10,000 seeds 26 s., 1000 seeds	3 0		
Rex - Diadema, splendid new varieties 10,000 seeds 26 s., 1000 "	3 0		
The seed of the above Rex Begonias has been saved from my own extensive Collection, which contains all the finest new introductions,			
Roezli hybrida, large umbels of red flowers, winter-bloomer ... 1/4 oz. 8 s., 1000 seeds	0 6		
argyrostigma, corallina, discolor, Dregei, florida, fuchsoides, incarnata, lucida, manicata, ricinifolia, each ... per 1000 seeds	0 10		
The preceding species, from argyrostigma to ricinifolia, mixed ... 1/2 oz. 2 s., 10,000 seeds	3 0		

⊙ Begonia, Tuberous-rooted.

This beautiful section of Begonias has for years past formed one of my principal specialties, and I have had the good fortune to raise numerous splendid varieties. My Collections of both the single and double sorts are for extent and choiceness unsurpassed. — Large Coloured Plate.

	s. d.	
Baumann, large light rose flowers 1000 seeds	1 0	
" hybrida, large delicate rose flowers, very floriferous ... 1/4 oz. 8 s., 1000 seeds	0 6	
Davisi, dwarf, abundant small flowers of light scarlet, charming species ... 1/2 oz.	4 6	
Freobell, brilliant scarlet ... 1/4 oz. 14 s., 3/2 "	2 0	
fulgens, crimson, dwarf, fine ... 1/4 oz. 10 s., 1000 sds.	0 8	
Mont Blanc, white, large-flowered ... 1/2 oz.	10 0	
Non plus ultra (Benary), extra large brilliant scarlet flowers ... 10,000 sds. 8 s., 1000 sds.	1 0	
Pearcei, yellow flowers, beautiful foliage ... 1/2 oz.	4 6	
Single varieties in splendid mixture		
oz. 104 s., 1/8 oz. 14 s., 3/2 oz.	4 0	
" " separate colours, extra fine:		
aurora, cochineal-red, crimson, orange, dark red, dark rose, salmon, scarlet, white, yellow each per 1/2 oz. 8 s., per 1000 seeds	0 8	

⊙ Begonia, Tuberous-rooted — continued. s. d.

Benary's International Prize. This is an unrivalled strain, the seed having been saved only from the best selected blooms of the finest large-flowered hybrids 1/8 oz. 72 s., 1/2 oz. 20 0

Pictorial Packets (about 500 sds.): hundred 32 s., dozen 5 0

Benary's White-centred, very beautiful class, nearly true from seed ... 1/2 oz. 10 0

Packets: hundred 32 s., dozen 5 0

Benary's Striped (*B. hybrida vittata*). About 30 per cent true from seed 1/8 oz. 72 s., 1/2 oz. 20 0

Pictorial Packets (about 500 sds.): hundred 32 s., dozen 5 0

New Crested or Bearded (*Begonia hybrida cristata*), highly interesting, beautiful new class ... 1/2 oz. 28 0

Packets: hundred 40 s., dozen 6 0

Double Tuberous-rooted, mixed, fertilized with scrupulous care and saved exclusively from my own very rich Collection 1/2 oz. 30 0

Pictorial Packets (about 400 sds.): hundred 48 s., dozen 7 0

Double White, } 1000 seeds 3 6
" Yellow, } very fine ... 1000 " 3 6
" Red and Rose } 1000 " 2 0

2/4 BELLIS	perennis fl. pl., Double Daisy, mixed, very fine quality ...	56 0	4 0
	perennis fl. pl., mixed, first quality, Collection flowers, unsurpassed	88 0	6 0
	" fl. pleno alba, from extra double white flowers, very handsome ...	56 0	4 0
	" fl. pl. Longfellow (Benary), large dark rose blooms, borne on long stiff flower-stalks, fine ...	88 0	6 0
	" fl. pl. Snowball, white variety of the preceding, excellent ...	10 0	
	" fl. pl. maxima, extra large flowers	120 0	8 0
	" " " " alba ... 1/4 oz. 1 s.	14 0	

⊙§ BENINCASA cerifera, Wax Gourd (Ornamental Cucurbitaceae) ... 9 0 0 10

2/4 BETONICA grandiflora, lilac, white, rose, each 0 6

⊙2/4 BIDENS atrosanguinea (Dahlia Zimapani), black purple flowers, fine ... 32 0 2 6

⊙§ BIGNONIA chrysantha, golden ... 1/2 oz. 2 s. Tweediana, yellow ... 2 0 0 2

⊙ BILLARDIERA purpurea 1000 sds. 2 s. 4 d.

⊙ BLITUM capitatum, Strawberry Spinage 1 6 0 2

⊙ BOCCONIA frutescens ... 1000 seeds 8 s.

2/4 japonica (cordata), highly decorative ... 8 0 0 8

Thunbergi, red-veined foliage, splendid 11 0 1 0

⊙ BOEHMERIA (Urtica) nivea ... 2 8

tenacissima (Ramie) ... 4 6

⊙ BONAPARTEA juncea ... 1000 seeds 12 s.

⊙ BORONIA megastigma, the flowers emit a delicious perfume 1000 seeds 4 s.

⊙ BOSSIAEA Stephensoni ... 100 " 1 "

⊙ BOUVARDIA Jacquinii ... 1000 " 8 "

⊙ BRACHYCOME ibericifolia, blue (Swan River Daisy) 20 0 1 6

iberidifolia alba, white ... 16 0 1 4

" mixed ... 17 0 1 6

⊙ BROWALLIA Czerwiakowski, deep blue ... 9 0 0 10

elata, blue ... 8 0 0 8

" alba, white ... 8 0 0 8

" fine mixed ... 7 6 0 8

" nana, blue, compact, very fine ... 1 2

Roezli, large flowers, some white, some pale blue, excellent both for bedding and pot culture, true 1/4 oz. 1 s. 4 d. 18 0

Jamesoni, large orange flowers 1000 seeds 8 s.

speciosa major, new, large blue flowers, splendid winter-blooming species 10,000 seeds 32 s., 1000 sds. 3 s. 6 d.

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

	per lb.		per oz.			per lb.		per oz.	
	s.	d.	s.	d.		s.	d.	s.	d.
24s BRYONIA alba, hardy climber	3	6	0	4					
dioica, with red berries			0	8					
⊙s BRYONOPSIS laciniosa erythrocarpa					⊙				
(Orn. Cuc.), very beautiful	3	4	0	4					
24 BUPHTHALMUM cordifolium, yellow....	3	0	0	4	⊙				
salicifolium, yellow, dwarf			0	6	⊙				
⊙ CACALIA coccinea (Emilia flammea)...	3	4	0	4	⊙				
coccinea lutea (aurantiaca)	3	4	0	4	⊙				
⊙s CAJOPHORA lateritia (Loasa aurantiaca)	8	0	0	8					
⊙ CALADIUM, ornamental-leaved									
varieties, mixed, saved from a									
great variety of beautiful hybrids.									
1000 seeds 12 s., 100 sds. 1 s. 6d.									
24 CALAMINTHA alpina, blue, dwarf			2	8					
⊙s CALAMPELIS scabra (Eccremocarpus),									
deep orange, one of the finest climbers	15	0	1	4					
scabra fl. roseo, new, pretty			0	10					
⊙ CALANDRINIA Burridgi, copper-red	1	0	0	2					
discolor (elegans), rose	9	0	0	10					
grandiflora, rose	7	0	0	8					
speciosa (Lindleyana), crimson	1	0	0	2					
" alba, fine	0	10	0	2					
umbellata, crimson violet, very fine ...	10	0	0	10					
⊙ CALCEOLARIA hybrida.									
My Collections are unexcelled and have obtained									
many First Prizes. — Golden Medals at Dresden 1896									
and Hamburg 1897. — Large Coloured Plate.									
grandiflora, Large-flowered Self-coloured,									
splendid strain, very large flowers, robust									
and floriferous oz. 72 s., $\frac{1}{4}$ oz. 20 s., $\frac{1}{32}$ oz.			3	0					
Packets: hundred 40 " dozen			6	0					
" pumilacompacta, Dwarf Self-coloured.									
(Benary), of compact habit, height not									
exceeding 10 inches. $\frac{1}{4}$ oz. 24 s., $\frac{1}{32}$ oz.			3	6					
Packets: hundred 40 " dozen			6	0					
" tigrina, Tigredor Spotted, finest mixture									
of most brilliant and beautifully marked									
flowers. oz. 112 s., $\frac{1}{4}$ oz. 30 s., $\frac{1}{32}$ oz.			4	0					
Packets: hundred 40 " dozen			6	0					
" " pumila compacta (Benary), Dwarf									
Tigred. Strain combining compact-									
ness of habit with brilliancy and									
diversity of colour $\frac{1}{4}$ oz. 36 s., $\frac{1}{32}$ oz.			5	0					
Packets: hundred 40 " dozen			6	0					
" Tigred and Self-coloured in finest									
mixture. oz. 96 s., $\frac{1}{4}$ oz. 26 s., $\frac{1}{32}$ oz.			3	8					
Pictorial Packets: hundred 40 " dozen			6	0					
" striata, Striped (Benary), only 10 per cent									
of true plants $\frac{1}{32}$ oz. 6 s., Pkts.: dozen			6	0					
rugosa, Shrubby or Bedding. The true bedding									
varieties, with innumerable very small									
flowers	$\frac{1}{8}$ oz. 44 s., $\frac{1}{64}$ oz.		6	0					
Packets: hundred 40 " dozen			6	0					
" aurea, golden yellow, very showy $\frac{1}{64}$ oz.			7	6					
Packets: hundred 40 s., dozen			6	0					
" major (Perennial Hybrid), very showy,									
larger-flowered strain than preceding,									
exceedingly effective $\frac{1}{32}$ oz. 36 s., $\frac{1}{32}$ oz.			5	0					
Packets: hundred 40 " dozen			6	0					
	per lb.	per oz.							
	s.	d.	s.	d.					
⊙ CALCEOLARIA pinnata, yellow			2	4					
scabiosaefolia (californica)	6	0	0	6					
⊙ CALENDULA hybrida, Marigold,									
single, white	1	2	0	2					
officinalis fl. pl. Le Proust, nankeen ..	1	2	0	2					
" fl. pl. grandiflora	1	4	0	2					
" " " sulphurea	1	4	0	2					
" " " Meteor, orange, striped ..	1	6	0	2					
" " " Prince of Orange (Be-									
nary), very fine	1	6	0	2					
" ranunculoides fl. pl. (Garden Marigold)	0	10	0	2					
" sulphurea fl. pl. (superba pl.)	0	10	0	2					
" regalis flore pleno, orange, fine	0	10	0	2					
" fine mixed, double	1	2	0	2					
CALENDULA — continued.									
⊙ pluvialis, Cape Marigold, white	1	0	0	2					
" sulphurea	1	0	0	2					
Pongei fl. pleno, double, white	2	4	0	3					
⊙ CALLA aethiopica (Richardia)	16	0	1	4					
aethiopica compacta			1	6					
⊙ CALLICHROA platyglossa, yellow	4	0	0	4					
⊙ CALLIOPSIS (Coreopsis) Atkinsoni, yellow									
and brown	2	0	0	2					
bicolor (tinctoria), free-flowering	1	8	0	2					
" marmorata, yellow and red brown	1	8	0	2					
" nigra speciosa	1	8	0	2					
" finest mixed	1	8	0	2					
" semiplena, semi-double, pretty ..	2	0	0	2					
" nana, dwarf	2	0	0	2					
" " marmorata	2	0	0	2					
" " purpurea	2	0	0	2					
cardaminifolia atrosanguinea	2	6	0	3					
" bicolor, very fine	2	6	0	3					
" nana compacta atrosanguinea ..	3	0	0	4					
" " bicolor	3	0	0	4					
coronata, yellow, very fine	2	8	0	3					
" maxima, new, large-flowered ...	4	0	0	4					
Drummondii (basalis, picta), yellow ...	2	0	0	2					
mixed tall sorts	2	0	0	2					
" dwarf	2	8	0	3					
24 CALLIRHOE lineariloba, white and lilac.									
⊙ pedata (digitata), dark red	5	0	0	6					
" nana compacta, very fine ...	7	0	0	8					
24 verticillata (involucrata)	8	0	0	8					
⊙ CAMELLIA japonica, Double, fine									
mixed	1000 sds. 10 s.								
japonica, Single, for stocks 1000 " 6 "									
⊙ CAMPANULA attica, blue, most	14	0	1	2					
attica alba, white	14	0	1	2					
Loreyi, blue	18	0	1	6					
" alba, white	18	0	1	6					
macrostyla, large violet flowers			2	0					
" flore roseo, charming (varies) ...			2	0					
Speculum, Venus's Looking-glass, blue	1	10	0	2					
" flore pleno (Benary), doubles about									
50 per cent., charming	11	0	1	0					
" alba, white	1	10	0	2					
" lilacina			0	6					
" grandiflora (pentagonia), blue	2	0	0	2					
" alba	2	0	0	2					
" fine mixed	1	8	0	2					
" procumbens, blue			0	6					
" alba, white			0	6					
" lilacina			0	6					
" fine mixed	4	0	0	4					
stricta (littoralis), very pretty			0	10					
♂ Medium, Canterbury Bell, single blue	3	6	0	4					
" flore pleno, double blue	16	0	1	4					
" alba, single white	3	6	0	4					
" fl. pleno, double white	18	0	1	6					
" lilacina, single lilac	3	6	0	4					
" fl. pleno, double lilac	12	0	1	0					
" rosea, single rose	3	6	0	4					
" fl. pleno, double rose	40	0	3	0					
" striata, striped, very fine ..	3	6	0	4					
" fl. pleno (Benary)			2	8					
" nana (Benary), blue, dwarf ...	4	0	0	4					
" fl. pleno, double blue " ..			1	4					
" alba, new			0	6					
" fine mixed	5	0	0	6					
" single, finest mixed	3	0	0	4					
" double "	14	0	1	2					
" and single, finest mixed ...	7	0	0	8					
calycanthema, blue. } very fine	26	0	2	0					
" alba, splendid	16	0	1	4					
" rosea	26	0	2	0					
" striata, very pretty	16	0	1	4					
" splendid mixed	14	0	1	2					
Benary's prize mixture (all									
classes and colours, Medium, caly-									
canthema, single and double), extra	8	0	0	8					

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

CAMPANULA — continued.		per	d.	per	oz.
		s.	d.	s.	d.
alliariaefolia, white	...	3	0	0	4
carpatia, blue } beautiful for groups		5	0	0	6
" alba... } and edgings		6	0	0	6
fragilis, blue, dwarf, very fine	...			3	0
grandis, large, blue	...			2	6
" alba, " white	1 oz. 1 s. 2 d.			7	6
lactiflora, light blue	1 1/2 " 1 " 0 "				
latifolia alba, new, fine	1 1/2 " 1 " 2 "				
Leutweini, white, fine	1 1/2 " 1 " 0 "			7	0
macrantha, blue, large-flowered	...	3	8	0	4
mirabilis, last year's novelty, very beautiful	1000 seeds 6 s. 0 d.				
nobilis, purple, very fine	1 1/2 oz. 1 " 6 "			20	0
" alba, very fine	1 1/2 " 1 " 6 "			20	0
persicifolia, blue, tall	...			4	0
" alba	...			3	6
" flore pleno	(about 50 per cent.			5	0
" " alba	true from seed)			5	0
" grandiflora, new, splendid	...			8	0
" " alba (Backhousei), new, very large flowers, beautiful	...	88	0	6	0
" " fine mixed	...	72	0	5	0
pyramidalis, blue } most beautiful		8	0	0	8
" alba, white } sorts		14	0	1	2
" compacta } new, semi-dwarf,					
" " alba } very fine					
	each Pkts.: hundr. 20s., doz. 3s.				
rhomboides fl. pl., dark blue, quite dwarf, very floriferous	1 1/2 oz. 1 s. 4 d.				
turbinata } handsome dwarf		5	0	0	6
" alba } species		5	0	0	6
urticaefolia alba	...			0	6
perennial sorts, mixed	...	4	0	0	4
△ Vidali , white, fine, floriferous	...			5	0
△ CAMPHORA officinalis , Camphor Tree	1000 seeds 5 s.	5	0	0	6
⊙ CANARY CREEPER (<i>Tropaeolum canariense</i>)	...	9	0	0	10
CANDYTUFT , see <i>Iberis</i> .					
⊙ CANNABIS gigantea , Giant Hemp	...	1	4	0	2
CANTERBURY BELL , see <i>Campanula Medium</i> .					
⊙ CAPSICUM annuum ; Ornam. Pepper.					
Celestial, new, very fine	...	3	0	0	4
Golden Dawn, large golden yellow	...	2	6	0	3
Little Gem, erect light scarlet fruits	...	4	0	0	4
naum fulgens, Red Cluster, Chilean	...	2	0	0	2
Prince of Wales, lemon fruits, fine	...	3	6	0	4
Ruby King, bright red, very fine	...	3	6	0	4
Tom Thumb, numerous dark scarlet fruits, capital market-plant	...	3	6	0	4
Other sorts, see Vegetable Seed List.					
△ CANNA , Indian Shot.					
The vars. marked * have been obtained by Mr. Crozy.					
per oz. s. d.			per oz. s. d.		
*Alphonse Bouvier	0	10	Germania	1	8
*Amiral Courbet	0	8	gigantea	4	3 s. 8 d.
Annei	4	5 s.	" major	4	0 " 0
*Antoine Chantin	0	8	gladiolaeiflora	100	sds.
atropurpurea	4	5 s.	*Guillaume Coustou	0	10
aurantiaca	"	5 " 0	*J. Montel		1
Bihoreli	"	5 " 0	indica	4	2 s. 6 d.
Bonnetti	"	5 " 0	*Jules Chrétien	4	7 s.
*Chevreuil	"	9 " 0	*Louis Thibaut		0
*Cousin Jacob	0	8	Marché. Vaillant	4	4 s.
discolor	4	5 s.	*Mad. Crozy, splendid variety	4	11 s.
" nobilis		0	*Menoreau		1
" violacea	4	5 s.	metallica	4	11 s.
elegantissima rustica	0	6	Miss Sarah Hill		1
Emperor William (Pätzner), splendid	4	8 s.	musaeifolia hybrida		0
*Enfant de Cahors	0	6	nepalensis grandiflora	4	5 s.
Ferrandi	4	5 s.	nigricans	"	14 "
*Fr. Benary	"	7 " 0	" marginata	6	" 0
*Francisque Morel	0	8			

⌠ C A N N A continued.

		per oz. s. d.	per oz. s. d.
*Président Carnot	8 s. 0 8	*Sénateur Millot	0 8
" Faivre, dwarf,		tricolor	4 6 s. 0 6
dark-leaved	4 7 s. 0 8	*Trocadero	0 10
purpurea hybrida	" 5 " 0 6	variegata, see Novelties.	
" spectabilis	" 5 " 0 6	violacea macrophylla	0 6
Queen Charlotte (Päzter),		Warscewiczii (san-	
new, splendid	4 10 s. 0 10	guinea) ...	4 5 s. 0 6
*Revol Massot	0 8	Warscewiczoides	
*Rose unique	1 2	grandiflora	4 5 s. 0 6
Sellowi	4 4 s. 0 4	zebrina	" 5 " 0 6
Canna, extra choice mixed	" 2 " 0 2		
dark-leaved vars., splendid mixed	4 3 s. 6 d. 0 4		
Crozy's new hybrids, saved specially for me			
by Mr. Crozy from his finest sorts. Capital			
class, especially for pots and forcing	4 6 s. 0 6		
" dark-leaved hybrids, very fine	" 10 " 0 10		
	per 4 1/2	per oz.	
⊕ CARAGUATA cardinalis	100 seeds 2 s.	s. d.	s. d.
⊙ \$ CARDIOSPERMUM halicacabum, Balloon Vine		1 6	0 2
hirsutum, white			1 8
⊙ CARDUUS Marianus, ornamental Thistle		0 6	0 2
⊕ CARICA Papaya	1000 seeds 4 s.		
CARNATIONS, s. Dianthus and Assorts.			
⊙ CARTHAMUS tinctorius, saffron colour		0 6	0 2
⊕ CASSIA floribunda			0 10
various species, mixed		9 0	0 10
CASTOR-OIL PLANT, see Ricinus.			
⊕ CATANANCHE coerulea		4 0	0 4
coerulea fl. albo (bicolor)	} fine Ever-	3 0	0 4
" mixed	lastings	3 6	0 4
CATCHFLY, see Silene Armeria.			
⊕ CEDRONELLA cana, purple, fragrant			2 0
⊙ CELOSIA Huttoni, dark-foliaged, ornamental		26 0	2 0
japonica, scarlet, distinct		5 0	0 6
pyramidalis (plumosa), crimson		4 0	0 4
" plumosa aurea, golden		4 0	0 4
" violacea		4 0	0 4
" " splendid mixed		3 6	0 4
" " Thompsoni (Triomphe de			
l'Exposition), crimson,			
splendid		11 0	1 0
⊙ CELOSIA cristata, Cockscomb.			
Great specialty.			
cristata nana, mixed, very good quality		11 0	1 0
" " finest mixed, saved from			
carefully selected combs,			
quality unexcelled		64 0	4 6
" " atropurpurea, extra			5 0
" " aurea			6 0
" " chamois, cupreata, each			4 0
" " copper-chamois			4 0
" " purpurea, extra			5 0
" " rosea			4 6
" " sanguinea,			4 6
" " sulphurea,			4 6
" " violacea,			5 0
" " Empress (Giant, maxima),			
bright crimson combs, dark			
foliage; very beautiful		88 0	6 0
" " Glasgow Prize (President			
Thiers, Tom Thumb), very fine			
dwarf sort with crimson combs			7 0
" variegata		4 0	0 4
" Vesuvius, new, fiery scarlet			5 6
⊙ CENTAURIA americana, lilac		10 0	0 10
Crupina, black-seeded		1 6	0 2
cyanoïdes, new, dwarf, blue			0 6
Cyanus (minor) (Corn-flower), mixed		1 6	0 2
" Emperor William, bright blue, fine		2 0	0 2
" alba, pure white, very fine		2 0	0 2
" 4 var. (white and blue, black blue,			
rose, brick-red), each		2 0	0 2
" fl. pleno, semi-double, finest			
mixed (about 50% true)		4 0	0 4

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

CENTAUREA — continued.				CHRYSANTHEMUM — continued.								
		per lb.	per oz.			per lb.	per oz.					
⊙	Cyanus nana compacta Victoria, dwarf, blue, excellent . . .	18	0	1	6	⊙	carinatum Dunnetti album fl. pleno	11	0	1	0	
	" " compacta White with Lilac	18	0	1	6		" Dunnetti aureum fl. pl., golden	10	0	0	10	
	" " " " Rose	18	0	1	6		" " purpureum " " . . .			2	0	
	" " " " Brown Red, extra			2	0		" " hybridum " " . . .	10	0	0	10	
	" " hybrida, finest mixed						" Eclipse, brown and yellow, fine	5	0	0	6	
	new Miniature Corn-flowers	14	0	1	2		" Golden Feather, semi-dwarf,					
	depressa, blue, dwarf	0	10	0	2		yellowish foliage, mixed colours	3	0	0	4	
	" rosea	0	10	0	2		" luteum, yellow	1	8	0	2	
	moschata coerulea, Sweet Sultan, blue	3	0	0	4		" purpureum (W. E. Gladstone)	2	0	0	2	
	" alba, white, excellent	3	0	0	4		" venustum, rose	1	8	0	2	
	" atropurpurea	3	0	0	4		" fine mixed single, extra fine	1	8	0	2	
	" fine mixed	2	8	0	3		" " double	10	0	0	10	
	odorata, light blue	30	0	2	4		" " " and single	5	0	0	6	
	" Chameleon, yellow and rose	80	0	5	6		" plenissimum fol. aureis, new					
	" Margaritae, pure white	34	0	2	8		yellow-leaved double vars. mixed					
	" finest mixed	40	0	3	0		Pkts: hundr. 16 s., doz. 2 s. 6 d.			10	0	
	suaveolens, Sweet Sultan, yellow	8	0	0	8		" nanum coccineum	6	0	0	6	
△	argentea vera (candidissima, ragusina) (heavy rubbed seed)	40	0	3	0		" " fl. pleno			2	4	
	Clementei, very fine	16	0	1	4		" " purpureum			1	0	
	gymnocarpa, " "	9	0	0	10		" " hybridum, dwarf single	5	0	0	6	
	" alba, new			1	4		" " fl. pleno, fine mixed	18	0	1	6	
	rutaefolia, very ornamental on lawns			0	10		coronarium fl. pleno, double yellow	2	0	0	2	
24	babylonica, dark yellow, fine	8	0	0	8		" album " " white	2	0	0	2	
	orientalis, yellow			3	0		" imbricatum fl. pleno, very pretty	5	0	0	6	
	" atropurpurea			3	0		" sulphureum " (Benary), fine	2	0	0	2	
⊙	CENTAURIDIUM Drummondi, yellow	3	4	0	4		" fine mixed, double	1	10	0	2	
⊙	CENTRANTHUS macrosiphon, red	2	0	0	2	△	" " single	1	4	0	2	
	macrosiphon albus	2	0	0	2		frutescens (Marguerite), white	11	0	1	0	
	" bicolor, rose and white	2	0	0	2		" Comtesse de Chambord			2	4	
	" carneus	2	0	0	2		" pinnatifidum, white			2	0	
	" nanus	2	0	0	2		indicum fl. pleno, double	88	0	6	0	
	" albus	2	0	0	2	♂⊙	" double Pompon, mixed	88	0	6	0	
	" bicolor	2	0	0	2		inodorum plenissimum, fine double					
	" mixed	2	0	0	2		white flowers, capital plant for cutting	14	0	1	2	
△§	CENTROSEMA grandiflorum, red violet, very floriferous, beautiful			3	0	△	japonicum fl. pleno (Veitch), fine	88	0	6	0	
24§	CEPHALANDRA palmata, everlasting			4	0		" Collection flowers, from the earliest varieties 1000 sds. 3 s.					
24	CEPHALARIA tatarica, yellow, for bees	3	0	0	4		" early-flowering varieties ½ oz. 2 "			12	0	
24	CERASTIUM Biebersteini, fine	11	0	1	0	⊙	" nanum fl. pleno, dwarf					
	Boissieri, very pretty			1 ½	oz. 1 s.		multicaule, yellow, quite dwarf, fine	1	6	0	2	
	tomentosum, silver-leaved, favourite plant, true 1000 sds. 3 s., ½ oz. 5 s.						segetum grandiflorum, yellow	1	2	0	2	
⊙	CERINTHE aspera, auriculata, each	1	8	0	2		see also Leucanthemum.					
	gymnandra (Honeywort)	2	0	0	2	△⊙	CINERARIA hybrida.			s.	d.	
	major, yellow and white	2	0	0	2		My Collections of these favourite flowers are of acknowledged superiority. I continually receive unsolicited testimonials as to the excellence of the results obtained from my seed.					
	retorta, white-blotched	1	8	0	2		First Prizes, Chicago 1894. Dresden 1896. Hamburg 1897. Large Coloured Plate.					
	mixed	1	8	0	2		hybrida, choicest mixed, 1st quality, extra					
⊙	CHAENOSTOMA fastigiatum, red	5	6	0	6		oz. 56 s., ¼ oz. 15 s., ½ oz. 2 s., 1000 sds.			0	9	
24	CHAMAEPEUCE Casabonae, Fish-bone Thistle, decorative	9	0	0	10		Pictorial Pkts.: hundred 32 s., dozen			5	0	
	diacantha, very fine	7	0	0	8		" very good quality			oz. 14 s., 1 ½ oz.	1	0
⊙	CHEIRANTHUS maritimus, Virginian						" nana, semi-dwarf, 8 inches (Benary),					
	Stock, red	1	0	0	2		splendid mixed, 1st quality, excellent					
	maritimus albus, white	1	0	0	2		oz. 56 s., ¼ oz. 15 s., ½ oz. 2 s., 1000 sds.			0	9	
	" compactus, red, white, each	1	6	0	2		Packets: hundred 32 s., dozen			5	0	
	" Crimson King	1	8	0	2		" azurea, azure blue, very showy			oz. 72	0	
	" Fairy Queen, crimson	1	8	0	2		¼ oz. 19 s., ½ oz. 2 s. 6 d., 1000 seeds			1	0	
	" luteus	1	6	0	2		" grandiflora, Benary's large-flowered					
	" fine mixed	1	2	0	2		prize varieties, splendid mixed					
24	CHELONE barbata (Pentstemon), red	3	0	0	4		oz. 112 s., ¼ oz. 30 s., ½ oz. 4 s., 1000 sds.			1	9	
	barbata coccinea	3	0	0	4		Packets: hundred 40 s., dozen			6	0	
	" Torreyi, dark, fine	3	0	0	4		" alba, white, very fine, constant			oz. 72	0	
	" hybrida, very pretty hybrids, mixed	4	0	0	4		¼ oz. 19 s., ½ oz. 2 s. 6 d., 1000 seeds			1	2	
⊙	CHENOPODIUM Atriplicis, decorative	4	0	0	4		" kermesina (Benary), beautiful			oz. 56	0	
△	CHORIZEMA cordatum						¼ oz. 15 s., ½ oz. 2 s., 1000 seeds			0	10	
	ilicifolium						" sanguinea (Benary), new blood-red,					
	varium						superb ¼ oz. 18 s., ½ oz. 2 s. 6 d., 1000 sds.			1	2	
CHRYSANTHEMUM												
⊙	carinatum (tricolor) album	2	0	0	2		" nana, Benary's large-flowered					
	" atrococcineum (The Sultan)	2	4	0	3		semi-dwarf prize varieties, splendid strain					
	" fol. aureis (Purple Crown), semi-dwarf, yellow-leaved	30	0	2	4		oz. 112 s., ¼ oz. 30 s., ½ oz. 4 s., 1000 sds.			1	9	
	" Burridgeanum (Lord Beaconsfield), white and rose	2	4	0	3		Packets: hundred 40 s., dozen			6	0	
The preceding very large-flowered strains are unsurpassed for richness of colour, and perfection of form.												

The preceding very large-flowered strains are unsurpassed for richness of colour, and perfection of form.

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

⊕⊕CINERARIA hybrida — continued.

	s.	d.
plenissima, double, from finest double flow- ers, extra $\frac{1}{2}$ oz. 22 s., $\frac{1}{3}$ oz. 6 s., 1000 sds.	2	4
Pictorial Pkts.: hundred 56 s., dozen	8	0
" alba, very fine $\frac{1}{2}$ oz. 22 s., $\frac{1}{3}$ oz. 6 s., 1000 sds.	2	4

This seed has been saved from my splendid Collection and will produce almost exclusively beautiful double-flowering plants.

	per lb.	per oz.
	s. d.	s. d.
⊕ CINERARIA maritima (candidissima)...	3	6
maritima acanthifolia.....	14	0
" Diamond, leaves pure white, new, very fine... Packets: dozen 4 s.	1	2

⊕ CIRSIIUM pulcherrimum, violet, fine....	2	6
Velenovskyi, new, white passing to violet, splendid..... 1000 seeds 4 s. 0 d.	10	0

⊕ CITRUS trifoliata.....	0	10
--------------------------	---	----

⊕ CLARKIA elegans (violacea).....	1	4
elegans fl. pleno.....	1	6
" alba, single white.....	1	4
" " fl. pleno, very fine.....	2	0
" carminea plenissima.....	1	6
" rosea, single pink.....	1	4
" " fl. pleno, double.....	1	8
" " " nana, new, very fine.....	3	0
" fl. pl. Purple King (extra double, " Salmon Queen) very fine.....	1	8
" fine mixed single.....	1	6
" " double.....	1	6
" " " and single.....	1	6
pulchella, red.....	1	8
" alba, white.....	1	8
" " Tom Thumb.....	1	8
" " fimbriata, fine.....	1	8
" fl. pleno, double red.....	2	0
" integrifolia, red.....	1	8
" " alba.....	1	8
" " fl. pleno.....	2	0
" " flore pleno.....	2	0
" " limbata (Mrs. Langtry).....	4	0
" " marginata.....	1	8
" " Tom Thumb.....	2	0
" marginata.....	1	8
" " fl. pleno, double.....	2	0
" " " Morning Glory.....	1	6
" pulcherrima, carmine.....	1	8
" " fl. pleno.....	2	0
" Tom Thumb, red.....	2	0
" fine mixed single.....	1	8
" " double.....	1	10
" " " and single.....	1	9

CLARY, see *Salvia Horminum*.

⊕ CLEMATIS coccinea, see <i>Shrub seeds</i> .		
crispa, white.....	1	6
diversifolia.....	1	8
integrifolia, blue, fine.....	9	0
Pallasi.....	1	0
verticillata.....	8	0
perennial sorts, fine mixed.....	9	0
⊕ CLEOME speciosa, purple, fine.....	8	0

⊕ CLERODENDRON fragrantissimum		
1000 seeds 12 s. 0 d.		
splendens..... 100 " 2 " 6 "		

⊕ CLETHRA arborea, white, sweet-scented	1	8
---	---	---

⊕ CLIANthus Dampieri.....	5	0
Dampieri, saved in my grounds		
1000 seeds 20 s., 100 seeds 2 s. 4 d.		

⊕ puniceus, brilliant red, white-spotted	3	6
--	---	---

⊕ CLINTONIA elegans, blue, fine.....	2	4
pulchella, blue and white.....	9	0
" alba, white.....	5	6
" atrovirens, fine.....	2	4
" atropurpurea..... $\frac{1}{16}$ oz. 1 s.	14	0

⊕ CLITORIA eoclestis.....	0	10
ternata, blue, fine.....	0	8

⊕ CLIVIA (Imantophyllum), (seed saved in my green-houses)

Aimée Delrue, Juliana, miniata, nobilis, each..... 10 sds. 2 s.

splendid mixed 100 sds. 16 s., 10 " 2 "

⊕ COBÆA scandens.....	15	0
scandens fl. albo, very fine.....	22	0
macrostemma, new, green with violet.	4	6

⊕ COCCINIA indica (Orn. Cue.), ivy-leaved, flowers white, scarlet fruits, very fine	11	0
--	----	---

COCKSCOMB, see *Celosia* and Assorts.

⊕ COFFEA arabica, Coffee-tree		
1000 fruits (2 sds. each) 16 s., 100 fruits 1 s. 10 d.		

⊕ COLEUS.

Finest varieties in splendid mixture (Benary's Exhibition), from my large Collection, which is replete with the finest hybrids of my own and foreign raising oz. 108 s., $\frac{1}{4}$ oz. 14 s. 0 d.

$\frac{1}{2}$ oz. (about 4000 seeds) 4 s., 1000 seeds 1 " 4 "

Pictorial Packets: hundred 40 s., dozen 6 " 0 "

Separate varieties (A list of those I can supply, will be sent on demand)..... 1000 seeds 1 s. 8 d.

very fine quality mixed..... oz. 14 s., $\frac{1}{16}$ oz. 1 " 0 "

New Large-leaved, finest mixed, saved from new varieties with very large and superbly variegated foliage..... $\frac{1}{2}$ oz. 8 s., 1000 seeds 2 s. 6 d.

Packets: hundred 48 s., dozen 7 " 0 "

Separate varieties (A list of those I can supply, will be sent on demand)..... 1000 seeds 3 s.

laciniatus, vars. with lacinated foliage.... 1000 " 4 "

	per lb.	per oz.
	s. d.	s. d.
⊕ COLLINSIA bartsiaefolia, lilac.....	3	4
bicolor, lilac and white.....	0	10
" alba.....	1	0
" candidissima.....	1	2
" carnea.....	1	0
grandiflora, blue.....	2	0
multicolor, white, violet and lilac...	1	0
" marmorata, white and rosy lilac	1	0
verna, sky-blue and white, earliest...	3	0
violacea, fine.....	2	0
mixed.....	0	10
⊕ COLLOMIA eoccinea.....	0	8
grandiflora, yellow.....	0	6

COLUMBINE, see *Aquilegia*.

⊕ COMMELINA coelestis (tuberosa), blue..	3	0
coelestis alba, white.....	3	0

⊕ Sellowiana, large cobalt blue flowers		
100 seeds 3 s. 6 d.		

⊕ CONVALLARIA majalis (Lily of the Valley), clean seed.....	16	0
majalis, seed in berries.....	9	0

⊕ CONVULVULUS althacoides.....	7	0
aureus superbus.....	18	0
Cupanianus, blue, spotted.....	0	10

⊕ major, see <i>Ipomoea</i> and Assortments.		
mauritanicus, blue, for suspending..	11	0
tricolor (minor), blue.....	0	8

" albus.....	0	8
" azureus.....	0	8
" fl. pleno, double blue (varies)...	1	2
" kermesinus violaceus, brilliant.	0	8
" monstrosus, dark blue.....	0	8
" roseus, very pretty.....	0	8
" splendens, brown violet.....	0	8
" striped (variegatus).....	0	8
" subcoeruleus, light blue.....	0	8
" unicaulis, very fine.....	0	10
" fine mixed..... cwt. 46 s.	0	6

⊕ COREOPSIS grandiflora, very large golden yellow flowers, for cutting	14	0
lanceolata (longipes), yellow, very fine	2	6
mutica, new, golden yellow, floriferous	8	0
Others, see <i>Calliopsis</i> .		

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

	per lb.		per oz.		s. d.
	s. d.		s. d.		
◊ CORDYLINE <i>australis</i> 1000sds. 4s. <i>australis</i>, in pods <i>indivisa</i>, clean seed 10,000 sds. 8s. " in pods " <i>latifolia</i> 10,000sds. 10s. 0d. 1000 " 1 2 " " " <i>major</i> 1000 " 1 4 " " " <i>rosea</i> 1000 " 1 2 " " <i>lineata</i>... 1000 " 1 2 " " " in pods " <i>Veitchii</i> 1000 seeds 1s. 0d. " " in pods " <i>fine mixed</i> 1000 sds. 1s. 2d. <i>Other sorts, see Dracaena.</i>	European seed	56	0	4	0
		7	0	0	8
		14	0	1	2
		12	0	1	0
2 CORYDALIS <i>alba</i>, very fine <i>aurea</i>, pretty tufts, flowers profusely...				1	4
◊ COSMANTHUS <i>fimbriatus</i>, lilac, dwarf...		6	0	0	6
◊ COSMEA <i>bipinnata</i>, rose, fine... <i>bipinnata alba</i>, large white...		7	0	0	8
		8	0	0	8
		8	0	0	8
		7	6	0	8
" <i>new Mammoth</i> " <i>nana alba</i> (Dawn), new, dwarf <i>white</i>, very early... 1/16 oz. 1s. " <i>sulphurea</i> (Bidens), yellow, dwarf...		7	0	0	8
◊ COSMIDIUM <i>Burridgeanum</i>, velvety brown <i>Engelmanni</i>, yellow...		2	6	0	3
◊ CREPIS <i>alba</i>, White Hawkweed <i>barbata</i>, yellow " <i>nana compacta</i>, 18 inches high... " <i>rubra</i>, Red Hawkweed <i>mixed</i>	excellent for cutting	1	4	0	2
		1	8	0	2
		1	10	0	2
		1	4	0	2
		1	4	0	2
◊ CROTALARIA <i>retusa</i>, golden yellow, fine				3	0
2 CRUCIANELLA <i>stylosa</i>, light red <i>stylosa purpurea</i>, darker, fine		3	0	0	4
				0	10
◊ CUCUMIS (Orn. Cuc.) <i>anguinus</i> (flexuosus) <i>grossularoides</i>, Gooseberry Gourd... <i>odoratissimus</i> (Dudaim), orange fruits... <i>perennis</i>, very fine		5	0	0	6
		6	0	0	6
		5	6	0	6
		12	0	1	0
◊ CUCURBITA (Orn. Cuc.) <i>argyrosperma</i>... <i>leucantha longissima</i>, very long-fruited		5	0	0	6
		3	6	0	4
◊ CUPHEA <i>eminens</i>, scarlet and orange <i>Galeottiana</i>, blue... <i>lanceolata fl. albo</i> <i>miniata</i>, deep scarlet " <i>compacta</i> (Benary), last year's <i>novelty</i>, charming " <i>rosea</i> (Benary), see <i>Novelties</i>.		7	0	0	8
				10	0
◊ platycentra, scarlet, very floriferous, <i>excellent plant for pots</i>... <i>Pictor. Pkts.</i>: hundr. 16s., doz. 2s. 6d.				9	0
◊ <i>purpurea</i>, fine mixed ◊ <i>Roezli grandiflora superba</i>, fine <i>silensoides</i>, purplish brown		3	8	0	4
				10	0
◊ <i>strigulosa</i>, orange flowers, for masses, <i>also an excellent market-plant</i>...				5	6
◊ <i>Zimapani</i>, purplish red, large-flowering		4	0	0	4
				s. d.	
◊ CYCLAMEN <i>europaeum</i>, Alpine oz. 14s., 1/16 oz. <i>macrophyllum</i> (africanum) oz. 7s. 6d., 1000 sds. <i>neapolitanum</i> 3 " 1000 " 1 4 <i>persicum</i>, fine mixed... 1/16 oz. 96s., oz. 6 6 " <i>album</i>, white, very fine 8 6 " <i>Emperor William</i>, brilliant dark carmine, 1/16 oz. 9s., 1/16 oz. 2 6 " <i>giganteum</i> (universum), finest mixed, <i>my own extra choice strain</i>, very large <i>flowers</i> oz. 36s., 1/16 oz. 2s. 6d., 1000 sds. 14 0 <i>Pictorial Pkts.</i>: hundred 40s., doz. 6 0 " <i>Aigburth Crimson</i>, extra fine 1000 sds. 26s., 100 seeds 3 0 " <i>album</i>, pure white, splendid strain oz. 44s., 1/16 oz. 3s. 0d., 1000 seeds 15 0 " <i>atrorubrum</i> (Purple King), dark red, extra oz. 48s., 1/16 oz. 3s. 4d., 1000 sds. 16 0	per lb. per oz.	1	0		
		2	8		
		1	4		
		6	6		
		8	6		
		2	6		
		14	0		
		6	0		
		3	0		
		15	0		
◊ Cyclamen persicum giganteum <i>Crimson</i> <i>King, beautiful</i> oz. 48s., 1/16 oz. 3s. 4d., 1000 sds. 16 0 <i>persicum giganteum</i> <i>Papilio</i>, new <i>Belgian</i> <i>varieties with large and beautifully fringed</i> <i>flowers, highly recommended</i> 100 seeds 36s., 10 seeds 4 0 " <i>giganteum rosem superbum</i>, extra oz. 44s., 1/16 oz. 3s., 1000 seeds 15 0 " <i>sanguineum</i> (Benary), darkest, very <i>handsome</i> 1000 sds. 26s., 100 seeds 3 0 <i>My strains of Cyclamen persicum</i> <i>giganteum, which I grow on a large</i> <i>scale, are unsurpassed.</i>					
◊ CYCLANTHERA (Orn. Cuc.) <i>explosens</i> 1/16 oz. 9s., oz. 0 10 <i>pedata</i>, edible fruits... 3 " " 0 4 ◊ CYNOGLOSSUM <i>linifolium</i>, flax-leaved, white <i>(Venus's Navelwort)</i>... 1/16 oz. 9d., oz. 0 2 <i>coelestinum</i>, sky-blue, for bees... 10 " " 0 2 <i>CYPRESS VINE</i>, see <i>Ipomoea Quamoclit</i>.					
◊ CYTISUS <i>Attleanus</i>, yellow, floriferous... oz. 4 0 <i>palmensis</i> 100 seeds 1 6					
2 ◊ DAHLIA, Double and Single: <i>Double mixed</i>, good quality per lb. 28s., oz. 2 2 " <i>mixed very fine quality</i> " 72 " " 5 0 " <i>large-flowered</i>, finest quality, <i>saved from the best double</i> <i>largest-flowered sorts, un-</i> <i>rivalled strain</i> oz. 14s., 1/16 oz. 1 0 " " <i>Dwarf. The seed of this superb</i> <i>strain produces remarkably fine</i> <i>and extra double flowers</i> . oz. 8 0 " <i>Lilliput</i>, small-flowered, from <i>named flowers, very fine</i> 1/16 oz. 72s., oz. 5 0 " <i>above sorts in very fine mixture</i> " 8 0 " <i>Cactus</i>, finest mixed, from my splendid <i>collection, containing all the best new varie-</i> <i>ties (Large Coloured Plate)</i> 1/16 oz. 120s., oz. 8 0 <i>Packets: hundred 16s., dozen 2 6</i> <i>Single varieties, splendid mixed, saved</i> <i>from the best hybrids</i>... 1/16 oz. 9s., oz. 0 10 " <i>Brilliant, vivid scarlet, dwarf</i> } not " 4 0 " <i>Golden Yellow, splendid</i>... } constant " 5 0 " <i>Paragon, rich maroon</i>... } from " 5 0 " <i>White Queen, large-flowering</i> } seed " 8 0 " <i>Striped and Spotted, very beautiful</i> <i>(60 per cent true)</i>... 1/16 oz. 14s., oz. 1 2 " <i>semi-dwarf</i>... } very fine " 1 0 " " <i>striped</i> } " 1 2 " " <i>Jules Chrétien, scarlet, fine</i> " 1 4 " <i>Tom Thumb, new, very dwarf, splendid</i> <i>colours. (about 50 per cent true)</i>... oz. 3 8 " <i>Giant or Perfection, new, the seed</i> <i>produces a high proportion of very large-</i> <i>flowering plants, splendid</i>... 1/16 oz. 56s., oz. 4 0 <i>Zimapani, see Bidens.</i>					
				per lb. per oz.	
				s. d. s. d.	
◊ DAISY, Double, see <i>Bellis</i>. " <i>SWAN RIVER</i>, see <i>Brachycome</i>.					
◊ DASYLIRION <i>glaucophyllum</i> 1 4 <i>gracile</i> (Bonaparte) 1 8 <i>juncifolium</i> 1000 seeds 2s. 2 0 <i>longifolium</i> 1000 " 5 " 5 0 <i>serratifolium</i> 1000 " 2 " 2 0 <i>Wheeleri</i> (Nolina) 1000 " 4 " 4 0					
◊ DATURA <i>arborea</i> (Brugmansia) 7 6 <i>arborea fl. pleno</i>... 100 seeds 2s. 6d. <i>atroviolacea plenissima</i> 8 0 0 8 <i>ceratocaula</i>, whitish 0 8 <i>Cornucopiae</i> 1 4 <i>fastuosa alba fl. pleno</i>, double white. 5 0 0 6 " <i>violacea</i> " " " purple... 5 0 0 6 " <i>Huberiana</i> " " " finest mixed 6 0 0 6 <i>humilis flava fl. pl.</i> (chlorantha fl. pl.) 5 6 0 6 <i>Metel</i>, white 1 8 0 2 <i>Wrightii</i> (meteloides), white and lilac. 2 6 0 3					

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

DELPHINIUM

	per fl.	per oz.
	s. d.	s. d.
<i>Ajaxis</i> , see Larkspur, pages 20 and 21.		
cardiopetalum, violet, dwarf, fine . . .	1 6	0 2
" roseum, new		0 6
"		8 0
Barlowi, large dark blue flowers, fine		
Brumonianum, blue, Musk-scented,		
quite distinct 1000 seeds 7 s.		
cardinale, scarlet, splendid		12 0
Cashmerianum, dark blue, Monk's-		
hood-like flowers, very fine . . .		5 6
" album		8 0
chinense (grandiflorum) album . . .	5 6	0 6
" azureum	5 6	0 6
" pumilum album	5 6	0 6
" " coeruleum	5 6	0 6
" fine mixed, splendid	5 0	0 6
elatum, blue	7 6	0 8
" Le Mastodonte, very large dark		
blue flowers, true 1000 seeds 3 s.		
" hybridum, finest mixed, very showy	5 0	0 6
formosum, dark blue, fine	14 0	1 2
" coelestinum, sky-blue, fine		4 0
Hendersoni, dark blue, fine	16 0	1 4
hybridum fl. pleno, double varieties:		
Argus, Cutler, Glym, Lemoine, ranun-		
culiflorum, each		5 0
Esclaramonde, Henry Jacotot, Her-		
mann Stenger, Mad. Barthere, Elysée,		
Memphis, Roi Léopold, Tour		
d'Eiffel, each 1000 seeds 1 s. 6 d.		10 0
Attraction, Charles Reade, Captain		
Wright, Dr. Bergmann, Elysée,		
Gounod, Isabelle, marginatum,		
Mons. le Bihan, Mons. Porien,		
Wilkie Collins, each 1000 sds. 2 s.		
double, finest mixed, saved from		
my own very rich Collection. This		
mixture is of unsurpassed quality		
Pict.Pkts.: hundr. 16s., doz. 2s. 6 d.		
Mad. Colbert, semi-double 1000 sds. 2s.		
Rabelais, Roumanille, semi-double,		
each 1000 seeds 4 s.		
nudicaule, scarlet, dwarf, compact,		
abundant bloomer; hardy, splendid		
Pict.Pkts.: hundr. 16s., doz. 2s. 6 d.		
truncatum, dark blue, pretty		0 8
Zalil (sulphureum), long spikes of yellow		
flowers, very beautiful	64 0	4 6
DESMODIUM Dillenianum 1000 sds. 6 s.		
DEVIL-IN-A-BUSH, see <i>Nigella</i> .		
DIANTHUS barbatus, Sweet William,		
single, fine mixed	1 10	0 2
barbatus flore pleno, double, fine mixed	7 0	0 8
" albus, constant	2 0	0 2
" " fl. pleno, double white . . .	11 0	1 0
" " "	2 6	0 3
" Dunnetti (atrosanguineus), extra .	9 0	0 10
" " fl. pleno, splendid	7 0	0 8
" nanus compactus, single mixed .		1 4
" " albus		2 0
" " fl. pleno	2 4	0 3
" nigrescens, darkest sort, fine . . .	7 0	0 8
" oculatus, very bright colour, extra		
" marginatus (Hunt's Per-		
fection), splendid strain	2 2	0 3
" " flore pleno, very fine . . .	8 0	0 8
caryophyllus fl. pl., see <i>Carnations</i> .		
chinensis fl. pl., Chinese or Indian		
Pink, finest double mixed, extra		
" albus fl. pleno, double white . . .	6 0	0 6
" pictus " " white and rose . . .	6 0	0 6
" nanus fl. pleno, dwarf mixed . . .	11 0	1 0
" " roseus splendens fl. pl.		
(Benary), charming	7 0	0 8
" single flowered, fine mixed . . .	4 0	0 4
Heddeewigi albus (Queen of Holland),		
see <i>Novelties</i> .		

DIANTHUS — continued.

	per fl.	per oz.
	s. d.	s. d.
*Heddeewigi, finest selected		
single-flowered, mixed. Un-		
doubtedly one of the finest annuals	15 0	1 4
" albus fl. pleno, very fine	15 0	1 4
" atropurpureus fl. pleno (Benary)	15 0	1 4
" " albo-marginatus fl. pl., Mour-		
ning Pink, fine	16 0	1 4
" atrosanguineus, single blood-red.	30 0	2 4
Crimson Belle (Brilliant), dark		
red, splendid	15 0	1 4
" Eastern Queen, rose, splendid	15 0	1 4
" The Bride (Little Gem), white		
with purple centre, very pretty	16 0	1 4
" hybridus fl. pleno (Benary),		
very large-flowering double,		
choicest mixed, extra	15 0	1 4
" " nanus fl. pleno, dwarf mixed	12 0	1 0
" " diadematus fl. pleno,		
Diadem Pink, splendid	22 0	1 8
" " nanus fl. pl., new, dwarf	16 0	1 4
" laciniatus, single mixed, extra .	9 0	0 10
" " albus (Snowflake), " . . .	7 0	0 8
" " nanus, charming new vars.,		
rich in salmon shades	26 0	2 0
" " Salmon Queen, new, splendid		3 0
" " sanguineus (Benary), fine . .	7 0	0 8
" " fl. pleno, finest double . . .	20 0	1 6
" " " purpureus	16 0	1 4
" " " striatus (Benary),		
double striped, charming	22 0	1 8
" " single and double, fine mixed	12 0	1 0
" nanus albus fl. pl., dwarf white .	22 0	1 8
" " cupreo-coccineus fl. pleno .	18 0	1 6
" " roseus fl. pl., new, rose shades	18 0	1 6
*imperialis fl. pl., Double Imperial		
Pink, extra fine mixture of these		
charming varieties	7 0	0 8
" albus fl. pleno, double white . .	7 0	0 8
" " striatus fl. pl., white, striped	6 0	0 6
" atrosanguineus fl. pleno, striking	7 0	0 8
" plenissimus pictus, fine	6 0	0 6
" ruber striatus fl. pleno, fine . .	6 0	0 6
" " nanus albus fl. pleno	8 0	0 8
" " atrosanguineus fl. pleno . . .	11 0	1 0
" " cupreus fl. pleno	7 0	0 8
" " roseus " "	9 0	0 10
" " fl. pleno, finest mixed . . .	9 0	0 10
" pumilus, mixed, very dwarf . . .	6 0	0 6
" " striatus fl. pl. (Benary), fine	7 6	0 8
The varieties preceded by an		
asterisk * have received First-class		
Certificates from the R. H. Society.		
deltoides, blood-red, very dwarf . .	7 0	0 8
dentatus hybridus, lilac and red . .	7 0	0 8
glacialis, alpine 1000 seeds 1 s.		
plumarius, Single Pink, fine mixed .	3 0	0 4
" Pheasant-eye, fringed	6 0	0 6
" Cyclops, dark rose, with crimson		
ring, very fine 1000 seeds 6 s.		
" fl. pleno, semi-double, fine mixed	40 0	3 0
" " albus, double white $\frac{1}{2}$ oz. 1 s.		7 0
" scoticus fl. pleno, Scotch or		
Florist's Pinks, from English		
and my own choicest varieties,		
extra $\frac{3}{4}$ oz. 4 s., 1000 seeds 10 s.		
" semperflorens, Florist's Per-		
petual Pinks. Hardy class, very		
fragrant, double, semi-double, and		
single, great diversity of colours	72 0	5 0
Pkts.: hundr. 16 s., doz. 2 s. 6 d.		
" semperflorens ruber, new red vars.	72 0	5 0
superbus nanus, dwarf white, for cutting		1 0
DICTAMNUS Fraxinella, red	9 0	0 10
Fraxinella albus	14 0	1 2
DIELYTRA spectabilis $\frac{1}{4}$ oz. 16 s. 0 d.		
1000 seeds 10 s., $\frac{3}{2}$ " 2 " 4 "		

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

		per lb.	per oz.			per lb.	per oz.
		s. d.	s. d.			s. d.	s. d.
24	DIGITALIS Buxbaumi, yellow.....	1 6	0 2	⊙	ELICHRYSUM — continued.		
	canariensis, yellow.....		7 0		monstrosum (compositum)		
	ferruginia gigantea, brown and yellow	1 6	0 2		" fl. pleno album.....	9 0	0 10
	gloxiniaeflora, purple } very beautiful	3 0	0 4		" " " Borussorum Rex,		
	" alba..... class, with	3 0	0 4		white, semi-dwarf	9 0	0 10
	" rosea..... spotted flowers	3 0	0 4		" " " ferrugineum...	9 0	0 10
	" finest mixed.....	2 4	0 3		" " " fuscum.....	9 0	0 10
	grandiflora, yellow, dwarf, fine.....	3 0	0 4		" " " luteum.....	9 0	0 10
	lanata, white and purple, dwarf.....	1 4	0 2		" " " purpureum.....	9 0	0 10
	lutea, dwarf.....	3 0	0 4		" " " roseum.....	9 0	0 10
	macrantha, yellow, dwarf, fine.....		0 6		" " " salmoneum (varies)...	9 0	0 10
	maculata superba (Ivery's spotted),				" " " splendid double mixed,		
	splendid strain of this fine class	4 0	0 4		very showy and rich mixture...	7 0	0 8
	monstrosa, splendid mixed, beautiful				nanum fl. pleno album, atrococcineum,		
	class (about 60 per cent. true)	14 0	1 2		atrosanguineum, ferrugineum,		
	purpurea, Foxglove.....	1 4	0 2		luteum, purpureum, roseum, each	11 0	1 0
	" alba.....	2 4	0 3		" fl. pleno dwarf, splendid mixed..	9 0	0 10
	" rosea.....	3 0	0 4		minimum fl. pleno album, ferrugineum,		
	" fine mixed.....	2 0	0 2		luteum, roseum, each.....		1 2
⊕§	DIOCLEA glycinoides, red.....		1 4	24	" fl. pleno mixed, smallest-flowered	10 0	0 10
⊕	DIDIOTIS candidissima (Santolina maritima),				lanatum, pale yellow, silvery foliage,		
	white-leaved, for edgings.....		2 6		for bouquets (clean seed).....		8 0
⊕§	DISEMMA coccinea (Passiflora), scarlet		6 8	⊙	ELSHOLTZIA cristata, lilac, sweet } for	3 0	0 4
24	DODECAEON Meadia, American Cows-				cristata alba (Benary), new... } bees	3 0	0 4
	lip, very fine.....	56 0	4 0		EMILIA , see <i>Cacalia</i> .		
	integrifolium (elegans)..... 1 1/2 oz. 1 s.			⊙	EMMENANTHE penduliflora Pkts.: doz. 5s.		
⊙§	DOLICHOS Lablab, Hyacinth Bean, purple	1 0	0 2	⊕§	EOPEON vitifolius (Orn. Cuc.) 1000s. 12 "		2 4
	Lablab albus, white.....	1 0	0 2	⊕	EPACRIS hybrida, fine mixed		
	" mixed.....	0 10	0 2		10,000 sds. 8 s., 1000 seeds 1 s.		
	giganteus (spec. Texas, altissimus)...	2 6	0 3		hybrida, best, from a celebrated		
⊕§	DORYANTHES Palmeri 100 sds. 3s. 6 d.	8 0	0 8		Collection. 10,000 seeds 14 s. 0 d.		
⊕	DRACAENA arborea 1000 " 4 " 0 "				1000 " 1 " 8 "		
	canariensis.....		3 0	⊕	ERICA , Cape species, fine mixed		
	calocoma..... 1000 seeds 8s. 0 d.				1/2 oz. 7 s., 1/2 oz. 1 s.		
	colossea..... 1000 " 8 " 0 "			24	ERIGERON aurantiacus, orange.....	2 0	8 0
	congesta..... 1000 " 12 " 0 "				glabellus, blue.....		0 2
	Draco..... 1000 " 5 " 6 "	7 6	0 8		hybridus roseus, new fine 1000 seeds 2 s.		
	ensifolia..... 1000 " 10 " 0 "			24	ERINUS alpinus.... 1/2 oz. 7 s., 1/2 oz. 1 "		
	Mazeli..... 1000 " 10 " 0 "				alpinus albus.... 1 " 7 " 3/2 " 1 "		
	nutans..... 1000 " 8 " 0 "				" carmineus.... 1 " 7 " 3/2 " 1 "		
	rigidifolia..... 1000 " 6 " 0 "			24	ERIOGONUM umbellatum, yellow, very fine		0 6
	rubra 1000 sds. 26s., 100 " 3 " 0 "			⊙	ERITRICHUM barbigerum, white, dwarf	8 0	0 8
	others, see <i>Cordylone</i> .			⊙	ERODIUM Gruinum, hygrometrical....	2 0	0 2
	many sorts mixed... 1000 seeds 6 s.			24	macradaenum, for edgings 1000 sds. 2 s.		
24	DRACOCOPHALUM Rupprechtii, lilac, pretty		1 0		Manescavi, red violet, fine.....		1 0
	Ruyschianum, dark blue.....	5 0	0 6	24	ERPETION reniforme, Australian Pansy,		14 0
	" japonicum, dark blue, dwarf		0 8		lilac, very pretty for pots or rock-work		
	virginianum, lilac.....	9 0	0 10	24	ERYNGIUM alpinum, dark blue, very fine	26 0	4 0
	" flore albo (Physostegia), very fine	18 0	1 6		amethystinum, blue stalks and flowers		2 0
⊙	mexicanum (Gardouquia), red } sweet,		1 0		giganteum, Silver Thistle.....		4 0
	moldavicum (Balm), blue... } for bees	0 8	0 2		pandanifolium.....		1 0
	" album, white.....	0 8	0 2		planum, sky-blue.....	3 0	0 4
	ECCREMOCARPUS , see <i>Calampelis</i> .			⊙	ERYSIMUM arkansanum, yellow.....	1 10	0 2
⊕	ECHVERIA agavoides 1000 sds. 4 s. 0 d.			♂	anreum compactum, new, wallflower-		
	de Smetiana, finest 1000 " 4 " 0 "				like plant, very early and floriferous	20 0	1 6
	metallica..... 1000 " 3 " 4 "			⊙	Perofskianum, orange.....	1 3	0 2
	Purpusi, new, hardy species, foliage			24	pulchellum, yellow, very floriferous...		0 8
	white-powdered, flowers red with			⊕	ERYTHRINA bogotensis.. 100 sds. 4 s. 0 d.		
	orange centre 10,000 sds. 26s. 0 d.				Caffra..... 100 " 3 " 4 "		
	secunda 10,000 sds. 16s., 1000 " 2 " 0 "				Corallodendron..... 100 " 1 " 2 "		2 0
	many sorts mixed 1000 " 3 " 4 "				Crista-galli, Coral Tree 100 " 2 " 4 "	14 0	1 2
⊙§	ECHINOCYSTIS lobata (Orn. Cuc.).....	8 0	0 8		Hendersoni..... 100 " 2 " 6 "		
24	ECHINOPS Ritro, blue, for bees.....	5 0	0 6		laurifolia..... 100 " 1 " 0 "	7 0	0 8
	humilis Cyane.....		0 10	⊙	ESCHSCHOLTZIA californica, yellow	2 6	0 3
⊙	ECHIUM creticum, scarlet, for bees, fine	3 4	0 4		californica alba.....	2 6	0 3
	EGG PLANT , see <i>Vegetable Seed List</i> .				" albo-rosea, pretty.....	2 6	0 3
	ELICHRYSUM , Everlasting Flower.				" anrantiaca.....	2 6	0 3
24	angustifolium, yellow, white foliage...	11 0	1 0		" earminea (grandiflora rosea,		
⊙	bracteatum, single yellow.....	3 0	0 4		Rose Cardinal), beautiful.....	7 0	0 8
	" album, " white.....	3 0	0 4		crocea, orange.....	2 6	0 3
	" nanum atrococcineum } very.....	3 0	0 4		" fl. pleno, double orange, very fine	6 0	0 6
	" " atrosanguineum } fine.....	3 0	0 4		" " " alba (Benary), double white	6 0	0 6
	brachyrhynchum (Waitzia), yellow...	6 0	0 6		" striata.....	2 10	0 3
	elegans (Morna), yellow.....	7 0	0 8		Mandarin, deep orange, splendid.....	5 0	0 6
					maritima, new, yellow.....	5 6	0 6
					tenuifolia, pale yellow.....	3 0	0 4
					mixed, all sorts.....	2 6	0 3

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

	per lb.		per oz.			per lb.		per oz.	
	s.	d.	s.	d.		s.	d.	s.	d.
⊕ EUCALYPTUS <i>amygdalina</i> , one of the tallest-growing of the genus	20	0	1	6	⊕ Fuchsia <i>procumbens</i> , handsome for hanging baskets, flowering through the winter	1000	seeds	2	s. 8 d.
<i>calophylla</i> , of great merit			1	4	<i>triphylla</i> , small scarlet flowers, dark leaves, charming	100	seeds	2	s.
<i>ficifolia</i> 100 seeds 2 s.					4 FUNKIA <i>cocculca</i>	1000	"	4	"
<i>citriodora</i> , very sweet-scented, rare	56	0	4	0	<i>cucullata medio picta</i>	1000	"	4	"
<i>globulus</i> , Blue Gum	11	0	1	0	<i>ovata</i> , blue	1000	"	8	"
<i>goniocalyx</i>			1	0	" <i>albo-marginata</i>	1000	"	8	"
<i>Gunni</i> , longifolia, each			1	4	⊙ GAILLARDIA <i>Amblyodon</i> , fine red	2	8	0	3
<i>marginata</i> , of great value for its timber			1	8	4 ⊙ <i>bicolor</i> , yellow and red	4	0	0	4
<i>obliqua</i> , as tall as <i>E. globulus</i>			1	6	<i>grandiflora</i> , splendid mixed varieties	9	0	0	10
<i>piperita</i>			1	4	" <i>maxima</i> , golden yellow, fine	14	0	1	2
<i>resinifera</i> , particularly hardy	14	0	1	2	⊙ <i>picta</i> (Drummondii), red and yellow	1	10	0	2
<i>robusta</i> , very useful species	20	0	1	6	" <i>alba</i> , whitish yellow	1	10	0	2
<i>saligna</i>			2	6	" <i>albo-marginata</i>	1	10	0	2
<i>siderophloia</i> , Red Iron Bark			1	4	" <i>aurea</i>	1	10	0	2
<i>tereticornis</i>	9	0	0	10	" <i>fistulosa</i> , quilled	2	0	0	2
<i>Stuartiana</i> , Apple-tree			1	6	" <i>Josephus</i> , broad yellow ribbons	1	10	0	2
mixed species	11	0	1	0	" <i>Lorenziana</i> , double, finest mixed. Excellent for bedding and cutting, richest mixture	4	0	0	4
⊙ EUCCHARIDIUM <i>Breweri</i> , rose			5	0	" <i>Lorenziana sulphurea</i> , yellow, fine	4	0	0	4
<i>grandiflorum</i> , dark red	3	0	0	4	" <i>bicolor</i> , red and yellow	4	0	0	4
" <i>album</i>	7	0	0	8	" <i>salmonea</i> , fine	1	10	0	2
" <i>roseum</i>	3	0	0	4	" <i>single-flowered</i> , mixed	1	8	0	2
4 EUPATORIUM <i>cannabinum</i> , reddish			0	6	4 GALEGA <i>officinalis</i> (Goat's Rue), blue	0	10	0	2
4 ⊙ <i>Fraseri</i> , white, fine for cutting	8	0	0	8	<i>officinalis alba</i>	8	0	0	8
4 <i>purpureum</i> , very floriferous			1	8	⊙ GAMOLEPIS <i>Tagetes</i> , yellow, quite dwarf	5	0	0	6
⊕ <i>serrulatum</i> , purple rose flowers, winter bloomer 1000 seeds 2 s.					⊕ GARDENIA <i>florida</i> 1000 seeds 1 s.			2	0
⊙ EUPHORBIA <i>variegata</i> (<i>pandurata</i>)	2	6	0	3	<i>Thunbergi</i> 1000 " 12 "				
<i>heterophylla</i> , new, carmine	32	0	2	6	⊙ GAURA <i>Lindheimeri</i> , white, floriferous	1	8	0	2
" <i>fol. aureo-variegatis</i> , fine (varies)			10	0	⊕ GAZANIA <i>nivea</i> , white 100 seeds 4 s.			2	8
⊙ EUTOCA <i>multiflora</i> (Menziesi), blue			0	6	⊕ GAZANIOPSIS <i>stenophylla</i> , yellow, fine			1	2
<i>viscida</i> , dark blue	2	4	0	3	⊕ GENISTA <i>canariensis</i> , yellow			2	0
" <i>albida</i>	2	0	0	2	<i>florida</i>				
<i>Wrangeliana</i> , light blue, dwarf	1	4	0	2	<i>Martini</i> , new, yellow, very floriferous, small-leaved 100 seeds 2 s.				
mixed	2	0	0	2	4 GENTIANA <i>acaulis</i> , dark blue, splendid	9	0	0	10
EVENING PRIMROSE , see <i>Oenothera</i> .					<i>cruciata</i> } azure blue	5	6	0	6
EVERLASTING FLOWER , see <i>Elichrysium</i> .					<i>decumbens</i> }	7	0	0	8
" <i>PEA</i> , see <i>Lathyrus latifolius</i> .					<i>lutea</i> , yellow, fine				
⊕ EXACUM <i>affine</i> , very dwarf, fragrant lilac flowers $\frac{1}{2}$ oz. 6 s., 1000 seeds 10 d.					GERANIUM , see <i>Pelargonium</i> .				
⊙ FEDIA <i>algerica</i> (<i>scorpioides</i>), rose	1	8	0	2	⊕ GESNERIA <i>macrantha</i> (<i>Dircaca cardinalis</i>), large bright scarlet flowers, very fine. $\frac{1}{4}$ oz. 16 s., $\frac{1}{2}$ oz. 2 s. 4 d.				
<i>Cornucopiae</i> , dark rose	2	4	0	3	Packets: hundred 32 s., dozen 5 s.				
⊙ FENZLIA <i>dianthiflora</i> , light rose, fine			6	0	<i>zebrina discolor</i> (<i>Naegelia</i>), orange flowers with dark spots. $\frac{1}{2}$ oz. 2 s.				
<i>dianthiflora alba</i> , rosea, each			5	0	Packets: hundred 32 s., dozen 5 "				
⊕ FERDINANDA <i>eminens</i> , very ornamental			7	0	<i>hybrida</i> , finest mixed hybrid $\frac{1}{2}$ oz. 3 "				
⊕ FICUS <i>Cooperi</i> 1000 seeds 3 s.					Packets: hundred 32 s., dozen 5 "				
<i>elastica</i> 1000 " 3 "					4 GEUM <i>coccineum</i> (<i>chiloense</i>), scarlet	7	0	0	8
<i>imperialis</i> (<i>macrophylla</i>) 1000 " 3 "					<i>atrosanguineum fl. pleno</i> , double scarlet, fine for bouquets	14	0	1	2
<i>Wrighti</i> 1000 " 3 "					<i>Heldreichi</i> , new, large orange flowers			6	8
FLAX , Perennial, see <i>Linum perenne</i> .					⊙ GILIA <i>achilleaeifolia</i> , blue	0	10	0	2
FORGET-ME-NOT , see <i>Myosotis</i> .					<i>achilleaeifolia alba</i>	0	8	0	2
FOXGLOVE , see <i>Digitalis</i> .					" <i>major</i> , large-flowering	0	8	0	2
4 FRAGARIA <i>indica</i> , fine Strawberry for suspensions, scarlet fruits	18	0	1	6	" <i>rosea</i>	0	10	0	2
FRAXINELLA , see <i>Dietamnus</i> .					<i>capitata</i> , light blue	0	10	0	2
⊕ FREESIA <i>Leichtlini</i> } sweet-scented, excel-	7	0	0	8	" <i>alba</i>	0	8	0	2
<i>refracta alba</i> } lent for cutting	5	0	0	6	<i>cotulaefolia</i> , quite dwarf, dark blue	4	0	0	4
<i>hybrida</i> , finest mixed	9	0	0	10	<i>laciniata</i> , dark blue, dwarf	0	8	0	2
			s.	d.	<i>liniflora</i> , white, dwarf, very graceful	4	0	0	4
⊕ ⊙ FUCHSIA <i>boliviana</i> , long racemes of scarlet flowers 10,000 seeds 8 s., 1000 seeds			1	0	<i>minima coerulea</i> , quite dwarf	1	0	0	2
<i>boliviana albidula</i> , whitish, fine 1000 "			1	0	<i>nivalis</i> , white	0	10	0	2
<i>coccinea</i> 1000 "			1	6	" <i>nana compacta</i>	2	0	0	2
<i>corymbiflora</i> $\frac{1}{2}$ oz. 2 s. 4 d. 1000 "			0	10	<i>tricolor</i> , violet, yellow and white	0	8	0	2
" <i>alba</i> $\frac{1}{2}$ " 2 " 4 " 1000 "			0	10	" <i>alba</i>	1	8	0	2
<i>fulgens</i> $\frac{1}{2}$ " 2 " 0 " 1000 "			1	0	" <i>nana compacta</i> , $\frac{1}{2}$ foot high, pretty	0	8	0	2
⊕ ⊙ <i>hybrida</i> , single, finest mixed $\frac{1}{2}$ oz.			9	0	" <i>rosea splendens</i>	0	8	0	2
10,000 seeds 40 s., 1000 seeds			4	6	" <i>rubro-violacea</i>	0	8	0	2
" double, finest mixed $\frac{1}{2}$ oz.			9	0	mixed tall sorts	0	8	0	2
10,000 seeds 40 s., 1000 seeds			4	6	" dwarf "	0	8	0	2
" single and double in splendid mixture			4	0					
$\frac{1}{8}$ oz. 16 s., 10,000 sds. 36 s., 1000 sds.			7	0					
Pictorial Pkts.: hundred 48 s., dozen									
A large greenhouse is devoted to Fuchsias (true hybrids) for seed; my Collections comprise the choicest and newest varieties.									

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

	per lb.	per oz.
	s. d.	s. d.
2½ GILLENIA trifoliata, new, rose 1½ oz. 10 d.		12 0
2½ GLADIOLUS floribundus, white and purple		1 0
Gaudavensis, splendid mixture	11 0	1 0
Lemoinei, finest hardy varieties, mixed	11 0	1 0
Nanceianus, the true new varieties, very beautiful 1000 seeds 6 s.		0 8
⊙ GLAUCIUM corniculatum, vivid red		1 0
⊙ 2½ Fischeri , salmon		2 8
luteum	2 8	0 3
⊙ phoeniceum , red	2 0	0 2
GLOBE AMARANTH , see <i>Gomphrena</i> .		
2½ GLOBULARIA trichosanthes, dark blue, fine		0 6
⊕ GLORIOSA Planti (Methonica), orange 100 seeds 3 s. 6 d.		
⊙ GLOXINIA hybrida grandiflora.	s. d.	
For variety and brilliancy of colour my Gloxinias are probably unrivalled; they form one of the chief specialties of my Establishment. Coloured Plate.		
French hybrids, splendid mixed, the finest varieties.		
An unsurpassed strain of this wonderful class		
1 oz. 40 s., ½ oz.	5 6	
Packets: hundred 40 " dozen	6 0	
gigantea , Benary's New Giant, superb, true from seed . . ½ oz. 8 s., Pkts.: hundred 40 s., dozen	6 0	
" Cyclops (Benary), corolla brilliant velvety carmine, shading to a broad pure white border, throat dotted with dark red Packets (250 sds.): hundred 56 s., dozen 8 "		6 0
" Goliath (Benary), velvety purple violet, shading to a pure white border, throat delicately spotted Packets (250 sds.): hundred 56 s., dozen 8 s.		
Tigred and Spotted (grand. punctata), Splendid selection of these beautiful varieties, great variety of colours ½ oz. 36 s., ½ oz.		
Pictorial Packets: hundred 40 s., dozen	6 0	10 0
Corona (Benary), very large, deep violet red passing into indigo, the outer ground white, marked with dark blue dots, very beautiful ½ oz. 20 s., 1000 sds.	1 6	
Defiance (Benary). The Scarlet Gloxinia. Large erect flowers of an intense glowing crimson scarlet, true from seed ½ oz. 60 s., ½ oz.	16 0	
Pictorial Pkts.: hundred 56 " dozen	8 0	
Fire King , flowers dark scarlet, of vigorous habit, beautiful ½ oz. 36 s., ½ oz.	10 0	
Packets: hundred 40 " dozen	6 0	
White (grand. alba), pure white with soft yellow throat beautiful ½ oz. 20 s., ½ oz.	5 6	
Packets: hundred 40 " dozen	6 0	
crassifolia erecta , superb mixture of erect- flowering vars. ½ oz. 32 s., ½ oz.	4 6	
Packets: hundred 40 " dozen	6 0	
" erecta coccinea , novelty 1897, very fine ½ oz.	10 0	
Packets: hundred 40 s., dozen	6 0	
" coelestina (Benary), very large bright azure blue, white throat ½ oz. 8 s., Pkts.: doz.	6 0	
" Emperor Frederick (Benary), fiery scarlet, broadly margined pure white, superb ½ oz.	18 0	
Pict. Pkts.: hundred 48 s., dozen	7 0	
" Emperor William , dark violet bordered white, very beautiful ½ oz.	6 0	
Packets: hundred 40 s., dozen	6 0	
" violacea , velvety violet, splendid		
Packets: dozen 6 s., ½ oz.	4 6	
" horizontalis ½ oz. 32 " ½ oz.	4 6	
Packets: dozen	6 0	
" pendula ½ oz. 36 s., ½ oz.	5 0	
Packets: dozen	6 0	
" finest mixed oz. 92 s., ½ oz. 12 s., ½ oz.	3 6	
Pictorial Packets: hundred 40 " dozen	6 0	
splendid mixture of all classes, unrivalled for richness of colour oz. 120 s., ½ oz. 16 s., ½ oz.	4 6	
Packets: hundred 40 " dozen	6 0	

	per lb.	per oz.
	s. d.	s. d.
♂ GNAPHALIUM decurrens, white, distinct		2 8
⊙ foetidum, yellow Everlasting	2 0	0 2
" album, new		1 4
2½ Leontopodium (Leontop. alpinum), Edelweiss, well-known Alpine plant orientale fl. pl., Immortelle ½ oz. 4 s.		6 0
⊙ GODETIA amoena, dark rose	2 0	0 2
amoena alba	2 0	0 2
Bijou , dwarfest, very bushy, pure white flowers marked with dark rose.	9 0	0 10
Duchess of Albany , large glossy satiny white flowers, beautiful	5 6	0 6
" " " dwarf (compacta), charming	12 0	1 0
Fairy Queen , large white flowers, pas- sing to blush, with carmine spots	12 0	1 0
✓ grandiflora maculata , large white flowers with crimson spots, fine.	5 0	0 6
" " compacta, distinct and fine		1 0
✓ Lindleyana , white and red	2 0	0 2
" fl. pleno	2 6	0 3
Pearl , lilac with red spots, dwarf.	3 6	0 4
pumila hybrida , dwarf varieties, fine.	7 0	0 8
✓ rosea alba	2 0	0 2
" Tom Thumb	2 6	0 3
" grandiflora fl. pl. , new double, fine		6 0
✓ rubicunda , reddish	2 0	0 2
" splendens , brilliant red, very fine	2 6	0 3
" fl. pleno , very fine	4 0	0 4
The Bride , crimson and white, fine . . .	3 0	0 4
" maculata , fine	3 0	0 4
White Pearl , pure white, "	7 0	0 8
Whitneyi , very attractive	2 4	0 3
" carminea aurea , new, very fine . . .		1 6
" Duke of York , vivid carmine scarlet, beautiful	11 0	1 0
" Brilliant (Benary), highly effective variety with carmine flowers	7 0	0 8
✓ " gloriosa , darkest red, compact growth, excellent novelty	26 0	2 0
" hybrida fl. pleno , fine	3 4	0 4
" Lady Albemarle , dark crimson	5 0	0 6
" Albemarle dwarf (com- pacta), fine and showy	7 0	0 8
" Satin Rose (compacta Brilliant), bright carmine, effective	8 0	0 8
" Mandarin , new, creamy white . . .	9 0	0 10
" Princess of Wales , brilliant red, fine	5 0	0 6
" Henry (Benary), satiny rose with broad carmine spots, extra	10 0	0 10
Williamsoni , lilac, spotted dark red . .		1 0
many sorts, mixed	2 6	0 3
mixture of finest semi-dwarf vars.	6 0	0 6
⊙ GOLDEN FEATHER (Pyrethrum parthe- nifolium aureum), true stock	9 0	0 10
Other vars., see Pyrethrum.		
⊙ GOMPHRENA aurea superba (Haa- geana), orange, very fine	2 4	0 3
globosa alba , Globe Amaranth, white	1 10	0 2
" carnea , flesh	1 10	0 2
" rosea , new	1 10	0 2
" rubra , purple	1 10	0 2
" variegata , striped	1 8	0 2
" mixed	1 8	0 2
" nana compacta rubra } dwarf,	1 10	0 2
" " alba } pretty for pots	1 10	0 2
" " carnea } and borders	1 10	0 2
" " mixed	1 8	0 2
⊕ GOSSYPIUM herbaceum (Cotton)	2 0	0 2
GOURDS , see Vegetable Seed List.		
⊙ GRAHAMIA aromatica, yellow, sweet . . .	3 0	0 4
⊙ GRAMMANTHES gentianoides, scarlet, charming for pots		10 0
⊕ GREVILLEA Banksi 1000 sds. 12 s.		
Hilli 1000 " 12 "		
robnsta , well-known market-plant . . .	24 0	1 10
" pyramidalis		2 6

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

		per lb.		per oz.				per lb.		per oz.	
		s.	d.	s.	d.			s.	d.	s.	d.
⊕	GREYIA Sutherlandi . . . 1000sds. 6 s. 0 d.					2	HEMEROCALLIS Middendorfi 1000sds. 12s.				
2	GUNNERA scabra } gigantic, very 1 oz. 1 " 6 "			10	0	2	HERACLEUM emiens, fine . . . } very tall	1	0	0	2
	manicata } ornamental 3 2 " 1 " 0 "						giganteum Tree Parsnip . . . } decorative	2	0	0	2
2	GYPSOPHILA acutifolia, rose	1	0	0	2		Leichtlini } perennials			0	6
	cerastioides, white, quite dwarf, very pretty 1000 sds. 10 d., 1 2 oz. 1 s.			28	0	⊕	HERNIARIA hirsuta, valuable for producing verdure where grasses fail	1	4	0	2
⊕	elegans, white	0	8	0	2	2	HESPERIS matronalis, Sweet Rocket, purple matronalis alba, white	0	10	0	2
	" rosea	0	10	0	2		" mixed	0	10	0	2
2	muralis, rose, dwarf, fine	4	0	0	4		" nana violacea, semi-dwarf violet	1	8	0	2
	paniculata, white, for bouquets	5	6	0	6		" candidissima, pure white, compact, very early and free-flowering	0	10	0	2
	" compacta, semi-dwarf	7	0	0	8		tristis, brownish, veined, very sweet	0	10	0	2
	repens, white, dwarf, for rockwork			1	0	2	HEUCHERA sanguinea, spikes of crimson flowers, excellent for pots and cutting			5	0
⊕	HABROTHAMNUS elegans, purple			3	4		Pict. Pkts.: hundr. 16s., doz. 2s. 6 d.			8	0
2	HAPLOCARPHA Leichtlini, yellow, dwarf			1	0		sanguinea splendens, new, dark red			6	0
	HARDENBERGIA, see Kennedyja.					⊕	" fl. albo, new				
	HARPALIMUM, see Helianthus.						HEXACENTRIS, see Thunbergia.				
	HAWKWEED, " Crepis.			2	8	⊕	HIBISCUS africanus (calisurus)	1	4	0	2
	HEARTSEASE, " Viola tr. maxima.					⊕	coccineus (speciosus)			1	2
⊕	HEDYCHUM Gardnerianum						metallicus 100 seeds 2 s.				
2	HEDYSARUM coronarium, red	3	0	0	4		mutabilis 1000 " 1 "			2	0
	coronarium album, white	2	0	0	2		" fl. pleno 1000 " 1 "			3	0
	" roseum	2	0	0	2		punicus 1000 " 3 "			4	6
	" fine mixed	2	4	0	3		roseus grandiflorus			2	4
⊕	humile, annual, very dwarf, red			0	10	2	HIERACIUM aurantiacum, orange, fine			1	0
	HELENIUM Douglasi, yellow	5	0	0	6		villosum, yellow, dwarf, very fine	5	0	0	6
2	Hoopesi, large yellow flowers	4	0	0	4		HOLLYHOCKS, see Assortments.				
	pumilum, yellow, dwarf, floriferous			4	0		HONESTY, see Lunaria biennis.				
2	HELIANTHEMUM mutabile, various colors	3	0	0	4		HONEYSUCKLE, French, see Hedysarum.				
⊕	HELIANTHUS annuus Henry Wilde	1	8	0	2	♂	HUMEA elegans 1 2 oz. 1 s. 4 d.				
	annuus Primrose-coloured, sulphur	1	6	0	2		elegans albida 3 2 " 1 " 4 "			28	0
	argyrophyllus, ornamental	1	6	0	2		" purpurea 3 2 " 1 " 0 "			6	0
	californicus, Californian Sunflower	1	4	0	2	⊕	Humulus japonicus, climbing hop			9	0
	cucumerifolius, floriferous, excellent	3	4	0	4		japonicus fol. variegatis, fine leaves variegated with white, true from seed			0	10
	" Stella, new, larger-flowered	8	0	0	8	⊕	HUNNEMANNIA fumarifolia, golden yellow, dwarf, very fine species	11	0	1	0
	globosus fistulosus fl. pl., enormous flowers, very double, best strain	2	8	0	3		HYACINTH BEAN, see Dolichos.				
	" multiflorus fl. pl., very floriferous, fine	3	6	0	4	2	HYACINTHUS candicans (Galtonia), white, Yucca-like, splendid	1	8	0	2
	lenticularis, new, very tall-growing	1	0	0	2	⊕	HYMENOXIS californica (Shortia), yellow, dwarf Everlasting	10	0	0	10
	macrophyllus giganteus	1	4	0	2		HYPERICUM elegans, yellow	44	0	3	4
	nannus fl. pleno, dwarf, extra double	3	0	0	4	⊕	IBERIS affinis, white, dwarf	3	0	0	4
	" fol. variegatis, very ornamental	3	0	0	4		amara, Candytuft, white cwt. 84 s.	0	10	0	2
	oculatus viridis fl. pl. (centrochlorus)	2	4	0	3		coronaria (hesperidiflora), White Rocket or Spiral, true stock	1	4	0	2
	peruvianus, of compact habit, fine	1	8	0	2		" Empress, large trusses of pure white flowers, very handsome	6	0	0	6
	uniflorus, very tall, enormous flowers	0	8	0	2		" princeps, see Novelties.				
	varieties, mixed	1	2	0	2		" Tom Thumb, dwarf (varies)	2	4	0	3
2	missouricus (Maximiliani, 1000 sds. 4 s. 0 d.)			10	0		Lagascae, white, very floriferous	3	0	0	4
	rigidus 1000 " 3 " 6 "			8	0		pectinata (odorata), white, fragrant	1	0	0	2
	" praecox 1000 " 3 " 0 "			6	0		umbellata alba, creamy white	9	0	0	10
	strumosus 1000 " 2 " 4 "						" carminea, Carter's Carmine, true	4	0	0	4
	HELICHRYSUM, see Elichrysium.						" carnea, flesh	5	6	0	6
2	HELIOPSIS Pitcheriana, new, golden yellow			14	0		" lilacina, lilac or purple cwt. 200 s.	2	0	0	2
⊕	HELIOTROPIMUM Anna Turrel			2	6		" purpurea, Dark Crimson, the darkest, best strain cwt. 200 s.	2	0	0	2
	Boule de neige			3	4		" nana, very fine	9	0	0	10
	Bouquet de violettes			4	6		" hybrida nana alba, white	9	0	0	10
	Doctor Livingstone, dark blue			4	0		" " carnea, flesh	18	0	1	6
	Louise Delaux, rose-tinted flowers			4	6		" " rosea, charming	26	0	2	0
	Mad. de Blonay, white, for bouquets			4	6		" " dwarf hybrids, splendid mixed, very effective	10	0	0	10
	" Bruant, very fine			6	8		annual sorts, finest mixed cwt. 160 s.	1	8	0	2
	Nuée bleue, large, blue with white			2	6		gibraltaria, large flowers, lilac shading off to white, very fine	80	0	5	6
	peruvianum			12	0		" hybrida, dwarf, earlier than the above	64	0	4	6
	Queen Marguerite, large, dark blue			2	6		Pruniti, white, dwarf, very early, charming	11	0	1	0
	Reine des violettes			3	0		sempervirens, white, very fine			14	0
	Roi des noirs			2	8		" nana, new, charming 1 8 oz. 1 s.			2	0
	Triomphe de Liège			2	8		Tenoreana, whitish lilac	2	0	0	2
	Voltaireanum			3	6		ICE PLANT (Mesembr. crystallinum)	3	4	0	4
	White Lady, large white			40	0						
	dark varieties mixed			80	0						
	all sorts fine mixed			30	0						
	new large-flowering, finest mixed			80	0						
	Pkts.: hundred 20 s., dozen 3 s.										
⊕	HELIPTERUM corymbiflorum, white } fine Everlastings	3	4	0	4						
	Sanfordi, yellow	3	6	0	4						
2	HELLEBORUS niger, Christmas Rose	7	6	0	8						
	hybridus, hybrids of H. niger and caucasicus in splendid mixture 1000 sds. 3 s.			7	0						

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

		s.	d.			per lb.	per oz.
	<i>IMANTOPHYLLUM</i> , see <i>Clivia</i> .						
⊙	<i>IMPATIENS glanduligera</i> , red	4l. 5 s.	0 6				
	<i>glanduligera alba</i>	"	0 6				
⊙	<i>Sultani</i> , bright rose	oz. 52 s., $\frac{1}{4}$ oz. 14 s., $\frac{3}{4}$ oz. 2 s., 1000 seeds	1 4				
	Pict. Pkts.: hundred 20 s., dozen		3 0				
	" <i>King Albert (splendens)</i> , (Benary), bright rosy carmine $\frac{1}{2}$ oz. 2 s., 1000 sds.		1 4				
	" <i>QueenCarola, chamois</i> $\frac{1}{2}$ " 2 " 1000 "		1 4				
	" <i>hybrida, finest varieties, mixed</i> $\frac{1}{4}$ oz. 14 s., $\frac{3}{4}$ oz. 2 s., 1000 "		1 4				
	Pict. Pkts.: hundred 20 s., dozen		3 0				
	" <i>nana, new dwarf</i> $\frac{1}{2}$ oz. 2 s., 1000 sds.		1 4				
	<i>INDIAN PINK</i> , see <i>Dianthus chinensis fl. pl.</i>						
2l	<i>Incarvillea Delavayi</i> , rosy carmine, <i>Gloxinia</i> - like flowers, splendid	$\frac{3}{4}$ oz.	4 0				
2l	<i>variabilis, rose, fine</i>	$\frac{1}{2}$ " "	1 0				
2l	<i>INULA ensifolia</i> , golden yellow, dwarf	oz.	1 8				
	<i>glandulosa grandiflora</i>	oz. 14 s., $\frac{1}{16}$ " "	1 0				
	<i>macrocephala, new, golden yellow, tall</i> $\frac{1}{4}$ oz. 7 s., $\frac{3}{4}$ " "		1 0				
		per lb.	per oz.				
		s. d.	s. d.				
⊙	<i>IONOPSIDIUM acaule, fine Miniature</i>	30 0	2 4				
⊙	<i>IPOMOEA bona nox, large blue flowers</i>	1 10	0 2				
⊙	<i>brasilensis magnifica, blue</i> 100 sds. 4s. 6d.						
⊙	<i>coccinea</i>	1 4	0 2				
	" <i>lutea</i>	2 0	0 2				
	<i>grandiflora alba (mexicana)</i>	7 6	0 8				
⊙	<i>Hardingi, lilac</i> 1000 seeds 12 s.						
⊙	<i>hederacea grandiflora superba, sky-</i> <i>blue, white-margined</i>	2 6	0 3				
	" <i>grandiflora superba alba</i>	2 8	0 3				
	" <i>superba atroviolacea</i>	2 8	0 3				
	" " <i>fine mixed</i>	2 6	0 3				
	" " <i>Carmen Sylva, rose,</i> <i>white-striped leaves</i>	4 0	0 4				
	" " <i>fol. marmoratis, mixed</i>	3 4	0 4				
⊙	<i>Horsfalliae</i> 100 seeds 2 s. 8 d.						
⊙	<i>imperialis, foliage variegated, flowers</i> <i>fringed and of rich colours</i>	8 0	0 8				
⊙	<i>Leari, dark blue, splendid</i>	28 0	2 4				
	" <i>atroviolacea</i>	2 8	0 3				
⊙	" <i>limbata (Pharbitis), purple and white</i>	2 4	0 3				
	" <i>elegantissima</i>	2 8	0 3				
	<i>Nil grandiflora (Ferrandiana)</i>	2 0	0 2				
	<i>purpurea, Convulvulus major,</i> <i>finest mixed</i> cwt. 62 s.	0 8	0 2				
	" 12 fine varieties, each	1 0	0 2				
	" <i>fl. pleno, new double, handsome</i> <i>colours and Assorts., see page 20.</i>	6 0	0 6				
	<i>Quamoclit, Cypress Vine, scarlet</i>	3 0	0 4				
	" <i>alba, white</i>	3 0	0 4				
	" <i>mixed</i>	2 8	0 3				
	" <i>Kerberi, new, scarlet, late-flowering</i> <i>Roxburghi, white, fine</i>	6 0	0 6				
	" <i>12</i>	1 2	0 2				
	<i>rubro-coerulea (violacea vera), splendid</i> <i>" fl. albo, very fine</i>	11 0	1 0				
	" "	1 4					
	<i>sanguinea (Mina), scarlet, fine</i>	5 6	0 6				
⊙	<i>scarlatina</i> 1000 seeds 2 s. 8 d.		1 4				
⊙	<i>IPOMOPSIS Beyrichii, red and yellow</i>		0 8				
	<i>elegans (picta), red</i>		0 8				
	" <i>aurantiaca</i>		0 8				
	" <i>sanguinea, very fine</i>		0 8				
	" <i>superba, scarlet</i>		0 8				
	<i>fine mixed</i>	3 8	0 4				
2l	<i>IRIS Kaempferi, from a fine Collection</i>	14 0	1 2				
	<i>pumila, mixed</i>		1 0				
	<i>Robinsoniana</i> 1000 seeds 12 s.						
⊙	<i>ISOLOMA hirsuta, fine Gesneriaceae,</i> <i>with orange flowers</i> 1000 sds. 6 d.		2 6				
⊙	<i>ISOTOMA petraea alba, white</i>		2 6				
⊙	<i>petraea coerulea, blue</i>		1 4				
⊙	<i>IXIA hybrida, mixed</i>		2 4				
⊙	<i>JACARANDA mimosaeifolia</i> 1000 sds. 1 s. 2 d.						
	<i>mimosaeifolia alba</i> 100 " 1 s. 6 "						
	<i>JACOBÆA</i> , see <i>Senecio</i> .						
	<i>JACOB'S LADDER</i> , see <i>Polemonium</i> .						
⊙	<i>KALANCHOE carnea</i> 1000 seeds 5 s.						
	<i>glaucescens</i> 1000 " 1 "						
⊙	<i>KAULFUSSIA amelloides, blue</i>	7 0	0 8				
	<i>amelloides alba</i>	7 0	0 8				
	" <i>atroviolacea</i>	8 0	0 8				
	" <i>kermesina</i>	7 0	0 8				
	" <i>rosea</i>	9 0	0 10				
	" <i>mixed</i>	7 0	0 8				
⊙	<i>KENNEDYA bimaculata grandiflora</i>		6 0				
	<i>macrophylla</i> 1000 seeds 5 s.		4 0				
	<i>nigricans</i> 1000 " 2 "		4 0				
	<i>ovata alba</i>		2 4				
	<i>rubicunda</i> 1000 seeds 4 s. 6 d.		4 6				
⊙	<i>LALLEMANTIA canescens, blue, for bees</i>	2 0	0 2				
⊙	<i>LANTANA hybrida, fine mixed</i>	4 0	0 4				
⊙	<i>LAPAGERIA rosea (home-saved)</i> 1000 seeds 26 s., 100 seeds 3 s.						
	<i>LARKSPUR</i> , see page 20 and 21.						
	" <i>Perennial</i> , see <i>Delphinium</i> .						
⊙	<i>LASTHENIA californica, yellow</i>	3 6	0 4				
⊙	<i>LATHYRUS azureus, Lord Anson's</i>	0 6	0 2				
	<i>azureus albus</i>	0 6	0 2				
2l	<i>latifolius, Everlasting Pea, scarlet</i>	2 4	0 3				
	" <i>albus, white, splendid climber</i>	9 0	0 10				
	" <i>roseus</i>	4 0	0 4				
	" <i>fine mixed</i>	5 0	0 6				
⊙	<i>rotundifolius, copper-red, fine</i>	2 0	0 2				
⊙	<i>tingitanus (Napoleonis), red</i>	0 6	0 2				
⊙	<i>LATHYRUS odoratus, Sweet Peas,</i> <i>finest mixed</i> cwt. 56 s.	0 7	0 2				
	<i>Eckford's new hybrids, splendid</i> <i>mixed</i> cwt. 66 s.	0 8	0 2				
	<i>largest-flowering, mixed, English</i> <i>and American sorts</i> cwt. 120 s.	1 3	0 2				
	<i>Adonis, bright pink</i> " 72 "	0 9	0 2				
	* <i>Apple Blossom (American Belle), rose,</i> <i>shaded blush, fine</i>	0 10	0 2				
	** <i>Aurora, white flaked with rosy scarlet</i> <i>Black Purple (Black)</i>	0 10	0 2				
	" <i>Striped</i>	0 8	0 2				
	** <i>Blanche Burpee, pure white</i>	1 8	0 2				
	* <i>Boreatton, rich maroon</i>	1 2	0 2				
	* <i>Bronze King, copper standard, white wings</i> <i>Butterfly, white, tinted lilac</i> . cwt. 72 s.	0 9	0 2				
	<i>Captain Clarke (tricolor)</i>	0 8	0 2				
	** " <i>of the Blues, standard purple</i> <i>blue, wings bright blue</i>	1 8	0 2				
	* <i>Countess of Radnor, standard mauve,</i> <i>wings lilac, lovely</i> . . cwt. 150 s.	1 6	0 2				
	** <i>Crown Jewel, standard tinted violet</i> <i>rose, wings creamy, tinted rose</i>	2 0	0 2				
	" <i>Princess of Prussia, blush</i>	0 10	0 2				
	<i>Cupid, the new white Tom Thumb</i>	5 0	0 6				
	" <i>pink, rose and white, very pretty</i> <i>Dark Red</i>	12 0	1 0				
	" "	0 8	0 2				
	* <i>Delight, white, shaded rose</i>	1 0	0 2				
	* <i>Dorothy Tennant, rosy mauve self</i>	2 0	0 2				
	* <i>Duchess of Edinburgh, scarlet, merging</i> <i>into rose</i> cwt. 84 s.	0 10	0 2				
	* <i>Duchess of York, delicate white, striped</i> <i>pink</i>	2 0	0 2				
	** <i>Duke of Clarence, rosy claret, fine</i> <i>cwt. 150 s.</i>	1 6	0 2				
	" <i>of York, standard rose, wings prim-</i> <i>rose, shaded pink</i> . . cwt. 112 s.	1 2	0 2				
	* <i>Eliza Eckford, white, shaded and flushed</i> <i>pink</i> cwt. 120 s.	1 3	0 2				
	** <i>Emily Eckford, rosy mauve, changing</i> <i>to blue</i> cwt. 150 s.	1 6	0 2				
	* <i>Emily Henderson, white, early</i>	1 8	0 2				
	* <i>Empress of India, rosy standard, white</i> <i>wings</i> cwt. 96 s.	1 0	0 2				
	<i>Fairy Queen, white and rose</i>	0 8	0 2				
	* <i>Firefly, brilliant glowing crimson</i>	0 10	0 2				
	* <i>Gaiety, white flaked rosy lilac</i>	5 6	0 6				
	<i>Grand Blue (Invincible Blue) cwt. 84 s.</i>	0 10	0 2				

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

		per lb.		per oz.				per lb.		per oz.		
		s.	d.	s.	d.			s.	d.	s.	d.	
LATHYRUS odoratus — continued.												
**Gray Friar, <i>light mauve, marbled</i>	cwt. 150s.	1	6	0	2			4	0	0	4	
*Her Majesty, <i>rosy pink, shading to magenta</i>		1	8	0	2			4	0	0	4	
⊙ Indigo King (Purple Prince)		0	10	0	2			8	0	0	8	
Invincible Scarlet	cwt. 72 s.	0	9	0	2					1	4	
" Scarlet Striped		0	8	0	2					0	6	
* " Carmine (Cardinal)	cwt. 84 s.	0	10	0	2			11	0	1	0	
*Isa Eckford, <i>rosy pink, shading to carmine</i>		1	0	0	2			3	4	0	4	
**Juanita, <i>white, striped lavender</i>	cwt. 150s.	1	6	0	2			8	0	0	8	
*Katharine Tracy, <i>brilliant pink</i>		1	8	0	2							
*Lady Beaconsfield, <i>salmon pink standard, wings yellow, fine</i>		1	8	0	2							
* " Penzance, <i>bright carmine rose with orange, lovely</i>	cwt. 150 s.	1	6	0	2							
*Lemon Queen, <i>cream with chamois, very fine variety</i>	cwt. 84 s.	0	10	0	2							
Light Blue and Purple		0	8	0	2							
*Lottie Eckford (Miss Hunt), <i>rose and white, edged blue</i>		0	10	0	2							
**Mars, <i>fiery crimson</i>		4	0	0	4							
*Meteor, <i>standard orange pink, wings bright rose, new</i>	cwt. 150 s.	1	6	0	2							
*Miss Blanche Ferry, <i>red and white, free blooming, a fortnight earlier than other vars., extra</i>	cwt. 84 s.	0	10	0	2							
*Miss Blanche Ferry Earliest, <i>about 25 days earlier than any other</i>	cwt. 96 s.	1	0	0	2							
**Monarch (Waverley), <i>bronzy purple</i>		1	8	0	2							
*Mrs. Eckford, <i>whitish yellow, fine</i>		2	6	0	3							
** " Joseph Chamberlain, <i>white striped pale rose</i>	cwt. 120 s.	1	3	0	2							
* " Sankey, <i>white, shaded rose</i>		0	10	0	2							
*Orange Prince, <i>beautiful</i>		1	0	0	2							
**Prima Donna, <i>lovely soft pink</i>		4	0	0	4							
*Primrose, <i>pale yellow, beautiful</i>	cwt. 96 s.	1	0	0	2							
Princess Beatrice, <i>bright carmine rose, very showy</i>	cwt. 84 s.	0	10	0	2							
* " May, <i>light lavender, charming</i>		2	4	0	3							
* " of Wales, <i>white, striped blue</i>	cwt. 72 s.	0	9	0	2							
* " Victoria (Mrs. Gladstone), <i>flesh with rose</i>		0	10	0	2							
*Queen of England, <i>large white, extra fine variety</i>	cwt. 84 s.	0	10	0	2							
* " " the Isles, <i>scarlet, mottled with white and purple</i>	cwt. 72 s.	0	9	0	2							
**Ramona, <i>white striped flesh-colour</i>		2	0	0	2							
Red Riding Hood, <i>dark rose, wings closed, distinct</i>		1	8	0	2							
Red Striped	cwt. 60 s.	0	8	0	2							
" and White (Painted Lady)	" 60 "	0	8	0	2							
**Royal Robe, <i>bright pink self</i>		1	8	0	2							
**Royal Rose, <i>rose shading to light pink</i>				1	0							
*Senator, <i>striped chocolate, showy</i>	cwt. 72 s.	0	9	0	2							
*Splendour, <i>bright rose, flushed with crimson, very handsome</i>	cwt. 72 s.	0	9	0	2							
**Stanley, <i>deep maroon self</i>		2	0	0	2							
The Queen, <i>pink with mauve wings</i>		0	10	0	2							
*Venus, <i>chamois rose, beautiful</i>	cwt. 150 s.	1	6	0	2							
Vesuvius, <i>rosy, lilac, and crimson</i>	" 60 "	0	8	0	2							
Violet Queen		0	10	0	2							
White	cwt. 72 s.	0	9	0	2							
I grow Sweet Peas on a vast scale. The vars. marked * are large, those marked ** very large-flowered.												
⊠ LAURUS Camphora	1000 seeds 5 s.	5	0	0	6							
⊠ LAVATERA arborea		5	0	0	6							
arborea variegata, <i>green leaves mottled with yellow, very decorative</i>		11	0	1	0							
⊙ trimestris, <i>red</i>		2	4	0	3							
" flore albo, <i>white</i>		2	4	0	3							
⊙ LAYIA elegans, <i>dwarf, yellow and white glandulosa, pure white, fine</i>		5	0	0	6							
LEONTOPODIUM, see Gnaphalium.												
⊙ LEPTOSIPHON androsaceus, <i>lilac</i>		3	0	0	4							
androsaceus albus		3	0	0	4							
aureus		5	0	0	6							
carmincus, <i>very fine</i>		11	0	1	0							
LEPTOSIPHON — continued.												
⊙ densiflorus, <i>blue</i>		4	0	0	4							
" albus		4	0	0	4							
hybridus, <i>French varieties, very fine</i>		8	0	0	8							
" aurantiacus, <i>extra fine</i>					1	4						
luteus					0	6						
roseus, <i>tender rose, charming</i>		11	0	1	0							
fine mixed		3	4	0	4							
⊙ LEPTOSYNE maritima (grandifl.), <i>yellow Stillmani, my last year's novelty, beautiful large golden flowers, blooming five to six fine weeks after sowing, excellent plant for cutting</i>		8	0	0	8							
Pkts.: hundred 20 s., dozen 3 " 1 oz. 1 s. 14 0												
⊠ LEUCADENDRON argenteum	100 sds. 2 "											
⊙ LEUCANTHEMUM (Chrysanthemum) grandiflorum, <i>white, dwarf, for cutting</i>		3	0	0	4							
⊙ maximum, <i>large white</i>		10	0	0	10							
" filiferum, <i>beautiful new variety</i>												
Pkts.: hundred 40 s., doz. 6 s. 0 d. 1000 seeds 5 " 6 "												
" Triumph, <i>with very large flowers</i>												
Pkts.: hundred 40 s., doz. 6 s. 0 d. 1000 seeds 5 " 6 "												
⊙ uliginosum (scrobinum), <i>large white, excellent for cutting</i>					4	0						
see also Chrysanthemum.												
⊙ LIATRIS elegans					0	10						
spicata					1	4						
⊠ LIBONIA floribunda	100 sds. 1 s. 8 d.											
⊙ LIGULARIA macrophylla	1000 " 2 " 0 "											
⊙ LILIUM auratum	1000 " 1 " 6 "				6	0						
Harrisi	1000 " 10 " 0 "											
lancifolium, mixed	1000 " 8 " 0 "											
Martagon					0	6						
⊙ LIMNANTHES Douglasi, <i>white and yellow</i>		1	8	0	2							
⊙ LINARIA alpina, <i>blue, quite dwarf</i>					8	0						
bipartita (elegans), <i>purple</i>		1	4	0	2							
" alba		2	0	0	2							
" splendida, <i>dark violet, fine</i>		2	0	0	2							
" fine mixed		1	8	0	2							
⊙ Cymbalaria, <i>Kenilworth Ivy, for suspensions, charming</i>		56	0	4	0							
" fl. albo					6	8						
" " roseo					6	8						
Hendersoni, <i>purplish violet</i>		1	6	0	2							
" ericoides (Benary), <i>new, dwarf, compact, long and free blooming</i>		8	0	0	8							
⊙ maroccana, <i>purple</i>		4	0	0	4							
" carminea		4	0	0	4							
" hybrida		3	0	0	4							
⊙ multipunctata, <i>dwarf, yellow and black pilosa, light lilac, fine</i>					1	0						
⊙ reticulata, <i>aureo-purpurea, flowers golden yellow and purple; charming</i>		7	0	0	8							
tricornithophora, <i>violet</i>					4	0						
⊙ LINDELLOFIA spectabilis, <i>blue</i>		4	0	0	4							
⊙ LINUM flavum (campanulatum), <i>yellow, fine grandiflorum rubrum (verum), large-flowered scarlet Flax</i>	cwt. 150 s.	1	6	0	2							
" roseum, <i>very fine</i>		2	2	0	3							
Lewisi, <i>blue</i>		2	4	0	3							
" variegatum		2	4	0	3							
⊙ luteum (corymbosum), <i>bright yellow</i>		10	0	0	10							
⊙ narbonne, <i>steel-blue veined</i>		5	6	0	6							
perenne, <i>Perennial Flax, blue</i>		2	4	0	3							
" album		3	0	0	4							
" roseum		6	0	0	6							
perennial sorts, <i>fine mixed</i>		2	6	0	3							
⊠ LISIANTHUS Russellianus, <i>splendid Gentianeae, large blue flowers</i>												
1 oz. 20 s., 1 oz. 3 s.												
⊙ LOASA aurantiaca (Herberti, lateritia)		8	0	0	8							
⊙ hispida, <i>golden yellow, fine</i>	1 oz. 1 s.				7	0						
tricolor, <i>orange, red and green</i>		5	0	0	6							
Wallisi (vulcanica), <i>white with red</i>					1	4						

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

		per fl.	per oz.			per fl.	per oz.
		s. d.	s. d.			s. d.	s. d.
4	LOBELIA cardinalis.....		8 6	⊙	LUFFA (Orn. Cuc.) cylindrica.....	5 0	0 6
	cardinalis hybrida (Gerardi) splen-				Sooly Qua.....	5 0	0 6
	did hybrids mixed $\frac{1}{2}$ oz. 2 s. 6 d.	72	0	♂	LUNARIA biennis (annua), Honesty..	3 4	0 4
	" <i>atrosanguinea</i> , see <i>Novelties</i> .				biennis alba, white.....	5 0	0 6
	" <i>Nanseniana</i> (Benary), new, crimson				" <i>kermesina</i> , crimson, fine.....	5 0	0 6
	purple, semi-dwarf, dark foliage				" <i>variegata</i> , foliage green and		
	very beautiful $\frac{1}{2}$ oz. 2 s. 6 d.	72	0		white, very fine, true from seed		
	Pkts.: hundr. 20 s., doz. 3 " 0 "				" mixed.....	4 0	0 4
	" <i>Queen Victoria</i> , very dark			⊙	LUPINUS affinis, blue, dwarf.....	1 8	0 2
	leaves, brilliant scarlet flowers,				albo-coccineus, rose and white.....	1 4	0 2
	constant, splendid $\frac{1}{2}$ oz. 2 s. 6 d.	72	0		Cruikshanksi, dark blue... cwt. 48 s.	0 6	0 2
	Pict.Pkts.: hundr. 20 s., doz. 3 " 0 "				Dunnetti atroviolaceus.....	1 2	0 2
	<i>syphilitica</i> alba.....	4	0		" <i>superbus</i> , purple, yellow and white	1 2	0 2
	" <i>hybrida</i>	5	6		guatemalensis, blue, fine.....	1 0	0 2
	perennial sorts, mixed. $\frac{1}{2}$ oz. 5 s.				Hartwegi, blue.....	1 2	0 2
△	4 Cavanillesi, scarlet with orange-colour-				" <i>albus</i> , coelestinus, each.....	1 2	0 2
	ed lip, fine $\frac{1}{2}$ oz. 3 s., 1000 sds. 4 d.				" <i>roseus</i> , ruber, each.....	1 2	0 2
⊙	Cliffortiana, blue, very floriferous....		1 4		hirsutus (pilosus), large blue.....	0 6	0 2
	erinus (gracilis), blue.....	9 0	0 10		" <i>albus</i> , ruber, each.....	0 6	0 2
	" <i>alba</i> , pure white.....	11 0	1 0		hybridus atrococcineus.....	1 4	0 2
	" <i>Barnard's Perpetual</i> , deep blue				" <i>duplex</i> (President Cleveland) ..	2 4	0 2
	with white eye, very fine.....	40 0	3 0		" <i>insignis</i> , dark red, nigrescens, each	1 4	0 2
	" <i>Crystal Palace</i> (speciosa), dark				" <i>roseus</i>	1 8	0 2
	blue, splendid.....	18 0	1 6		Moritzianus, blue.....	1 0	0 2
	" <i>hybrida grandiflora</i>	9 0	0 10		mutabilis, sweet-scented... cwt. 48 s.	0 6	0 2
	" <i>kermesina</i>	9 0	0 10		" <i>roseus</i>	0 8	0 2
	" <i>Lindleyana</i> (rosea).....	9 0	0 10		" <i>versicolor</i>	0 8	0 2
	" <i>Paxtoniana</i> (marmorata), white and blue	9 0	0 10		nanus, dwarf blue, very fine.....	2 0	0 2
	" <i>Pearl</i> , white, blue-margined.....	9 0	0 10		" <i>albus</i>	3 0	0 2
	" <i>Prima Donna</i> , velvet maroon...	4	0		" <i>albo-coccineus</i>	0 0	0 0
	" " <i>new compact</i> $\frac{1}{16}$ oz. 4 s.				" <i>violaceus</i>	9 0	0 10
	" <i>Royal Purple</i> (compacta ocula-				pubescens elegans, purple and white	1 0	0 2
	ta), dark stalks, flowers deep				sulphureus <i>superbus</i> (Menziessi) ..	5 0	0 6
	blue with distinct white eye, extra	26 0	2 0		texanus (subcanosus), fine.....	5 0	0 6
	" mixed.....	9 0	0 10		venustus tricolor.....	1 0	0 2
	" <i>erecta</i> (compacta), blue, very fine	22 0	1 8		mixed annual sorts..... cwt. 90 s.	1 0	0 2
	" <i>alba</i> , white.....	26 0	2 0		" " dwarf vars. only.....	1 8	0 2
	" <i>bicolor</i> , blue and white...	1	0	2	arbores, Yellow Tree Lupin.....		2 8
	" <i>Crystal Palace</i> com-				" <i>Snow Queen</i> , novelty 100 sds. 10 s.		
	compacta (Benary), dark blue,				grandifolius, purple.....	2 6	0 3
	for edgings and carpet-				" <i>tricolor</i> , variable, very fine.....	2 6	0 3
	bedding, excellent strain..	100 0	7 0		polyphyllus, perennial sorts, finest mixed	1 8	0 2
	Pict.Pkts.: hundr. 16 s., doz. 2 s. 6 d.				" <i>albus</i>	2 8	0 3
	" <i>erecta duplex</i> (nearly true from seed)		5 0		" <i>atrocoeruleus</i>	2 0	0 2
	" " <i>Emperor William</i> , light				" <i>Douglasi superbus</i>	3 0	0 4
	blue, compact, very fine..	34 0	2 8	2	LYCHNIS alpina, rose, quite dwarf.		3 0
	" " <i>fol. aureis</i> (Golden Queen),				chalcedonica, scarlet, fine.....	3 6	0 4
	yellow-leaved $\frac{1}{2}$ oz. 2 s. 6 d.				" <i>alba</i>	4 0	0 4
	Pkts.: hundr. 20 s., doz. 3 s.				fulgens, brilliant scarlet.....		1 4
	" " <i>pumila splendens</i> , dark			4	Haageana (Benary), scarlet, very fine	18 0	1 6
	blue, distinct white eye,				" <i>atrosanguinea</i> (fol. atropurpureis)		
	splendid novelty $\frac{1}{16}$ oz. 1 s.		14 0		(Benary), very fine.....	16 0	1 4
	" " <i>rosea</i>		1 0		" <i>grandiflora gigantea</i> ...		1 4
	" " <i>stricta multiflora</i> , fine	10 0	0 10		" <i>hybrida</i> , fine mixed varieties...	11 0	1 0
	" " <i>White Gem</i> (pumila alba),				" " <i>nana</i> , white, red and flesh		
	pure white, very beautiful	56 0	4 0		mixed, very fine.....	15 0	1 4
	" " <i>White Lady</i> , large-flowered			2	Lagascæ (Petrocoptis), rose, quite		
	white, very fine novelty..		9 6		dwarf, charming for pots $\frac{1}{16}$ oz. 1 s.		14 0
	" " finest mixed.....	26 0	2 0	2	⊙ Sieboldi, white, fine.....	11 0	1 0
	Mitchelli, miniature..... $\frac{1}{2}$ oz. 2 s.			2	Viscaria, rose, fine.....	2 0	0 2
	ramosa, blue.....		1 4		" <i>splendens</i> (coccinea) } very early	6 0	0 6
	" <i>alba</i>		1 0	2	LYTHRUM roseum superbum.....	1 8	0 2
	" <i>rubra</i> (rosea) } very graceful ..		1 0		tomentosum, red.....	1 6	0 2
	" <i>nana compacta</i> , very fine.....		2 0	⊙	MADIA elegans, yellow and brown, tall	2 4	0 3
	" " <i>alba</i>		1 0	⊙	MALCOLMIA littorea, new, rosy lilac,		
⊙	LONAS inodora (Athanasia), yellow...	2 8	0 3		fragrant.....		8 0
△	⊙ LOPHOSPERMUM scandens, rose.....	40 0	3 0	⊙	MALOPE grandiflora alba.....	1 2	0 2
	coccineum.....		7 0		grandiflora purpurea.....	1 2	0 2
⊙	LOTUS Jacobaeus, brown.....	6 0	0 6		" <i>rosea</i> , constant.....	1 2	0 2
	Jacobaeus luteus.....		0 8		mixed.....	1 2	0 2
△	§ canariensis floribundus .. 1000 sds. 5 s.			⊙	MALVA crispa, curled, tall.....	0 10	0 2
	peliorhynchus, brilliant red, fine for				mauritanica (zebrina), dark rose.....	1 8	0 2
	hanging baskets 1000 sds. 20 s. 0 d.				miniata, scarlet.....	3 4	0 4
	100 " 2 " 4 "			2	moschata, rose } sweet-scented, ...	9 0	0 10
	LOVE-IN-A-MIST, see <i>Nigella</i> .				" <i>alba</i>	10 0	0 10
⊙	LOVE-LIES-BLEEDING (Amar. caudatus)	0 7	0 2	△	§ MANDEVILLEA suaveolens, white.....	11 0	1 0

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

		per tt.	per oz.			per tt.	per oz.
		s. d.	s. d.			s. d.	s. d.
MARIGOLDS, French, African, etc., see Tagetes, Assortments, and Calendula.							
⊙	MARTYNIA formosa (Craniolaria, fragrans)	3 4	0 4				
	lutea	3 8	0 4				
	proboscidea, reddish white	3 4	0 4				
	fine mixed	3 4	0 4				
MARVEL OF PERU, see page 21.							
⊙	MATRICARIA capensis fl. pleno (Feverfew), double white, fine	5 0	0 6				
	eximia fl. pleno, double white	5 0	0 6				
	" " corymbosa		1 0				
	" " crispa, curled foliage	11 0	1 0				
	" grandiflora fl. pl., beautiful	7 0	0 8				
	" " fl. pl. Tom Thumb, dwarf fest	11 0	1 0				
	" " " aurea	11 0	1 0				
	" nana fl. pleno		1 4				
	" " fol. aureis		1 1				
	" " crispa		1 0				
	" " Golden Ball, fine novelty 1½ oz. 1 s.		14 0				
	" Pkts.: hundr. 20s., doz. 3 "						
	" fl. pleno pyramidalis		2 0				
others, see Pyrethrum.							
⊙	MATTHIOLA bicornis, sweet-scented	1 10	0 2				
⊙§	MAURANDIA albiflora, excellent climber (my own growing, quite true)		7 0				
	antirrhiniflora, blue		1 2				
	Barelayana, "	48 0	3 6				
	Emeryana rosea		3 8				
	purpurea grandiflora	40 0	3 0				
	semperflorens, reddish blue		4 0				
	fine mixed	31 0	2 8				
⌘	MECONOPSIS cambrica, Welsh Poppy, yellow		8 0				
⊙§	MEDEOLA asparagoides (Myrsiphyllum), Smilax	18 0	1 6				
⊙	MELIANTHUS major, ornamental foliaged	40 0	3 0				
⊙§	MELOTHRIA scabra (Orn. Cucurbitaceae)		0 8				
⌘	MERTENSIA sibirica, light blue, very fine 1000 seeds 3 s. 6 d., ½ oz. 2 s.						
⊙	MESEMBRYANTHEMUM cordifolium variegatum, rose flowers, cream-coloured leaves, dwarf, charming		10 0				
⊙	crystallinum, Ice Plant, clean seed	3 4	0 4				
	pomeridianum, golden yellow	5 0	0 6				
	tricolor, clean seed	6 0	0 6				
	" album, "	6 0	0 6				
⊙	METROSIDEROS linearis 1000 seeds 1 s.						
	saligna 1000 " 1 "		1 1				
⌘	MICHAUXIA campanulata, large white bell-shaped flowers, splendid		2 6				
MIGNONETTE, see Reseda.							
⊙	MIMOSA pudica, Sensitive Plant	7 0	0 8				
⌘	MIMULUS cardinalis, orange	40 0	3 0				
	cardinalis grandiflorus, dark red, fine		5 0				
	" pictus, golden with scarlet, "		5 6				
	" roseus, variable		5 6				
	" above varieties mixed		4 6				
	eupreus, fine		5 0				
	" duplex, Hose in Hose, very fine		16 0				
	" nannus, true, very fine		5 6				
	" Prince Bismarck, dwarf, purplish carmine flowers, excellent for pots, masses, and edgings		7 0				
	moschatus, Musk Plant	56 0	4 0				
	" compactus, for pots and borders		10 6				
	quinquevulnerus, mixed	20 0	1 6				
	" maximus, beautiful	22 0	1 8				
	" " duplex, Hose in Hose, fine		3 4				
	Roezli, golden yellow, very dwarf, fine		6 0				
	tigrinus (pardinus), tigred and spotted varieties, remarkably fine	40 0	3 0				
	" duplex, Hose in Hose, beautiful double tigred and spotted varieties		5 6				
	" albus, white ground, excellent		3 6				
	" " duplex, superb		5 6				
	" rubro-maculatus (Benary)		3 6				
MIMULUS — continued.							
⌘	tigrinus grandiflorus (Queen's Prize), very beautiful large-flowered tigred and spotted varieties	88 0	6 0				
	" grandiflor. duplex (imperialis), new, very fine		10 6				
	" " Fire-King " 1½ oz. 10 d.		12 0				
	" nanus, very fine	41 0	3 4				
	" " roseus, new, charming 1½ oz. 3 s.						
	Pkts.: hundred 20s., doz. 3 "						
	all sorts mixed	20 0	1 6				
	duplex " "		6 0				
	Tilingi, yellow		1 0				
⊙§	MINA lobata, scarlet with yellow, one of the finest climbers 1000 sds. 3 s. 4 d.	44 0	3 4				
⊙	MIRABILIS longiflora, white } sweet-longiflora violacea, purple } scented	2 0	0 2				
	multiflora, dark lilac, large flowers, fine	2 0	0 2				
⌘	Jalapa, see Marvel of Peru, page 21.		1 0				
⊙	MITRARIA coccinea. 100 seeds 1 s. 2 d.						
⊙	MOLUCELLA spinosa, rose, fine foliage	3 6	0 4				
⊙§	MOMORDICA Balsamina, Balsam Apple } Cuc.	3 6	0 4				
	Charantia, Balsam Pear } Cuc.	5 0	0 6				
	Elaterium } Orn.		2 4				
	involuta, new 100 seeds 1 s. 6 d.						
⌘	MONARDA didyma, scarlet, dwarf ½ oz. 1 s.						
	hybrida, fine mixed		1 8				
⌘	MONK'S HOOD, see Aconitum.						
	MONTBRETIA crocosmiaeflora, orange crocosmiaeflora floribunda 1000 sds. 3 s.						
	" grandiflora superba 1000 " 3 "		8 0				
	" new varieties mixed, splendid						
	Pottsi, orange... 1000 seeds 1 s. 6 d.	8 0	0 8				
⌘	MORINA longifolia (elegans), ornamental						
	MORNING GLORY, s. Ipomoea purpurea.						
⊙§	MORRENIA odorata, flowers cream, very fragrant 1000 seeds 16 s.						
	MOURNING BRIDE, see Scabiosa.						
⊙§	MUKIA scabrella (Orn. Cuc.)		2 8				
⊙	MUSA Ensete, imported seed of excellent quality... 10,000 seeds 220 s.						
	1000 sds. 24 s., 100 seeds 2 s. 8 d.						
	Martini 100 " 6 " 0 "						
	ornata rosea 100 " 3 " 6 "						
	rosacea 100 " 3 " 0 "						
	superba 100 " 3 " 0 "						
⊙	MUSK (Mimulus moschatus)	56 0	4 0				
⊙	MYOSOTIS						
	alpestris, Forget-me-not, blue	10 0	0 10				
	" alba, white	9 0	0 10				
	" rosea	10 0	0 10				
	striatiflora, new	10 0	0 10				
	" fine mixed	9 0	0 10				
	" elegantissima } of pyramidal	10 0	0 10				
	" " alba } growth, semi-	9 0	0 10				
	" " rosea } dwarf, handsome	10 0	0 10				
	Fairy Queen, porcelain-blue, very fine, compact	56 0	4 0				
	" nana foliis aureis, yellowish leaves, very handsome	18 0	1 6				
	" " compacta coerulea	16 0	1 4				
	" " alba } of dwarf	11 0	1 0				
	" " rosea } compact	16 0	1 4				
	" " gracilis, blue, excellent						
	charming new variety } pot plants	48 0	3 6				
	" robusta grandiflora (Elisa Fonrobert), large-flowering very fine	14 0	1 2				
	" " alba, white	9 0	0 10				
	" " rosea		1 2				
	" stricta coelestina } new, of straight						
	Pkts.: dozen 5s. } pillar-like						
	" " rosea } habit, striking	88 0	6 0				
	Victoria, dwarf, globular, sky-blue flowers, finest for pots	32 0	2 6				
	Victoria white, new, fine	40 0	3 0				
	" " rose, " " "	40 0	3 0				

	per lb.	per oz.		per lb.	per oz.
	s. d.	s. d.		s. d.	s. d.
MYOSOTIS — continued.					
azorica, <i>turquoise blue</i>		12 0	⊠ NIDULARIUM amazonicum 1000 seeds 8 s.		
" alba (Benary).....		12 0	⊠ NIEREMBERGIA calycina (gracilis),		
" coelestina " $\frac{1}{8}$ oz. 10 d.		12 0	light blue, for dwarf groups.....	7 0	0 8
" fine mixed.....	156 0	10 6	frutescens, lilac, floriferous.....	6 0	0 6
♂ dissitiflora, large-flowered, true.....	100 0	7 0	⊠ NIGELLA damascena fl. pleno, Devil-		
" alba (Benary), white, fine.....		7 6	in-a-bush, double blue.....	0 10	0 2
" Perfection, new, large-flowered			damascena alba flore pleno.....	0 10	0 2
$\frac{1}{8}$ oz. 1 s. 6 d.			" nana fl. pleno, double dwarf...	1 8	0 2
⊠ oblongata (latifolia), fine.....	14 0	1 2	" " " alba, very pretty	1 0	0 2
" perfecta, novelty 1897, large-			Fontanesiana, blue.....	1 0	0 2
flowered, fine... $\frac{3}{8}$ oz. 1 s. 6 d.			hispanica, Love-in-a-Mist, blue.....	2 0	0 2
24 palustris, true marsh Forget-me-not	64 0	4 6	" alba.....	2 0	0 2
" semperflorens, dwarf, flowers			" atropurpurea.....	2 0	0 2
from spring until autumn	32 0	2 6	mixed sorts.....	1 2	0 2
" " fl. albo.....		4 6	⊠ NOLANA atriplicifolia, blue.....	1 4	0 2
" " roseo, new, fine.....		8 0	grandiflora, blue.....	1 6	0 2
" " grandiflora (Waterwitch),			" alba.....	1 6	0 2
new, large-flowered, fine		8 0	paradoxa violacea.....	1 6	0 2
" Tom Thumb, last year's novelty			mixed.....	1 6	0 2
Pkts.: hundred 20 s., dozen 3 s.			⊠ NYCTERINIA capensis, white, very sweet	10 0	0 10
♂ rupicola, porcelain-blue, quite dwarf,		28 0	selaginoides, lilac, graceful.....	7 0	0 8
charming for pots... $\frac{3}{8}$ oz. 1 s.			⊠ OENOTHERA acaulis (taraxacifolia		
⊠ sylvatica, pale blue, true.....	10 0	0 10	alba, large white flowers, dwarf...	14 0	1 2
⊠ NAEGELIA hybrida... $\frac{1}{4}$ oz. 8 s.			bistorta Veitchiana, yellow, dwarf..	4 0	0 4
Packets: hundr. 40 s., doz. 6 "			Drummondii, light yellow.....	5 0	0 6
NASTURTIIUM , see <i>Tropaeolum</i> .			" nana alba, fine.....	7 0	0 8
⊠ NEMESIA compacta alba.....		1 0	macrantha, large golden yellow, fine..	2 0	0 2
compacta bicolor, blue and white....	9 0	0 10	rosea (mexicana), 6 inches high, fine.	9 0	0 10
" coerulea.....	9 0	0 10	taraxacifolia aurea, very fine.....	9 0	0 10
" fine mixed.....	10 0	0 10	tetraptera (Sarazini), white.....	2 0	0 2
floribunda, pure white, trailing.....	10 0	0 10	annual sorts, fine mixed.....	5 0	0 6
versicolor, blue, lilac, and white....	7 0	0 8	biennis, Evening Primrose.....	1 0	0 2
strumosa Suttoni, splendid long-			Lamarekiana, yellow.....	1 8	0 2
blooming vars., large flowers, varying			♂ Fraseri, large yellow flowers.....		2 4
from creamy white to deep orange			missouriensis (macrocarpa), dwarf...	7 0	0 8
and carmine... $\frac{1}{2}$ oz. 1 s.		28 0	serrulata, yellow, pigmy 1000sds. 1 s. 6 d.		
Pkts.: hundred 16 s., dozen 2 s. 6 d.			splendens, yellow.....		1 4
strumosa Suttoni nana compacta,			24 ONONIS rotundifolia, rose, fine.....	8 0	0 8
very floriferous dwarf vars., offered			24 ONOPORDON Alexandrinum } decorative	1 6	0 2
for the first time $\frac{1}{4}$ oz. 20 s., $\frac{1}{2}$ oz. 3 s.			tauricum.....	0 10	0 2
⊠ NEMOPHILA Atomaria, white, spotted	1 4	0 2	⊠ ORCHIDS , tropical (seed saved in		
Atomaria atrocoerulea, very fine....	5 6	0 6	my greenhouses):		
crambeoides, pale blue.....	1 2	0 2	Angraecum Sanderianum, sesquipedale, each		
" albo-nigra.....	1 6	0 2	pkt. 2 s.		
" oculata, light blue, black-eyed..	1 2	0 2	Anguloa Clowesi..... " 2 "		
discoidalis, black brown, white-margined	1 0	0 2	Cattleya amethystina, labiata autumnalis,		
" elegans.....	1 2	0 2	Loddigesii, Mossiae, Trianae... each pkt. 2 s.		
" marmorata.....	1 2	0 2	Coelogyne cristata..... " 2 "		
" vittata.....	1 0	0 2	Cymbidium Lowianum..... " 2 "		
insignis, sky-blue..... cwt. 72 s.	0 9	0 2	Cypripedium Argus, barbatum, Boxalli,		
" alba.....	1 0	0 2	Elliotianum, Harrisii, Haynaldianum, insigne,		
" marginata.....	1 0	0 2	Javanicum, Roezlii, Spicerianum, villosum,		
" purpureo-rubra.....	1 2	0 2	each pkt. 2 s.		
maculata, white, brown-spotted.....	0 8	0 2	Dendrobium nobile..... " 2 "		
" grandiflora.....	1 0	0 2	Lycaste Skinneri, Pilumna alba, each " 2 "		

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

		per lb. per oz.		s. d.		s. d.	
✓	PAPAYER	arenarium, similar to umbrosum, finely lacinated foliage...				2	0
✓	Danebrog,	brilliant scarlet, blotched with silvery white, 3 feet high...	1	2	0	2	
✓	glaucum, Tulip Poppy (Benary),	vivid scarlet with black spots at the base of each petal, blooming very abundantly during 4 to 6 weeks. Excellent, especially for autumn sowing	15	0	1	4	
✓	laevigatum,	brilliant dark scarlet with black spots, effective	16	0	1	4	
✓	Mephisto,	scarlet with black spots, fine	1	4	0	2	
✓	" rose,	pretty	1	4	0	2	
✓	Mrselli fl. pl.,	white and red	1	4	0	2	
✓	" Mikado,	fringed white flowers, purple-margined	1	10	0	2	
✓	pavoninum,	scarlet, cherry-red at the base, with jet-black zone	9	0	0	10	
✓	Rhoeas, The Shirley Poppy, new	single-flowered, finest mixture	7	0	0	8	
✓	" fl. pl., mixed Ranunculus Poppy,	very rich mixture	1	8	0	2	
✓	The Bride,	single white, fringed	1	6	0	2	
✓	umbrosum,	gloving vermillion, with a deep black spot on each petal	2	6	0	3	
4	alpinum (luteum),	very fine	12	0			
✓	" album,	white, charming	12	0			
✓	" aurantiacum (coccineum)		12	0			
✓	" roseum (Benary), new,	charming	14	0			
✓	" fine mixed		10	0			
4	bracteatum,	scarlet	8	0	0	8	
✓	" Brilliant,	vivid scarlet	2	8			
✓	" nanum splendens,	very fine, true	2	6			
✓	" Prince of Orange,	tight scarlet	8	0			
✓	involutum maximum,	scarlet	8	0	0	8	
✓	maculatum superbum,	scarlet, blotched	8	0	0	8	
✓	orientale,	flowers of the darkest red, foliage dark green, fine	40	0	3	0	
✓	" hybrids,	fine mixed	32	0	2	6	
4	indicaule (croceum),	yellow, very fine	14	0	1	2	
✓	" fl. pleno, semi-double fine (varies)		1	6			
✓	" album,	white, splendid	16	0	1	4	
✓	" fl. pleno, semi-double (varies)		2	6			
✓	" aurantiacum (coccineum, miniature),	very effective	14	0	1	2	
✓	" fl. pleno (varies)	$\frac{1}{8}$ oz. 1 s.	14	0			
✓	" Iceland Poppies,	single finest mixed, highly effective	14	0	1	2	
✓	" double mixed (vary)		6	0			
4	perennial sorts,	splendid mixed	10	0	0	10	
4	PARDANTHUS chinensis,	Blackberry Lily	1	8			
4	PASSIFLORA alba		1	4			
4	coerulea		9	0	0	10	
✓	" grandiflora,	true	16	0	1	4	
✓	edulis		2	6			
✓	foetida		1	8			
✓	gracilis		1	0			
4	incarnata		2	4			
✓	lunata	1000 seeds 6 s.					
PEA, Sweet, see Lathyrus and Assortments.							
4	PELARGONIUM (Geranium) Large-flowered						
✓	or Show, from the finest sorts, splendid						
✓	mixed	1000 seeds 18 s., 100 seeds	2	0			
✓	Diadematum, extra	1000 " 18 " 100 "	2	0			
✓	Odier (Blotched) varieties, splendid						
✓	mixed	1000 seeds 18 s., 100 "	2	0			
✓	Fancy varieties	1000 " 12 " 100 "	1	6			
✓	above finest mixed	1000 " 14 " 100 "	1	8			
✓	hederaefolium, Ivy-leaved, mixed	1000 "	10	0			
✓	" fl. pleno " double "	1000 "	16	0			
4	odoratissimum, Apple-scented,	leaves very					
✓	odoriferous	$\frac{1}{4}$ oz. 18 s., $\frac{1}{2}$ oz. 2 s. 6 d., 1000 seeds	3	0			
✓	Scarlet or zonale, fine mixed	" 12 s., oz.	1	0			
✓	" " Bouchardat's strain, saved	for me by this successful raiser from his					
✓	finest vars	$\frac{1}{8}$ oz. 2 s., 1000 seeds	7	0			
		per lb. per oz.		s. d.		s. d.	
4	Scarlet Tom Thumb varieties, mixed	11.26 s., oz.	2	0			
✓	" Golden and Bronze, Mr. Laing's unsurpassed strain	1000 sds. 18 s., 100 sds.	2	0			
✓	" Silver-foliaged	1000 " 12 " 100 "	1	6			
✓	" White-flowered	1000 "	3	6			
✓	" Double (zonale fl. pl.), fertilized by one of the first continental growers, large percentage of fine double flowers	1000 seeds 14 s., 100 seeds	1	8			
4	PENTSTEMON atropurpureus, purple						
✓	with white throat		2	6			
✓	campanulatus, light blue		3	0	0	4	
✓	Cobaea, large white flowers shaded blue		16	0	1	4	
✓	cyaneanthus Brandegei, blue, pretty				0	8	
✓	Digitalis, white tinted with violet		3	0	0	4	
✓	glaber, dwarf, blue, fine		5	0	0	6	
✓	" rosenus, pretty				0	8	
4	Hartwegi (gentianoides, hybridus), mixed, from the handsomest sorts		56	0	4	0	
✓	" grandiflorus, new large-flowered, splendid vars., very brilliant				8	0	
✓	" nanus, very fine				4	0	
4	heterophyllus, blue, dwarf, charming				1	4	
✓	latifolius, pale lilac				0	6	
✓	Lobbi, yellow, splendid				2	0	
✓	Murrayanus, scarlet, very fine				5	6	
✓	" grandiflorus	$\frac{1}{2}$ oz. 2 s. 6 d.					
✓	ovatus, blue		5	0	0	6	
✓	" albus				0	8	
✓	puniceus, brilliant scarlet, splendid		32	0	2	6	
✓	speciosus, blue, very fine				0	10	
✓	spectabilis, blue and red, very beautiful				3	4	
✓	Wrighti, brilliant scarlet, very fine				8	0	
✓	various sorts mixed		5	6	0	6	
4	PEPEROMIA maculosa	1000 seeds 8 s.					
4	PERILLA frankinensis	11.134 "	1	4	0	2	
✓	frankinensis foliis atropurpureis laciniatis		1	8	0	2	
✓	" foliis variegatis, very beautiful (varies)	1000 seeds 3 s., $\frac{1}{8}$ oz. 3 s.					
✓	" macrophylla compacta, fine		2	0	0	2	
✓	" elatior, new, fine		3	0	0	4	
✓	" microphylla nigricans, new, fine		4	0	0	4	
4	PHACELIA campanularia, rich deep blue		8	0	0	8	
✓	Parryi, similar to above, fine		6	0	0	6	
✓	" fl. albo, new, white				2	6	
✓	congesta, blue		1	0	0	2	
✓	" albida, new, whitish		1	0	0	2	
✓	tanaetifolia, blue		0	10	0	2	
✓	" alba, pure white, new		9	0	0	10	
4	PETUNIA nycaginiflora, pure white		5	0	0	6	
✓	phoenicea (mirabilis), small purple		3	0	0	4	
✓	hybrida, mixed, very fine quality		8	0	0	8	
✓	" finest mixed, 1st quality, superb strain, very rich mixture		16	0	1	4	
✓	" alba, pure white, very fine		12	0	1	0	
✓	" compacta Brilliant, rosy carmine				8	0	
✓	" Countess of Ellesmere		6	0	0	6	
✓	" illustris (rosea), rose carmine		16	0	1	4	
✓	" Inimitable (Striped and Blotched), flowers with stelliform blotches and of symmetrical shape, splendid and very effective		20	0	1	6	
✓	" Belle Etoile, beautiful, somewhat large-flowered strain of Striped P.		22	0	1	8	
✓	" nana compacta multiflora (Inimitable Dwarf), bushy, 5 to 8 inches high, regularly striped flowers; exceedingly effective				6	0	
✓	" nana compacta rosea, Dwarf Brilliant Rose	$\frac{1}{8}$ oz. 2 s. 0 d.					
✓	" Pkts.: hundr. 16 s., doz. 2 " 6 "						
✓	" nana compacta Snowball, charming new dwarf white variety	$\frac{1}{8}$ oz. 0 s. 10 d.			12	0	
✓	" Pkts.: hundr. 16 s., doz. 2 " 6 "						

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

PETUNIA — continued.

	per lb.	per oz.
	s. d.	s. d.
hybrida intus aurea (Benary), with yellow throat, fine $\frac{1}{32}$ oz. 2 s. 6 d.		
" kermesina, crimson, fine	11 0	1 0
" purpurea (General Dodds), new, darkest red, very fine	16 0	1 4
" venosa, veined varieties, fine . . .	11 0	1 0

Petunia, Large-flowering Section.

 Large-flowered Petunias form one of my principal specialties; I grow annually upwards of 20,000 plants in pots, solely for the purpose of artificial fecundation, and it is only seed thus obtained which is offered. The quality of my strains is unrivalled and has gained for them a world-wide reputation.

	Price 2 s. 6 d.	s. d.
grandiflora alba (Benary), large-flowered white, very beautiful . . $\frac{1}{4}$ oz. 15 s., $\frac{1}{32}$ oz.		2 2
" Brilliant Rose, very fine $\frac{1}{4}$ " 18 " $\frac{1}{32}$ "		2 6
" intus aurea, large-flowered yellow-throated, remarkably fine and entirely distinct class, true from seed. $\frac{1}{8}$ oz. 14 s., $\frac{1}{32}$ oz.		4 0
" kermesina, crimson, producing enormous flowers $\frac{1}{4}$ oz. 15 s., $\frac{1}{32}$ oz.		2 2
" maculata (Inimitable), very beautiful blotched and striped varieties, highly effective . oz. 56 s., $\frac{1}{8}$ oz. 7 s. 6 d., $\frac{1}{32}$ oz.		2 2
" marginata, large flowers, green-bordered and veined $\frac{1}{8}$ oz. 20 s., $\frac{1}{32}$ oz.		5 6
" purpurea, deepest velvety crimson, one of the finest varieties $\frac{1}{4}$ oz. 16 s., $\frac{1}{32}$ oz.		2 4
" " intus alba, purple with white throat $\frac{1}{4}$ oz. 15 s., $\frac{1}{32}$ oz.		2 2
" superbissima, with large tигed throat, fine, true. . $\frac{1}{32}$ oz. 8 s., 1000 seeds		1 4
" " alba, new . . . $\frac{1}{32}$ " 14 " 1000 "		2 0
" " Prince of Württemberg, purple $\frac{1}{32}$ oz. 8 s., 1000 seeds		1 4
" " Princess of Württemberg, rose $\frac{1}{32}$ oz. 7 s., 1000 seeds		1 2
" " finest mixed $\frac{1}{32}$ " 8 " 1000 "		1 4
" venosa, handsome veined varieties, extra selected $\frac{1}{4}$ oz. 15 s., $\frac{1}{32}$ oz.		2 2
" " Steel-blue (Benary), very handsome, beautifully veined $\frac{1}{4}$ oz. 16 s., $\frac{1}{32}$ oz.		2 4
" violacea, velvety violet, splendid and extremely rich colour, extra $\frac{1}{4}$ oz. 20 s., $\frac{1}{32}$ oz.		3 0
" single large-flowered, superb mixed, from show flowers, carefully fertilized, unequalled oz. 52 s., $\frac{1}{4}$ oz. 14 s., $\frac{1}{32}$ oz.		2 0
Pict. Pkts.: hundred 40 s., dozen		6 0

Petunia, Fringed Section.

grandiflora fimbriata alba, fringed white, extra oz. 56 s., $\frac{1}{4}$ oz. 15 s., $\frac{1}{32}$ oz.	2 2
" fimbriata Brilliant Rose, highly effective variety. . oz. 56 s., $\frac{1}{4}$ oz. 15 s., $\frac{1}{32}$ oz.	2 2
" " delicata (Benary), white and rosy violet, semi-dwarf $\frac{1}{4}$ oz. 15 s., $\frac{1}{32}$ oz.	2 2
" " kermesina, crimson $\frac{1}{4}$ " 15 " $\frac{1}{32}$ "	2 2
" " maculata, blotched and striped, extra oz. 56 s., $\frac{1}{4}$ oz. 15 s., $\frac{1}{32}$ oz.	2 2
" " Miranda, see Novelties.	
" " purpurea $\frac{1}{4}$ oz. 15 s., $\frac{1}{32}$ oz.	2 2
" " intus alba, new $\frac{1}{4}$ " 15 " $\frac{1}{32}$ "	2 2
" " Titania (Benary), velvety purple margined with a broad white band, beautiful oz. 60 s., $\frac{1}{4}$ oz. 16 s., $\frac{1}{32}$ oz.	2 4
" " venosa, veined, charming varieties oz. 56 s., $\frac{1}{4}$ oz. 15 s., $\frac{1}{32}$ oz.	2 2
" " single fringed varieties, superb mixed oz. 52 s., $\frac{1}{4}$ oz. 14 s., $\frac{1}{32}$ oz.	2 0
Pict. Pkts.: hundred 40 s., dozen	6 0

 The preceding single fringed Petunias combine extreme elegance of form with great diversity of delicate and charming colours.

Petunia, Double-flowering Section. s. d.

Double Striped and Blotched (double Inimitable), choicest mixed, about 25 per cent. of double flowers $\frac{1}{4}$ oz. 36 s., $\frac{1}{32}$ oz.	5 0
Pict. Pkts.: hundred 40 " dozen	6 0
" Lilliput (nana comp. multfl. fl. pl.), 50 to 60 per cent. of small double flowers of fine colours (selfs, spotted, and striped), charming for pots $\frac{1}{8}$ oz. 26 s., $\frac{1}{32}$ oz. 7 s., 1000 sds.	1 2
Packets: hundred 48 s., per dozen	7 0
" Lilliput Brilliant Rose (Benary), last year's novelty, vivid rose striped with white, charming $\frac{1}{4}$ oz. 12 s., 1000 seeds	2 0
" Large-flowered (grandiflora flore pleno), Benary's strain, fecundated with scrupulous care, extra fine mixed $\frac{1}{32}$ oz.	30 0
10,000 seeds 36 s., 1000 seeds	4 0
Pict. Pkts. (200 sds.): hundr. 72 s., doz.	10 0
" Large-flowered Robust-growing (grand. robusta fl. pl.), semi-dwarf, robust, excellent. $\frac{1}{32}$ oz. 20 s., 1000 sds.	3 0
" Large-flowered Aurora, new, light rose, veined crimson purple $\frac{1}{32}$ oz. 20 s., 1000 seeds	3 0
" Large-flowered Brilliant Rose (grandiflora rosea fl. pleno), very showy colour, excellent variety $\frac{1}{32}$ oz. 20 s., 1000 seeds	3 0
" Large-flowered, Green-bordered (grand. marginata fl. pl.), superb 10,000 seeds 54 s., 1000 seeds	6 0
" Large-flowered Violet (grandiflora violacea fl. pleno) (Benary), new, very beautiful $\frac{1}{32}$ oz. 24 s., 1000 seeds	3 4
" Large-flowered White (grandiflora alba fl. pl.), very fine . . . $\frac{1}{32}$ oz. 20 s., 1000 sds.	3 0
" Fringed Large-flowered (grandiflora fimbriata flore pleno), Benary's Strain. Produce from 30 to 35 per cent. of plants with charming double fringed flowers; quality unsurpassed . . . $\frac{1}{32}$ oz. 16 s., 10,000 seeds 22 s., 1000 seeds	2 6
Pict. Pkts. (of 220 sds.): hundr. 48 s., doz.	7 0
" Fringed Robust-growing (grand. robusta fimbriata fl. pl.), extra $\frac{1}{32}$ oz. 24 s., 1000 seeds	3 4
" Fringed Brilliant Rose (fimb. rosea fl. pl.), new, one of the most beautiful and showiest varieties $\frac{1}{32}$ oz. 16 s., 1000 sds.	2 6
" Fringed Lady of the Lake (fimbriata alba fl. pl.) (Benary), pure white, double, charming $\frac{1}{32}$ oz. 28 s., 10,000 seeds	36 0
1000 "	4 0
" Fringed Veined (fimb. venosa fl. pleno) (Benary), beautiful $\frac{1}{32}$ oz. 20 s., 1000 sds.	3 0
" Fringed and Plain-edged, finest mixture, contains all the large-flowered sorts $\frac{1}{4}$ oz. 120 s., $\frac{1}{32}$ oz. 16 s., 1000 seeds	2 6
Packets: hundred 48 s., dozen	7 0

PHACELIA, see preceding page.

PHASEOLUS Caracalla, purple	11 s., oz.	1 0
---------------------------------------	------------	-----

PHLOX DRUMMONDI.

	per lb.	per oz.
	s. d.	s. d.
Finest mixture of all sorts, unsurpassed for variety of colour . .	10 0	0 10
alba, pure white.	14 0	1 2
" flore pleno, double, very fine (doubles best in sandy soils) . .	20 0	1 6
" oculata (superba), white, purple-eyed	15 0	1 4
atropurpurea (Black Warrior), blood red	16 0	1 4
" semiplena, new	10 0	
" striata, very fine	2 0	
Brilliant, brilliant rose with dark red centre, highly effective	26 0	2 0
brunea semiplena	6 0	
chamois rose, very handsome. . . .	18 0	1 6
cinnabarina, new, distinct, splendid .	2 8	
" carminea, new, brilliant colour.	32 0	2 6
coccinea, deep scarlet, most brilliant	14 0	1 2
" semiplena, new, fine	10 0	

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

PHLOX DRUMMONDI — continued.		per lb.	per oz.
	s. d.	s. d.	
◉ fimbriata alba		4 0	
" purpurea	26 0	2 0	
Graf Gero, lilac and white		6 0	
" alba		10 0	
" atropurpurea, coccinea, rosea, rosea albo-oculata, rosea marmorata, violacea, each		6 0	
" Gero, finest mixed, splendid	36 0	2 8	
hortensiaeflora, rose		3 0	
" alba, coccinea, each	22 0	1 8	
" Brilliant		2 0	
" chamois rose		4 6	
" delicata, rose, carmine eye		2 0	
" Leopoldi		3 0	
" purpurea		2 0	
" rosea albo-oculata		2 0	
" violacea stellata		3 0	
" fine mixed	16 0	1 4	
Leopoldi, splendid red, white eye	16 0	1 4	
lutea (Isabellina), yellow	18 0	1 6	
" fl. pleno, double yellow, fine	40 0	3 0	
Radowitzi, rose striped with white	15 0	1 4	
" violacea (Princess Royal)	15 0	1 4	
rosea, pure rose	15 0	1 4	
" albo-oculata	15 0	1 4	
variabilis, brown violet and lilac	15 0	1 4	
violacea albo-oculata, very fine	15 0	1 4	
William 1st (kermesina striata), scarlet striped white, very beautiful	15 0	1 4	
◉ PHLOX DRUMMONDI HEYNHOLDI.			per oz.
			s. d.
☛ Suited for growing in pots.			
Those marked * have been raised by me.			
Heynholdi, type, scarlet		7 6	
* alba, pure white	1 1/2 oz. 1 s.	14 0	
* cardinalis, true, splendid. First Class Cert., R. H. S.	1 1/2 oz. 1 s.	14 0	
* Empress Augusta, copper-rose with scarlet centre	1 1/2 oz. 1 s.	14 0	
* rosea intus alba	1 1/2 " 1 "	14 0	
" above sorts mixed		10 0	
◉ PHLOX DRUMM. GRANDIFLORA.	per lb.	per oz.	
	s. d.	s. d.	
grandiflora, splendid mixed, richest variety of colour, very effective	14 0	1 2	
" alba, pure white, beautiful	20 0	1 6	
" oculata	18 0	1 6	
" atropurpurea, deep purple	18 0	1 6	
" albo-oculata	18 0	1 6	
" striata	18 0	1 6	
" Brilliant	20 0	1 6	
" carminea albo-oculata	18 0	1 6	
" striata	18 0	1 6	
" carnea, new, splendid	22 0	1 8	
" chamois rose, "	18 0	1 6	
" coccinea, scarlet, "	20 0	1 6	
" striata, beautiful	18 0	1 6	
" coerulea striata	18 0	1 6	
" Isabellina (lutea), yellow	18 0	1 6	
" kermesina striata	18 0	1 6	
" splendens, vivid crimson, very bright and effective	22 0	1 8	
" Leopoldi, very fine	18 0	1 6	
" quadricolor (picta) rosea, fine	26 0	2 0	
" violacea, fine	18 0	1 6	
rosea	18 0	1 6	
" albo-oculata	20 0	1 6	
" striata, very fine	18 0	1 6	
stellata atropurpurea	18 0	1 6	
" carminea	18 0	1 6	
" rosea	18 0	1 6	
" splendens (Benary), deep crimson, very beautiful	22 0	1 8	
" finest mixed	18 0	1 6	
" striped varieties, fine mixed	16 0	1 4	
" violacea albo-oculata, very fine	20 0	1 6	

PHLOX DR. NANA COMPACTA.		per lb.	per oz.
	s. d.	s. d.	
☛ A very dwarf-growing and really handsome class. The varieties marked * are a little taller than the others.			
nana compacta atropurpurea	64 0	4 6	
" " striata		4 6	
" " carminea		4 6	
" " chamois rose, charming	10 0	0	
" " cinnabarina carminea		4 6	
" " striata, fine	12 0	0	
" " coerulea stellata, new	10 0	0	
" " Defiance, most brilliant	10 0	0	
" " delicata, bluish, charming	4 6	0	
* " " hortensiaeflora, rose	6 0	0	
* " " Triumph, scarlet	10 0	0	
" " Leopoldi		4 6	
" " nivea (Snowball), white, excellent variety	72 0	5 0	
* " " oculata, fine		4 6	
" " sanguinea (Fireball, coccinea), extra fine	72 0	5 0	
" " striata (coccinea striata)		4 6	
" " splendens, crimson, white eye, splendid	64 0	4 6	
" " variabilis, new		4 6	
* " " Victoria, deep scarlet, fine	56 0	4 0	
" " violacea stellata, charming	64 0	4 6	
" " extra fine mixed	50 0	3 8	
◉ PHLOX DRUMMONDI CUSPIDATA.			
☛ New Star Phloxes.			
enspidata, finest mixed	24 0	1 10	
" alba	26 0	2 0	
" coccinea	34 0	2 8	
" purpurea	26 0	2 0	
" salmonea, violacea, each	26 0	2 0	
2 PHLOX decussata (perennis), from the choicest sorts, extra fine	40 0	3 0	
decussata nana, dwarf varieties		6 0	
△ PHORMIUM tenax, imported seed	16 0	1 4	
tenax fol. variegatis 1000 sds. 2 s. 6 d.			
" atropurpureis 1000 " 3 " 4 "			
" Colensoi 1000 " 3 " 6 "			
" Veitchii fol. varieg. 1000 " 3 " 4 "			
△ PHYGELIUS capensis, scarlet		4 0	
2 △ PHYSALIS Francheti	40 0	3 0	
△ \$ PHYSIANTHUS albens, sweet-scented	14 0	1 2	
PICOTEEs, see Assortments, page 19.			
△ PILEA callitrichoides	1000 sds. 3 s.		
△ PINCENECTITIA tuberculata 1000 " 8 "			
PINKs, see Dianthus plumarius.			
△ PISTORINA, fine mixed, new pigmy Crassulaceae, many colours mixed 1/2 oz. 1 s.			
△ PITCAIRNEA corallina	1000 seeds 1 "		
△ PITTOSPORUM undulatum, fragrant	7 0	0 8	
2 PLATYCODON Mariesi (Wahlenbergia), dark blue, dwarf, splendid		1 4	
Mariesi fl. albo, new, white		1 4	
" " duplex (10% true)		10 0	
△ PLATYSTEMON californicum (in pods)	26 0	2 0	
△ \$ PLUMBAGO capensis, blue, charming green-house climber	1000 seeds 6 s.		
scandens, white	1000 " 10 "		
△ PODOLEPIS affinis, yellow	2 0	0 2	
chrysantha, golden yellow, fine	2 0	0 2	
gracilis, red and white, graceful	7 0	0 8	
△ POINCIANA Gilliesi, yellow and red		1 0	
pulcherrima, orange		0 8	
regia, purple	9 0	0 10	
△ POINSETTIA (Euphorbia) pulcherrima 1000 sds. 24 s., 100 sds. 2 s. 8 d.			
2 POLEMONIUM coeruleum, Jacob's Ladder	0 10	0 2	
coeruleum fl. albo	0 10	0 2	
" grandiflorum, distinct, fine	1 6	0 2	
flavum, yellow, pretty		0 10	
himalayense, flesh colour	1 0	0 2	
Richardsoni, new, dwarf, blue, early		1 0	
" album, whitish		2 8	

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

		per lb.	per oz.
		s. d.	s. d.
<i>POLYANTHUS</i> , see <i>Primula veris</i> .			
⊙	<i>POLYCOLYMNA</i> <i>Stuarti</i> (Everlasting).	4 0	0 4
⊕	<i>POLYGALA</i> <i>Dalmatiana</i> 1000 sds. 6 s. 0 d.		
	<i>grandiflora</i> 1000 " 5 " 0 "		
	" <i>superba</i> 1000 " 6 " 0 "		
	<i>myrtifolia</i> 1000 " 1 " 8 "		2 8
	<i>speciosa</i> 1000 " 3 " 0 "		
⊙	<i>POLYGONUM</i> <i>orientale</i> (<i>Persicaria</i>), red		
	<i>orientale pumilum</i>	2 4	0 3
	" <i>nanum album</i> , new, very fine...	1 8	0 2
	" <i>fol. variegatis</i> " " " "	6 0	0 6
2	<i>sachalinense</i> , very decorative	6 0	0 6
	<i>Sieboldi</i> , flowers whitish $\frac{1}{8}$ oz. 1 s.	12 0	1 0
	<i>POPPY</i> , see <i>Papaver</i> and Assortments.		7 0
⊙	<i>PORTULACA</i> <i>grandiflora alba striata</i>	8 0	0 8
	<i>grandiflora aurea striata</i>	8 0	0 8
	" <i>aurea vera</i> , deep golden	8 0	0 8
	" <i>Bedmanni</i> , white with red centre		2 0
	" <i>bronze</i>	8 0	0 8
	" <i>caryophylloides</i> , rose, striped red	8 0	0 8
	" <i>rosea</i>	8 0	0 8
	" <i>splendens</i> (<i>Gilliesi</i>), crimson	8 0	0 8
	" <i>Thellussoni</i> , scarlet	8 0	0 8
	" <i>Thorburni</i> , straw-coloured	8 0	0 8
	" finest mixture of all sorts ..	5 6	0 6
	" <i>fl. pleno alba</i>		9 0
	" " " <i>aurea</i>		9 0
	" " " " <i>striata</i>		9 0
	" " " " <i>caryophylloides</i> ..		9 0
	" " " " <i>Isabellina</i> , new ..		9 0
	" " " " <i>rosea</i>		9 0
	" " " " <i>salmonea</i> , new ..		9 0
	" " " " <i>splendens</i>		9 0
	" " " " <i>sulphurea</i>		9 0
	" " " " <i>Thellussoni</i>		9 0
	" " " " double mixed, extra,		
	finest quality	120 0	8 0
	" " " " mixed, very fine "	56 0	4 0
2	<i>POTENTILLA</i> <i>atrosanguinea</i>	8 0	0 8
	<i>formosa</i> , light red		0 8
	" <i>Mac Nabiana</i> , dark red		1 6
	" <i>Planti</i> , light red, large-flowering ...		1 6
	" <i>splendidissima</i> , brilliant red $\frac{1}{16}$ oz. 1 s.		14 0
	" <i>striatissima</i> , charming $\frac{1}{16}$ " 1 "		14 0
	" <i>hybrida</i> , Single, finest mixed ..	10 0	0 10
	" <i>fl. pleno</i> , Double " " <i>French</i>		
	varieties $\frac{1}{16}$ oz. 1 s.		14 0
2	<i>PRIMULA</i> <i>Auricula</i> , Alpine <i>Auricula</i> ,		
	mixed, very fine quality .. $\frac{1}{16}$ 100 s., oz.		7 0
	<i>Auricula</i> , first quality, splendid " 136 " "		9 0
	" from a fine Collection, saved exclusively		
	from prize flowers. oz. 14 s., $\frac{1}{16}$ oz.		1 0
	<i>Cashmeriana</i> (<i>capitata</i>), rosy lilac flowers		
	earliest, quite hardy, beautiful		
	Pictor. Pkts.: doz. 4 s., $\frac{1}{8}$ oz.		2 6
	<i>cortusoides</i> , rose, charming .. $\frac{1}{16}$ 34 s., oz.		2 8
	" <i>amoena grandiflora</i> , see <i>Sieboldi</i> .		
	" <i>denticulata</i> , lilac, fine oz. 12 s., $\frac{1}{16}$ oz.		0 10
	" <i>alba</i> } very fine " 14 " $\frac{1}{16}$ "		1 0
	" <i>purpurea</i> } " 12 " $\frac{1}{16}$ "		0 10
	" <i>farinosa</i> , rose, very fine		5 6
	" <i>floribunda</i> , yellow, fine winter-bloomer		
	$\frac{1}{8}$ oz. 5 s., $\frac{1}{32}$ oz.		1 6
2	⊙ <i>Forbesi</i> , rosy lilac, very floriferous, for pots,		
	seedlings begin to bloom after 3 months		
	oz. 48 s., $\frac{1}{32}$ oz. 1 s. 8 d., 1000 seeds		0 4
2	<i>japonica</i> , purple		2 4
	" <i>alba</i>		5 0
	" <i>oculata</i>		2 4
	" <i>sanguinea</i> (<i>Benary</i>)		2 4
	" <i>splendida</i> , crimson very fine ..		2 4
	" <i>striata</i>		2 4
	" above varieties fine mixed ..		2 0
	Pictor. Pkts.: hundred 16 s., dozen		2 6
	" <i>macrocalyx</i> , yellow } very pretty .. 1000 seeds		1 0
	" <i>brown</i>		1 0

PRIMULA — continued.

		s. d.
2	⊙ <i>obconica</i> , whitish flowers, very floriferous	
	and excellent for pots and bouquets. Sown	
	in February it will bloom uninterruptedly	
	from middle of May. oz. 14 s., $\frac{1}{16}$ oz.	1 0
	Pictorial Pkts.: hundred 16 " dozen	2 6
	" <i>rosea</i>	1 0
	" <i>grandiflora</i> , fine	1 2
	" <i>fimbriata</i>	4 0
	" <i>lilacina</i> (<i>violacea</i>) oz. 16 s., $\frac{1}{16}$ "	1 2
	" <i>rosea</i>	1 4
	" <i>hybrida</i> , new large flowering vars.	
	splendid mixed ... oz. 16 s., $\frac{1}{16}$ oz.	1 2
	Pkts.: hundred 20 " dozen	3 0
2	<i>Poissoni</i> , small, rosy lilac flowers, pretty 1000 sds.	6 0
	" <i>rosea</i>	10 0
	" <i>grandiflora</i> } deep rose flowers, very early oz.	
	and hardy, charming	
	$\frac{1}{32}$ oz. 2 s., 1000 seeds	0 6
	<i>Sieboldi</i> (<i>cortusoides amoena grandiflora</i>),	
	brilliant carmine, white eyed 1000 seeds	3 0
	" new large-flowered, finest mixed	
	varieties, splendid 1000 seeds	3 6
	<i>veris</i> (<i>elation</i>) (<i>Polyanthus</i>), very fine quality,	
	affording a rich display $\frac{1}{16}$ 18 s., oz.	1 6
	" 1st quality, large-flowered or fancy,	
	extra fine $\frac{1}{16}$ 26 s., oz.	2 0
	" <i>coerulea</i> , the new blue-flowering, very	
	beautiful 1000 sds. 16 s., 100 seeds	2 0
	" <i>duplex</i> , Hose in Hose, very beau-	
	tiful varieties ... oz. 14 s., $\frac{1}{16}$ oz.	1 0
	" <i>gold-laced</i> , charming varieties, with	
	small yellow-edged flowers $\frac{1}{16}$ 48 s., oz.	3 6
	" <i>alba</i> , pure white } fine .. 88 " "	6 0
	" <i>lutea</i> , yellow ..	8 0
	" <i>acaulis alba</i> , very fine	10 0
	" <i>coerulea</i> , new blue, beautiful, quite	
	distinct, true 1000 seeds	6 0
	<i>verticillata</i> , large white-powdered leaves, pyra-	
	midal habit, golden yellow flowers, one	
	of the finest species $\frac{1}{32}$ oz. 2 s., 1000 seeds	0 8
	<i>vulgaris</i> , the true Yellow Primrose $\frac{1}{16}$ 40 s., oz.	3 0
⊕	<i>PRIMULA chinensis</i> , Chinese Primrose.	
	<i>chinensis</i> , fine mixed (unfringed) oz. 20 s., $\frac{1}{16}$ oz.	1 6
	<i>Finest Fringed Varieties.</i>	
	<i>fimbriata rubra</i> , fringed red, superb	
	oz. 44 s., $\frac{1}{4}$ oz. 12 s., $\frac{1}{32}$ oz.	1 8
	" <i>rubra magnifica</i> (<i>Benary</i>), splendid novelty	
	oz. 84 s., $\frac{1}{4}$ oz. 22 s., $\frac{1}{32}$ oz.	3 0
	" <i>alba</i> , fringed white, excellent strain	
	oz. 60 s., $\frac{1}{4}$ oz. 16 s., $\frac{1}{32}$ oz.	2 4
	Pictorial Pkts.: hundred 48 s., doz.	7 0
	" <i>magnifica</i> , pure white, with yellow	
	eye, delicately fringed, very beautiful	
	oz. 84 s., $\frac{1}{4}$ oz. 22 s., $\frac{1}{32}$ oz.	3 0
	" <i>Golden Feather</i> (<i>Benary</i>), pure	
	white, yellow leaves, charming, ab-	
	solutely constant $\frac{1}{4}$ oz. 28 s., $\frac{1}{32}$ oz.	4 0
	" <i>umbellata</i> (<i>Benary</i>), very fine strain	
	$\frac{1}{4}$ oz. 14 s., $\frac{1}{32}$ oz.	2 0
	" <i>coccinea</i> (bright red, <i>atrosanguinea</i> ,	
	rouge vif), very effective colour	
	oz. 76 s., $\frac{1}{4}$ oz. 20 s., $\frac{1}{32}$ oz.	2 8
	" <i>coerulea</i> , blue, excellent $\frac{1}{32}$ oz. 8 s., 1000 sds.	10 0
	" <i>gigantea</i> <i>Emperor</i> , very large flowers,	
	copper scarlet, new 1000 seeds	16 0
	" <i>kermesina splendens</i> , fringed crimson,	
	splendid oz. 84 s., $\frac{1}{4}$ oz. 22 s., $\frac{1}{32}$ oz.	3 0
	" <i>pulcherrima</i> (<i>Benary</i>), white with rose or	
	lilac centre, very fine $\frac{1}{4}$ oz. 22 s., $\frac{1}{32}$ oz.	3 0
	" <i>punctata atropurpurea</i> , very beautiful	
	and showy ... $\frac{1}{4}$ oz. 22 s., $\frac{1}{32}$ oz.	3 0
	" <i>elegantissima</i> ... $\frac{1}{4}$ " 12 " $\frac{1}{32}$ "	1 8
	" <i>rubro-violacea</i> , beautiful and showy	
	variety $\frac{1}{4}$ oz. 12 s., $\frac{1}{32}$ oz.	1 8
	" <i>striata</i> , white striped with red, very fine	
	oz. 44 s., $\frac{1}{4}$ oz. 12 s., $\frac{1}{32}$ oz.	1 8

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

PRIMULA chinensis — continued.		s.	d.
◊ fimbriata, fringed, finest mixed, 1st quality.			
<i>This superb mixture will give the greatest satisfaction.</i> oz. 48 s., $\frac{1}{4}$ oz. 13 s., $\frac{1}{32}$ oz.			
Pictor. Pkts.: hundred 40 " dozen		1	10
" fringed mixed, very fine quality, excellent for general purposes	oz. 24 s., $\frac{1}{16}$ oz.	1	8
" filicifolia (macrophylla) rubra, fern-leaved, red	oz. 84 s., $\frac{1}{4}$ oz. 22 s., $\frac{1}{32}$ oz.	3	0
" " alba, fern-leaved, white, superb strain	oz. 84 s., $\frac{1}{4}$ oz. 22 s., $\frac{1}{32}$ oz.	3	0
" " kermesina splendens, very fine	$\frac{1}{4}$ oz. 22 s., $\frac{1}{32}$ oz.	3	0
" " striata, fine	$\frac{1}{4}$ oz. 22 s., $\frac{1}{32}$ oz.	3	0
" " fern-leaved, finest mixed, superb quality	oz. 76 s., $\frac{1}{4}$ oz. 20 s., $\frac{1}{32}$ oz.	2	8
Pkts.: hundred 48 " dozen		7	0
" " fern-leaved, mixed, very good quality	oz. 56 s., $\frac{1}{16}$ oz.	2	6
" cristata semiplena alba, dwarf, white, Mallow-like foliage	$\frac{1}{4}$ oz. 12 s., 1000 sds.	3	0
" " hybrida (Benary), charming hybrids with crisped foliage, varying from white to crimson, single, semi-double and double	$\frac{1}{4}$ oz. 32 s., $\frac{1}{32}$ oz.	4	6
Pictor. Pkts.: hundred 48 s., doz.		7	0
" globosa rubra	oz. 52 s., $\frac{1}{4}$ oz. 14 s., $\frac{1}{32}$ oz.	2	0
" " alba, white	" 64 s., $\frac{1}{4}$ oz. 17 s., $\frac{1}{32}$ oz.	2	4
" " carnea, flesh	" 52 s., $\frac{1}{4}$ oz. 14 s., $\frac{1}{32}$ oz.	2	0
" " kermesina splendens, splendid	oz. 68 s., $\frac{1}{4}$ oz. 18 s., $\frac{1}{32}$ oz.	2	6
" " striata, new	" 14 s., $\frac{1}{32}$ oz.	2	0
" " finest mixed	oz. 56 s., $\frac{1}{4}$ oz. 15 s., $\frac{1}{32}$ oz.	2	2
Pkts.: hundred 40 " dozen		6	0

Equal to the best English strains, admirably fringed and of compact growth.

PRIMULA chinensis fimbriata fl. pl.		1000 seeds	100 seeds
<i>Double Fringed Primulas.</i>		s. d.	s. d.
fl. pleno alba, double white		20	0
" " carnea (Benary), new		20	0
" " coccinea (Rouge vif), splendid		20	0
" " cristata, Crimson King (Benary), new, splendid		20	0
Pictor. Pkts.: dozen 8 s.			
" " " Fairy Queen (Benary), bluish, charming, constant		20	0
Pictor. Pkts.: dozen 8 s.			
" " kermesina, double crimson		20	0
" " punctata atropurpurea, splendid		20	0
" " rubra, double red, extra		20	0
" " rubro-violacea, very fine		20	0
" " striata, double striped		20	0
" " double, best mixed		18	0
Pict. Pkts.: hundred 56 s., doz. 8 s.			

Primulas are very important specialties of mine and I raise annually about 40,000 plants for seed of the finest obtainable quality.

	per lb.	per oz.
◊ PRINCE'S FEATHER (Amarantus cruentus)	s. d.	s. d.
4 PRUNELLA grandiflora, violet	0 7	0 2
grandiflora alba		0 8
4 PULMONARIA mollissima, bluish red	5 0	0 6
4 PYCNANTHEMUM pilosum, white, fine		8 6
4 PYRETHRUM atrosanguineum, " "		2 6
carneum		2 6
einerariacifolium, white, for cutting	6 0	0 6
glaucum, new, " " "	5 0	0 6
roseum		2 6
" hybridum, single, finest mixed	30 0	2 4
" " fl. pleno, semi-double, from my splendid collection $\frac{1}{32}$ oz. 1 s.		28 0
4 parthenifolium aureum, Golden Feather, excellent stock	9 0	0 10
" aureum crispum, new, splendid, 50 to 60 per cent. true		4 0
" " discoideum	11 0	1 0
" " Golden Gem, double-flowering	11 0	1 0
" " fol. laciniatis, very pretty	9 0	0 10

These Double Primulas come almost true from seed.

PYRETHRUM — continued.		per lb.	per oz.
	s. d.	s. d.	s. d.
4 parthenifolium aureum Mousse, moss-curl'd, charming			
Pkts.: hundred 20 s., dozen 3 s.			
" aureum selaginoides, fern-leaved, very fine, true	40 0	3 0	
4 Tchihatchewi, for poor soils	14 0	1 2	
4 RANUNCULUS asiaticus superbissimus, very fine varieties, in mixture	7 0	0 8	
RAPHIOLEPIS indica, white		0 8	
RESEDA odorata (grandiflora), Mignonette	1 0	0 2	
grandiflora ameliorata, red-flowered	1 6	0 2	
" aurea, Golden Queen, flowers yellow, habit compact	6 0	0 6	
" Gabriele, robust, large spikes of red flowers, very fine	8 0	0 8	
" gigantea pyramidalis, improved large-flowered, fine	3 4	0 4	
" Machet, excellent for pots, thick spikes of reddish flowers, carefully selected strain	18 0	1 6	
" Machet new Golden, large spikes of yellow flowers, excellent	18 0	1 6	
" multiflora compacta, very good	8 0	0 8	
" Paris Market (Crimson Queen), very fine, robust, excellent for pots, red-flowered	8 0	0 8	
" pumila erecta, quite dwarf and compact, one of the best for pots	20 0	1 6	
" Ruby, the new improved Machet Mignonette, very strong spikes with coppery scarlet flowers			
Pkts.: hundred 16 s., dozen 2 s. 6d.	3 0	0 4	
" spiralis, Miles's Spiral			
" " Defiance, new, with strongly developed middle spike, distinct and fine	18 0	1 6	
" Victoria, dark red		4 0	
" " new dwarf, very fine	11 0	1 0	
Parsons's White (eximia)	5 0	0 6	
fine sorts mixed		2 0	
4 glauca, whitish	2 0	0 2	
4 RHEUM Collinianum, enormous leaves	1 8	0 2	
caspicum, gigantic			
Emodi (macrophyllum), very large-leaved, fine (true dark-seeded)	5 0	0 6	
giganteum	1 2	0 2	
officinale, true	6 0	0 6	
palmatum tanguticum, beautiful brown red leaves; very valuable	3 0	0 4	
spiciforme, very dwarf	3 6	0 4	
different varieties, mixed	0 10	0 2	
see also Rhubarb (Vegetable Seeds).			
◊ RHODANTHE atrosanguinea, fine maculata, rose with dark centre	18 0	1 6	
" alba, pure white	20 0	1 6	
Manglesi, rose, very fine	18 0	1 6	
single sorts, fine mixed	18 0	1 6	
4 RHODOCHITON volubile, abundant charming purplish rose flowers, superb greenhouse climber $\frac{1}{2}$ oz. 4 s. 0d.			
10,000 seeds 10 s., 1000 seeds 1 7 2			
4 RHODODENDRON arboreum, type $\frac{1}{2}$ oz. 1 s.			
arboreum hybridum, finest mixed		7 0	
Himalaya sorts, mixed			
1 7 2 oz. 4 s.			
4 RHYNCHOSPERMUM jasminoides fol. var., sweet-scented			
1000 seeds 6 s.			
4 RICHARDIA albo-maculata 1000 " 8 "			
4 RICINUS africanus, Castor Oil Plant	1 2	0 2	
Belot Defougères	1 8	0 2	
borboniensis arboreus, 15 feet high	1 4	0 2	
brasilensis	1 6	0 2	
cambodgensis, the finest dark-foliaged Ricinus, leaves and stem nearly black	2 8	0 3	

Excellent market plants.

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

		per lb.	per oz.			per lb.	per oz.
		s. d.	s. d.			s. d.	s. d.
RICINUS — continued.							
⊙	<i>coerulescens</i> , bluish green, very fine..	1 8	0 2	4	SALVIA <i>argentea</i> , true.....	3 0	0 4
	<i>communis major</i> , Palma Christi	0 10	0 2	⊙	<i>carduacea</i> , light blue flowers, with ver-		
	" <i>minor</i>	0 8	0 2		million-coloured anthers, fine ..	3 6	0 4
	<i>Gibsoni</i> (Duchess of Edinburgh), dark				<i>coccinea</i> , fiery scarlet, very fine.....	4 4	0 5
	purple stem and leaves, very fine	1 2	0 2		" <i>nana compacta</i>	9 0	0 10
	" <i>mirabilis</i> , dwarf, compact, fine ..	2 0	0 2		" <i>splendens</i>	15 0	1 4
	<i>macrocarpus</i>	1 10	0 2		" <i>lactea</i> , white, fine		1 0
	<i>macrophyllus</i>	2 4	0 3		<i>farinacea</i> , bright light blue, long bloomer	11 0	1 0
	" <i>atropurpureus</i>	2 4	0 3		" <i>alba</i> , new		5 0
	<i>philippinensis</i>	1 4	0 2		<i>Horminum</i> , Rose Clary, scarlet.....	0 9	0 2
	<i>purpureus</i>	1 0	0 2		" <i>alba</i> , violacea, each	0 9	0 2
	<i>sanguineus</i> (Obermanni) .. cwt. 56 s.	0 8	0 2		" mixed	0 8	0 2
	" <i>crispus</i>	3 6	0 4	4	<i>nutans</i> , dark blue, very fine		1 0
	" <i>tricolor</i>	1 2	0 2	⊙	<i>patens</i> , sky-blue, beautiful	184 0	12 0
	<i>spec. from Santa Rosa</i>	1 10	0 2		Pict. Pkts.: hundred 16s., doz. 2s. 6d.		
	<i>spectabilis</i>	1 8	0 2	⊙	<i>prunelloides</i> , blue		1 8
	varieties in finest mixture... cwt. 96 s.	1 0	0 2		<i>Roemeriana</i> , scarlet, dwarf, very pretty	16 0	1 4
	<i>zanzibariensis</i> (red seed) } fine new	1 2	0 2	⊙	<i>splendens</i> , " splendid	72 0	5 0
	" <i>enormis</i>	2 0	0 2		" fl. albo 1000 seeds 1 s. 6 d.		10 6
	" <i>maculatus</i> , niger, each } enormous	1 2	0 2		" <i>compacta</i>	1 oz. 1 " 2 "	8 0
	" mixed vars. leaves	0 10	0 2		" <i>Ingénieur Clavenad</i> , brilliant		
⊙	RIVINA <i>humilis</i> , scarlet berries, pretty ..		3 0		scarlet, very early, long bloomer		8 0
⊙	ROCHEA <i>falcata</i> , splendid scarlet-flowered			⊙	SANTOLINA <i>Chamaecyparissus</i>	9 0	0 10
	<i>Succulent</i>	1000 seeds 1 s.		⊙	SANVITALIA <i>procumbens</i> , single golden .	7 0	0 8
	ROCKET , Sweet, see <i>Hesperis</i> .				<i>procumbens fl. pleno</i> , double, very fine..	9 0	0 10
4	ROMNEYA <i>Coulteri</i> , white, large		6 0		" " <i>compacta</i> , "		2 6
4	ROSA <i>polyantha multiflora nana</i> , Dwarf Perpetual, new. Seedlings			⊙	SAPONARIA <i>multiflora</i> (calabrica), red	2 4	0 3
	come into bloom within 6 to 8 weeks				<i>multiflora alba</i> , white	2 4	0 3
	1000 fruits (5 to 10 seeds in each) 14 s.				" <i>Scarlet Queen</i> , new, very brilliant	5 0	0 6
	100 " 1 s. 8 d., Electrotype 4 "				" <i>compacta</i> (pumila) } very fine ..	2 8	0 3
	Packets: hundr. 16s., doz. 2s. 6 d.				" " <i>alba</i>	2 8	0 3
⊙	RUDBECKIA <i>amplexicaulis</i> , yellow, fine..	1 8	0 2		" " <i>rosea</i>	2 8	0 3
	<i>bicolor</i> , yellow with black eye	2 0	0 2	4	<i>ocymoides</i> , rose	1 6	0 2
	" <i>superba</i> , new large-flowered,				" <i>splendens</i> (Benary), very brilliant	3 0	0 4
	large dark spots, fine novelty ..		6 0	4	SAXIFRAGA <i>caespitosa</i> , white, quite dwarf		4 0
	<i>texana</i> , yellow and brown, fine	5 0	0 6		<i>cordifolia</i> , rose, fine		5 6
4	<i>californica</i> , yellow, black eye, "		4 0	⊙	<i>grandiflora villosa</i> , white		2 0
	<i>fulgida</i> , yellow, floriferous .. 1/16 oz. 1 s.		14 0		Cymbalaria (Huetti), yellow, charming		
	<i>laciniata</i> , yellow	4 0	0 4		miniature .. 1/4 oz. 7 s., 1/32 oz. 1 s.		
	<i>Neumannii</i> , vivid yellow, dwarf, flori-			4	<i>Hosti</i>	1/16 " 1 "	
	ferous, very long bloomer 1000 sds. 6 d.		10 0		<i>longifolia vera</i>	1/32 " 2 "	
	<i>purpurea</i> , beautiful 1000 " 12 s.				<i>rotundifolia</i> , white, very pretty		1 0
⊙	RUPELLIA <i>tuberosa</i> , cyanus-blue, dwarf ..		3 0		<i>umbrosa</i> , rose, splendid 1000 seeds 2 s.		
⊙	SABBATIA <i>campestris</i> , rose, charming				mixed species		3 0
	1/8 oz. 3 s., Packets: dozen 3 s.			⊙	<i>sarmentosa</i>	1000 seeds 2 s.	
⊙	SAINTPAULIA <i>ionantha</i> (for descrip-			⊙	SCABIOSA , see page 22.		
	tion see former Catalogues)				<i>minor fl. pl. aurea</i> , golden yellow		
	Pict. Pkts.: hundr. 40 s., doz. 6 s. 0 d.				(Benary), very fine, true	10 0	0 10
	1/32 oz. 18 s., 1000 seeds 0 " 10 "				<i>candidissima fl. pl.</i> (Snowball), very fine	2 0	0 2
	<i>ionantha purpurea</i> (rubra) (Benary),			4	<i>caucasica</i> , lilac, splendid species	80 0	5 6
	new, fine 1/32 oz. 18 s., 1000 sds. 10 d.				" fl. albo, new, very fine		
	Packets: hundr. 40 s., doz. 6 s.				1000 seeds 6 s., 1/16 oz. 10 d.		12 0
⊙	SALPIGLOSSIS <i>variabilis</i> (Bar-			⊙	<i>ochroleuca</i> , yellow, fine	3 6	0 4
	clayana), finest mixed	9 0	0 10		<i>stellata</i> , starry	3 6	0 4
	<i>variabilis albo-lutea</i> , atrosanguinea,			⊙	SCHIZANTHUS <i>Grahami</i> , red	3 8	0 4
	<i>azurea</i> , <i>coccinea</i> , <i>nigra</i> , <i>rosea</i> ,				<i>Grahami carmineus</i> (Benary), new, pure red	4 0	0 4
	<i>sulphurea</i> , <i>venosa</i> , each	11 0	1 0		" <i>carneus</i>	2 4	0 3
	" <i>grandiflora albo-lutea</i>	22 0	1 8		<i>grandiflorus oculatus</i> , purple, black spotted	2 0	0 2
	" <i>coccinea</i>	22 0	1 8		" <i>albus</i> , atropurpureus, each	2 0	0 2
	" <i>kermesina</i>	22 0	1 8		" <i>pyramidalis compactus</i> , fine ...	2 0	0 2
	" <i>nigra</i>	22 0	1 8		<i>papilionaceus</i> , charming	2 0	0 2
	" <i>purpurea</i>	22 0	1 8		" <i>pyramidalis</i> , new	2 0	0 2
	" " <i>carminea</i>	22 0	1 8		<i>pinnatus</i> , blue, floriferous	2 0	0 2
	" <i>rosea</i>	22 0	1 8		" <i>albus</i>	2 0	0 2
	" <i>sulphurea</i>	22 0	1 8		" " <i>compactus</i> , new, very fine .	3 0	0 4
	" <i>violacea</i>	22 0	1 8		<i>candidissimus</i> (Benary), pure white	2 0	0 2
	" " <i>aureo-venosa</i>	22 0	1 8		<i>humilis</i>	3 8	0 4
	" finest mixed, unsurpassed	20 0	1 6		<i>pyramidalis</i> Tom Thumb	2 6	0 3
	" <i>superbissima</i> , Emperor,				<i>roseus</i> (Benary), very fine	9 0	0 10
	<i>chamois</i> last year's novelty				" <i>compactus</i> , new, "	2 0	0 2
	Pkts.: hundred 20s., doz. 3s.				<i>tigridioides</i>	2 8	0 3
	" <i>nana</i> , dwarf, fine mixed	9 0	0 10		<i>retusus</i> , red, splendid	3 0	0 4
	" <i>albo-lutea</i> , atrovioleacea,				" <i>albus</i>	2 8	0 3
	<i>azurea</i> , <i>coccinea</i> , <i>nigra</i> , <i>rosea</i> , san-				" <i>nanus</i> , dwarf compact, handsome	4 0	0 4
	<i>guinea</i> , <i>sulphurea</i> , <i>venosa</i> , each..	11 0	1 0		" <i>albus</i>	1 10	0 2
					finest mixed, very showy		

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

		per lb.		per oz.				per lb.		per oz.	
		s.	d.	s.	d.			s.	d.	s.	d.
◇	SCHIZOLOBIUM excelsum 100 seeds 10 s.					◇	SOLANUM — continued.				
◇	SCHIZOPETALUM Walkeri, white, fragrant	7	0	0	8	◇	marginatum (Cabiliense argenteum)...	5	6	0	6
◇	SCOTANTHUS tubiflorus (Orn. Cuc.)...			2	6	◇	pekinense nigrum, black Egg-Plant...	5	0	0	6
◇	SCUTELLARIA alpina, blue...	3	0	0	4	◇	Pseudo-capsicum, cherry-red fruits...	4	0	0	4
◇	macrantha, dark blue, very fine...			1	0	◇	pyracanthum, brown prickles, superb			2	6
◇	SCYPHANTHUS elegans, golden yellow,					◇	racemigerum, Currant-like fruits...	4	0	0	4
◇	very fine $\frac{1}{4}$ oz. 8 s., $\frac{1}{32}$ oz. 1 s. 2 d.					◇	robustum, beautiful and effective...	22	0	1	8
◇	SEDUM Aizoon, yellow...					◇	sanctum...			1	2
◇	anglicum, white...	20	0	1	6	◇	Seafortianum, blue...			12	0
◇	coernleum, Stonecrop, clean seed...	40	0	3	0	◇	Warseeviczoides, for groups...	16	0	1	4
◇	Eversii, rose...			2	6	◇	Weatherilli, very ornamental...	4	0	0	4
◇	Fabaria, "			5	6	◇	SOLDANELLA alpina, purple...			5	0
◇	hybridum, golden yellow, fine, distinct			1	2	◇	SOLIDAGO canadensis (Golden Rod), fine	8	0	0	8
◇	ibericum, white...			0	6	◇	SOLLYA heterophylla, blue 1000 sds. 1 s.			4	8
◇	Maximowiczii, yellow...			0	10	◇	SPARAXIS tricolor, mixed...			1	4
◇	Middendorfi, yellow, dark-leaved...			2	0	◇	SPERGULA pilifera, for rock-work and				
◇	purpurascens, dark foliage...			3	0	◇	edgings, charming little plant...			7	6
◇	reflexum, yellow...			3	0	◇	pilifera aurea, golden, charming (40 per				
◇	Sempervivum, see Umbilicus.					◇	cent. true) 10,000 sds. 4 s., $\frac{1}{32}$ oz. 10 s.				
◇	spurium, light rose...			3	0	◇	SPHENOGYNE speciosa, yellow, very fine	3	6	0	4
◇	Wallichianum, yellow...			0	6	◇	SPILANTHES oleraceus, brownish...	5	0	0	6
◇	mixed species...	5	0	0	6	◇	SPRAGUEA umbellata, delicate rose, fine			12	0
◇	SENECIO elegans fl. pl., see page 22.					◇	STACHYS alpina, dark rose...	3	0	0	4
◇	abrotanifolius aurantiacus, yellow			0	6	◇	coccinea, scarlet for bees...	3	0	0	4
◇	speciosus, purple...	7	0	0	8	◇	lanata, silver-leaved, fine perennial...	1	2	0	2
◇	SENSITIVE PLANT (Mimosa pudica)					◇	STATICE Bonduelli, golden yellow...	1	0	0	2
◇	SHORTIA californica, see Hymenoxis.					◇	sinuata, blue, fine...	1	2	0	2
◇	SICYOS angulata (Orn. Cuc.)...	2	4	0	3	◇	" candidissima, white...	1	0	0	2
◇	SIDALCEA candida, spikes of white flowers	15	0	1	4	◇	" hybrida, fine mixed...	1	0	0	2
◇	malvaeflora, rose...					◇	spicata, quite dwarf, lilac red...	8	0	0	8
◇	Murrayana, new, dwarf rose $\frac{1}{16}$ " 1 "					◇	superba, rose shades, charming...	6	0	0	6
◇	SILENE alpestris, white, very dwarf			2	6	◇	" alba (Benary), new, delicate rose				
◇	Armeria, Catchfly, red...	1	3	0	2	◇	passing to white, charming...	11	0	1	0
◇	" alba, white, rosca, pink, each...	1	3	0	2	◇	Suworowi, spikes of bright rose				
◇	" mixed...	1	2	0	2	◇	flowers, free bloomer, very handsome	8	0	0	8
◇	orientalis, dark rose, very fine...	2	0	0	2	◇	Thonini, blue...	2	8	0	3
◇	" compacta (Benary), excellent...	3	0	0	4	◇	altaica, blue...	1	6	0	2
◇	pendula (rosca graeca), red...	0	9	0	2	◇	Bessieriana, blue...			0	6
◇	" fl. pleno, double rose, charming...	1	4	0	2	◇	caspia, new, lilac, very fine...			3	0
◇	" alba, white...	0	9	0	2	◇	eximia, large reddish lilac flowers...			0	8
◇	" fl. pleno...	1	4	0	2	◇	Fortunei, white...	5	0	0	6
◇	Bonnetti, dark stems, very fine...	0	10	0	2	◇	Gmelini, blue, large-leaved...	5	0	0	6
◇	" compacta, very handsome...	2	4	0	3	◇	" alba...			0	10
◇	" fl. pleno, fine...	1	4	0	2	◇	incana nana, fine mixed...	1	6	0	2
◇	carnea fl. pleno (Benary), fine...	1	6	0	2	◇	" white...	3	0	0	4
◇	" compacta, very fine...	2	4	0	3	◇	latifolia, blue, fine for bouquets...	8	0	0	8
◇	" fl. pleno...	1	6	0	2	◇	Limonium, blue, pretty...	1	6	0	2
◇	" alba, fine...	2	4	0	3	◇	penduliflora, sareptana, each...	3	0	0	4
◇	" fl. pleno, very pretty...	3	0	0	4	◇	speciosa, reddish flowers, fine...	3	0	0	4
◇	" Snow King, very dwarf, white...	7	0	0	8	◇	tatarica, white, the best for dyeing...	1	8	0	2
◇	delicata fl. pleno, new, fine...	2	4	0	3	◇	perennial sorts fine mixed...	1	4	0	2
◇	ruberrima, splendid variety...	0	10	0	2	◇	arborea, light blue, }			7	0
◇	" compacta, very fine...	3	6	0	4	◇	imbricata, blue, }			5	6
◇	" fl. pleno, handsome...	1	4	0	2	◇	macrophylla, white }			2	4
◇	" mixture of single sorts...	0	9	0	2	◇	STELLARIA graminea aurea, Golden				
◇	" " double "	1	2	0	2	◇	Stitchwort, for edgings...			1	2
◇	Saxifraga, white, early, long bloomer...	4	0	0	4	◇	STENACTIS speciosa, blue, for cutting...	1	8	0	2
◇	Schafta, rose, fine...	14	0	1	2	◇	STEPHANOPHYSUM longifolium,				
◇	SKIMMIA japonica... 1000 seeds 4 s.					◇	scarlet-flowers, charming 1000 sds. 1 s. 6 d.				
◇	SMILAX (Medeola asparagoides)...	18	0	1	6	◇	STEPHANOTIS floribunda 100 " 5 " 6 "				
◇	SNAPDRAGON, see Antirrhinum.					◇	STEVIA Eupatoria, rosy white	10	0	0	10
◇	SOLANUM albidum Poortmanni...					◇	Lindleyana, white...	14	0	1	2
◇	atropurpureum...	5	6	0	6	◇	purpurea, very fine...	9	0	0	10
◇	Cabiliense argenteum (marginatum)...	5	6	0	6	◇	serrata, pure white...	11	0	1	0
◇	capsicastrum, small red fruits...	4	0	0	4	◇	STOCKS, see pages 14 and 15.				
◇	" nanum...	5	0	0	6	◇	STRELITZIA Augusta (alba) 100 sds. 16 s.				
◇	ciliatum, very pretty fruits...	5	0	0	6	◇	Reginae... 100 " 10 "				
◇	cyananthum, decorative...	11	0	1	0	◇	STREPTOCARPUS, Veitch's new				
◇	giganteum, for groups...	11	0	1	0	◇	hybrids, from my fine collection of				
◇	guineense, new...			0	6	◇	these popular plants... $\frac{1}{32}$ oz. 8 s.				
◇	Hendersoni, orange-scarlet berries,					◇	Pkts.: hundred 32 s., doz. 5 "				
◇	excellent market-plant...	7	0	0	8	◇	red and rose shades }				
◇	jasminoides, white, fine 1000 sds. 2 s. 6 d.					◇	violet shades }				
◇	laciniatum, for groups...	5	6	0	6	◇	white with yellow throat }				
◇	Lobeli, pretty red fruits...	4	0	0	4	◇	" " dark blotch }				
◇	madagascariensis...			0	10	◇	Wendlandi, enormous leaf, very orna-				
						◇	mental Pkts.: dozen 3 s., $\frac{1}{32}$ oz. 2 s.				

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

	per lb.	per oz.		per lb.	per oz.
	s. d.	s. d.		s. d.	s. d.
<i>SUNFLOWER</i> , see <i>Helianthus</i> .			⊙§ <i>THUNBERGIA</i> <i>alata</i>	14 0	1 2
△ <i>SUTHERLANDIA</i> <i>spectabilis floribunda</i> .		2 6	<i>alata alba</i>	14 0	1 2
△ <i>SWAINSONIA</i> <i>alba grandiflora</i>			" <i>aurantiaca</i>	14 0	1 2
1000 seeds 4 s. 0 d.			" <i>Bakeri</i> (unicolor), <i>white</i>	14 0	1 2
Ferrandi <i>carminea</i> 100 " 2 " 0 "			" <i>intus alba</i>	14 0	1 2
Greyana	1000	" 2 " 6 "	" <i>fine mixed</i>	12 0	1 0
Osborni	1000	" 2 " 6 "	△§ <i>coccinea</i> (<i>Hexacentris</i>) 1000 sds. 12 s.		2 8
mixed species	1000	" 3 " 0 "	<i>frangens, white</i>	1000	" 12 "
⊙ <i>SWEET ALYSSUM</i> (<i>Alyssum Benthani</i>)	4 0	0 4	<i>grandiflora, blue, beautiful</i> 1000 " 16 "		
<i>SWEET PEAS</i> , see <i>Lathyrus odoratus</i> .			2 <i>TIGRIDIA</i> <i>Pavonia</i> , <i>finest mixed</i>		2 0
" <i>SULTAN</i> , " <i>Centaurea moschata</i> .			△ <i>TILLANDSIA</i> <i>zebrina, fine</i> 100 seeds 2 s.		
" <i>WILLIAM</i> , " <i>Dianthus barbatus</i> .			△⊙ <i>TORENIA</i> <i>Fournieri</i> (<i>edentula</i>),		
2 <i>SYMPHYTUM</i> <i>aspernum</i> (Prickly Comfrey), <i>red</i>		2 4	<i>velvety blue, charming for pots</i>	88 0	6 0
△§ <i>TACSONIA</i> <i>exoniensis</i> 1000 seeds 10 s.			<i>Fournieri grandiflora</i>		8 6
<i>ignea, red</i>	1000	" 12 "	" <i>coelestina, new, fine</i>		8 6
<i>Van Volxemi, finest</i> 1000 " 16 "			" <i>alba, White Wings</i>		7 0
⊙ <i>TAGETES</i> , Double Marigold.			" <i>compacta, handsome</i> 1 oz. 1 s. 0 d.		14 0
<i>African Marigold:</i>			" <i>alba</i>	3 2	" 1 " 6 "
<i>erecta fl. pleno aurea, tall orange.</i>	5 6	0 6	" <i>coelestina</i>	3 2	" 1 " 6 "
" " " <i>sulphurea</i> " <i>lemon</i> ..	5 6	0 6	" <i>speciosa</i> } <i>very</i> 1000 sds. 2 " 0 "		
" " " <i>fistulosa aurea</i> } <i>quilled</i>	5 0	0 6	" <i>alba</i> } <i>large-flowering</i> 1000 " 2 " 6 "		
" " " " <i>sulphurea</i> } <i>vars.</i>	5 0	0 6	" <i>The Bride, last year's novelty,</i>		
" " " <i>pallida, light sulphur.</i>	5 6	0 6	<i>large flowers, white with pink,</i>		
" " " <i>nana aurea</i>	5 0	0 6	<i>very beautiful</i> 1000 seeds 3 s.		
" " " " <i>sulphurea</i> } <i>early</i>	5 0	0 6	<i>Bailloni, yellow with brown throat</i>		16 0
" " " " <i>fistulosa aurea</i> } <i>vars.</i>	5 0	0 6	♂ <i>TRACHELIUM</i> <i>coeruleum, floriferous</i>		1 0
" " " " <i>sulphurea</i> } <i>vars.</i>	5 0	0 6	<i>coeruleum album</i>		0 10
Tall African sorts, <i>fine mixed</i>	5 0	0 6	⊙ <i>TRACHYMENE</i> <i>coerulea</i> (<i>Hügelia, Discus</i>), <i>long bloomer, fine annual</i>		
Dwarf " " " "	4 0	0 4	△ <i>TRADESCANTIA</i> <i>discolor</i> 100 sds. 1 s. 6 d.		
<i>French Marigold:</i>			<i>discolor albo-lineata</i> 100 " 2 " 0 "		
<i>patula fl. pl. aurea, orange</i>	3 0	0 4	2 <i>virginica, blue</i>		2 0
" " " <i>pulchra, yellow and brown</i>	3 0	0 4	⊙§ <i>TRICHOSANTHES</i> (<i>Orn. Cuc.</i>) <i>coccinea</i> .	5 6	0 6
" " " <i>ranunculoides, dark</i> "	3 0	0 4	<i>colubrina</i> } <i>interesting</i>	5 0	0 6
" " " <i>striata, striped, variable</i>	3 6	0 4	<i>palmata</i>	5 6	0 6
" " " <i>sulphurea</i> (<i>lutea</i>)	3 0	0 4	⊙ <i>TRIDAX</i> <i>bicolor rosea, rose, pretty</i>		0 8
" " " <i>grandiflora, new, fine</i> ..	5 0	0 6	2 <i>TRIFOLIUM</i> <i>rubens, purplish red</i>	3 0	0 4
" " " <i>nana, dwarf brown</i>	3 8	0 4	⊙ <i>suaveolens, very sweet-scented</i>	2 0	0 2
" " " <i>aurea, very fine</i>	3 8	0 4	△ <i>TRITOMA</i> <i>Uaria grandiflora, Red-hot-Poker-Plant</i>	14 0	1 2
" " " " <i>fistulosa</i>	3 8	0 4	<i>corallina</i>		4 0
" " " " <i>pulchra, yellow and brown</i>	3 8	0 4	<i>Mac Owani</i>		2 6
" " " " <i>striata, dwarf striped, splendid strain</i>	5 0	0 6	<i>nobilis</i>		4 0
" " " " <i>sulphurea</i> (<i>lutea</i>), <i>fine</i>	3 8	0 4	<i>Rooperi</i>		6 0
" " " " <i>Lilliput, brown</i>	5 6	0 6	<i>Saundersi</i> (<i>Kniphofia</i>)		3 0
" " " " <i>golden</i> } <i>small flowers</i>	8 0	0 8	<i>semi-dwarf hybrids, mixed, fine</i> ..		8 0
Tall Double French, <i>mixed</i> ..	3 0	0 4	2 <i>TRITELEIA</i> <i>uniflora, white</i>		2 8
Dwarf " " " "	3 0	0 4	△ <i>TRITONIA</i> <i>crocata hybrida, fine mixture</i>		1 2
<i>nana bicolor Legion of Honour,</i>			2 <i>TROLLIUS</i> <i>asiaticus, yellow</i>		6 0
<i>single dwarf, yellow and brown</i>	5 6	0 6	<i>caucasicus, Orange Globe, thick</i>		
" " <i>Gold-margined, new (varies)</i>	11 0	1 0	<i>double yellow flowers</i> 1000 seeds 4 s.		
" " <i>lutea</i> (<i>Benary</i>), <i>last year's</i>			<i>europaeus</i>		2 0
<i>novelty, very fine</i>	18 0	1 6	" <i>splendens</i>	1000	seeds 4 s.
" " <i>single, fine mixed</i>	10 0	0 10	<i>finest new hybrids, mixed</i>		4 0
⊙ <i>TAGETES</i> <i>lucida, sweet-scented</i>	5 6	0 6	⊙§ <i>TROPAEOLUS</i> <i>canariense</i> (<i>peregrinum</i>), <i>Canary Creeper</i>	9 0	0 10
<i>signata, floriferous</i>	3 6	0 4	<i>Lobbianum Asa Gray</i> (<i>Benary</i>),		
" <i>maculata, fine</i>	3 6	0 4	<i>yellowish white, very fine</i>	8 0	0 8
" <i>pumila, splendid for edgings</i> ..	7 0	0 8	" <i>Brilliant, dark scarlet, showy</i>	3 6	0 4
" <i>Golden Ring</i>	7 0	0 8	" <i>cardinale</i> (<i>Prince Bismarck</i>), <i>dark</i>		
△ <i>TECOMA</i> <i>Smithi. In autumn and early</i>			<i>scarlet, showy</i>	4 0	0 4
<i>winter large heads of innumerable</i>			" <i>Chaixianum, yellow, red-spotted</i>	3 0	0 4
<i>lemon flowers flushed with orange</i>			" <i>coccineum multiflorum</i>	2 8	0 3
1000 seeds 6 s.			" <i>Crown Prince of Prussia, blood-red</i>	3 0	0 4
Pkts. (of 30 sds.): hundr. 21 s., doz. 4 "			" <i>Crystal Palace Scarlet</i>	3 0	0 4
2 <i>TELEKIA</i> <i>speciosa</i> (<i>cordif.</i>), <i>ornamental</i>	3 0	0 4	" <i>flammulum grandifl.</i> , <i>scarlet & yellow</i>	3 0	0 4
△ <i>TEPHROSIA</i> <i>grandiflora, new, carmine</i>			" <i>fulgens, brilliant scarlet</i>	2 6	0 3
<i>or lilac, finely leaved</i> 1000 sds. 16 s.			" <i>Géant des batailles, sulphur with red</i>	3 8	0 4
2 <i>THALICTRUM</i> <i>adiantifolium</i>		5 0	" <i>Golden Queen, see Novelties.</i>		
<i>aquilegiaefolium, lilac rose</i>		3 6	" <i>Lilli</i> <i>very dark scarlet</i>	2 6	0 3
<i>glaucom, yellow</i>		3 0	" <i>Lucifer, very dark scarlet, splendid</i>	5 6	0 6
<i>mediterraneum</i>	3 0	0 4	" <i>Mad. Gunther, new hybrids</i> ..	5 6	0 6
<i>paniculatum</i>	3 0	0 4	" <i>Mercier Lacombe, purplish violet</i>	3 0	0 4
<i>fine mixed</i>	3 0	0 4	" <i>Monsieur Colmet, dark brown</i> ..	2 6	0 3
△ <i>THEA</i> <i>viridis</i>	7 0	0 8	" <i>Napoléon III., golden, spotted with brown</i>	2 6	0 3
2 <i>THERMOPSIS</i> <i>lupinoides, yellow</i>		2 0	" <i>Queen Victoria, scarlet</i>	2 6	0 3
<i>Carolineana, yellow</i> 1000 seeds 1 s. 6 d.		3 6			

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

TROPÆEOLUM — continued.		per lb.		per oz.				per lb.		per oz.	
		s.	d.	s.	d.			s.	d.	s.	d.
⊙§	Lobbianum Roi des noirs, black brown	5	0	0	6	⊔	UMBILICUS Semenowi, rose...	1	6	0	3
"	" Spitfire, bright scarlet, brilliant	3	0	0	4	⊔	Sempervivum, bright red, for bedding				
"	" Triomphe de Gand, light scarlet	3	0	0	4		and rock-work, rare 1000 seeds 2 s.				
"	" du Prado, sulphur yellow,					⊔⊙	VALERIANA (Valerian) alba	2	6	0	3
"	brown-spotted	2	6	0	3		rubra, coccinea, each...	2	6	0	3
"	finest mixture ... ewt. 168 s.	1	8	0	2		rosea	2	6	0	3
⊙	" Lilliput (Lobb. compactum), (Be-						mixed	2	4	0	3
"	nary), finest mixed, new, charming					⊙	VENIDIUM ealendulaceum, golden yellow	4	0	0	4
"	class, with very small flowers, small						VENUS'S LOOKING-GLASS, see Cam-				
"	leaves, and many beautiful new colours	9	0	0	10		panula Speculum.				
⊙§	majus, Tall Nasturtium, Tall Sorts:					"	NAVELWORT, see Cynoglossum.				
"	atropurpureum, crimson cwt. 84 s.	0	10	0	2	⊔	VERATRUM nigrum, brown 1/2 oz. 1 s. 6 d.				
"	" fol. aureis, yellow-leaved ..	1	4	0	2	⊔	VERBASCUM nigrum, yellow	2	0	0	2
"	coccineum, scarlet ... cwt. 84 s.	0	10	0	2		olympicum, decorative	4	0	0	4
"	" fol. aureis, yellow leaved ..	1	4	0	2		pannosum, new, sulphur yellow, 4 to 5				
"	Dunnett's Orange cwt. 84 s.	0	10	0	2		feet high, large white woolly leaves	1	8	0	2
"	Eduard Otto, brownish lilac ...	0	10	0	2	⊙	phoeniceum, hybrids, mixed	0	10	0	2
"	Heinemanni, chocolate colour ...	0	10	0	2	⊙	VERBENA Aubletia grandiflora, fine	3	6	0	4
"	hemisphaericum, orange, handsome	0	10	0	2		citriodora (Aloysia, Lippia), fragrant				
"	King Theodore, darkest, dark leaves	2	6	0	3	⊙	Drummondii (montana), bluish lilac ..	4	0	0	4
"	luteum, yellow ... cwt. 84 s.	0	10	0	2		erinoides, small violet, long bloomer, pretty				
"	Pearl, whitish	0	10	0	2		pulchella, purple	2	6	0	3
"	Prince Henry, light yellow marbled scarlet	1	4	0	2		puleherrima, violet	2	4	0	3
"	Regelianum, purplish violet	1	0	0	2		teuerioides (Niveni), white, sweet-scented	3	0	0	4
"	Scheuerianum, straw colour, spotted	1	2	0	2		venosa, blue, fine for groups and edgings	5	6	0	6
"	" coccineum, scarlet, striped	1	0	0	2		hybrida, good quality mixed..	16	0	1	4
"	Schillingii, yellow, brown spotted	0	10	0	2		" very fine quality	20	0	1	6
"	Schulzi, scarlet, dark-leaved ...	1	6	0	2		" Ist quality, saved from my well-				
"	Vesuvius, new, salmon rose,						known and very beautiful Collection	34	0	2	8
"	dark-leaved, splendid	8	0	0	8		" auriculæflora, from finest ocu-				
"	von Moltke, bluish rose ...	1	0	0	2		lated flowers only, extra	32	0	2	6
"	Yellow-leaved vars. mixed, fine	9	0	0	10		" " coerulea (sky-blue, white				
"	finest mixed ... cwt. 72 s.	0	9	0	2		centre), very showy, constant	26	0	2	0
⊙	Tom Thumb (nanum) Dwarf Sorts:						" black blue with white eye	32	0	2	6
"	" Aurora, very fine	1	4	0	2		" candidissima, large trusses of				
"	" Beauty, yellow and scarlet	1	2	0	2		flowers of the purest white ...	26	0	2	0
"	" Bronze, distinct	1	4	0	2		" coccinea, scarlet, very showy ..	26	0	2	0
"	" coccineum, scarlet cwt. 112 s.	1	2	0	2		" " fol. aureis, yellow foliage and				
"	" " fol. aureis (Cloth of Gold)	1	8	0	2		scarlet flowers, charming 1/16 oz. 1 s.			14	0
"	" atropurpureum, dark crimson						" coerulea, blue shades	16	0	1	4
"	ewt. 112 s.	1	2	0	2		" Defiance, scarlet, very brilliant,				
"	" eoeeruleo-roseum ...	1	2	0	2		excellent for bedding	40	0	3	0
"	" Crystal Palace Gem cwt. 112 s.	1	2	0	2		" fol. aureis (Cloth of Gold), new				
"	" Empress of India, deep						yellow-leaved, fine mixed			3	0
"	crimson, dark-leaved, extra	3	6	0	4		" lutea, yellow, fine	32	0	2	6
"	" Golden King, fine	3	0	0	4		" purpurea, purple, fine			4	0
"	" King of Tom Thumbs	2	8	0	3		" striata, Italian Carnation-like Stri-				
"	" " Theodore, the darkest	4	0	0	4		ped, saved from a rich Collection	26	0	2	0
"	" Lady-bird	3	4	0	4		" Mammoth (grandiflora), new,				
"	" luteum, yellow ... cwt. 112 s.	1	2	0	2		large-flowered, very fine.	40	0	3	0
"	" Pearl, whitish " 112 "	1	2	0	2		" " extra selected 1000 sds. 1 s. 4 d.			10	0
"	" Prince Henry, light yellow,						" " white, see Novelties.				
"	marbled with scarlet	1	4	0	2		" compacta (erecta) coccinea stel-				
"	" Regelianum, purplish violet	1	4	0	2		lata, scarlet, white-eyed, fine			4	0
"	" Rose ... } very fine	1	6	0	2		" Defiance, extra 1/16 oz. 1 s. 4 d.			20	0
"	" Ruby King	3	0	0	4		" " violacea stellata, fine ..			5	6
"	" Scheuerianum coccineum						" " nana candidissima, very dwarf	36	0	2	8
"	ewt. 112 s.	1	2	0	2		" " very dwarf, mixed, extra	32	0	2	6
"	" Spotted ... " 112 "	1	2	0	2		" " VERONICA candida, blue, white leaves ..			2	4
"	" " King, dark-leaved ...	7	0	0	8		" elegantissima, rose, charming 1/2 oz. 2 s.			0	6
"	" finest mixture cwt. 84 s.	0	10	0	2		" gentianoides, white and blue			0	6
⊙⊙§	Moritzianum, yellow and scarlet 100 sds. 3 "						" pumila			7	0
⊙	minus, small-flowered, yellow and brown	2	0	0	2		" glauca, blue, useful for edgings			0	8
"	" coccineum, fine	3	0	0	4		" hybrida, mixed greenhouse vars. (seed-				
⊙§	azureum grandiflorum 100 sds. 3 s. 6 d.						lings flower the second year) ...			2	0
"	pentaphyllum, fine ... 1000 " 5 " 0 "						" pinnata, white, finely leaved			2	8
"	speciosum, scarlet, hardy 1000 " 10 " 0 "						" pulchella, dark blue, dwarf 1000 sds. 1 s.				
"	tricolor grandifl. (Jaratti) 1000 " 20 " 0 "						" repens, white, quite dwarf, very early			1	0
⊔	TULIPA hortensis, Garden Tulip ...						spicata, various colours, fine			1	0
"	Greigi, scarlet						" " alba, white, fine ... 1/16 oz. 1 s.				
⊔⊙	TUNICA Saxifraga (Gypsophila), white,						" syriaca, light blue, for edgings	7	0	0	8
"	very dwarf, for edgings and rock-work	2	4	0	3		" " fl. albo, white, "	7	0	0	8
"	Saxifraga fl. albo (Benary), new, very fine	9	0	0	10		" virginica, lilac ... 1/16 oz. 1 s.				
⊔	TYDÆA hybrida grandiflora, saved						" various perennial species, mixed	11	0	1	0
"	from my splendid Collection 1/2 oz. 8 s.						" VICIA Gerardi, violet	3	0	0	4
"	Packets: hundred 40 s., dozen 6 "						" fulgens, dark red, very fine	3	0	0	4

These fine new
creta and nana
varieties require
no peeing down.

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

		per lb.		per oz.	
		s.	d.	s.	d.
⊖	VINCA rosea, very fine	16	0	1	4
	rosea alba (white, rose centre)	16	0	1	4
	" nova species (alba pura)	16	0	1	4
	" fine mixed	14	0	1	2
⊖	VIOLA cornuta (Purple Queen) ...	30	0	2	4
	cornuta Mauve Queen	34	0	2	8
	" alba	22	0	1	8
	" Admiration (Magnificent), dark blue, beautiful, true	34	0	2	8
	" bicolor (La Lorraine), new			2	8
	" Perfection, light blue, large-flowered, long-bloomer, very fine	34	0	2	8
	" White Perfection, very fine	30	0	2	4
	" finest mixed	26	0	2	0
	lutea, fine old species	5	6	0	6
	" grandiflora (splendens), fine ..	9	0	0	10
⊖	Munbyana, dark blue, abundant long-bloomer, very early			14	0
	odorata semperflorens (Sweet Violet) ..	18	0	1	6
	" alba, white	22	0	1	8
	" Barrensteini, excellent sort ..			1	6
	" Empress Augusta, dark blue, extra ..			3	4
	" Hamburg Forcing, dark blue			3	0
	" italica, Italian Forcing Violet ..			2	8
	" Lauchena, dark blue, very fine ..			3	4
	" Lee's odoratissima 1000 sds. 4s. 0d.				
	" Marguerite de Piémont $\frac{1}{2}$ oz. 1 2 "				
	" rossica			2	8
	" The Czar	34	0	2	8
	" " fl. albo } for forcing ..	26	0	2	0
	" all sorts mixed	30	0	2	4
⊖	VIOLA tricolor maxima, Pansies or Heartseases.				
	 Grown on a vast scale.			per oz.	
	Mixtures:			s.	d.
	very fine mixture, composed of all the separate varieties, remarkably showy ..	15	s.	1	4
	English Pansy, finest mixed (the true English Faced Pansy), extra fine and very showy strain, plants compact	20	s.	1	6
	French Pansy, large-flowering, finest mixed, much improved French strain ..	22	s.	1	8
	Odier or Blotched (large-stained), extra choice. Superb strain of three and five-blotched Show Pansies	150	s.	10	0
	Cassier's Very Large-flowered Blotched. This is the largest-flowered class of Blotched Pansies and what I offer is a very showy and especially rich strain ..	180	s.	12	0
	Bugnot's Superb Blotched, very beautiful class. Large flowers with broad blotches, many of them have the two upper petals finely lined; yields a great diversity of the handsomest and rarest colours ..	240	s.	16	0
	Bugnot's Dark Brown varieties, very fine ..			8	0
	Bugnot's Exhibition, saved from plants obtained from the grower's original Seed. An incomparable strain, producing all but exclusively those beautiful rare varieties figured on my 1893 Pansy plate. $\frac{1}{16}$ oz. 3s.			40	0
	Superb Mixture of the Odier, Cassier and Bugnot strains, unsurpassed ..	180	s.	12	0
	Trimardeau or Giant Pansies. Beautiful class, of vigorous, compact growth, flowers of an enormous size, finest strain ..	56	s.	4	0
	" Parisian large-stained, very showy strain of Trimardeau Pansies, mostly white ground and five-blotched varieties	88	s.	6	0
	Benary's Non plus ultra. The richest mixture ever sent out, and containing the Blotched and Giant varieties in greatest proportion; very effective	100	s.	7	0
	Red shades, mixed, superb			4	0
	Striped and Mottled, splendid strain ..	26	s.	2	0
	" large-flowered Parisian, new, mostly light colours, very gay, extra ..	64	s.	4	6

		per lb.		per oz.	
		s.	d.	s.	d.
⊖	VIOLA tricolor maxima — continued.				
	Separate sorts.				
	alba pura, see candidissima.				
	atropurpurea, dark purple, splendid ..	22	0	1	8
	atrosanguinea, new, dark red, " ..			4	6
	aurea pura, see Yellow Pure.				
	Azure Blue, very fine	20	0	1	6
	Black or Faust (King of the Blacks), darkest, true, extra fine strain ..	22	0	1	8
	" with bronzy centre, very fine ..	26	0	2	0
	Black Blue (Dark Blue), splendid variety ..	22	0	1	8
	Bronze-coloured	22	0	1	8
	Brown Red, various shades	20	0	1	6
	candidissima (alba pura, Snow Queen, or Snowflake), satiny white, very fine ..	26	0	2	0
	Cardinal, new, brilliant red			5	0
	Cliveden Purple } excellent	20	0	1	6
	" White ... } varieties	22	0	1	8
	" Yellow ... } for bedding	22	0	1	8
	Coquette de Poissy, new French variety, of a distinct mauve colour	30	0	2	4
	Emperor Frederick, new, dark red, bordered orange scarlet			4	0
	Emperor William, ultramarine blue, splendid, very showy, true	26	0	2	0
	Faust, see Black.				
	Fawn-colour (Prince Bismarck)	20	0	1	6
	Fire King, golden yellow, the upper petals purple, very showy	26	0	2	0
	Golden Yellow Five-Spotted, excellent and quite distinct new Pansy ..	88	0	6	0
	Gold-margined, splendid	20	0	1	6
	Havana Brown, distinct shades	22	0	1	8
	Hortensia red, new, very fine $\frac{1}{16}$ oz. 1 s.			14	0
	Light Blue, lovely, nearly sky-blue ..	20	0	1	6
	Lord Beaconsfield, large flower, purple violet, shading off, in the top petals, to a white hue, splendid ...	26	0	2	0
	Mahogany-coloured, splendid	30	0	2	4
	Meteor, new, bright brown	26	0	2	0
	Peacock, large peacock-blue flowers with white edge, true			8	0
	President Carnot, new, strikingly beautiful, pure white petals, each adorned with a deep violet blotch ..	120	0	8	0
	Purple shades, fine	20	0	1	6
	Purplish violet, large flowers, very fine ..	22	0	1	8
	quadrangular, very fine varieties	20	0	1	6
	Red Riding-hood, red, free-blooming, charming	32	0	2	6
	Rosy lilac, new, distinct and very fine ..	32	0	2	6
	Silver-edged (atropurpurea albo-marginata), dark purple with white edging, charming	22	0	1	8
	Snow Queen, see candidissima.				
	Victoria, new, wine-red, very fine ...	48	0	3	6
	Violet margined with white, fine	20	0	1	6
	Wallflower-Brown, various fine shades ..	22	0	1	8
	White (black centre), very showy ..	22	0	1	8
	Yellow (black centre), splendid	22	0	1	8
	" Pure (Yellow Gem, without eye), very fine, counterpart to Snowflake ..	26	0	2	0
	Very large-flowering varieties.				
	Giant or Trimardeau Azure Blue ..	40	0	3	0
	" Black Blue, superb	40	0	3	0
	" Brown Red, fine	40	0	3	0
	" Fire King, new	$\frac{1}{16}$ oz. 1 s.		14	0
	" King of the Blacks, fine	64	0	4	6
	" Lord Beaconsfield, very beautiful ..	40	0	3	0
	" Snowflake (candidissima), remarkably excellent new Pansy, quite constant	56	0	4	0
	" Striped, extra fine	40	0	3	0
	" White (with purple eye), very beautiful and highly effective ..	52	0	3	8
	" Yellow (with large black eye), one of the finest and showiest Pansies ..	48	0	3	6

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

		per lb.		per oz.				per lb.		per oz.	
		s.	d.	s.	d.			s.	d.	s.	d.
VIRGINIAN STOCK, see <i>Cheiranthus</i> .											
○	VISCARIA cardinalis, crimson	3	0	0	4	△	WIGANDIA caracasana	very	..	1	4
	cardinalis nana, semi-dwarf			1	4		imperialis	ornamental	...	1	4
	elegans picta, rose and scarlet	3	0	0	4		Vigieri		...	1	4
	hybrida splendens, dark red	2	0	0	2	2	WULFENIA carinthiaca, blue 1000sds. 6d.				
	oculata, rose with dark eye	2	0	0	2	○	XERANTHEMUM annuum album fl. pleno	(Everlasting Flower), double white	6	0	0
	" alba (Burridgi), whitish	3	0	0	4		annuum purpureum fl. pleno, " purple		6	0	0
	" brunea, new	1	8	0	2		" grandiflorum purpureum fl. pleno.		8	0	0
	" coerulea	2	0	0	2		" imperiale fl. pl., beautiful ..		9	0	0
	" nana, Dwarf Perfection, red			1	6		" plenissimum atropurpureum, extra		8	0	0
	many sorts mixed	1	8	0	2		" " album		8	0	0
2	WAHLENBERGIA grandiflora, blue	11	0	1	0		" " roseum		8	0	0
	grandiflora alba	9	0	0	10		" superbissimum fl. pl. }		10	0	0
	" duplex (10% true)			10	0		" " album " " }	pompon-	10	0	0
	" " alba (15% ")			3	0		" " roseum " " }	flowered	10	0	0
	" nana (Mariesi), see <i>Platycodon</i> .						" " imperiale " " }		10	0	0
○	WAITZIA aurea, fine Everlasting	16	0	1	4		" double sorts, finest mixed		7	0	0
	grandiflora, hardy, fine "	18	0	1	6	2	ZAUSCHNERIA californica 1000 seeds 4 s.				
WALLFLOWER, see pages 15 and 16.											
○	WHITLAVIA gloxinoides, white and blue	1	8	0	2	○	ZINNIA Haageana (mexicana), yellow		6	0	0
	grandiflora, blue, white, each	1	8	0	2		Haageana fl. pleno, splendid quality		26	0	2
	fine mixed	1	6	0	2		elegans and cl. fl. pl., see page 22.				
○ Common Annuals mixed for open ground sowing, tall sorts cwt. 96 s., lb. 1 s. 0 d.											
	" " " " " " " " " " " "						semi-dwarf sorts " 156 " " 1 " 6 "				
	" " " " " " " " " " " "						dwarf sorts " 200 " " 2 " 0 "				

Ornamental Grasses.

		per lb.		per oz.				per lb.		per oz.		
		s.	d.	s.	d.			s.	d.	s.	d.	
○	AEGYLOPS cylindrica	4	0	0	4	○	ELEUSINE barcinonensis			0	6	
○	AGROSTIS laxiflora, for bouquets	4	0	0	4		coracana	} highly interesting varieties	1	4	0	2
	minutiflora, very fine			1	6		indica (spec. ex China)		3	0	0	4
	nebulosa, one of the most elegant	8	0	0	8		oligostachya, rigida, each		1	8	0	2
	pulchella, for bouquets	3	0	0	4	2	ELYMUS Caput Medusae	} suitable for groups	2	0	0	2
	verticillata	2	6	0	3		giganteus		1	0	0	2
		7	0	0	8		hystrix		3	0	0	4
2	ANDROPOGON argenteus						tener, pretty		3	0	0	4
	formosus 1/16 oz. 1 s.			14	0	○	ERAGROSTIS abyssinica, fine	} the whole of these species are admirable for bouquets	4	0	0	4
	furcatus			0	6		amabilis		3	0	0	4
	Sorghum	1	6	0	2		capillaris		3	0	0	4
	ANIMATED Oats (Avena sterilis)	0	10	0	2		elegans, Love Grass		1	4	0	2
	ANTHOXANTHUM gracile, for edgings	0	10	0	2		maxima, very decorative		7	0	0	8
	ARUNDO conspicua	44	0	3	4		namaquensis		3	0	0	4
	Donax	8	0	0	8		senegalensis (Purshii)	3	8	0	4	
	" foliis variegatis	18	0	1	6		suaveolens	5	0	0	6	
	gynerioides, fine			0	10	△	ERIANTHUS Ravennae, very fine					
	AVENA sterilis, Animated Oats	0	10	0	2		when planted isolatedly	5	0	0	6	
	BRACHYPODIUM japonicum			0	6		Ravennae violascens			0	8	
	BRIZA geniculata, fine			1	0	○	EUCHLAENA luxurians (Reana), Theosinte,					
	maxima, Quaking Grass	1	10	0	2		ornamental and forage grass	2	6	0	3	
	" compacta	2	0	0	2	2	EULALIA japonica, fine for groups	10	0	0	10	
	minima (gracilis), slender	3	0	0	4	2	FEATHER GRASS (Stipa pennata)	5	0	0	6	
	rotundata, pretty			0	8	2	FESTUCA alpina superba	2	0	0	2	
	BRIZOPYRUM siculum, for edgings	2	4	0	3		Crinum Ursi			1	0	
	BROMUS brizaeformis	0	7	0	2		glauca	18	0	1	6	
	Gussoni	0	10	0	2		punctaria, similar to F. glauca			1	0	
	macrostachyus (lanuginosus)	0	8	0	2		rigida	3	8	0	4	
	madritensis, very fine for dyeing	1	2	0	2	○	stipoides	2	0	0	2	
	patulus, pretty	0	8	0	2	2	viridis, pretty for edgings	1	8	0	2	
	" nanus, fine	0	10	0	2	2	GYMNOTHRIX caudata	6	0	0	6	
	pendulinus	0	10	0	2		japonica	8	0	0	8	
	purpureus, unioides, each	0	8	0	2		latifolia	7	0	0	8	
	virens	0	8	0	2	2	GYNERIUM argenteum, Pampas Grass	8	0	0	8	
	CHLORIS barbata vera	6	0	0	6		argenteum Bertini			0	10	
	elegans			1	0		" roseum	8	0	0	8	
	CHLOROPSIS Blanchardiana, dwarf	16	0	1	4		" variegatum			1	2	
	CHRYSURUS cynosuroides (Lamarckia)	3	4	0	4		jubatum, silvery red flowers, splendid			0	10	
	COIX exaltata	3	0	0	4	○	HARE'S TAIL GRASS (Lagurus ovatus)	2	4	0	3	
	Lacryma, Job's Tears	0	8	0	2	○	HORDEUM jubatum, finest for bouquets	2	4	0	3	
	" aurea zebrina	1	4	0	2	○	IOLEPIS gracilis (tenella) 1/16 oz. 1 s. 4 d.			18	0	
	CRYPTOPHYRUM Richardsoni, very fine	4	0	0	4	△	JOB'S TEARS (Coix Lacryma)	0	8	0	2	
	CYPERUS Paramatta	3	0	0	4	○	KOELERIA setacea, for edgings			0	6	
	Others, see Aquatics					2	LAGURUS ovatus, Hare's Tail Grass	2	4	0	3	
	DIGITARIA sanguinalis	3	0	0	4	○	LAMARCKIA aurea, see Chrysurus.					
	DIPLACHNE fascicularis, for bouquets	3	0	0	4							

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

		per lb.		per oz.				per lb.		per oz.	
		s.	d.	s.	d.			s.	d.	s.	d.
24	LASIAGROSTIS argentea, silvery panicles	1	6	0	2		QUAKING GRASS, see Briza.				
⊙	LEPTOCHLOA arabica, for bouquets....	3	0	0	4	⊙	REANA luxurians (Euchlaena).....	2	6	0	3
	gracilis, makes pretty edgings.....	6	0	0	6	⊙	SACCHARUM Maddenii, for pots and clumps			0	8
	MAIZE, Japanese and others, see Zea.					⊙	SETARIA alopecuroides nigra, new,				
24	MELICA altissima, silvery white	1	2	0	2		with graceful black spikes, very fine	2	6	0	3
	altissima atropurpurea	2	0	0	2		macrochaeta	1	2	0	2
	ciliata, fine for bouquets	0	10	0	2		nubica	1	2	0	2
⊙	MILIMUM nigricans, decorative	2	0	0	2		versicolor	1	2	0	2
24	PAMPAS GRASS (Gynerium argenteum)	8	0	0	8	⊙	SORGHUM nigrum, of striking effect...	1	0	0	2
⊙	PANICUM altissimum			0	8	24	STIPA elegantissima			2	0
	capillare	1	4	0	2		gigantea	6	0	0	6
	colonum	2	0	0	2		junccea			0	6
	glaucum	2	0	0	2		Lagasciae, splendid			1	0
	oryzinum	2	0	0	2		pennata, Feather Grass	5	0	0	6
⊙	plicatum, very fine for pots and groups	16	0	1	4		splendens	14	0	1	2
⊙	sulcatum, palm-formed, elegant....	16	0	1	4	⊙	TRICOLAENA rosea, very fine	3	4	0	4
	tonsum, very decorative			2	0	24	TRIPSACUM dactyloides			0	8
⊙	virgatum			1	0	24	UNIOLA latifolia, for bouquets	8	0	0	8
⊙	PASPALUM elegans, neat	4	0	0	4	⊙	ZEAC grallima (minima), Miniature Maize	0	10	0	2
⊙	PENNISETUM longistylum (villosum).	3	0	0	4		gracillima fol. varieg., very fine ..	0	8	0	2
	longistylum violaceum	3	0	0	4		japonica " " Striped Japanese				
	Rueppellianum, very fine	8	0	0	8		Maize, best strain ... cwt. 40 s.	0	6	0	2
⊙	PIPTATHERUM multiflorum, graceful...			0	6		" gigantea quadricolor, beauti-				
24	POA alpina, quite dwarf, pretty....	4	0	0	4		fully striped, very fine, novelty	1	4	0	2
⊙	amabilis	6	0	0	6	⊙	Mixture of dwarf and semi-dwarf annual				
⊙	pilosa	3	6	0	4		Ornamental Grasses	2	4	0	3
⊙	POLYPOGON monspelliense, graceful...	1	6	0	2		" " tall annual " "	1	6	0	2

Palms and Pandanus.

Orders for all Palm seeds are booked and executed as the various species reach me from my Collectors.

(See Conditions of Sale under the head of Tree Seeds, page 56.)

	s. d.
ARECA Baueri (Seaforthia robusta) 1000 sds. 16 s., 100 sds. 2	0
lutescens (Hyophorbe indica) 1000 sds. 20 s., 100 seeds	2 4
rubra... 1000 " 18 " 100	2 0
sapida... 1000 " 20 " 100	2 4
BRAHEA filamentosa... 1000	3 0
CARYOTA urens... 1000	22 0
	100 " 2 6
CHAMAEDOREA elegans 100	2 6
Ernesti Augusti... 100	5 0
gracilis... 100	3 0
graminifolia... 100	3 0
CHAMAEROPS arborea 1000	16 0
canariensis... 1000	8 0
elegans argentea... 1000	10 0
excelsa (Fortunei) 1000	1 0
farinosa... 100	2 4
gracilis... 1000	10 0
humilis... 1000	3 0
hystrix... 100	4 6
longifolia... 1000	8 0
tomentosa... 1000	8 0
COCOS australis... 1000	14 0
	100 " 1 8
Bonneti... 1000 sds. 22 s., 100	2 6
campestris 1000 " 18 " 100	2 0
flexuosa... 1000 " 22 " 100	2 6
plumosa... 100	3 4
Romanzoffiana... 1000	22 0
	100 " 2 6
Weddelliana... 1000	32 0
	100 " 3 6
Yatai 1000 seeds 28 s., 100	3 4
CORYPHA australis 10,000 seeds 80 s., 1000	8 6
australis macrophylla 100	3 0
Gebanga... 100	2 0
CYCAS revoluta... 100	8 0

Palms — continued.	s. d.
ELAIS guineensis... 1000 seeds 4	0
EUTERPE edulis... 1000 " 26	0
	100 " 3 0
GEONOMA gracilis... 1000 " 26	0
	100 " 3 0
princeps... 100	4 0
Schottiana... 100	2 6
KENTIA Belmoreana 1000	14 0
	100 " 1 8
Canterburyana... 100	5 0
Forsteriana... 1000	14 0
	100 " 1 8
Mooreana... 100	3 6
LATANIA borbonica (Livistona sinensis). 10 1/2 s., 1000 seeds	6 0
rubra (Commersoni)... 100	8 0
MAURITIA vinifera... 100	8 0
OREODXA regia... 1000	16 0
	100 " 2 0
PANDANUS utilis, superb quality 1000 seeds 26 s., 100 seeds	3 0
PHOENIX canariensis... 1000	6 0
	10,000 seeds 36 s., 1000 seeds 4
cycadifolia 1000 " 16 " 100	2 0
dactylifera 1000 " 3 s. 6 d. 1000	8 0
farinifera... 1000	16 0
	100 " 2 0
leonensis (spinosa)... 1000	8 0
pumila 1000 sds. 14 s., 100	1 8
reclinata, true South African species 1000 sds. 10 s., 100 sds.	1 2
rupicola... 1000 " 22 " 100	2 6
senegalensis 1000 " 16 " 100	2 0
sylvestris... 1000 " 12 " 100	1 6
tenuis... 1000	4 6
zanzibariensis... 1000	16 0
	100 " 2 0
PRITCHARDIA filamentosa 1000	3 0
PTYCHOSPERMA Alexandrae 1000 seeds 22 s., 100	2 6
SABAL Adansoni... 1000	2 0
Blackburniana... 1000	10 0
Palmetto... 1000	4 6
princeps... 1000	8 0
umbraculifera... 1000	8 0

Palms — continued.	s. d.
SEAFORTHIA elegans 1000 seeds 12 s., 100 sds.	1 6
WASHINGTONIA robusta (Pritchardia) ... 1000	" 10 0
ZAMIA villosa... 100	" 20 0

Ferns.

Clean seed

(All saved in my Greenhouses).

	pkt. s. d.
ACROSTICHUM crinitum 1/4 oz. 2 s.,	0 6
ADIANTUM concinnum 1/4 " 4 " 1	0
cuneatum	1 0
formosum	1 0
fragrantissimum	1 0
gracillimum	1/4 oz. 2 s., 0 6
hispidulum	1/4 " 2 " 0 6
macrophyllum	1/4 " 4 " 1 0
mundulum	1/4 " 4 " 1 0
peruvianum	1/4 " 4 " 1 0
rubellum	1/4 " 4 " 1 0
Williamsi	1/4 " 2 " 0 6
ALSOPHILA australis ... oz. 5 " 0 3	
excelsa	" 2 " 0 2
ASPIDIUM Lastraea	1 0
Filix-mas	1/4 oz. 2 s., 0 6
spinulosum	1/4 " 1 " 0 3
violaceum	1/4 " 1 " 0 3
ASPENIUM bulbiferum 1/4 " 2 " 0 6	
Hookeri	1/4 " 2 " 0 6
violaceum	1/4 " 1 " 0 3
viviparum	1/4 " 2 " 0 6
BLECHNUM bulbiferum 1/4 " 2 " 0 6	
brasilense	1/4 " 2 " 0 6
longifolium	1/4 " 2 " 0 6
CYATHEA dealbata ... 1/4 " 4 " 1 0	
DAVALLIA fijiensis ... 1/4 " 4 " 1 0	
GYMNOGRAMMA dealbata 1/4 " 4 " 1 0	
decomposita	1/4 " 4 " 1 0
schizophylla gloriosa 1/4 " 4 " 1 0	
LOMARIA Patersoni ... 1/4 " 1 " 0 3	
NEPHROLEPIS tuberosa 1/4 " 2 " 0 6	
PLATYCERIUM Willincki 1/4 " 2 " 0 6	
POLYPODIUM repandum 1/4 " 4 " 1 0	
POLYSTICHUM setosum 1/4 " 4 " 1 0	

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

Ferns — continued.		s. d.
PTERIS argyreae.....	1 0	
cretica albo-lineata. $\frac{1}{64}$ oz. 6 s.,	1 0	
" nobilis..... $\frac{1}{64}$ " 4 "	1 0	
Dicksoni cristata. $\frac{1}{64}$ " 6 "	1 0	
ensifolia..... $\frac{1}{64}$ " 2 "	0 6	
longifolia..... $\frac{1}{64}$ " 2 "	0 6	
Ouvrardi..... $\frac{1}{64}$ " 2 "	0 6	
serrulata..... $\frac{1}{64}$ " 2 "	0 6	
Victoria..... $\frac{1}{64}$ " 2 "	0 6	
SELAGINELLA Emelliana $\frac{1}{64}$ " 2 "	0 6	
STRUTHIOPTERIS germanica		
$\frac{1}{64}$ oz. 2 s.,	0 6	
WOODWARDIA caudata.....	1 0	
FERNs, greenhouse species,		
fine mixed, clean seed		
oz. 40 s., $\frac{1}{16}$ oz. 3 s., 12 pkts. 3 s.,	0 4	
Tree Ferns, fine mixed, clean seed		
$\frac{1}{16}$ oz. 2 s., 12 pkts. 2 s.,	0 3	

Aquatics.		s. d.
CAREX japonica fol. argent. var.		
1000 seeds	8 0	
CYPERUS alternifolius..... oz.	5 0	
alternif. nanus compactus.. "	16 0	
flabelliformis..... "	8 0	
natalensis..... "	1 8	
Papyrus, clean seed..... "	12 0	
rotundus..... "	2 4	
NELUMBIUM kermesinum..... "	4 0	
luteum.... oz. 1 s., 100 seeds	3 0	
pekinense rubrum. 100 "	6 0	
speciosum. oz. 1 s., 100 "	4 6	
NUPHAR lutea..... oz.	1 2	
NYPHAEAE alba... $\frac{1}{16}$ oz. 26 s.,	2 0	
coerulea..... $\frac{1}{16}$ oz.	1 4	
dentata, gracilis, each.. $\frac{1}{16}$ "	1 2	
Lotus..... $\frac{1}{8}$ "	1 0	
thermalis..... $\frac{1}{8}$ "	1 6	

Aquatics — continued.		s. d.
NYPHAEAE Zanzibariensis $\frac{1}{8}$ oz.	1 8	
PARNASSIA palustris..... oz.	5 0	
SAGITTARIA montevidensis $\frac{1}{16}$ oz.	1 0	
sagittifolia..... oz.	4 6	
SCIRPUS natalensis..... "	0 8	
TRAPA natans..... 100 nuts	6 0	
VALLISNERIA spiralis. 1000 seeds	12 0	

Cactus.

A priced list of the species on hand will be sent on application.		
CEREUS, mixed.... 1000 seeds	1 s. 6 d.	
ECHINOCACTUS, mixed 1000 "	2 " 0 "	
MAMMILLARIA, " 1000 "	2 " 0 "	
OPUNTIA, "..... oz. 4 "	0 "	
CACTUS, all classes mixed		
oz. 10 s., 1000 seeds	2 s. 0 d.	

Tree Seeds.

 **Conditions of Sale.** Referring to those given on inside of cover of the present Catalogue, E. B. repeats that neither growth nor correctness of denomination of any seeds he sells is in any way guaranteed. The vitality of Tree and Shrub seeds cannot be tested before the sale, and, not being collected under his supervision, no warrant can be given as to their trueness to name. Only such seeds are sent out as is believed will, in both these respects, give satisfaction, but any that customers may prefer not to sow will be taken back, if returned immediately and Carriage paid; failing this, or should the seeds have been sown, complaints made subsequently thereto will in no case be entertained.

Samples are sent on application, but seeds ordered by, and supplied according to, such are not returnable.

E. B. will take it for granted that all parties ordering have previously read the above and that they agree to accept, on the conditions stated, the seeds that will be sent in execution of their orders.

Coniferae.

N. B. Austrian, Scotch, Silver, Norway Spruce Fir, and Larch seeds are variable in price.

	per 4t.			per oz.	
	s. d.	s. d.		s. d.	s. d.
ABIES, see Pinus.			CUPRESSUS glauca (lusitanica).....	3 8	0 4
ARAUCARIA imbricata. Seed generally reaches me towards August or September.			glauca pendula.....	4 0	0 4
Orders booked now. Price about	6 0		Goveniana.....	5 0	0 6
brasilensis..... 100 seeds 6 s.			gracilis.....	7 0	0 8
ARBOR VITAE, American (Thuja occidentalis)	4 6	0 5	Knightiana.....	8 0	0 8
Chinese (Thuja orientalis).....	1 0	0 2	Lawsoniana (Chamaecyparis).....	2 8	0 3
AUSTRIAN FIR (Pinus austriaca), finest quality.....	2 6		" argentea.....	5 0	0 6
BIOTA, see Thuja.			" aurea.....	7 0	0 8
CALLITRIS quadrivalvis (Thuja articulata).		1 4	" erecta.....	4 0	0 4
CASUARINA equisetifolia.....		1 2	" glauca.....	9 0	0 10
tenuissima.....	9 0	0 10	" pyramidalis.....	8 0	0 8
CEDRUS atlantica.....	5 0	0 6	Mac Nabiana.....	9 0	0 10
atlantica argentea.....	7 0	0 8	macrocarpa (Lambertiana).....	3 0	0 4
Deodara, European seed.....	5 0	0 6	majestica.....	7 0	0 8
Libanensis.....	5 0	0 6	sempervirens (Roman Cypress).....	0 10	0 2
CEPHALOTAXUS drupacea.....	2 4	0 3	" horizontalis.....	0 10	0 2
Fortunei.....	2 4	0 3	" pyramidalis.....	0 10	0 2
tardiva.....	2 8	0 3	thyoides (Chamaecyparis sphaeroides),		0 10
CHAMAECYPARIS Kewensis glauca.....		3 6	White Cedar.....		
see also Retinospora and Cupressus.			torulosa.....	3 8	0 4
CRYPTOMERIA japonica.....	2 6	0 3	Tourneforti.....	1 6	0 2
japonica elegans.....	3 8	0 4	" pendula.....		1 0
" Lobbi.....	3 6	0 4	Uhdeana (tetragona).....	8 0	0 8
" viridis.....		1 0	GINGKO biloba (Salisbury) ... 1000 nuts 5 s.	1 8	
pungens.....		0 10	HEMLOCK SPRUCE (Tsuga canadensis)...	15 0	1 4
CUNNINGHAMIA sinensis (Pinus lanceolata).		2 8	chinesis (dioica).....	6 0	0 6
sinensis glauca.....		3 4	communis..... cwt. 28 s.	0 5	
CUPRESSUS australis.....	5 0	0 6	excelsa.....	2 0	0 2
Benthani.....	4 0	0 4	rigida.....		0 6
Corneyana.....	6 0	0 6	Sabina, Savin.....	1 3	0 2
disticha (Taxodium).....	1 0	0 2	virginiana, Italian seed.....	0 10	0 2
elegans.....	5 0	0 6	" American seed.....	3 0	0 4
excelsa.....		1 0	" pyramidalis.....	2 6	0 3
funeris.....	3 8	0 4	LARCH, see Pinus Larix.		

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

	per lb.		per oz.			per lb.		per oz.	
	s.	d.	s.	d.		s.	d.	s.	d.
LIBOCEDRUS decurrens, American seed ...	14	0	1	2	PINUS polita (Picea), from Japan	20	0	1	6
chilensis 100 seeds 5 s., $\frac{1}{2}$ oz. 2 s.					ponderosa, Western Pitch Pine	11	0	1	0
NORWAY SPRUCE (Pinus Picea), growth					pungens (Picea)	20	0	1	6
about 70 per cent. cwt. 78 s.	0	10			rigida, Pitch Pine, clean seed	14	0	1	2
PICEA , see Pinus.					Sabiniana, Nut Pine	6	0	0	6
PINUS Abies (Abies pectinata), Silver					Strobis, Weymouth Pine	4	6	0	5
Fir (full crop) cwt. 26 s.	0	5			sylvestris, Scotch Fir, growth at least				
alba (americana alba) (Picea), White					70 per cent., poor crop cwt. 250 s.	2	6	0	3
American Spruce	7	6	0	8	Taeda			2	8
Alcockiana (Picea), from Japan			1	6	Torreyana	14	0	1	2
amabilis (Abies)	16	0	1	4	tuberculata (californica)	20	0	1	6
australis (palustris), Swamp or Yellow Pine	22	0	1	8	Veitchi (Abies), from Japan	20	0	1	6
austrica, Black Austrian Fir cwt. 240 s.	2	6	0	3	Williamsoni (Tsuga, Pattoniana, Hookeriana) .			2	4
balsamea (Abies), Balm of Gilead	5	0	0	6	yezoensis (Picea), from Japan			1	10
brachyphylla (Abies), from Japan			1	4	PSEUDO-LARIX Kaempferi ... 1000 seeds 6 s.			2	8
Brunoniana (Tsuga)			1	8	ROMAN CYPRESS (Cupressus sempervirens)	0	10	0	2
canadensis (Tsuga), Hemlock Spruce.	15	0	1	4	RETINOSPORA (Chamaecyparis) leptoclada			2	6
canariensis	4	0	0	4	(sphaeroidea Andelyensis)				
Cembra	0	7			lycopodioides 100 seeds 1 s. 8 d.				
cephalonica vera (Abies)	5	6	0	6	obtus, Japanese Cypress	9	0	0	10
cilicica (Abies)	5	6	0	6	aurea gracilis $\frac{1}{8}$ oz. 1 s. 8 d.			12	0
concolor (Abies)	14	0	1	2	" nana			2	4
contorta (Mac Intoshiana)			3	0	" filicoides			5	6
corsica, see Laricio.					pisifera	9	0	0	10
Coulteri (macrocarpa)	18	0	1	6	filiformis			2	8
cubensis			2	8	" plumosa	18	0	1	6
densiflora	8	0	0	8	" aurea	18	0	1	6
Donglasi (Pseudotsuga)	11	0	1	0	" squarrosa	26	0	2	0
Engelmanni (Picea)	20	0	1	6	SALISBURIA adiantifolia 1000 nuts 5 s.	1	8	0	2
excelsa (Strobis excelsa)	5	0	0	6	SAVIN (Juniperus Sabina)	1	3	0	2
firma (Abies)	9	0	0	10	SCIADOPYTIS verticillata	26	0	2	0
flexilis			2	4	SCOTCH FIR (Pinus sylvestris), growth at				
Fraseri (Abies)			1	2	least 70 per cent. poor crop cwt. 250 s.	2	6	0	3
Fremontiana (monophylla)			1	4	SEQUOIA gigantea (Wellingtonia)	26	0	2	0
grandis (Abies)	14	0	1	2	sempervirens, Californian Red Wood	3	0	0	4
halepensis, Aleppo Pine	2	4	0	3	SILVER FIR (Pinus Abies) ... cwt. 26 s.	0	5		
insignis, splendid species	8	0	0	8	STROBUS , see Pinus Strobis.				
Jeffreyi	16	0	1	4	TAXODIUM distichum (Cupressus)	1	0	0	2
Koraiensis, from Japan			1	0	sempervirens (Sequoia)	3	0	0	4
Lambertiana, Sugar Pine	9	6	0	10	TAXUS baccata (Yew)	1	8	0	2
Laricio (corsica), finest quality cwt. 248 s.	2	6			baccata Dovastonii (umbraculifera)			1	0
Larix (Larix europaea), Larch. Tyrolese					" fastigiata (liibernica)	4	0	0	4
seed of 45 to 50 per cent. growth,					THUJA articulata			1	4
finest quality, scarce cwt. 110 s.	1	2	0	2	aurea (Biota)	1	6	0	2
" leptolepis	16	0	1	4	" semper-aurea (Biota)	4	0	0	4
" sibirica (intermedia)	11	0	1	0	compacta (Biota)	2	0	0	2
Llaveana (Parryana)	28	0	2	4	Fortunei (Biota)			0	10
magnifica (Abies)	20	0	1	6	gigantea (Craigiana)	3	4	0	4
Mariesi (Abies), from Japan			1	6	Lobbi	15	0	1	4
maritima (Pinaster) cwt. 28 s.	0	5			occidentalis, American Arbor Vitae ...	4	6	0	5
Massoniana (sinensis)	5	6	0	6	" asplenifolia			0	8
Menziesi (Picea, sitchensis)	20	0	1	6	" pendula $\frac{1}{8}$ oz. 1 s. 2 d.			8	0
Mertensiana (Tsuga)	30	0	2	4	" Vervaeana			4	6
mitis			2	8	" Warreana, quite hardy, very handsome	9	0	0	10
montana (Mughus)	3	6	0	4	orientalis (Biota), Chinese Arbor Vitae	1	0	0	2
" uncinata	3	8	0	4	" aurea variegata (elegantissima) ..	4	0	0	4
monticola			1	6	" Fortunei			0	10
Morinda (Picea) (Khutrow, Smithiana) .	7	0	0	8	plicata	4	0	0	4
muricata	26	0	2	0	pyramidalis (Biota, tatarica)	2	4	0	3
nigra (Picea), Black American Spruce	20	0	1	6	Zuccariniana			0	10
nobilis (Abies), American seed	18	0	1	6	THUIOPSIS borealis (Chamaecyp. nutkaensis)			3	0
" Scotch seed	11	0	1	0	dolabrata			2	0
Nordmanniana (Abies), new Caucasian					" fol. variegatis			6	8
seed. Early orders advisable	2	6	0	3	Standishi, from Japan			2	8
parviflora (Picea pentaphylla), from Japan			2	0	TORREYA californica, Californian Nutmeg	8	0	0	8
Picea (Picea excelsa), Red Norway					WEYMOUTH PINE (Pinus Strobis) .	4	6	0	5
Spruce Fir, growth 70 per cent. cwt. 78 s.	0	10			WIDDINGTONIA Whytei			8	0
Pinea, Italian Stone Pine ... " 48 "	0	6			WELLINGTONIA gigantea (Sequoia)	26	0	2	0
Pinsapo (Abies)	3	0	0	4	YEW , see Taxus.				
" argentea	7	0	0	8					

For Pictorial Pockets of Flower-Seeds and Vegetable-Seed-Labels see enclosed yellow list.

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

Evergreen and Deciduous Trees and Shrubs.

	per lb.		per oz.			per lb.		per oz.	
	s.	d.	s.	d.		s.	d.	s.	d.
ACACIA Julibrissin.....	0	8	0	2	BROUSSONETIA papyrifera.....	3	0	0	4
Thorn (<i>Robinia Pseudo-Acacia</i>) cwt. 34 s.	0	5			BUCK-THORN, <i>see Rhamnus.</i>				
ACER campestre..... " 22 "	0	4			BUXUS sempervirens, Box.....	2	0	0	2
Ginnala.....	7	0	0	8	CALICARPA japonica.....			1	4
japonicum.....	7	6	0	8	CALYCANTHUS floridus, American Allspice	4	0	0	4
macrophyllum.....	1	8	0	2	praecox (<i>Chimonanthus fragrans</i>)....	2	4	0	3
Negundo, Box Elder..... cwt. 24 s.	0	4			" grandiflorus.....	4	6	0	5
" fol. variegatis.....	2	6	0	3	CAPPARIS inermis.....	8	0	0	8
palmatum.....	8	0	0	8	spinosa, Caper Tree.....	10	0	0	10
pennsylvanicum.....	3	0	0	4	CARAGANA arborescens.....	1	8		
platanoides, Maple..... cwt. 26 s.	0	5			CARPINUS Betulus, Hornbeam... cwt. 36 s.	0	5		
" Reitenbachi.....	2	0	0	2	CARYA alba, Hickory.....	0	10		
" Schwedleri.....	1	8	0	2	CATALPA, <i>see Bignonia.</i>				
polymorphum atropurpureum 1000 sds. 6 s.					CEANOTHUS americanus.....			1	0
Pseudo-Platanus, Plane, Sycamore cwt. 24 "	0	4			aznreus.....			2	0
" fol. atropurpureis.....	2	4	0	3	Gloire de Versailles.....			1	0
rubrum.....	11	0	1	0	" " Vaise.....			3	0
saccharinum, American seed.....	2	4	0	3	hardy vars. finest mixed, extra.....	7	0	0	8
striatum.....	11	0	1	0	CELASTRUS scandens, Staff Tree.....	1	0	0	2
tataricum.....	3	0	0	4	CELTIS australis, Nettle Tree.....	0	10	0	2
AESCULUS rubicunda.....	0	8			occidentalis.....	0	4		
AILANTHUS glandulosa, Tree of Heaven cwt. 24 s.	0	4			CERASUS domestica, Cherry Stones cwt. 28 s.				
AKEBIA quinata.....			1	4	Avium (<i>Prunus Avium</i>), Merisier, Gean,	0	5		
ALDER, <i>see Alnus.</i>					Wild Cherry or Mazard cwt. 32 s.	0	5		
ALNUS glutinosa, Common Adler cwt. 42 s.	0	6			" dulcis (from cultivated sweet sorts) " 34 "	0	5		
incana, smooth white..... " 92 "	1	0			<i>see also Prunus.</i>				
AMELANCHIER canadensis.....	2	0	0	2	CERATONIA Siliqua.....	1	2	0	2
AMORPHA fruticosa.....	0	8			CERCIS canadensis.....	2	4	0	3
glabra.....	1	0	0	2	Siliquastrum, Judas Tree.....	0	8		
AMPELOPSIS hederacea (<i>Hedera quinque-</i>					CHERRY STONES, <i>see Cerasus.</i>				
folia), Virginian Creeper.....	1	8	0	2	CHIONANTHUS virginica.....	11	0	1	0
Veitchi.....	3	0	0	4	CLEMATIS coccinea, very fine.....			2	4
virginiana.....			0	10	flammula.....	1	2	0	2
AMYGDALUS communis amara, Almond... cwt. 68 s.	0	8			Stans..... 1000 seeds 2 s.			2	0
communis dulcis.....	0	8			virginiana.....	0	8		
persica, Peach.....	0	6			Vitalba, Traveller's Joy.....	1	0	0	2
APPLE PIPS (<i>Pirus Malus</i>)..... cwt. 68 s.	0	9			Viticella.....			0	10
ARALIA japonica (<i>elinensis</i>).....			1	2	" venosa.....				
spinosa.....	9	0	0	10	Jackman's finest hybrids, mixed (lanu-	120	0	8	0
ARBUTUS Menziesi.....			0	10	ginosa and patens classes) 1000 sds. 4 s.	0	8	0	2
Unedo, Strawberry Tree.....	2	6	0	3	COLUTEA arborescens.....			0	8
ARISTOLOCHIA Siph.....	56	0	4	0	orientalis.....			0	8
ARMENIACA vulgaris, Apricot.....	0	6			CORNUS alba.....			0	6
ASH, <i>see Fraxinus.</i>					florida.....	2	8	0	3
AUCUBA japonica, mixed... 1000 seeds 8 s.	4	0	0	4	mascula, Male Cornel.....	0	5		
AZALEA americana.....			6	0	sanguinea.....	0	5		
mollis, splendid.....			8	0	CORONILLA Emerus.....	4	0	0	4
pontica, best Ghent vars. mixed.....			3	4	COTONEASTER acuminata fructu nigro...			0	6
BAY, Sweet (<i>Laurus nobilis</i>)..... cwt. 32 s.	0	5			buxifolia.....	2	6	0	3
BEECH, <i>see Fagus.</i>					microphylla.....	2	8	0	3
BERBERIS Aquifolium (<i>Mahonia</i>), berries..	1	4	0	2	multiflora reflexa.....			0	6
Aquifolium, clean seed.....	2	4	0	3	CRATAEGUS coccinea.....	0	5		
Jamesoni.....	4	0	0	4	Crus-galli, Cock's-spur Thorn.....	1	0	0	2
japonica.....	5	0	0	6	glabra (<i>Photinia serrulata</i>).....	1	8	0	2
vulgaris, Berberry, clean seed cwt. 56 s.	0	8			Oxyacantha, Hawthorn, in flesh cwt. 14 s.	0	3		
" purpurea, true from seed.....	2	0	0	2	" clean seed..... " 42 "	0	6		
BETULA alba, Birch, poor crop... cwt. 36 s.	0	5			" fol. argenteo-variegatis.....	3	0	0	4
alba pendula.....	0	8			<i>Pyracantha, see Mespilus.</i>				
americana alba.....	6	0	0	6	sanguinea.....	3	0	0	4
nigra.....			0	8	CURRENTS, <i>see Ribes.</i>				
odorata.....	0	9			CYDONIA japonica (<i>Pirus</i>).....	14	0	1	2
papyrifera, rubra, each.....			1	0	vulgaris, Quince Pips.....	2	10	0	3
BIGNONIA Bungeana.....	3	0	0	4	CYTISUS alpinus, Scotch Laburnum...	2	4	0	3
capreolata, Trumpet Flower.....			1	4	capitatus.....	3	0	0	4
Catalpa (<i>syriacaeflora</i>).....	0	8			Laburnum..... cwt. 72 s.	0	9		
grandiflora.....	10	0	0	10	" Carlieri, elegans, each.....			0	6
Kaempferi.....	1	10	0	2	" pendulus.....	3	0	0	4
radicans.....	12	0	1	0	" Vossi.....	1	0	0	2
speciosa (<i>Catalpa</i>).....	4	0	0	4	nigricans (<i>Lembotropys</i>).....	7	0	0	8
BIRCH, <i>see Betula.</i>					purpureus.....			2	6
BIRD CHERRY (<i>Prunus Padus</i>).....	1	3	0	2	sessilifolius.....			0	10
BLACK THORN (" spinosa) cwt. 24 s.	0	5			DAPHNE Laureola.....			1	4
BROOM (<i>Spartium scoparium</i>).... " 38 "	0	5			Mezereum.....	4	0	0	4

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

	per lb.		per oz.			per lb.		per oz.	
	s.	d.	s.	d.		s.	d.	s.	d.
DEUTZIA crenata, crenata fl. pleno, each..	5	0	0	6	LESPEDEZA bicolor			1	6
Fortunei	5	6	0	6	LEYCESTERIA formosa			1	4
gracilis	4	0	0	4	LIGUSTRUM japonicum, Japan Privet.....	0	8		
DIMORPHANTHUS mandshuricus.....			1	0	vulgare, Common Privet cwt. 34 s.	0	5		
DIOSPYROS Kaki	4	0	0	4	LILAC, Common (Syringa vulgaris).....	0	10		
Lotus	1	4	0	2	LIME, see Tilia.				
virginiana	2	4	0	3	LIQUIDAMBAR styraciflua			1	6
DOG ROSE (R. canina), clean seed cwt. 26 s.	0	4			LIRIODENDRON tulipifera	0	8		
ELAAGNUS angustifolia	3	0	0	4	tulipifera, American seed	3	0	0	4
ELM, see Ulmus.					LOCUST TREE (Robinia Ps.-Acacia) cwt. 34 s.	0	5		
Erica vulgaris			1	4	LONICERA brachypoda fol. aureo-reticulatis	10	0	0	10
EUCALYPTUS, see page 36.					Caprifolium, Woodbine	5	6	0	6
EVONYMUS europaeus, Spindle Tree	1	6	0	2	tatarica	4	6	0	5
japonicus, latifolius, each.....	1	6	0	2	MACLURA aurantiaca, Osage Orange cwt. 180 s.	1	10	0	2
rosmarinifolius					MAGNOLIA grandiflora	2	8	0	3
EXOCHORDA grandiflora	26	0	2	0	grandiflora gigantea 100 seeds 5 s.				
FAGUS americana	3	4	0	4	Lenné	1000	"	16	"
sylvatica (Beech)	0	5			macrophylla	7	0	0	8
" purpurea	3	0	0	4	purpurea (discolor)	3	0	0	4
FICUS Carica, Fig-tree			1	2	Soulangeana	1000	seeds	12	s.
FORSYTHIA suspensa					umbrella (tripetala)	1000	"	8	"
FRAXINUS excelsior, Ash	0	4			Yulan (conspicua)	1000	"	8	"
excelsior pendula	0	6			MAHONIA, see Berberis.				
americana alba	1	6	0	2	MAPLE (Acer platanoides)	cwt. 26 s.	0	5	
Ornus	0	4			MELIA Azedarach			0	6
FREMONTIA californica			5	0	japonica (floribunda)	3	0	0	4
FURZE (Ulex europaeus)	1	0	0	2	MESPIBUS Pyracantha (Crataegus)	0	10	0	2
GAULTHERIA procumbens	0	8			MORUS alba, White Mulberry. cwt. 150 s.	1	6	0	2
GENISTA juncea (Spartium)	0	5			Moretti	4	0	0	4
scoparia (Spartium), Broom	0	5			nigra, Black Mulberry	1	8	0	2
tinctoria	1	10	0	2	MOUNTAIN ASH (Sorbus Aucuparia) cwt. 22 s.	0	4		
GLEDITSCHIA horrida (chinensis)	1	3	0	2	MULBERRY, see Morus.				
japonica	6	0	0	6	MYRTUS communis, Myrtle, clean seed ...	3	0	0	4
triacanthos, Honey Locust... cwt. 32 s.	0	5			romana	1	8	0	2
" inermis	1	6	0	2	tarentina	2	4	0	3
GLYCINE brachybotrya			0	10	OREODAPHNE californica (Tetranthera)	5	0	0	6
frutescens	2	4	0	3	OSAGE ORANGE (Maclura aur.) cwt. 180 s.	1	10	0	2
magnifica			1	4	PAEONIA arborea	11	0	1	0
sinensis (Wistaria)					PALIURUS aculeata	cwt. 24 s.	0	3	
1000 sds. 12 s., 100 sds. 1 s. 6 d.	10	0	0	10	PAULOWNIA imperialis	0	10	0	2
" fl. albo	22	0	1	8	PEACH (Amygdalus persica)	0	6		
GOOSEBERRY, see Ribes Grossularia.					PEAR PIPS (Pirus communis)	cwt. 210 s.	2	0	
GORSE (Ulex europaeus)	1	0	0	2	PERIPILOA graeca			1	4
GUELDER ROSE (Viburnum Opulus)	0	8			PHILADELPHUS coronarius, clean seed ...	14	0	1	2
GYMNOCLADUS canadensis	3	4	0	4	grandiflorus, clean seed	14	0	1	2
HALESIA tetraptera	7	0	0	8	media	1	4	0	2
HAWTHORN, see Crataegus Oxyacantha					PHILLYRAEA angustifolia	1	0	0	2
HEDERA Helix, Ivy	0	6			"	1	0	0	2
quinquefolia, Virginian Creeper ...	1	8	0	2	PIRUS communis, Pear Pips .. cwt. 210 s.	2	0	0	2
HIBISCUS syriacus, mixed	0	8			communis, from Wild Pears " 220 "	2	2	0	3
syriacus fl. pleno	1	2	0	2	japonica, see Cydonia.				
HIPPOPHAE rhamnoides	2	0	0	2	Malus, Apple Pips	cwt. 68 s.	0	9	
HOLLY, see Ilex.					" Crab Apple Pips	" 180 "	1	9	0
HONEY LOCUST, see Gleditschia.					" baccata, Ryngo, each			0	6
HORNBEAM (Carpinus Betulus) cwt. 36 s.	0	5			" floribunda	3	0	0	4
HYDRANGEA japonica			3	4	" paradisiaca, for stocks.	0	10		
paniculata grandiflora Pkts.: per doz. 6 s.					PLANE, see Acer and Platanus.				
HYPERICUM calycinum			1	4	PLANERA Richardi	7	0	0	8
ILEX Aquifolium, Common Holly, berries..	0	7			PLATANUS occidentalis	cwt. 26 s.	0	4	
Aquifolium, clean seed	2	0	0	2	orientalis, Plane	" 26 "	0	4	
" fol. argenteo-variegatis	2	0	0	2	POPULUS alba, Abele Tree	2	0	0	2
" " aureo-variegatis	2	0	0	2	nigra, pyramidalis (italica), each	2	0	0	2
laurifolia	1	8	0	2	tremula, Aspen Poplar	2	0	0	2
INCARVILLEA Olgae			2	4	PRIVET, see Ligustrum.				
INDIGOFERA Dosua	3	0	0	4	PRUNUS Avium, see Cerasus.				
IVY, see Hedera.					domestica, Plum	cwt. 12 s.	0	3	
JUGLANS nigra	0	5			Lauro-Cerasus, Common Laurel	0	10	0	2
KALMIA angustifolia, clean seed			4	6	lusitanica, Portugal Laurel	1	4	0	2
latifolia mixed, " "	10	0	0	10	Mahaleb	cwt. 50 s.	0	8	
" alba, rubra, each " "	11	0	1	0	Myrobalana (poor crop)	" 60 "	0	8	
KOELREUTERIA paniculata	0	8			Padus, Bird Cherry	1	3	0	2
LABURNUM (Cytisus Laburnum) cwt. 72 s.	0	9			serotina	2	6	0	3
LAUREL, see Prunus.					spinosa, Black Thorn, Sloe. cwt. 24 s.	0	5		
LAURESTINUS (Viburnum Tinus)	0	9			virginiana	1	2	0	2
LAURUS nobilis, Sweet Bay	0	5			PTELEA trifoliata	3	0	0	4
Sassafras	5	0	0	6	PTEROCARYA caucasica	2	0	0	2
					PUNICA Granatum	5	0	0	6

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

	per lb.		per oz.			per lb.		per oz.	
	s.	d.	s.	d.		s.	d.	s.	d.
QUERCUS Ilex, Evergreen Oak	0	6			SCHINUS Molle	1	0	0	2
coccinea } American Acorns, should cwt. 52 s.	0	8			SLOE (<i>Prunus spinosa</i>)	0	5		
rubra } be ordered at once " 32 "	0	5			SOPHORA japonica	0	8	0	2
QUINCE (<i>Cydonia vulgaris</i>)	2	10	0	3	japonica pendula	1	0	0	2
RHAMNUS Alaternus, Buck-Thorn	1	2	0	2	secundiflora			0	6
catharticus	1	4	0	2	SORBUS Aucuparia, Mountain Ash cwt. 22 s.	0	4		
Frangula	0	8			Aria	0	6		
RHODODENDRON arboreum, etc., see page 49.					SPARTIUM junceum, Yellow Spanish Broom	0	8		
Catawbiense			1	4	multiflorum album, White Portugal "	16	0	1	4
ponticum maximum, mixed	20	0	1	6	scoparium, Broom	0	5		
RHODOTYPUS kerrioides	6	0	0	6	SPIRAEA ariaefolia	9	0	0	10
RHUS Cotinus, Sumach	4	6	0	5	callosa (Fortunei)			1	0
succedana	5	0	0	6	Douglasi, American Seed			2	8
typhina	1	4	0	2	Lindleyana	5	0	0	6
verniciifera	4	0	0	4	opulifolia			0	10
RIBES Grossularia, Gooseberries, Large Yel-					" lutea			1	0
low, Green, Red, White, each ...	16	0	1	4	STAPHYLEA pinuata	1	8	0	2
Grossularia, Large Sorts, mixed	12	0	1	0	STERCULIA platanifolia	1	4	0	2
rubrum, Currants, White, Dark Red,					SYCAMORE (<i>Acer Pseudo-Platanus</i>) cwt. 24 s.	0	4		
Flesh-colour, Rose, each	10	0	0	10	SYMPHORICARPUS longifolius			0	10
" Large Dutch, mixed	9	0	0	10	racemosus	2	0		
" Black-fruited	8	0	0	8	SYRINGA japonica			4	0
sanguineum			1	6	vulgaris, Common Lilac	0	10	0	2
ROBINIA Pseudo-Acacia, Acacia .. cwt. 34 s.	0	5			" alba	1	2	0	2
Bessoniana	3	4	0	4	TAMARIX gallica	7	0	0	8
viscosa	4	0	0	4	TILIA europaea, Lime, small-leaved cwt. 44 s.	0	6		
ROSA bengalensis, hips	3	0	0	4	europaea grandifolia, large-leaved " 50 "	0	7		
Boursaulti, hips	1	0	0	2	americana, Black Lime	2	0	0	2
canina, Dog Rose, Briar, clean seed cwt. 26 s.	0	4			argentea	1	2	0	2
caprolata, hips	1	0	0	2	" pendula	1	6	0	2
hybrida, Remontant, or Perpetual, hips...	5	6	0	6	macrophylla (pubescens)	2	0	0	2
" " French Hybrids, clean seed	11	0	1	0	ULEX europaeus, Gorse, Furze .. cwt. 96 s.	1	0	0	2
" Thea, clean seed	10	0	0	10	ULMUS campestris, Elm	0	6		
multiflora	8	0	0	8	VACCINIUM Myrtillis			1	2
pilosa			2	0	VIBURNUM Lantana	0	7		
polyantha	3	0	0	4	Opulus, Guelder Rose	0	8		
" multiflora nana, Dwarf Perpetual,					Tinus, Laurestinus	0	9		
new. Seedlings come into bloom					VIRGINIAN CREEPER , see <i>Hedera</i> .				
within 6 to 8 weeks.					VIRGILIA lutea	7	0	0	8
1000 fruits (5 to 10 sds. in each) 14 s.					VITEX Agnus Castus	0	10	0	2
100 " 1 s. 8 d., Electrotypes 4 "					WEIGELIA amabilis, arborea grandiflora, each			2	8
Pkts.: hundr. 16 s., doz. 2 s. 6 d.					candida, purpurata, each 1/8 oz. 1 s.				
" scandens, climbing hybrids, splendid					rosea			2	4
varieties, flowering the second year	6	0	0	6	finest mixed			2	4
rubrifolia, hips	2	6	0	3	WISTARIA , see <i>Glycine</i> .				
rubiginosa, Sweet Briar, fruits cwt. 24 s.	0	5			XANTHOCERAS sorbifolia .. 1000 seeds 12 s.	8	0	0	8
" clean seed	0	8			YUCCA aloifolia	3	0	0	4
rugosa	14	0	1	2	aloifolia tricolor	5	0	0	6
" alba			1	6	" fol. variegatis	4	0	0	4
RUBUS fruticosus, Bramble, clean seed ...	2	4	0	3	angustifolia			1	8
Idaeus, Raspberry, mixed	12	0	1	0	Draconis			2	4
RUSCUS aculeatus	1	2	0	2	filamentosa	26	0	2	0
racemosus	1	6	0	2	gloriosa			4	6
SALIX alba, Willow	1	2	0	2	quadricolor			1	2
caprea, purpurea, each	1	0	0	2	nudulata	6	0	0	6
SAMBUCUS canadensis	7	0	0	8	Whipplei			2	0
nigra, Elder, racemosa, each	0	8	0	2	ZIZYPHUS sativa (hortensis)	1	4	0	2

Layers of Carnations and Picotees.

Show Carnations and Picotees. Strong well-rooted layers of most of the sorts comprised in my very extensive Collection (by far the most complete on the Continent) are supplied at the following prices. 12 sorts, my selection, a pair of each 6 s.; 25 do. do. 12 s., 50 do. do. 24 s., 100 do. do. 50 s.

Victoria Carnations (Benary). (For description see previous catalogues.) Of this beautiful dwarf and compact class I offer 6 varieties, my selection, 1 layer of each for 2 s., 12 vars. 6 s., and 100 layers in 12 varieties, my selection, 45 s.

Carnation, Yellow Self, Germania (Benary). Notwithstanding the various new sorts annually produced by able raisers both in England and on the Continent, this well-known variety still maintains its position as the finest Yellow Self Carnation yet introduced. Layers: hundred 40 s.

White Lady, splendid pure white Self, very large flower of faultless form. Layers: hundred 60 s.

Santuzza (Benary), earliest and most brilliant rosy carmine Self. Layers: dozen 8 s. 6 d.

I shall be pleased to send descriptive priced list of my Carnations to all of my friends who are interested in them, also a list of the novelties I am sending out this season.

Pink, Queen of the Market, new double white, most abundant bloomer, excellent for florists hundr. 16 s.

 Orders for Bulbs and Tubers of a watery nature such as Begonias, Dahlias, Gloxinias, Lilies etc., will not be executed during the winter, unless special instructions to that effect be given me. They would then be forwarded entirely at Customers' risk.

	per hundred		per hundred
	s. d.		s. d.
Begonia, Tuberous-rooted:		Ferraria Tigridia (Tigridia Pavonia)	6 4
Single, Baumannii hybrida dozen 9 s. 6 d.		Freesia Leichtlini thousand 30 s.	3 3
" boliviensis superba	28 0	refracta alba " 18 "	2 0
" Davis, Froebeli, Pearcei, each	28 0	" hybrida	2 4
" fulgens	32 0	Gesneria macrantha	22 6
" Martiana gracilis	28 0	zebrina discolor	4 8
" Mont Blanc, pure white	22 6	hybrida	20 0
" extra fine mixture thousand 110 s.	12 0	Gladiolus Gandavensis, mixed thousand 72 s.	8 0
" white, light rose, dark rose, orange,		Lemoinei, fine mixed " 80 "	9 0
salmon, scarlet, yellow, each	20 0	Nanceianus thousand 13 s. 6 d.	30 0
" dark red	22 6	Colvilli alba	1 6
" 9 vars. for exhibition purposes. 12 s.		Gloxinia hybrida grandiflora:	
" cristata, new bearded, splendid	100 0	French hybrids, finest mixed thousand 150 s.	16 0
" vittata, new striped dozen 12 s.		gigantea, new Giant (Benary 1896)	28 0
" white centred, excellent	24 0	" Cyclops my last year's	64 0
Double, 25 finest named sorts my selection 16 s.		" Goliath novelties	80 0
12 " " " " " 8 "		alba, pure white, superb	28 0
" Finest mixed thousand 300 "	32 0	Corona (Benary), splendid	28 0
" mixed white, yellow, red, orange,		Defiance (Benary), Fire King, each	28 0
rose, each	40 0	punctata, Tigred and Spotted, finest mixed	18 0
" Clémence Denisart, rose	40 0	" rosea	18 0
" Lafayette, brilliant dark scarlet, splendid	80 0	crassifolia erecta	18 0
" Mad. Moser, light scarlet, fine	40 0	erecta coelestina, violacea, each	20 0
Achimenes, in 20 varieties	6 4	" " coccinea, new	30 0
mixed	3 2	" " Emperor Frederick, Emp. William, each	20 0
Adonis vernalis	2 5	" horizontalis, pendula, each	18 0
Agapanthus umbellatus	18 6	" splendid mixed thousand 150 s.	16 0
Allium neapolitanum thousand 15 s.	1 8	all sorts in splendid mixture " 180 "	20 0
Amaryllis Belladonna	12 6	Helleborus niger (Christmas Rose)	8 0
formosissima	18 0	hybridus, new hybrids, finest mixed	48 0
vittata dozen 9 s. 6 d.		Hyacinthus candicans thousand 44 s.	4 8
Amorphophallus Rivieri	58 0	Iris germanica, mixed	3 8
Anemone fulgens thousand 40 s.	4 6	pumila, "	5 6
fulgens semiplena	3 7	iberica	18 0
double Dutch, mixed thousand 16 s.	1 10	Kaempferi, finest mixed	18 0
scarlet, " " 23 "	2 6	" 8 splendid vars. 4 s. 6 d.	
from Caen	12 8	Susiana	23 6
single, mixed thousand 9 s.	1 0	Ixia, fine mixed	1 10
scarlet, mixed " 12 "	1 4	Lilium auratum } selected { extra strong (11 to 13 in.)	48 0
from Caen	2 8	} imported { strong (9 " 11 ")	34 0
japonica, rose, Honorine Jobert, white, each	20 0	} bulbs { medium size (8 " 9 ")	24 0
Pulsatilla	4 8	Batemani	28 0
sylvestris	4 0	Browni dozen 8 s. 6 d.	
Calla aethiopica	20 0	candidum (White Garden Lily)	9 6
Caladium, Greenhouse, in 25 varieties	80 0	concolor	16 0
Canna, in 10 sorts	20 0	Harrisi	40 0
25 varieties of Crozy's Collection	28 0	Krameri	24 0
iridiflora Brianti, dark leaves, rose flowers	22 0	lancifolium (speciosum) album } very	34 0
Mad. Crozy, Queen Charlotte, each	22 0	punctatum }	32 0
Austria dozen 3 s. 6 d., Italia dozen 4 s. 6 d.		" roseum, rubrum, each }	24 0
finest mixed	10 0	" rubrum Schrijmakersi }	36 0
" dark-leaved sorts	22 0	Martagon	8 0
" Crozy's sorts exclusively	24 0	tigrinum	7 6
Chionodoxa Luciliae	2 4	" flore pleno	11 6
grandiflora gigantea	5 0	Lily of the Valley, see Convallaria.	
Convallaria majalis (Lily of the Valley), strong German		Lobelia, Scarlet Queen Victoria	16 0
crowns (for November delivery) thousand 30 s.	3 4	Lycoris sanguinea	18 0
Cyclamen europaeum	6 0	Medeola asparagoides, Smilax	9 6
persicum hundred 28 s., persicum giganteum	52 0	Montbretia crocosmiaeflora thousand 28 s.	3 2
Cypripedium Calceolus, Ladies' Slipper	16 0	Nerine japonica, splendid scarlet Amaryllideae	14 6
Dahlia, single, in 25 varieties	20 0	Ranunculus asiaticus superbiissimus thousand 11 s. 0 d.	1 3
single striped in 5 "	20 0	Double Dutch, finest mixed " 7 " 3 "	0 10
President Carnot, scarlet, splendid	20 0	Salvia patens	18 0
double in 25 best sorts (Large-flowered, Lilliput		Tritoma Uvaria grandiflora	20 0
and Dwarf), strong tubers, grown in pots	24 0	Tuberoses, Pearl, imported thousand 60 s.	6 4
Juarezi, Cactus Dahlia, type, scarlet	32 0	Tulipa Greigi	24 0
in 10 splendid varieties	50 0	Tydaea, mixed thousand 40 s.	4 4
Delphinium nudicaule	16 0	Vallota purpurea	36 0
Dodecatheon Meadia thousand 105 s.	11 6		

Floral Novelties.

The present List contains the Novelties I am sending out myself this season (they are preceded by an asterisk), and the best of those of other raisers which have come under my notice up to the moment of going to press.

N. B. Orders for the following Novelties can be economically wired me by using the code-words prefixed to them, either in conjunction with the code-words for packets given in my Cable Code, page 77, or by placing before the code-word of the novelty the number of packets required.

- | | | | |
|-------------------------|---|------|-------|
| | | | s. d. |
| *⊙ | ASTER, DWARF MIGNON. Crimson, White. | | |
| Code-word: Mognabian | (Benary). Just as the leading classes of Asters, such as the Victoria and Paeony-flowered, have each given rise to dwarf-growing sections, so now the beautiful and extremely popular Mignon class has also produced a form with a low habit of growth. About 10 in. high, the plant branches just above the soil and the elegant stalks bear a profusion of the same lovely and refined semi-globular flowers which are so highly prized in the tall Mignon Aster. This new variety is of striking beauty and will doubtless take a leading place among the dwarf classes. For beds and borders, for cutting and as a pot plant, it cannot fail to prove of immense value. | | |
| | Each colour, Pkts.(of 40sds.): hundr. 48s., doz. | 7 0 | |
| | Electrotype | 3 6 | |
| *⊙ | CANNA VARIEGATA. new variegated-leaved. In the spring of 1897 among a group of ornamental leaved plants exhibited in Hamburg by Messrs Sander, a beautiful variegated Canna drew a large share of public attention. Being assured that it came true from seed I obtained possession of most of the available stock of bulbs and am now able to offer seed of this excellent foliage plant. The following is Messrs Sander's description: "A most beautiful tri-coloured leaved new Canna, imported by us from the Solomon Islands, and the most sterling novelty among this section of plants yet seen. Its large flowers are brilliant scarlet in colour (with me they have shown themselves blood red, E.B.) and combined with its handsomely variegated foliage will make the plant a feature in sub-tropical gardening. The leaves are of a light green, thickly splashed, lined and barred with red and yellow and margined with clear crimson, which colour appears throughout their whole surface. The plant is so decidedly striking as to arrest attention the moment it is seen, and it is probable that our collector's estimate will be realized, inasmuch as he considers it a much better decorative plant than <i>Heliconia illustris rubricaulis</i> . It is as hardy as all other Cannas, and of a dwarf, spreading, ample habit, as in <i>Heliconia</i> . It cannot fail to make a very useful plant for all purposes of decoration." | | |
| Code-word: Moderantism. | The Paris Revue Horticole writes in a similar strain and I can substantiate the above description from my own careful observation. Although I would remark that I do not place any special value on the flower (since we possess much finer ones in the introductions of Crozy and others), this Canna, through its splendid leaves alone, reminding one at first sight of a Maranta, will when grown in pots take rank among the leading foliage plants, and I place an exceedingly high estimate on its value for decorative purposes. It can of course be planted in the open, where under the sun's influence the variegation becomes lighter and still more beautiful, and presents a striking contrast when placed in conjunction with other Cannas. | | |
| | Pkts.(of 5sds.): hundr. 48s., doz. | 7 0 | |
| | Bulbs " 18 0 | | |
| | Electrotype, large size 6s., small size | 3 0 | |
| *⊙ | BALSAM, IMPROVED CAMELLIA FLOW-ERED, PRINCE BISMARCK (Benary). | | |
| Code-word: Motivity. | The brilliant salmon rose flowers of this splendid novelty represent quite a striking new colour in Balsams. It is in every respect as fine as my last year's introduction "alba perfecta" and even superior in the perfection of form of its very double blossoms. This superb variety is a wonderfully free bloomer and comes absolutely true from seed; its magnificent appearance drew forth the eulogiums of all visitors to my grounds during the past summer. Pkts.(of 40sds.): hundr. 40s., doz. | 6 0 | |
| | Electrotype | 3 0 | |
| | | | |
| *⊙ | BEGONIA SEMPERFLORENS LITTLE GEM. This is a double-flowering variety of the charming dwarf compact Vernon Begonia. In habit it comes absolutely true from seed but only one half of the seedlings produce double flowers. This neat little plant is quite a gem both for bordering and for pots. | | |
| Code-word: Modal. | Packets (of 250 seeds): hundred 48 s., dozen | 7 0 | |
| | | | |
| *⊙ | CANDYTUFT LITTLE PRINCE, (Iberis coronaria princeps). (Benary). It is from the beautiful Empress Candytuft that I have obtained this most charming new dwarf variety. Though only half the height of the parent, say 4 to 6 inches, it forms just as massive spikes of large pure white flowers, which, standing erect out of the Wallflower-like foliage, are grouped candelabra-wise round the main stem. In some plants further side branches, often to the number of 3 or 4, are developed, giving the plant quite a bush-like form. This new Candytuft is of an extremely robust constitution and continues considerably longer in full bloom than the Empress. When planted in masses it produces a splendid snow-like effect; for groups and borders also, and as a pot plant, this novelty will be of grand service. The numerous visitors to my grounds this summer were greatly struck with its unique beauty: I consider it one of my best introductions. | | |
| Code-word: Molybdenite. | Packets (of 75 sds.): hundred 48 s., dozen | 7 0 | |
| | Electrotype, large size 6s., small size | 3 0 | |
| | | | |
| *⊙ | CUPHEA MINIATA ROSEA (Benary). Last season I introduced a new compact variety of the well-known <i>C. miniata</i> , and am now able to add a perfectly new colour, hitherto unknown in the genus, i. e. a pure light rose, which contrasts very prettily with the fresh green foliage. This useful little novelty comes true from seed. Packets (of 40 sds.): hundred | 40 0 | |
| Code-word: Modern. | dozen | 6 0 | |
| | | | |
| *⊙ | PETUNIA, LARGE-FLOWERED FRINGED, MIRANDA (<i>Petunia hybrida grandiflora fimbriata</i>) (Benary). I beg to call especial attention to this remarkably fine novelty. It has been obtained from that charming variety known as "brilliant rose", but the colour is much more intense and merges gradually towards the throat into scarlet. I believe I have in this beautiful new variety made a close approach to obtaining a true scarlet Petunia. The flowers are superbly fringed. | | |
| Code-word: Mortmain. | Packets (of 100 seeds): hundred 56 s., dozen | 8 0 | |
| | | | |

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

* **DIANTHUS HEDDEWIGI ALBUS, QUEEN** s. d.
OF HOLLAND (Benary). By the introduction of this novelty I believe I am fulfilling a want long felt by all lovers of the beautiful Indian Pink, for among the kaleidoscopic variety of colouring displayed by the D. Heddwigi a pure white variety, notwithstanding the efforts of many raisers, has hitherto failed to make its appearance. Some years ago, however, the desired result was obtained in my grounds by fertilizing D. The Bride with pollen from my well-known Carnation "Germania". The variety has now become pretty well fixed and one may safely reckon on two-thirds of the plants bearing splendid even-edged flowers of a lustrous pure white. A certain percentage show a small ring, sometimes yellowish, sometimes rosy, round the centre, but this rather enhances than detracts from the beauty of the flower. It is needless to say that they make a very pretty effect in the garden and are besides excellent for cutting.
Packets (of 100 seeds): hundred 48 s., dozen 7 0
Electrotype 5 0

Code-word: Mobilization.

* **LOBELIA CARDINALIS ATROSANGUI-** s. d.
NEA (Benary). In this fine new Lobelia the cardinalis group will be enriched by a very valuable variety. It is thoroughly distinct by reason of the deep blood red colour of its flowers, has the same noble habit and the foliage is just as dark as that of the L. c. Queen Victoria. Pkts. (of 250 sds.): hundr. 56 s., doz. 8 0
Code-word: Moloch.
* **TROPAEOLUM LOBBIANUM GOLDEN**
QUEEN (Benary). It gives me much pleasure to be able to enrich this deservedly favourite class of climbing Nasturtiums with a new variety bearing flowers of a pure golden yellow colour, without any spots, an introduction which will doubtless prove very welcome. Pkts. (of 20 sds.): hundr. 40 s., doz. 6 0
Code-word: Mobile.
* **VERBENA HYBRIDA GRANDIFLORA**
ALBA. I offer here the first variety of the highly popular Mammoth Verbena which has shown itself true from seed. The plants produce a rich abundance of splendid trusses of large pure white flowers.
Packets (of 80 seeds): hundr. 40 s., doz. 6 0
Code-word: Molar.

Novelties offered by other Raisers.

The descriptions are an abstract of those furnished by the raisers. The words at the side of each article are the code-words.

2 **Adenophora Potanini**. Hardy bush-like Campanulaceae. Spikes 2 feet high of pendant light blue flowers appear in July and August.
Packets: hundred 60 s., dozen 8 s. 6 d.
Moth.
2 **Ajuga metallica erispa**. The extremely crimped and curled large dark green leaves with metallic lustre bend outwards in rosette-like form, from which rises a spike 4 to 5 in. high, thickly set with small ultramarine blue flowers. For carpet bedding and borders. Packets: hundred 75 s., dozen 10 s. 6 d.
Mobbish.
* **Antirrhinum majus, coral red**. Rare and beautiful colour in annuals. Pkts.: hundr. 40 s., doz. 6 s.
Moo.
* **Aster Dwarf Chrysanthemum Perfection, pure white**. Very large and double flowers of perfect form. Desirable addition to this thinly represented class. Packets: hundred 60 s., dozen 8 s. 6 d.
Mora.
* **Aster Dwarf Comet Perfection, white**. Scarcely 8 inches in height, this new class begins to bloom early in July, and bears flowers much larger than the ordinary Comet type, the petals being especially long and beautifully curled. Valuable for pots, borders and all decorative purposes.
Packets: hundred 60 s., dozen 8 s. 6 d.
Mobby.
* **Aster, Hohenzollern**. Advertised as a sport from Giant White Comet Aster. Flowers are of really gigantic dimensions, often as much as 8 in. across, of elegant shape, and borne on stalks 20 in. long. No doubt this will prove especially valuable for exhibition purposes. Pkts.: hundr. 60 s., doz. 8 s. 6 d.
Morst.
* **Aster Single Giant, Mixed**. A very fine mixture of single-flowered Asters, for which a demand has of late years arisen. The strain originates from single-flowered plants appearing in Giant Comet Aster.
Packets: hundred 36 s., dozen 5 s. 6 d.
Moxa.
* **Begonia hybr. marmorata**. Tuberous-rooted Spotted. Marbled and spotted white on ground varying between scarlet and carmine. Comes nearly true from seed. Packets: hundred 60 s., dozen 8 s. 6 d.
Morf.
2 **Bidens atrosanguinea superba**. Varies from parent form in its narrower, star-like, lacinated ray-petals. Colour almost black. Good for cutting.
Packets: hundred 40 s., doz. 6 s.
Mong.

2 **Campanula persicifolia grandiflora fl. pleno**. Blue. White. Splendid new form of this fine plant, which appeared in my grounds simultaneously as in another raiser's. Flowers very double and often 1½ in. across. Probably about 50 % true from seed. Invaluable for beds and cutting. Packets: hundred 40 s., dozen 6 s.
Mord.
* **Centaurea americana alba**. Pure white variety of the large American Cornflower. Pkts.: hundr. 40 s., doz. 6 s.
Mog.
* **Centaurea imperialis, mixed**. The result of a cross between the violet Sweet Sultan and C. Margaritae; has inherited the free growth of former and the beautifully shaped flower of the latter. The flower however is double the size, very sweet-scented and the colour varies between white, purple, rose and lilac. Cut early they will last ten days in water. Excellent novelty and of easy culture.
Packets: hundred 36 s., dozen 5 s. 6 d.
Module.
* **Centaurea Mariae**. Hybrid between C. suaveolens and C. mosch. purpurea. Plant dwarfier but flower similar to C. Margaritae. Opens pure sulphur-yellow, then changes to paler shade with rose tips.
Packets: dozen 18 s.
Morus.
* **Colens, Large-leaved Dwarf**. Leaves are almost as large as those of the tall variety and of a deep rich red ground-colour, marbled and spotted with red of a lighter shade. The plants grow only 6 to 8 inches high and come true from seed.
Packets: hundred 50 s., dozen 7 s. 3 d.
Monad.
* **Convolvulus tricolor roseus superbus**. The colour is a more intense bright rose than in C. tricolor roseus. Red star with white eye in centre, very effective. Packets: hundred 40 s., dozen 6 s.
Mowe.
* **Eschscholtzia Douglasi**. Californian annual species at least 14 days earlier than any other. The flower is golden yellow with darker centre and the finely-cut foliage of a grey green colour.
Packets: hundred 40 s., dozen 6 s.
Moun.
2 **Gaillardia grandiflora compacta**. Dwarf growing variety forming a round bush 12 to 15 inches in height. The flowers, borne on upright stalks, are equal to the tall section in variety of colour but superior as regards number, the bloom continuing from June until the late autumn.
Packets: hundred 40 s., dozen 6 s.
Moose.

ERNST BENARY'S GENERAL TRADE CATALOGUE FOR 1898—1899.

4. **Gerardia hybrida.** Arising from a cross between *G. linifolia* and *Pentstemon pulchellus*, this novelty may be treated as an annual. It forms a bush 1½ to 2 feet high covered with *Pentstemon*-like flowers which vary from light rose to dark violet. The bloom continues from July until the autumn. Packets: hundred 40 s., dozen 6 s.
4. **Lobelia Gerardi Lugdunensis.** About 4½ ft. in height and covered with fine dark green foliage, this new plant bears 30 to 40 stems with flowers of a beautiful delicate rose tint. 1000 seeds 8 s.
- **Lupinus albo-coccineus nanus roseus.** New dwarf Lupin of a pretty rose shade. Pkts.: hundr. 40 s., doz. 6 s.
- **Mignonette Bismarck.** An improvement on the well-known *Machet Mignonette*. The plants make strong-growing bushes about one foot high and produce flower spikes twice as broad at the base as those of *Machet*; they form a pyramid and are thickly covered with reddish blossoms. Said to come true from seed. Pkts.: hundr. 60 s., doz. 8 s. 6 d.
- **Mignonette Silver-coloured.** Nearest to a white variety yet offered. Bushy plants with lot of silvery white flower-spikes. Pkts.: hundr. 50 s., doz. 7 s. 3 d.
- **Mimulus gracilipes.** Distinct Californian species. Flowers, 1 inch in diameter, are light carmine with dark carmine spots on the upper lip and white veined throat. Packets: hundred 40 s., dozen 6 s.
- ♂ **Myosotis alpestris stricta alba.** White-flowering variety of the fine new pillar-shaped class of *Forget-me-nots*. Packets: hundred 50 s., dozen 7 s. 3 d.
- ♂ **Myosotis alpestris Star of Love.** Earlier than *Victoria*, compact in habit and lasts longer in bloom. The flowers are of a pure sky-blue. Packets: hundred 50 s., dozen 7 s. 3 d.
4. **Papaver nudicaule sulphureum.** Desirable addition to the popular Iceland Poppies. The colour is a light sulphur yellow. Pkts.: hundr. 36 s., doz. 5 s. 6 d.
- **Petunia hybrida Adonis.** Flowers fiery dark carmine with bluish reflection and pure white throat, very much like *P. Countess of Ellesmere*. Plant compact. Packets: hundred 36 s., dozen 5 s. 6 d.
- **Petunia hybrida azaleaeiflora The Bride.** Same as following, but flowers are white prettily dotted with red. Packets: hundred 48 s., dozen 7 s.

- **Petunia hybrida azaleaeiflora alba.** Double Lilliput Petunia about 1 ft. high and thickly covered with snow-white azalea-like flowers. Gives about 30 per cent of double plants. Pkts.: hundred 48 s., dozen 7 s.
- **Poppy, Double Carnation Heliotrope blue.** Large flowers of quite a new colour in Carnation Poppies. Packets: hundred 48 s., dozen 7 s.
- **Portulaca grandifl. compacta.** A compact growing variety, the plant not exceeding 1 foot across and throwing out an abundance of branches bearing not less than 5 or 6 flowers apiece. The bloom commences early and continues all the summer, rendering this a most desirable novelty both for pots and for borders. Packets: hundred 32 s., dozen 5 s.
- **Salpiglossis variabilis superbissima.** Three distinct new colours of the Emperor *Salpiglossis*, introduced last season and much appreciated on account of its close habit and large open flowers. Dark Scarlet. Packets: hundr. 45 s., doz. 6 s. 3 d. Purplish Violet " " 60 " " 8 " 6 " Rose " " 60 " " 8 " 6 "
- **Sweet Pea, Sadie Burpee.** Described by Mr. Eckford as a pure pearly-white giant-flowered variety of good substance, freely produced and of the fashionable hooded shape. Seeds are both black and white, half of each being given in a packet. Packets (12 seeds): hundred 72 s., dozen 10 s.
- **Tagetes patula fl. pl. Lilliput sulphur yellow.** Bright sulphur-yellow variety of this pretty dwarf class of *Marigolds*. Pkts.: hundred 42 s., dozen 6 s.
- **Torenia Fournieri speciosa Violetta.** Beautiful new variety having very large flowers of a pure white suffused or lightly stained with delicate pale blue; the broadly expanded side petals are decked with violet blue spots. Pkts.: hundr. 72 s., doz. 10 s.
- Tropaeolum Lobbianum hederacifolium, Ivy-leaved Scarlet.** Distinct and fine novelty; its ivy leaves are borne on long slender stems, are of a dark metallic hue and contrast strikingly with the crimson scarlet flowers. Of service for hanging baskets, window boxes or vases. Packets: hundred 90 s., dozen 12 s.
- **Viola cornuta Papilio.** The flower is like *Viola cornuta*, but twice the size. Colour violet lilac with dark eye. The free growth makes it fine for spring bedding. Packets: hundred 40 s., dozen 6 s.

Coloured Plates.

A large Coloured Plate of *Double German Wallflowers* is being prepared for this season. Price 3 s.

Of the Coloured Plates issued in preceding years, those enumerated below may still be had:

Aster, <i>Victoria</i> (Benary's Prize)	2 s. 6 d.
" recently introduced varieties	2 " 6 "
Begonia Tuberous-Rooted, Single and Double	2 " 6 "
Calceolaria hybrida grandiflora	2 " 6 "
Carnations and Picotees (Benary's Collection)	2 " 6 "
Cineraria hybrida grandiflora (Benary)	2 " 6 "
Cyclamen persicum giganteum sanguineum	1 " 0 "
Dahlia, Cactus	2 " 6 "

Gloxinia (Benary's Collection)	2 s. 6 d.
Hollyhocks, Chater's (Benary's Prize Strain)	2 " 6 "
Pansies, Large-Flowering Blotched	2 " 6 "
Petunias, Large-flowered Yellow-throated (Benary) ..	1 " 0 "
" " Single and Double	2 " 6 "
Primula chinensis fimbriata (Benary's Collection) ..	2 " 6 "
Recent Introductions, Bouquet	2 " 6 "

Stakes, in Bundles of 100.

	Weight per 1000	Price per 1000
English measure. { 1 foot	11 lb.	2 s. 0 d.
1½ feet	17½ "	3 " 6 "
2 "	26 "	5 " 6 "
2½ "	46 "	7 " 6 "
3 "	61 "	9 " 6 "
3½ "	79 "	12 " 6 "
4 "	110 "	16 " 6 "
4½ "	140 "	20 " 3 "
5 "	175 "	26 " 3 "

Free on board Hamburg or Bremen.

Wood Labels, in Bundles of 100.

	Weight per 1000	Price per 1000
English measure. { 4 inches	4½ lb.	1 s. 5 d.
5 "	5½ "	1 " 10 "
6 "	7½ "	2 " 2 "
7 "	11 "	2 " 9 "
8 "	13 "	3 " 3 "
9 "	16½ "	4 " 3 "
10 "	22 "	5 " 9 "
12 "	37 "	7 " 4 "
3-4 " holed	6½ "	2 " 2 "

Free on board Hamburg or Bremen.



Dianthus Heddwigi albus,
Queen of Holland.



Aster, Dwarf Mignon.



Candytuft Little Prince.



Balsam Prince Bismarck.



Canna variegata.



Canna variegata.



Candytuft Little Prince.





1901.

SEED ORDER



FOR

WILLIAM BULL, F.L.S., V.M.H.,

New Plant & Seed Merchant,

536, KING'S ROAD, CHELSEA, LONDON, S.W.

To be charged to the account of

Address

Post Town

Nearest Railway Station

Signature of Person ordering

Gardener's Name

Date

1901.

VEGETABLE SEEDS.

Vide Catalogue Pages 39 to 51.

Quantity
required.

PEAS.

Earliest Sorts.

	s.	d.
Pierremont Gem (new) .. per pt.	2	0
Thomas Laxton (new)	2	0
American Wonder .. per qt.	1	3
Chelsea Gem	1	9
Early Sunrise	0	10
Exonian (Veitch's)	1	6
First and best early (Dickson's) ..	0	9
Gradus	3	0
Little Gem (Maclean's)	1	0
Sangster's No. 1 Improved	1	0
William the First (Laxton's)	1	6
William Hurst	1	3

For Second and General Crops.

Advancer (Maclean's) .. per qt.	1	3
Best of All (Maclean's)	1	0
Boston Unrivalled	3	0
Champion of England	0	10
Criterion	2	0
Dr. Maclean (Turner's)	1	6
Duke of Albany	2	0
Duke of York	2	0
Fillbasket (Laxton's)	0	10
Perfection (Veitch's)	1	0
Sharpe's Queen	1	6
Stratagem	1	9
Supreme	1	0
Telegraph	1	0
Telephone	1	6
Wonderful (Maclean's)	1	0

Carried forward

£ s. d.

Quantity
required.

Brought forward

PEAS.

Late Varieties.

	s.	d.
Autocrat per qt.	1	9
British Queen	1	0
Emperor of the Marrows	1	9
Glory of Devon (new) .. per pt.	2	0
Goldfinder per qt.	1	9
Ne plus ultra	1	6
Omega (Laxton's)	1	3
Sturdy (Laxton's)	1	6
Walker's Perpetual Bearer	1	9

BEANS.

Aquadulcis per qt.	1	3
Dwarf Green Gem (Beck's)	1	0
Early Long-pod	0	6
Green Long-pod Nonpareil	0	9
Monarch Long-pod	0	8
Seville Long-pod	1	0
Windsor, Broad Improved	0	9
Windsor, Green Harlington	0	9
Wonderful Long-pod (Johnson's)	0	8

BEANS, FRENCH or KIDNEY.

Canadian Wonder per qt.	1	6
Everbearing	1	9
Fulmer's Forcing	1	6
Golden Butter, wax podded	1	6
Negro Long-podded	1	0
Ne plus ultra (Dwarf)	1	9
Osborn's Forcing	1	0

Carried forward

£ s. d.

Quantity required.		£	s.	d.	Quantity required.
	Brought forward				
	BEANS, &c.—continued. s. d.				
Pale Dun or Cream-coloured ..	per qt. 0 9				
Sion House	1 0				
Sir Joseph Paxton	1 6				
	BEANS.				
	CLIMBING or RUNNING.				
Champion Scarlet Runners ..	per qt. 1 6				
Giant Scarlet	2 0				
Mont d'Or	2 0				
Ne plus ultra (Neal's) ..	1 9				
New Climbing French ..	1 9				
Painted Lady or York and Lancaster	1 0				
Scarlet Runners	1 0				
The Czar	1 6				
	ARTICHOKES.				
Green Globe	per pkt. 1 0				
Purple Globe	1 0				
	ASPARAGUS.				
Colossal (Connover's) ..	per lb. 4/6 .. 0 4				
Reading Giant or Battersea	4/6 .. 0 4				
	BEE.				
Brydon's Exhibition ..	per pkt. 1 0				
Cheltenham Green Top ..	per oz. 0 8				
Dell's Dwarf Black-leaved ..	0 8				
Egyptian Turnip-Rooted ..	0 8				
Middleton Park Favourite ..	0 9				
Nutting's Selected Dwarf Red ..	0 6				
Perpetual or Spinach ..	0 6				
Pine Apple	0 4				
Pragnell's Exhibition ..	0 9				
Silver or Sea Kale	0 6				
	BORECOLE or KALE.				
Asparagus or Buda	per oz. 0 9				
Chou de Milan	0 4				
Cottager's Kale	0 6				
Dwarf Green Curled Selected ..	0 8				
Jerusalem	0 4				
Scotch Cabbaging or Hearting ..	0 8				
Tall Green Curled	0 6				
Variegated Triple Curled ..	per pkt. 0 6				
	BROCCOLI.				
	For use in Autumn and Winter.				
Backhouse's Winter White ..	per pkt. 1 0				
Early White Cape	per oz. 1 0				
Early White (Adams')	0 8				
Self-Protecting Autumn	1 6				
Superb Winter White (Snow's) ..	1 9				
Walcheren	1 0				
	For use in March and April.				
April Queen	per oz. 1 0				
Bride (Dilcock's)	1 0				
Leamington	1 0				
Protecting (Knight's)	1 0				
	For use in May and June.				
Early Purple Sprouting ..	per oz. 1 0				
Eclipse (Cattell's)	1 0				
June Monarch	per pkt. 1 0				
Late White (Wilcove's) ..	per oz. 0 9				
Late Queen	1 3				
Methven's June	per pkt. 1 6				
	Carried forward				

	£	s.	d.
Brought forward			
BRUSSELS SPROUTS. s. d.			
Aigburth	per oz. 0 9		
Exhibition	1 6		
Imported Selected	0 6		
Matchless	1 0		
Rosebery	0 6		
Serymger's Giant	0 9		
The Wroxton	1 0		
	CABBAGE.		
Chou de Burghley	per oz. 1 0		
Christmas Drumhead	0 6		
Early Dwarf York	0 6		
Ellam's Early Dwarf Spring ..	0 8		
Enfield Market	0 6		
Flower of Spring	1 0		
Heartwell (Carter's)	0 8		
Imperial (Wheeler's)	0 6		
Little Pixie	0 6		
Mein's No. 1	0 8		
Nonpareil Improved	0 6		
Red Dutch	0 9		
Reliance (Cattell's)	0 6		
Rosette Colewort, London or	0 9		
Rainham Market	0 8		
Warner's Drumhead	0 4		
	CAPSICUM.		
Cayenne	per pkt. 0 6		
Golden Dawn	0 6		
Long Red	0 6		
Prince of Wales	0 6		
Princess of Wales	0 6		
Red Cherry	0 6		
	CARDOON.		
Large Spanish	per oz. 0 9		
	CARROT.		
Champion Scarlet Horn, a fine variety	per oz. 0 8		
Early French Horn	0 8		
Early Gem	0 9		
Early Nantes	0 6		
Early Scarlet Short Horn ..	0 4		
Intermediate Scarlet (James's) ..	0 6		
Long Red Surrey	0 4		
Matchless Scarlet	0 8		
Scarlet Altrincham, selected stock,,	0 6		
	CAULIFLOWER.		
Autumn Giant (Veitch's) ..	per oz. 1 6		
Dwarf Erfurt Mammoth	1 6		
Early London	1 6		
Eclipse	per pkt. 6d., 2 0		
Snowball	1s. 6d., —		
Walcheren	1 6		
	CELERY.		
Clayworth Prize Pink ..	per pkt. 0 6		
Early Rose	0 9		
Ivery's Nonsuch Pink	0 6		
Leicester Red	0 6		
Major Clarke's Fine Solid Red ..	0 6		
Prizetaker Red (McHattie's) ..	0 9		
Sandringham Dwarf White ..	0 9		
Standard Bearer	0 9		
Superb Crystal White (Cole's) ..	0 6		
White Plume	1 0		
Wright's Giant White	0 6		
„ Grove Red	0 6		
	Carried forward		

Quantity
required.Quantity
required.

	£	s.	d.
Brought forward			
CHERVIL.		s. d.	
Curled or Double per oz.	0	6	
CHICORY or SUCCORY.			
Improved Large-rooted .. per oz.	0	6	
CORN SALAD or LAMB'S LETTUCE.			
Italian per oz.	0	6	
COUVE TRONCHUDA or PORTUGAL CABBAGE.			
Per oz.	1	0	
CRESS.			
American or Land per oz.	0	3	
Australian or Golden per pt. 1/6 ..	0	3	
Common or Plain-leaved			
per qt. 1/8 ..	0	2	
Extra Curled .. 1/8 ..	0	2	
Water Cress per pkt.	0	6	
CUCUMBER.			
All the Year Round .. per pkt.	1	0	
Berkshire Champion	1	0	
Blair's Prolific	1	0	
Blue Gown	1	0	
Cardiff Castle	1	0	
Covent Garden Perfection ..	1	0	
Duke of Edinburgh (Daniels') ..	1	0	
Lockie's Perfection	1	0	
Model (Carter's)	1	0	
Rochford's Market	1	0	
Syon House Improved	1	0	
Telegraph (True)	1	0	
Tender and True	1	0	
Walker's Hero	1	0	
Ridge Varieties.			
Bedfordshire Prize	0	6	
Japanese Climbing	0	6	
Short Prickly	0	6	
EGG PLANT.			
Black per pkt.	0	3	
New York Purple	0	3	
Purple	0	3	
Scarlet	0	3	
White	0	3	
ENDIVE.			
Batavian Green per oz.	0	9	
Batavian Imperial White	0	8	
Digswell Prize	0	8	
Improved Green Curled	1	0	
Large Ruffec	0	6	
Moss Curled	0	8	
White Curled	0	9	
GOURDS.			
Best for preserving per pkt.	0	6	
ICE PLANT.			
Per packet	0	4	
KOHL RABI.			
Early Green Vienna .. per oz.	0	9	
Early Purple Vienna	1	0	
LEEK.			
Ayton Castle Giant .. per oz.	1	0	
Carentan	1	0	
Champion (Dobbie's) .. per pkt.	0	6	
Henry's Prize per oz.	1	0	
Carried forward			

	£	s.	d.
Brought forward			
LEEK—continued.		s. d.	
London Flag per oz.	0	3	
Musselburgh (true Scotch)	1	3	
The Lyon (selected) per pkt. 1/- ..	1	6	
LETTUCE.			
Cabbage Varieties.			
All the Year Round .. per oz.	1	0	
Buttercup per pkt.	1	0	
Continuity per oz.	1	0	
Drumhead or Malta	0	6	
Early Paris Market, per pkt. 9d. ..	1	6	
Grand Admiral or Royal	0	9	
Hammersmith Hardy Green	0	6	
Neapolitan	0	9	
New York .. per pkt. 6d. ..	1	6	
Stanstead Park	0	8	
Tom Thumb	1	3	
Victoria or Red-edged	0	8	
White Dutch	0	10	
Wonderful .. per pkt. 1/- ..	1	6	
Cos Varieties.			
Alexandra White Cos .. per oz.	0	10	
Bath or Brown B. S.	1	0	
Hick's Hardy White	1	0	
Kingsholm	1	0	
London Superb White	0	8	
Nonsuch (Ivery's)	0	10	
Paris Green	0	9	
Paris White	0	10	
MALLOW.			
Curled per pkt.	0	3	
MELONS.			
A1, Sutton's per pkt.	1	0	
Beauty of Syon (new)	1	0	
Beauty of Wordsley	1	0	
Best of All	1	0	
Bishop's Favourite (new)	1	0	
Blenheim Orange	1	0	
Cox's Golden Gem	1	0	
Duchess of York	1	0	
Earl's Favourite	1	0	
Eastnor Castle	1	0	
Eureka	1	0	
Frogmore Scarlet	1	0	
Golden Perfection	1	0	
Hero of Isleworth	1	0	
Hero of Lockinge	1	0	
High Cross Hybrid	1	0	
Imperial Green Flesh	0	9	
Ingestre Hybrid	1	0	
La Favorite	1	0	
Little Heath	1	0	
Monarch	1	0	
Osberton Green Flesh	1	0	
Read's Scarlet Flesh	1	0	
Royal Sovereign	1	6	
Scarlet Invincible	1	0	
Sion House	1	0	
Superb	1	0	
Sutton's Scarlet	1	0	
The Countess	1	0	
Triumph	1	0	
Victory of Bath	1	0	
Windsor Castle (new)	1	0	
William Tillery	1	0	
Carried forward			

MR. WILLIAM BULL'S ORDER SHEET FOR 1901.

Quantity
required.

Brought forward
MUSHROOM SPAWN. s. d.
Per bushel 5 0

MUSTARD, white.
Per quart, 1/8 per oz. 0 2

ONION.
The Aristocrat .. per pkt. 1/6 & 2 6
Anglo White Spanish .. per pkt. 1 0
Ailsa Craig .. per pkt. 1/6 & 2 6
Bedfordshire Champion .. per oz. 0 8
Blood Red 0 8
Brown Globe 0 10
Cranston's Excelsior .. per pkt. 1 0
Danver's Early Yellow .. per oz. 0 6
Deptford 0 6
Giant Zittau 0 9
Improved Wroxton .. per pkt. 1 0
James's Keeping .. per oz. 0 8
Nuneham Park 0 8
Rousham Park Hero 1 0
Silver-skinned 0 9
Spanish White or Reading .. 0 8
The Lord Keeper (Deverill's), per pkt. 1 0
The Queen per oz. 0 9
Tripoli, Giant Rocca 0 9
Tripoli, White Italian Leviathan .. 1 0
Tripoli, Large Globe 0 8
Tripoli, Red Italian 0 9
White Globe 0 10
White Lisbon 0 4

PARSLEY.
Champion Moss Curled .. per oz. 0 8
Exquisite 1 0
Fern-leaved (Carter's) 0 6
Hamburg or Turnip-rooted .. 0 4
Myatt's Garnishing 0 6

PARSNIP.
Champion Hollow-crowned .. per oz. 0 6
Dobbie's Selected 0 6
Lisbonnais (new) 0 4
The Student 0 6

RADISH.
Black Spanish per oz. 0 4
China Rose 0 4
Early Frame (Wood's), pt. 1/9 .. 0 3
Early Scarlet Short-Top .. 2/6 .. 0 6
Early White Short-Top .. 2/6 .. 0 6
French Breakfast 1/9 .. 0 3
Long Salmon 1/9 .. 0 3
Long Scarlet Short-Top .. 1/9 .. 0 3
Scarlet Olive-shaped .. 1/9 .. 0 3
Red Turnip 1/9 .. 0 3
White Turnip 1/9 .. 0 3

SALSAFY.
Improved Mammoth .. per oz. 1 0

SAVOY.
Drumhead or Globe .. per oz. 0 4
Dwarf Green Curled 0 6
Early Dwarf Ulm 0 8
Tom Thumb 0 8

SCORZONERA.
Large Russian per oz. 0 9

SEA KALE (Seed).
Common Purple, per pt. 2/-, per oz. 0 6
Lily White 1 0

Carried forward

£ s. d.

Quantity
required.

Brought forward
SPINACH. s. d.
Long Standing, Prickly,
per pint 1/9, per oz. 0 6
Monstrous Viroflay, qt. 2/6 .. 0 4
Prickly or Winter .. 1/9 .. 0 3
Round or Summer .. 1/9 .. 0 3
Victoria Improved Round, pt. 1/6,, 0 4
New Zealand 0 9

STACHYS TUBERIFERA
(Chinese Artichoke) .. per lb. 0 9

TOMATO.
Challenger per pkt. 1 0
Chiswick Peach (new) 1 6
Conference 0 9
Duke of York 1 0
Frogmore Selected 1 0
Golden Perfection 0 9
Hackwood Park Prolific 0 9
Ham Green Favourite 1 0
Hathaway's Excelsior 0 6
Laird's Supreme 1 0
Maiu Crop 1 0
Open Air 0 6
Osberton Scarlet 1 0
Perfection 0 9
Red Cherry 0 4
Red Currant 0 4
The Polegate 1 0
Trophy 0 6

TURNIP.
American Red Stone .. per oz. 0 4
Chirk Castle Black Stone 0 4
Early Purple Top Munich 0 4
Early Six-weeks' Stone ..
per pint 1/6 .. 0 3
Early Snowball .. 2/- .. 0 3
Extra Early Milan 0 4
Green Top Stone 0 3
Model White (Dobbie's) 0 6
Orange Jelly or Golden Ball
per pint 1/6 .. 0 4
White Strap-leaved 0 3
Yellow Altringham 0 3

VEGETABLE MARROW.
Custard per pkt. 0 6
Hibberd's Prolific 0 6
Long-fruited White, per oz. 9d. .. 0 3
Long-fruited Green .. 9d. .. 0 3
Moore's Cream 0 6
Pen-y-Byd, very distinct 0 6

SWEET AND POT HERBS.
Angelica per pkt. 0 3
Anise 0 3
Basil, Bush 0 3
Basil, Sweet 0 3
Borage 0 3
Fennel 0 3
Hyssop 0 3
Lavender 0 3
Marjoram, Pot 0 3
Marjoram, Sweet 0 3
Pot Marigold 0 3
Rampion 0 3
Rosemary 0 3
Sage 0 3
Savory, Summer 0 3

Carried forward

£ s. d.

Quantity required.				Quantity required.			
	£	s.	d.		£	s.	d.
Brought forward				Brought forward			
SWEET AND POT HERBS — <i>continued</i> . s. d.				BUDDING and PRUNING			
Savory, Winter per pkt. 0 3				KNIVES.			
Thyme " 0 3				<i>Vide Page 52 of Catalogue.</i>			
Wormwood " 0 3							
Per Per							
14 lbs. 56 lbs.							
s. d. s. d.							
POTATOES.							
Ashleaf Kidney (True) .. 3 0 11 0							
Ashleaf Kidney							
(Myatt's Prolific) 2 6 8 6							
Ashleaf Kidney (Rivers' Royal) 2 9 10 0							
Beauty of Hebron (pink) .. 2 6 8 6							
Early Puritan 2 6 8 6							
Early Regent 2 9 10 0							
Early Rose 2 0 7 0							
Imperator 2 0 7 0							
Magnum Bonum 2 0 7 0							
Reading Giant 2 0 7 0							
Satisfaction 3 0 11 0							
Schoolmaster 2 6 8 6							
Snowdrop 2 6 8 6							
The Bruce 2 0 7 0							
The Sirdar (new) 5 0 —							
Up-to-Date 2 6 8 6							
Victor (Sharpe's) 2 9 10 0							
White Elephant 2 0 7 0							
FINEST EVERGREEN LAWN							
GRASS MIXTURE. 1s. per lb.							
25/- per Bushel.							
ASPARAGUS for forcing.							
Strong roots for forcing, 15/- & 20/- per 100.							
RHUBARB ROOTS.							
For Forcing, 1/6; for Planting, 9d. & 1/- ea.							
Daw's Champion (new), 5/- each.							
SEAKALE for forcing.							
Strong selected roots, 12/- & 15/- per 100.							
TOBACCO PAPER. Per lb., 1s. 6d.							
RICHARDS' XL ALL COMPOUND							
FOR VAPORISING.							
In Dry Cakes.							
<i>vide page 52.</i>							
Carried forward							

SUNDRIES, vide Pages 52 and 53.

Quantity.

BULL'S FOOD FOR PLANTS, vide page 53 and 67.

(Sold in Tins, containing about 1½lbs., price 1s. each; larger size, containing about 5lbs., 2s. 6d. each.
Also in Bags, 14lbs., 4s. 6d.; 28lbs., 7s. 6d.; 56lbs., 12s. 6d.; 112lbs., 20s.)

Carried forward

Catalogue only.

[illegible]

[illegible]

1901.



BULL'S
Catalogue
OF
SEEDS.

WILLIAM BULL'S ILLUSTRATED CATALOGUE

OF NEW AND RARE PLANTS, with descriptions and prices.

General Catalogue of Bulbs can be had on application.

INLAND PARCEL POST.

Small orders not exceeding 11 lbs. in weight, inclusive of packing, can be sent at the following rates:—Under 1 lb., 3d.; and 1d. for every additional pound up to 9 lbs. Above 9 lbs. and not exceeding 11 lbs., 1s.

FOREIGN AND COLONIAL PARCEL POST.

Parcels not exceeding 7 or 11 lbs. in weight, according to destination, may be conveniently sent to many Foreign Countries and most of the Colonies, by means of the Foreign and Colonial Parcel Post.


Small quantities of Seeds can be sent by Sample Post.

FOREIGN ORDERS.

Plants, Seeds, &c., for transmission abroad, selected and packed with the greatest possible care in Bull's Patent Plant Cases or closed boxes, according to the nature of the goods, and despatched by the best Routes, Mail Steamers, Clipper Ships, and Railways to any part of the world.

Owing to the great difficulty of collecting accounts abroad, Mr. W. B. respectfully intimates that

A REMITTANCE MUST ACCOMPANY ALL FOREIGN ORDERS, sufficient in amount to cover cost of order and of packing, or an order must be sent for payment in London.



EXPORTING.

Mr. W. B. is continually receiving the most gratifying accounts of the excellent condition in which the Bulb, Plant, and Seed orders entrusted to him reach their destinations, and the satisfaction given by the selections made.

Cheques to be crossed "LONDON JOINT STOCK BANK."

Post-Office Orders to be made payable at 510, KING'S ROAD, CHELSEA, S.W.

[All Rights Reserved.]



FOR VEGETABLE SEEDS

SEE PAGES 39 to 51.



FLOWER SEED

Novelties & Specialities for 1901

OFFERED BY

WILLIAM BULL, F.L.S., V.M.H.

In ordering FLOWER SEEDS it will be sufficient to QUOTE THE MARGINAL NUMBERS.

1. **PRIMULA SINENSIS FIMBRIATA,**



PRIMULA SINENSIS FIMBRIATA.

and of great substance, the colour being a beautiful carmine pink. In growth the plant is of sturdy, robust habit. 2s. 6d. per packet.

"DUKE OF YORK."

(NOVELTY 1901.)

This magnificent new Primula is without doubt the finest high coloured variety yet offered, the flower being of the richest and most intense shade of madder crimson. The plant is of sturdy and robust growth, producing the trusses of bloom well above the foliage, and most effectively displaying the brilliancy of the flowers which are prettily fringed.

2s. 6d. per packet.

2. **PRIMULA SINENSIS**
FIMBRIATA,
"FAIRY QUEEN."

(NOVELTY 1901.)

A lovely and charming new Primula belonging to the Giant section. The flowers are very large

For other Primulas see pages 8 to 10.

3.

ARCTOTIS GRANDIS.

A very handsome annual of free growth, developing into profusely branched bushes from 2 to 2½ feet high, covered with numerous flowers 2½ to 3 inches in diameter. The ray florets are pale lilac on the under surface and pure white above, embellished near the base with a narrow yellow zone, contrasting very prettily with the light blue disc with its slightly projecting white stamens. It is of the easiest culture, flowering all through summer and autumn. 1s. 6d. per packet.



BEGONIA, "BUTTERFLY."

4.

AURICULA, NEW GIANT SWEET SCENTED YELLOW.

A magnificent strain of Giant Yellow Border Auricula. The flowers range in colour from palest primrose to rich deep golden yellow, and are delightfully fragrant. Award of Merit, R.H.S., 1898, and Silver Banksian Medal, Temple Show, 1899. 2s. 6d. per packet.

5. BEGONIA HYB. MARMORATA, "BUTTERFLY."

A most interesting variety of the Tuberous-rooted Begonia, coming quite true from seed. The plant is of robust growth and most profuse blooming, the flowers being of large size and good shape. The chief colours are scarlet or bright carmine, marmorated with white. 1s. 6d. per packet.

6. CARNATIONS, IMPERIAL.

A greatly improved strain of these favourite flowers, giving a wealth of bloom and variety of colour that cannot fail to please everyone. Many charming self colours will be found among them, including almost every shade of rose, pink, salmon and crimson, with lovely combinations of flakes, bizarres, &c., on white, yellow, and other coloured grounds. Very highly recommended. 2s. 6d. and 3s. 6d. per packet.

7.

CHRYSANTHEMUM MAXIMUM, PRINCESS HENRY.

A valuable dwarf variety of this showy perennial, growing about 18 inches high, and giving an abundance of very large white flowers, very suitable for cutting. It is stated by the introducer to come quite true from Seed. 1s. per packet.



CHRYSANTHEMUM MAXIMUM, "PRINCESS HENRY."



**DIANTHUS HEDD. DIADEMATUS ALBUS FL. PL.,
WHITE DIADEM PINK.**



DIANTHUS HEDDEWIGI NOBILIS.

8. **DIANTHUS HEDD. 3**
DIAD. ALBUS FL. PL.
(DOUBLE WHITE DIADEM PINK.)

A very pretty and attractive novelty, differing from the type in the ground colour being pure white, most effectively displaying the rich markings for which this lovely Dianthus has gained the appropriate name of the "Diadem Pink." Most desirable for border and cut purposes. 1s. per packet.

9.

DIANTHUS LACINIATUS
SALMONEUM FL. PL.
(DOUBLE SALMON QUEEN.)

A double-flowered variety of the beautiful single-flowered Chinese Pink, "Salmon Queen." When the flowers, which are handsomely fringed, first open, they are of fiery salmon-red colour, turning to a charming salmon-pink as they develop. The plants produce their flowers in the most profuse manner, and being double will be found very useful for cutting. 1s. per packet.

10. **DIANTHUS**
HEDDEWIGI
NOBILIS.

A great improvement on the well-known favourite Indian Pink, of robust growth and bearing extremely large fringed flowers shading from rich deep crimson to carmine, pink, and white. Especially useful for cutting purposes, and most floriferous. 1s. per packet.

11.

NEW JAPANESE
MORNING
GLORIES.

VARIETIES OF IPOMÆA
TRILOBA.

This remarkable new strain from Japan, of the well-known Morning Glory, furnishes such a lovely and charming variety of colour as has hitherto been unknown in this favourite climber. The flowers vary from the most delicate shades of pink to brilliant crimson and maroon, from pale lavender to richest blue, while many other uncommon shades are well represented. Some are striped, mottled and rayed in a most pleasing manner, many of the flowers being also of singular and unusual shape. 6d. and 1s. per packet.



ERIGERON AURANTIACUS HYBRIDUS.



MIGNONETTE, "GOLDEN JEWEL."



PANSY, "MASTERPIECE."

12. **ERIGERON AURANTIACUS HYBRIDUS.**

A hybrid variety of the well-known and attractive "Orange Daisy," differing from the type in its greater floriferousness and range of colour. While the type seldom bears more than one, or at most two, orange-coloured flowers on a stem, the new hybrid's many branched stems bear a number of flowers in varying shades of colour from white to rose, and from yellow to deep orange. 1s. per packet.

13. **KALANCHOE FLAMMEA.**

This is by far the finest of the Kalanchoes in cultivation, and although coming from a tropical region, will thrive and flower freely in the temperature of a comparatively cool Greenhouse, when fully exposed to the light.


The whole plant averages 15 to 18 inches in height; its stout erect stem is furnished at the base with pale green obovate leaves $2\frac{1}{2}$ to $3\frac{1}{2}$ inches long and $1\frac{1}{2}$ to $2\frac{1}{2}$ inches wide, above which the brilliant inflorescence stands prominently exposed. The individual flowers are about half an inch in diameter, and as the cut bloom will last fresh in water for at least a fortnight, it will be found exceedingly useful for room and table decoration. 2s. 6d. per packet.

14. **MIGNONETTE, "GOLDEN JEWEL."**

A great improvement on the variety "Golden Gem," having a compact and vigorous growth with a branching crown of flower spikes of massive form, the blossoms of an intense dark yellow colour and deliciously fragrant. 9d. per packet.

15. **PANSY, "MASTERPIECE." (NEW GIANT CURLED PANSY.)**

Quite a new type of Pansy, the petals of the flowers being curled or frilled in a remarkable manner, giving the blossoms a very full and massive appearance. The flowers are very large, and the colours most rich and varied, with many new shades hitherto not seen in Pansies. This new type is so attractive that it cannot fail to be recognised as a charming and desirable addition to these popular flowers. 1s. per packet.




16. PRIMULA
OBCONICA
KERMESINA.

A very high coloured variety of the "grandiflora" type, bearing charming heads of crimson-red flowers. A most desirable new colour in these perpetual flowering Primulas.

17. PRIMULA
STELLATA.

The flowers of this most distinct variety are most elegant, and extremely useful for cutting and other decorative purposes. The attractive dark red foliage makes a most effective contrast to the innumerable white star-shaped flowers, which form large and most graceful pyramids. It requires the same treatment as the ordinary *Primula sinensis*, and consequently can be grown with it. 2s. 6d. per packet.



18. STREPTOCARPUS,
"SNOW QUEEN."

A very chaste and beautiful variety, producing a profusion of large white flowers from spring till late autumn, rendering it of the greatest value for the decoration of the Greenhouse and Conservatory. It is most easily grown in pots, and cannot fail to please. 2s. 6d. per packet.

19. SALPIGLOSSIS
VARIABILIS
SUPERBISSIMA.

(NEW "EMPEROR" SALPIGLOSSIS.)

This Novelty is entirely different from any other Salpiglossis by reason of its peculiar habit, producing only one thick main stem, which is thickly covered with blossoms, presenting, as it were, a compact bouquet of flowers.

The individual blooms are richly veined with gold, and are considerably larger than those of the old "grandiflora" type. 1s. per packet.

SALPIGLOSSIS VARIABILIS SUPERBISSIMA.



POLYANTHUS, HARDY HYBRIDS.

20. **POLYANTHUS,
HARDY HYBRIDS.**

EXTRA SELECTED.

These beautiful hardy hybrid Polyanthus cannot be too highly recommended, for they produce throughout the spring a wealth of bloom which can hardly be surpassed for beauty and richness of colouring. Amongst them will be found lovely shades of crimson-maroon, rich purple and deep orange, passing through many charming variations of colour to the palest primrose and purest white. Being of the easiest cultivation and perfectly hardy, the beauty and agreeable fragrance of the flowers should ensure them a place in every garden. 1s. per packet.

21. **POLYANTHUS GIANT
GOLDEN YELLOW.**

The flowers of this beautiful hardy perennial are of a deep golden yellow, of magnificent form, size and substance, very fragrant. 1s. per packet.



WALLFLOWER, "VULCAN."

22. **TROPEOLUM
LOBBIANUM LILIPUT,
"SCARLET."**

A charming form of Dwarf Tropaeolum. The flowers are of a beautiful bright scarlet colour. The plant is very dwarf and bushy, producing its flowers in great profusion. 9d. per packet.

23. **WALLFLOWER,
"VULCAN."**

This magnificent new Wallflower should be grown by everyone. It is of very dwarf habit, growing only about 9 inches high, whilst the flowers are very large in size, averaging 2 inches in diameter, of the richest velvety crimson. It is without doubt the finest Wallflower of its class yet sent out. 1s. per packet.

SEEDS FROM PRIZE STRAINS.



CALCEOLARIA.

24. **CALCEOLARIA, HERBACEOUS,**
Prize Strain.—With the greatest confidence Mr. W. B. recommends the above magnificent strain; the Seed has been saved from a collection of the most beautiful and varied flowers, of excellent form and substance, and including almost every shade of colour, exquisitely spotted and blotched, the foliage retaining a healthy green colour throughout the season.

1s. 6d. and 2s. 6d. per packet.

CINERARIA.

25. **CINERARIA, choice mixed.**—Saved from a collection unsurpassed for richness and variety of colour, perfection of form, and elegance of habit.

1s. 6d. and 2s. 6d. per packet.

26. **CINERARIA, DOUBLE, choice mixed.**—This may be expected to produce a good percentage of double flowers of many beautiful colours.

2s. 6d. per packet.

27. **CINERARIA HYBRIDA GRANDIFLORA NANA.**—Splendid dwarf variety with large flowers of many beautiful colours and shades.

1s. 6d. and 2s. 6d. per packet.

28. **CINERARIA HYBRIDA GRANDIFLORA, BLUE.**

2s. 6d. per packet.

29. **CINERARIA HYBRIDA GRANDIFLORA, WHITE.** 2s. 6d. per packet.

30. **CINERARIA HYBRIDA GRANDIFLORA, CRIMSON.** 2s. 6d. per packet.



CHOICE NEW PRIMULAS.

31. PRIMULA SINENSIS FIMBRIATA, SNOWDON.



PRIMULA, SNOWDON.

This magnificent new Chinese Primrose is, without doubt, the finest white variety ever offered. Borne in immense trusses, the flowers, of wonderful substance and glistening snowy whiteness, are of great size, measuring $2\frac{1}{2}$ inches in diameter, beautifully fringed and crenulated, the crimped petals lapping and overlaying one another in such a manner as to impart to the blooms a depth that is quite remarkable.

In growth the plant is of sturdy robust habit, the snowy whiteness of the flowers being admirably set off by the rich green colour of the foliage.

In sealed packets.
3s. 6d. per packet.

**PRIMULA SINENSIS
FIMBRIATA, DUKE
OF YORK** (Novelty
1901). *Vide page 1.*

**PRIMULA SINENSIS
FIMBRIATA, FAIRY
QUEEN** (Novelty 1901).
Vide page 1.

32. **PRIMULA SINENSIS FIMBRIATA, COUNTESS.**—A splendid new variety with very large beautifully fringed flowers of a delicate blush pink colour. 2s. 6d. per packet.
33. **PRIMULA SINENSIS FIMBRIATA, CRIMSON VELVET.**—A new variety bearing large trusses of velvety dark crimson flowers, very rich in colour. 2s. 6d. per packet.
34. **PRIMULA SINENSIS FIMBRIATA, MARS.**—One of the grandest high coloured Primulas ever sent out; immense fiery copper-crimson flowers, deeply fringed and of extra merit. 2s. 6d. per packet.
35. **PRIMULA SINENSIS FIMBRIATA, SUNSHINE.**—A brilliantly coloured new variety, crimson-magenta, shaded with carmine; flowers finely fringed. 2s. 6d. per packet.
36. **PRIMULA SINENSIS FIMBRIATA FLORE PLENO, BLUSHING BEAUTY.** A grand new variety with large double flowers of a lovely shade of blush pink. 3s. 6d. per packet.
37. **PRIMULA SINENSIS FIMBRIATA FILICIFOLIA, BLUESTONE.**—This new Fern-leaved variety is of a beautiful shade of lilac-blue, the elegantly fringed flowers of a large size. 2s. 6d. per packet.
38. **PRIMULA SINENSIS FIMBRIATA FILICIFOLIA, GARNET.**—A splendid new Fern-leaved variety, with rich madder-crimson flowers. 2s. 6d. per packet.
39. **PRIMULA SINENSIS FIMBRIATA FILICIFOLIA FLORE PLENO, DEFIANCE.** This new Fern-leaved variety produces rich crimson-carmine flowers, beautifully double. 2s. 6d. per packet.

40. **PRIMULA SINENSIS FIMBRIATA, ALBA.** 1s. 6d. and 2s. 6d. per packet.
 41. **PRIMULA SINENSIS FIMBRIATA, RUBRA.** 1s. 6d. and 2s. 6d. per packet.
 42. **PRIMULA SINENSIS FIMBRIATA, RED AND WHITE, MIXED.**
 1s. 6d. and 2s. 6d. per packet.

Mr. WILLIAM BULL has the greatest confidence in offering Seed of the above, knowing that the produce cannot be excelled, it having been saved from the finest strains in cultivation, the flowers being remarkable for size, brightness of colour, and substance, while in general habit the plants leave nothing to be desired.

43. **PRIMULA SINENSIS FIMBRIATA.**
BULL'S PREMIER MIXTURE.

Seed of Mr. WILLIAM BULL's select strain is offered in mixture, containing all the new and most distinct colours and varieties; the many unsolicited testimonials received point conclusively to the fact of its being appreciated as of unusual excellence. To distinguish this from the ordinary mixture of *P. alba* and *rubra* generally supplied, Mr. W. B. designates this choice mixture as above.
 1s. 6d. and 2s. 6d. per packet.

PRIMULAS, CHOICE NAMED.

The following beautiful varieties are specially recommended:—

44. **PRIMULA SINENSIS FIMBRIATA ALBA MAGNIFICA.**—An exquisitely fringed variety, pure white with deep yellow eye. 2s. 6d. per packet.
 45. **PRIMULA SINENSIS FIMBRIATA ALBA OCULATA-LUTEA.**—A distinct variety; splendidly fringed white flower, with large bright yellow centre, which extends to half the flower. 2s. 6d. per packet.
 46. **PRIMULA SINENSIS FIMBRIATA, AVALANCHE.**—This is a robust grower, leaves of a beautiful dark green, with red foot-stalks. The flowers are pure white, with yellow eye, very large, of good substance, and beautifully fringed. 2s. 6d. per packet.
 47. **PRIMULA SINENSIS FIMBRIATA, BRILLIANT.**—Beautiful fringed flowers of the most brilliant and richest shade of crimson-magenta, tinged with carmine, lemon-yellow eye. 2s. 6d. per packet.
 48. **PRIMULA SINENSIS FIMBRIATA, CHISWICK RED.**—Brilliant scarlet-carmine. 2s. 6d. per packet.
 49. **PRIMULA SINENSIS FIMBRIATA, COMET.**—A very beautiful new variety, the flowers being of an extremely rich carmine-crimson colour, shaded with magenta; the throat is yellow, surrounded at the mouth with a small dark maroon zone. The foliage is of a pleasing green, and the plant of good habit. 2s. 6d. per packet.
 50. **PRIMULA SINENSIS FIMBRIATA FULGENS.**—Very bright scarlet-carmine with small yellow eye. 2s. 6d. per packet.
 51. **PRIMULA SINENSIS FIMBRIATA, IMPERIAL BLUE.**—Flowers of a beautiful lilac-blue, blossoms of large size and elegantly fringed. 2s. 6d. per packet.
 52. **PRIMULA SINENSIS FIMBRIATA KERMESINA SPLENDENS.**—A fine variety, with rich madder-red flowers. 1s. 6d. and 2s. 6d. per packet.
 53. **PRIMULA SINENSIS FIMBRIATA KERMESINA MARMORATA.**—A very pretty and distinct variety, flowers large and beautifully fringed. 2s. 6d. per packet.
 54. **PRIMULA SINENSIS FIMBRIATA LILACEA MARMORATA.**—Rosy-lilac, prettily marmorated with white; deep yellow eye. 2s. 6d. per packet.
 55. **PRIMULA SINENSIS FIMBRIATA, METEOR.**—Bright carmine - crimson flowers relieved with a bright yellow eye. 2s. 6d. per packet.

56. **PRIMULA SINENSIS FIMBRIATA, MONT BLANC.**—Unrivalled in the pureness of its snowy white densely fringed flowers, which are of great size and substance. 2s. 6d. per packet.
57. **PRIMULA SINENSIS FIMBRIATA, PINK BEAUTY.**—Beautiful blush pink flowers. 2s. 6d. per packet.
58. **PRIMULA SINENSIS FIMBRIATA PUNCTATA ELEGANTISSIMA.**—Crimson shaded with purple and dotted with white, centre deep gold; very distinct and beautifully fringed. 2s. 6d. per packet.


FERN-LEAVED PRIMULAS.

59. **PRIMULA SINENSIS FIMBRIATA FILICIFOLIA ALBA OCULATA-LUTEA.**—A beautifully fringed pure white Fern-leaved variety, with very large bright yellow eye covering half the flower. 2s. 6d. per packet.
60. **PRIMULA SINENSIS FIMBRIATA FILICIFOLIA ALBA.**—1s. 6d. and 2s. 6d. per packet.
61. **PRIMULA SINENSIS FIMBRIATA FILICIFOLIA RUBRA.**—1s. 6d. and 2s. 6d. per packet.
62. **PRIMULA SINENSIS FIMBRIATA FILICIFOLIA, MIXED.**—1s. 6d. and 2s. 6d. per packet.
- PRIMULA SINENSIS FIMBRIATA FILICIFOLIA, BLUESTONE,** *vide* page 8.
- PRIMULA SINENSIS FIMBRIATA FILICIFOLIA, GARNET,** *vide* page 8.
- PRIMULA SINENSIS FIMBRIATA FILICIFOLIA FL. PL., DEFIANCE,** *vide* page 8.

DOUBLE-FLOWERED PRIMULAS.

The following Double Primulas are a valuable acquisition, especially to cut from, as they do not drop their flowers like the single varieties.

- PRIMULA SINENSIS FIMBRIATA FL. PL., BLUSHING BEAUTY,** *vide* page 8.
- PRIMULA SINENSIS FIMBRIATA FILICIFOLIA FL. PL., DEFIANCE,** *vide* page 8.
63. **PRIMULA SINENSIS FIMBRIATA FULGENS FL. PL.**—The finest double-flowered, high coloured Primula ever offered. 2s. 6d. and 3s. 6d. per packet.
64. **PRIMULA SINENSIS FIMBRIATA ALBA FL. PL.**—2s. 6d. and 3s. 6d. per packet.
65. **PRIMULA SINENSIS FIMBRIATA ROSEA FL. PL.**—Pretty semi-double flowers of a charming blush rose colour. 2s. 6d. and 3s. 6d. per packet.
66. **PRIMULA SINENSIS FIMBRIATA RUBRA FL. PL.**—2s. 6d. and 3s. 6d. per packet.
67. **PRIMULA SINENSIS FIMBRIATA KERMESINA SPLENDENS FL. PL.**—Rich madder-red flowers. 2s. 6d. and 3s. 6d. per packet.
68. **PRIMULA SINENSIS FIMBRIATA FILICIFOLIA MARMORATA FL. PL.**—Very large and fine double flowers of a soft shade of lilac marmorated with white; a most distinct Fern-leaved variety. 2s. 6d. per packet.
69. **PRIMULA SINENSIS FIMBRIATA STRIATIFLORA FL. PL.**—Semi-double blush rose flowers, prettily punctulated and striated with crimson. 2s. 6d. and 3s. 6d. per packet.
70. **PRIMULA SINENSIS FIMBRIATA FL. PL., Mixed.**—2s. 6d. and 3s. 6d. per packet.



CYCLAMEN PERSICUM GRANDIFLORUM.

71. **Extra choice mixed.**—This may be expected to produce all the best varieties peculiar to this family. 1s. 6d. and 2s. 6d. per packet.

The following handsome varieties of *Cyclamen persicum grandiflorum* can be confidently recommended:—

72. **ALBUM**, fine pure white flowers of good form and substance. 1s. 6d. and 2s. 6d. per packet.
73. **ROSEUM**, well shaped flowers of great beauty. 2s. 6d. per packet.
74. **BARONESS BURDETT-COUTTS**.—A superb pure white variety, with short broad petals of great substance. First Class Certificate, R.H.S. 2s. 6d. per packet.
75. **BUSH HILL PIONEER, New Feathered Cyclamen**.—This, the first variety of its kind, is undoubtedly destined to be a forerunner of an entirely new strain of Cyclamen, the feather adding enormously to the substance and lasting properties of the flower, besides opening up the possibility of endless variety by the introduction of a coloured feather on the white ground, or a white feather on a coloured ground. The flowers are white and of considerable substance, with a strikingly distinct crest or feather of the same colour upon the face of each petal. 2s. 6d. per packet.
76. **CHARMING BRIDE**.—A beautiful pure white variety, the flowers being of immense size, perfect in form, and of great substance. Awarded a First Class Certificate, R.H.S. 2s. 6d. per packet.
77. **CRIMSON KING**.—Brilliant crimson, deepening at the base to a deep red. 1s. 6d. and 2s. 6d. per packet.
78. **DUKE OF CONNAUGHT**.—Rich purplish crimson flowers of unusually large size and substance. First Class Certificate, R.B.S. 1s. 6d. and 2s. 6d. per packet.
79. **MAUVE QUEEN**.—A beautiful mauve-coloured flower. 2s. 6d. per packet.
80. **MONT BLANC**.—A grand flower of great substance and width of petal, pure snowy-white. 2s. 6d. per packet.
81. **PRINCESS MAY**.—A beautiful variety, bearing large flowers of a charming shade of pink. 2s. 6d. per packet.

CARNATIONS, PICOTEEES AND PINKS.

FROM PRIZE STRAINS.



CARNATION.



PICOTEE.

82. **CARNATION** (Prize Strain).—Saved from finest Flaked Flowers. 2s. 6d. and 3s. 6d. per packet.
83. **CARNATION** (Prize Strain).—Saved from finest Self Flowers. 2s. 6d. and 3s. 6d. per packet.
CARNATION, Imperial, *vide* page 2.
84. **CARNATION**, extra choice.—Saved from a collection of superbly coloured varieties, including flakes, bizarres, and selfs. 2s. 6d. per packet.
CARNATION, Double Margaret, *vide* page 22.
85. **CARNATION**, Perpetual Tree.—This may be expected to produce beautiful new varieties of various colours and of the highest merit. 1s. 6d. and 2s. 6d. per packet.
86. **CARNATION**, Perpetual Tree, Uriah Pike.—Glowing crimson self, clove scented. 1s. 6d. and 2s. 6d. per packet.
87. **CARNATION**, Perpetual Tree, Riviera Market.—The Seed now offered has been saved from the finest strain of these lovely flowers on the Riviera, where their beautiful blossoms of almost every shade of colour are highly appreciated. The plants are of very rapid growth, and quickly attain a flowering size, rivalling the well-known Margaret Carnation in this respect. A high percentage of splendid double flowers may be expected, including a good proportion of yellows. 1s. 6d. and 2s. 6d. per packet.
- CARNATION**, Perpetual Tree, in separate colours—
- | | | | | |
|-----|---|---|---------|---------------------|
| 88. | „ | „ | White. | 2s. 6d. per packet. |
| 89. | „ | „ | Yellow. | 2s. 6d. „ |
| 90. | „ | „ | Red. | 2s. 6d. „ |
91. **CARNATIONS AND PICOTEEES**.—From Show Flowers, all classes mixed. 2s. 6d. per packet.
92. **PICOTEE, PRIZE STRAIN**.—Saved from choicest named varieties. 2s. 6d. and 3s. 6d. per packet.
93. **PICOTEE, choice mixed**.—Saved from one of the finest strains in cultivation. 1s. 6d. and 2s. 6d. per packet.
94. **PICOTEE, White Ground**. 2s. 6d. per packet.
95. **PICOTEE, Yellow Ground**. 2s. 6d. per packet.
96. **PINK, from laced flowers**.—Saved from the finest laced varieties. 2s. 6d. and 3s. 6d. per packet.
97. **PINK, DOUBLE, extra choice mixed**.—Saved from the finest double flowers. 2s. 6d. per packet.
98. **PINK, New Perpetual Flowering**.—Quite a new strain of these favourite garden flowers, the flowers being of great variety and richness of colour and of grand shape, many of them rivalling the famous Malmaison Carnations. They are very fragrant, while their perpetual flowering character will make them indispensable in every garden. 2s. 6d. per packet.



DOUBLE-FLOWERED BEGONIA.

BEGONIAS.

Gigantic Flowering Varieties.

The flowers of the following Begonias are of gigantic size, and the whole collection of great excellence:—

99. **BEGONIA HYBRIDA GIGANTEA, mixed.**—This strain produces flowers of gigantic size, and embraces the various rich and attractive colours of the handsome-flowered section. The plants are of stiff, compact habit, and produce their immense flowers in the greatest abundance. 1s. 6d. and 2s. 6d. per packet.

100. Collection of Six choice named varieties of Begonias, price 5s. per collection.

101. Double Flowering.

The many handsome varieties now to be found among double-flowering Begonias render this section as desirable as the single-flowered kinds, and the flowers, being very persistent, last much longer in beauty than the single-flowered varieties. The Seed now offered may be expected to produce a large proportion of well-formed double flowers of the most brilliant and varied colours. 2s. 6d. per packet.

NEW SWEET PEAS.

NOVELTIES.

102. **MONT BLANC (Earliest White).**—The habit of this is not so strong as other varieties, but is of a much neater and more graceful growth, the plant hardly attaining the height of the ordinary Sweet Pea. The flowers are very large and of the purest white. 1s. per packet.
103. **CUPID, APPLE BLOSSOM.**—Flowers large in size and finely hooded, the colour very soft and beautifully blending with the silvery-white ground of the flower. 1s. per packet.
104. **CUPID, CAPTAIN OF THE BLUES.**—The flowers are larger and finer than the tall *Captain of the Blues*. The standard is reddish-purple heavily suffused with violet in the centre; wings large, and of a rich violet purple. 1s. per packet.
105. **CUPID, ROYALTY.**—A fine self-coloured pink, of extra large size, well hooded, and of the finest type. 1s. per packet.
106. **CUPID, STELLA MORSE.**—This is the most distinctly coloured of all the so-called "Yellow" Sweet Peas. Ground colour is of a rich creamy buff, tinted with apricot in the centre of the standard, inner portion of the wings delicately shaded with soft rosy carmine. 1s. per packet.

OTHER NEW AND SELECT VARIETIES.


The following large-flowering varieties all 3d. per packet, except where priced. 3d. packets, per dozen 2s. 6d.

- | | |
|---|---|
| 107. ALICE ECKFORD. —Rich cream tinted cerise standards, white wings. | 116. CAPTIVATION. —Rosy purple self. 6d. per packet. |
| 108. APPLE BLOSSOM. —Bright rose and pink. | 117. CARDINAL. —Crimson-scarlet flowers. |
| 109. AURORA. —Standard and wings flaked and striped orange-salmon on a white ground. | 118. COUNTESS OF ABERDEEN. —White, margined pink. |
| 110. BLACK KNIGHT. —Deep maroon. 6d. per packet. | 119. COUNTESS OF RADNOR. —Pale mauve. |
| 111. BLANCHE BURPEE. —Pure white, large size. | 120. CROWN JEWEL. —Pale standard, violet rose. |
| 112. BLUSHING BEAUTY. —Soft pink. | 121. CUPID. —White. 6d. per packet. |
| 113. BOREATTON. —Rich deep maroon. | 122. CUPID. —Pink. 6d. per packet. |
| 114. BRONZE KING (New). —Terra-cotta. | 123. CUPID. —Primrose. 6d. per packet. |
| 115. CAPTAIN OF THE BLUES. —Bluish-purple. | 124. COQUETTE. —Deep primrose colour, just shaded fawn, suffused with a pleasing and subtle tint of purplish rose. 6d. per packet. |

SWEET PEAS—*continued.*

OTHER NEW AND SELECT VARIETIES.

The following large-flowering varieties all 3d. per packet, except where priced. 3d. packets, per dozen 2s. 6d.



125. **COUNTESS OF SHREWSBURY.**—Deep pink, suffused light purple.
126. **DUKE OF CLARENCE.**—Rosy claret.
127. **DUKE OF WESTMINSTER.**—Rose maroon, shaded violet. Award of Merit, R.H.S. 6d. per packet.
128. **EMILY HENDERSON.**—Pure white variety.
129. **FIREFLY.**—Intense crimson.
130. **GAIETY.**—White, striped rosy lilac.
131. **GOLDEN GATE.**—Standard pinkish mauve, wings a light lavender colour. 6d. per packet.
132. **GORGEOUS.**—Erect broad standard of rich orange salmon, deepening in the veins, wings of suffused orange salmon, deeper in shade than the standards. 6d. per packet.
133. **HER MAJESTY.**—Rosy pink.
134. **IGNEA.**—Crimson scarlet.
135. **IMPERIAL BLUE.**—Blue, shaded mauve.
136. **INVINCIBLE SCARLET.**
137. **LADY BEACONSFIELD.**—Rose, wings pale yellow.
138. **LADY MARY CURRIE.**—Deep orange pink, shaded rosy lilac. 6d. per packet.
139. **LADY NINA BALFOUR.**—Delicate mauve, very distinct. 6d. per packet.
140. **LADY SKELMERSDALE.**—First Class Certificate. Bright rosy lilac. 6d. per packet.
141. **LEMON QUEEN.**—Delicate blush, tinted lemon.
142. **LOTTIE ECKFORD.**—Wings white, margined mauve.
143. **LOVELY.**—First Class Certificate. A pleasing shade of pink, wings rose.
144. **MARS.**—Bright fiery crimson. 6d. per packet.
145. **MIKADO.**—Deep orange cerise, striped white. 6d. per packet.
146. **MONARCH.**—Bronzy crimson.
147. **MRS. ECKFORD.**—Primrose-yellow.
148. **MRS. GLADSTONE.**—Delicate soft pink standards.
149. **NAVY BLUE.**—A beautiful distinct colour. 6d. per packet.
150. **OTHELLO.**—First Class Certificate. Dark chocolate-red self. 6d. per packet.
151. **ORANGE PRINCE.**—Bright orange-pink.
152. **PRIMA DONNA.**—Pink, of large size and fine form. 6d. per packet.
153. **PRIMROSE.**—Pale primrose-yellow.
154. **PRINCE EDWARD OF YORK.**—A charming shade of scarlet; wings deep rose. 6d. per packet.
155. **PRINCE OF WALES.**—A bright rose self; perfect form. 6d. per packet.
156. **PRINCESS MAY.**—Pale lavender.
157. **QUEEN OF ENGLAND.**—Pure snow-white, deliciously fragrant.
158. **QUEEN VICTORIA.**—A lovely variety, soft yellow with a lustrous shade of purple.
159. **ROYAL ROSE.**—Deep rosy pink; the wings a most charming light rosy pink.
160. **SADIE BURPEE.**—F.C.C., R.H.S. Pure white of great substance. 6d. per packet.
161. **SALOPIAN.**—Deep crimson, suffused orange scarlet.
162. **SENATOR.**—Striped chocolate on creamy ground.
163. **THE QUEEN.**—Light rosy pink and mauve.
164. **TRIUMPH.**—Flowers of enormous size; standards bright orange-pink, wings white, slightly flushed with purple. 6d. per packet.
165. **VENUS.**—Salmon-buff, shaded rosy pink.
166. **WAVERLEY.**—Rosy claret, blue wings.
167. **ECKFORD'S LARGE FLOWERED, MIXED.**—This special strain of mixed Sweet Peas is saved from choice named and unnamed varieties of Mr. Eckford's raising. 3d. per packet, 3s. 6d. per pint.
168. **GOOD MIXED,** 2d. per packet, 2s. 6d. per pint.

COLLECTIONS & ASSORTMENTS OF EXTRA CHOICE FLOWER SEEDS.

Sow Aster seed in April and May, in pans, or on a spent hot-bed in drills 6 inches asunder; when the plants are 1 inch high, prick out into a cold frame, or under hand-glasses, 3 or 4 inches apart, from whence they can be planted out when 4 inches high. Select showery weather for planting out, when the ground is in good working order; plant in rows 1 foot apart each way. To grow Asters to perfection, a rich soil is indispensable, and during dry weather they should be watered, and a top-dressing of well-rotted manure applied early in August.



COCKADE OR CROWN ASTER.

- | | |
|---|------------------|
| 175. Twelve splendid and distinct colours, separate | 2s. 6d. |
| 176. Six splendid and distinct colours, separate | 1s. 6d. |
| 177. Extra-Choice Mixed | per pkt. 1s. 0d. |

MIGNON ASTER.

Excellent new class, resembling in habit, height and form the Victoria race, but still more floriferous; the flowers are of a refined form and hardly to be surpassed for cutting purposes.

- | | |
|---|------------------|
| 178. Six distinct varieties | 1s. 6d. |
| 179. Pure white, the finest white Aster for cutting | per pkt. 0s. 9d. |
| 180. Extra Choice Mixed | 0s. 6d. |

IMPROVED REID'S (BETTERIDGE'S) QUILLED ASTER.

This fine exhibition variety is strongly recommended to those who prefer the Quilled section. Height 24 inches.



**ASTER, PÆONY-FLOWERED
PERFECTION.**

- | | |
|--|------------------|
| 181. Twelve fine and distinct colours, beautiful quilled | 2s. 0d. |
| 182. Extra Choice Mixed | per pkt. 0s. 6d. |

JEWEL ASTER.

Similar to Pæony-flowered Perfection, but with shorter petals. Height 15 inches.

- | | |
|---|------------------|
| 183. Six distinct varieties, separate | 1s. 6d. |
| 184. Apple Blossom | per pkt. 1s. 0d. |
| 185. Extra Choice Mixed | 1s. 0d. |

PÆONY-FLOWERED PERFECTION ASTER.

The finest and most generally cultivated variety. Height from 18 to 24 inches. The flowers are large and double, and the petals beautifully incurved.

- | | |
|---|--------------------------|
| 186. Twelve superb and distinct colours, separate | 2s. 6d. |
| 187. Eight do. do. | 2s. 0d. |
| 188. Extra Choice Mixed | per pkt. 6d. and 1s. 0d. |



ASTER, DWARF VICTORIA.

DWARF VICTORIA ASTER.

A splendid variety, growing about 12 inches high, producing beautiful flowers in the greatest abundance; excellent for pot culture.

- | | | |
|------|---|---------|
| 189. | Twelve fine and distinct colours,
separate | 3s. 0d. |
| 190. | Six splendid and distinct
varieties | 1s. 6d. |
| 191. | Extra Choice Mixed per pkt. | 1s. 0d. |

VICTORIA ASTER.

This is unquestionably the finest and most beautiful variety in cultivation, and for exhibition purposes unequalled.

- | | |
|--|---------|
| 192. Twelve splendid and distinct
colours, separate | 3s. 0d. |
| 193. Six splendid and distinct
colours, separate | 1s. 6d. |
| 194. Extra Choice Mixed per pkt. | 1s. 0d. |

NEW AND VARIOUS SORTS OF ASTERS.

195. **SNOWBALL**, or Princess White. Very long and free bloomer; excellent for cutting. 1s. per packet.
196. **TRIUMPH**.—Brilliant crimson-lake. The best Aster for bedding and pot work. 1s. per packet.
197. **QUEEN OF THE MARKET**.—Very free flowering, and earlier by a month than any other Aster. Mixed, 6d. per packet.

STOCKS.

These well-known plants are universally admired; their flowers are of delightful fragrance and produced in profusion. The Seed offered has been saved exclusively from plants grown in pots, and will produce the highest possible percentage of double flowers.

LARGE-FLOWERED GERMAN TEN-WEEK STOCK.

Especially recommended for its vigorous habit, superior size of the flowers, and long continuance in bloom.

- | | | | | | |
|--|----|----|----|-----------------|---------|
| 198. Twelve beautiful and distinct colours, separate | .. | .. | .. | .. | 2s. 6d. |
| 199. Eight " " " " | .. | .. | .. | .. | 1s. 6d. |
| 200. Extra Choice Mixed " " " " | .. | .. | .. | per pkt., 6d. & | 1s. 0d. |

DWARF BOUQUET TEN-WEEK STOCK.

A valuable variety for general cultivation, an abundant and continuous bloomer; height 9 inches.

- | | |
|---|------------------|
| 201. Six distinct colours, separate | 1s. 6d. |
| 202. Extra Choice Mixed | per pkt. 1s. 0d. |

AUTUMN-FLOWERING OR INTERMEDIATE STOCK.

When sown about the middle of March, and transplanted in May, they bloom abundantly from the beginning of August until destroyed by frost.

- | | |
|--|------------------|
| 203. Six splendid and distinct colours, separate | 1s. 6d. |
| 204. Extra Choice Mixed | per pkt. 0s. 6d. |

LARGE-FLOWERING EMPEROR STOCK.

A robust extra large-flowered variety; if sown in March, produces a magnificent display in autumn; for spring flowering it should be sown in July.

- | | |
|---|------------------|
| 205. Twelve fine and distinct colours, separate | 2s. 6d. |
| 206. Extra Choice Mixed | per pkt. 0s. 6d. |

NEW PERPETUAL PERFECTION TEN-WEEK STOCK.

An excellent variety, of strong growth and fine branching habit. It grows to a height of 1½ feet, and produces uninterruptedly a great abundance of bloom from June until November. 2s. 6d.

- | | | | | | | | | |
|------|-------------------------|----|----|----|----|----|----------|---------|
| 267. | Ten varieties, separate | .. | .. | .. | .. | .. | .. | 2s. 6d. |
| 208. | Six " " | .. | .. | .. | .. | .. | .. | 1s. 6d. |
| 209. | Choice Mixed | .. | .. | .. | .. | .. | per pkt. | 0s. 6d. |

WALLFLOWER-LEAVED GERMAN TEN-WEEK STOCK.

The fresh shining green foliage, and the brilliant colours of this section, make it deserving of general cultivation.

210.	Twelve splendid and distinct colours, separate ..	..	..	2s. 6d.
211.	Six " " " " " " " " " " " "	..	..	1s. 6d.
212.	Finest Mixed Colours	..	per pkt.	0s. 6d.

BROMPTON STOCK.

A well-known variety of robust habit, producing immense spikes of double flowers. Sow in July. 3s. 6d.

213.	Twelve splendid and distinct colours, separate ..	..	..	2s. 6d.
214.	Six " " " " " "	..	..	1s. 6d.
215.	Extra Choice Mixed	..	per pkt.	0s. 6d.

EAST LOTHIAN STOCK.

If grown in a rich soil they will keep up a succession of bloom from July until the end of November, after which the plants may be potted and kept to make a further display during the following summer.

216.	Assortment of five colours, crimson, scarlet, purple, lilac, and white	2s. 6d.
217.	Crimson; No. 217A. Scarlet; No. 217B. Purple; No. 217C. Lilac; No. 217D. White. Each colour	per pkt. 1s. 0d.
218.	Choice Mixed	1s. 0d.

NEW AND VARIOUS SORTS OF STOCKS.

219. **TEN-WEEK, GRACE DARLING.**—A splendid variety, producing magnificent spikes of pure white blooms. Earliest of all whites. 1s. per packet.
220. **TEN-WEEK, PRINCESS ALICE.**—This is especially valuable for cut flowers, producing its snow-white blooms in uninterrupted succession from May until November. 1s. per packet.
221. **TEN-WEEK, PRINCESS MAY.**—A handsome variety, bearing large spikes of light primrose-coloured flowers. One of the earliest to flower. 1s. per packet.
222. **FORCING TEN-WEEK, SNOWFLAKE.**—Very early flowering dwarf pure white variety. 1s. 6d. per packet.
223. **TEN-WEEK, TRIUMPH.**—Magnificent spikes of brilliant crimson flowers. About 70 per cent. come double, but the single ones are almost equally attractive, the petals being large and round. 1s. per packet.

Summer and Autumn-flowering Stocks may be sown in March and April, and treated similar to Asters. Intermediate Stocks, for Spring decoration, should be sown in July and August, and wintered in cold frames.

ANTIRRHINUMS.

224.	Assortment of 10 Tall varieties, separate..	..	..	..	1s. 6d.
225.	" 6 Tom Thumb varieties	..	..	..	1s. 6d.



BALSAM, CAMELLIA-FLOWERED

BALSAMS.

226. **CAMELLIA-FLOWERED**
BALSAM, twelve splendid
colours, separate .. 2s. 6d.
227. Extra Choice Mixed, per
packet .. 6d. & 1s.
228. **CARNATION - STRIPED**
BALSAM, Extra Choice
Mixed, per pkt. .. 6d. & 1s.
229. **ROSE-FLOWERED**
BALSAM, twelve beautiful
colours, separate .. 2s.
230. Extra Choice Mixed, per
packet .. 6d. & 1s.

CARNATIONS.

231. Assortment of six varieties,
3s. 6d.
See also pages 2 and 12.



DOUBLE HOLLYHOCK.

CELOSIA PYRAMIDALIS.

(FEATHERED COCKSCOMB.)

232. Four choice and distinct colours, separate .. 1s. 6d.

CENTAUREA CYANUS MINOR.

(CORNFLOWER.)

233. Assortment of 6 distinct colours 1s. 6d.
See also page 23.

CONVOLVULUS MAJOR.

(MORNING GLORY.)

234. Assortment, 10 varieties 1s. 6d.
New Japanese, vide page 3.

CLIMBING PLANTS.

235. Assortment of 12 choice varieties 3s. 0d.
236. ,, 6 ,, ,, ... 2s. 0d.

DIANTHUS.

237. CHIN. and HEDDEWIGII, in 10 varieties 2s. 0d.
238. HEDDE. and LACINIATUS, in 6 varieties 1s. 6d.

EVERLASTINGS.

239. Assortment of 12 varieties, separate .. 2s. 0d.

HELICHRYSUM MONSTROSUM.

240. Assortment of 10 varieties, separate .. 2s. 0d.

HOLLYHOCK.

241. Assortment of 12 fine varieties, separate .. 3s. 6d.
242. ,, 6 choice varieties 1s. 6d.
243. Extra choice mixed per pkt. 1s. 0d.

IPOMÆAS.

244. Assortment of 12 beautiful varieties .. 2s. 0d.
245. ,, 6 ,, ,, ... 1s. 0d.
New Japanese, vide page 3.

JACOBÆAS, Fine Double.

(SENECIO ELEGANS FL. PL.)

246. Assortment of 8 varieties 1s. 6d.
247. ,, 6 dwarf varieties 1s. 3d.
248. Choice mixed per pkt. 0s. 3d.

LARKSPUR.

DOUBLE DWARF ROCKET LARKSPUR.

Hyacinth Flowered.

249. Assortment of 10 distinct colours, separate 2s. 0d.
250. Choice mixed per pkt. 0s. 3d.

MARVEL OF PERU.

251. Assortment of 12 varieties 1s. 6d.
252. ,, 6 ,, with variegated foliage 1s. 0d.
253. Choice mixed per pkt. 0s. 3d.

ORNAMENTAL GRASSES.

254. Assortment of 12 varieties, separate .. 2s. 0d.
See also page 38.

ORNAMENTAL GOURDS.

255. Assortment of 12 choice varieties 2s. 0d.

ORNAMENTAL-FOLIAGED AND SUB-TROPICAL PLANTS.

256. Assortment of 12 choice varieties 2s. 6d.
 257. „ 6 „ „ 1s. 6d.

PELARGONIUM.

The following are recommended with great confidence as very superior in quality, having been saved from the finest sorts in their respective classes:—

258. Fancy, assortment of 12 varieties 5s. 0d.
 259. Show „ 12 „ 5s. 0d.
 260. Spotted „ 12 „ 5s. 0d.
 261. Zonal „ 12 „ 5s. 0d.

PETUNIA HYBRIDA GRANDIFLORA.

262. Assortment of 10 choice varieties, single 2s. 6d.
 263. „ 6 „ „ double 2s. 6d.

PHLOX DRUMMONDII GRANDIFLORA.

264. Assortment of 12 splendid varieties 2s. 6d.
 265. „ 6 „ „ 1s. 6d.

YELLOW PICOTEES.

266. Assortment of 12 sorts, 10 seeds of each 5s. 0d.
PICOTEES, Prize Strain.—*Vide* page 12.

POPPIES.**DOUBLE CARNATION POPPY.**

267. Assortment of 10 distinct colours, separate 1s. 6d.
 268. Choice mixed per pkt. 0s. 3d.

DOUBLE PÆONY-FLOWERED POPPY.

269. Assortment of 8 distinct colours, separate 1s. 0d.
 270. Choice mixed per pkt. 0s. 3d.

PORTULACAS.

271. Double-flowered, assortment of 6 varieties 1s. 6d.
 272. Single-flowered, assortment of 8 varieties 1s. 6d.
 273. Choice mixed per pkt. 0s. 3d.

SALPIGLOSSIS.

274. Assortment of 6 large-flowering varieties 1s. 6d.
 275. Choice mixed per pkt. 0s. 3d.
Vide page 5.

SCABIOUS.

276. Dwarf, double, in 6 distinct varieties, separate 1s. 6d.
 277. Large flowered, in 8 distinct varieties, separate 1s. 6d.
 278. Choice mixed per pkt. 0s. 3d.

TROPÆOLUM LOBBIANUM.

279. Assortment of 12 varieties 1s. 6d.

VERBENA HYBRIDA.

280. Assortment of 6 varieties 1s. 6d.

WALLFLOWERS.**DOUBLE GERMAN, EXTRA SELECTED.**

281. Assortment of 10 distinct varieties, separate 3s. 0d.
 282. „ 6 „ „ 1s. 6d.
 283. Extra choice mixed per pkt. 6d. & 1s. 0d.

ZINNIA ELEGANS.**DOUBLE ZINNIA ELEGANS.**

284. Assortment of 10 finest and most distinct colours, separate 2s. 0d.
 285. Extra choice mixed per pkt. 0s. 6d.

SINGLE ZINNIA ELEGANS.

286. Assortment of 6 finest and distinct colours, separate 1s. 6d.
 287. Extra choice mixed per pkt. 0s. 3d.

MR. WILLIAM BULL'S SELECT LIST OF FLOWER SEEDS.

Abbreviations used representing "Hardiness and Duration."

H. A. HARDY ANNUAL.
H. H. A. HALF-HARDY ANNUAL.
H. B. HARDY BIENNIAL.
H. H. B. HALF-HARDY BIENNIAL.
H. P. HARDY PERENNIAL.
H. H. P. HALF-HARDY PERENNIAL.
H. S. HARDY SHRUB.

H. H. S. HALF-HARDY SHRUB.
G. A. GREENHOUSE ANNUAL.
T. A. TENDER ANNUAL.
S. P. STOVE PERENNIAL.
G. P. GREENHOUSE PERENNIAL.
G. B. GREENHOUSE BIENNIAL.
G. S. GREENHOUSE SHRUB.

TIME OF SOWING.

HARDY ANNUALS may be sown in March and April (and for early spring blooming in August and September), in a sheltered situation, and when up, thinned so as to keep them strong. In March they may be transplanted where they are to bloom. Before sowing, which should be done on a fine dry day, carefully prepare the soil, and in covering, regulate the thickness by the size of the seeds—small seeds should be very lightly covered. Success in growing annuals depends in a great measure upon their being properly thinned to regular distances, so as to give plenty of room for the full development of each plant; this, in too many instances, is entirely neglected, hence the dissatisfaction so often expressed as to their use.

HALF-HARDY ANNUALS may be sown in March and April, in pans, placed on a slight hot-bed, and, when strong enough, pricked out into a cool frame near the glass, where they may get hardened and well established for transplanting into their blooming quarters early in May, or potted off singly for conservatory and greenhouse decorations. Under favourable circumstances many varieties will bloom freely if sown in the open ground about the middle of May.

TENDER ANNUALS such as Balsams, Celosias, Thunbergias, &c., require raising in a temperature ranging from 60° to 70°. Sow in pans or pots, and place near the glass; keep the soil moist, and shade from the sun until the plants appear. When strong enough, pot off into small pots, keeping them near the glass, and admitting air on every favourable occasion.

BIENNIALS AND PERENNIALS.—The more select and tender varieties for summer and autumn blooming may be sown in a gentle heat in March and April, and pricked out into pots until fully established, and then potted off singly, or transplanted into the open ground, as required. The hardier varieties may be sown in the open ground, in prepared beds, in June and July, and when strong enough transplanted into nursery beds, or where they are intended to bloom the following year.

In ordering Flower Seeds it will be sufficient to quote the marginal numbers.

	Per pkt.—s. d.		Per pkt.—s. d.
ABRONIA. —Pretty half-hardy annuals of trailing habit, bearing sweet-scented flowers.			
288. <i>arenaria</i> , yellow flowers	0 6	ADONIS.	
289. <i>umbellata</i> , rose coloured	0 3	300. <i>autumnalis</i> , h.a., dark red flowers ..	0 6
ABUTILON. —Handsome flowering greenhouse perennials.		301. <i>vernalis</i> , h.p., beautiful yellow flowers	0 3
290. Choice mixed, from named collection ..	1 0	AGERATUM. —Well-known half-hardy annuals for bedding.	
ACACIA. —Greenhouse flowering shrubs.		302. <i>Imperial Dwarf</i> , azure blue, compact habit	0 6
291. <i>dealbata</i> , eanary yellow, graceful ..	0 6	303. ——— white	0 6
292. <i>lophantha</i> , beautiful foliage and flowers	0 6	304. <i>Little Dorrit</i> , a dwarf, compact, white flowering variety	0 6
ACANTHUS. —Handsome foliaged perennials, suitable for the sub-tropical garden.		305. <i>White Gem</i> , very dwarf and compact variety, with white flowers	0 6
293. <i>latifolius</i> , handsome, large foliage ..	0 6	AGROSTEMMA (<i>Rose Campion</i>).—Very pretty hardy perennials.	
294. <i>mollis</i> , very elegant foliage	0 6	306. <i>coronaria atrosanguinea</i> , white foliage, dark crimson flowers. 2 ft. ..	0 3
ACHIMENES. —Handsome flowering stove perennials, suitable for hanging baskets, pots, &c.		AGROSTIS. —See Ornamental Grasses, p. 38.	
295. Choice mixed seed, saved from a named collection	1 6	ALONSOA. —Half-hardy annuals.	
ACROCLINIUM (<i>Everlasting Plants</i>).—Annuals.		307. <i>Warscewiczii compacta</i> , bright scarlet flowers. 1 ft.	0 3
296. <i>album</i> , white	0 3	ALOYSIA. —The well-known Lemon-scented Verbena.	
297. — <i>flore pleno</i> , double white flowers	0 6	308. <i>citriodora</i> , g.s.	0 9
298. <i>roseum</i> , rose-tinted flowers	0 3	ALYSSUM.	
299. — <i>flore pleno</i> , double rose flowers ..	0 6	309. <i>maritimum</i> , h.a. (<i>Sweet Alyssum</i>), white	0 3
		310. <i>saxatile compactum</i> , h.p., yellow	0 6

Per pkt.—s. d.

AMARANTHUS.—Beautiful half-hardy annuals, very showy and attractive either in beds or borders.

- 311. *atropurpureus*, purple foliage .. 0 6
- 312. *bicolor*, crimson and green foliage .. 0 3
- 313. *Henderi*, exceedingly handsome .. 0 6
- 314. *melancholicus ruber*, rich blood-red foliage .. 0 3
- 315. *caudatus* (*Love-lies-Bleeding*), dark crimson .. 0 3
- 316. *salicifolius*, scarlet and green foliage .. 0 6
- 317. *tricolor*, scarlet, yellow & green (*Joseph's Coat*) .. 0 3

AMARYLLIS.—Saved from a collection of exceptionally fine varieties.

- 318. *New Hybrids*, very choice .. 2 6
- AMPELOPSIS.**—Hardy climbing perennial.
- 319. *tricuspidata* (*Veitchii*) .. 0 6

ANTIRRHINUM (*Snapdragon*).—Well-known hardy perennials.

- 320. *majus album*, pure white .. 0 3
- 321. ——— *Brilliant*, scarlet, white and yellow .. 0 3
- 322. ——— *caryophylloides*, striped .. 0 3
- 323. ——— *Firefly*, orange and scarlet .. 0 3
- 324. ——— *luteum*, yellow .. 0 3
- 325. ——— *nigrescens*, purple .. 0 3
- 326. ——— *Queen of the North*, a fine new pure white variety, a gem for beds .. 0 6
- 327. ——— *striatum*, striped and striated .. 0 3
- 328. ——— *Extra choice mixed* .. 0 3
- 329. *Tom Thumb*, crimson .. 0 6
- 330. ——— *striped* .. 0 6
- 331. ——— *yellow* .. 0 6
- 332. ——— *white* .. 0 6
- 333. ——— *mixed* .. 0 6

Assortments, *vide* page 17.

AQUILEGIA (*Columbine*).—H.P.

- 334. *alba plena*, double white .. 0 3
- 335. *californica hybrida*, yellow and red .. 0 6
- 336. *cærulea*, large violet and white flowers .. 0 6
- 337. *canadensis*, double pink flowers .. 0 6
- 338. *chrysantha*, golden yellow .. 0 6
- 339. *glandulosa*, *Grigor's variety*, one of the finest of the *Columbines*, rich blue with white centre .. 0 6
- 340. ——— *Hybrids*, mixed colours .. 0 6
- 341. *Skinneri*, scarlet and yellow .. 0 6
- 342. *New Hybrids*, very beautiful hybrids of all shades of colour .. 1 0
- 343. *Choice mixed* .. 0 3

ARABIS.—Showy hardy perennial of dwarf growth, flowering in early Spring.

- 344. *alpina*, produces masses of white flowers .. 0 3

ARALIA (*Fatsia*).—Ornamental greenhouse shrub, very useful for table decoration.

- 345. *Sieboldii* (*japonica*), Seed ready in April .. 1 0

ARCTOTIS.

grandis, *vide* page 2.

ARNEBIA.—Charming half-hardy annual.

- 346. *cornuta*, black, changing to yellow, 2 ft. .. 1 0

ASPERULA.—Pretty hardy annuals.

- 347. *azurea setosa*, light blue flowers .. 0 3
- 348. *odorata* (*Sweet Woodroffe*) .. 0 6

ASTERS, *Finest Imported*.—*Vide* pages 15 & 16.

AUBRETIA.—Dwarf-growing hardy perennials, suitable for covering rock-work, &c.

- 349. *græca*, rich violet-purple .. 0 6
- 350. *purpurea*, purple .. 0 6



AURICULA, ALPINE.

Per pkt.—s. d.

AURICULA.—Hardy perennials, should be grown by every one.

- 351. *Alpine, choice mixed*, saved from a fine strain .. 1s. and 1 6
- Giant Yellow Border*, sweet scented, *vide* page 2.

BALSAMS.—*Vide* page 17.

BARTONIA.—Showy hardy annuals, growing 12 to 18 inches high.

- 352. *aurea*, golden yellow .. per oz. 9d. 0 3

BEET.—Handsome ornamental foliage plants, suitable for sub-tropical decorations.

- 353. *Brazilian or Chilian*, midribs bright scarlet crimson and yellow, very handsome .. 0 6

BEGONIA.

Handsome flowering, *vide* page 13.

Butterfly, *vide* page 2.

- 354. *Ornamental foliage*, from choice varieties .. 2 6
- 355. *corallina*, excellent for bedding .. 1 6
- 356. *Freibelli*, brilliant scarlet flowers .. 1 0
- 357. *semperflorens rubra*, handsome for bedding .. 1 6

BELLIS (*Daisy*).

- 358. *perennis fl. pl.*, this seed having been saved from a fine strain, may be expected to produce a large proportion of double flowers .. 0 6

- 359. ——— *Longfellow*, very large double dark rose variety .. 0 9
- 360. ——— *Snowball*, fine double white blossoms .. 0 9

BOCCONIA.—Handsome sub-tropical plants. H.P.

- 361. *japonica*, magnificent ornamental foliage .. 0 6

BORONIA.—Greenhouse perennial.

- 362. *megastigma*, a deliciously scented greenhouse plant of slender habit; flowers maroon outside, old gold colour within, produced in the most profuse manner .. 1 0

BRACHYCOME (*The Swan River Daisy*).—

Pretty half-hardy annuals.

- 363. *iberidifolia*, blue .. 0 3
- 364. ——— *white* .. 0 3

	Per pkt.—s.	d.
BROWALLIA .—Half-hardy annuals growing about 18 in. high: sown in pots, very useful for conservatory decoration.		
365. <i>elata</i> , beautiful blue flowers	0	6
366. — <i>alba</i> , pure white blossoms	0	6
CACALIA (Tassel Flower).—Hardy annuals. 1 ft.		
367. <i>aurea</i> , golden yellow flowers	0	3
368. <i>coccinea</i> , handsome trusses of orange scarlet flowers	0	3
CALAMPELIS .—A pretty climbing plant, sometimes called <i>Ecchemocarpus</i> .		
369. <i>scabra</i> , one of the finest of climbers, with spikes of orange-coloured flowers	0	6
CALANDRINIA .—Dwarf growing hardy annuals.		
370. <i>discolor</i> , rose-coloured flowers with yellow stamens	0	3
371. <i>grandiflora</i> , rosy purple	0	3
372. <i>speciosa</i> , crimson purple	0	3
373. — <i>alba</i> , white	0	3
374. <i>umbellata</i> , brilliant magenta-crimson ..	0	6
CALCEOLARIA .— <i>Vide</i> page 7.		
CALENDULA (The Marigold).—Well-known showy hardy annuals.		
375. <i>officinalis</i> , <i>Meteor</i> , large double flowers, orange striped with silvery white ..	0	3
376. — <i>Orange King</i> , very large double orange flowers	0	3
377. — <i>Sulphur King</i> , pale sulphur-yellow double flowers	0	3
<i>See also</i> Marigold.		
CALLIOPSIS (<i>Coreopsis</i>).—Most useful showy hardy annuals and perennials of great beauty, excellent for cutting.		
378. <i>atrosanguinea</i> , dark crimson	0	3
379. <i>cardaminifolia hybrida</i> , yellow, fine branching habit	0	4
380. <i>coronata</i> , large yellow, with brown spots	0	3
381. <i>Drummondii</i> , yellow and brown	0	3
382. <i>grandiflora</i> , golden yellow	0	9
383. <i>lanceolata</i>	0	6
384. <i>marmorata</i> , marbled yellow and brown	0	3
385. <i>nigra speciosa</i> , dark purplish crimson ..	0	3
386. <i>tinctoria</i>	0	3
387. — <i>nana</i> , mixed	0	3
CALLIRHOE .—Half-hardy annual. 1 ft.		
388. <i>involucrata</i> , dark crimson-purple ..	0	6
CAMPANULA .		
389. <i>carpatia</i> , blue, very profuse flowering, h.p.	0	3
390. — <i>alba</i> , white, h.p.	0	3
391. <i>pyramidalis</i> , blue, h.p.	0	6
392. — <i>alba</i> , white, h.p.	0	6
393. — mixed, h.p.	0	6
394. — <i>compacta</i> , blue, <i>Syon House</i> variety	0	9
395. — white, <i>Syon House</i> variety	0	9
396. <i>Medium</i> (<i>Canterbury Bells</i>), blue ..	0	3
397. — (—), <i>rose</i>	0	3
398. — (—), white	0	3
399. — (—), double, blue	0	3
400. — (—), <i>rose</i>	0	3
401. — (—), white	0	3
402. — (—), finest mixed	0	3
403. — <i>calycanthema alba</i> , a distinct variety of the <i>Canterbury Bell</i> , the calyx forming an elegant cup round the base of the bell	0	4
404. — <i>cærulea</i> , blue	0	4
405. — <i>rosea</i> , bright pink	0	4

	Per pkt.—s.	d.
CAMPANULA — <i>continued</i> .		
406. <i>mirabilis</i> . In shape and size of flower this resembles <i>C. medium</i> , but in every other respect it is absolutely unique. The plant forms a densely branched pyramidal bush about 2 feet high, each branch bearing a multitude of pale blue or lilac flowers	1	0
407. <i>persicifoliagrandifloraalba</i> (<i>Backhousei</i>)	1	0
408. — blue	1	0
CANDYTUFT .—Pretty dwarf - growing hardy annuals.		
409. <i>Giant hyacinth-flowered, white</i> . A grand improvement on <i>Empress</i> , with enormous spikes of bloom	0	6
410. <i>Carmine</i>	0	6
411. <i>Extra dark crimson</i> .. per oz. 9d.	0	3
412. <i>Purple</i>	9d.	0
413. <i>Sweet-scented, white</i>	6d.	0
414. <i>Empress</i> , long spikes of pure white flowers	0	6
415. <i>Tom Thumb</i> , white, very dwarf and compact, invaluable for edgings ..	0	4
<i>See also</i> <i>Iberis</i> .		
CANNABIS (<i>Hemp</i>).—Stately growing annuals.		
416. <i>gigantea</i> (<i>Giant Hemp</i>). 6 ft. ..	0	3
CANNAS .		
417. <i>Crozy's Gladiolus-flowered strain</i> , mixed seed	1/6 & 2	6



MARGARET CARNATION.

CARNATIONS.

418. *Double Margaret*, produces in the utmost profusion charming flowers of every variety of colour, including yellow. The plants are of vigorous growth, the numerous flower stalks being exceedingly strong and robust. For pot culture this variety cannot be excelled and is most valuable for growing in beds and borders 0 6
419. *Double Margaret, Pure White* 1 0
420. *Double Margaret, Pure Yellow* 1 0
- For other sorts and varieties of Carnations, *vide* pages 2, 12 and 17.

Per pkt.—s. d.

CAPSICUM.—Very ornamental for the greenhouse.

421. *Little Gem*, bright scarlet berries, dwarf habit 0 6
 422. *Princess of Wales*, fruits bright lemon colour 0 6
 423. *Elephant's Trunk*, very ornamental for pots 0 6

CARDUUS.—Hardy annual.

424. *Benedictus* (The Holy Thistle). 4 ft. 0 3

CATANANCHE.—H.P.

425. *cœrulea*, free-flowering everlasting, graceful habit 0 3

CELOSIA.—Half-hardy annuals, very ornamental for the greenhouse.

426. *pyramidalis* (Reid's Perfection), bright magenta, very beautiful 0 6
 427. — *aurea*, golden yellow 0 6
 428. — *coccinea*, bright scarlet 0 6
 429. — *violacea*, handsome violet 0 6

See also Cockscombs, pages 18 and 24.

CENTAUREA.

430. *Babylonica*, a fine ornamental plant with silvery foliage and yellow flowers, h.p. 6 ft. 1 0
 431. *candidissima* (*ragusina*), beautiful silvery foliage, excellent for bedding purposes, h.p. 9 in. 0 9
 432. *Clementei*, of robust growth, h.p. 0 9
 433. *Cyanus* (The Blue Cornflower) 0 3
 434. — *rose* 0 3
 435. — *white* 0 3
 436. — *flore pleno* (Double Cornflower), mixed, all shades 0 6

For Collections *vide* page 18.

437. *gymnocarpa*, whitish foliage, very ornamental, h.p. 3 ft. 0 6
 438. *moschata* (Sweet Sultan), purple, most useful for cutting 0 3
 439. — *white* 0 3
 440. — *yellow* 0 3

CENTRANTHUS.—H.A. 9 in.

441. *macrosiphon* 0 3

CERASTIUM.—H.P. Very dwarf-growing plants, suitable for rockwork, &c.

442. *Biebersteinii*, very pretty silvery leaves 0 6
 443. *tomentosum*, close-growing silvery leaved plant, suitable for edgings, &c. 1 0

CHAMÆPEUCE.—H.H.B. 1½ ft.

444. *Casabonæ*, thistle-like plant, with smooth glossy dark-green leaves and white nerves and spines 0 6
 445. *diacantha*, a beautiful plant, the midrib of the leaves and spines ivory-white, margined with glossy green, and covered with a white silky down 0 6

CHRYSANTHEMUM.

446. *carinatum*, *Chamæleon*, a very floriferous large-flowered new variety of this favourite annual. The ground colour of the flowers on first opening is light coppery bronze, a golden yellow band surrounded with a zone of purplish crimson, encircling the blackish purple disc. After being expanded a few days, the light coppery bronze of the ray florets changes to creamy yellow, affording a pleasing contrast to the darker colour of newly opened blooms 1 0

**CHRYSANTHEMUM CARINATUM****CHRYSANTHEMUMS.**—*contd.* Per pkt.—s. d.

447. *carinatum* fl. pl., flowers variable, some are pure white, yellow, or crimson, but the prevailing types are bronzy yellow, the florets tinged with red or lilac-rose 0 6
 448. — *Golden Feather*, white flowers, surrounded with bright yellow and crimson circles 0 3
 449. — *atrococcineum*, deep scarlet 0 3
 450. — *Burridgeanum*, white, yellow, and crimson 0 3
 451. — *Purple Crown*, dwarf and compact growth, yellow foliage and purple-scarlet flowers 1 0
 452. — *purpureum*, purple 0 3
 453. *conorarium*, double white 0 3
 454. — double yellow 0 3
 455. *frutescens* (*Paris Daisy*, *White Marguerite*), white flowers, with yellow centre. 1 ft. 0 6
 456. — *Etoile d'Or*, golden yellow flowers 1 0
 457. *inodorum* fl. pl., a very free-flowering double variety, fine for cutting 0 6
 458. *maximum*, a grand border plant, covered in the Autumn with large white flowers 0 6
Princess Henry, *vide* page 2.
 459. *segetum grandiflorum*, large sulphur yellow flowers 0 6
 460. *japonicum* (*Japanese Chrysanthemum*), saved from the best varieties 1 0
 461. *Large-flowering Incurved* (*Chinese Chrysanthemum*), extra choice mixed, saved from choice named flowers, including all shades of colour 1 0
 462. *Pompon Varieties*, extra choice mixed, from a splendid collection 1 0

Per pkt.—s. d.

CINERARIA.—Useful bedding plants with ornamental foliage.

463. *acanthifolia*, a compact silvery foliaged bedding plant, with oval serrated leaves, h.h.p. 0 6
464. *maritima*, a well-known silvery foliaged plant, h.p. 0 6

CINERARIA, HYBRID Prize Strain.—*Vide page 7.***CLARKIA ELEGANS NANA ROSEA.****CLARKIA.**—Very pretty hardy annuals, free flowering and very showy.

465. *elegans*, rosy lilac 0 3
466. — *nana rosea*, a dwarf growing variety with charming rose-coloured flowers 0 3
467. — *rosea plena*, fine double, rose coloured, double 0 3
468. *pulchella*, Mrs. Langtry 0 3
469. — *alba*, white, very pretty 0 3
470. — *integripetala*, rosy crimson 0 3
471. — — *alba*, pure white 0 3
472. — — *flore pleno*, double 0 3
473. — — *limbata*, rose flowers margined with white 0 3
474. — — *marginata pleno*, bright magenta, margined white 0 3

CLEMATIS.—Well-known hardy climbers.

475. *Choice Hybrids*, mixed 1 0
476. *flammula*, sweet-scented flowers 0 3
477. *Vitalba* (Traveller's Joy) 0 3

CLIANTHUS (The Glory Pea of Australia).—Does best with greenhouse treatment.

478. *Dampieri*, bears gorgeous flowers of a beautiful crimson-vermilion colour, marked at the base of the upper petal with a shining black blotch 1 0
479. *punicea*, bright crimson flowers 1 0

CLINTONIA.—Pretty dwarf growing half-hardy annuals, suitable either for growing in pots or borders.

480. *elegans*, pretty blue flowers 0 6
481. *pulchella*, blue and yellow 0 6

CLITORIA.—A pretty Leguminous climbing annual with pea-like flowers, suitable for stove or warm greenhouse.

482. *cælestis*, pretty sky-blue flowers 1 0
483. *ternatea*, handsome blue flowers 1 0

Per pkt.—s. d.

COBÆA.—A well-known quick-growing climber, suitable for the conservatory.

484. *scandens*, purple 0 6
485. — *flore albo*, a white-flowered form of the preceding 1 0

**COCKSCOMB.****COCKSCOMB.**

486. *Glasgow Prize*, this well-known and beautiful tender annual is of a highly decorative character, equally valuable for conservatory or garden 1 0
487. *Vesuvius*, magnificent combs of fiery red, most effectively displayed on a golden yellow ground. Splendid for pot culture 1 0

*See also Celosia, pages 18 and 23.***COLEUS.**

488. *Choice hybridised.* The colours in the different seedlings will embrace many shades of glowing red, magenta, crimson, purple and claret 1s. and 1 6
489. *Extra choice*, from new varieties 3 6

COLLINSIA.—Very pretty hardy annuals.

490. *bicolor*, lilac and white per oz., 6d. 0 3
491. *candidissima*, pure white 9d. 0 3
492. *grandiflora*, deep purple 0 3
493. *heterophylla*, richly coloured 0 3
494. *violacea*, violet 0 3

COLUMBINE.—*See Aquilegia.***CONVOLVULUS.**

495. *althæoides*, rosy purple, pretty trailing species, h.p. 0 3
496. *major* (*Ipomæa purpurea*), finest mixed, h.a. 0 3
497. — *f. pl.*, "Double-flowered Morning Glory," a double-flowered form of the well-known *Convolvulus major*, or Morning Glory; like the type, it is of rapid growth, and freely produces its double flowers, which are white with a slight spot of colour at the base of the larger petals 0 6

CONVOLVULUS—continued.		Per pkt.—s. d.
498. mauritanicus, lavender, h.h.p...	..	0 4
499. tricolor (minor), mixed, h.a. ..	..	0 3
500. — roseus, very pretty ..	..	0 3
501. — splendens, deep purple, beautiful, h.a. ..	..	0 3
502. — striata, blue and white, h.a. ..	..	0 3
503. — subcærulea, pale blue, h.a. ..	..	0 3

See also Ipomæa.

COREOPSIS.—See Calliopsis.

CORNFLOWER.—See Centaurea Cyanus.

COSMIDIUM.— Handsome half-hardy annuals.

504. Burridgeanum, deep velvety crimson purple ..	..	0 3
505. Engelmannii, yellow ..	..	0 3

COSMOS.— Half-hardy annuals, very useful for cutting.

506. bipinnata alba, large white flowers ..	0 6
507. — purpurea, purple flowers ..	0 3

COWSLIP.— Well-known early Spring flower perennials.

508. Yellow ..	..	0 6
509. Finest mixed ..	..	0 3

CUPHEA.—Pretty half-hardy perennial.

510. <i>eminens</i> , scarlet and yellow ..	.. 0 6
511. <i>platycentra</i> , scarlet, fine for pots ..	1 0

CYCLAMEN.— Pretty dwarf growing hardy perennials.

512. europæum, reddish purple, sweet-scented ..	..	1 0
---	----	-----

persicum grandiflorum, vide page 11.



DATURA CORNUCOPIA.

		Per pkt.—s. d.
DAHLIA. —These half-hardy perennials are exceedingly showy and ornamental, and can be easily raised from Seed.		
513. Finest Double, saved from the best show flowers ..	..	1 0
514. Finest Single-flowered, mixed ..	..	1 0
515. Finest Pompon, double mixed ..	..	1 0
516. Finest Cactus, saved from best sorts ..	..	1 0
517. Tom Thumb, single-flowered ..	..	1 0

DAISY.—Vide Bellis perennis.

DATURA.—Half-hardy annuals, suitable for the greenhouse or sub-tropical garden, bearing a profusion of large trumpet-shaped flowers.

518.	cornucopia, will succeed either in a greenhouse or planted out in a sunny position. The flowers are deliciously fragrant, and of immense size; the inner surface is French white, while the outside is marmorated and suffused with bright purple	0 6
519.	Golden Queen, new double yellow, enormous flowers 10 inches long; very showy	1 0
520.	chlorantha fl. pl., double yellow	0 6
521.	fastuosa alba fl. pl., double white	0 6
522.	Wrightii, handsome white flowers	0 3

DELPHINIUM (Larkspur).— Handsome showy perennials, very suitable for the mixed border or shrubberies.

523. hybridum, choice mixed shades, saved from a fine strain ..	..	1 0
524. formosum, bright blue ..	..	0 3
525. grandiflorum cælestinum, sky blue ..	..	0 3
526. nudicaule, scarlet, dwarf habit ..	..	0 9
527. sulphureum (Zalil), sulphur yellow, a magnificent species ..	..	1 0

DIANTHUS (Indian Pink).—The beauty and merit of these lovely border plants can hardly be overstated. Sown early they will bloom splendidly the first season.

528. chinensis fl. pl., fine mixed double ..	0 6
529. Heddwigii, Eastern Queen, beautifully marbled, with broad bands of rich mauve ..	0 6
530. — Crimson Belle, of a rich vivid crimson-lake colour; flowers of good size and substance, finely lacinated ..	0 6
531. — Diadematus fl. pl. (Diadem Pink), lilac, crimson, purple and maroon, the fringed edges of the petals being pure white ..	0 6
— albus fl. pl., vide page 3.	
532. — laciniatus, Salmon Queen, handsomely fringed and lacinated salmon-rose flowers; dwarf in habit and very showy ..	0 6
— salmonæum fl. pl., vide page 3.	
533. — striatus fl. pl., white striped with different shades, from delicate rose to deepest red ..	0 6
— nobilis, vide page 3.	
534. — The Bride, white, ornamented with a dark purple violet zone ..	0 6
535. — mixed ..	0 4
536. — laciniatus, extra choice mixed ..	0 6

- DIANTHUS**—*continued*. Per pkt.—s. d.
 537. **superbus**, "**Telekii**," flowers mainly double, with here and there a semi-double or single variety, the colours ranging from pure white to blackish carmine and violet 0 9
 Assortments, *vide* page 18.



- DIANTHUS, SUPERBUS, "TELEKII."**
DIGITALIS (Foxglove).—These handsome perennials are most effective for shrubberies, borders, &c.
 538. **purpurea**, purple 0 3
 539. — **alba**, white 0 3
 540. **grandiflora**, dwarf yellow 0 3
 541. **Finest Spotted Varieties**, mixed .. 0 6
ECCREMOCARPUS.—*Vide* Calampelis.
ECHEVERIA.—Half-hardy succulent plants, very suitable for the edging of beds and borders.
 542. **metallica** 2 6
 543. **secunda glauca** 1 6
ECHINOPS.
 544. **sphærocephalus**, handsome hardy thistle-like plant, bearing a profusion of spherical heads of white flowers .. 1 0
EDELWEISS.—*See* Gnaphalium.
ERIGERON.
aurantiacus hybridus, *vide* page 4.
ERYSIMUM.—Pretty hardy annuals, easily grown, and very free flowering.
 545. **Arkansanum**, yellow 0 3
 546. **Petrofskianum**, orange 0 3
ESCHSCHOLTZIA.—Very showy and beautiful annuals.
 547. **californica canaliculata rosea**, a pretty variety of quite a new shade of colour. The petals are rosy-white, delicately channelled with tiny folds, a suffusion of soft primrose much enhancing the beauty of this charming flower .. 1 0
 548. — **bright yellow** 0 3

- ESCHSCHOLTZIA**—*continued*. Per pkt.—s. d.
 549. **crocea**, deep orange 0 3
 550. — **alba**, white 0 3
 551. — **fl. pl.**, semi-double bright orange flowers 0 3
 552. — **grandiflora rosea** (**Rose Cardinal**) .. 0 4
 553. — **Mandarin**, orange scarlet, shaded with crimson; fine 0 4

EUCALYPTUS.

554. **calophylla** 0 6
 555. **citriodora** (**The Lemon Scented Gum**). The leaves of this plant have a most pleasing fragrance 1 6
 556. **globulus** (**The Blue Gum of Australia**), said to possess great antimalarial properties .. 0 3
 557. **Gunnii** (**The Cedar or Swamp Gum**) 0 6
 558. **obliqua Stringybark** 0 4
 559. **robusta** 0 4
 560. **siderophleia** (**Red Iron Bark**) .. 0 6

EUCHARIDIUM.—Hardy annuals.

561. **grandiflorum**, rosy purple .. 0 3
 562. — **album**, white 0 3

EUTOCA.—A very showy hardy annual.

563. **viscida**, deep blue 0 3

EVERLASTINGS.

For Collections, *vide* page 18.

FERDINANDIA.—Very handsome for sub-tropical gardens, growing from 6 to 8 feet high. Tender perennial.

564. **eminens** 0 6

FERN SPORES.

565. From choice Greenhouse varieties, mixed 1 0

566. From choice Stove varieties, mixed .. 1 0

FRANCOA.—Half-hardy perennial.

567. **ramosa** 1 0

FREESIA.—Lovely bulbous plants bearing deliciously scented flowers.

568. **refracta alba**, white 1 0

FUCHSIA.

569. **Choice mixed**, saved from a splendid collection of named sorts 1 6

GAILLARDIA.—Handsome showy annuals and perennials, very useful for cutting.

570. **hybrida grandiflora**, very beautiful hardy perennial; crimson and gold .. 0 6

571. **New Hybrids**, these new perennial varieties have very large flowers of brilliant and varied colours, and are of superlative merit 1 0

572. **picta**, orange, red and yellow 0 3

573. — **Lorenziana**, beautiful quilled double flowers of various colours .. 0 6

574. — **Lorenz's Perfection**, large globular heads of bloom, fine for cutting .. 0 6

GALEGA.

575. **officinalis**, hardy perennial, a beautiful bluish pea-shaped flower, height 3 ft. 0 6


576. — **alba**, a pure white variety of the preceding, useful for cutting 0 6

GENTIANA.—Well-known dwarf growing hardy perennials.

577. **acaulis**, large bright blue flowers .. 0 3

GESNERA.—Handsome Stove perennials, bearing a profusion of richly coloured flowers.

578. **Extra choice mixed** 2 6



GLOXINIA, "PRINCESS MAUD."

Per pkt.—s. d.

GEUM.—Hardy perennials, very useful for borders where cut flowers are in demand.

579. *atrosanguineum* fl. pl., bright crimson double flowers 0 6
580. *coccineum*, rich scarlet 0 3

GILIA.—Very pretty hardy annuals.

581. *achilleæfolia alba*, fine pure white .. 0 3
582. *tricolor*, white, lilac, and purple .. 0 3
583. — *alba*, white and purple .. 0 3
584. — *rosea splendens*, rose, purple, white 0 3

GNAPHALIUM.—Hardy dwarf perennial.

585. *Leontopodium*, the well-known *Edelweiss*, a charming Alpine plant with downy white flowers 0 9

GLOXINIA.—Handsome tuberous rooted plants for warm Greenhouse or Stove.

586. *hybrida grandiflora*, extra choice mixed, saved from a magnificent strain, with erect flowers of many beautiful shades of colour, ranging from darkest crimson, through almost every shade of colour to pure white. A large proportion will be beautifully spotted, the markings and coloration of many being beyond description. 1s. 6d. and 2 6
587. — *Coquette*. An entirely new strain is now offered in these handsome warm-greenhouse flowering bulbs, the flowers being remarkable in having a beautiful yellow throat, admirably setting off the rich colouring of the lobes, which varies from pale blue to dark blue, rose, pink and crimson, the margins of many being effectively edged with white .. 1 6
588. *Finest Spotted*, saved from spotted flowers only .. 2s. 6d. and 3 6
589. *Finest Drooping*, saved from a fine strain of drooping-flowered varieties 1s. 6d. and 2 6
590. *Emperor William*, splendid blue .. 1 6

GLOXINIA—continued. Per pkt.—s. d.

591. *Princess Maud*, a most handsome new variety, throat shining crimson shading to the mouth a rich dark carmine; petals rich violet, a broad band of white spotted with violet surrounding the whole flower 1 6
592. *Queen Victoria*, pure white .. 1 6
593. *Scarlet Queen*, beautiful dark scarlet 1 6

GODETIA.—Lovely hardy annuals; very showy.

594. *Bridesmaid*, pale pink and white .. 0 6
595. *Duchess of Albany*, satiny white .. 0 3
596. *Lady Albemarle*, carmine-crimson 0 6
597. *Princess of Wales*, ruby crimson .. 0 3
598. *The Bride*, pure white, with crimson ring at base of petals .. 0 3
599. *White Pearl*, satiny white .. 0 6
600. *Whitneyi*, blush and crimson .. 0 3

GOMPHRENA (*The Globe Amaranth*).

Tender annuals, very useful for the decoration of greenhouses during the Autumn months.

601. *Orange* 0 3
602. *Purple* 0 3
603. *White* 0 3
604. *Mixed* 0 3

GRASSES, ORNAMENTAL.—*Vide* pages 18 and 38.

GREVILLEA.—A very elegant greenhouse plant, very useful for table and other decorations when in a young state.

605. *robusta*, very graceful, with long fern-like leaves 1 0

GYNERIUM.—*Vide* Ornamental Grasses, page 38.

GYPHOPHILA.—Most elegant perennials.

The flowers when cut are largely used in decoration owing to their graceful appearance.

606. *elegans*, rose 0 3
607. *muralis*, pink, a lovely plant for rock-work, &c. 0 3
608. *paniculata*, white, very light and graceful when in flower 0 3

HEDYSARUM (*French Honeysuckle*).—

Hardy perennials of easy culture.

609. *coronarium*, red .. per oz. 6d. 0 3
610. — *album*, white 6d. 0 3

HELIANTHUS (*Sunflower*).

611. *argyrophyllus*, yellow, silvery foliage .. 0 6
612. *californicus* fl. pl., massive double flowers, very showy 0 3
613. *cucumerifolius*, *Stella*, flowers 2½ to 3 inches across, golden yellow .. 0 6
614. *globosus fistulosus* fl. pl., of erect stately growth, with large extremely double globe-shaped flowers of a bright, rich yellow colour .. 0 6
615. *Golden Bouquet*, a dwarf-growing perennial Sunflower, bearing on long slender stems a multitude of golden yellow flowers of medium size .. 0 9
616. *macrophyllus giganteus* 0 6
617. *uniflorus*, enormous single yellow flowers, with a large dark centre, sometimes measuring 1 foot in diameter 0 3
618. *Large Primrose-coloured Sunflower*, a variety of *Helianthus annuus*, with primrose-coloured flowers .. 0 6

- HELIANTHUS**—*continued*. Per pkt.—s. d.
619. **Miniature Sunflower**, the most suitable of all Sunflowers for cut bloom, producing an abundance of bright golden yellow flowers 0 6
620. **Sulphur Gem Sunflower**, flowers of a medium size, of a delicate sulphur, with dark centre 0 6
621. **Thousand-flowered Sunflower**, bears a multitude of golden-yellow flowers 0 6
- HELICHRYSUM**.—These well-known annual Everlastings are most useful for cutting.
622. **bracteatum**, showy golden yellow flowers 0 3
623. — **album**, pure white flowers .. 0 3
624. **monstrosum fl. pleno**, choice mixed .. 0 3
625. — **album fl. pleno**, pure white .. 0 3
626. — **luteum fl. pleno**, bright yellow .. 0 3
627. — **purpureum**, rich carmine and purple 0 3
628. — **roseum fl. pleno**, rose .. 0 3
629. — **atrococcineum**, scarlet .. 0 3
630. — **Silver Ball**, large, double, silvery white flowers 0 6
- HELIOTROPE** (Cherry Pie).—Greenhouse perennial. A well-known favourite.
631. **Choice mixed**, saved from best varieties 0 6
632. **White Lady** 1 0
- HELIPTERUM**.—Pretty half-hardy annual Everlastings.
633. **corymbiflorum**, clusters of pure white flowers 0 3
634. **Sandfordi**, beautiful golden yellow .. 0 3
- HERACLEUM**.—Hardy perennial.
635. **giganteum** (The Giant Parsnip), very ornamental 0 3
- HEUCHERA**.
636. **sanguinea**, h.p., elegant spikes of crimson flowers, well adapted for cutting and other decorative purposes. .. 0 9
- HIBISCUS**.—Hardy annual.
637. **africana**, creamy yellow flowers, with chocolate red centre 0 3
- HOLLYHOCK**.—Well-known hardy biennials.
638. **Extra choice mixed**, from first-class double flowers 1 0
- Assortments, *vide* page 18.
- HONESTY**.—*Vide* Lunaria.
- HONEYSUCKLE, FRENCH**.—*Vide* Hedysarum.
- HOP**.—*Vide* Humulus.
- HUMEA**.
639. **elegans**, a very ornamental and graceful plant, with fragrant foliage, and racemes of rosy-coloured flowers .. 1 0
- HUMULUS**.—The Japanese Hop is an extremely ornamental climber, and most useful for quickly covering old walls, fences, &c.
640. **japonicus** (Annual Japanese Hop) .. 0 6
641. — **variegatus**, very ornamental and most strikingly variegated .. 0 6

- Per pkt.—s. d.
- IBERIS** (Candytuft).—Dwarf growing hardy perennials, very useful for Spring flowering.
642. **gibraltarica hybrida**, lovely rosy mauve flowers 0 6
643. **sempervirens**, pure white 0 6
- See also* Candytuft.
- ICE PLANT**.
644. **Mesembryanthemum crystallinum**. Very pretty for garnishing 0 6
- IMPATIENS** (Noli-me-tangere).
645. **glandulifera**, a well-known hardy annual growing 5 ft. high 0 6
646. **Sultani**, a lovely perennial plant, suitable for growing in a cool stove; bears a profusion of rosy carmine flowers .. 0 9
- INDIAN PINK**.—*See* Dianthus.
- INULA**.
647. **ensifolia**, a showy perennial producing large pure golden yellow flowers. When sown early in the year, this will flower the first season 1 0
- IONOPSIDIUM**.—Very dwarf, half-hardy annual, very suitable for rockwork.
648. **acaule**, sky-blue flowers 0 6
- IPOMÆA**.—Climbing half-hardy annuals, &c.
649. **bona nox**, white, blooms in the evening, h.h.a. 0 3
650. **coccinea**, scarlet, h.h.a. 0 3
651. **hederacea atrovioleacea**, rich violet and white, h.h.a. 0 3
652. — **superba**, blue and white, h.h.a. .. 0 6
653. **Learii**, splendid lazuli blue, changing to red, s.p. 1 0
654. **limbata elegantissima**, purple and white, h.h.a. 0 6
655. **rubro-carulea**, sky blue, g.p. .. 0 6
656. **Quamoclit**, orange-scarlet 0 3
- JACARANDA**.—Stove perennial.
657. **mimosæfolia**, very ornamental, foliage finely divided and very graceful .. 1 0
- JACOBÆA**.—*Vide* Senecio.
- KALANCHOE**.
- flammea**, *vide* page 4.
- KAULFUSSIA**.—Pretty hardy annuals.
658. **amelloides**, dark blue 0 3
659. — **alba**, white 0 3
660. — **Kermesina**, bright crimson .. 0 3
- LANTANA**.—Half-hardy perennials, with verberna-like flowers.
661. **Choice mixed** 0 6
- LARKSPUR**.—*Vide* Delphinium.
- For Collections, *vide* page 18.
- LASTHENIA**.—Hardy annual.
662. **californica**, bright yellow 0 3
- LATHYRUS**.—Climbers.
663. **grandiflorus**, a beautiful hardy perennial with lovely rosy purple flowers .. 0 6
664. **latifolius** (Everlasting Pea) .. 0 3
665. — **albus**, white 0 4
666. — **Pink Beauty**, lovely pink flowers .. 1 0
667. **sativus** (Lord Anson's Pea), very pretty sky blue flowers 0 3

LAVATERA.

- | | Per pkt.—s. d. |
|--|----------------|
| 668. <i>arborea variegata</i> , a beautiful variegated variety of the <i>Tree Mallow</i> | 0 6 |
| 669. <i>trimestris</i> , h.a., rose-pink | 0 3 |
| 670. — <i>alba</i> , h.a., white | 0 3 |

LAENDER.

- | | |
|---|-----|
| 671. <i>Lavandula Spica</i> | 0 3 |
| LEPTOSIPHON. —Hardy annuals. | |
| 672. <i>aureus</i> , rich golden yellow, suitable for rockwork | 0 3 |
| 673. <i>densiflorus</i> , purple | 0 3 |
| 674. — <i>albus</i> , white | 0 3 |
| 675. <i>hybridus</i> , French hybrids, in great variety of colour | 0 3 |

LIMNANTHES.—Hardy annuals.

- | | |
|---|-----|
| 676. <i>Douglasi</i> , a free flowering dwarf plant with white and yellow flowers | 0 3 |
|---|-----|

LINARIA (Toad Flax).—Hardy annuals.

- | | |
|---|-----|
| 677. <i>bipartita splendida</i> , deep purple | 0 3 |
| 678. <i>reticulata aurea purpurea</i> , purple-maroon, mottled orange | 0 6 |

LINUM.

- | | |
|---|-----|
| 679. <i>flavum</i> , a lovely hardy perennial, with bright yellow flowers | 0 6 |
| 680. <i>grandiflorum rubrum</i> , beautiful crimson scarlet flowers, h.a. | 0 3 |
| 681. <i>perenne</i> , purple flowers, h.p. | 0 3 |
| 682. — <i>album</i> , white, h.p. | 0 6 |

LISIANTHUS.—Greenhouse biennial.

- | | |
|--|-----|
| 683. <i>Russellianus</i> , violet blue | 1 0 |
|--|-----|

LOASA.—Greenhouse perennial.

- | | |
|---|-----|
| 684. <i>aurantiaca</i> , a beautiful orange-flowered climbing plant | 0 6 |
|---|-----|

LOBELIA.

- | | Per pkt.—s. d. |
|---|----------------|
| 685. <i>Barnard's Perpetual</i> , flowers most brilliant ultramarine blue, strikingly ornamented with a pure white marking at the base of each of the two lower petals. It is of compact habit, and alike useful for bedding or growing in pots | 0 6 |
| 686. <i>erinus, Oxford Blue</i> , a magnificent dwarf-growing variety, for pots or bedding | 0 9 |
| 687. — <i>speciosa, Crystal Palace variety</i> , a first-rate strain; the best for pots | 0 6 |
| 688. — <i>compacta</i> , a really fine strain, very compact, producing in great profusion large blue flowers with white centre | 0 6 |
| 689. <i>pumila magnifica</i> , a splendid dark blue variety | 0 9 |
| 690. — <i>White Gem</i> , most perfect white variety in cultivation, compact habit, profuse bloomer | 1 0 |
| 691. <i>Royal Purple</i> , rich violet-purple with clear white eye. The habit is semi-compact | 0 6 |
| 692. <i>cardinalis (The Cardinal Flower)</i> , a splendid herbaceous perennial, bearing large spikes of cardinal-scarlet flowers, forming a most attractive object either in beds or borders; very useful for cutting for all kinds of decoration | 1 0 |
| 693. <i>(Herbaceous) Queen Victoria</i> , a well-known Summer-flowering perennial, extremely useful either for beds or borders | 0 9 |

LOPHOSPERMUM.—Half-hardy Climbers.

- | | |
|--|-----|
| 694. <i>coccineum</i> | 1 0 |
| 695. <i>Rhodochiton (Rhodochiton volubile)</i> , flowers rich purple, most suitable for a greenhouse | 1 0 |
| 696. <i>scandens</i> | 0 6 |

LOVE-LIES-BLEEDING.—*Vide* *Amaranthus*.

LUNARIA (Honesty).—Hardy biennial.

- | | |
|--|-----|
| 697. <i>biennis</i> , bright purple flowers, followed by shining silvery seed pods | 0 3 |
| 698. — <i>alba</i> , white flowers | 0 3 |

LUPINUS (Lupins).—Showy hardy annuals.

- | | |
|---|-----|
| 699. <i>albo-coccineus nanus</i> , h.a., pretty rose and white flowers | 0 3 |
| 700. <i>arboreus (Yellow Tree Lupin)</i> , h.p. | 0 6 |
| 701. <i>Menziesii</i> , large handsome spikes of sulphur-yellow flowers, h.a. | 0 6 |
| 702. <i>nanus</i> , blue and white, h.a. | 0 3 |
| 703. <i>pilosus (large blue Lupin)</i> , h.a. | 0 3 |
| 704. — <i>albus (large white Lupin)</i> , h.a. | 0 3 |
| 705. — <i>roseum (large rose Lupin)</i> , h.a. | 0 3 |
| 706. <i>polyphyllus</i> , blue, h.p. | 0 3 |
| 707. — <i>albus</i> , white | 0 3 |



LOBELIA, BARNARD'S PERPETUAL.

Per pkt.—s. d.

LYCHNIS.—Showy hardy perennials.

708. *chalconica*, rich scarlet 0 3
 709. *fulgens*, bright scarlet 0 6
 710. *Haageana*, crimson scarlet 0 6
 711. — *nana*, very dwarf mixed 0 6

LYTHRUM (*Loosestrife*).—Very showy hardy perennial, suitable for damp situations and the margins of lakes and streams.

712. *roseum superbum*, spikes of rich rosy purple flowers 0 3

MALOPE.—Handsome hardy annuals.


713. *grandiflora*, dark crimson 0 3
 714. — *alba*, white 0 3

MALVA.—Beautiful hardy perennials, flowering all through the Summer.

715. *moschata*, sweet scented rose flowers .. 0 6
 716. — *alba*, white 0 6

MANDEVILLEA.—A perennial greenhouse climber of rapid growth.

717. *suaveolens*, fragrant white flowers .. 0 6

**MARIGOLD, FRENCH STRIPED.****MARIGOLD.**—Well-known showy hardy annuals.

718. *African (Lemon)*, in excellence of habit, height, and free flowering propensity, the same as the following, but varying in colour, which may be described as pure lemon 0 9
 719. *African (Orange)*, a magnificent strain, bearing immense brilliant orange-coloured flowers 0 9
 720. *French Superb Striped*. The seed offered has been carefully selected from the most perfectly striped and formed flowers 1 0
 721. *Dwarf French, Purple and Gold (Legion of Honour)*, h.a., lovely single golden yellow flowers, each petal blotched with velvety purple 0 6

*See also Calendula.***MARTYNIA.**—Half-hardy annuals.

722. *fragrans*, crimson purple sweet-scented flowers 0 3

MARVEL OF PERU.—*Vide Mirabilis.***MARIGOLD, DWARF FRENCH (Purple and Gold).**

Per pkt.—s. d.

MATHIOLA.—Hardy annual.

723. *bicornis* (*Night-Scented Stock*), flowers purplish red, emitting a delicious fragrance in the evening 0 3

MAURANDYA.—Greenhouse Climbers.

724. *Barclayana grandiflora*, bluish purple 0 6
 725. — *alba*, pure white 0 6

MECONOPSIS.—Hardy perennial.

726. *cambrica* (*The Welsh Poppy*), yellow .. 0 6

MELIANTHUS.—An ornamental sub-tropical half-hardy perennial.

727. *major*, rich green pinnate leaves .. 0 9

MESEMBRYANTHEMUM.—Half-hardy annuals and perennials.

728. *cordifolium variegatum*, pretty variegated foliage 0 9
 729. *tricolor* 0 3
 730. — *album* 0 3

MIGNONETTE.

731. *Garaway's White*, the finest of all the White Mignonettes 0 9
 732. *Golden Gem*, a beautiful dwarf-growing Mignonette, of compact and regular pyramidal growth, producing an abundance of spikes of a rich golden-yellow colour (*vide illustration*, page 31) 0 6
 733. *Golden Queen*, large spikes of an intense golden yellow 0 6
 734. *Golden Machet* 1 0

Golden Jewel, vide page 4.

735. *Machet*, a superb variety for pot culture, the stout flower stalks terminated by massive spikes of deliciously scented red flowers 1 0



MIGNONETTE, GOLDEN GEM.

MIGNONETTE—continued. Per pkt.—s. d.

736. Mammoth, a splendid Mignonette producing enormous spikes of flowers, rendering it of the greatest value for forcing and cut purposes .. 0 6
737. Miles' Spiral, a vigorous and free-growing variety, admirably suited for decorative or market purposes .. 0 6
738. New Red Giant, the finest red-flowered Mignonette yet offered .. 0 6
739. Sweet Scented .. per oz. 6d. 0 3
- MIMOSA.—Greenhouse annual.
740. pudica, the well-known Sensitive Plant 0 6
- MIMULUS (Monkey Flower).—Handsome flowering perennials.
741. cardinalis, scarlet .. 0 6
742. cupreus, copper-coloured flowers .. 0 6
743. moschatus, the well-known Common Musk .. 0 6



MIMULUS TIGRINUS GRANDIFLORUS.

MIMULUS—continued. Per pkt.—s. d.

744. tigrinus grandiflorus (vide illustration), richly spotted and strikingly blotched in a diversified manner with rose, carmine, dark and light crimson, &c. .. 1 0
745. — albo-sanguineus, the flowers are beautifully blotched and spotted with crimson, &c., on a white ground .. 0 6
746. Emperor Giant Duplex .. 1 0
- MINA.—Half-hardy climbing annual.
747. lobata, bears orange-red flowers on bifurcate racemes .. 0 9
- MIRABILIS (Marvel of Peru).—Greenhouse perennials.
748. jalapa, finest mixed .. 0 3
749. — variegata, light green leaves, striped or variegated with dark green 0 3
- For Collections, see page 18.



MUSA ENSETE.

MUSA.—Greenhouse perennial.

750. ensete, a splendid plant for open air decoration in Summer, producing a most striking effect when planted singly or in groups .. 2 6

MUSK.—See Mimulus moschatus.

MYRSIPHYLLUM.—Greenhouse climbing perennial, the neat glossy green leaves admirably adapting it for decorative purposes. This plant is often called Smilax.

751. asparagoides .. 1 0

MYOSOTIS (Forget-me-not).—Charming hardy perennials.

752. alpestris, blue .. 0 3
753. — alba, white .. 0 3
754. — stricta caelestina, a distinct new Forget-me-Not, remarkable for its erect pillar-like growth, giving the plants a very striking appearance when in blossom .. 0 9
755. — Victoria, a pretty Forget-me-not, bearing large azure-blue flowers .. 1 0
756. azorica, light blue .. 0 9
757. dissitiflora, one of the best of all the Forget-me-nots; a profuse bloomer 1 0
758. sylvatica, bright blue flowers .. 0 6

	Per pkt.—s. d.
NASTURTIUMS. —Climbing and Dwarf.	
759. Tall, mixed per oz.	6d. 0 3
760. — Dark crimson	6d. 0 3
761. — Yellow	6d. 0 3
762. — Scarlet	6d. 0 3
763. Tom Thumb, mixed	1s. 0 3
764. — — Beauty, orange spotted ..	0 3
765. — — Cloth of Gold, yellow ..	0 3
766. — — Empress of India, intense crimson scarlet, per oz.	1s. 0 3
767. — — H. M. Stanley, dark bronze ..	0 3
768. — — King of Tom Thumbs ..	0 3
769. — — King Theodore, chocolate crimson	0 3
770. — — Pearl	0 3
771. — — Ruby King, rosy scarlet ..	0 3
772. — — Spotted King	0 3
773. — — Yellow	0 3

See also *Tropeolum*.

NEMESIA.

774. *strumosa* Suttoni. The flowers of this pretty and distinct half-hardy plant range from ivory white to primrose, orange-scarlet, crimson and purple, flowering in the open air all through the Summer 1 0

NEMOPHILA.

—Lovely hardy annuals for borders and beds.

775. *atomaria atrocærulea*, deep ultramarine blue, with white centre 0 3
 776. *insignis*, blue, white centre, per oz. 6d. 0 3
 777. — *alba*, pure white 0 3
 778. — *marginata*, blue, with white edge 0 3
 779. *maculata*, white, blotched with violet, per oz. 6d. 0 3

NICOTIANA (Tobacco).

—The large leaved kinds are very suitable for sub-tropical work.

780. *affinis*, lovely sweet-scented white flowers, expanding in the evening; should be in every garden 0 6
 781. *colossea*, dark green, magnificent foliage 1 0
 782. *grandiflora purpurea*, a majestic annual, with large handsome leaves and purplish rose flowers 0 6
 783. *macrophylla gigantea*, the large leaves and stately height give it a noble appearance, either singly or in groups 0 6
 784. *suaveolens*, beautiful white flowers, deliciously fragrant 0 6
 785. *sylvestris*, taller than *affinis*, flowers pure white, a striking variety .. 1 0

NIEREMBERGIA.

—Greenhouse biennials.

786. *frutescens*, white and lilac flowers .. 0 6
 787. *gracilis*, an elegant plant, with white and lilac flowers 0 6

NIGELLA (Love-in-a-Mist).

—Pretty half-hardy annuals, with elegant foliage and curious flowers.

788. *Damascena*, flowers double blue .. 0 3
 789. — *alba*, double white 0 3
 790. *hispanica*, purple 0 3
 791. — *alba*, flowers white 0 3

NOLANA.

—Hardy trailing annual.

792. *atriplicifolia*, white and blue flowers .. 0 3

NYCTERINIA.

—Dwarf hardy annuals.

793. *capensis*, fragrant, white and brown flowers 0 6
 794. *selaginoides*, lilac flowers, scented .. 0 6

ONOTHERA (Evening Primrose).

795. *biennis* (Evening Primrose), yellow .. 0 3
 796. *bistorta Veitchii*, very dwarf, bright yellow variety 0 3
 797. *Drummondii*, bright yellow 0 3
 798. — *nana*, dwarf yellow 0 3
 799. *Lamarckiana*, very large yellow flowers 0 3
 800. *macrocarpa* (*Missouriensis*), a fine yellow flowering perennial variety .. 0 6
 801. *taraxicifolia*, large snow-white flowers 0 6

ORNAMENTAL GRASSES.

—*Vide* page 38.

OXALIS.

—Half-hardy perennials.


802. *rosea*, pretty rose-coloured flowers .. 0 6
 803. *tropæoloides*, dark bronze leaves, yellow flowers 0 6
 804. *Valdiviana*, bright yellow 0 3

PANSY.

805. *Ashburnham Strain*, the most beautiful Pansies known. "We have never seen Pansies anything approaching them" 2 6
 806. *Fancy, choice mixed*, from a collection of the most distinctly blotched, flamed, striped, and fantastically coloured varieties in cultivation 1 6
 807. *Show, choice mixed*, saved from a fine collection 1s. 6d. and 2 6
 808. *Blue King*, clear bright blue 0 6
 809. *Emperor William*, a large flowering variety, having blossoms of a splendid ultramarine-blue, with eye of purple-violet 1 0
 810. *Faust, or King of the Blacks*, jet black 0 6
 811. *Fiery Faces*, reddish crimson edged with yellow, the three lower petals blotched dark purple 0 9
 812. *Fire King*. The upper part of the flower is a vivid purplish-crimson, lower part intense golden yellow, marked with a clearly defined dark blotch at the base 1 0

Masterpiece, *vide* page 4.

813. *Peacock*. Petals blotched peacock blue on a maroon ground surrounded with crimson, and margined with a narrow edging of white .. 6d. and 1 0
 814. *Trimardean, extra choice mixed*, produces beautiful large flowers, 6d. and 1 0



PANSY.

PANSY—continued.

- | | |
|-----------------------|------------------|
| | Per pkt. — s. d. |
| 815. Cliveden Purple. | |
| 816. Cliveden White. | |
| 817. Cliveden Yellow. | |

The above three bedding varieties are of robust habit, will succeed in any kind of garden soil, and are extremely useful and effective Each colour 0 6

See *Violas*.

PAPAAVER.—Showy annuals and perennials.

- | | |
|---|--------|
| 818. Carnation-flowered, choice mixed | .. 0 3 |
| 819. ——— double, white .. | .. 0 3 |
| 820. Pæony-flowered, fine mixed .. | .. 0 3 |
| 821. ——— Scarlet .. | .. 0 3 |
| 822. ——— White .. | .. 0 3 |
| 823. Cardinal, enormous double glowing scarlet flowers .. | .. 0 6 |
| 824. Danebrog, vermilion-scarlet, with white blotch .. | .. 0 3 |



PAPAAVER, THE SHIRLEY.

PAPAAVER—contd. Per pkt.—s. d.

- | | |
|---|-----|
| 825. glaucum (The Tulip Poppy), flowers vivid scarlet .. | 0 6 |
| 826. Marselli (The Mikado), pure white, fringed crimson-scarlet .. | 0 3 |
| 827. Pavoninum (Peacock Poppy), single brilliant scarlet flowers with black zone .. | 0 6 |
| 828. The Bride, pure white single flowers of large size .. | 0 3 |
| 829. The Shirley. The range of colours extends from pure white through the most delicate shades of pale pink, rose and carmine, to the deepest crimson .. | 0 6 |
| 830. umbrosum, dark crimson with black blotch at base of petals .. | 0 3 |
| 831. White Swan, large pure white double flowers, petals lacinated .. | 0 4 |

PERENNIAL VARIETIES.

- | | |
|---|-----|
| 832. bracteatum, bright scarlet | 0 3 |
| 833. nudicaule (Yellow Iceland Poppy), clear yellow .. | 0 6 |
| 834. — album (White Iceland Poppy), pure white .. | 0 6 |
| 835. — miniatum (Scarlet Iceland Poppy), orange-scarlet .. | 0 6 |
| 836. — miniatum fl. pleno, double-flowering orange-scarlet Iceland Poppy .. | 1 0 |
| 837. — sulphureum (New), flowers pale sulphur-yellow .. | 1 0 |
| 838. — striatum .. | 1 0 |
| 839. orientale, immense crimson-scarlet flowers .. | 0 3 |

PELARGONIUM.

- | | |
|--|-----------------|
| 840. Fancy, extra choice hybridised, saved from the newest and best varieties in cultivation .. | 2 6 |
| 841. Gold and Bronze, extra choice hybridised. This seed has been saved from a splendid collection of these popular favourites .. | 1s. 6d. and 2 6 |
| 842. Ivy-leaved, extra choice hybridised. Ivy-leaved Pelargoniums are extremely useful, from their graceful drooping growth, for vases, &c. .. | 2 6 |
| 843. Show, extra choice hybridised, saved from the best named flowers of all the most eminent raisers .. | 2 6 |
| 844. Tricolor Varieties, extra choice hybridised. The Seed now offered has been saved from distinct varieties .. | 2 6 |
| 845. Zonal, extra choice hybridised, saved from a collection of all the newest and best sorts .. | 1s. 6d. and 2 6 |

Assortments, *vide* page 19.

PENTSTEMON.—Showy hardy perennials.

- | | |
|------------------------------------|-----|
| 846. Choice hybridised .. | 1 0 |
| 847. digitalis, large white .. | 0 6 |
| 848. glaber, showy blue flowers .. | 0 6 |

- Per pkt.—s. d.
- PERILLA**.—Half-hardy annuals, their dark bronzy-crimson foliage making them very useful for bedding purposes.
849. *nankinensis*, deep purple leaves .. 0 3
850. — *laciniata atropurpurea*, very dark foliage .. 0 3
851. — *macrophylla compacta*, very dark foliage, prettily curled .. 0 3
- PETUNIA**.
852. Finest mixed, in rich and varied colours 0 6
853. *hybrida grandiflora*, large striped single flowering, splendid mixed .. 1 0
854. — *fimbriata*, finest mixed, single flowers, beautifully fringed .. 1 0
855. — *flore pleno*, large double flowering, fringed .. 1 6
856. — *flore pleno*, fine hybridised, large flowering double .. 1s. and 1 6
857. — *Inimitable nana compacta multiflora*, a charming dwarf variety, about 8 inches in height, studded with regular striped single flowers .. 1 0
858. — *flore pleno*, double striped and blotched .. 1s. 6d. and 2 6
859. — *Snowball*, a new dwarf variety, especially useful for pots and bedding out; beautiful large satiny white flowers .. 1 0
- Assortments, *vide* page 19.
- NOTE**.—Double-flowered *Petunia* Seed is saved from flowers which have been carefully hybridised, and may be expected to yield a good percentage of varieties with double flowers.
- PHACELIA**.—A lovely blue-flowered half-hardy annual.
860. *campanularia*, brilliant blue campanulate flowers .. 0 6
- PHLOX**.—Beautiful half-hardy annuals.
861. *Drummondii alba*, pure white .. 0 6
862. — *atropurpurea striata*, blood-red, striped white .. 0 6
863. — *cuspidata*. Petals much elongated in a cuspidate manner, thus giving the flowers a star-like appearance. All colours, finest mixed .. 0 6
864. — *fimbriata*. Blossoms fimbriate and toothed, all the petals bordered with white. Mixed seed, all colours .. 0 6
865. — *Heynoldii*, flowers scarlet .. 0 9
866. — *Leopoldi*, rich bright purple, white eye .. 0 9
867. — *purpureo-marmorata plena*, semi-double rich dark purple flowers, attractively marbled with rose .. 1 0
868. — *semi-pleno* (mixed colours). This mixture of semi-double Phlox contains, besides the white, scarlet and deep purple varieties, the following tints: pale yellow, pink, rose-marbled, violet-purple .. 1 0
869. — *grandiflora*, choice mixed. Of this beautiful class of well-known half-hardy annuals too much cannot be said. The seed offered will comprise all the finest varieties in cultivation .. 0 6
- Assortments, *vide* page 19.
870. — *splendens*, scarlet-red with white eye .. 0 6

PHLOX—continued.

- Per pkt.—s. d.
871. *Drummondii grandiflora, stellata splendens*, flowers crimson-scarlet, with a well-defined pure white star in the centre .. 0 6
872. *Perennial or Herbaceous varieties*, choice mixed .. 1 0
- PHYSALIS**.—Half-hardy perennial.
873. *edulis* (Cape Gooseberry) .. 0 6
874. *Francheti*. The seed-pods of this handsome decorative species are over two inches in diameter, of a shining orange red tint, and enclose a cherry-like fruit of the same colour. This is edible and especially recommended as a preserve. The intense colour of the seed-pods makes the plant very valuable for all sorts of decorative work, and it produces during August a most striking effect in the garden .. 1 0
- PICOTEE**.—*vide* page 12.
- PINK**.—*vide* page 12.
- New Perpetual flowering, *vide* page 12.
- POLYANTHUS**.—Hardy perennials.
875. *Blue Flowered*. New blue-flowering varieties of *Polyanthus*, producing flowers of the same lovely blue tints, varying from lavender to the deepest blue or violet .. 1 6
- Hardy Hybrids, *vide* page 6.
- *Giant Golden Yellow*, *vide* page 6.
876. *Gold-laced*, from finest laced flowers .. 1 0
877. *Magenta King*, a fine Spring bedding plant .. 0 9
878. *Choice mixed Polyanthus* .. 0 6
- POPPY**.—See Papaver.
- PORTULACA**.—Half-hardy annuals of dwarf growth.
879. *grandiflora*, single flowered, mixed .. 0 3
880. — *fl. pl.*, double flowered, mixed .. 0 6
- Assortments, *vide* page 19.
- POTENTILLA**.—Showy hardy perennials.
881. Finest Double-flowered, mixed .. 0 9
882. Finest Single-flowered, mixed .. 0 6
- PRIMROSE**.—Beautiful Spring-flowering hardy perennials.
883. Finest mixed hybrids .. 1 0
884. G. F. Wilson's New Blue 1s. 6d. and 2 6
885. Common yellow .. 0 6
- PRIMULA**.
886. *cashmeriana*, foliage smothered with golden farina, flowers rich violet-purple with yellow centre, borne in close globular umbels .. 1 0
887. *cortusoides*, a beautiful free Spring-flowering herbaceous plant, flowers rich rosy-purple, produced freely in large clusters .. 0 6
888. — *amena*, perfectly hardy, bearing large richly coloured flowers, with broad handsome foliage .. 1 0
889. *denticulata*, one of the most attractive of our early Spring flowers, producing numerous umbels of light purple flowers with white centre .. 1 0
890. *farinosa*, a charming hardy plant of great beauty, forming dense rosettes of silvery leaves, and producing umbels of pale purple blossoms .. 0 6
891. *floribunda*, a lovely greenhouse species, producing a continuous display of brilliant clear yellow flowers, 1s. and 1 6



PRIMULA FLORIBUNDA.

- PRIMULA**—*continued.* Per pkt.—s. d.
- | | | |
|---|---------|-----|
| 892. <i>japonica</i> | 0 | 6 |
| 893. <i>obconica</i> , flowers of a soft lilac shade of colour, produced continuously from Spring till Autumn | 1 | 0 |
| 894. — <i>grandiflora</i> , a large-flowered form of the pretty decorative <i>Primula obconica</i> , producing almost continuously large trusses of bloom, the individual flowers measuring from 1 to 1½ inch in diameter | 1s. and | 1 6 |
| — <i>kermesina</i> , <i>vide</i> page 5. | | |
| 895. <i>rosea</i> , a very desirable hardy species from the Himalayas, producing in the most profuse manner heads of brilliant rosy-pink flowers | 1 | 6 |
| <i>sinensis fimbriata</i> , of sorts, <i>vide</i> pages 1, 8 to 10. | | |
| 896. <i>sikkimensis</i> , one of the best of the hardy Primulas, bearing clusters of long pendant flowers of a pale yellow, beautifully scented | 1 | 0 |
| <i>stellata</i> , <i>vide</i> page 5. | | |

PYRETHRUM.

- | | | |
|---|---|---|
| 897. Finest Double Varieties. The value of these highly decorative plants can scarcely be over-estimated | 1 | 0 |
| 898. Finest Single Varieties. Single flowers of rich colour | 0 | 6 |
| 899. aureum (Golden Feather). Its elegant feather-like golden leaves make it an effective plant for bedding or ribbon decoration | 0 | 6 |

PYRETHRUM—*contd.* Per pkt.—s. d.
 900. *aureum selaginoides*, a distinct form of *Pyrethrum aureum*, of dwarf and compact habit, the flat foliage resembling fronds overlaying each other .. 0 9

RESEDA.—*Vide* Mignonette.

RHODANTHE. — Half-hardy Everlastings, most useful for pot culture.

- | | | |
|--|---|---|
| 901. <i>atrosanguinea</i> , crimson, very handsome | 0 | 6 |
| 902. <i>maculata</i> , deep rose, with yellow disc | 0 | 6 |
| 903. — <i>flore pleno</i> , bright rosy-carmine | 0 | 6 |
| 904. — <i>alba</i> , silvery white | 0 | 6 |
| 905. <i>Manglesii</i> , bright rose | 0 | 6 |

RHODOCHITON. — *Vide* Lophospermum.

RICINUS (Castor Oil Plant). — Half-hardy annuals of quick growth. Very ornamental and suitable for sub-tropical gardens.

- | | | |
|--|---|---|
| 906. <i>africanus</i> , splendid green foliage | 0 | 3 |
| 907. <i>borboniensis</i> , large ornamental foliage | 0 | 3 |
| 908. <i>gambogensis</i> , leaves and stems ebony-purple | 0 | 6 |
| 909. <i>Gibsoni</i> , dark purple stems and leaves | 0 | 6 |
| 910. — <i>mirabilis</i> , dwarf and compact | 0 | 6 |
| 911. <i>sanguineus (Obermanni)</i> , red stems and veins, immense growth | 0 | 3 |
| 912. <i>zanzibarensis</i> , foliage of various colours | 1 | 0 |

ROCKET.—Hardy perennials, most useful for cutting.

- | | | |
|--|---|---|
| 913. Sweet (<i>Hesperis tristis</i>), brown | 0 | 3 |
| 914. Purple (<i>Hesperis matronalis</i>), sweet-scented | 0 | 3 |
| 915. White (<i>Hesperis matronalis alba</i>), sweet-scented | 0 | 3 |



ROSA.

- | | | |
|--|--|--|
| 916. multiflora compacta , a race of Dwarf Fairy or Miniature Roses, flowering in the most profuse manner the same year as sown. The blossoms are of all the colours existing amongst ordinary Roses, some being single, others semi-double, and many completely double of rosette formation. 1s. per packet. | | |
|--|--|--|

ROSA—continued.		Per pkt.—s. d.
917. <i>rugosa</i> , large crimson red flowers, very sweet-scented, will grow almost anywhere	1	0
918. — <i>alba</i> , the white form of the foregoing	1	0
ROSE CAMPION (<i>Lychnis Cœli Rosa</i>).—Hardy perennials.		
919. Red	0	3
920. Deep crimson	0	3
921. White	0	3
RUDBECKIA .—Hardy perennials.		
922. <i>amplexicaulis</i>	0	6
923. <i>bicolor</i> , yellow, dark centre	0	6
924. <i>californica</i> , golden yellow flowers	0	6
925. <i>Newmanii</i> , orange yellow	0	6
SAINTPAULIA .		
926. <i>ionantha</i> , a distinct and pretty greenhouse plant, producing an abundance of violet-like flowers on slender stalks. The blossoms are of a violet blue colour, with golden-yellow stamens	1	6
SALPIGLOSSIS .—Half-hardy annuals.		
New Emperor, <i>vide</i> page 5.		
927. Finest mixed, large flowering	0	3
Collections, <i>vide</i> page 19.		
SALVIA .—Annuals and perennials. Very showy and attractive.		
928. <i>argentea</i> , silvery white foliage	0	6
929. <i>coccinea splendens</i> , bright scarlet	0	6
930. <i>patens</i> , beautiful blue flowering perennial	1	0
931. <i>splendens</i> , intense scarlet	1	0
SANVITALIA .—Half-hardy annuals.		
932. <i>procumbens</i> , flowers yellow, dark centre	0	3
933. — <i>fl. pl.</i> , double yellow flowers	0	3
SAPONARIA .—Pretty hardy annuals.		
934. <i>calabrica</i> , bright pink .. per oz. 1s. .. .	0	3
935. — <i>alba</i> , white	0	3
936. — <i>pumila</i> , dwarf and compact	0	3
937. <i>ocymoides</i> , rosy pink perennial species	0	3
SCABIOSA (Scabious).		
938. <i>caucasica</i> , large mauve flowers	0	6
939. — <i>Perfecta</i> , charming semi-double flowers, light and dark blue	0	9
940. Common Sweet	0	3
941. Double German, finest mixed	0	3
942. Double Golden Yellow	1	0
943. King of the Blacks	0	6
944. Snowball	0	3
Assortments, <i>vide</i> page 19.		
SCHIZANTHUS .—Hardy annuals.		
945. <i>pinnatus</i> , rosy purple	0	3
946. — <i>roseus</i> , of a delicate rose, the upper petal being covered with a blood-red spot	0	3
947. <i>retusus</i> , rose and orange	0	3
SCHIZOPETALON .—Half-hardy annual, very sweet-scented.		
948. <i>Walkerii</i> , white	0	6
SCHYPHANTHUS .—Half-hardy climbing annual.		
949. <i>elegans</i> , yellow	0	6
SEDUM (Stonecrop).		
950. <i>acre</i> (Yellow Stonecrop)	0	6
951. <i>cæruleum</i> (Blue Stonecrop)	0	6
SENECIO .		
952. <i>elegans fl. pl.</i> (Finest Double <i>Jacobæa</i>), mixed	0	4
953. <i>speciosus</i> , pretty magenta mauve flowers	0	4
SENSITIVE PLANT .— <i>Vide</i> <i>Mimosa</i> .		

SILENE (Catchfly).—Hardy annuals, &c.		Per pkt.—s. d.
954. <i>pendula</i> , bright pink	0	3
955. — <i>compacta</i> , very dwarf; pink	0	3
956. — <i>alba</i> , white	0	3
957. — <i>fl. pl.</i> , double	0	3
958. — <i>ruberrima</i> , fine deep colour	0	3
SOLANUM .—Greenhouse perennials.		
959. <i>Capsicastrum</i> hybridum (Winter Cherry)	0	4
960. <i>giganteum</i> , purple	0	6
961. <i>laciniatum</i>	0	3
962. <i>marginatum</i>	0	4
963. <i>pyracanthum</i>	0	6
964. <i>Warszewiczii</i>	0	4
SPHENOGYNE .—Hardy annuals.		
965. <i>speciosa</i> , bright yellow	0	3
966. — <i>aurea</i> , golden yellow	0	3
STACHYS .—Hardy perennial.		
967. <i>lanata</i> , white woolly foliage	0	6
STATICE .		
968. <i>Suworowii</i> , bright rose, h.a.	0	3
STIPA .— <i>Vide</i> Ornamental Grasses, page 38.		
STELLARIA .		
969. <i>graminea aurea</i> , pretty golden-leaved bedding plant, suitable for edgings	1	0
STOCKS .— <i>Vide</i> pages 16 and 17.		
STREPTOCARPUS .		
970. New Hybrids, mixed	1	6
971. <i>Wendlandii</i> , a lovely species for the warm greenhouse or conservatory. The plant consists solely of one large leaf, from the base of which arise in succession several compound flower stems, attaining a height of 2 to 3 feet, and covered throughout the Summer and Autumn with a profusion of charming lavender-blue flowers marked with white	1	6
Snow Queen, <i>vide</i> page 5.		
SUNFLOWERS .— <i>Vide</i> <i>Helianthus</i> , pages 27 and 28.		
SWEET PEAS .— <i>Vide</i> pages 13 and 14.		
SWEET SULTAN .— <i>Vide</i> <i>Centaurea moschata</i> .		
SWEET WILLIAM (<i>Dianthus barbatus</i>).—Well-known showy hardy perennials.		
972. <i>Auricula-eyed</i> , splendid smooth-edged flowers of magnificent colours	0	6
973. Bright Scarlet	0	3
974. Dark Crimson	0	3
975. White	0	3
976. Double-flowering, mixed	0	6
TACSONIA .—Splendid greenhouse climbers.		
977. <i>ignea</i> , brilliant scarlet	1	0
978. <i>Van Volxemi</i> , richest scarlet, blossoms almost continuously; the fruit is edible and of delicious flavour	1	0
TARGETES .—Beautiful half-hardy annuals of compact habit, very suitable for the margins of beds and borders.		
979. <i>signata pumila</i> , golden yellow	0	6
980. <i>patula nana</i> , "Gold Ring," rich maroon, with gilt edging round each petal	0	9
TECOMA .—Handsome greenhouse flowering plants.		
981. <i>Smithii</i> , an exceedingly beautiful addition to our Autumn and Winter flowering greenhouse plants. The flowers are tubular in shape, about 2 inches long, and about 1 inch in diameter at the mouth, of a rich lemon colour shaded with dark orange	1	0

	Per pkt.—s.	d.
THUNBERGIA. —Tender annuals of climbing growth.		
982. <i>alata</i> , yellow, with rich brown eye ..	0	6
983. — <i>alba</i> , white, with dark eye ..	0	4
984. <i>aurantiaca</i> , deep orange, blackeye ..	0	4
985. <i>coccinea</i> , scarlet ..	1	0
986. <i>fragrans</i> ..	0	6
987. <i>Choice mixed</i> ..	0	6
TORENIA. —Lovely greenhouse annuals.		
988. <i>Baillonii</i> , bright yellow flowers, with a purplish-brown tube ..	1	0
989. <i>Fournieri</i> , sky-blue flowers, spotted indigo-blue ..	0	9
990. — <i>grandiflora</i> , an improvement on the type ..	1	0
991. — <i>White Wings</i> , pure white, with a slight flush of rose at the throat ..	0	6
TRACHELIUM. —Hardy perennial.		
992. <i>cæruleum</i> , sky-blue flowers ..	0	3
TROPÆOLUM.		
993. <i>canariense</i> (Canary Creeper), per oz. 2s. 0	6	
994. <i>Lobbianum</i> , Brilliant, bright crimson ..	0	4
995. — <i>Cardinal</i> ..	0	4
996. — <i>Géant des Batailles</i> , sulphur, spotted red ..	0	4
997. — <i>hederæfolium</i> (New). The Ivy-like leaves, borne on very slender stems, are of a pleasing dark metallic hue, contrasting most strikingly with the crimson-scarlet flowers. It is of great service for hanging baskets, window boxes, vases, &c. ..	1	0
998. — <i>Liliput</i> , very dwarf, flowers various ..	0	6
999. — — bright scarlet ..	1	0
1000. — <i>Lilli Schmidt</i> , scarlet ..	0	4
1001. — <i>elegans</i> , Crystal Palace Gem, bright orange scarlet ..	0	4
1002. — <i>fulgens</i> , brilliant scarlet ..	0	6
1003. — <i>Napoleon III.</i> , golden yellow, spotted brown ..	0	4
1004. — <i>Roi des Noirs</i> , flowers almost black ..	0	4
1005. — <i>Spitfire</i> , rosy scarlet ..	0	4
1006. <i>speciosum</i> , scarlet, distinct ..	1	0
VALERIANA. —Herbaceous perennials.		
1007. <i>Crimson Valerian</i> ..	0	3
1008. <i>White Valerian</i> ..	0	3
VENUS' LOOKING-GLASS (<i>Specularia speculum</i>).—Hardy annuals.		
1009. <i>Large-flowered</i> , blue ..	0	3
1010. — — <i>lilac</i> ..	0	3
1011. — — <i>white</i> ..	0	3
VENUS' NAVELWORT. —A pretty hardy annual.		
1012. " <i>Omphalodes linifolia</i> ," white flowers, foliage silvery white ..	0	3
VERBASCUM. —Hardy biennials.		
1013. <i>Olympicum</i> , large silvery leaves and spikes of yellow flowers ..	0	6
1014. <i>Mixed hybrids</i> , various colours ..	0	6
VERBENA. —Half-hardy perennials, indispensable for bedding purposes.		
1015. <i>Carnation Striped</i> . This section may be expected to produce flowers variously striped, blotched, and spotted ..	1	0
1016. <i>hybrida auriculæflora</i> , <i>choice mixed</i> . This superb and distinct section produces beautiful flowers with large pure white eyes ..	1	0

	Per pkt.—s.	d.
VERBENA—continued.		
1017. <i>hybrida compacta candidissima</i> , dwarf and compact white flowering variety ..	1	0
1018. — — <i>coccinea oculata</i> , bright scarlet with a large white eye ..	1	0
1019. <i>Mammoth</i> , a greatly improved strain of <i>Verbenas</i> , the plants yielding a profusion of immense trusses of flowers, of all the colours known in this useful section of bedding plants ..	0	6
1020. <i>Scarlet Defiance</i> , brilliant scarlet, invaluable for Summer bedding purposes ..	1	0
1021. <i>Finest mixed</i> , from a splendid collection of the best named varieties ..	1	0
VINCA. —Warm greenhouse plants of shrubby habit.		
1022. <i>alba</i> ..	0	6
1023. <i>rosea</i> ..	0	6
VIOLA. —Exceptionally valuable for beds and borders.		
1024. <i>cornuta alba</i> , small pure white flowers; profuse bloomer ..	0	4
1025. <i>lutea grandiflora</i> , one of the most useful of all the yellow-flowering groups of bedding <i>Violas</i> ..	0	6
1026. <i>Mauve Queen</i> , a fine variety for bedding ..	0	4
1027. <i>Snow Queen</i> , a very attractive variety, flowers of a delicate satiny white; suitable for bedding ..	0	6
1028. <i>odorata</i> (Sweet Violet), <i>purple</i> ..	0	6
1029. — <i>The Czar</i> , a fine free-flowering variety, of robust habit, flowers very large, one of the best in cultivation ..	0	6
VIRGINIAN STOCK. —Pretty hardy annuals.		
1030. <i>Red</i> ..	0	3
1031. <i>White</i> ..	0	3
1032. <i>Yellow</i> ..	0	3
1033. <i>Mixed</i> ..	0	3
1034. <i>Crimson King</i> ..	0	3
1035. <i>Fairy Queen</i> ..	0	3
VISCARIA. —Handsome hardy annuals.		
1036. <i>cardinalis</i> , bright scarlet ..	0	3
1037. <i>elegans picta</i> , bright crimson, edged white ..	0	3
1038. <i>oculata</i> , rose flowers with crimson eye ..	0	3
1039. — <i>cærulea</i> , blue ..	0	3
WAITZIA. —Elegant Everlasting flowers.		
1040. <i>aurea</i> , golden yellow ..	0	9
1041. <i>grandiflora</i> , bright yellow ..	1	0
WALLFLOWERS (<i>Cheiranthus Cheirii</i>).		
1042. <i>Belvoir Castle</i> , dwarf yellow. Dwarf compact habit; the bright yellow blossoms being large and well-shaped ..	0	6
1043. <i>Dark Blood Red</i> , fine dark colour ..	0	3
1044. <i>Double German</i> , finest mixed, an excellent strain producing large spikes of double flowers ..	1	0
In Collections, <i>vide</i> page 19.		
1045. <i>Harbinger</i> , an Autumn and Winter-flowering variety. It continues in bloom during the Winter months (unless very cold), and thereby ensures cut blooms of this favourite flower when no other outdoor and but few greenhouse flowers can be had. The blossoms are of a rich dark red colour ..	0	6
1046. <i>Primrose Dame</i> . This Wallflower is of sturdy compact habit of growth, but is entirely different in colour of flower from any sort yet known, being of a beautiful clear primrose-yellow ..	0	6

WALLFLOWERS—continued. Per pkt.—s. d.		ZEA (Maize). Per pkt.—s. d.	
1047. Golden Tom Thumb, dwarf and distinct	0 6	1059. Caragua (Giant Chilian Maize)	.. 0 6
1048. Ruby Gem (New). The colour is a clear shade of ruby violet with a bluish satin-like sheen, and when seen in a mass the effect is most striking	.. 0 8	1060. gracillima variegata (Striped Maize), numerous long, graceful leaves striped in the prettiest manner	.. 0 3
1049. Sisley's Broad-petalled Vulcan.— <i>vide</i> page 6.	.. 0 3	1061. japonica variegata (Striped - leaved Japanese Maize)	.. 0 3
1050. Yellow Perfection	.. 0 3	ZINNIA.—Splendid half-hardy annals.	
WHITLAVIA—Beautiful hardy annuals.		1062. elegans, Double mixed	.. 0 6
1051. grandiflora, violet blue	.. 0 3	1063. ——— Single mixed	.. 0 6
1052. ——— alba, white	.. 0 3	1064. ——— alba fl. pl., a beautiful variety, producing magnificent double white flowers all through the season	.. 0 6
1053. ——— gloxinoides, rich blue with white throat	.. 0 3	1065. ——— robusta grandiflora plenissima. A most robust grower with enormous flowers; the colours most beautiful and intense	.. 0 6
WIGANDIA.—Splendid ornamental sub-tropical perennials.		1066. ——— Tom Thumb Double, compact and dwarf. Fine mixed	.. 0 6
1054. caracasana, a magnificent ornamental-foliaged plant, with immense leaves 3 ft. long by 1½ ft. wide	.. 0 9	1067. Haageana fl. pl., brilliant orange flowers; full, double, and as regularly built as those of <i>Z. elegans fl. pl.</i>	.. 0 6
1055. Imperialis, fine stately plant for sub-tropical gardening	.. 0 6	1068. Double Striped Perfection, "Scarlet and Gold," large golden yellow flowers, elegantly striped with bright scarlet	.. 1 0
1056. Vigieri, gigantic tomentose foliage; pale blue flowers	.. 0 6	Assortments, <i>vide</i> page 19.	
XERANTHEMUM.—Beautiful half-hardy Everlastings.			
1057. annuum purpureum fl. pleno, purple	0 3		
1058. ——— album fl. pleno, white	.. 0 3		

ORNAMENTAL GRASSES, &c.

	Per pkt.—s. d.
1069. AGROSTIS NEBULOSA, annual, an exceedingly beautiful variety, 1 ft.	.. 0 3
1070. " PULCHELLA, annual, excellent for winter bouquets, 1 ft.	.. 0 3
1071. ANDROPOGON ARGENTEUS, perennial, with thick small flower heads	.. 0 6
1072. ARUNDO CONSPICUA, perennial, very fine, rivalling in appearance the <i>Pampas Grass</i>	.. 0 9
1073. AVENA STERILIS (<i>Animated Oats</i>), very curious	.. 0 3
1074. BRIZA GENICULATA (spreading Quaking Grass), 1 ft.	.. 0 3
1075. " MAXIMA (<i>Quaking Grass</i>), very elegant, 1 ft.	.. 0 3
1076. CHLORIS BARBATA, a neat species, suitable for edgings	.. 0 6
1077. CHRYSURUS CYNOSUROIDES, fine for edgings	.. 0 3
1078. COIX LACHRYMA (<i>Job's Tears</i>), annual, 2 ft.	.. 0 3
1079. ERAGROSTIS ELEGANS (<i>Love Grass</i>), annual, very beautiful, 1 ft.	.. 0 3
1080. ERIANTHUS RAVENNÆ, a superb Perennial Grass, with silvery plumes	.. 0 3
1081. GYMNOTHRIX LATIFOLIA, single specimens are of striking effect	.. 0 6
1082. GYNERIUM ARGENTEUM (<i>Pampas Grass</i>), perennial, 10 ft.	.. 0 6
1083. HORDEUM JUBATUM (<i>Squirrel Tail Grass</i>), fine for bouquets, 2½ ft.	.. 0 3
1084. ISOLEPIS GRACILIS, very graceful for pot culture, 1 ft.	.. 0 6
1085. LAGURUS OVATUS (<i>Hare's Tail Grass</i>), pretty small white tufts, 1 ft.	.. 0 3
1086. PASPALUM ELEGANS, fine for borders and winter bouquets, 1½ ft.	.. 0 3
1087. PIPTATHERUM THOMASII, very graceful, fine for winter bouquets	.. 0 3
1088. SORGHUM NIGRUM, very striking	.. 0 3
1089. STIPA ELEGANTISSIMA, this is truly the Queen of Ornamental Grasses; for Winter decoration it is scarcely approached by any; perfectly distinct, and of unparalleled grace and beauty, 1½ ft.	.. 0 6
1090. " PENNATA (<i>Feather Grass</i>), perennial, 2 ft.	.. 0 3
1091. UNIOLA LATIFOLIA, fine for bouquets	.. 0 3

For Assortments, see page 18.

CHOICE COLLECTIONS OF FLOWER SEEDS.

Collections of Flower Seeds are made, comprising the choicest strains of popular favourite flowers, and including selections of the best novelties at 7/6, 10/6, 15/-, 21/-, 31/6, 42/-, 63/-, and 5 guineas.

Quality rather than quantity being especially considered—Mr. W. B.'s selections may safely be relied on in these Collections.

When ordering, please say if for Greenhouse or Outdoor Culture, or both.

Mr. WILLIAM BULL'S

CHOICE COLLECTIONS OF VEGETABLE SEEDS

FOR ONE YEAR'S SUPPLY.

The following Collections of Vegetable Seeds have been arranged to meet the requirements of those who have not time or inclination to make their own selections. They are made up in the most liberal manner, care having been taken to give all the best and most useful varieties in each section, rather than a long list of comparatively useless kinds.

Price 42s., for a Large Garden.

Peas—The best sorts for succession ..	10 qts.	Endive	2 pkts.
Beans—Broad, the best varieties ..	6 pints	Herbs—Sweet and Pot.. .. .	4 „
„ —French, Dwarf	2 „	Leek—Musselburgh	1 pkt.
„ —Runners	1 pint	Lettuce—Cos and Cabbage, including	
Beet—The best, including Nutting's		the best varieties for succession	
Dark Red	2 oz.	and Autumn sowing	4 pkts.
Borecole, or Kale—The best	2 pkts.	Melon—Choice varieties	2 „
Broccoli—Best sorts for succession ..	4 „	Mustard—Best White	1 pint
Brussels Sprouts	2 „	Onion—For Summer and Winter use	4 oz.
Cabbage—For succession	4 „	Parsley—The finest in cultivation ..	2 „
Capsicum—Mixed	1 pkt.	Parsnip—Hollow Crown	3 „
Carrot—The best sorts for succession	5 oz.	Radish—The finest sorts for succession	8 „
Cauliflower—For succession	2 pkts.	Rampion	1 pkt.
Celery—Selected varieties	2 „	Salsafy	1 „
Corn Salad	1 pkt.	Savoy Cabbage—The best	2 pkts.
Couve Tronchuda	1 „	Scorzonera	1 pkt.
Cress—Plain and Curled	8 oz.	Spinach—Round and Prickly.. ..	1½ pts.
„ —American or Land	1 „	Tomato	1 pkt.
Cucumber—The best Frame and Ridge		Turnip—Finest sorts for succession ..	4 oz.
varieties	2 pkts.	Vegetable Marrow	2 pkts.

Price 21s., for a Medium-Sized Garden.

Peas—The best for succession	6 qts.	Endive	2 pkts.
Beans—Broad	4 pints	Herbs—Sweet and Pot.. .. .	3 „
„ —French Dwarf	1 pint	Leek—Musselburgh	1 pkt.
„ —Runners	1 „	Lettuce—Cos and Cabbage, for	
Beet—The best	1 pkt.	succession	3 pkts.
Borecole, or Kale	1 „	Melon—Choice	1 pkt.
Broccoli—Finest sorts for succession	3 pkts.	Mustard—Best White	4 oz.
Brussels Sprouts	1 pkt.	Onion—For Spring and Autumn	
Cabbage—For succession	3 pkts.	sowing	3 pkts.
Carrot—Two kinds	2 oz.	Parsley	1 pkt.
Cauliflower	1 pkt.	Parsnip—Hollow Crown	1 oz.
Celery—Good varieties	2 pkts.	Radish—For succession	3 „
Corn Salad	1 pkt.	Salsafy	1 pkt.
Couve Tronchuda	1 „	Scorzonera	1 „
Cress—Plain and Curled	3 oz.	Turnip	2 oz.
„ —American or Land	1 pkt.	Tomato	1 pkt.
Cucumber—Best Frame and Ridge		Vegetable Marrow	1 „
varieties	2 pkts.		

Half the above Collection, 10s. 6d.

SELECT GENERAL LIST OF VEGETABLE SEEDS.

In the following General List of Vegetable Seeds, Mr. WILLIAM BULL has excluded all varieties of doubtful origin and quality, only the most distinct and useful varieties in each section being quoted. The Stocks of all seeds having been carefully selected from the most eminent cultivators, and their growth effectually tested, they are confidently offered as being the very best that can be procured.

All varieties not mentioned in this List can be supplied at the usual Advertised Prices.

PEAS.

Sow end of January, and for a regular succession during the Summer and Autumn sow every three weeks up to the end of June. The late wrinkled varieties should be sown during April and May. For very late crops sow the early ones late. When the plants are about 3 in. high, the soil should be drawn against them on both sides. The distance between the rows is generally regulated by the extent of ground at disposal.

EARLIEST SORTS.

Per pint—s. d.

PIERREMONT GEM (New), a splendid dwarf early Pea, growing $1\frac{1}{2}$ feet in height. A valuable variety for pot culture and early borders. The habit is branching, the seed should therefore be sown thinly. The pods are large and handsome of the "Ne Plus Ultra" type 2 0

THOMAS LAXTON (New), the finest early wrinkled Pea yet introduced. The pods are of a rich dark green colour, straight and square-ended, and well filled with rich Marrow Peas .. 3 ft. 2 0

Per qt.—s. d.

AMERICAN WONDER, a first early, growing about 10 inches high, fine for forcing 1 3

CHELSEA GEM, extra early dwarf variety of great merit; growing about 15 inches high; as early as "American Wonder," but is a much heavier cropper .. 15 in. 1 9

EARLY SUNRISE, a large-seeded early dwarf white wrinkled Marrow .. $2\frac{1}{2}$ ft. 0 10

EXONIAN, a first-rate early wrinkled Marrow, earlier than "William I.," Peas of excellent flavour, F.C.C. .. $3\frac{1}{2}$ ft. 1 6

FIRST AND BEST EARLY (*Dickson's*), very early and productive .. 3 ft. 0 9

GRADUS (Selected), a distinct early Marrow, with large pods well filled with peas of fine flavour; a useful variety to succeed the first early kinds .. 3 ft. 3 0

LITTLE GEM (*Maclean's*), a blue wrinkled Marrow, excellent quality .. 1 ft. 1 0

SANGSTER'S No. 1 IMPROVED, a well-known early variety .. 3 ft. 1 0

WILLIAM THE FIRST (*Laxton's*), very early, one of the best .. 3 ft. 1 6

WILLIAM HURST, a grand dwarf, very early 1 ft. 1 3

SECOND EARLY AND GENERAL CROPS.

Per qt.—s. d.


ADVANCER (*Maclean's*), a green wrinkled Marrow, of excellent flavour .. $2\frac{1}{2}$ ft. 1 3

BEST OF ALL (*Maclean's*), a splendid wrinkled variety 3 ft. 1 0

BOSTON UNRIVALLED, a dwarf wrinkled Marrowfat of the best table quality; a very heavy cropper producing large handsome pods .. 3 ft. 3 0

CHAMPION OF ENGLAND, one of the best Peas in cultivation .. 5 ft. 0 10

CRITERION, a very productive variety of excellent flavour and fine quality .. 2 0



PEAS.

SECOND EARLY AND GENERAL CROPS—continued.

	Per qt.—s. d.
DR. MACLEAN (<i>Turner's</i>), a wonderfully productive blue wrinkled Marrow	3½ ft. 1 6
DUKE OF ALBANY, a fine main crop variety	5 ft. 2 0
DUKE OF YORK, a dwarf form of "Duke of Albany," an excellent cropper and about three weeks earlier	3½ ft. 2 0
FILLBASKET (<i>Laxton's</i>), a large handsome and prolific Pea	3 ft. 0 10
PERFECTION (<i>Veitch's</i>), one of the best wrinkled Marrow Peas in cultivation, habit robust, an abundant cropper; Peas large and of excellent flavour	3 ft. 1 0
SHARPE'S QUEEN, a splendid variety with large well-filled pods	2½ ft. 1 6
STRATAGEM, a dwarf wrinkled Marrow, of sturdy and compact habit, a very heavy cropper	2 ft. 1 9
SUPREME	1 0
TELEGRAPH	1 0
TELEPHONE, a splendid wrinkled variety	6 ft. 1 6
WONDERFUL (<i>Maclean's</i>), very prolific, of excellent quality	3 ft. 1 0

LATE VARIETIES.

	Per qt.—s. d.
AUTOCRAT, a fine blue wrinkled Pea.	4 ft. 1 9
BRITISH QUEEN, a well-known variety, very prolific, delicious flavour	6 ft. 1 0
EMPEROR OF THE MARROWS	1 9
GLORY OF DEVON (New), a superior maincrop Marrowfat Pea, growing about 4 feet in height. It is an extraordinary cropper, the pods containing 8 to 10 peas of a large size and delicious flavour. Award of Merit, R.H.S. .. per pkt. (pint) 2s. —	
GOLDFINDER, a good variety, heavy cropper and excellent quality	5 ft. 1 9
NE PLUS ULTRA, a first-class wrinkled Marrow, prolific, and excellent flavour	6 ft. 1 6
OMEGA (<i>Laxton's</i>), very prolific, one of the best late varieties	2½ ft. 1 3
STURDY, a robust growing variety of exceedingly fine quality	3 ft. 1 6
WALKER'S PERPETUAL BEARER, an excellent variety of robust habit, first-rate flavour, and a continuous bearer	3 ft. 1 9

BEANS.

For successional and main crops, sow in February, March and April. The later kinds should be planted in drills 3 inches deep, 4 to 6 inches apart in the rows, the rows to be 2 feet apart. A deep, strong, tenacious soil is most suitable, trenched 2 feet deep, and liberally manured.

	Per qt.—s. d.
AQUADULCIS, an unrivalled broad, long-podded Bean, about 12 inches long, containing beans of exquisite flavour	1 3
DWARFGREEN GEM (<i>Beck's</i>), 1 foot high, branching habit, and abundant cropper	1 0
EARLY LONG-POD	0 6
GREEN LONG-POD NONPAREIL, early	0 9
MONARCH LONG-POD	0 8
SEVILLE LONG-POD, an excellent variety	1 0
WINDSOR, BROAD, IMPROVED	0 9
WINDSOR GREEN HARLINGTON.—Long rich deep green pods which retain their beautiful colour when cooked, and are of the most mellow and delicious flavour	0 9
WONDERFUL LONG-POD (<i>Johnson's</i>)	0 8

BEANS, FRENCH or KIDNEY.


For open ground crops sow the beginning of May to the end of June for succession. The situation should be open, the soil free-working, moderately manured; the drills should not be less than 2 feet apart, 2 inches deep, and Beans placed at regular distances not exceeding 4 to 6 inches.

	Per qt.—s. d.
CANADIAN WONDER, extremely prolific variety for general crop	1 6
EVERBEARING, marvellously productive, extremely early, and of a very fine quality (distinct)	1 9
FULMER'S FORCING, an excellent variety	1 6
GOLDEN BUTTER, wax podded	1 6
NEGRO LONG-PODDED, very productive for general crop	1 0
NE PLUS ULTRA, an excellent dwarf variety for forcing	1 9
OSBORN'S FORCING	1 0
PALE DUN or CREAM COLOURED, early and prolific, excellent for general crop	0 9
SION HOUSE, suitable for out-door culture or early forcing	1 0
SIR JOSEPH PAXTON, excellent for forcing	1 6

BEANS, CLIMBING or RUNNING.

These are planted in the open ground in rows 4 or 5 feet apart, about the beginning of May. When 3 inches high, earth up and stake; the stakes to be about 8 feet high, and when the plants have reached the required height, they should be stopped to cause them to produce laterals.

	Per qt.—s. d.
CHAMPION SCARLET RUNNERS, a fine variety, producing very large pods	1 6
GIANT SCARLET, a splendid exhibition variety, of excellent merit	2 0
MONT D'OR—Golden Butter Beans	2 0
NE PLUS ULTRA (<i>Neal's</i>), wonderfully prolific, should be planted 1½ ft. apart in the row	1 9
NEW CLIMBING FRENCH, or TENDER AND TRUE	1 9
PAINTED LADY, or YORK and LANCASTER, scarlet and white flowers	1 0
SCARLET RUNNERS	1 0
THE CZAR, immense pods, white seeded	1 6

**ASPARAGUS, CONNOVER'S COLOSSAL.****ARTICHOKES.**

Sow early in March, in rich soil, and when strong enough plant in rows 4 feet apart, and 30 inches from plant to plant.

	Per pkt.—s.	d.
GREEN GLOBE	1	0
PURPLE GLOBE	1	0

ASPARAGUS.


During the third week in March, sow the seed in drills 12 or 15 inches apart, on well-drained light ground that has been heavily manured the previous autumn; the seed may be covered to the depth of half an inch. Thin out to 18 inches apart.

	Per oz.—s.	d.
COLOSSAL (Connover's)	per lb., 4s. 6d.	0 4
READING GIANT or BATTERSEA	4s. 6d.	0 4

BEEF.

Beet requires a deep, rich, sandy soil, not recently manured; trench to the depth of 18 inches, placing a layer of manure at the bottom to attract the downward growth of the roots. Sow early in May, in drills 2 feet apart, and 1½ to 2 inches deep, and drop the seed at regular distances of 2 or 3 inches, and cover with fine soil. When the plants have attained 3 or 4 leaves, thin out gradually.

	Per oz.—s.	d.
BRYDON'S EXHIBITION, a most valuable Beet for exhibition; the flesh is very dark in colour and when cut is free from light rings	per pkt. 1s.	—
CHELtenham GREEN-TOP, medium size roots, of fine shape, with bright red flesh	0	8
DELL'S DWARF BLACK-LEAVED, excellent for decoration or culinary purposes	0	8
EGYPTIAN TURNIP-ROOTED, a very useful sort, of rich colour and excellent quality	0	8
MIDDLETON PARK FAVOURITE, a very superior dark-leaved Beet, the finest of the Dell's type	0	9
NUTTING'S SELECTED DWARF RED, well known and greatly esteemed	0	6
PERPETUAL or SPINACH, an excellent substitute for Spinach	0	6
PINE APPLE	0	4
PRAGNELL'S EXHIBITION, a very handsome variety, flesh deep rich crimson	0	9
SILVER or SEA KALE BEET	0	6

**BORECOLE or KALE.**

Two sowings may be made, the first early in March, the second during April, in prepared beds, from which they may be transplanted into rows 2 feet apart.

	Per oz.—s.	d.
ASPARAGUS or BUDA	0	9
CHOU DE MILAN	0	4
COTTAGERS' KALE, of excellent flavour	0	6
DWARF GREEN CURLED, or SCOTCH SELECTED	0	8
JERUSALEM, very hardy	0	4
SCOTCH CABBAGING or HEARTING, very hardy	0	8
TALL GREEN CURLED	0	6
VARIEGATED, TRIPLE CURLED, extra curled, per pkt. 6d.	—	—

BROCOLI.

43

The Cape varieties may be sown at three different dates, commencing in April; Walcheren at intervals of three weeks, from April to July, the varieties for spring use from the beginning of April till May, and the late sorts from about the middle of May.

FOR USE IN AUTUMN AND WINTER.

	Per oz.—s. d.
BACKHOUSE'S WINTER WHITE, a splendid variety	per pkt. 1s. —
EARLY WHITE CAPE (<i>Grange's</i>), an excellent variety	1 0
EARLY WHITE (<i>Adam's</i>), an excellent variety, producing large heads	0 8
SELF PROTECTING AUTUMN, an excellent variety	1 6
SUPERB WINTER WHITE (<i>Snow's</i>), true, the best winter Brocoli	1 9
WALCHEREN, the best and most useful Brocoli grown: when sown at intervals of three weeks from April to July, fine heads may be cut till December	1 0

FOR USE IN MARCH AND APRIL.

APRIL QUEEN, one of the finest sorts; ready for use in April and May	1 0
BRIDE (<i>Dilcock's</i>), fine large compact heads	1 0
LEAMINGTON, fine self-protecting variety, pure white	1 0
PROTECTING (<i>Knight's</i>), a very fine pure white variety, hardy	1 0

FOR USE IN MAY AND JUNE.

EARLY PURPLE SPROUTING, very useful and productive, hardy	1 0
ECLIPSE (<i>Cattell's</i>), one of the hardiest and best late white varieties	1 0
JUNE MONARCH, a very fine late variety, per pkt. 1s. —	—
LATE WHITE (<i>Wilcock's</i>), the heads of this variety are very large and firm	0 9
LATE QUEEN, perfectly distinct, dwarf and compact, rarely affected by frost	1 3
METHVEN'S JUNE, fine pure white heads; very hardy, standing the winter well	per pkt. 1s. 6d. —



BRUSSELS SPROUTS.

Sow the second week in March for early crops, and in April for succession. Transplant when ready into rich strong loamy soil, 2 feet apart each way.

	Per oz.—s. d.
AIGBURTH, most productive variety; stem sprouts from top to bottom	0 9
EXHIBITION	1 6
IMPORTED, a very select stock	0 6
MATCHLESS	1 0
ROSEBERRY	0 6
SCRYMGER'S GIANT, a very superior variety	0 9
THE WROXTON, a very hardy and exceedingly productive variety	1 0

CABBAGE.

For spring use sow about the middle July, and again early in August; when the plants are strong enough plant out into rows 18 inches apart, and 12 inches from plant to plant. For summer and autumn use, sow in February and March, and at intervals during spring.

	Per oz.—s. d.
CHOU DE BURGHEY	1 0
CHRISTMAS DRUMHEAD, a valuable variety for winter use	0 6
EARLY DWARF YORK	0 6
ELLAM'S EARLY DWARF SPRING	0 8
ENFIELD MARKET, extra fine	0 6
FLOWER OF SPRING	1 0
HEARTWELL (<i>Carter's</i>)	0 8
IMPERIAL (<i>Wheeler's</i>)	0 6
LITTLE PIXIE	0 6
MEIN'S No. 1, for Spring or Autumn	0 8
NONPAREIL IMPROVED	0 6
RED DUTCH (for pickling)	0 9
RELIANCE (<i>Cattell's</i>)	0 6
ROSETTE COLEWORT	0 9
RAINHAM MARKET, the earliest, one of the largest and best	0 8
WARNER'S DRUMHEAD, very dwarf and compact	0 4



CAPSICUM.

Sow in heat early in March, when an inch high prick out two or three into each pot, gradually hardening off in a cool greenhouse or frame; they may be either potted singly or planted out in a warm sheltered border composed of rich soil. In a greenhouse amongst other plants their brilliant-coloured fruits and green foliage present a gay appearance.

Per pkt.—s. d.

CAYENNE ..	0	6
GOLDEN DAWN, fruits very mild, of a bright golden yellow ..	0	6
LONG RED ..	0	6
PRINCE OF WALES, yellow, a charming plant for decoration ..	0	6
PRINCESS OF WALES, bright lemon fruit, fine foliage; handsome table plant ..	0	6
RED CHERRY, small round fruits, very hot ..	0	6

CARDOON.

The ground upon which Cardoons are to be grown should be deeply trenched and liberally manured. Sow the seed in April, in rows 4 feet apart, and when up, thin out singly 12 to 18 inches apart. Before earthing up as for Celery, which should be done on a dry day, tie up and surround each plant with straw to keep the soil from contact with the sides. In dry weather give plenty of water.

LARGE SPANISH per oz. 9d.

CARROT.

For an early crop, sow the French Horn on a slight hot-bed in February; for general crop, sow the second week in April. Deeply trenched ground of light sandy nature that has been liberally manured the previous autumn is most suitable for Carrots. Sow the seed in drills 1 inch deep, and 12 inches apart.

Per oz.—s. d.

CHAMPION SCARLET HORN, a fine large variety, much esteemed for market and general purposes ..	0	8
EARLY FRENCH HORN, very sweet, and early ..	0	8
EARLY GEM, a useful early variety ..	0	9
EARLY NANTES, an excellent early variety, of fine quality ..	0	6
EARLY SCARLET SHORT HORN, fine for summer use ..	0	4
INTERMEDIATE SCARLET (James's), excellent flavour ..	0	6
LONG RED SURREY, an excellent keeper ..	0	4
MATCHLESS SCARLET ..	0	8
SCARLET ALTRINCHAM (selected stock) ..	0	6



CARROT, LONG RED SURREY.




CAULIFLOWER.

Spring sowing for a first crop should commence in February, and again in March, in a gentle heat. Successive sowings may be made in April, May and June, for summer and autumn use. The last sowing to be made in August and September, the young plants from which to be pricked out into beds 3 inches apart, in a situation where they can be protected during the winter, either by frames or a covering of mats, under which they remain until the following March.

Per oz.—s. d.

AUTUMN GIANT (<i>Leitch's</i>), an excellent variety of compact growth	..	..	1	6
DWARF ERFURT MAMMOTH, extra fine, producing large and compact heads	..	..	1	6
EARLY LONDON, a well-known and greatly esteemed variety	..	..	1	6
ECLIPSE, splendid for autumn use	..	..	per pkt.	6d.
SNOWBALL, dwarf and compact; fine white heads	..	..	1s.	6d.
WALCHEREN, an excellent variety if sown in succession	..	..	1	6



CELERY, WHITE PLUME.

CELERY.

Sow the end of February in boxes or pans, and place on a gentle bottom heat; when the plants are strong enough they should be pricked out 4 to 6 inches apart into prepared beds of soft, rich soil, before finally planting into trenches. Dig out trenches 12 to 18 inches deep, 12 inches wide, and 4 feet apart, lay the soil out of the trench on each side, and at the bottom place a layer of well-rotted manure, digging it well in to incorporate it with the soil; select the strongest plants, which place in the centre of the trench, taking care not to remove the ball of soil attached to the roots. Earth up as the plants require it.

	Per pkt.—s. d.
CLAYWORTH PRIZE PINK , very large and early	0 6
EARLY ROSE , very early and excellent flavour	0 9
IVERY'S NONSUCH PINK	0 6
LEICESTER RED , a variety of great excellence	0 6
MAJOR CLARKE'S fine solid red	0 6
PRIZETAKER, RED (<i>McHattie's</i>), one of the finest varieties in existence, very solid, crisp and well flavoured	0 9
SANDRINGHAM DWARF WHITE	0 9
STANDARD BEARER , a splendid red variety	0 9
SUPERB CRYSTAL WHITE (<i>COLE'S</i>)	0 6
WHITE PLUME , a dwarf pure white Celery	1 0
WRIGHT'S GIANT WHITE	0 6
WRIGHT'S GROVE RED	0 6

Per oz.—s. d.

CHERVIL, CURLED or DOUBLE

Sow in March for summer use, and in July for the winter crop; cultivation same as Parsley, which it resembles in growth; it is very ornamental for garnishing, and useful for salads and soups.

CHICORY, LARGE-ROOTED, very useful for winter salads 0 6

Sow in June; store the roots in October, and force as required in the same way as Sea Kale.

CORN SALAD or LAMB'S LETTUCE, ITALIAN, the best variety 0 6

Sow in March and April for summer use, and in August and September for winter salads.

COUVE TRONCHUDA or PORTUGAL CABBAGE 1 0

CRESS.

Sow once a week all the summer on a shady border. American Cress is a hardy perennial, and is usually sown in May for autumn and winter, and in August for spring use. By successive monthly sowings Australian Cress may be constantly supplied throughout the summer.

	Per oz.—s. d.
COMMON or PLAIN	per qt. 1s. 8d. 0 2
EXTRA CURLED	„ 1s. 8d. 0 2
WATER CRESS , easily grown in a moist situation	per pkt. 6d. —
AMERICAN or LAND	„ .. 0 3
AUSTRALIAN or GOLDEN	per pint 1s. 6d. 0 3

CUCUMBER.

Sow in pots or pans, and when the plants have produced their seed leaves, pot them off; when the pots are filled with roots, and the bed at a proper temperature, carefully turn them out on mounds of rich turfy loam, and give them a gentle watering. Keep up a steady growing heat, and attend to stopping, thinning, and setting the flowers.

Per pkt.—s. d.

ALL THE YEAR ROUND	1 0
BERKSHIRE CHAMPION	1 0
BLAIR'S PROLIFIC , a most excellent Cucumber	1 0
BLUE GOWN , long handsome fruit about 24 inches in length	1 0
CARDIFF CASTLE , a fine variety	1 0

**CUCUMBER**—*continued*.

	Per pkt.—s. d.
COVENT GARDEN PERFECTION	1 0
DUKE OF EDINBURGH (<i>Daniels'</i>)	1 0
LOCKIE'S PERFECTION, a prolific and handsome black-spined variety	1 0
MODEL (<i>Carter's</i>), a fine exhibition variety	1 0
ROCHFORD'S MARKET, one of the best	1 0
SYON HOUSE IMPROVED, excellent	1 0
TELEGRAPH (<i>true</i>), handsome black-spine	1 0
TENDER AND TRUE, First Class Certificate, Royal Horticultural Society	1 0
WALKER'S HERO, an excellent white spine variety, growing from 18 to 24 inches in length	1 0

OPEN-AIR or RIDGE VARIETIES.

Sow in April. Plant out when strong enough under hand-lights, and remove again to the open later. It is best to prepare a ridge with any fermenting material that may be at hand, taking care it does not get too hot. Cover it up 9 inches deep with good soil. The plants should be 4 to 5 feet apart.

	Per pkt.—s. d.
BEDFORDSHIRE PRIZE, fine for open-air culture	0 6
JAPANESE CLIMBING, a very early and prolific outdoor variety	0 6
SHORT PRICKLY, for pickling	0 6

EGG PLANT.

Egg Plants, when well cultivated, are curious and interesting objects in the greenhouse or conservatory, and are also useful as garnishing plants. The time of sowing and treatment is the same as for Capsicum.

	Per pkt.—s. d.
BLACK	0 3
NEW YORK PURPLE	0 3
PURPLE	0 3
SCARLET	0 3
WHITE	0 3

ENDIVE.

For first crop sow about the middle of May, and for succession in June and July. When the plants are 2 or 3 inches high thin them out, or transplant into moderately rich or rather light soil, 1 foot apart.

	Per oz.—s. d.
BATAVIAN GREEN, a smooth broad-leaved variety	0 9
BATAVIAN, IMPERIAL WHITE, a very superior broad-leaved variety	0 8
DIGSWELL PRIZE	0 8
IMPROVED GREEN CURLED, very hardy, blanches readily	1 0
LARGE RUFFEC, GREEN CURLED	0 6
MOSS CURLED, beautifully curled, like moss	0 8
WHITE CURLED	0 9

GOURDS.

BEST VARIETIES for preserving. Per packet, 6d.

ICE PLANT.

Sow in April and May. Per packet, 6d.

KOHL RABI.

Sow early in May, and transplant in rows about the end of June.

	Per oz.—s. d.
EARLY GREEN VIENNA	0 9
EARLY PURPLE VIENNA	1 0

**DUKE OF
EDINBURGH**

LEEK.

Early in March sow in prepared beds of rich soil, and thin out to keep the plants strong. Plant out in June on ground deeply trenched and manured.

	Per oz.—s. d.
AYTON CASTLE GIANT, large and superior, mild flavour	1 0
CARENTAN, a very large variety, excellent for exhibition	1 0
CHAMPION, DOBBIE'S, a magnificent variety	per pkt. 6d. —
HENRY'S PRIZE, grand for exhibition	1 0
LONDON FLAG	0 3
MUSSELBURGH IMPROVED, true Scotch saved, very large and fine	1 3
THE LYON (Selected), a splendid strain of Exhibition Leek	per pkt. 1s. 1 6

LETTUCE.—CABBAGE VARIETIES.

Sow in February under glass, to succeed those that have stood the winter, and when a constant supply is required, sow at intervals of three weeks until the end of July. For winter and early spring use, sow in August and September, and again in October in frames, to make sure of a crop for spring. Per oz.—s. d.

ALL THE YEAR ROUND, a very hardy compact sort, white, solid, and crisp	1 0
BUTTERCUP, golden variety, delicate flavour, compact and dwarf, "perfect gem," per pkt. 1s. —	—
CONTINUITY, a firm variety, remaining a long time fit for use	1 6
DRUMHEAD or MALTA, one of the largest and best summer Lettuces	0 6
EARLY PARIS MARKET, very distinct and handsome	per pkt. 9d. 1 6
GRAND ADMIRAL or ROYAL	0 9
HAMMERSMITH HARDY GREEN, the best for standing the winter	0 6
NEAPOLITAN, very firm-hearted, tender, crisp, and early	0 9
NEW YORK, unusual for size and solidity of head, which blanches itself naturally, is crisp, tender, and of excellent flavour	per pkt. 6d. 1 6
STANSTEAD PARK, one of the hardiest varieties in cultivation	0 8
TOM THUMB, very sweet, solid and compact	1 3
VICTORIA or RED EDGED, hearts quickly, and stands the summer well	0 8
WHITE DUTCH	0 10
WONDERFUL, one of the largest and best Cabbage Lettuce; the heart is very solid and of a pale green colour	1 6


COS VARIETIES.

ALEXANDRA, white Cos, very crisp, fine flavour	0 10
BATH or BROWN, black-seeded, resembling the preceding, except in the colour of the seed	1 0
HICK'S HARDY WHITE, fine for spring or autumn sowing, stands a long time	1 0
KINGSHOLM	1 0
LONDON SUPERB WHITE, large, crisp, and sweet	0 8
NONSUCH (<i>Ivery's</i>), a most valuable variety for summer use	0 10
PARIS GREEN	0 9
PARIS WHITE, large, compact, and crisp, excellent for summer	0 10

MELONS.

In growing Melons the general treatment is very similar to that recommended for Cucumbers. A constant and regular temperature of from 70° to 75° should be maintained, and great attention paid to stopping, training, and thinning, and every care taken to guard against Red Spider and Thrip, to which Melons are liable. Per pkt.—s. d.

AL, SUTTON'S, scarlet flesh, awarded F.C.C., R.H.S.	1 0
BEAUTY OF SYON (New).—F.C.C., R.H.S. A medium-sized fruit of excellent flavour, with scarlet and green flesh, bright golden netted skin	1 0
BEAUTY OF WORDSLEY.—Green flesh, fruit medium, oval shaped, finely netted; delicious flavour	1 0
BEST OF ALL.—White flesh	1 0


**MELON—BISHOP'S FAVOURITE.**

BISHOP'S FAVOURITE.—This magnificent Melon is the result of a cross between "Loughleat Perfection" and "Golden Perfection." It is very handsome in appearance, being beautifully netted, with a magnificent golden yellow skin; white flesh of great depth, remarkably tender, with a most luscious flavour, the fruit reaching 6 and 7 lbs. in weight. Award of Merit, R.H. Soc.

Award of Merit, R.H. Soc. . .	1	0
BLENHEIM ORANGE, scarlet flesh, delicate and delicious flavour	1	0
COX'S GOLDEN GEM, green flesh	1	0
DUCHESS OF YORK, thick white flesh	1	0
EARL'S FAVOURITE, green flesh	1	0
EASTNOR CASTLE, green flesh	1	0
EUREKA, scarlet flesh	0	9
FROGMORE SCARLET	1	0
GOLDEN PERFECTION, green flesh	1	0
HERO OF ISLEWORTH, green flesh, delicious flavour	1	0
HERO OF LOCKINGE, white flesh, deliciously melting, and of exquisite flavour	1	0
HIGH CROSS HYBRID, green flesh, a large oval netted fruit . .	1	0
IMPERIAL GREEN FLESH	0	9
INGESTRE HYBRID, white flesh	1	0

MELONS—*continued.*

	Per pkt.—s. d.
LA FAVORITE, green flesh, golden yellow skin, beautifully netted	1 0
LITTLE HEATH	1 0
MONARCH, a green-fleshed variety of superb flavour, F.C.C., R.H.S.	1 0
OSBERTON, green flesh, beautifully netted and of excellent flavour	1 0
READ'S SCARLET FLESH	1 0
ROYAL SOVEREIGN, white flesh. Award of Merit, R. H. Society	1 6
SCARLET INVINCIBLE.—First-Class Certificate, R. H. Society; skin orange-red when perfectly ripe, finely and evenly netted; thick bright scarlet flesh, of exquisite flavour	1 0
SION HOUSE (New).—Certificate of Merit, R.H.S.; flesh scarlet, slightly tinted with green towards the rind	1 0
SUPERB, flesh green	0 9
SUTTON'S SCARLET, deep red flesh	1 0
THE COUNTESS, enormously prolific, setting fruit at every joint; fruits large, very tender, sweet, and the skin of a pale yellow	1 0
TRIUMPH. — First-Class Certificate; flesh scarlet with green band next the skin	1 0
VICTORY OF BATH	1 0
WINDSOR CASTLE (New), large green-fleshed variety of superb flavour	1 0
WILLIAM TILLERY, green flesh	1 0

**MALLOW.**

CURLLED, excellent for garnishing .. per pkt. 3d.

MUSHROOM SPAWN.

Very best quality per bushel, 5s.

MUSTARD.

WHITE, for salad .. per qt., 1s. 8d.; per oz., 2d.

ONION.

As early in March as the soil is in working order, commence operations by levelling the ground with a rake, and tread it firmly; draw shallow drills 9 inches apart, along which sow the seeds thinly and regularly. Cover the seeds with fine soil, pressing it down on the drills or beds by the use of a light roller or the back of a spade. When the young plants are strong enough, thin them gradually so that they stand, after the final thinning, 5 or 6 inches apart.

	Per oz.—s. d.
THE ARISTOCRAT (Deverill). This New Pedigree Onion is a cross between "Ailsa Craig" and "Rousham Park Hero," and comes very true to type, which is a deep flat, closely approaching a globe shape. In colour it is a light straw, neck very small, shoulder well up, very solid in texture, and a first-rate keeper per pkt. 1s. 6d. & 2s. 6d.	—
ANGLO WHITE SPANISH per pkt. 1s. 0d.	—
AILSA CRAIG, fine Exhibition variety, globe shaped per pkt. 1s. 6d. & 2s. 6d.	—
BEDFORDSHIRE CHAMPION, an excellent keeping variety	0 8
BLOOD RED	0 8
BROWN GLOBE, large, mild, and an excellent keeper	0 10
CRANSTON'S EXCELSIOR, a splendid variety for Exhibition per pkt. 1s.	—
DANVER'S EARLY YELLOW	0 6
DEPTFORD or STRASBURG	0 6
GIANT ZITTAU, an excellent keeping variety, of handsome shape, and clear yellow colour	0 9
IMPROVED WROXTON per pkt. 1s.	—
JAMES'S KEEPING, excellent, keeps longer than any other variety	0 8
NUNEHAM PARK, large size, mild flavour, excellent keeper	0 8
ROUSHAM PARK HERO. It grows to an immense size, often 2 lbs. each, is of very hardy, robust constitution, excellent for either autumn or spring sowing. The colour is a light straw, possessing great depth of bulb, flavour very mild, and one of the best keepers	1 0
SILVER-SKINNED, for pickling	0 9
SPANISH, WHITE, or READING, one of the best for main crop, very mild flavour	0 8
THE LORD KEEPER (Deverill). This is one of the finest Onions for Show purposes; in type it is similar to "Rousham Park Hero," but deeper in flesh per pkt. 1s.	—
THE QUEEN, a small and distinct Silver-skinned Onion	0 9
TRIPOLI, GIANT ROCCA, very large, globular-shaped	0 9
" RED ITALIAN or BASSANO, large, for autumn sowing	0 8
" LARGE GLOBE, mild flavour	1 0
" WHITE ITALIAN LEVIATHAN, large silvery white, particularly mild	0 10
WHITE GLOBE	0 4
WHITE LISBON, a mild flavoured variety; sow in autumn for spring use	—

PARSLEY.

To grow Parsley well the ground should be trenched 18 inches deep, and plenty of manure worked in; sow the seed—in March for summer use, and in June for winter—in rows 1 foot apart, and thin out or transplant from 6 to 9 inches apart. A dressing of soot occasionally in showery weather will greatly increase the growth of the plants.

	Per oz.—s. d.
CHAMPION MOSS CURLED, extra fine curled	0 8
EXQUISITE, the finest dwarf, closely curled, dark green strain ever offered	1 0
FERN-LEAVED	0 6
HAMBURG or TURNIP-ROOTED	0 4
MYATT'S GARNISHING, a densely curled variety	0 6

PARSNIP.

About the end of February sow in drills 12 inches apart on rich deep soil, trenched and manured the previous autumn, and cover slightly with fine soil; thin out the young plants early to about 9 inches apart, and keep the surface of the ground open and free from weeds.

	Per oz.—s. d.
CHAMPION HOLLOW-CROWNED, a superb variety, the most useful sort for gardens..	0 6
DOBBIE'S SELECTED, of fine shape and flavour	0 6
LISBONNAIS, a very handsome Parsnip	0 4
THE STUDENT, a fine-flavoured variety	0 6

RADISH.

Sow for early crops on a warm border in February, giving protection with litter during frosty weather, removing it every mild day. For successional crops, sowings may be made every three weeks until the end of August. Black Spanish is used in winter, and should be sown in August.

	Per oz.—s. d.
BLACK SPANISH, best for winter use	0 4
CHINA ROSE, fine for winter use	0 1
EARLY FRAME (Wood's), best for early forcing	per pint 1s. 9d. 0 3
EARLY SCARLET SHORT-TOP, excellent for forcing	2s. 6d. 0 6
EARLY WHITE SHORT-TOP, fine for forcing	2s. 6d. 0 6
FRENCH BREAKFAST, a very handsome sort, of mild flavour	1s. 9d. 0 3
LONG SALMON, very crisp and tender	1s. 9d. 0 3
LONG SCARLET SHORT-TOP, best for general crop	1s. 9d. 0 3
SCARLET OLIVE-SHAPED, very mild and tender	1s. 9d. 0 3
RED TURNIP	1s. 9d. 0 3
WHITE TURNIP } best for summer and late crops	1s. 9d. 0 3

SALSIFY.

Sow in drills 15 inches apart, covering the seed with fine soil, which press down firmly, and thin out, when the plants are strong enough, to 6 inches apart. In all cases sow the seed in dry weather.

IMPROVED MAMMOTH	per oz. 1 0
--------------------------	-------------

SAVOY.

Savoy requires a deep rich soil well manured. Sow in March, and plant out about 18 inches apart.

	Per oz.—s. d.
DRUMHEAD or GLOBE, very large and of good quality; the best for general crop	0 4
DWARF GREEN CURLED, heads quickly, of good quality; an excellent sort	0 6
EARLY DWARF ULM, small hearts only, and of excellent flavour	0 8
TOM THUMB	0 8

SCORZONERA.

This Vegetable requires the same treatment as Salsify, only sow in drills 18 inches apart and thin out to 9 inches from plant to plant.

LARGE RUSSIAN	per oz. 0 9
-----------------------	-------------

SEA KALE SEED.

Sow moderately thick early in April, on deeply trenched and richly manured ground, in drills 18 inches apart, and thin out to about 2 feet asunder.

COMMON PURPLE, per pint, 2s.; per oz., 6d. LILY WHITE	per oz. 1 0
---	-------------

For Sea Kale Roots, see page 51.

STACHYS TUBERIFERA.

This tuberous-rooted vegetable, sometimes called "Chinese Artichoke" and "Vegetable Whitebait," will grow in almost any soil. Set the tubers about 1 foot apart. Per lb., 9d.

SPINACH.

The round variety should be sown at intervals from March to June, to ensure a constant supply during the summer. The prickly or triangular-leaved sort is usually sown about the end of July or beginning of August for winter use, in drills 1 foot apart. New Zealand Spinach is a useful and excellent vegetable, and should be raised in a gentle heat in March, and transplanted in May or June 3 feet apart each way, into rich light soil.

		Per oz.—s. d.
LONG STANDING PRICKLY, a most desirable variety for winter use	.. per pint	1s. 9d. 0 6
MONSTROUS VIROFLAY	 per qt.	2s. 6d. 0 4
PRICKLY or WINTER		1s. 9d. 0 3
ROUND or SUMMER		1s. 9d. 0 3
VICTORIA IMPROVED ROUND	 per pint	1s. 6d. 0 4
NEW ZEALAND		0 9

TOMATO.

To obtain an early and good supply of this delicious fruit, sow in March in a Cucumber frame, and when the plants are 2 or 3 inches high, pot off and grow on freely under glass, and if for outdoor culture gradually harden off so that they can be planted out into rich soil against a wall, with a full exposure to the sun, the first favourable day in May, taking care to protect them from frost and cold cutting winds.



Per pkt.—s. d.
NEW TOMATO.—CHISWICK PEACH.
 First Class Certificate, Royal Horticultural Society, August 16th, 1899. This new Tomato was raised in the gardens of the Royal Horticultural Society, Chiswick. It is quite distinct, the colour of the fruit being a soft lemon-yellow, which is greatly enhanced by being covered with a beautiful peach-like bloom, making it unequalled for dessert purposes. It is very prolific and sets freely; the bunches vary from six to ten fruit in a cluster, perfectly round, solid, and of delicious flavour. It is specially adapted for pot culture 1 6

CHALLENGER. This grand variety has been unanimously awarded four First-class Certificates, viz.:—Guildhall,

Chiswick, International Fruit Show, and the Royal Aquarium. Fruit bright scarlet, and of excellent flavour 1 0

CONFERENCE, a very handsome variety, perfectly round and smooth, very firm and solid, of delicious flavour, and bright glossy red colour 0 9

DUKE OF YORK, a splendid cropper; the fruit is round with very firm flesh of fine flavour, and of a rich scarlet colour 1 0

FROGMORE SELECTED. First Class Certificate, Royal Horticultural Society, April 24th, 1894. This fine variety was raised by Mr. Thomas, The Royal Gardens, Frogmore. The fruit is of good medium size, and a deep bright red colour, smooth and almost round, very firm and solid, with flesh of an unusual depth; the flavour is delicious 1 0

GOLDEN QUEEN, rich golden yellow, very handsome 0 9

HACKWOOD PARK PROLIFIC 0 9

HAM GREEN FAVOURITE, one of the best ever introduced 1 0

HATHAWAY'S EXCELSIOR, a fine early variety, excellent flavour, one of the finest 0 6

LAIRD'S SUPREME, a splendid variety, the fruit being large, of a rich glossy crimson colour, and of exquisite flavour 1 0

MAIN CROP, rich glossy red, flesh of good substance 1 0

OPEN AIR, selected for its earliness, hardness, and adaptability for outdoor growth; large, handsome, smooth fruits of a brilliant vermilion-scarlet colour 0 6

OSBERTON SCARLET, a very free setter, producing handsome smooth deep scarlet fruit in clusters of from four to seven, all of good size 1 0

PERFECTION, a very handsome red variety, fine shape 0 9

RED CHERRY, pretty round fruits 0 4

RED CURRANT, long bunches of pretty red fruits 0 4

THE POLEGATE, a handsome smooth round variety, very firm and fleshy; colour bright red. Most prolific cropper 1 0

TROPHY 0 6

TURNIP.

Sow the earliest varieties in March, and at intervals of three weeks until the middle of June. About the second week in August sow Orange Jelly or some other hardy sort for Winter use.

	Per oz.—s. d.
AMERICAN RED STONE, white flesh, remarkably sweet, keeps well.. ..	0 4
CHIRK CASTLE BLACK STONE, a greatly esteemed winter variety	0 4
EARLY PURPLE-TOP MUNICH, a handsome and very early Purple-top Turnip ..	0 4
EARLY SIX WEEKS STONE per pint, 1s. 6d.	0 3
EARLY SNOWBALL IMPROVED, excellent for early or late crops, one of the best ..	2s. 0d. 0 3
EXTRA EARLY MILAN, white, with purple top, and very slender tap root ..	0 4
GREEN-TOP STONE, hardy, excellent for late use	0 3
MODEL WHITE (<i>Dobbie's</i>), remarkable for its fine form, earliness and quality ..	0 6
ORANGE JELLY or GOLDEN BALL per pint, 1s. 6d.	0 4
WHITE STRAP-LEAVED	0 3
YELLOW ALTRINCHAM	0 3

VEGETABLE MARROW.

Sow in April in pans, and place on a gentle bottom heat; when up and strong enough to handle, pot off. When fully established harden off, and about the middle of May they can be planted out, taking the precaution to protect by means of hand-glasses for a short time. Marrows like a deep short soil, and it is advisable to prepare places to plant in, by digging holes sufficiently deep to hold two or three barrow-loads of well-decayed manure, over which place soil 9 inches deep.

	Per pkt.—s. d.
CUSTARD, a very free bearing, distinct and good variety	0 6
HIBBERD'S PROLIFIC	0 6
LONG-FRUITED GREEN per oz. 9d.	0 3
LONG-FRUITED WHITE, a very prolific short-jointed sort	9d. 0 3
MOORE'S CREAM, an excellent variety	0 6
"PEN-Y-BYD," fruit almost globular in form, and of a delicate creamy-white colour ..	0 6

SWEET AND POT HERBS.

Per packet, 3d.

Angelica	Fennel	Pot Marigold	Savory, summer
Anise	Hyssop	Rampion	" winter
Basil, bush	Lavender	Rosemary	Thyme
" sweet	Marjoram, pot	Sage	Wormwood
Borage	" sweet		

FINEST DWARF EVERGREEN LAWN GRASS MIXTURE.

1s. per lb. 25s. per bushel.

ASPARAGUS for Forcing.

Strong Roots for Forcing, 15s. and 20s. per 100.

RHUBARB ROOTS.

Best sorts for Planting, 9d. and 1s. each. Extra strong for Forcing, 1s. 6d. each.

DAW'S CHAMPION (New). Award of Merit, R.H.S. A great advance on all the existing varieties, especially for market, being very early, a splendid rich colour and large. 5s. per root.

SEA KALE for Forcing.

Strong Selected Roots for Forcing, 12s. and 15s. per 100.

POTATOES.

	Per 14 lbs.	56 lbs.		Per 14 lbs.	56 lbs.
	s. d.	s. d.		s. d.	s. d.
ASHLEAF KIDNEY ..	3 0	11 0	READING GIANT ..	2 0	7 0
ASHLEAF KIDNEY (Myatt's Prolific)	2 6	8 6	SATISFACTION ..	3 0	11 0
ASHLEAF KIDNEY (Rivers' Royal)	2 9	10 0	SCHOOLMASTER ..	2 6	8 6
BEAUTY OF HEBRON ..	2 6	8 6	SNOWDROP ..	2 6	8 6
EARLY PURITAN ..	2 6	8 6	THE BRUCE ..	2 0	7 0
EARLY REGENT ..	2 9	10 0	THE SIRDAR (New), Award of Merit, R.H.S., 1899	5 0	—
EARLY ROSE ..	2 0	7 0	SHARPE'S VICTOR ..	2 9	10 0
IMPERATOR ..	2 0	7 0	UP-TO-DATE ..	2 6	8 6
MAGNUM BONUM ..	2 0	7 0	WHITE ELEPHANT ..	2 0	7 0

52 RICHARDS' XL ALL COMPOUND FOR VAPORISING. IN SOLID DRY CAKE.

As the result of experiments extending over the past two years, the Manufacturer of the XL ALL Liquid Compound has now produced a perfect Nicotine Vaporising Compound in the form of a Dry Cake. This Cake, when used in the XL ALL Fumigator, first melts to a liquid, and then passes entirely away as vapour, which is fully as effective and safe as that produced by the Celebrated XL ALL Liquid Vaporising Compound, and being easy to handle will be found most clean and economical in use.


Each Cake contains sufficient Compound for 1,000 cubic feet of space.

Packed in Tins to correspond precisely with the Liquid and at the same prices, viz.:

BOX	No. 1	contains	40 Cakes	sufficient for	40,000 cubic feet of space,	20 - per Box.
"	No. 2	"	20	"	20,000	"
"	No. 3	"	10	"	10,000	"
"	No. 4	"	5	"	5,000	"
"	No. 5	"	2	"	2,000	"

FUMIGATORS (will last for years), 2/- each.

BUDDING
and
PRUNING
KNIVES.



324 323 314 BL 325 204 207

VINE
and
PRUNING
SCISSORS.



	s. d.		s. d.		s. d.
166. Pruning Knives .. each	1 9	195. Pruning Knives .. each	3 0	204. Budding Knives .. each	2 9
186. " " " " "	2 0	195 1/2. " " " " "	3 0	204 B. " " " " "	4 0
187. " " " " "	2 6	196. " " " " "	4 0	207. " " " " "	3 0
188. " " " " "	2 6	197. " " " " "	8 0	314. " " " " "	2 6
189. " " " " "	3 0	312. " " " " "	2 6	323. " " " " "	2 9
191. " " " " "	3 0	312 S.B. " " " " "	2 6	324. " " " " "	4 0
192. " " " " "	2 9	938. " " " " "	3 0	325 1/2. " " " " "	4 0
194. " " " " "	2 6			B.L. " " " " "	2 6

Botanist's Knife, with magnifying glass .. 4/- each.
Gentleman's Pocket Knife, ivory handle, 3 blades, 5/- each.
Vine Scissors, 6 and 7 inch, 2/6 & 2/9 each.

Pruning Scissors, for Roses and Shrubs,
4 inch, 2/6; 5 1/2 inch, 2/9.
Shred Scissors, 2/- each.

GARDEN TOOLS, INSECTICIDES, MANURES, TOBACCO PAPER, &c.

	s.	d.
Asparagus Knives each	2	6
Aphis Brushes ,	2	0
Bellicide, or Daisy Eradicator, 7 lbs. 2/6, 14 lbs. 4/6, 28 lbs.	8	6
Budding Cotton per lb.	2	0
Bouquet Wire, Stout for Stems, in 7 in. lengths per lb.	1	0
Do. do. Fine for Camellias ,	1	6
Do. do. Fine for tying, $\frac{1}{4}$ lb. reels	0	9
Bill Hooks, various sizes .. each 3/6 &	4	6
Clay's Fertilizer, 7 lbs. 2/6, 14 lbs. 4/6, 28 lbs. 9/6, 56 lbs. 12/6, 112 lbs. ..	20	0
Fir Tree Oil $\frac{1}{2}$ -pints 1/6, pints	2	6
Florists' Gum per bottle	1	0
Flower Sticks, in bundles of 100, 1 ft. 5d., $1\frac{1}{2}$ ft. 8d., 2 ft. 1/-, $2\frac{1}{2}$ ft. 1/6, 3 ft. 2/-, 4 ft.	3	0
FOOD FOR PLANTS, The Best		
Fertiliser.—In Tins, containing about $1\frac{1}{2}$ lbs., price 1s. each. Larger size, containing about 5 lbs., 2/6 each. Also in bags, 14 lbs., 4/6; 28 lbs., 7/6; 56 lbs., 12/6; 112 lbs.	20	0
Forks, Digging, 4-prong	4	6
„ „ 5 „	5	0
„ „ Tan or Plunging	1	9
Gardeners' Aprons each	4	0
Gishurst's Compound .. per box 1/- &	3	0
Gishurstine, for Preserving Gardeners' Boots per box 6d. &	1	0
Gloves, Pruning, strong, Harvest Tan, per pair	1	6
„ „ Flesh buttoned „ „	2	0
„ „ Extra quality, per pair 3/- to	3	6
Hammers, Bright Garden .. each 1/9 &	2	0
Hatchets, Hickory Handle .. each	2	6
Labels, Wood, 4 in. .. per 100	0	4
„ „ 5 „ .. „	0	5
„ „ 6 „ .. „	0	6
Lawn Mowers, price on application.		
McDougall's Tobacco Sheets.—In parcels of 1, 3, 6 and 12 dozen sheets (13 sheets to the dozen) per dozen	9	0
McDougall's Insecticide "Fumers," most effective and easy of application, each Fumer effective for 1,000 cubic feet of space per dozen	9	0
Mats, Best Archangel .. „	21	0
„ St. Petersburg .. „	15	0
Moss, Green, for Furnishing, in bundles, per dozen 5/6 each	0	6
Nail Bags „	6	6
Orchid Peat .. 3/6 per bushel; per sack	12	0

	s.	d.
Packing Needles each	0	8
Pencils, Wolff's Garden ,	0	3
Pruning Scissors, 4 in.	2	6
„ „ $5\frac{1}{2}$ „	2	9
Rakes, Garden, 6 to 16 teeth, per tooth	0	2
Raphia, or Rush Grass per lb.	1	3
Saws, Pruning, each, 14 in. 3/6, 18 in.	4	6
Secateurs each	4	0
Scythes, Tyzack's, 36 in. .. „	4	0
Scythe Sneaths, Ash, best make ..	2	0
„ „ Stones .. „	0	5
Shears, Hedge, per pair, 9 in. 5/-, 10 in.	6	0
Shovels, Square Mouth each	4	0
Shred Scissors per pair	2	0
Silver Sand, best coarse .. per bushel	2	6
Spades, Nos. 2, 3 and 4; each 4/-, 5/- and	5	6
Spuds, Cast Steel, Half Bright .. each	1	0
Standen's Manure .. per tin, 1/- and	2	6
Sphagnum Moss, per bushel 3/6; per sack	12	0
Summer Cloud Shading. Directions on packet per packet	1	0
Sulphur Dusters each	2	9
Syringes, best quality .. „	21	0
Thermometers (Garden), Boxwood, com- mon, 8 in. 1/3; 10 in. each	1	6
Do. do. Minimum, ar- ranged to show the existing tempera- ture and register the extreme cold during absence. each	1	6
Do. do. Boxwood, with sliding Brass Scales, Indicating re- quired Day and Night Temperatures	3	0
Do. do. Sizes, Minimum and Maximum combined, Boxwood Scale. Japanned Case, with Magnet, each	7	6
Thompson's Vine Manure, tins 1/-, 2/- and 3/6; 28 lbs. 6/-, 56 lbs. 10/-, 112 lbs.	20	0
Tobacco Paper per lb.	1	6
„ Powder .. in tins, 1/- and	2	6
„ Distributors each	2	6
Trowels, Gardening, Steel, 6 in. .. „	2	3
„ Fern „	2	9
Wall Nails, 1 in., $1\frac{1}{4}$ in. and $1\frac{1}{2}$ in., per lb.	0	3
Water Pots, Red, 8 quarts 4/6, 16 quarts	7	0
„ „ Long Spouts, Brass Roses, 2 quarts 4/-, 4 quarts	5	3
Water Cans, Hawe's Patent, No. 1, 5 quarts, 4/6; No. 2, 4 quarts, 5/-; No. 4, 8 quarts.	7	0
Shelf Cans, 2 quarts, 2/9; 3 quarts. .	3	6
XL All Dry Compound, vide page 52.		

GLADIOLUS.

(HYBRIDS OF GANDAVENSIS.)

There are few flowers more showy and beautiful than the Gladiolus, and the varieties of the *Gandavensis* section are perfectly hardy and easily grown, whilst their erect and stately growth, and long spikes of flowers, developing themselves successively, never fail to win admirers.

To facilitate the cultivation of this highly decorative plant, a few remarks may be necessary to some:—


The best and safest time for planting is from the beginning of April to the end of May, when a continuous bloom may be assured from July to September.

Soil is not much a point for consideration, so long as it is not stiff and consolidated; but it is important that it should be deeply dug previous to planting.

Large bulbs should be planted from 3 to 4 inches, and smaller bulbs 2 inches deep.

During excessively dry weather, copious waterings are recommended.

When any bulbs show signs of growth before the time mentioned above, they should be potted and kept in a cool frame until the proper season for planting out.



LEMOINE'S GLADIOLUS.

This beautiful tribe of plants should be largely planted everywhere.

Orders are booked throughout the year at the following prices, and the bulbs supplied in January, February, or March.

12 choice named varieties, 3s.,
4s. 6d., 6s. & 9s.

According to Selection.

25 „ „ „ 6s., 9s., 12s. & 18s.

According to Selection.

50 „ „ „ 12s., 18s., 24s. & 36s.

According to Selection.

100 „ „ „ 24s., 35s., 45s. & 70s.

According to Selection.

GANDAVENSIS, Finest Mixed Hybrids.

The flowers of these magnificent hybrids possess great diversity of colour, many being striped and splashed in the most handsome manner. Invaluable for cutting.

Various colours, 1s. 9d. per dozen; 12s. 6d. per 100.

LEMOINE'S HARDY SPOTTED HYBRIDS.

Finest mixed blotched varieties, 1s. 6d. per dozen;
10s. 6d. per 100.

Finest named varieties, 3s. 6d., 5s. and 7s. 6d. per dozen.

BRENCHLEYENSIS.

This beautiful and showy bright scarlet Gladiolus is most effective when planted in quantity in beds or borders.

Selected bulbs 5s. 6d. per 100, or 50s. per 1,000.

Extra Selected bulbs, 6s. 6d. per 100, or 60s. per 1,000.

NANCEIANUS HYBRIDS.

Flowers are of enormous size and of great beauty. They are as hardy as the Gandavensis section.

Finest varieties, named, 6s., 12s. and 18s. per dozen.

CHILDSII HYBRIDS.

Of very robust growth, producing immense spikes of flower in great variety of colour.

Finest varieties, named, 6s., 12s. and 18s. per dozen.

Choice mixed, 4s. per dozen; 30s. per 100.



AMARYLLIS BELLADONNA.



AMARYLLIS.

This deservedly popular family cannot be too highly recommended. The ease with which they are cultivated and the gorgeously beautiful flowers they produce at almost any season, make them most desirable in any collection. By gradually drying the bulbs they can be put to rest at any time during the year, and then, when required, if started in a gentle heat, they quickly develop their large Lily-like blossoms, which are of various colours, generally embracing crimson, white and red, scarlet, rose-flaked, striped white and crimson, with various shades of colours.

Choice selections of good sorts, 2, 3, 4, 5, and 6 guineas per dozen.

AMARYLLIS BELLADONNA.

(The Belladonna Lily.)

These beautiful hardy bulbs have large handsome blush flowers, richly flushed with rosy purple, rendering them extremely useful for greenhouse and conservatory decoration. 6s. and 9s. per dozen; 40s. to 60s. per 100.

AMARYLLIS JOHNSONI.

A fine free-flowering variety, with showy red flowers, striped with white. 2s. 6d. each; 18s. per dozen.

AMARYLLIS IMPERATRICE DU BRÉSIL.

This handsome and distinct species is a native of Brazil, and produces on stout scapes heads of large bluish lilac flowers. 10s. 6d. each.



AMARYLLIS FORMOSISSIMA.

AMARYLLIS FORMOSISSIMA.

A very handsome bulbous plant, freely producing magnificent flowers of a very rich dark velvety crimson. This distinct and attractive Amaryllis is very suitable for growing in pots, and is always interesting, owing to the rich colour and peculiar shape of its flowers. *Vide* illustration. It will succeed well in a warm greenhouse. 6d. each; 5s. 6d. per dozen.



SINGLE-FLOWERED BEGONIA.



DOUBLE-FLOWERED BEGONIA.

BEGONIAS.

HANDSOME FLOWERED TUBEROUS-ROOTED SECTION.

The immense size to which the flowers of this popular race of plants have now attained considerably enhances their value for decorative and bedding purposes. Of nearly every shade of colour, from deepest crimson-scarlet to white, the blooms are produced in the utmost profusion, thus rendering them extremely showy and attractive.

SINGLE-FLOWERED. NAMED.

Selections of good single-flowering named varieties can be made by Mr. W. B. at 12s., 18s. and 24s. per dozen.

SINGLE-FLOWERED. UNNAMED.

Seedlings of various colours, 4s., 6s. and 9s. per dozen; 25s., 35s. and 50s. per 100.

For Seed, *vide* page 13.

DOUBLE-FLOWERED. NAMED.

Named Varieties with double flowers, at 30s., 42s. and 60s. per dozen.

DOUBLE-FLOWERED. UNNAMED.

Seedlings of various colours, 6s., 9s., 12s. and 18s. per dozen; 45s., 60s. and 75s. per 100.

For Seed, *vide* page 13.

BEGONIA CRISTATA.

Quite a new break in Begonias; the flowers, which are of various colours and of great substance, have each petal curiously ornamented with a central crest, somewhat in the shape of a cock's comb. Can be supplied in ten colours. 2s. 6d. each.

CRINUMS.

CAPENSE ALBUM.—Hardy species. 1s. each; 10s. per dozen.

— **ROSEUM.**—Hardy species. 9d. each; 6s. per dozen.

MOOREI.—A magnificent greenhouse variety, producing fine heads of blush flowers. 2s. 6d., 3s. 6d. to 7s. 6d. each.

PEDUNCULATUM.—Handsome greenhouse species. 5s., 7s. 6d. and 10s. 6d. each.

POWELLI.—Handsome greenhouse variety, with rose coloured flowers. 2s. 6d., 3s. 6d. and 5s.

WOODROWII, umbels of large white flowers, the filaments bright red. 10s. 6d.

CYCLAMEN PERSICUM.

Too much can scarcely be said in favour of the superb varieties of this plant, of which the old *C. persicum* is the type, whether they are regarded as objects for the ornamentation of the greenhouse or conservatory, or for table decoration, for which their compact floriferous character eminently fits them. The flowers are also extremely useful for bouquets, and when plucked, if kept in water, they will last in freshness and beauty some weeks. 9s., 12s. and 18s. per dozen. Flowering plants, 24s., 30s. and 42s. per dozen.

CYCLAMEN COUM ALBUM, very pretty, hardy sweet-scented species. 6s. per dozen.

— **IBERICUM,** white, marked rose at base, fragrant and quite hardy. 6s. per dozen.

DAHLIAS.

	Per dozen.		Per dozen.
CHOICE EXHIBITION VARIETIES.	9s., 12s., 18s.	BOUQUET or POMPON VARIETIES.	9s. and 12s.
— — — FANCY FLOWERS.	9s., 12s., 18s.	SINGLE-FLOWERED	6s., 9s., 12s.
DWARF BEDDING VARIETIES	9s. and 12s.	CACTUS-FLOWERED VARIETIES.	9s., 12s., 18s.

DIELYTRA SPECTABILIS.

Strong clumps of this graceful and well-known plant for early forcing. Price 5s. per dozen.

GALTONIA.

(**HYACINTHUS**) **CANDICANS,** a beautiful hardy plant, producing large spikes of pendant bell-shaped white flowers. 1s. per dozen; 6s. per 100.

HEMEROCALLIS.

AURANTIACA MAJOR, a magnificent variety from Japan, producing large deep orange flowers agreeably scented. 2s. 6d. and 3s. 6d. each; of sorts, 3s. 6d. to 6s. per dozen.

HEMEROCALLIS, of sorts, 3s. 6d. to 6s. per dozen.

IRIS GERMANICA.

The handsome hybrids of this beautiful section are of the greatest use for the adornment of beds and borders; the flowers are of rich and varied colours, and striped or blotched with purple and violet, on a white or yellow ground.

Choice mixed varieties, per 100, 8s. 6d.; per dozen, 2s.

50 in 25 choice varieties, 24s. and 30s.

25 in 12 choice varieties, 12s. and 15s.


12 in 12 choice varieties, 4s., 6s., 9s. and 12s.

IRIS KÆMPFERI.

Many magnificent varieties of this handsome and attractive plant have been imported from Japan; indeed, scarcely any plants in the flower garden can compare for gorgeous beauty with this section of Iris. Varying in colour from pure white to rich maroon-crimson, there are few flowers surpassing them in size and the brightness of their colouring. They succeed admirably planted on the margin of a lake or pond, or in any situation where plenty of moisture can be given. 2s. 6d. and 3s. 6d. each; 24s. and 36s. per dozen. Choice varieties, 5s. and 7s. 6d. each. Mixed Seedlings, 7s. 6d. and 10s. 6d. per dozen.



IRIS KÆMPFERI.



LILY OF THE VALLEY.

LILY OF THE VALLEY.

(CONVALLARIA MAJALIS.)

These are specially grown for Mr. WILLIAM BULL, and are imported and supplied in extra fine strong clumps towards the end of the year, expressly for forcing, and cannot be surpassed.

SELECTED CLUMPS.

Prepared for early forcing, 12s. and 15s. per dozen.

SINGLE SELECTED CROWNS.

5s. 6d. per 100; 50s. per 1,000.

RETARDED CROWNS.

For very early forcing, and for enabling a supply of flower to be kept up after the usual season is over, the Retarded Crowns are invaluable, blooming from three to four weeks after potting, and producing at the same time an ample supply of foliage.

Best Selected Crowns, 8s. per 100.

NOTE.—A few days' notice should be given when ordering Retarded Crowns.

MONTBRETIAS.

MONTBRETIA CROCOSMIEFLORA, scarlet and yellow	..	per doz., 8d.; per 100, 4s. 0d.
— CROCOSMIEFLORA, in many fine varieties		„ 1s. 6d. „ 10s. 0d.
— POTTSII, bright yellow, suffused with red		„ 6d. „ 2s. 6d.

PÆONIES.

HERBACEOUS PÆONIES, in choice named sorts and various colours. Extremely showy and most useful for cutting. 1s. and 1s. 6d. each; 10s. and 15s. per dozen. New kinds, 2s. 6d., 3s. 6d. and 5s. each.

TREE PÆONIES.—These are specially imported from Japan every season, and comprise many new varieties with immense flowers of the most chaste and superb colours. 5s., 7s. 6d. and 10s. 6d. each.

PANCRATIUMS.

FRAGRANS, beautiful heads of snow-white flowers, deliciously fragrant. 3s. 6d., 5s. & 7s. 6d. each.

MACROPHYLLUM, fine large white flowers, deliciously scented. 10s. 6d., 15s. and 21s. each.

SPECIOSUM, large sweet-scented white flowers. 5s. and 7s. 6d. each.

TROPÆOLUMS.

	Each—s. d.		Each—s. d.
AZUREUM, azure blue	3 0	SPECIOSUM, "The Flame Flower,"	per doz. 9s. 1 0
PENTAPHYLLUM, scarlet and green ..	1 6	TRICOLORUM (<i>Jarrattii</i>), scarlet and	per doz. 4s. 6d. 0 6
POLYPHYLLUM, golden yellow, ...	per doz. 4s. 0 6	TUBEROSUM, scarlet and yellow, ...	per doz. 3s. 6d. 0 4

SPIRÆAS.

SPIRÆA ASTILBOIDES.—One of the most handsome of Spiræas. The inflorescence consists of compound feathery branches of elegant white flowers. Charming and indispensable plant for pot culture. 6s. per dozen.

SPIRÆA ASTILBOIDES FLORIBUNDA.—Produces thyrsoid spikes of bloom, much crowded with flowers. 6s. per dozen.

SPIRÆA (HOTEI) JAPONICA.—Most useful for decorative purposes. *Strong clumps*, 4s. per dozen.

SPIRÆA JAPONICA AUREO-RETICULATA.—Pretty variegated foliage, added to which it bears a profusion of handsome compact spikes of pure white flowers. 6s. per dozen.


SPIRÆA JAPONICA COMPACTA MULTIFLORA.—Produces a profusion of large and dense spikes of pure white flowers. Habit dwarf and compact. 5s. per dozen.

SPIRÆA PALMATA.—The bright pink Japanese Spiræa, one of the most beautiful hardy plants in cultivation, producing lovely broad corymbs of pink flowers. 4s. 6d. per dozen.

SPIRÆA PALMATA ALBA.—A counterpart of *S. palmata*, except in the colour of the flowers, which are pure white; a very beautiful and elegant variety. 9d. each; 6s. per dozen.



SPIRÆA ASTILBOIDES.

DOUBLE
TUBEROSES.

(POLIANTHES TUBEROSA.)

The chaste double flowers of *Polianthes* are well known for their delicious fragrance and pearly whiteness, being admirably adapted for Button-holes, Bouquets, &c.; indeed, are of the greatest value wherever cut flowers are required. By successional plantings these lovely flowers may be had all through the summer and autumn. They should be potted in rich loamy soil and started in a good bottom heat, being afterwards grown on in a stove, with plenty of moisture. If not required in flower until September, the bulbs may be potted in March or April, and placed in a cold frame, standing them in the open during the summer. As soon as the flower spikes are about a foot high, the plants should be transferred to a greenhouse or even a room, when their chaste and fragrant flowers will be developed in a most satisfactory manner.

DOUBLE AMERICAN.

"THE PEARL."

Selected bulbs, 2s. 6d. per dozen; 15s. per 100.
Finest picked bulbs, 20s. per 100.

The above can be supplied about the end of December.

CHOICE GLOXINIAS.

The handsome and showy flowers of these beautiful bulbous plants render them of the greatest value for the decoration of stoves and conservatories. Of easy culture, they can, with judicious treatment, be had in bloom at almost any season of the year; their attractive flowers, being of large and good shape, are admirably adapted for cutting. The colours are most varied, every hue being pure and distinct, while some of the kinds are spotted and maculated in a most pleasing manner.

Choice selections made by Mr. W. B. at 13s., 24s. and 30s. per dozen, according to sorts. New Sorts, 5s. each.

Good blooming tubers, unnamed, of various colours, raised from handsome varieties, 4s. 6s. and 9s. per dozen; 30s., 40s. and 50s. per 100.




ACHIMENES.

12 named varieties, 3 bulbs each sort, 56 bulbs. Mr. W. B.'s selection. 6s.
6 named varieties, 3 bulbs each sort, 18 bulbs. Mr. W. B.'s selection. 3s. 6d.
Choice sorts, 6s., 9s. and 12s. per dozen.

TYDÆAS.

These can be cultivated so as to produce an abundance of bloom throughout the winter, their flowering season principally depending on the time of year their tubers are started into growth. With a little management a succession of blooming plants can be had nearly throughout the year. 18s., 24s. and 30s. per dozen, according to sorts.



GLOXINIA.

GLOXINIA, MONT BLANC.

Pure white, 9d. each; 7s. 6d. per dozen.

GLOXINIA, SPARKLER.

Rich crimson. 1s. 6d. each; 15s. per dozen.



TYDÆA.



NEW AND CHOICE CALADIUMS.

Mr. WILLIAM BULL'S Selection of Twelve Varieties, 18s., 24s. and 30s.

New Varieties, 5s., 7s. 6d. and 10s. 6d. to 21s. each.

ANY VARIETY SUPPLIED AT CURRENT PRICE.

PLANTS FOR WINTER AND EARLY SPRING BLOOMING.

Specially grown in pots for forcing.

			Per doz.
		s.	d.
AZALEA INDICA, choice named varieties, good plants, full of flower buds		24s.	& 30 0
CARNATIONS, TREE, good blooming plants of the best named sorts		18s., 24s.	& 30 0
CYCLAMEN PERSICUM, good blooming plants of various colours		24s., 30s.	& 42 0
DEUTZIA GRACILIS, most useful for forcing		6s., 9s.	& 12 0
ERICA HYEMALIS		24s., 30s.	& 42 0
ERICAS, of sorts		18s., 24s.	& 30 0
GUELDER ROSES (<i>Viburnum Opulus</i>)		18s.	& 24 0
LILAC, MARIE LEGRAY, the best white for forcing, also CHARLES X.		..	36 0

The following are all most useful for forcing, but have not been grown in pots :—

AZALEA MOLLIS, this is quite hardy and forces easily for early decorations		15s., 18s.	& 24 0
DIELYTRA SPECTABILIS, exceedingly pretty		..	5 0
HYDRANGEA PANICULATA GRANDIFLORA, fine heads of white flowers		..	15 0
LILY OF THE VALLEY, crowns, 5s. 6d. per 100; clumps, extra strong		..	15 0
LILIUM HARRISII and other white Lilies, <i>vide</i> page 63.			
SPIREAS, <i>vide</i> page 59.			

LILIUMS.



LILIUM AURATUM.

	Each.	Per dozen.
AURANTIACUM , <i>vide</i> croceum.		
AURATUM , fine bulbs of this popular Lily ..	6d., 9d., 1/-, 1/6 & 2/-	5s., 7s. 6d., 10s., 15s. & 21s.
— CRUENTUM , the finest of the <i>auratum</i> section, each petal marked with a broad band of the richest crimson ..		7s. 6d.
— GRANDE , one of the most magnificent Lilies known ..	10/6 & 15/-	
— PLATYPHYLLUM ..	2/6 & 3/6	24s. & 36s.
— VIRGINALE ..	3/6 & 5/-	
— RUBRO-VITTATUM ..	3/6 & 5/-	
— VIRGINALE (Wittei) ..	3/6 & 5/-	
— WITTEI , <i>vide</i> <i>auratum</i> <i>virginale</i> .		
BATEMANÆ ..	9d. & 1s.	7/6 & 10/-
BROWNII , very handsome	1/6 & 2/6	
BYZANTINUM , <i>vide</i> <i>chalconicum</i> .		
CALFORNICUM ..	2s. 6d.	24s.
CANADENSE ..	9d. & 1s.	7/6 & 10/-
CANDIDUM , per 100, 30s.	6d.	5s.
CHALCEDONICUM (<i>Byzantinum</i>), brilliant scarlet flowers ..	1/- & 1/6	10s. & 15s.
CROCEUM (<i>aurantiacum</i>)	4d. & 6d.	3/6 & 5/-
DALMATIUM , <i>vide</i> <i>maritimum</i> <i>dalmaticum</i> .		
DAHURICUM , a fine dwarf early flowering Lily, either for pots or borders		
Unnamed vars., 20s. per 100	3d.	2s. 6d.
— of sorts ..	4d. & 6d.	3/6 & 5/-
ELEGANS (<i>THUNBERGIANUM</i>) ..	1s. 6d.	
— (—) ALUTACEUM ..	4d. & 6d.	3/6 & 5/-
— (—) ATROSANGUINEUM ..	6d.	5s.
— (—) FULGENS ..	6d.	5s.
— (—) PRINCE OF ORANGE (<i>citrinum</i>) ..	4d. & 6d.	3/6 & 5/-
— (—) SANGUINEUM ..	6d.	5s.
EXCELSUM , <i>vide</i> <i>testaceum</i> .		
EXIMIUM , <i>vide</i> <i>longiflorum</i> <i>eximium</i> .		
GIGANTEUM ..	5/7/6 & 10/6	
HANSONI , golden yellow spotted with crimson ..	3/6 & 5/-	
HENRYII , orange yellow flowers of the same shape as " <i>speciosum</i> "; a most distinct and beautiful hardy Lily, and one that does well generally	5/- & 7/6	
HUMBOLDTII ..	2s. 6d.	24s.
ISABELLINUM , <i>vide</i> <i>testaceum</i> .		
JAPONICUM (<i>odorum</i>), a beautiful sweet-scented white Lily ..	3/6 & 5/-	
KRAMERI , blossoms of a beautiful rose colour; dwarf habit ..	1/6 & 2/6	15/- & 24/-
LANCIFOLIUM , <i>vide</i> <i>speciosum</i> .		
LONGIFLORUM ..	4d., 6d. & 9d.	3/6, 5/- & 7/6
— GIGANTEUM . The Japanese <i>Harrisii</i> . Pure white ..	6d. & 9d.	5/- & 7/6
Splendid bulbs ..	1/- & 1/6	10/- & 15/-

Good and varied selections of Lilies made at 12s., 18s., 30s. and 42s. per dozen.

LILIUMS—continued.

LONGIFLORUM HARRISII, the handsome free-flowering Easter Lily of Bermuda.

Fine bulbs 1/- & 1/6

Splendid bulbs 2/- & 2/6

— **TAKESIMA** 9d. & 1/-

Each. Per dozen.

10/- & 15/-

20/- & 24/-

7/6 & 10/-

MARTAGON (Common Turk's Cap Lily) ..

3d.

2s. 6d.

— **ALBUM** (White Turk's Cap Lily) ..

2/6 & 3/6

— **AURANTIACUM** (Yellow Turk's Cap Lily), *vide pyrenaicum*.

— **COCCINEUM** (Scarlet Turk's Cap Lily), *vide chalcidonicum*.

— **DALMATICUM** (Black Turk's Cap Lily), rich blackish purple

2s. 6d.

24s.

MONADELPHUM SZOVITZIANUM ..

1/6 & 2/6

15/- & 24/-

NEPALENSE, one of the most distinct and beautiful of the Indian Lilies

5s.

OCHROLEUCUM (sulphureum, Wallichianum superbum) ..

3/6 & 5/-

PARDALINUM, rich golden-orange spotted with maroon-purple ..

1/- & 1/6

10/- & 15/-

PEREGRINUM, *vide testaceum*.

POMPONIUM, an elegant species with bright scarlet flowers ..

1/- & 1/6

10/- & 15/-

Extra strong English-grown bulbs

2/6 & 3/6

PYRENAICUM (Yellow Turk's Cap)

6d.

5s.

RUBELLUM, a new dwarf Lily in the way of *L. Krameri*

1/6 & 2/6

15/- & 24/-

SPECIOSUM (LANCIFOLIUM) ALBUM

9d. & 1/-

6/- & 10/-

— **NOVUM**

1/6 & 2/6

15/- & 24/-

— **KRÄTZERI**, most exquisitely formed flowers of snowy whiteness ..

1/6 & 2/6

12/- & 18/-

— **MELPOMENE**, very rich colour, the best of the section

1/6 & 2/6

12/- & 18/-

— **ROSEUM**

4d., 6d. & 9d.

3/6, 5/- & 7/6

— **RUBRUM**

4d., 6d. & 9d.

3/6, 5/- & 7/6

— **SUPERBUM**

1/6 & 2/6

15/- & 24/-

SULPHUREUM, *vide ochroleucum*.

SUPERBUM

9d. & 1/-

7/6 & 10/-

— **PYRAMIDALE**

2s. 6d.

24s.

SZOVITZIANUM, *vide monadelphum Szovitzianum*.

TESTACEUM (excelsum, Isabellinum, peregrinum), nankeen coloured flowers ..

1/- & 1/6

10/- & 15/-

THUNBERGIANUM, *vide elegans*.

TIGRINUM per 100, 10/6

3d.

1s. 6d.

— **FLORE PLENO**

4d. & 6d.

3/- & 5/-

— **FORTUNEI**

4d. & 6d.

3/- & 5/-

Extra fine bulbs

9d. & 1s.

7/6 & 10/-

— **LEOPOLDII (SPLENDENS)**, bright orange-scarlet, large dark spots ..

3d. & 6d.

2/- & 4/-

UMBELLATUM, *vide dahuricum*.

WALLICHIANUM

5s.

48s.

— **SUPERBUM**, *vide ochroleucum*.

WASHINGTONIANUM, the flowers white, flushed with lilac

2/6 & 3/6

24s. & 36s.



LONGIFLORUM HARRISII.

Good and varied Selections of Lilies made at 12/-, 18/-, 30/- and 42/- per dozen.



EURYCLES AUSTRALASICA. (*vide* page 65.)

MISCELLANEOUS BULBOUS AND TUBEROUS-ROOTED PLANTS.

All are hardy except those marked as under:—

* Suitable for the open border, but require protection in winter.

† Require a greenhouse or frame.

‡ Should be grown in a stove or hot-house.

† **ACHIMENES**, *vide* page 60.

† **AGAPANTHUS GLOBOSUM** (new), a distinct dwarf species from Orange River Territory. It produces dense globular heads of lilac-blue flowers, shaded white and bluntly pointed, the inner ones darker in colour, 10s. 6d.

— **UMBELLATUM FL. PL.**, 2s. 6d.

AMARYLLIS, *vide* page 55.

‡ **AMORPHOPHALLUS CAMPANULATUS**, fine tubers of this remarkable Aroid, 5s. and 7s. 6d.

‡ **ANCHOMANES DUBIUS**, a remarkable Aroidaceous plant, 10s. 6d.

ARUMS, of sorts, 12s. to 18s. per dozen.

— See also *Richardias*.

BEGONIAS, *vide* page 56.

BELLADONNA LILY, *vide* page 55.

† **BOWIEA VOLUBILIS**, an exceedingly pretty greenhouse twining plant from Africa, 3s. 6d. each.

BRODIEAS, of sorts, 4s. and 6s. per dozen.

† **CALADIUM ESCULENTUM**, an effective plant for sub-tropical gardening, 2s. 6d. and 3s. 6d.

‡ **CALADIUMS**, *vide* page 61.

CALLA, *vide* *Richardia*.

MISCELLANEOUS BULBOUS AND TUBEROUS-ROOTED PLANTS—Continued.

†**CALLIPHURRIA HARTWEGIANA**,

1s. 6d. each; 12s. per dozen.

†—**SUBIDENTATA**, 1s. 6d. each; 12s. per dozen.

***CALOCHORTUS**, of sorts, 3s. 6d. and 5s. per dozen.

†**CANNAS**. These striking foliage plants are most effective for sub-tropical gardening and summer decorative purposes. Selections from the best kinds raised by M. Crozy and others. 9s., 12s., 18s. and 30s. per dozen.

†—**Giant-flowering**, in variety, 18s. per dozen.

CONVALLARIA MAJALIS (*Lily of the Valley*), *vide* page 58.

CRINUMS, *vide* page 57.

†**CYCLAMENS**, *vide* page 57.

CYPRIPEDIUM SPECTABILE (*Lady's Slipper*), 3s. 6d. each; 36s. per dozen.

†**CYRTANTHUS FLAMBEAU**, a pretty hybrid variety, the flowers bright carmine red, segments round and of good shape, 3s. 6d. each.

†—**INTERMEDIUM**, a pretty hybrid variety, bearing orange-pink flowers, 3s. 6d. each; 30s. per dozen.

†—**MACKENII**, 2s. 6d. each.

***DAHLIAS**, *vide* page 57.

DIELYTRA SPECTABILIS, *vide* page 57.

†**DIOSCOREA**, of sorts, 3s. 6d. and 5s. each.

†**DRACONTIUM ASPERUM**, 5s. each.

†—**SCALPTURATUM**, 7s. 6d. each.

ERYTHRONIUMS (*Dog's Tooth Violets*), of sorts, 1s. 6d. and 2s. 6d. per dozen.

†**EUCHARIS AMAZONICA**, 1s. 6d. and 2s. 6d. each; 15s. and 24s. per dozen.

†—**CANDIDA**, 2s. 6d. each; 24s. per dozen.

†**EUCODONIA**, a free-flowering section of Gesneraceous plants with attractive flowers, in variety at 1s. and 1s. 6d. each.

†**EURYCLES AUSTRALASICA**, a beautiful stove bulbous plant introduced from Australia. It is free-flowering, and produces large heads of elegant and charming white flowers, especially useful for cutting. (*Vide* illustration, page 65.) 2s. 6d. and 3s. 6d. each; 24s. and 36s. per dozen.

†—**CUNNINGHAMII**. 3s. 6d. each.

GALTONIA, *vide* page 57.



CANNAS.

†**GASTRONEMA SANGUINEA**, a handsome flowering bulb, producing large orange-red flowers, 3s. 6d. and 5s. each.

†**GESNERAS**, showy tuberous-rooted species, of sorts, 2s. 6d. and 3s. 6d. each.

†—(**NÆGELIAS**), many handsome sorts, 24s. and 30s. per dozen.

***GLADIOLUS**, of sorts, *vide* page 54.

†**GLORIOSA (METHONICA) SUPERBA**, 3s. 6d. each.

†**GLOXINIA**, *vide* page 60.

†**GRIFFINIA HYACINTHINA**, freely produces umbels of beautiful flowers of a beautiful shade of bluish-lilac, 5s. and 7s. 6d. each.

†**HÆMANTHUS ALBIFLOS**, 2s. 6d. and 3s. 6d. each.

†—**CANDIDUM**, a most beautiful species, producing handsome spikes of pure white flowers with golden-yellow anthers, 21s. each.

†—**COCCINEUM**, 2s. 6d. and 3s. 6d. each.

†—**TIGRINUM**, orange, 2s. 6d. each.

MISCELLANEOUS BULBOUS AND TUBEROUS-ROOTED PLANTS—Continued.



NERINE JAPONICA.

HEMEROCALLIS, *vide* page 57.

†HIPEASTRUM, *vide* Amaryllis.

HYACINTHUS CANDICANS, *vide* Galtonia candicans.

†HYMENOCALLIS, *vide* Pancratium, page 58.

IRIS, *vide* page 57.

†KEMPFERIAS, of sorts, 3s. 6d. and 5s. each.

†LACHENALIAS, of sorts, 6s., 9s. and 12s. per dozen.

LILIUMS, *vide* pages 62 & 63.

†LYCORIS AUREA, sweet scented, golden-yellow flowers, 1s. and 1s. 6d. each.

†METHONICA, *vide* Gloriosa.

†MONTBRETIAS, *vide* page 58.

†NÆGELIAS, *vide* Gesnera.

†NERINE CANDIDA (new), a lovely pure white variety, bearing large heads of pretty snow-white flowers. The blossoms are most elegant in form, the six segments undulated on the margins. 10s. 6d.

— JAPONICA, produces handsome heads of bright reddish crimson flowers, the protruding anthers being of unusual length. (*Vide* illustration.) 1s. each; 9s. per dozen.

— SARNIENSIS (*The Guernsey Lily*), 9s. and 12s. per dozen.

†— of sorts, 3s. 6d. each.

ORNITHOGALUM ARABICUM, umbels of large white flowers, black centre. 2s. per dozen; 15s. per 100.

PÆONIES, *vide* page 58.

†PANCRATIUM, *vide* page 58.

†POLIANTHES TUBEROSA, *vide* page 59.

RHEUM OFFICINALE, a handsome ornamental plant. 1s. 6d. and 2s. 6d. each; 15s. and 24s. per dozen.

†RICHARDIA AFRICANA (*Calla ethiopica*). 6d. and 9d. each; 5s. and 7s. 6d. per dozen.

†— LITTLE GEM, a pretty miniature growing kind. 6d. each; 5s. per dozen.

†— ELLIOTTIANA, spathes rich golden yellow, the leaves with whitish maculations, 5s., 7s. 6d. and 10s. 6d.

†— PENTLANDII, rich golden-yellow flowers, green leaves. 5s., 7s. 6d. and 10s. 6d.

†— REHMANNI, 2s. 6d.

†SANDERSONIA AURANTIACA, pretty bell-shaped orange flowers, 3s. 6d. each.

SPIRÆAS, *vide* page 59.

†SPREKELIA FORMOSISSIMA, *vide* Amaryllis formosissima, page 55.

TIGRIDIAS, in variety. 1s. 6d. and 2s. 6d. per dozen; 10s. 6d. and 15s. per 100.

†TROPÆOLUM, *see* page 58.

†TUBEROSES, *vide* page 59.

†TYDÆA, *vide* page 60.

†URCEOLINA AUREA, bright golden flowers, tipped green. 2s. 6d. and 3s. 6d. each.

†URCEOCHARIS CLIBRANI, a most remarkable hybrid between *Urceolina aurea* and *Eucharis amazonica*. 5s. and 7s. 6d.

†VALLOTA HYBRIDA, an extremely handsome and showy new hybrid, the result of a cross between the well-known *Valloata purpurea* and *Gastronema sanguinea*. The flowers are of an uniform bright orange vermillion colour. 10s. 6d.

†— PURPUREA (*The Scarborough Lily*), 1s. 6d. and 2s. 6d. each; 15s. and 24s. per dozen.

†— MAJOR, 2s. 6d. and 3s. 6d. each.

WATSONIA IRIDIFOLIA ARDERNEL, a lovely white flowering species, 2s. 6d. each; 24s. per dozen.

†ZEPHYRANTHES CARINATA, a most lovely bulbous plant, producing heads of charming rose-pink coloured flowers. 9d. each; 7s. 6d. per dozen.

†ZINGIBER OFFICINALE (*Ginger*), 2s. 6d. each.

†— ZERUMBET, 2s. 6d. each.



BULL'S FOOD FOR PLANTS.

Contains in a concentrated form all the essential elements of plant life. It is of immense benefit applied as a top-dressing to plants and bulbs of all sorts grown in pots, especially when pot-bound, completely restoring exhausted energy, a few applications ensuring vigorous healthy growth, the flowers being produced in a most luxurious manner, combined with great richness of colouring. It can also be mixed with ordinary soil in potting, or may be used with most beneficial effect for Chrysanthemums, Shrubs, Vines, and all kinds of Fruits, whether in pots or planted in the open air.

ANALYSTS' REPORT.

The analysis shows this to be a complete Plant Food, and of the highest quality. The material not only contains an abundance of all the constituents necessary for plant growth, but the analysis shows also that the four chief constituents are each in that combination which renders them in the most beneficial and available form for the healthy development of plants.

For these reasons, users of this Plant Food in the proper quantities cannot fail to produce the very best results within the capability of their plants.

CANNON & NEWTON,

Analytical and Consulting Chemists, 39, Mincing Lane, London, E.C.

DIRECTIONS FOR USE.

For POT PLANTS AND BULBS.—Sprinkle on the surface of the soil, about every three weeks, at the rate of a small teaspoonful to a 5-inch pot, so that when the plants are watered, the Plant Food will be gradually absorbed into the soil.

For CHRYSANTHEMUMS.—At the time of potting, some of the Plant Food should be thoroughly mixed with the compost, and afterwards, when the buds begin to swell, frequent top-dressings should be given, the quantity used being estimated according to the size of the pots and vigour of the plants.

For ROSES, SHRUBS, VINES, &c., in Pots.—Use about a tablespoonful to a 12-inch pot several times during the season.

For PLANTS, FRUITS, ROSES, and all Plants in Borders and the Open Ground.—Apply about 2 ozs. to the square yard as often as occasion may require, raking and watering it in.

For LAWNS.—Scatter broadcast at the rate of 2 ozs. to the square yard, and well water.

Sold in Tins, containing about 1½ lbs., price 1s. each. Larger Size, containing about 5 lbs., 2s. 6d. each.

Also in Bags, 14 lbs., 4s. 6d. ; 28 lbs., 7s. 6d. ; 56 lbs., 12s. 6d. ; 112 lbs., 20s.

MANUFACTURED SOLELY BY

WILLIAM BULL, F.L.S., V.M.H.,
ESTABLISHMENT FOR NEW & RARE PLANTS,
536, KING'S ROAD, CHELSEA, LONDON, S.W.

INDEX.

FLOWER SEEDS.

FOR NOVELTIES AND SPECIALITIES, vide pages 1 to 6.

	PAGE		PAGE		PAGE
ACROCLINIUM	20	COSMOS	25	MUSA	31
AGERATUM	20	CYCLAMEN	11 & 25	MYOSOTIS	31
ALYSSUM	20	DAHLIA	25	NASTURTIUMS	32
AMARANTHUS	21	DATURA	25	NEMESIA	32
AMARYLLIS	21	DELPHINIUM	25	NICOTIANA	32
ANTIRRHINUMS	17 & 21	DIANTHUS	3, 18, 25 & 26	ORNAMENTAL - FOLIAGED PLANTS	19
AQUILEGIA	21	ECHEVERIA	26	ORNAMENTAL GOURDS	19
ARALIA	21	ERIGERON	4	ORNAMENTAL GRASSES	18 & 38
ARCTOTIS	2	ERYSIMUM	26	PANSY	4, 32 & 33
ASSORTMENTS	15 to 19	ESCHSCHOLTZIA	26	PAPAVER (POPPY)	19 & 33
ASTERS	15 & 16	EUCALYPTUS	26	PELARGONIUM	19 & 33
AUBRETIA	21	EVERLASTING FLOWERS	18	PETUNIA	19 & 34
AURICULA	2 & 21	FERDINANDIA	26	PHLOX	19 & 34
BALSAMS	17	FREESIA	26	PHYSALIS	34
BEGONIAS	2, 13 & 21	FUCHSIA	26	PICOTEE	12 & 19
BELLIS	21	GERANIUM, vide Pelargonium		PINKS	3 & 12
BORONIA	21	GILIA	27	POLYANTHUS	6 & 34
CALCEOLARIA	7	GLOXINIA	27	PRIMROSE	34
CAMPANULA	22	GODETIA	27	PORTULACAS	19 & 34
CANDYTUFT	22	GREVILLIA	27	PRIMULAS .. 1, 5, 8 to 10, 34 & 35	
CANNAS	22	HELIANTHUS	27 & 28	PYRETHRUM	35
CARNATIONS	2, 12, 17 & 22	HELICHRYSUM	18 & 28	SAINTPAULIA	36
CELOSIAS	18 & 23	HELIOTROPE	28	SALPIGLOSSIS	5, 19 & 36
CENTAURIA	18 & 23	HEUCHERA	28	SCABIOUS	19 & 36
CHAMÆPEUCE	23	HOLLYHOCK	18 & 28	SILENE	36
CHRYSANTHEMUM	2 & 23	HUMEA	28	STOCKS	16 & 17
CINERARIA	7 & 24	HUNULUS	28	STREPTOCARPUS	5 & 36
CLARKIA	24	IPOMÆAS	3, 18 & 28	SWEET PEAS	13 & 14
CLIANTHUS	24	JACOBÆAS	18 & 36	TAGETES	36
CLIMBING PLANTS	18	KALANCHOE	4	TECOMA	36
CLITORIA	24	LARKSPUR	18 & 25	TORENIA	37
COCKSCOMB	18 & 24	LOBELIA	29	TROPEOLUMS	6, 19 & 37
COLEUS	24	LUPINUS	29	VERBENAS	19 & 37
COLLECTIONS	15 to 19 & 38	MARIGOLD	30	WALLFLOWER	6, 19, 37 & 38
COLLINSIA	24	MIGNONETTE	4, 30 & 31	ZINNIA	19 & 38
CONVOLVULUS	18, 24 & 25	MIMULUS	31		

VEGETABLE SEEDS, &c.

ASPARAGUS	42 & 51	COLLECTIONS	39	ONION	48
BEANS	41	CRESS	45	PARSLEY	49
BEEF	42	CUCUMBER	45 & 46	PARSNIP	49
BORECOLE	42	ENDIVE	46	PEAS	40 & 41
BROCOLI	43	GOURDS	46	POTATOES	51
BRUSSELS SPROUTS	43	HERBS, SWEET & POT	51	RADISH	49
CABBAGE	43	KOHL RABI	46	SAVOY	49
CAPSICUM	44	LEEK	46	SPINACH	50
CARDOON	44	LETTUCE	47	SUNDRIES	52 & 53
CARROT	44	MELONS	47 & 48	TOMATO	50
CAULIFLOWER	44	MUSHROOM SPAWN	48	TURNIP	51
CELEBY	45	MUSTARD	48	VEGETABLE MARROW	51

MISCELLANEOUS BULBS AND TUBERS.

ACHIMENES	60	DIELYTRAS	57	LILY OF THE VALLEY	58
AGAPANTHUS	64	EUCARIS	65	LYCORIS AUREA	66
AMARYLLIS	65	EUCODONIAS	65	MONTBRETIAS	58
AMORPHOPHALLUS	64	EURYCLES	65	NERINE JAPONICA	66
ARUMS	64	GALTONIA	57	PEONIES	58
BEGONIAS	56	GESNERAS	65	PANCRATIUMS	58
CALADIUMS	61 & 64	GLADIOLUS	54	PLANTS FOR WINTER AND EARLY SPRING BLOOMING	61
CALLIPHURRIA	65	GLORIOSA	65	RICHARDIAS	66
CANNAS	65	GLOXINIAS	60	SPIREAS	59
CRINUMS	57	HEMANTHUS	65	TROPEOLUMS	58
CYCLAMEN	57	HEMEROCALLIS	57	TUBEROSES	59
CYRTANTHUS	65	IRIS	57	TYDEAS	60
DAHLIAS	57	LILIUMS	62 & 63		

BULL'S FOOD FOR PLANTS, the most reliable and best Fertilizer, vide page 67.

ESTABLISHMENT FOR NEW AND RARE PLANTS AND CHOICE SEEDS,

536, King's Road, Chelsea, LONDON, S.W.

WILLIAM BULL, F.L.S.,

Respectfully invites the Nobility and Gentry about to furnish
Conservatories to an Inspection of the

MAGNIFICENT SPECIMEN

Ornamental Plants

IN HIS WINTER GARDEN,

Some of which are the most handsome in Europe,

COMPRISING

PALMS, CYCADS, ENCEPHALARTOS, AND DRACÆNAS,

And a Large Stock of

TREE FERNS.

GRAPE VINES.

The plants supplied are of matured growth, have all been grown from eyes, and the Fruiting Canes are of superlative quality.

Fruiting Canes, 10s. 6d. and 12s. 6d. each; good Planting Canes, 5s. and 7s. 6d. each.

A SUMMARY PRICED LIST OF FRUIT TREES.

All of the best Quality at prices as below.

NAME.	DWARFS.			STANDARDS.	
	Fine full Trained Trees.	Untrained.	Pyramidal.	Finest full trained trees with clean straight stems.	Untrained.
Apples	3s. 6d. & 5s.	1s. & 2s. 6d.	1s. 6d. to 3s. 6d.	—	2s. 6d. to 5s. 0d.
Apricots	5s.	1s. 6d. to 3s. 6d.	5s. to 10s. 6d.	12s. 6d. & 15s.	2s. 6d. to 5s. 0d.
Cherries	3s. 6d. & 5s.	1s. to 3s. 6d.	3s. 6d. to 7s. 6d.	10s. 6d.	2s. 6d. to 5s. 0d.
Nectarines	5s.	1s. 6d. to 3s. 6d.	5s. to 10s. 6d.	12s. 6d. & 15s.	3s. 6d. to 7s. 6d.
Peaches	5s.	1s. 6d. to 3s. 6d.	5s. to 10s. 6d.	12s. 6d. & 15s.	3s. 6d. to 7s. 6d.
Pears	3s. 6d. & 5s.	1s. 6d. to 3s. 6d.	2s. 6d. to 7s. 6d.	10s. 6d.	3s. 6d. to 7s. 6d.
Plums	3s. 6d. & 5s.	1s. to 2s. 6d.	2s. 6d. to 7s. 6d.	10s. 6d.	3s. 6d. to 7s. 6d.

1901.



BULL'S
Catalogue
OF
SEEDS.

H. CANNELL & SONS

Complete Catalogue of

GOLDEN SEEDS.



1898.

Horticultural Establishments,

SWANLEY & EYNSFORD,

KENT.

1/-



The Greatest Victory IN THE World for Seeds

WAS WON BY

H. CANNELL & SONS,

who competed with the largest growers, to prove
and decide who supply

THE BEST.

They were awarded the Great
INTERNATIONAL MEDAL.

Inscribed "PERFECT!" "The produce finest
yet attained."

For the Best Seeds & Crops send direct to

Swanley, Kent

It is they who brought
the great honour to

ENGLAND!

ITALY-SPAIN

GREAT-BRITAIN

GERMANY-FRANCE

AUSTRIA-HUNGARY

HOLLAND

AMERICA

ARGENTINA
MEXICO
VENEZUELA
BRASIL
CHILE
PERU
URUGUAY
COSTA RICA
COLUMBIA
ECUADOR
BOLIVIA
CHILE



Cannell & Sons' Complete Seed Guide.

CANNELL & SONS'

LIST OF NEW AND IMPROVED

VEGETABLES, &c., FOR 1898.

NOVELTIES SENT OUT AND HIGHLY RECOMMENDED BY H. CANNELL & SONS.



CABBAGE LETTUCE, "NANSEN, OR NORTH POLE."

Brussels Sprouts, "Hercules"—A splendid new sort, excelling all others by its reliability upon an always large crop, and which never failed during the past six years, while other sorts often were a complete failure owing to unsuitable weather. It is of medium height and wonderful stoutness. Sprouts are arranged in spiral rows around the stem, surprising everybody by the immense productiveness and the vigour of their appearance. There is no doubt "Hercules" will soon beat all the old sorts by its unrivalled steadiness in superiority. Per pkt., 1s.

Lettuce-Cabbage, "Nansen, or North Pole"—Among the many existing sorts of Cabbage-Lettuces only a few endure sometimes in a well-sheltered place and resist the severe frosts, whereas this variety during the last four winters has proved a surprising resistance against rough weather, even in a very exposed position. In the winter of 1894 a large plantation of it was inundated, and a strong frost covered the water with over one inch of ice. However, soon afterwards the plants proved quite undamaged, and formed in the earliest Spring time nice firm medium-sized heads of yellowish-green colour and finest tenderness as rarely found with other sorts. Per pkt., 1s.



BRUSSELS SPROUTS, "HERCULES."

Broad Bean, Cannells' Best of All or Champion

—Unlike most of the varieties in this class, the above novelty not only produces very long pods, but it is also a great cropper, commencing at the bottom growth of stems, and continues to within three inches of the top; of handsome and uniform shape and splendid flavour. For exhibition and table purposes it is, in our opinion, unsurpassable and second to none; strongly recommended. Per pkt., 1s. 6d.



CANNELLS' BEST OF ALL OR CHAMPION.



CANNELLS' CARROT, ROBERTS' WINNER.

Cannells' Carrot, Roberts' Winner—This will be found a splendid strain and selection, producing handsome well-shaped Carrots, and quite distinct from any variety we have previously offered. It belongs to the stump-rooted class and is of splendid colour and flavour. Will be undoubtedly found a most popular exhibition variety, and also for uses connected with the table. The skin is of a clear rich bright red colour, flesh close in texture, and of very fine flavour; a valuable kind for market purposes, and indispensable where very early crop is wanted. It has also given very satisfactory results when forced. A superior novelty. In sealed pkts., 1s. 6d. per oz.

Cannell & Sons' Complete Seed Guide.

NOVELTIES FROM OTHER SOURCES.

Bean, Nutting's Invicta Long Pod—The result of a close selection for about eight years, no pods with less than eight beans being allowed to remain for seed. The growth is usually vigorous, and the plant very productive, while the pods are of extraordinary length, many measuring 14 to 16 inches, and at the same time being tightly packed with seven or eight beans in each—a striking contrast to the half empty pods of some long-podded sorts. Sealed pint pkts., 1s. 3d. each.

Melon, Diamond Jubilee—This variety is the result of a cross between *Best of All* and *Countess*, and is a decided improvement on both these well-known kinds. The fruit sets freely on lateral growths, oblong in shape, is beautifully netted, and assumes a pretty golden yellow when ripe. Weight from 3 to 5 lb.; flesh greenish white, flavour excellent; a distinct acquisition for early crops. Per pkt., 1s. 6d.

Melon, Taunton Hero—This splendid Melon, though now offered for the first time, has been shown at leading exhibitions for the last five years. It is round in shape, lightly netted, and bright golden yellow in colour. The flesh is white, deep, melting, with a particularly pleasant flavour. In heat fruits attain a weight of 5 to 6 lb.; in a cold frame nearly all fruits of this variety come to a nice convenient size of about 4 lb. Per pkt., 1s. 6d. and 2s. 6d. each.

Pea, Captain Cuttle—A very distinct variety, and a valuable acquisition for late cropping, as well as for exhibition purposes. It is a most robust growing sort, and on that account should be sown thinly. The pods are large and handsome, terminating in an abrupt hook, and contain from seven to ten very large deep green peas of excellent quality. It is undoubtedly one of the heaviest late croppers in existence. Height, 3½ ft. In sealed ½-pint pkts., 2s. 6d. each.

Pea, Duke of Norfolk—This splendid Pea was raised from the well-known variety *Duke of Albany*, and without doubt is the finest wrinkled marrow ever introduced for exhibition purposes. It is a robust grower, pods large, handsome dark green, and borne in pairs containing nine to twelve fine peas in each of excellent quality. It grows 5 ft. high, and being of a branching habit requires to be sown thinly. In sealed pint pkts., 2s. 6d. each.

Pea, Dwarf Telephone—This is a valuable second early variety, being a dwarf pea with the large handsome pod of *Telephone*. The habit is dwarf, branching, healthy, and vigorous, remarkably uniform in height, growing about 1½ ft., and very productive. The pods are long, frequently 5 in. in length, broad, straight, curved at the end, and well filled with eight to ten peas of large size; tender, and of delicious flavour. Per quart, 2s. each.

Pea, Hurst's Reliance—Strongly recommended as a really good second early variety. It grows from 4½ to 5 ft. high, is an abundant cropper, and in quality and appearance of pod has all the characteristics of the true original stock of *Ne Plus Ultra*, although quite distinct from the latter, being ten days to a fortnight earlier, is somewhat paler in haulm, and is a blue wrinkled variety. Per quart, 2s.

Pea, Laxton's Hybrid—A very robust, free-growing, dwarf, marrowfat Pea. The pods are produced in pairs of a rich dark green colour, of fine shape, and flavour all that can be desired. As it requires no sticks, it will be a great acquisition to the good dwarf main-crop sorts, especially for market growers. In sealed packets, 2s. 6d. each.

Pea, Majestic—A fine main-crop variety of strong vigorous habit, handsome dark green exhibition pods, hanging in pairs, containing seven large peas of rich flavour. Award of Merit, R.H.S., Chiswick, 1897. Sealed pint pkt., 2s. each; ½-pints, 1s.

Pea, Shilling's Hartford Success—This grand main-crop variety is the result of many years' careful selection, and will be found one of the most useful kinds in cultivation. It grows 3½ to 4 ft. high, and is an immense cropper, the luxuriant dark green haulm being covered with large pods, each containing ten or eleven large peas of a delicious flavour, and which when cooked are of that rich dark green colour so desirable in a first-class culinary pea. In sealed half-pint pkts., 1s. 3d. each.

Potato, The Bovee—As a first early it has all desirable features, and combines in a wonderful degree extreme earliness, superior flavour, and heavy cropping qualities. The vine is short and stocky, and the tubers, which are between kidney and pebble shape, are all bunched together close up to the vine. The skin is a dark flesh colour, and the tubers size up to edible or merchantable size more quickly and uniformly than any other variety. Since introduced it has called forth thousands of testimonials. Per lb., 9d.; per peck of 14 lbs., 9s.

Tomato, Golden Jubilee—First-Class Certificate, R.H.S., May 26th, 1897. A very handsome yellow Tomato, which, in the opinion of experienced judges, gives promise of at once taking a very leading position among the varieties of this popular fruit. Its beautifully clear golden-yellow is relieved by a suffusion of scarlet, while the flavour is really delicious. Raised at the Royal Gardens, Windsor, by Mr. Owen Thomas, it is the result of a cross between *Golden Princess* and *Frogmore Selected*, partaking of the best qualities of both parents. Per pkt., 2s. 6d.



DIAMOND JUBILEE MELON.



GOLDEN JUBILEE TOMATO.



"Gardening is an enjoyment and occupation for - - -
- - - which no man can be too high or too low." - EARL OF CARLISLE.

H. Cannell & Sons

(F. R. H. S., M. S. A.)

COMPLETE & ILLUSTRATED LIST

- - - OF - - -

"Perfect" Seeds

(REGISTERED TRADE MARK)

For 1898.

*Which are annually re-selected from
their finest strains, and
supplied direct from their
fields of 300 acres.*

*Everything for the Garden
and Greenhouse supplied.
HORTICULTURAL SEED FARM,
- - - - - EYNSFORD.*

Henry Cannell & Sons,
SEED GROWERS AND MERCHANTS,
SWANLEY,
KENT.

Price 1. -, Post free;
Free to Intending Purchasers.

THE LARGEST AND SMALLEST - - -
- - - ORDERS PROMPTLY FORWARDED.

Cannell & Sons' Complete Seed Guide.

Short Notes and Information for our Customers.

.....

FREE CARRIAGE OF SEEDS.—We send all Vegetable and Flower Seeds carriage paid to any place in the United Kingdom, excepting Peas and Beans, Potatoes and Artichokes, when any or all of these are ordered in small quantities, as in many such cases the carriage nearly, if not quite, absorbs the value of the goods.

Potatoes and sundries, &c., are only sent free if the value amounts to 20s. and upwards, when we send the whole carriage paid. We do not pay carriage on Pot Plants, Trees, Shrubs, or Bulbs; but extra plants, &c., are added gratis in lieu of carriage.

EMPTY PACKAGES.—We charge at cost price, and allow half price if returned in good condition and carriage paid and must be in a cases accompanied with sender's name and address and advised by post.



Although every care will be taken in the packing and sending of plants, seeds, &c., risk of every description must be borne by the purchaser immediately they are delivered to the Railway Company or Postal Authorities.

Every article is charged at the very lowest price. Our object is to give the ready-money buyers the advantage they are really entitled to. It may happen that prices lower than ours may sometimes be quoted. This invariably means false economy in a variety of ways—good things must be looked after by good men, who must be fairly paid and good strains are only procured by unceasing labour and care.



Full instructions as to the proper mode of forwarding must accompany each order, as it is calculated to expedite transit of goods, and save vexatious mistakes. All goods are advised the same day as forwarded, and the invoice posted as soon as possible afterwards.

Say by what rail. Please to write the address plain and in full on each order. No complaints entertained unless made immediately receipt of goods.

The greatest care is exercised, and utmost liberality shown, when the selection of sorts is left to us.



It is particularly requested that all small orders under 5s. be accompanied with remittance, to avoid the necessity of Booking, often the trouble of rendering and even re-rendering several times to our loss.



All orders by post will be dealt with precisely as if given personally. Those who send above their value will have additional put in to make up the full amount.

We have every facility for keeping a large stock of everything enumerated in this Catalogue, and are therefore determined to adopt the system of quick sale and ready money. All who enclose remittances will be most liberally dealt with.

Our establishments are open for business, &c., from 6 o'clock a.m. until 6 p.m., and 5 o'clock p.m. on Saturdays. No visitors admitted on Saturday evenings and Sundays. Closed on all Bank Holidays.

Customers are particularly requested, when sending orders for friends (with their own), to do so on separate papers, with each address written plainly, to prevent mistake.



WHEN SPECIAL QUOTATIONS ARE GIVEN, CUSTOMERS ARE KINDLY REQUESTED TO MENTION SUCH.

To avoid delay and disappointment, all business communications must be sent direct to the firm, addressed "H. CANNELL & SONS," otherwise they will remain unnoticed. Telegraphic Address, "CANNELL, SWANLEY."

Post Office and Postal Orders to be made payable at Swanley, Kent, and crossed "H. & Co."

All Cheques to be made payable to H. CANNELL & SONS, and crossed Martin's Bank, Swanley, Kent.

Our Terms of Credit are three months only from date of invoice or special arrangement. Not as in co-operative societies, do we demand payment beforehand, unless from unknown correspondents, when satisfactory references to bankers, or some person already known, are equally acceptable. So as to encourage quick returns and but small profits, we allow 5 per cent. discount on all payments made within 14 days of date of invoice, but after that must be remitted in full. When special prices are quoted, accounts are payable one month from date of invoice and no discount. We cannot undertake to send a receipt for payments under 2s. 6d., unless the return postage is sent us.

We hope all customers will apprise us of change of address, thus saving the annoyance to them of redirection and surcharge by postal officials and loss of double postage to us when returned; a halfpenny card would thus save us a shilling, and often pounds. Should any Customers not receive our Catalogues at the usual seasons of the year, we shall be pleased to send copies of same upon hearing from them. Many are lost in transit.

NOTICE.—We grow our own Seeds, and every possible pains taken, and the strictest attention is paid to have no supply every item as per Catalogue; but there are so many always anxious to rush into litigation for the sake of compensation for any trifle, and failures which may occur over which perhaps we have no control, that we are compelled to issue this notice:—

CANNELL & SONS give no warranty, express or implied, as to description, quality, productiveness, or any other matter, of any Seeds or Bulbs they send out, and they will not be in any way responsible for the Crop. If the purchaser does not accept the goods upon these terms they are to be returned. These conditions will be found in all our Catalogues.

Cannell & Sons' Complete Seed Guide.

THE VALUE OF PERFECT SEEDS.

UPON these, the hope, pride, pleasure, and satisfaction of the garden entirely depend during the whole year. We have often seen people admire inferior productions and been contented, but the moment they see something vastly superior, then comes the great surprise and astonishment that they should have been so long satisfied with what they have had. There are many thousands standing in this position all over the world. Now, we will ask you how all the gentlemen (see testimonials), who are perfectly unknown to each other, therefore cannot have the slightest interest or feeling beyond stating facts concerning our seeds, for the sole purpose of showing satisfaction they have given, and no doubt the great object they had at heart was to benefit their fellow countrymen. It is now an acknowledged fact by all who have had them that they are the best offered in Europe.

SEEDS SHOULD COME UP STRONG!

IT is of immense advantage when land is manured and dug not later than January, so that it can be left rough during greater part of the winter season, and thus let the surface get thoroughly frozen through, particularly heavy land; it is astonishing how it crumbles to pieces, as if it was ashes. The small seeds come up when sown in it beautifully, in consequence of the soil being so friable; whereas, if the ground is dug later, in all probability there is not sufficient frost to pulverise the lumps. The strongest seedlings cannot have much strength, and more often than not are covered over as it were with a flag-stone; so they are crippled, and often die in their attempt to reach the daylight. If seeds are old—and they mostly are from non-actual growers—and have lost greater part of their vigour, the crop must be a failure, and those that struggle through and survive can only be compared to a poor sickly crippled child, requiring extra attention, and must be judiciously supplied with plenty of good food or they will never grow up, and even then far from satisfactory—how can they? Think over the matter: nature does a lot, but man must use common sense to be successful. As a rule, seeds should be covered with soil about double their depth (excepting Begonia and other very minute seeds). It must also be remembered that all seeds should be kept at one regular state of moisture even after they have germinated, so as to allow the young radicles or roots to attain sufficient length, and thus have power to gather up moisture and sustenance to supply the plant; for the better this is attended to, so will the plant do accordingly. Good heavy well developed seeds are a great secret in securing a thoroughly satisfactory crop.

PLEASE KEEP YOUR EYES ON THIS BOOK FOR
REFERENCE AND INFORMATION WHEN ORDERING
EVERYTHING FOR THE GARDEN.

OUR FOREIGN TRADE.

WE have so perfected the system of sending plants and seeds into the most remote parts of the world that success is no longer an uncertainty, which the many testimonials confirm.

FOR EXPORT.


COLLECTIONS

OF

VEGETABLE SEEDS

supplied from

5/- up to £10.



FOR EXPORT.

COLLECTIONS

OF

FLOWER SEEDS

supplied from

2/6 up to £5.

H. CANNELL & SONS

(Member of the Royal Horticultural and Royal Agricultural Societies of England and of the Society of Arts),

Importers and Exporters of all New and Choice Plants, Florists' Flowers and Seeds, to and from all parts of the World.

FOREIGN AND COLONIAL NOTICES.

Packets of Flower Seeds are forwarded Post Free to all countries included in the Postal Union.

Plants and Seeds are despatched to India through the Indian Parcel Post, and also by the Ordinary Mail. Customers will kindly notify by which service they wish their parcels sent.

In America, Australia, India, and Cape Town, the general expression amongst both the trade and amateurs is—"None are successful in exporting plants as Cannell & Sons;" consequently, we need hardly say our trade has increased to a very great extent.

When Soft-wooded Plants are received abroad, if dry, let them lie in milk-warm water for three to six hours, without removing the packing from the roots; then unpack and put in pots, according to size, place in a close glass case, being careful to shade from the sun until they make fresh growth.

All orders must be fully prepaid or accompanied by satisfactory reference.

Telegraphic Address: "CANNELL, SWANLEY, ENGLAND."

Cannell & Sons' Complete Seed Guide.

CANNELLS' COLLECTION OF HOME GROWN PERFECT SEEDS

FOR PRODUCING A

REGULAR SUPPLY of VEGETABLES ALL THE YEAR ROUND for the TOWN, SUBURBAN, and COUNTRY GENTLEMEN'S GARDENS

WE FORWARD ALL COLLECTIONS CARRIAGE FREE.



We have one of the most complete Kitchen Gardens in England, and everything therein to supply our customers at the very cheapest rate and the best in every way.

We should be pleased, if any of our customers wish it, to make up Collections as arranged by any other well-known Firms, and at the same prices as advertised.

No reduction in the prices of these Collections, but shall be pleased to make slight alterations in contents if desired.

No. 1.—Price 2s. 6d., for a Cottage Garden.

No. 2.—Price 5s., for a Cottage Garden.

No. 3.—Price 7s. 6d., for an Amateur's Garden.

No. 4.—Price 10s. 6d., for a Small Garden.

PACKING AND CARRIAGE FREE.

Peas—For succession ...	6 pints
Beans—Broad ...	2 "
" —Scarlet Runners ...	1 pint
" —Dwarf ...	1 "
Beet—The best ...	1 pkt.
Borecole, or Kale ...	1 "
Brussels Sprouts—Cannells' Matchless ...	1 "
Broccoli ...	1 "
Cabbage—For succession ...	2 pkts.

Carrot—For Winter and Summer use ...	2 pkts.
Cauliflower ...	1 pkt.
Celery ...	1 "
Cress—Plain and Curled ...	2 ozs.
Cucumber—For outdoors ...	1 pkt.
Endive ...	1 "
Herbs—Pot and Sweet ...	2 pkts.
Leek ...	1 pkt.
Lettuce—For succession ...	2 pkts.

Mustard—Best White ...	2 "
Onion—For Spring and Autumn sowing ...	3 "
Parsley ...	1 "
Parsnip ...	1 "
Radish—For succession ...	2 "
Spinach—Round and Prickly ...	2 "
Savoy Cabbage ...	1 "
Turnip ...	2 "
Vegetable Marrow ...	Mixed 1 "

No. 5.—Price 12s. 6d.

PACKING AND CARRIAGE FREE.

Peas ...	5 pints
Beans—Broad ...	1 pint
" —Scarlet Runners ...	1 "
" —Dwarf ...	1 "
Beet—The best ...	1 pkt.
Borecole, or Kale ...	1 "
Brussels Sprouts ...	1 "
Broccoli ...	2 pkts.
Cabbage ...	2 "
Carrot ...	2 "

Cauliflower ...	1 pkt.
Celery ...	1 "
Cress ...	3 ozs.
Cucumber ...	1 pkt.
Endive ...	1 "
Gourd or Pumpkin ...	1 "
Leek ...	1 "
Lettuce ...	2 pkts.
Mustard ...	3 ozs.

Onion ...	3 "
Parsley ...	1 "
Parsnip ...	2 "
Radish ...	3 "
Spinach ...	3 "
Savoy Cabbage ...	1 "
Turnip ...	1 "
Vegetable Marrow ...	1 "
Herbs—Sweet and Pot ...	3 "

No. 6.—Price 10s. 6d., Vegetable and Flower Seeds Combined.

PACKING AND CARRIAGE FREE.

Peas—2 kinds, early and late ...	2 pints
Beans—Runners ...	1 pint
" —Broad ...	1 "
Beet ...	1 pkt.
Brussels Sprouts ...	1 "
Borecole ...	1 "
Broccoli ...	1 "
Cabbage ...	1 "
" Savoy ...	1 "
Celery ...	1 "
Cauliflower ...	1 "
Cress ...	1 oz.

Cucumber—Ridge ...	1 pkt.
Carrot ...	1 "
Endive ...	1 "
Lettuce ...	1 "
Leek ...	1 "
Mustard—White ...	1 oz.
Onion ...	1 pkt.
Parsley ...	1 "
Parsnip ...	1 oz.
Radish ...	1 "
Spinach ...	1 "
Turnip ...	1 "

Vegetable Marrow ...	1 "
Showy Hardy Annuals ...	3 "
Half-Hardy ...	3 "
Balsam ...	1 "
Aster ...	1 "
Ten-Week Stock ...	1 "
Everlasting Flowers ...	1 "
Ornamental Grasses ...	1 "
Sweet Peas ...	1 "
Mignonette ...	1 "
Sunflower ...	1 "

Higher Priced Collections of Vegetable and Flower Seeds combined can also be supplied.

No. 7.—Price 10s. and 20s. The "Competitor's" Collection of Seeds, suitable for producing Vegetables for Exhibition and Competition purposes, consisting of most reliable and finest varieties.

Cannell & Sons' Complete Seed Guide.

No. 8.—Price 21s., for a Medium-Sized Garden.

PACKING AND CARRIAGE FREE.

—The best for succession	6 qts.
ns—Broad	5 pints
—French, Dwarf	1 pint
—Runners	1
t—The best	1 pkt.
ecole, or Kale	1
ccoli—Finest sorts for succession	3 pkts.
ssels Sprouts—Cannells' Matchless	1 pkt.
bage—For succession	3 pkts.
rot—Two kinds	2 ozs.
liflower	1 pkt.
ery—Good varieties...	2 pkts.

Colewort	1 pkt.
Corn Salad	1
Couve Tronchuda	1
Cress—Plain and Curled	3 ozs.
—American or Land	1 pkt.
Cucumber—Best frame and ridge vars.	2 pkts.
Endive	1 pkt.
Herbs—Sweet and Pot...	3 pkts.
Leek—The best	1 pkt.
Lettuce—Cos and Cabbage, for succession	3 pkts.
Melon—Choice	1 pkt.
Mustard—Best White	4 ozs.

Onion—For Spring and Autumn sowing	3 pkts.
Parsley	1 pkt.
Parsnip—Cannells' Hollow Crown	1 oz.
Radish—For succession	3 ozs.
Rampion	1 pkt.
Salsafy	1
Scorzonera	1
Savoy Cabbage	1
Spinach—Summer and Winter varieties	4 ozs.
Tomato	1 pkt.
Turnip—For succession	3 ozs.
Vegetable Marrow	1 pkt.

No. 9.—Price 42s., for a Large Garden.

PACKING AND CARRIAGE FREE.

—The best sorts for succession	10 qts.
ns—Broad, the best varieties	6 pints
—French, Dwarf	2
—Runners	1 pint
paragus, only if requested	1 pkt.
t—The best	2 ozs.
ecole, or Kale—The best	3 pkts.
ccoli—Best sorts for succession	4
ssels Sprouts	2
bage—For succession	4
sicum—Mixed	1 pkt.
rot—The best sorts for succession	5 ozs.
liflower—For succession	2 pkts.
ery—Selected varieties	2
ewort	1 pkt.

Corn Salad	1 pkt.
Couve Tronchuda	1
Cress—Plain and Curled	8 ozs.
—American or Land	1 oz.
Cucumber—The best frame and ridge varieties	2 pkts.
Endive	2
Gourds, only if requested	1 pkt.
Herbs—Sweet and pot...	4 pkts.
Leek—Musselburgh	1 pkt.
Lettuce—Cos and Cabbage, the best varieties for succession	4 pkts.
Melon—Choice varieties	2
Mustard—Best white	1 pint

Onion—For Summer and Winter use	4½ ozs.
Orache, or Mountain Spinach	1 pkt.
Parsley—The finest in cultivation	1 oz.
Parsnip—Including Cannells' Hollow Crown	3 ozs.
Radish—The finest sorts for succession	8
Rampion	1 pkt.
Salsafy	1
Savoy Cabbage—The best	2 pkts.
Scorzonera	1 pkt.
Spinach—Round and Prickly	1½ pints
Tomato	1 pkt.
Turnip—Finest sorts for succession	4 ozs.
Vegetable Marrow	2 pkts.

No. 10.—Price 63s., for a Very Large Garden.

PACKING AND CARRIAGE FREE.

—The best varieties for succession	20 qts.
ns—Broad, the best kinds	6
—French Dwarf	2 pints
—Runners	3
paragus, only if requested	1 pkt.
t—2 of the best kinds	2 ozs.
ecole, or Kale	3 pkts.
ccoli—For succession	5
ssels Sprouts	2
bage—The best kinds for succession	5
sicum—Choice mixed	1 pkt.
ot—The best kinds	7 ozs.
liflower—For succession	2 pkts.
ry—Selected varieties	2
wort	1 pkt.

Corn Salad	1 oz.
Couve Tronchuda	1 pkt.
Cress—Plain, Curled, &c.	2 pints
—American or Land	1 oz.
Cucumber—Best frame and ridge varieties	3 pkts.
Egg Plant—Mixed, only if requested	1 pkt.
Endive—Including fine Green Curled	3 pkts.
Gourds, only if requested	1 pkt.
Herbs—Pot and Sweet...	6 pkts.
Leek—The best	1 oz.
Lettuce—Cos and Cabbage varieties...	6 pkts.
Melon—Choice varieties	2
Mustard—Best White	1 qt.
Onion—For Spring and Autumn sowing	8 ozs.

Orache, or Mountain Spinach	1 pkt.
Parsley—Cannells' "Beauty of the Parterre"	2 pkts
Parsnip—Including selected Hollow Crown	4 ozs.
Radish—The best sorts for succession	16
Rampion	1 pkt.
Salsafy	1 oz.
Savoy Cabbage—Including Drumhead	2 pkts
Scorzonera	1 oz.
Spinach—Summer and Winter varieties	2 pints
Tomato—The best	2 pkts.
Turnip—For succession	8 ozs.
Vegetable Marrow	3 pkts

No. 11.—Price 105s., for an Extra Large Garden, Public Institutions, Hotels, &c.

PACKING AND CARRIAGE FREE.

—The best varieties for succession	24 qts.
ns—Broad, the very best varieties	8
—French Dwarf	4 pints
—Runners	4
paragus, only if requested	1 oz.
t—2 of the best kinds	4 ozs.
ecole, or Kale	4 pkts.
ccoli—The best sorts for succession	6
ssels Sprouts	3
bage—For succession	6
sicum—Choice mixed	1 pkt.
ot—All the very best kinds	12 ozs.
liflower—For succession	4 pkts.
y—Selected varieties	3
wort	1 pkt.
Salad	1 oz.

Couve Tronchuda	1 pkt.
Cress—Plain, Curled	3 pints
—American or Land	1 oz.
—Australian	1
Cucumber—The best frame and ridge varieties	3 pkts.
Egg Plant—Mixed	1 pkt.
Endive—The best	4 pkts.
Gourds, only if requested	1 pkt.
Herbs—Pot and Sweet...	8 pkts.
Leek	1 oz.
Lettuce—For Spring and Autumn sowing	8 pkts.
Melon—Choice varieties	3
Mustard—Best white	2 qts.

Onion—For Summer and Winter use	10 ozs.
Orache, or Mountain Spinach	1 pkt.
Parsley—Cannells' "Beauty of the Parterre"	4 ozs.
Parsnip—Including selected Hollow Crown	6
Radish—For succession	2 pints
Rampion	1 pkt.
Salsafy	1 oz.
Savoy Cabbage	3 pkts.
Scorzonera	1 oz.
Spinach—For Summer and Winter use	3 pints
Tomato—Best varieties	4 pkts.
Turnip	1½ pints
Vegetable Marrow	3 pkts.

Farmers, Market Gardeners, and Public Institutions, when in want of Seeds in Large Quantities, should write to us for Special Quotations. No Extra Charge for Estimates or Information.

Cannell & Sons' Complete Seed Guide.

GENERAL LIST OF VEGETABLES.

Our Seeds are all new and of our own growing. No need testing or proving them



Those of our esteemed Patrons who have proved the value of our Collections of "Perfect Seeds," we respectfully ask them to recommend us to their Friends.

The Varieties that are underlined are recommended as worthy of general cultivation to those who are uncertain as to which kinds to grow.

PEAS.

(*Pisum Sativum*.) LEGUMINOSÆ.

PINTS CAN ALSO BE SUPPLIED OF ALL THE VARIETIES IN LIST.

CULTURE—Trenching or deep digging is highly necessary for Peas, in fact, all vegetable culture. Take all the top good soil off and throw in on the second trench, keeping the top on the top, and then thoroughly break up the lower spit, which is generally very inferior, another foot (adding plenty of manure): this done, the ground is then of double value—in fact, every inch of soil should be done thus, and then our crops would be considerably more productive. The ground should be well pulverised and enriched with good manure, burnt rubbish, and lime. The earliest varieties may be sown about the second or third week in November, or first week in December, another sowing in January, and continuous sowings in the order they stand, every three weeks, up to the end of July. Sow in rows four to seven feet apart (according to height, which varies wonderfully): when about five or six inches above ground, thin out if required, and properly stick. We find boards edgeways along the rows on the windward side capital protection. In a dry summer like 1893, when the Pea season was brought to a premature close, the advantages that may be derived from planting them in trenches and well watered before sowing the Peas were more apparent than usual. On soils of a light and burning nature, this is the only way whereby good crops of this vegetable may be ensured. If the trenches are taken out in the winter time, and the soil laid up on each side of them, it will sweeten, and when the time comes for sowing, be in a much better condition than digging can bring it to. If the refuse from the rubbish heap mixed with its own bulk of manure, be laid in the bottom of the trenches, the roots will find their way into it, greatly to their benefit, when dry exhaustive weather comes. In a dry season mulching should be liberally done. The difference in the yield of peas grown in this way is great compared to the ordinary method.

By sowing seeds of some of the early kinds in July, a late picking of Peas may be had until the frost sets in.

The general height is here given of the various kinds of Peas, but, of course, the season and richness of the soil will cause a difference.

CANNELLS' INVALUABLE EARLY WRINKLED PEA.

Certainly the best Dwarf Early. Testimonials from all the leading Vegetable Growers confirming this.



PEA, CANNELLS "ENGLISH WONDER." Best Dwarf Variety in Cultiva

SECTION I., or EARLIEST VARIETIES.

Cannells' "English Wonder."—Valuable first early Pea. It is, without doubt, the finest dwarf wrinkled early Pea, as the unsolicited testimonials and extracts from the various gardening papers will prove. The haulm grows from 1 ft. to 16 ins. high, and is covered with beautiful curved dark green pods, produced in pairs, literally packed with 8, 9, and in many cases 10 and 11 peas of first-class flavour when cooked. This variety requires good and rich cultivation. 7... .. 1

Height
in feet.

BEST EARLY AND LATE PEA.

Extracts from GARDENING ILLUSTRATED.

CANNELLS' ENGLISH WONDER PEA.

This is an improvement on the older dwarf early variety called *American Wonder*, and is one of the very best for very early or very late crops—in fact, except for the midsummer crop there is no need to grow any other in private gardens. One could get a very good supply every day of the Pea season from this variety alone, but everyone likes variety, and for the hottest weeks of the year I like to have a few rows of the large Marrow Peas, but they take up so much space that one cannot afford the room or the garden would be all Peas. I find that for the area covered there is nothing like the dwarf of the *English Wonder* type. I am now gathering beautiful dishes from rows in which the haulm is only 12 inches high. The plan I like best for the late crop is to dig out a trench as if for a single row of Celery, put some well-rotted manure and soil in, so that when finished it is only about three inches below the ordinary level; then scatter the seed thinly over the entire surface, cover with soil, and one good soaking of water will last a long time. Peas in abundance may be gathered up to October, or even later if the weather keeps open. In the suburban garden Pea-stakes are such an expensive luxury that they cost as much as the Peas; but after trying the majority for a very early and very late supply I have come to the conclusion that *English Wonder* is the sort to rely on.

J. GROOM, Gosport.

CANNELLS' DEFIANCE CABBAGE. FAR THE BEST IN ALL SEASONS. (See page 16.)



At this time of the year I have never seen anywhere such a really beautiful white and firm-hearted small Cabbage as this. Messrs. Cannell and Sons had a large quantity of it on their table at the recent Royal Aquarium show, and it was absolutely perfect. When or how obtained I do not know, but I did learn that it was the product of several years' hard selection. How greatly superior to the large, coarse Cabbage is such a kind as this. The heads were just about what we see from a good stock of *Ellam's Early* in the Spring; but then this is not a good Autumn Cabbage, whereas *Cannells' Defiance* is a first-rate one.—D.

[P.T.O.]

H. CANNELL & SONS'

Pure Own-Grown Golden Kentish Seeds

Are the finest the World can produce.

AS A PROOF

Sir Trevor Lawrence, President, the Council and 30 expert Committeemen of the Royal Horticultural Society, awarded us the Highest Honour and instructed their Secretary, the Rev. Wilks, to say that the Vegetables composing our great exhibit were

"WONDERFUL."

THIS SPEAKS FOR ITSELF.

Send for Ours, the best and most edifying Catalogue
ever issued.

Price 1s., post free to customers.

**SWANLEY,
KENT.**

[P.T.O.]

Cannell & Sons' Complete Seed Guide.

We should esteem it a favour, and would accept with much pleasure from our esteemed Patrons Photographs of Vegetables, Flowers, and Fruit views in gardens or conservatories for the purposes of reproduction in our Catalogues.

NEW PEAS OF 1897.

- Boston Unrivalled**—A prolific second-early wrinkled Marrowfat of the best table quality; height, 2½ ft. to 3 ft.; pods large, of the Telephone shape and colour. Sealed pints, 1s. 6d.
- Eckford's Pioneer**—A marrow Pea of fine flavour and heavy cropping qualities. The handsome square-ended pods are borne in pairs of fine deep green colour, and come in as early as *Wm. Hurst* or *Exonian*. Considered the finest early variety yet introduced. 4 ft. Sealed ½-pint pkts., 2s.
- John Howard**—This fine main-crop variety was raised by crossing *Laxton's Omega* with *Telephone*, and possesses the true *Ne Plus* character, but the pods are considerably larger, of a rich dark green colour, containing nine to ten large peas of the finest flavour. The habit is strong and branching. 4 ft. Sealed pkts., 2s.
- Lord Mayor**—Will be found of great value both for exhibition and general crop. It is a great bearer, and the pods produced in pairs are very long, straight, square-ended, and closely filled with very large Peas of excellent flavour. In habit it is exceedingly strong and branching and coming into bearing about the end of June. 4½ ft. Per pint, 2s.
- The Bruce**—This is a variety of exceptional merit, as well in point of flavour as in its great productiveness. The pods, which are produced in pairs, are of a fine green colour, large, square-ended, showy, and well filled. Its flavour is of the finest. 5 ft. Sealed packets, 2s.
- The Gladstone**—Obtained $\times \times \times$ a d an Award of Merit, R.H.S. Extract from Report of Peas tested at Chiswick, 1896, viz.:—*The Gladstone* $\times \times \times$ (unanimous award) is an excellent cropper, pods in pairs; haulm, pods, and peas very dark green; pods very long, often containing eleven peas of large size in each, of fine flavour; seed wrinkled. 3½ ft. In sealed ½-pint pkts, 2s.

SECTION I.; or EARLIEST VARIETIES.

	Height in feet.	Per qt. s. d.
American Wonder —Compact in habit, good for forcing, must have good well prepared soil; green wrinkled ...	1	1 9
Chelsea Gem —Compact, short-jointed habit; the pods are well filled, and of first-rate quality; wrinkled, and well adapted for forcing ...	1	2 0
Dr. Hogg —An early wrinkled Marrow, possessing the flavour of some of the late varieties ...	3½	1 6
Earliest of All —One of the earliest round blue varieties; good cropper, and of rich flavour ...	3	1 4
Early Sunrise —A first-rate white wrinkled Marrow, suitable for sowing late or early; fine flavour ...	2½	1 0
First and Best —One of the best for early sowing ...	3	1 0
Gradus —Large-podded wrinkled variety, good for table and for show; pods well filled. First-Class Certificate at Chiswick ...	3	1 9
Kentish Invicta —The earliest blue Pea in cultivation, with handsome, well-filled pods ...	3	1 0
Lightning —The earliest of all white round Peas; a good cropper ...	3	1 0
Ringleader, or First Crop —Very early, hardy, and productive ...	2½	1 0
Sangster's No. 1, Improved —A very early variety, ready for gathering about a week earlier than the old variety of Sangster's No. 1 ...	3	0 10
Wm. Hurst —A useful early dwarf kind ...	1	1 9
William the First —A remarkably fine early Pea, most productive; rich, sweet flavour ...	3½	1 6

We can also supply other varieties not offered in this List.



SANGSTER'S IMPROVED NO. 1 PEAS.



KENTISH INVICTA PEAS.

SECTION II.; or, SECOND EARLY VARIETIES.

	Height in feet.	Per qt. s. d.
Anticipation —Robust habit; immense straight pods, well filled, and of superb flavour ...	2½	2 0
Censor —A deep green wrinkled Marrow; well-filled, pointed pods; peas large; exquisite flavour; fine, robust grower; a desirable variety ...	3	1 6
Champion of England —One of the most useful Peas, and can be relied on. It is hard to beat, very prolific, continuous bearer, and does best in light soils ...	5	1 0
Colossus —Wrinkled; long well-filled pods; light green; fine flavour; a great cropper ...	5	2 0
Essential —First-class Certificate, R.H.S. A wrinkled early Marrow; produces abundantly square, handsome, well-filled pods; exquisite flavour ...	5	2 0
Evolution —Pods larger and greener than <i>Telephone</i> ; exquisite flavour. Good for exhibition ...	4	1 6
Harrison's Glory —An early blue, with handsome pods ...	2½	0 10

	Height in feet.	Per qt. s. d.
Hundredfold, or Cook's Favourite —A sure and heavy cropper; capital flavour ...	4	1 3
Laxton's Fillbasket —Very prolific, pods long and closely filled; a deep green; suitable for exhibition ...	3	1 3
Laxton's Supreme —An excellent variety, with long pods; grown extensively by market gardeners ...	4	1 0
McLean's Little Gem —An early dwarf wrinkled Marrow; may be sown for late as well as early crops ...	1	1 3
Prince of Wales —A first-class white wrinkled Pea of excellent flavour; good cropper ...	3	1 3
Prizetaker —Very prolific Pea, of a fine green colour ...	4	1 0
Sharpe's Queen —A blue wrinkled Marrow of sturdy branching habit. The pods are large and well filled; delicious flavour ...	2½	1 9
Shropshire Hero —Dwarf wrinkled, robust and productive. First-class Certificate, R.H.S. ...	2½	1 6

Cannell & Sons' Complete Seed Guide.

SECTION II.—continued.

	Height in feet.	Per qt. s. d.		Height in feet.	Per qt. s. d.
Stratagem —A dwarf wrinkled variety of robust habit, with immense pods, containing 8 to 10 rich flavoured peas ...	2	1 9	Walker's Perpetual Bearer —Of robust habit, a great cropper and continuous bearer, resisting the mildew renders it very valuable as a late variety; should be sown very thinly ...	3	1 9
The Daisy —Fine pods; excellent cropper. A grand dry weather variety; splendid table qualities ...	1½	2 0	William the Conqueror —A first-rate blue Marrow, coming into use about the same time as <i>William the First</i> . Dark green pods, well filled ...	5	1 3
The Duchess —Resembling <i>Duke of Albany</i> , but earlier, and a heavier cropper; pods quite straight; splendid for exhibition ...	5	2 6	Yorkshire Hero —A superior wrinkled variety, compact habit, dark green foliage, flavour good ...	2½	1 0

We can also supply other varieties.

We invite our Customers to write to us for Special Prices when requiring larger quantities than are offered here, but more especially of Beans, Cabbage, Onion, Peas, Spinach, and Turnips.



CANNELLS' DWARF MAMMOTH MARROWFAT.

SECTION III.; MAIN, or GENERAL CROP.

	Height in feet.	Per qt. s. d.		Height in feet.	Per qt. s. d.
Alderman —Prolific; a few days later than <i>Duke of Albany</i> ; very large, handsome, straight, deep green and well-filled pods of the <i>Ne Plus Ultra</i> flavour and quality; good for late crops ...	...	5	Autoerat —One of the most prolific in cultivation. It continues bearing for a considerable time. Should be sown early, those required for late picking must be well sticked. Grand for exhibition ...	4	2 0
Ambassador —Certificate of Merit, R.H.S. Wrinkled, deep green, long-pointed, well-filled pods; of the finest flavour; a great acquisition ...	5	2 0	Best of All —Its splendid quality, robust habit, and productiveness will recommend it to any grower of wrinkled peas ...	3	1 6
			British Queen —A delicious wrinkled Pea, very prolific, and continues bearing for a great length of time ...	6	1 3

PINTS CAN ALSO BE SUPPLIED OF ALL THE VARIETIES IN LIST.

Cannell & Sons' Complete Seed Guide.

BROAD BEANS.

(*Faba vulgaris*.) LEGUMINOSÆ.

CULTURE.—For an early crop, a sowing should be made of *Mazagan* in October or November on well-drained soil. The main crop should be sown in February, and others to follow up to the end of May. Sow in drills, about 2 inches deep, the beans to be 3 inches apart, and the drills 2 to 3 feet apart. The ground dug and well manured. To ensure well-filled pods it is a good plan to pinch off the leading top as soon as the lower pods begin to set. For dry seasons, see cultural directions in Peas.

Per quart.—s. d.

Cannells' Champion—See New Things, coloured paper.

Cannells' Exhibition Long Pod—This is undoubtedly one of the finest and most productive Long Pod Broad Bean we have ever seen, and amongst the best in cultivation for exhibition ... 1 6

Cannells' Giant Seville Long Pod—This variety is one of the longest podded beans in cultivation, consequently it is well adapted for exhibition purposes; good cropper, and of fine flavour ... 1 4

Cannells' Green Windsor—Splendid colour when cooked, and fine flavour. A grand improvement on the old variety ... 1 0

Leviathan—Bearing immense pods from 13 to 15 inches long; very prolific, and specially recommended for exhibition purposes ... 1 6

Beck's Dwarf Green Gem—An excellent dwarf sort, only 1 foot high ... 1 4

Early Mazagan—The best for the first sowing ... 0 8

Green Long Pod—Very fine, and a nice colour when cooked ... 0 10

Harlington Windsor—The largest and most prolific Windsor Bean in cultivation ... 1 0

Johnson's Wonderful Long Pod—Very early, and a good cropper ... 0 9

Laxton's Masterpiece, Green Long Pod—A very fine and prolific green-seeded variety, the long pods filling well, and containing from four to seven large beans, thickly set on the stems, and frequently in pairs. A grand variety for exhibition; quality superior, and as early as the *Seville* ... 1 3

Taylor's Broad Windsor—Large, and fine flavour ... 0 9

Other varieties can be supplied.

RUNNER OR CLIMBING BEANS.

(*Vicia multiflora*.) LEGUMINOSÆ.

CULTURE.—It is a common mistake to plant these too early. Sowings may be made in April, under glass, and the plants put out about the middle of May where they are to stand. If, however, they are to be sown in the open ground, do not put them in until the first week in May and again in June and July. This is the vegetable for a hot and dry season. When thickly mulched and watered they will bear heavily, and deserve all the labour of watering afforded them. They should be occasionally topped, to induce side growth, and if possible stakes or supports of some kind should be used, as it allows of much finer growth and increased production of pods.

Per quart.—s. d.

Cannells 1st Prize Scarlet—A great improvement upon the old variety, produces very long pods, and tender flesh; a heavy cropper; an excellent exhibition variety ... 1 6

Cannells' Ne Plus Ultra—One of the best for exhibition and main crop, producing an enormous quantity of extraordinary pods of splendid form, from 10 to 14 inches long, and quite straight. To grow it to perfection each bean should be planted 1½ feet apart in the rows ... 1 9

Climbing French, Tender and True—One of the most valuable acquisitions of recent years. It grows 6 or 7 feet high, bears a tremendous crop of long, straight, fine pods, the quality being first-class. First-class Certificate, Royal Horticultural Society ... 2 0

Hill's Prize—A grand exhibition variety; a great cropper, and bears very long beautifully shaped very fleshy pods. A true Scarlet Runner, and not crossed with a white seeded kind. Awarded a First-class Certificate, R.H.S. ... per pkt, 1/0

Cannells' White Czar—Is an enormous podded white runner Bean, the pods of which run from 12 to 16 inches in length, are very thick, fleshy, and almost stringless, often 2 inches in diameter, and produced in clusters. No other Bean approximates this for quality and productiveness, and although the pods reach an immense size, the flavour is extremely delicate ... 2 0


Champion—A select stock of the old Scarlet Runner ... 1 6

Giant White—A wonderful cropper, long pods, which are very tender; a capital exhibition variety ... 1 0


Painted Lady—Very handsome, scarlet and white flowers; very ornamental as well as useful ... 1 6

"Titan"—The A1 Scarlet Runner. Enormous broad and straight pods, produced in clusters, are quite as large as those of the *Czar*, but straighter; very fleshy, and almost stringless up to maturity ... 2 0

Other varieties can be supplied.



HARLINGTON WINDSOR BEAN.



CANNELLS' FIRST PRIZE SCARLET RUNNER BEAN.

FRENCH, or DWARF KIDNEY BEANS.

(*Phaseolus nanus*.) LEGUMINOSÆ.

CULTURE.—These are a great acquisition where it is inconvenient to grow Runners, as they occupy little ground and bear delicious and tender pods. Sow in boxes or pots in a frame, for planting out after being carefully hardened off at the end of May, and again, in the open ground, in May and June, and for late crops up to the end of July. The same applies to these as the Runners respecting mulching and watering in dry seasons, especially that excellent and well-known variety, *Cannells' Canadian Wonder*. It is not an exaggeration to say that by this means double the produce is obtained.

Per quart.—s. d.

Cannells' Canadian Wonder—This is without doubt the best of the Dwarf Beans, producing pods from 9 to 12 inches in length, which, when boiled, are very tender... 1 6

Cannells' Ne Plus Ultra—A distinct variety, dwarf habit, early, and delicate flavour; very productive indoors and out; valuable for forcing ... 1 6

Chinese, or Robin's Egg—A very productive and free cropper ... 1 6

Everbearing—Distinct. Marvellously productive, extremely early, and of fine quality. Dwarf, robust, and bushy, and should be allowed plenty of room for growth. The pods are dark green in colour, and very tender and delicious ... sealed pkts., 1/0

Fulmer's Early Forcing—Large, and a good bearer ... 1 6

Negro Long Pod—Very fine cropper ... 1 4

Osborn's Forcing—A very dwarf quick-growing variety, well adapted for early sowing ... 1 4

Pale Dun, or Cream Coloured—A good early variety ... 1 0

Sion House—Fine for forcing ... 1 4

Williams' Earliest of All.—The earliest French Bean in cultivation, and can be forced for Christmas; a splendid variety for pot-culture, as well as for out-door work; strong vigorous grower, with a good constitution; pods are long, broad, and fleshy; very tender when cooked, and of excellent flavour; recommended for very early forcing or for general crop. 1s to 24 in. high. Sealed pint pkts., 1s. 6d.

Other kinds can be supplied.

WAX POD, or GOLDEN BUTTER BEANS.

Much esteemed and largely used in America and on the Continent. The pods are of a beautiful creamy colour, stringless, tender, and of a rich flavour.

RUNNER.

Per pint.—s. d.

Mont d'Or—Long golden coloured pods; very tender and delicious 1 3

DWARF.

Mont d'Or—Beautiful golden-yellow stringless pods of excellent flavour ... 1 3

Cannell & Sons' Complete Seed Guide.



CANNELLS' CANADIAN WONDER BEAN.



NEGRO LONG POD BEAN.

JAMES CHAMBERS, Esq., Solicitor, Saddler Street, Durham,
21st July, 1897.

You sent some Seeds to Mr. Hotham, Bainton, Hull, last year, and if you have any record of it I should like a similar lot; they are truly grand.

Mr. S. BUCKLEY, Hartford Park, Castle Northwich, 17th May, 1897.

Thanks for catalogues. I have never told you I was perfectly satisfied with the seeds you sent us, they were splendid. Our garden never looked so well as the year when we got our things from you.

ARTICHOKE (Globe).

(*Cynara Scolymus*.) COMPOSITÆ.



CULTURE.—Sow in March or April in drills, 18 inches apart, and transplant 3 feet apart each way. The first season they will only produce a partial crop; but as it is a perennial, after being once planted, the beds continue to bear for several years. It is the practice of some to sow annually in March so as to keep two beds in use, digging up the oldest plot at the end of the second or third year. So as to secure fine heads they require good treatment; the soil should be rich, deep, and moist, and protected in winter by placing straw, bracken, or other dry material closely round the stems. The heads of these are very delicious when boiled and served with butter and salt.



	Per oz.—s. d.
Large Green Globe—The best	 1 0
Large Purple Globe—Very useful	 1 0

Jerusalem Artichoke (*Helianthus Tuberosus*), not being produced from seed, Roots are offered on page 43.

For plants, see page 43.

ASPARAGUS.

(*Asparagus officinalis*.) LILIACEÆ



CONNOVER'S COLOSSAL ASPARAGUS.

CULTURE.—There is no vegetable more delicious, and certainly none more strengthening and renovating to the whole human system, more particularly to the kidneys, than Asparagus. Considering its easy culture, and coming in at a time between the winter greens and green peas, it is remarkable that it is not prized and valued almost equal to a well-furnished drawing-room. Choose the highest and lightest ground in the kitchen garden, and stake out in September as per diagram, dig out to a foot deep, lay it on each side in the pathway, then wheel in 3 inches of good strong manure, fork this in about another foot, and if dug over deeply two or three times so much the better; on the top of this place a fair coating of well-rotted manure, and over this 3 inches of soil from out of the alley, then place one plant to every 9 inches, spreading the roots well out, covering them over with the finest soil, free from stones. For the top covering

Cannell & Sons' Complete Seed Guide.

have 6 inches of light friable or even sandy soil. The first year make one cutting only, if the plants are three years old, the following winter add more fine soil, so that there is something like 9 inches of earth above the crown of the plants. Asparagus beds made in this way with a good coating of manure every other year cannot fail to give abundance of this succulent vegetable until the peas make their appearance. A coating of our Real Manure gives increased strength, and should be applied, 2 ozs. to the yard, every season, showery weather being selected for the operation.

We have heard of beds being in good condition when fifty years old, but it stands to reason that the vigour of the plants must be impaired. New beds should be planted every year, so that sufficient strong plants can be taken up, put closely into a gentle hot-bed and forced; this method would give a fine supply for the table during February, and thus prolong the season for this always welcome vegetable.

ALLEY.

BED.

3 FEET WIDE

18 INS.

ALLEY OR PATHWAY.

BED.

3 FEET WIDE.

ALLEY.

	Per oz.—s. d.
Connover's Colossal—Early, and very large	... 0 4
Giant—Good, for general use	... 0 4
Palmetto—Of very large size, even and regular in growth and appearance; very early	... 0 6

For plants, see page 43.

B E E T.

(*Beta vulgaris*.) CHENOPODIACEÆ.

CULTURE.—Sow the middle of April on ground that has been deeply dug and well manured the previous year. At the time of sowing the ground should be again deeply dug, and the seeds sown in rows a foot apart. It may be sown in drills drawn by a hoe, or by dibbling a few seeds in holes an inch deep and a foot apart in the rows; thin out, when the plants are about 2 inches high, to a foot apart where in drills, and where dibbled in holes draw out all except one. It is often thought by amateurs, owing to the leaves at an early stage of growth assuming a light green appearance, that they have the wrong variety, but this will be seen to change as the season advances. When lifting the roots, in October or November, great care must be taken not to bruise them or cut off any small shoots or outgrowths or the colouring will be gone. About the end of October or beginning of November store them in an open shed in dry sand; they will then keep in good condition, and can be used when required.

CANNELLS' BEST OF ALL.—Medium-sized root of a beautiful rich deep blood colour, fine shape, and clean growing. Sure to please for culinary purposes, and its handsome dark metallic glossy crimson leaves render it a very effective variety for the flower garden and exhibition table.

3d. and 6d. per packet, 1s. per oz.

Cannells' Exhibition—One of the best for exhibition purposes; s. d. fine shape, clear skin, medium size, rich and dark in colour

Cannells' Rotunda—Turnip shaped, flesh dark crimson colour, useful for summer salads ... per pkt. 1s.


Dell's Crimson—Leaves of a dark bronze colour; very ornamental for the flower garden ... 0 8

Nutting's Select Dark Red—A splendid variety for general purposes ... 0 8


Ornamental Chilian—This is a non-edible variety, but is much used for decorating shrubberies, banks, and the flower garden; its brilliant colours make it very attractive... per pkt. 3d. & 6d.

Swiss Chard, Silver, or Sea-kale—The mid rib of the leaf of this variety is used in the same way as Sea-kale ... 0 6

Spinach, or Perpetual Beet—Both stalks and leaves of this variety are used; the former should be served up as Asparagus, and the latter makes an excellent substitute for Spinach ... 0 6



B E E T, CANNELLS' BEST OF ALL.



CANNELLS' ROTUNDA

Other varieties can be supplied.

Cannell & Sons' Complete Seed Guide.

BORECOLE, or KALE.

CURLY GREENS OR SCOTCH KALE.

(*Brassica oleracea acephala fimbriata.*) CRUCIFERÆ.

CULTURE.—For Spring use sow about the middle of March or early in April, and in August for Autumn and Winter use, broadcast over a well-prepared bed, and cover lightly with fine soil. When the plants are large enough to be handled, prick out on another prepared bed, about 6 inches apart, and well water them. When strong enough, to be planted out in their permanent quarters about 2 feet 6 inches apart each way.

Per oz.—s. d.

Cannells' Excelsior—It is remarkably dwarf and beautifully curled like the best Parsley, and forming quite an attractive object; should be in every kitchen garden, and will be found much dwarfer and better than the older kind per pkt., 6d. and 1s —

Per oz.—s. d.

Asparagus—Every gardener ought to have some of this planted out as a catch crop, so that should the Winter be exceptionally severe this Kale would then furnish him with an abundance, for it is one of the first to recover from the severity of the frost, and the young growth has the flavour when cooked of Asparagus, which is appreciated so much by all. A useful kind; very delicious and hardy... 0 8

Buckman's Hardy Winter—This is a valuable and distinct variety, very hardy and productive, and will produce a succession of beautiful Greens during the severest winter ... 0 8

Chou de Milan—The ribs of this are like Asparagus in flavour when cooked ... 0 8

Cottager's—Much in request, very hardy, and produces a large crop ... 0 6

Dwarf Green Curled—For early and general cultivation ... 0 6

Phoenix Kale—Of great value to the private gardener, and more especially to the market gardener, who is doubly interested in a secure winter crop, per pkt., 3d. & 6d. 1 0

Ragged Jack—Yields a large quantity of delicate sprouts in Spring ... 0 8

Tall Green Curled—A useful variety ... 0 6

Variegated—Very useful for garnishing, 3d. & 6d. per pkt.




DWARF GREEN CURLED KALE.

BRUSSELS SPROUTS

(*Brassica oleracea fultata gemmifera.*) CRUCIFERÆ.

No part is perhaps so noted for good Brussels Sprouts as Swanley. Seed is sown directly after the first rain in August. These are planted out in well manured ground, just at the time when seed is generally sown in March. From these early sprouts high prices are realised, and after these come the Spring sown, thus the season is prolonged from September up to March.

CULTURE.—Sow the seed between the beginning of March and end of April—the earlier the better—in drills, on a well-prepared bed, and cover thinly with fine soil. When the plants are 2 or 3 inches high, draw out the strongest and transplant into another bed, 6 inches apart. In May or June they are to remain 2 feet apart in the rows and 1½ feet between the plants in the rows. Ground should be prepared early, so as to allow the soil to become firm.



PORTION OF A FIELD GROWN FOR SEED.

Per pkt. Per oz.
s. d. s. d.

Cannells' Matchless—This variety is a marked improvement on the ordinary kinds. The stems are covered with fine delicious buttons, and needs only one trial to ensure approbation ... 3d. and 0 6 1 0

Algburth—One of the hardiest and most productive varieties in cultivation ... 0 4 0 8

Serymger's Giant—A superior and useful variety, producing an abundance of compact sprouts of delicate flavour ... 0 3 0 6

Dalkeith—Robust habit, medium height, richly flavoured sprouts; a good market gardener's variety... — 0 6

President Carnot—A new and select stock ... — 0 8

Other varieties can be supplied.

For plants, see page 42.

Bramerton Lodge, Norwich, 16th June, 1897.

Mrs. WILSON wishes to say she is much pleased with everything she has had from Messrs. Cannell, but being much pressed to try another firm, desired her gardener to send the orders there. The result has not been satisfactory, she does not find anything so good as those supplied by Messrs. Cannell. Shall in future send orders to them, as before, in preference to anywhere else, as he has found everything supplied by them so thoroughly satisfactory.

I am pleased to tell you *Cannells' Defiance* Cabbage is unequalled in this district. I have given several away to friends, with the result that they all wish me to get them seed now, so please send on the enclosed order.

Mr. W. SHAW, The Gardens, Fairfield, Warkworth, Northumberland.

Cannell & Sons' Complete Seed Guide.

BROCCOLI.

(*Brassica oleracea botrytis Asparagoides.*) CRUCIFERÆ.

CULTURE.—Early sowings may be made in February, under glass, followed by sowings in the open ground, middle of April and second week in May, for successional crops. When the plants are large enough, prick out into a bed 6 inches apart, and after they have acquired strength, transplant to a piece of ground that has been previously well dug and manured, in rows 2½ ft. apart and 2 ft. distant from each other. As the plants advance in growth draw the soil around the stems, and give liquid manure occasionally, we strongly recommend a sprinkling of nitrate of soda, and which will be found to work wonders. It is advisable to cut the heads as soon as they attain medium size.

SECTION I.—For Cutting from September to November.



WALCHEREN BROCCOLI.


	Per pkt.	Per oz.
	s. d.	s. d.
Grange's Early White Cape—A fine variety for autumn use, 6d. and 1	0	1 6
Purple Cape—If sown the end of February large close heads may be obtained in August and September; excellent flavour 6d. and 1	0	1 6

Veitch's Self-Protecting—Beautiful white and firm heads, thoroughly protected by the leaves; remain a long time fit for use... 3d. and 0 6 1 0

Walcheren—One of the best for successive sowings, 6d. and 1 0 1 4

SECTION II.—For Cutting from December to February.

Cannells' Early White—Very fine and early; flavour sweet and delicious; snow white heads; very hardy 3d. and 0 6 1 0



BROCCOLI (CANNELLS' EARLY WHITE).



BROCCOLI (CANNELLS' LATEST OF ALL).

	Per pkt.	Per oz.
	s. d.	s. d.
Cooling's Matchless—Comes into use soon after Snow's Winter White; very hardy ...	3d. and 0 6	1 0
Early Penzance White—One of the best early varieties; fine white heads ...	3d. and 0 6	1 0
Early Purple Sprouting—A useful variety for small gardens ...	3d. and 0 6	0 9
Snow's Winter White—A valuable Winter variety	3d. and 0 6	1 0
White Sprouting—Very productive, quick in growth, fine flavour ...	3d. and 0 6	1 0

SECTION III.—For Cutting in March and April.

Brimstone, or Portsmouth—Too well known to need any description ...	3d. and 0 6	0 9
Chappell's Cream—A good old sort ...	3d. and 0 6	0 10
Dilcock's Bride—Fine pure white ...	3d. and 0 6	1 0
Elletson's Mammoth—A very large and compact variety	3d. and 0 6	1 0
Knight's Protecting—A favourite sort ...	3d. and 0 6	0 10
Leamington—Good size heads, close and well protected; a good market variety ...	3d. and 0 6	0 9
Miller's Dwarf White—A most useful kind	3d. and 0 6	0 10

SECTION IV.—For Cutting from April to June.

Cannells' Latest of All —This is a good variety, colour very pure, heads well protected and of medium size, hardy, cooking qualities all that can be desired ...	3d. and 0 6	1 0
April Queen —One of the finest sorts yet introduced; ready for use in April and May. The heads are very large, are beautifully white and delicately flavoured; the leaves are large and abundant, folding closely over and perfectly protecting the flower ... in sealed pkts.	1 0	—
Flower of Spring —An excellent early Spring variety, forming compact white heads, coming into use about the same time as <i>Adam's Early</i> , but a decided improvement on that well-known and popular kind ...	1 0	—
Cattell's Eclipse —Very hardy; a most excellent late sort ...	3d. and 0 6	0 10
Champion —Very late; strongly recommended ...	3d. and 0 6	0 10
Methven's June —This is the latest Broccoli in cultivation, producing fine pure white heads till nearly the end of June. It is very hardy, standing the Winter better than any other sort. Sow in April, and plant out as soon as ready. In sealed pkts.	1 6	—
Model —Late and good; one of the hardiest and best in colour and flower, almost equal to a cauliflower ...	6d. and 1 0	1 6
Wilcove's Late White —One of the latest	3d. and 0 6	1 0


Other varieties can be supplied.

See plants, page 42.

Cannell & Sons' Complete Seed Guide.

CABBAGE. (*Brassica oleracea capitata*.) CRUCIFERÆ.

CULTURE.—Little need be said respecting the cultivation of this popular vegetable. A good supply of young and tender cabbages through the Winter is certainly worth some little labour to obtain. There is nothing in the way of winter greens that can approach good cabbages in delicacy of flavour, and those who have never made a practice of growing them ought to do so. No better preparation of ground with a coat of manure can be made than in the lifting of early potatoes, when such a piece of ground may be profitably utilised by them. Sow in March and April for Autumn and Winter use, and early in August for Spring and Summer cutting.



CANNELLS' DEFIANCE CABBAGE.

The small early kinds do well planted in rows 18 inches apart and 15 inches between the rows; the larger growing kinds require to be put 2 feet apart each way.

Cannells' Defiance—This variety was pronounced a s. d. s. d. perfect gem when exhibited at the October Chrysanthemum Show, held at the Royal Aquarium. It produces a good heart, solid and compact, without that detestable waste of leaves common to many varieties; fine, tender, and delicate flavour, unequalled for earliness and quality; where exhibition specimens are required we strongly recommend this variety—it has been carefully selected for many years ... 3d. and 0 6 1 0

Cannells' Improved Nonpareil—A fine dwarf variety, of excellent flavour. Comes in very early ... — 0 6

Cannells' Early York—Small, but very early ... — 0 6

Chou de Burghley—A cross between the Broccoli and Cabbage. Its outward appearance is like that of a Cabbage, from which it differs, on being cut through, in having a miniature Broccoli enveloped between the leaves. It is perfectly hardy, and delicate in flavour when cooked ... 6d. and 1 0 —

Cocoa Nut—A very early variety, small and compact ... — 0 8

Couve Tronchuda, or Portugal Cabbage—Should be grown in every garden. the mid-ribs are delicious ... — 0 8



EARLY ETAMPES CABBAGE. Perpkt. Peroz

Earliest of All—Strongly recommended as the very best in s. d. s. d. cultivation for Spring sowing. There is no waste with it, the heads being compact and neat in their growth. It can, therefore, be planted close in the rows. The quality is delicious, being tender and marrow-like. For sowing in succession it is most useful ... 3d. and 0 6 1 0

Early Etampes—A valuable French variety; one of the earliest ... 3d. and 0 6 0 10

Early Rainham—A most useful and early market variety — 0 6

Ellam's Early Dwarf—A great favourite with some as a Spring variety ... — 0 8

Enfield Market—Very early and large; extensively used by market gardeners ... — 0 6

Hardy Green Colewort—For late Autumn and Winter use — 0 6

Kohl Rabi, or Turnip-Rooted—If the roots are boiled when young they are excellent ... — 0 6

Large Drumhead, or Ox Cabbage—Producing very heavy crops. Sow 6 lbs. to the acre. A reduction made when large quantities are required ... per lb. 3s. — 0 4

Meins, No. 1—A splendid variety, either for Spring or Autumn sowing... — 0 8

Red Dutch—The best for pickling ... — 0 8

Rosette Colewort—Exceedingly delicious and very ornamental — 0 8

Sugar Loaf—Conical shaped, of excellent flavour when cooked; very distinct ... — 0 8

Tom Thumb, or Little Pixie—Suitable for Summer use ... — 0 8

Wheeler's Imperial—Dwarf and very early.. — 0 8

Other varieties can be supplied.

Mr. CHAS. PRIOR, The Gardens, Winsford Tower, Beaworthy, 27th August, 1897.
Your seeds are still the best in the market, I have had none that failed to grow.

Mr. H. J. ROWE, Gardener to Mrs. Iles, Shutterne House, Upper Taunton, 2nd March, 1897.
I have been using your seed this last eight years, and always found them, as you say, "pure golden seeds."

Mr. H. HILTON, Gardens, Matanzas, Oak Hill Road, Kippington, Sevenoaks, 14th October, 1897.
Dear Sir,—I must tell you all the seeds have done well this year, and my employer is very pleased with them.

Mr. MILLS, Osberton Lodge, Snmmerstown, Oxford, 26th April, 1897.
Seeds safely to hand. I wish I could have all mine from Swanley, for I have always found your seeds grow a deal better than some firms I could name.

Cannell & Sons' Complete Seed Guide.

CABBAGE, SAVOY.

(*Brassica
oleracea*

bullata major.)

CRUCIFERÆ.



CULTURE.

Treat the same as
for Cabbage.

CANNELLS' GREEN CURLED SAVOY.

Per oz.—s. d.

- Cannells' Drumhead**—Grows to a large size,
very sweet and tender after frost ... 0 6
- Early Dwarf Ulm**—Very early and compact;
may be planted closer than some sorts ... 0 6
- Green Curled**—Suitable for the main crop ... 0 6
- Gilbert's Universal**—Somewhat in the way of
Dwarf Ulm; a choice stock; delicious, per pkt. 6d. 1 0
- Yellow or Golden Globe**—A distinct and useful
kind, medium size, delicately flavoured ... 0 8
- Marcelin**—Strongly recommended ... 0 6
- Ormskirk Late Green**—It is of large size and
very handsome shape, very hardy, and being
late, comes into market when other sorts are
over, and after a severe Winter is often the only
vegetable of its class in good condition. The
heart is green in colour, and the outer leaves,
being much darker, contrast beautifully
per pkt. 3d. and 6d. 1 0
- Tom Thumb**—A very small kind, does not grow
much larger than the Drumhead Lettuce ... 0 6
- Other varieties can be supplied.

For plants, see page 42.



SAVOY, CANNELLS' DRUMHEAD.

CARROT.

(*Daucus carota*.) UMBELLIFERÆ.

CULTURE.—The *French Scarlet* may be sown in frames in December and January; in February, succession sowings may be made on warm borders; in March, a large sowing may be made; and for general crop sow about the middle of April, either broadcast on beds or in drills. Preference should be given to the drills, as the crop can then more easily be kept clean. As soon as the plants are 2 or 3 inches high, thin out to 2 or 3 inches apart at the first thinning; after a few weeks give a final thinning to 6 or 8 inches distance, and the crop allowed to remain till it has perfected its growth in Autumn. It will be found an advantage to mix the seed with a certain amount of soil so that it can be more evenly distributed.

CANNELLS' FIRST PRIZE.—This will be found a splendid variety in every way. Habit robust, and grows to a good length; skin is very clean and of a deep colour. When washed for the exhibition table it assumes a glossy dark red hue, giving it a striking appearance; a great advantage when being judged. We have been selecting this for several years, and now consider it is quite worthy of competing with any in commerce. Per pkt., 1s. and 1s. 6d.

Per pkt. Per oz.

CANNELLS' PERFECTION INTERMEDIATE.—A careful selection of Intermediate Carrot. Roots much longer than the old kind; fine shape; colour a beautiful bright red, of excellent quality, and good for exhibition purposes ... 0 6 1 0

Per oz.—s. d.


- Cannells' Early Scarlet Nantes**—A medium-sized variety 0 8
- Cannells' French Scarlet Horn**—Very sweet, and fine for forcing ... 0 8
- Cannells' Guerande**—A French variety of great merit, stump rooted, very broad, flesh tender, and with very little core ... 0 8
- Cannells' Improved Early Scarlet Short Horn**—
Very fine for Summer use ... 0 6
- Cannells' Long Red Surrey**—A valuable variety for deep soils ... 0 6
- Cannells' Scarlet Altringham**—A very long variety, mild flavour, good keeper ... 0 6
- James' Improved Scarlet Intermediate**—Good for shallow soils, large size, excellent quality ... 0 6
- Field, Horse, or Cattle Carrots**—A useful and profitable crop. All cattle like the roots. Seed should be sown about 8 lbs. to the acre. White Belgian, 1s. 6d. per lb.; Yellow Belgian, 1s. 9d. per lb. 0 3

Other varieties can be supplied.




CANNELLS' SELECTED GUERANDE CARROT.

Cannell & Sons' Complete Seed Guide.



JAMES' INTERMEDIATE CARROT.




CANNELLS' LONG RED SURREY CARROT.



CANNELLS' IMPROVED
EARLY SCARLET
HORN CARROT.



CANNELLS'
ALTRINCHAM
CARROT.



CANNELLS PERFECTION INTERMEDIATE.

CAPSICUM

(*Capsicum annuum*).

USE.—The pods are used for pickling, and when ripe ground to make Cayenne pepper.


CULTURE.—Sow in the end of March or the beginning of April in pans, and place in a hot-bed. When the plants are in seed leaf, thin to 4 inches apart; those drawn out may again be transplanted into pots or pans. Continue them in the hot-bed, and give air freely. In May harden them off by gradually exposing to the open air. Early in June transplant, where they are to remain, in a sheltered position, under a south wall.

Child's Celestial Pepper—The fruit are of a delicate creamy-yellow colour, and when fully grown change to an intense vivid scarlet, making a plant when loaded with fruit part of one colour and part of the other, an object of the most striking beauty and oddity. The peppers are from two to three inches long, of clear, sharp flavour, and superior for any of the uses to which a pepper can be put. Per pkt., 6d. and 1s.

Chili	...
Golden Queen—A very ornamental variety	...
Large Bell, or Bull's Nose—Large, early; mild flavour; colour glossy red	...
Long Red	...
Long Yellow	...
Mixed Varieties	...
Prince of Wales	...
Pepper, Elephant's Trunk (<i>Capsicum annuum proboscideum</i>)—Distinguishing itself by its unusually long, glossy scarlet fruits of 8 to 11 inches in length by 2 to 2½ inches in breadth, resembling in shape the trunk of an elephant. Flavour mild, and valuable for use in the green state	...
Ruby King—Plants are very sturdy in habit, and each produces from 6 to 12 large handsome fruits, which, when ripe, are of a beautiful bright ruby-red colour: remarkably mild and pleasant to the taste	...

All at
6d.
per packet.

Cannell & Sons' Complete Seed Guide.



Mr. J. F. SMITH, Gardener to Dowager Countess of Seafeld, Cullen House, Cullen, N.B.,
18th February, 1897.

The seeds I had of you last year gave me such good returns that I have again sent my order for your golden seeds.

Mr. W. J. OSBORN, Ongar Road, Brentwood, 11th February, 1897.

I must say your Beet is the best I have grown yet, in a class of 21 entries I took First Prize for it. There was not a Beet in the Show to equal it in shape or colour.

CARDOON.

(*Cynara Cardunculus*.) COMPOSITÆ.



CARDOON.

CULTURE.—Sow in April, and grow in trenches in the same way as Celery.


Per oz.—s. d.
Large Spanish, cultivated for the mid rib of the leaves, blanched like Celery; used for soups, stewing, and salads ... 0 8

CAULIFLOWER.

(*Brassica oleracea botrytis Cauliflora*.) CRUCIFERÆ.

CULTURE.—Sow end of January or early in February in a frame on a slight heat, or in a house, so that the plants may be forwarded and hardened off by April, when a sowing may be made outdoors. From this sowing heads will be produced in July and August. To stand the Winter, seeds should be sown about the third week in August. The *Early London* and *Early Dwarf Erfurt* are both reliable sorts. Select a sunny, well-drained spot for the seed bed, well work, and if at all heavy add a good dressing of fine sandy soil or old potting compost, after which the seed may be sown thinly and broadcast, and covered with fine soil. When the seedlings appear, apply an occasional dusting of soot and lime as a preventive against slugs. The strongest plants, when ready, should be dibbled out rather thickly in hand-lights and cold frames, and the remainder left in the seed bed, where they will frequently survive an ordinary Winter. Finally, plant out in Spring.

	Per pkt.	Per oz.
	s. d.	s. d.
Cannells' First-to-cut —Having tested this variety for some considerable time, we find it still maintains its character as being the earliest of all; dwarf, medium-sized heads, colour good and of a delicious flavour; this will be found a gem ... In sealed packets	1 6	—
Early Dwarf Mammoth —Fine as a forcing variety, or for the early crop outdoor; close, solid, and pure white heads ...	6d. & 1 0	2 0
Early London —Compact; very early ...	6d. & 1 0	1 4
Early Snowball —Dwarf habit, with heads of medium size, very compact, and of good flavour ...	6d. & 1 0	—
Stadtholder —A fine late variety ...	6d. & 1 0	1 6
Early Dwarf Erfurt —The best of the earliest sorts. By occasional sowing a supply can be kept up until Christmas	6d. & 1 0	2 0
Eclipse —Is a favourite in every garden where it has been cultivated. The numerous testimonials received are proof that it has taken a place second to none, either for private gardens or market purposes, the quality, flavour, and size being unequalled. By successional sowings it can be had from August to Christmas. Per packet, 6d. and 1s.; 2s. oz.		
Autumn Giant —Perfectly distinct from any other sort. The heads are beautifully white, firm, and compact, and being thoroughly protected by the leaves, remain longer fit for use than any other kind. Per pkt., 6d. and 1s.; per oz., 1s. 6d.		



WALCHEREN CAULIFLOWER.

	Per pkt.	Per oz.
	s. d.	s. d.
Walcheren —Good for general crop ...	6d. & 1 0	1 6

For Plants, see page 42.

Cannell & Sons' Complete Seed Guide.



AUTUMN GIANT CAULIFLOWER.

SIR,

Oct 26 1897

The President and Council of the ROYAL HORTICULTURAL SOCIETY thank you for your exhibit at the Fortnightly Meeting of the Society on Tuesday last.

Yours very faithfully,

W. WILKS, *Secretary.*

Remarks
(if any)

Wonderful Vegetables
Sidon Gilt Knightian Medal

SURELY THIS SPEAKS
VOLUMES FOR THE RESULT
OF OUR SEEDS.

RE-PRODUCED POST CARD
SENT US BY THE R.H.S.

Cannell & Sons' Complete Seed Guide.

CELERY.

(*Apium graveolens*.) UMBELLIFERÆ.

CULTURE.—In February sow in heat; March and April in open border. Plant in April, May, and July, from 2 feet 9 inches to 3 feet between the trenches. Well manure the bottom of the trenches with rotten dung from an old hot-bed, and well water in dry weather. However large Celery may be, it is of little value if disfigured by the ravages of garden pests. It is of the utmost importance that soot, burnt ashes, or even fine soil is banked closely round the stems, too much soot can hardly be used, both to keep away the celery-fly that works its way in and deposits its eggs between the two skins of the leaves, and also to keep slugs from injuring it.



CANNELLS' HEARTWELL WHITE CELERY.

Cannell's Eynsford Red—We have every confidence in offering this variety as a grand acquisition for exhibition and table use. It is the result of a successful cross between *Leicester Red* and *Major Clarke's Red*, combining the good qualities of both its parents; continues quite constant, and, so far, has proved itself to grow free from canker; good strong habit, the stalks are large, thick, and of excellent nutty flavour

Per pkt.
s. d.

1 0

(21)

Cannells' Heartwell White—A fine variety, unequalled for crispness and sweet nutty flavour; dwarf habit of growth, and very solid heads 6d. & 1 0

Cannells' Sandringham White—A splendid variety; large, but not coarse; solid, crisp, and juicy 6d. & 1 0

Leicester Red—Exceedingly crisp; fine flavour 6d. & 1 0

Celery Seed—For flavouring soups per oz. 0 3

Per pkt.—s. d.



CANNELLS' EYNSFORD RED CELERY.



CELERIAC.

Celeriac, or Turnip-rooted Celery—Chiefly used in soups 3d. & 0 6

Cole's Crystal White—Dwarf, crisp, and solid 3d. & 0 6

Cole's Defiance Red—Very hardy and dwarf 3d. & 0 6

Early Rose—The stems are very solid and crisp, and of a fine walnut flavour. It is chiefly valuable as an early variety, but the heads remain a long time fit for use; white heart, and stems delicately shaded with pale rose or flesh colour 6d. & 1 0

Invincible White—A vigorous growing sort, very crisp, solid, and well-flavoured. It can be grown for exhibition to an enormous size without running to seed 6d. & 1 0

Ivery's Nonsuch Pink—Solid pink 3d. & 0 6

Major Clarke's Red—Very solid, crisp, compact, and of a delicate flavour 6d. & 1 0

Standard Bearer—A splendid red variety, awarded two Certificates of Merit. The plant is of sturdy compact habit, robust growth, and medium height. It grows to a heavy weight, and remains a long time in perfection; is of superior quality, perfectly solid, crisp, juicy, and of a fine nutty flavour 6d. & 1 0

Sulham Prize Pink—One of the best pink varieties, close habit, large heart, remarkably solid, crisp, and of a fine walnut flavour 3d. & 0 6

Wright's Giant White—Large, robust, solid and crisp, hardy, fine flavour 3d. & 0 6

Other varieties can be supplied.
For Plants, see page 42.

Cannell & Sons' Complete Seed Guide.



Come and See.



OUR CUCUMBER HOUSES DURING AUGUST AND SEPTEMBER.

GROWN SPECIALLY FOR SEED.

CUCUMBER (Frame).

(*Cucumis sativus*.) CUCURBITACEÆ.

CULTURE.—Nothing is so desirable as good Cucumbers, but attention is required if good fruit is to be obtained. The seeds may be sown in January or February in pots or pans. The temperature of the seed-bed should range from 70 to 80 degrees, never sinking below 60 degrees. Outdoor or Ridge Cucumber should be sown in pots during April, and transplanted in May to a spot previously prepared with well-rotten manure.

Per pkt.—s. d.

Cannells' Selected Improved Telegraph—After several years' careful seeding only from the most prolific and handsome shaped fruit, our stock is now as near perfection as it is possible to be. Flavour excellent, deep green skin, and the fruit of good length. We have saved a splendid sample of seed, and can confidently recommend it to our customers as a grand re-selection from the old far-famed variety ... ½ packet, 6d.; 1s. and 2 0

Cannells' Favourite—A first-class variety, attains a good length ... 1 0

Blair's Prolific—A handsome variety of a deep green colour, and heavily bloomed; beautiful symmetrical shape, with no neck, and grows longer than *Lockie's Perfection*; valuable for either Summer or Winter cultivation ... 1 0

Blue Gown—Splendid shape and superior quality ... 1 0

Cardiff Castle—For shape, size, and flavour it is all that can be desired; a continuous bearer ... 1 0

Cuthill's Black Spine—A very prolific kind and much approved ... 0 6

Per pkt.—s. d.

Duke of Edinburgh (Monro's)—A fine variety ... 0 6

Frogmore Prolific—First-Class Certificate, R.H.S. A cross between *Rochford's Market Favourite* and *Lockie's Perfection*, was raised by Mr. O. Thomas at the Royal Gardens, Frogmore, and most successfully exhibited in London and in the Provinces; a most prolific variety, of a beautiful green colour, and carries a lovely bloom. The flesh is crisp, solid, and of a fine texture, and will become a general favourite ... 1 0

Hamilton's Market Favourite—A splendid market variety; very prolific, producing an abundance of well-shaped fruit ... 1 0

Lockie's Perfection—Our selected Stock. A splendid variety, its chief features being the finest in the *Telegraph* family, with black spines; the very thing wanted for years, as it gives this prolific class the high and delicious flavour of the old *Black Spine*, which the *Telegraph* was so deficient in. Further, it is the darkest green of any, very free, and taking all points into consideration, it is decidedly a grand addition ... 1 0

Marquis of Lorne—White spine and handsome fruit ... 0 6

Marvel—First-Class Certificate. R.H.S. A very distinct and valuable variety; it supplies the long-felt want of a Cucumber of medium size and first-class shape and quality, which is at the same time so productive as to yield a constant supply of fruit ... 1 6

Monarch—A cross between *Telegraph* and *Tender and True*. As a cropper it is equal to, if not better, than *Telegraph*. The fruit are very handsome, with hardly any handle, growing from 24 to 30 inches long, and very even in quality and size. They have a small black spine, and are of a beautiful dark green colour. They contain few seeds, and the flesh is solid, crisp, and of very fine flavour ... 1 6


Once Grown ever Grown ... 6d. and 1 0

Paragon—Strongly recommended ... 1 0

Rochford's Market—Medium length, colour rich green, spines more conspicuous than in the old *Telegraph*; a fine market variety ... 1 0

Sion House Improved—A well-known variety; very prolific ... 0 6

Tender and True—Fine variety for exhibition, handsome fruit of a dark green colour, first-class quality ... 1 0



CUCUMBER,
LOCKIE'S PERFECTION. BLAIR'S PROLIFIC.



CANNELLS' FAVOURITE.

Cannell & Sons' Complete Seed Guide.



KOPPITZ.

CUCUMBER (Ridge or Outdoor).

Bedfordshire Prize—This is a superior variety of outdoor Cucumber, fine flavour and appearance; a prolific bearer ... s. d. per pkt. 0 6

Forcing Ideal—Of rapid and strong growth, and yielding a wonderful profusion of fruit. It is of beautiful shape and of a rich green colour, especially adapted for forcing, and of fine flavour; well adapted for pickling, and its firmness and durability render it fit for being sent long distances ... per pkt., 1s. and 1 6

Stockwood Ridge—Fine, and a free grower ...
Short Green Gherkin—The one most used for pickling, fruit being only from 3 to 4 inches long ... All at 3d. per packet.


Long Prickly ...
Short Prickly ...

Koppitz, the Amateur's Outdoor Cucumber—One of the best cold-frame Cucumbers in cultivation. Per pkt., 1s.

Triumph—The result of a cross between *Long Ridge* and *Telegraph*, and is the largest hardy variety in commerce; an abundant cropper. One small plant has been known to produce over 24 fruits, many of them 20 to 23 in. in length. Per pkt., 1s.



CUCUMBER, BEDFORDSHIRE PRIZE.



PICKLING CUCUMBER.

Worthing Favourite—A very handsome fruit, about 15 inches long, of the *Rochford* character. It is slightly spined, nicely grooved, and has a very nice shoulder. It is dark in colour, and carries its bloom exceedingly well when cut. Like its parents, this is a wonderful cropper. Per pkt., 1s.

Western Wonder—In this variety, by careful selection, has been produced a variety which is thought destined to take the lead wherever grown. It embodies the good points of *Tender and True* as regards colour, the quality of *Lockie's Perfection*, and the hardiness and free-cropping properties of *Telegraph*. The flavour is very fine, and the size a convenient one; enormous cropper, and really handsome fruit. Per pkt., 1s. 6d.

Other varieties can be supplied.
 Plants can be supplied, List on application.

CHICORY OR SUCCORY.

(*Cichorium intybus*.)

CULTURE.—Sow in April in rows a foot apart, thin out to 6 inches in the row. In autumn store the roots in dry sand, and when required at intervals should be placed in soil in a dark place and kept moist. It will give leaves in a few days equal to Endive, and cook the same as Seakale.

Per pkt.—s. d.
Common (*Barbe de Capucin*) ... 0 6
Witloof (*Brussels Chicory*)—One of the best winter salads grown ... 0 6

CRESS.

PEPPER GRASS.

(*Lepidium sativum*.) CRUCIFERÆ.

CULTURE.—Plain and Curled Cress should be sown weekly during the whole year, if a regular supply is required, the state of the weather regulating the method of sowing. As a rule, from November to March, a gentle hot-bed is the best. Australian Cress sown in the open border during March and April, and in a cool and shady place in May, will produce crops in succession; and if sown under a north wall in September and October, with a little protection, will afford a supply during Winter and Spring. Water Cress may be easily grown in a damp and shady place, and on no account must suffer from drought. Sow in March and April.

	Per qt.	Per pt.	Per oz.
	s. d.	s. d.	s. d.
American, or Land —Perennial variety, similar in flavour to Water Cress ...	—	—	0 4
Australian —Very tender; mild flavour ...	—	—	0 3
Fine Curled —Useful for garnishing and Salads ...	2 0	1 3	0 3
Plain —The best for general use and Salads ...	2 0	1 0	0 2
Water Cress ...	...	...	per pkt., 6d.

Cannell & Sons' Complete Seed Guide.

DANDELION.

(*Taraxacum officinale.*) COMPOSITÆ.

CULTURE.—Useful as a salad when blanched. Seed to be sown in Spring; the roots to be lifted and stored in November, and force as required, somewhat in the same manner as Sea Kale.

Improved large thick-leaved, 6d. and 1s. per packet

EGG PLANT.

(*Aubergine.*)

Solanum melongena var. *ovigerum.*

Handsome fruit-bearing annual, fine for table decoration. Sow in heat in March, pot off in rich soil; the chief thing is to keep them thoroughly free from insects. Grow on in same way as Capsicums. 2 to 3 ft. Mixed, 3d. per pkt.



AUBERGINE (EGG PLANT).

ENDIVE

(*Cichorium endivia.*)



GREEN CURLED ENDIVE

CULTURE.—For Autumn

use sow end of April or during May, on prepared soil, in drills a foot apart, and thin out to 6 inches from plant to plant; water in dry weather. If a Winter and early Spring supply is needed, sow in July and August, and transplant to frames, or a sheltered position, secure from frost. Per oz.—s. d.

Digswell Prize—A superb large green curled variety	...	...	...	...	0	8
Green Batavian—Large and fine	...	...	...	...	0	8
Green Curled—The one mostly cultivated for general crop; very crisp and hardy	...	...	...	...	0	8
Improved Round-leaved Batavian—Very compact; forms a nice heart, blanches easily...	...	...	...	...	0	8
Moss Curled—Beautifully curled, like Moss	...	...	...	...	0	9
White Curled—Very tender when young	...	...	...	...	0	9

GOURD, or PUMPKIN

(*Cucurbita.*)

CULTURE.—Same as Vegetable Marrow.

	Per pkt.—s. d.
Hundredweight, or Mammoth—The largest in cultivation, often attaining an incredible weight	 0 6
Ornamental Varieties—Mixed. Many curious and pretty kinds	 }
Pear Shaped—Very ornamental fruits	 }
Small Orange	 }

A collection of 12 varieties, 2s. 6d.

HERBS, GARNISHING PLANTS, &c.

3d. and 6d. per packet, except where priced by the ounce.

CULTURE.—Sow in pans in a cold frame about first or second week in March; afterwards transplant into prepared beds, or the seeds can be sown the first week in April on warm border or out-doors.

- b* Angelica—For flavonring. Leaf stalks can be blanched and eaten as Celery.
- a* Anise—For seasoning and garnishing.
- p* Balm—Aromatic plant. May be used in salads or making Balm Tea or Wine.
- a* Basil, Sweet } Excellent for flavonring soups and salads.
- a* „ Bush }
- p* Borage—Used for Summer drinks; excellent for bees.
- b* Caraway—Seeds used in confectionery, lower leaves can be put in soups.
- b* Chervil, Curled—For salads.
- a* Coriander—Young leaves used in soups and salads.
- b* Corn Salad or Lamb's Lettuce—A hardy, useful salad. Per oz., 6d.
- b* Dill—Leaves used in pickles and sauces.
- p* Fennel—For garnishing and fish sauce.
- p* Horehound—For the cure of asthma.
- p* Hyssop—Leaves and shoots used for pot-herbs, also medicinally.
- a* Ice Plant—Fine for garnishing.
- p* Lavender—Grown for its sweet-scented flowers. Occasionally used in sauces.
- a* Marigold, Pot—Flowers used in soups.
- p* Marjoram, Sweet or Knotted } Used in soups and stuffings, also
- p* „ Pot or Perennial } when dry for Winter use.
- a* Purslane, Green } Shoots used in salads and pickles.
- a* „ Golden }
- p* Rosemary—Sprigs for garnishing; leaves for making a drink to relieve headache.
- Rampion—See page 38.
- p* Rue—For garnishing, also useful for poultry.
- p* Sage—For stuffing and sauce.
- a* Savory, Summer } For seasoning; also useful in a dry state for Winter
- p* „ Winter }
- p* Skirret—Grown for its roots, can be either boiled or stewed.
- p* Sorrel—Used like Spinach, also in sauces and salads.
- Tarragon—Used for flavonring in soups.
- p* Thyme—For soups and seasoning, also stuffing.
- p* Wormwood—Used as a tonic when taken in tea.

a—Annual. *b*—Biennial. *p*—Perennial.

Cannell & Sons' Complete Seed Guide.

LEEK

(*Allium porrum*).



CULTURE.—For an early crop sow in a pot, pan, or box early in February, and place in a frame or a slightly-heated place, and when the

plants are 3 or 4 inches high, prick out in a sheltered position or frame in rich soil. Here they are to remain until good-sized plants are formed, and then transplanted to their permanent quarters. Leeks of very fine quality, and good enough for ordinary use, may be obtained from seed sown the first week in March, broadcast, on a warm border, and cover lightly with mellow soil. Transplant, when large enough, in rows 18 inches apart, and about 8 inches in the row. Prepare trenches and earth up in the same way as Celery. Well manure.

CANNELLS' MAMMOTH—A superior kind, very hardy, blanches well, and grows to a large size; a splendid exhibition variety
6d. & 1s. per pkt., 1s. 6d. per oz.

	Per pkt.	Per oz.
Champion —This Leek has gained many honours. It was s. d. s. d.		
Certificated by the Royal Horticultural Society at the Vegetable Conference, 1889	6d. & 1 0	—
Giant Ayton Castle —A very large and fine variety	—	1 3
Henry's Prize —Flavour mild	6d. & 1 0	1 6
London Flag —Large, broad leaved	—	0 6
Musselburgh —Large Scotch; finest stock	—	1 0
The Lyon (Re-selected) —A thoroughly distinct variety, matures early, grows to a great size and weight without coarseness. The white part, when blanched, often exceeds 16 inches in length and 9 inches in circumference	6d. & 1 0	—

Other varieties can be supplied.

For Plants, see page 42.

LETTUCE.

(*Lactuca sativa*.) COMPOSITÆ.

CULTURE.—Sow from the first week in March till September for succession. When 3 inches high, remove the strongest plants to prepared ground, and plant them in rows from 1 to 2 feet apart, according to size. For Spring use sow in Autumn, prick out in frames, and transplant early. After being planted they should never be allowed to suffer for the want of water. For very early use, sow a little under glass during February.

COS VARIETIES.

	Per pkt.	Per oz.
	s. d.	s. d.
Cannells' Eynsford Drumhead —A fine white variety, medium-sized and very compact hearts, but little waste, crisp and sweet; a splendid variety. For withstanding a severe frost this will be found a good hardy kind in scaled pkts.	1 6	—

Cannells' Giant Cos —Larger and finer in every way than the best types of Cos Lettuce. Leaves very broad, and rounded in a perfect manner; very regular in character—in fact, every plant may be relied upon to form an enormous heart, perfect in form, as shown in the accompanying engraving	6d. & 1 0	1 6
---	-----------	-----



W. & A. G. PHILIP

CANNELLS' GIANT COS LETTUCE

Cannell & Sons' Complete Seed Guide.



PARIS WHITE COS LETTUCE.



BATH COS LETTUCE.

	Per pkt.	Per oz.
	s. d.	s. d.
Asparagus Lettuce—A distinct variety of Continental origin; it presents a novel appearance in growth; of the Cos type and the mid-rib is prepared and served up in the same manner as Asparagus	0 6	—
Bath Cos, Black Seeded—The best Cos variety for Autumn sowing to stand the Winter	3d. & 0 6	1 0
Hicks' Hardy White—A large sort, suitable for sowing in Autumn... ..	3d. and 0 6	1 0
Ivery's Nonsuch—Blanches well, and not likely to run to seed; sweet and crisp	3d. and 0 6	0 9
London White	3d. and 0 6	0 8
Par Excellence—Is far in advance of any other Cos variety, by reason of its earliness and long-standing qualities. It is of a self-folding habit, therefore requires no tying; very crisp and compact. It precedes the <i>Paris White Cos</i> by about ten days, if sown at the same time	1 0	—
Paris Green—A fine variety, needs no tying... ..	3d. and 0 6	0 8
Paris White—A superb variety, of immense size and superior quality	3d. and 0 6	1 0

Other varieties can be supplied.

CABBAGE VARIETIES.

	Per pkt.	Per oz.
	s. d.	s. d.
Cannell's Defiance Cabbage Lettuce. —A grand variety, large and compact heads, turns in very early, leaves lacinated and producing a pretty effect; free from all bitter or strong flavour, eats crisp and sweet; splendid for exhibition or table purposes, an improvement on <i>New York</i> . A most useful summer variety	1s. and 1 6	—
All the Year Round—Fine white, does not run to seed; a good Winter variety	3d. and 0 6	1 0



DRUMHEAD LETTUCE.

	Per pkt.	Per oz.
	s. d.	s. d.
Commodore Nutt—Small, compact habit, splendid flavour; good for early use	3d. and 0 6	1 0
Continuity—Invaluable for Summer use, and for with-standing dry seasons	6d. and 1 0	1 6
Drumhead, or Malta—A large variety for Summer use	0 4	0 6
Early Paris Market—The best forcing Lettuce, turns in very quickly, and forms close, firm hearts	3d. and 0 6	0 10
Hardy Hammersmith—Excellent variety for Winter	3d. and 0 6	0 9
Iceland—Grows to a good size; very solid and crisp. Its great merit, however, consists in its refreshing and particularly pleasant flavour, its freedom from toughness, and remaining in good condition and not running to seed even in the most trying weather. The leaves are finely fringed. One of the best of the summer Lettuces Award of Merit, R.H.S.	1 0	—
Lees' Immense Hardy Green	3d. and 0 6	0 9
Neapolitan—A capital summer Lettuce, habit dwarf, leaves much curled on the edges, head firm, white, large, crisp, and sweet; quite distinct	3d. and 0 6	0 8
New York—Is compact, folds in very nicely, excellent flavour. It is not a forcing variety, but is one of the best for Summer use	3d. and 0 6	1 0
Stanstead Park—The largest, hardiest, and best flavoured Cabbage Lettuce to stand the Winter	3d. and 0 6	0 9
The Favourite—An excellent variety for Autumn use. Leaves light green with a brown blotch, very crisp and sweet, and has been known to stand the driest Summer without running to seed when all other varieties were useless	3d. and 0 6	0 10
Tom Thumb, or Tennis Ball—Small and very early, forming close and compact heads, stands the Winter well, also dry weather	3d. and 0 6	0 10
Victoria, Red Edged	3d. and 0 6	0 10



TOM THUMB LETTUCE.

Other varieties can be supplied.
For plants, see page 42.


MELON.

(*Cucumis melo*.) CUCURBITACEÆ.

CULTURE.—Similar to that of the Cucumber, but requiring several degrees more of heat, which must be maintained with regularity. A quick growth should be encouraged during the earlier stages, and when about 1 foot or so high the tips should be pinched out, causing them to come stronger, and the fruit sets more freely. As a rule they are in perfection just before the stems come away easily from the fruit. The soil should be kept firm and solid throughout the growth.


	Per pkt.—s. d.	Per pkt.—s. d.
A. F. Barron—Large, and not coarse; delicious flavour, green flesh	1 0	—
Beechwood Green Flesh—An excellent variety	1 0	—
Bishop's Favourite—Handsome in appearance, beautifully netted, golden yellow skin; it has a white flesh of great depth, remarkably tender, with a most luscious flavour; vigorous and robust	1 6	—
Blenheim Orange—A first-class scarlet-fleshed Melon of delicious flavour	1 0	—
Duchess of York—Fruit medium size, white-fleshed, colour golden, and beautifully netted; sets freely, of robust constitution, thick in the flesh, and of a delicious flavour	1 0	—
Duke of Edinburgh—Scarlet flesh, superior flavour	1 0	—
Earl's Favourite, The—First-class Certificate, R.H.S. A green-fleshed variety of the most delicious flavour; a strong grower and free setter; canker resisting. It does quite as well in cool frames as in the houses	1 6	—

Cannell & Sons' Complete Seed Guide.



MELONS. Reproduced from a Photograph.

	Per pkt.—s. d.
Eastnor Castle —Flesh deep green colour, very prolific, rich flavour	1 0
Frogmore Orange —A very handsome white-fleshed variety, raised by Mr. Owen Thomas, of the Royal Gardens. The plants set freely and produce an abundant crop of medium-sized fruit, which are beautifully netted over the whole surface. It is named <i>Frogmore Orange</i> on account of its exterior colour, but the flesh is white and of great thickness, and edible to the rind, which is very thin, and a great desideratum in melons. It is very juicy and of excellent flavour. Award of Merit, R.H.S.	1 6
Gilbert's Improved Victory of Bath —A splendid green-fleshed variety; free setter	1 0



JAPANESE OPEN GROUND MELON.

Golden Perfection —The best and earliest Melon for frame or pit culture; good flavour	1 0
Hero of Lockinge —Handsome fruit, skin rich golden colour, regularly netted with white. Flesh almost white, deliciously melting, and of exquisite flavour; very early, and a popular variety for exhibition	1 0

	Per pkt.—s. d.
Ingestre Hybrid —Fruit globular, of medium size, and a bright golden yellow, most beautifully netted, with very thin skin. Great depth of flesh, white, very sweet and juicy, and the flavour superb. Of robust constitution, and sets most freely. Award of Merit, R.H.S.	1 0
Japanese Open Ground —It ripens very early, and has a delicious fragrance, the skin alabaster white, and becomes yellow when ripe; the flesh is soft and melting and of fine flavour; can be planted out early in June, and fully-developed and ripe fruit may be gathered in September	1 0
Knowsley Favourite —Delicious flavour, deep flesh and thin rind, green flesh. Robust constitution, moderately early, a sure setter, and a good grower. Weighs from 3 to 5 lbs. In shape mostly round, but sometimes inclined to be oval; finely netted; particularly juicy	1 0
Longleat Perfection —A white-fleshed, smooth-skinned, and handsome fruit; flesh soft, melting, and luscious; one of the best	1 0
Monro's Little Heath —Easily cultivated, very prolific, and one of the hardiest. The flesh is scarlet... ..	0 6
Read's Scarlet Flesh —One of the most exquisite flavoured Melons in cultivation, beautifully netted	1 0
The Countess —A good constitution, medium size, free setter, distinctly netted. The fruit is yellow in colour, thin in the skin, thick in the flesh, which is nearly white, tender, juicy, and pleasantly flavoured	1 0
William Tillery —An exquisite green-fleshed variety of the richest flavour	1 0
Wythes' Seedling —Very early and a fine setter; fruit of medium size with golden skin, outside moderately netted, and very thin rind. The flesh is not strictly scarlet or green, but a combination of the two; exquisite flavour	1 0

Other varieties can be supplied.

For Plants, see page 42.

Cannell & Sons' Complete Seed Guide.



MUSHROOMS.

(*Agaricus campestris*.)

Our MUSHROOM SPAWN
is fresh and of the Best Quality.



CANNELLS' "PERFECT."

Having every facility, and to be quite sure that nothing but the best shall come from us, we collect samples from all sources where manufactured, immediately test which is the best, and purchase largely; consequently, all our customers succeed, most of them far above their expectations. At this moment we have a large stock, and beyond all question the finest ever offered. Per brick, 6d., postage 4d.; per peck, 1s. 6d., postage 9d.; per bushel, 5s.

A Practical Treatise on the Cultivation of Mushrooms, by J. Wright, F.R.H.S., price 1s., post free 1s. 2d.

By using Cannells' Perfect Mushroom Spawn they can be had all the year round.

MUSTARD.

(*Sinapis alba* and *S. nigra*.) CRUCIFERÆ.

CULTURE.—Sow every fortnight for succession in boxes, in heat when too cold out of doors. On account of making such rapid growth should be sown about a day or so later than Cress, when they are required to come in together for cutting. Per oz.—s. d.

Cannells' Eynsford White—A splendid, carefully-selected, and improved form of the old variety, as generally grown for salads
Cheaper by the peck or bushel. per quart, 2s.; per pint, 1s.; 0 2

Chinese—Leaves and stems much larger than the common variety, black seeded 0 3

CANNELLS' PRIZE MEDAL ONIONS.

(*Allium cepa*.) LILLIACEÆ.

Awarded a SILVER MEDAL, Agricultural Hall, 1893.

A SILVER KNIGHTIAN MEDAL, 1894.

SILVER MEDAL, Birmingham, 1897.

WE MAKE THESE A GREAT SPECIALITY.



OUR ONION FIELD BETWEEN JUNE AND SEPTEMBER.

CULTURE.—The ground should be double dug in October or early in November, great care being taken to intermix a heavy dressing of night oil, pig or strong manure, keeping as great a portion of the manure as possible at the bottom of the trench. The ground can then be left in its rough state until early in January, when a good dressing of soot may be spread over the surface, which is not only a preventive for the maggot, but a valuable stimulant for the Onion throughout its different stages of growth. Nothing more should be done until the end of February or March, when (weather permitting) the beds should be pointed over, well raked, and rolled or trodden down firm, and the seed drilled in rows 1 foot apart, which leaves ample room for a draw hoe, which cannot well be used too often if care be exercised to avoid any injury to the tops. As soon as the Onions are up and well established thin out to 9 inches apart, and during an early stage of their growth a liberal top-dressing of spent mushroom bed manure would be beneficial in keeping the ground moist and cool in hot, dry seasons, and saving a considerable labour in watering. When they are in full growth a dressing of our "Real Manure," 2 ounces to the yard, will do wonders for them, especially if well watered in, should the weather be dry. Soot sown broadcast in showery weather will help to keep down the mildew and also encourage growth. For what are termed Tripoli or Winter Onions, sow early in August and transplant the following Spring. Onions may be grown on the same piece of land for years if good tillage is kept up every season. By sowing the Tripoli or Autumn Onions early in August, and transplanting the seedlings in due course, followed with a sowing, weather permitting, of Early Eight Weeks in February, and then again with the Spring varieties, it is possible by this method to have Onions throughout the year.



Memorandum

from

Barr & Sons, 11, 12 & 13, King-Street, Covent Garden, London.

*We have much pleasure in sending you herewith
our Catalogue as requested and hope to be favoured with
your esteemed orders which shall have our very careful
attention.*

Cannell & Sons' Complete Seed Guide.

EXHIBITION AND MAIN-CROP VARIETIES.

Per pkt.—s. d.

Cannells' Re-selected Stock,

Ailsa Craig—One of the largest and most beautiful kinds yet introduced for exhibition purposes; bulbs, which vary from almost a globe to a flat oval shape, are of a pale straw colour

1 6

Cannells' Re-selected Stock,

Cranston's Excelsior—

Very small neck, globe-shaped; pale straw; grand for competition per pkt., 6d. & 1s.

Cannells' Re-selected Globe

—A decided main-crop variety, coming true to character: very globular, and of a deep rich straw colour; very handsome and quite hardy, well adapted for exhibition purposes; attains to a large size and occasionally weighing 1½ lbs. Per pkt., 1s. & 1s. 6d.

Cannells' Re-selected Stock,

Improved Wroxton—A

very valuable Onion, and is acknowledged to be the mildest flavoured and best keeper in cultivation. It may be grown to a large size, from 16 to 20 ounces in weight; the skin is of a very delicate light brown straw colour. It is an egg-shaped type, and quite distinct ... 6d. & 1 0

Cannells' Lullingstone Park Hero—A thoroughly reliable variety, very hardy, does well in any soil, but of course the better the soil the heavier the crop. May be sown either in Spring or Autumn. It is a heavy cropper, and produces handsome bulbs of a somewhat globe shape. Really good and useful for all purposes, and suitable to all growers of this vegetable—in fact, it is what might be termed a knockabout Onion. Per pkt., 1s. and 1s. 6d.



OUR FIELD OF SEED ONIONS.

For Plants, see page 42.



BANBURY ONION.

Anglo-Spanish—The best of its type for exhibition, as also for main-crop per pkt., 1s. 6d.

Banbury—This wonderful cropping Onion still retains its high reputation; it is a fine shape, with a bright yellow skin, and a suitable variety for the exhibition table ... 0 9


Challenge—This addition to the Onion class is described as without doubt quite distinct from any variety yet introduced, being globular in shape, of a bright red skin, with a very white flesh, and of excellent flavour.

Per pkt., 2s. 6d

Cocoa-Nut—Resembles a cocoa nut in shape; the skin is a very delicate pale straw colour, flesh white and very mild; most useful for exhibiting in collections ... per pkt., 1s. 6d.

Concord—New Intermediate—A very large-sized, handsome, semi-globular variety. This variety comes early, and ripening well is not to be surpassed for good keeping, quality, and solidity, and will give a greater weight of produce than all other Spring onions, and if sown in the open early in the Spring very large bulbs can be grown ... per pkt., 1s

Golden Ball—The finest Globe Onion in cultivation, a very heavy cropper, growing to a large size, with small neck, and bulb a beautiful globe shape. It is an excellent keeper, and a capital variety for exhibition. It has been carefully selected, and saved from bulbs of large size and perfect shape ... per pkt., 6d. & 1s.



GOLDEN BALL.

Cannell & Sons' Complete Seed Guide.

Inwood Favourite—A cross between *Rousham Park* and *Crimson Globe*, but is far handsomer than either. It has a greater depth of bulb than *Rousham Park*, and in shape is nearly globular, with conspicuous shoulders; in colour it is pale pink. Bulbs nearly 2 lbs. in weight; **one of the best Exhibition sorts.** The flesh is remarkably firm and solid, and it has been proved a splendid keeping variety. Being a strong grower, it resists mildew better than many sorts of weaker constitution. Awarded several certificates at important shows

per pkt., 1s.; trial pkt., 6d.

Magnum Bonum—Oval shaped and distinct; large and a good keeper per pkt., 6d. 1 0


Maincrop—A fine selection of *Nuneham Park*; a desirable strain for exhibition or table use, and though grown for a main crop will also prove an excellent keeper 1 0

Neil's Advancer—Straw-coloured skin; very desirable for exhibition; a fine variety per pkt., 1s.

Rousham Park Hero—A new and valuable Onion of the White Spanish type 1 0

Royal Jubilee—One of the largest and best in cultivation; grows to an immense size; in type and character closely resembles the Anglo-Spanish per pkt., 1s. 6d.

Sandy Prize White Spanish—Was selected and recommended by the Royal Horticultural Society as the best of the White Spanish type. This strain is the result of many years' constant selection per pkt., 1s.



SANDY PRIZE, WHITE SPANISH.

Somerset Hero—A variety producing fine specimens, and the skin of which is yellow, shaded brown; a grand cropper per pkt., 1s.

The Lord Keeper—Very large in circumference, high shouldered, deep flesh, and small neck, pale straw-coloured skin; one of the finest for show purposes per pkt., 1s. 6d.

Plants of Exhibition Varieties raised under glass in the Spring and specially prepared in pots of all the finest kinds. List and prices on application.



INWOOD FAVOURITE.


Try Onions.—During the last epidemic of cholera in England it puzzled the sanitary inspectors of a northern town (writes the *Hospital*) to understand why the inhabitants of one cottage in a certain row were not affected by the disease raging among their neighbours. Finally it became noticed that a net of onions was suspended in the fortunate house, and on examination these were all found to be diseased. It is also related that during a former outbreak of infectious fever in Somers Town and St. Giles, the French priests, who constantly used garlic in all their dishes, visited the worst cases in the dirtiest hovels with impunity, while the English clergy who were similarly engaged, but who did not eat on ons in like fashion, caught the infection in many instances, and fell victims to the disease. Raw onions contain an acrid volatile oil, sulphur, phosphorus, alkaline earthy salts, starch, and free uncrystallised sugar. The fresh juice is colourless, but by exposure to the air becomes red.

Cannell & Sons' Complete Seed Guide.

GOOD KITCHEN AND GENERAL MAIN CROP VARIETIES.

	Per oz.—s. d.
Bedfordshire Champion—Globe shaped, skin brown, heavy crop and a good keeper per pkt., 3d. & 6d.	0 10
Blood Red—Strong flavoured, keeps well	0 8
Brown Spanish—Large cropper; good keeper	0 6
Danver's Yellow—An excellent large sort, and keeps well; one of the best	0 8
Deptford or Strasburg—A good keeper	0 6
Early Eight Weeks—The quickest growing Onion in cultivation, coming to maturity in about eight weeks. Invaluable where Onions are required early in the Summer; very useful for pickling, and of mild flavour	0 8
Early Nocera—A very suitable variety for pickling... ..	0 8
Giant Zittau Yellow—This is a capital keeping variety, if the bulbs are allowed to remain in the ground until thoroughly matured before being disturbed	0 8


	Per oz.—s. d.
James' Long Keeping—Keeps longer than any other sort ...	0 8
Naseby Mammoth—A fine form of Spanish type; symmetrical ...	0 8
Nuneham Park—Fine for competition; straw coloured ...	0 8
Silver Skin—Small size, early, thin skin; good for pickling ...	0 8
The Queen—A silver-skinned variety, remarkable for its quickness of growth. If sown in March will produce full-grown bulbs early in the Summer; most suitable for pickling ...	0 8
Trebons—Yellow; large, one of the best; splendid exhibition sort per pkt, 6d.	1 0
Welsh or Ciboule, or Perennial Tree Onion—Comes up year after year without any protection; very rapid in growth, tender and sweet	0 6
White Globe—Should be used early	0 10
White Spanish, or Port—One of the best for main crop...	0 6



THE QUEEN ONION.



JAMES' KEEPING ONION.



BROWN SPANISH.

THE GARDENERS' CHRONICLE.

"A.D." writes:—Mr. Cannell drew attention to his stock of *Eynsford Beauty* Parsley, so green, compact, and so good in every respect.

THE GARDENERS' MAGAZINE.

A batch of *Eynsford Beauty* Parsley, a fine variety, was staged by Messrs. H. Cannell & Sons.

THE GARDENERS' CHRONICLE.

Messrs. Cannell & Sons made an exhibit of a good variety of Parsley known as *Eynsford Beauty*.

Cannell & Sons' Complete Seed Guide.

VARIETIES FOR AUTUMN SOWING.

	Per oz.—s. d.		Per oz.—s. d.
Flat White Italian Tripoli—For Autumn sowing; mild flavour	0 8	Red Globe Tripoli—A very remarkable variety, keeps well	... 0 6
Giant Rocca—The best to sow in Autumn for transplanting in Spring. Grows to an enormous size; mild flavour	... 0 8	White Lisbon—Of medium size; esteemed for its mild flavour	... 0 6
Giant Rocca Lemon—Lighter in colour than above; mild flavour; good for exhibition	... 0 9	For Plants, see page 42.	
		Other varieties can be supplied.	



PARSLEY.

(*Apium petroselinum*.) UMBELLIFERÆ.

CULTURE.—Should the weather be dry, sow early in February; if not, defer till middle of March. Sow again in May, and also July, for furnishing plants to stand over Winter. Parsley seed is rather longer than most seeds in germinating, and should be watered in dry weather if necessary. The secret of having it good all the year is to sow in good soil, 16 inches from plant to plant.

Cannells' Eynsford Beauty—A specially beautiful kind, and producing certainly the prettiest and most lovely leaf imaginable, exquisitely mossed and curled, and where a variety is required for garnishing and exhibition purposes, this will be found to meet all requirements. Very hardy, and well adapted for pot culture; very compact habit. Per pkt., 6d. and 1s.

Cannells' Beauty of the Parterre—Handsome and highly decorative; as a garnishing plant it is unsurpassed. The plants should be thinned out to at least 12 inches apart. Per packet, 3d. and 6d.; per oz., 10d.

	Per oz.—s. d.
Cannells' Selected Fernleaf —Invaluable as a garnishing plant and for table decoration; one of the finest in cultivation	... 0 6
Covent Garden Garnishing —One of the best curled varieties grown	... 0 6
Moss Curled —A beautiful variety	... 0 6
Myatt's Garnishing —A splendid variety; very double	... 0 4
Turnip-rooted, or Hamburg —Roots used for stewing	... 0 6

PARSNIP.

(*Pastinaca sativa*.) UMBELLIFERÆ.

CULTURE.—Sow about the second week in February, or first in March, or as early as the ground is in a fit state to receive the seed, choosing a light deep-trenched soil if possible; and if required for exhibition, make a hole 3 feet deep with a crowbar, push this round so that the hole is largest at the top, fill with fine soil, and finish off with dibbing in three seeds. After germinating leave the strongest seedling, assist them when in full growth, make four holes a foot deep in the soil and about 5 inches away from the plant, which can be occasionally filled up with liquid manure, and with proper care and attention afterwards, clean, well-grown specimens will be the result, that will astonish all beholders. They should be allowed to remain in the ground as long as the weather permits, and when lifted should be carefully placed in sand.

Cannells' First Prize—The outcome of several years' selection from the *Hollow Crown*. This is a grand variety for exhibition purposes, going down a great depth and perfectly straight; skin smooth and well blanching; of splendid shape, and tapering off with perfect regularity. Per packet, 6d. 1 0

Cannells' Student—A first-class variety for the garden ... 0 6

Cannells' Hollow Crown—A selected stock, producing long, clean, and smooth roots, free from side shoots; very tender ... 0 4



CANNELLS' "BEAUTY OF THE PARTERRE."

	Per oz.—s. d.
Maltese , an advance on <i>The Student</i> , growing to a large size	... 0 6
Elcombe's Improved —Fine flavour	... 0 4
True Jersey Marrow —Extra large	... 0 4
Turnip-rooted —Recommended for shallow soils	... 0 6

Cannell & Sons' Complete Seed Guide.



R. Cannell & Family & his horses at Eynsford

POTATOES.

A SELECT LIST OF KITCHEN & EXHIBITION SEED POTATOES.

(*Solanum Tuberosum*.) SOLANACEÆ.

SPECIALLY GROWN AND SELECTED FOR SEED, AND TRUE TO NAME.

Those marked with a * are good Exhibition varieties.

It is absolutely necessary that full Rail Address should accompany all orders for Potatoes.

We grow, at our farm at Eynsford, many acres all for seed on calcareous soil, and as change of seed off different soil is so essential for heavy and healthy crops, our seed potatoes will be found to give undoubted satisfaction both for exhibiting and table purposes. Great attention and care is bestowed upon each variety to keep them perfectly true. All samples are hand-picked by experienced men who are well acquainted with the respective sorts.

Our collection consists of about 100 varieties. In the list enumerated below are varieties which we consider the best for table, show, and first prize winners. We are offering our seed potatoes very cheap, in order that change of seed can be within the reach of all; for after our practical experience and observations, we publicly and confidently assert it is money well spent.

CULTURE.—Consider the condition of the soil—if rich, pulverize it by digging two, three, or four times; if poor, manure it with our Real Manure, which always doubles the crop. Plant early, before the strong eyes at the principal end start growing. Do everything possible so that the foliage is in no way injured. Always feel a pride in seeing the tops die down a golden yellow. Take up early. Never clamp up tight until frosts set in—this prevents premature growth. Peel with a proper peeling knife. Do this every evening, and let them lay in water all night, and you certainly cannot fail to have mealy, beautiful eating Potatoes.

See Illustration, page 34. Be sure, in planting, this end is upwards, and these eyes should be reduced to the crown or, at most, two only. By this means the crop would be considerably increased.

A SIMPLE AND CHEAP PREVENTIVE OF DISEASE.

We have tried this method, and found it answer satisfactorily on the *Beauty of Hebron*—and that is treble earthing. Earth up the potatoes as usual, and about a month after earth them up again and again. Always plant your sets deep. Be sure to make the top of the bank as pointed as possible, resembling a V upside down. Any hollowness on the top of the bank is setting a trap to catch the germs of the disease which are washed down by the rain on the tubers, hence commences the disease. Pat both sides of bank well with a spade or shovel; we found it prevented the disease and the crop heavier.

NEW POTATOES.

Britannia—The first in—a fortnight earlier than *Myatt's Ashleaf*. The new first early Kidney Potato. Excellent flavour, capital cropper, with short stout haulm. This is the very earliest for forcing, and is recommended for growing under glass in beds or in pots and frames, producing a crop for use at Christmas and during the early months of the year. We have great pleasure in offering this new variety of Potato, and would especially draw the attention of gardeners to its unique character; it is probably the only kind that will succeed in ordinary-sized flower pots, bearing a crop of new Potatoes with but little trouble and expense, and at a time when they are esteemed a luxury. 6d. per lb.; 6s. per peck of 14 lbs.

Flourball—A red round variety, handsome, and of nice uniform size; good table quality, a great cropper, and one of the best disease resisting kinds yet introduced; haulm vigorous, and of a very dark green colour. Per 14 lbs., 3s.

Goldfinder—Main-crop, white oval; a grand Potato for Winter and Spring use, handsome in shape, absolutely no eyes; flesh fine in texture, floury white, and quality superb; strongly recommended. Per 14 lbs., 3s.

EARLY WHITE, ROUND AND PEBBLE-SHAPED VARIETIES.

	Per peck of 14 lbs.	Bushel of 56 lbs.	Per 56 lbs.	Per 14 lbs.
			s. d.	s. d.

***Cannells' "Come to Stay"**—Is a staying favourite when well grown and the greatest cropper in existence. Even if the crop is half diseased, it is then equal to the *Beauty of Hebron*, which it resembles in eating and other qualities. In a dry, hot season it would be by far the most preferable Potato in cultivation; ready to dig very early 6 0 2 0

Early Hammersmith—Handsome tubers; clear white skin 10 0 3 0

Early Regent—A splendid early sort 10 0 3 0

***Harbinger**—Handsome flattish-round tubers — 3 0

***Snowball**—A first early variety 10 0 3 0

EARLY WHITE KIDNEY AND OBLONG-SHAPED VARIETIES.

Belle de Fontenay—An improvement on *Myatt's Ashleaf*; cooks white — 2 6

Early Laxton 12 0 3 6

Eynsford Mammoth (Cannell)—Early white; kidney-shaped 10 6 3 0

Myatt's Ashleaf—A well-known sort, very prolific, and of good flavour; one of the earliest 6 0 2 0

Ringleader — 3 0

Rivers' Royal Ashleaf—A first-class early kidney variety 8 6 2 6

***Early Puritan**—The earliest pure, white-skinned Kidney Potato in cultivation. Its cooking qualities are at present almost equal to a good many of our first-class table varieties 6 2 0

Cannell & Sons' Complete Seed Guide.



EARLY PURITAN.

	Per 56 lbs.	Per 14 lbs.
*Snowdrop—Very handsome, productive, and disease resister. Good quality	s. d. 8 0	s. d. 2 6
Victor—An early cropper. It is a flattened roundish oval in shape; very suitable for forcing	s. d. 8 0	s. d. 2 6
*White Beauty of Hebron—A good early variety; splendid flavour	s. d. 6 0	s. d. 2 0
Wilson's Ashtop Kidney—Earlier than the <i>Myatt's</i> or <i>White Beauties</i> . Heavier cropper, and resists the disease very much better; haulm dwarfer than the <i>Myatt's</i> . Where early Potatoes are needed to come in quick it should be grown. Good sort for forcing	s. d. 6 0	s. d. 2 0

SECOND EARLY ROUND WHITE VARIETIES.


*Boston Q.Q. (Quantity and Quality)	10 6	3 0
*Crawley Prizetaker—Splendid keeper, good	8 6	2 6
*Jeanie Deans—Heavy cropper; finest cooking qualities, good flavour, and keeper	10 0	3 0
*M.P.—Good variety, crops well	8 0	2 6
*Paul's Round White	8 0	2 6
*Progress—A second early white round variety, skin very smooth and white; splendid exhibition kind; very consistent; good 7 lbs, 3s.	6 0	2 0
*Schoolmaster—For the select table one of the very best... ..	6 0	2 0
*Windsor Castle—Good quality, productive; very free from disease	8 0	2 6

SECOND EARLY WHITE KIDNEY AND OBLONG-SHAPED VARIETIES.

*Abundance	6 0	2 0
*Cannells' "Victory"—In every respect it is, in our opinion, the best early Potato yet sent out, and for exhibition a model. It is certainly the best for private gardens	6 0	2 0




	Per 56 lbs.	Per 14 lbs.
*Covent Garden Perfection—Handsome shape	s. d. 10 6	s. d. 3 0
*Duke of Albany—Productive, of first quality	s. d. 8 0	s. d. 2 6
*Duke of York—Splendid cooking quality	—	s. d. 3 0
*Cannells' Seedling—Flesh fine, mealy, and white	s. d. 6 0	s. d. 2 0



SCHOOLMASTER.


Pearl of Erfurt—Belonging to the Kidney class; few and flat eyes; nice form. 7 lbs., 2s. 6d.



VICTORIOUS.

*Perfection—Handsome table variety	10 6	3 0
*Satisfaction—Good cropper, round; a good general potato	8 0	2 6

Cannell & Sons' Complete Seed Guide.



Partial view of a field of Potatoes, PEARL OF ERFURT.

	Per 56 lbs.	Per 14 lbs.
*Snowflake	10 0	3 0
*Stourbridge Glory—Heavy cropper, pretty tubers ...	6 0	2 0
*The Canon	8 0	2 6
*Victorious—A first-rate all-round sort for succession ...	—	3 0

EARLY COLOURED ROUND AND PEBBLE-SHAPED VARIETIES.

	Per 56 lbs.	Per 14 lbs.
Blue Giant—Very distinct	8 6	2 6
*Lord Tennyson—Large and handsome	—	3 0
*Peachblow—A first-rate variety; pink eyed; round ...	8 0	2 6
*Reading Russett—A red round; good quality ...	8 0	2 6
Soudan Hero	10 6	3 0
*The Dean—Tubers round and of a deep violet colour, flesh white, of the finest quality	6 0	2 0

EARLY COLOURED KIDNEY AND OBLONG-SHAPED VARIETIES.

	Per 56 lbs.	Per 14 lbs.
*Early American Rose—Handsome red tubers ...	6 0	2 0
Early Vermont—Red	6 0	2 0

SECOND EARLY COLOURED KIDNEY AND OBLONG-SHAPED VARIETIES.

	Per 56 lbs.	Per 14 lbs.
*Beauty of Hebron—One of the best early sorts, very productive, and a good keeper; flesh pure white; quality good	6 0	2 0
*Beck's Beauty of Hebron—Red and white	7 0	2 0
*Blue Perfection—Large and fine	10 0	3 0
*Cardinal	10 0	3 0

We are prepared to supply the undermentioned collections at a very low rate, packing free and carriage paid to London only:—

A collection of 50 varieties, one tuber of each 10s. 6d.

A collection of 12 varieties, one peck of each variety, well adapted for the table or exhibition; all are good croppers and disease resisters. 25s.; 7 lbs. of each for 12s. 6d.

Per
56 lbs.

Per
14 lbs.


*Field Marshal (Cannell)—The brightest red-coloured variety in cultivation; a grand acquisition for exhibition purposes, very attractive and distinct, long Kidney-shape	—	3 0
*King of the Russetts—A useful and necessary variety	—	3 0
*Edgecote Purple—Rich purple	8 6	2 6
*Mottled Beauty	—	3 0
*Pink Perfection—Pink	8 6	2 6
*Prizetaker—Skin pale pink	8 6	2 6
*Red Elephant Improved	8 6	2 6
*Stirling—Oblong shaped, white ground, blotched and mottled purple. Will be found most useful as an exhibition variety; a second early. 7 lbs., 2s. 6d.	—	—
*Vicar of Laleham—Skin a rich dark purple	8 0	2 6
*White Elephant	6 0	2 0

LATE OR MAIN-CROP WHITE ROUND AND PEBBLE-SHAPED VARIETIES.

	Per 56 lbs.	Per 14 lbs.
*Best of All	8 0	2 6
*Imperator	6 0	2 0
The Murphy—Main Crop; disease resister; a great cropper; round, with few eyes, and which are not deep	—	3 0

LATE OR MAIN-CROP WHITE KIDNEY AND OBLONG SHAPED VARIETIES.


	Per 56 lbs.	Per 14 lbs.
Reading Hero	8 0	2 6
Bruce.—Excellent disease resister; good qualities for the table	6 0	2 0
*Bedfordshire Hero	—	3 0
*Chancellor—Handsome tubers	6 0	2 0
*Colossal	8 6	2 6
Farmer's Glory—A grand main-crop potato; fine table quality	—	3 6
*Magnum Bonum—A well-known variety, should be grown for a main crop; a good disease resister	6 0	2 0
Main Crop—A good cropper and disease resister, flavour good	6 0	2 0
*Prime Minister	6 0	2 0
*Reading Giant	6 0	2 0
Saxonian, <i>syn.</i> The Saxon—Of good quality	10 0	3 0
*The Garton—A good cropper	8 6	2 6
*The Gentleman—Of handsome appearance	8 6	2 6
*Triumph—Good cooking kind	8 6	2 6



COME TO STAY (see description).

Cannell & Sons' Complete Seed Guide.

Other Varieties in Commerce, and not mentioned in this List, can be supplied at Current Prices. We should be pleased to supply Collections of 12, 18, or 24 Varieties, consisting of the finest Exhibition kinds or for Table use. On application, Special Quotations per ton will be forwarded. Our Prices are subject to alteration after the middle of March. Public Institutions, Hospitals, &c., supplied on Special Terms. Large or small quantities forwarded. Send on list of kinds and quantities required.



The Carriage of Potatoes, Mushroom Spawn, &c., as part of a general order or alone, will be prepaid to any Station in England when the total value is not less than 20s., and to Ireland or Scotland when the total value is not less than 40s.

Cannell & Sons' Complete Seed Guide.

RADISH.

(*Raphanus sativus*.) CRUCIFERÆ.

SAVED FROM TRANSPLANTED AND SELECTED ROOTS ONLY.

CULTURE.—To have early, sow in frames near the glass in January; in the open ground in February, and every fortnight till August. To obtain crisp, sweet-eating radishes they must be grown quickly.



PART OF OUR FIVE ACRES OF RADISH SEED


	Per oz.—s. d.
Black Spanish—Large round; sow in Autumn	0 6
China Rose—Sow in August for Winter use	0 6



FRENCH BREAKFAST RADISH.



WOOD'S FRAME RADISH.



OLIVE-SHAPED RADISH.

French Breakfast—The best for early forcing, very much liked in Paris. It is of an oval form, scarlet colour tipped with white


Mixed Turnip per quart, 3s.; per pint, 1s. 9d. 0 4

Olive-shaped Scarlet—Quick growing, mild, and sweet per quart, 3s. 0d.; per pint, 1s. 9d. 0 4

Olive-shaped White—Similar to the scarlet except in colour ... 0 4

Raphanus Caudatus; or, Rat-tailed Radish—The seed pods are eaten only of this variety; they are often an immense length, and are excellent in pickles ... per packet, 6d.

Cannell & Sons' Complete Seed Guide.



RED TURNIP RADISH.

Red Turnip	...	...	...	per quart, 3s.; per pint, 1s. 9d.	0	3
Scarlet Short-top—Suitable for sowing outdoors				per quart, 2s. 6d.; per pint, 1s. 6d.	0	3
White Turnip	...	...	...	" 2s. 6d., " 1s. 9d.	0	3
Wood's Early Frame—Very early; fine flavour				per quart, 3s.; per pint, 1s. 9d.	0	3

Other varieties can be supplied.

RAMPION.

(*Campanula rapunculus*.)

CULTURE.—Rampion is a vegetable which may be used cooked or as a salad, but it is not nearly so much grown as it should be, especially when considered what a good substitute it is for radishes during the early Autumn months, and when owing to heat and drought the latter are sometimes difficult to obtain in a tender condition. Sow seed on a light porous soil in drills not less than 6 inches apart, and having covered them with about a quarter of an inch of soil, well tread the bed over and rake down smoothly. When the seedlings are well through the ground, thin them out to not less than 4 inches apart. After about three weeks, give the bed a thorough soaking with water, and the crop will be assured, unless the weather prove dry for a very long period, when duplicate waterings will be of great benefit. To secure a continued supply it is well to make several sowings, one early in the month of April, one about the third week in May, and a third and last about the same time in June.

3d. and 6d. per packet.

RHUBARB (Seed).

(*Rheum rhaponticum*.) POLYGONACEÆ.

CULTURE.—Sow in drills in April about 1 inch deep, thin out to 6 inches apart, and transplant in Autumn into a bed well manured 3 feet apart each way. Seed sown in this way will produce good roots the second year.

							Per packet—s.	d.
Finest Mixed Varieties	..	..	..	..	..	..	0	6

Rhubarb Roots, see page 43.

SALADS.


We supply seeds of plants generally used at various times of the year in the preparation of this now recognised necessity on the dining table. Descriptions will be found under the various headings—Barbe de Capucin, Celeriac, Chervil, Chicory, Chives, Corn Salad, Cress, Cucumber, Dandelion, Endive, Lettuce, Mustard, Nasturtium, Purslane, Radish, Rampion, Salsafy, Shallot, Tarragon, Tomato, Watercress, Witloof.

Can supply collections of Seeds in 12 varieties, 5s.
 " " " 25 " 9s.

SALSAFY (VEGETABLE OYSTER).

(*Tragopogon porrifolius.*) COMPOSITÆ.

CULTURE.--Although Salsafy is not usually cultivated in small gardens, there is no reason why it should not be, as the roots form a valuable addition to the somewhat limited list of Winter vegetables. They are easily cooked, merely require scraping, steeping in vinegar and water, then boiled until tender, after which they may be served up with white sauce. The culture is quite as simple. Choose a piece of ground that has been well dug and manured previously, the surface also should be well pulverised. Sow the seed first week in April, in drills 15 inches apart and about 2 inches deep. As soon as the plants are large enough to handle, thin out to about 9 inches apart. Beyond this, except keeping clean from weeds, this is all the treatment required until growth is completed in Autumn, when the roots may be lifted and stored in sand, or allowed to remain in the ground until required for use. Those left in the ground will produce flower stems in spring, and these if cooked when young make an excellent table vegetable.



SALSAFY, CANNELLS' MAMMOTH.

					Per oz.—s. d.
Cannells' Mammoth—Best quality	...	...	...	..	0 9



SCORZONEA

SCORZONERA.

(*Scorzonera hispanica*.) COMPOSITÆ.

CULTURE.—Same as for Salsafy. The roots are boiled or stewed in the same way as Parsnip. A delicious vegetable.

9d. per oz.



SEA KALK.

SEA KALE, SEED.

(*Crambe maritima*.) CRUCIFERÆ.

CULTURE—Sow in March or April in rows, about 15 inches apart, and keep the plants clear of weeds. Transplant to good, well trenched, and rich ground, in clumps of about four or five, and between each lot so planted leave a space of about 3 feet, so that any one can move between them during the growing season.

6d. per oz., 1s. 6d. per pint.

For Plants, see page 43.

Cannell & Sons' Complete Seed Guide.

SPINACH.

(*Spinacia oleracea*.) CHENOPODIACEÆ.

CULTURE.—Should the weather be favourable, a small sowing of the round variety may be made in January, another in February, and a larger one in March. Successive sowings may then be made every three weeks till the beginning of May, and afterwards weekly to the end of July. For Winter use, sow the prickly variety weekly during the first three weeks in August. The *New Zealand* should be sown in heat and transplanted, and be protected till the beginning of June, when it may be planted out without shelter.



CANNELL'S ROUND SPINACH.

Cannell's Eynsford Favourite—A great advance on the old round form of Spinach, well adapted for Winter and Summer sowing; very continuous in growth and rich in colour; when boiled possesses splendid table qualities; leaves are of a thick and leathery succulent substance; an excellent variety

Per oz.—s. d.

per pint, 2s. 6d. 0 6



CANNELL'S PRICKLY SPINACH.

Cannell's Prickly, or Winter—

Per oz.—s. d.

For Winter use ... per qt., 1s. 9d.; per pt., 1s. 0 3

Cannell's Round, or Summer—

For Summer use ... per qt., 1s. 9d.; per pt., 1s. 0 3

Flanders Broadleaf—A broad-leaved hardy variety ... 1s. 9d.; ... 1s. 0 3

New Zealand—Should be sown in February in heat and transplanted in June ... 0 6

Orache, or Mountain—Quite distinct ... 0 6

Perpetual Spinach, or Green Beet—Very useful, furnishing leaves in great abundance, and which should be regularly picked so as to encourage good growth; leaves are quite green; sowings should be made in March, April, and the latter part of July ... 0 6

TURNIP.

(*Brassica rapa*.) CRUCIFERÆ.

CULTURE.—Sow in March, April, and once a month till the end of August. Sow *Six Weeks* and *Snowball* till May; they are the best for early use.



CANNELL'S EARLY SIX-WEEKS TURNIP.

Per oz.—s. d.

Cannell's Scarlet Six Weeks—Obtained an Award of Merit,


R.H.S., owing to its distinct and highly-coloured character, possessing a splendid rich-coloured red skin; full size, of good form, and of the finest quality; will be found most useful on the exhibition table. No collection should be without it ... 0 6

Cannell's Early Six Weeks—Beautiful shape, the quickest variety grown, and one of the best for general crop, per pint 1s. 9d. 0 4

Cannell's Early Snowball—Good for exhibition, per pint, 1s. 9d. 0 4

All the Year Round—A green-top yellow variety; stands the severest weather ... per pint, 1s. 9d. 0 4

American Red Stone—A most excellent kind per pint, 1s. 9d. 0 4



EARLY PURPLE-TOP MUNICH TURNIP.



YELLOW FINLAND TURNIP.



AMERICAN RED STONE TURNIP.

Cannell & Sons' Complete Seed Guide.

Carters' Cardinal—A new extra early garden white-fleshed, flat-shaped variety, of distinct and fine qualities; quite sweet and solid ... Per pkt., 1s.
Chirk Castle Black Stone—A capital variety for August sowing for Winter use; the skin is black and the flesh snowy white. The quality is first-rate, and as the bulbs bury themselves well in the soil they remain good all through the Winter and in the most severe weather ... 0 4
Early Purple-top Munich—The earliest of all, fine flavour; suitable for exhibition ... 0 4
Early White Stone—Suitable for Summer use per pint, 1s. 6d. 0 3
Green-top Stone—For late sowing ... 1s. 6d. 0 3
Model White—This variety is remarkable for its form, earliness, and quality, and it cannot be too strongly recommended to exhibitors. The *Gardeners' Chronicle* says:—"Model White Turnip is the greatest advance in white varieties that we have seen." Awarded Certificate, R. H. S. ... 0 6

Jersey Navet—A white variety, oblong shape, mild, sweet flavour; good for late sowing to stand the Winter ... 0 6
Orange Jelly—One of the best ... per pint 1s. 6d. 0 3
Golden Ball (Selected)—Certificated by the Royal Horticultural Society as the best type of yellow garden Turnip. The flavour is excellent, and it stands the Winter almost as well as a Swede. It has been awarded numerous prizes ... 0 6
White Dutch ... per pint, 1s. 9d. 0 4
Yellow Finland—A splendid variety, which can be sown either in Spring or Autumn; bulbs very even and regular in form, somewhat hollowed at the base, with a very small tap root; smooth skin of a pale orange-yellow colour, the upper part a pale green, yellow flesh, solid and excellent ... 0 6
Yellow Maltese—A very handsome variety, splendid quality ... 0 4
Cannells' Garden Swede ... 0 3

TOMATO, or LOVE APPLE.

(*Lycopersicum esculentum*.) SOLANACEÆ.

We had during the Summer our 100-foot house of these, grown specially for trial and seed. None were better than those now offered.

CULTURE.—Sow in February or March in heat, pot, and gradually harden off, so that they may be ready to plant out the latter part of May to a sheltered location. For indoor purposes, get good plants in 4 or 5-inch pots; when they show a truss of flower they require fertilising or setting with a camel-hair brush. As soon as the fruit is formed, plant them out in ordinary good soil, 12 inches from plant to plant, pinch out all side shoots, and preserve the large leaves; if fruit fails to form, apply pollen at once, so that the plants bear fruit from bottom to top. Pick fruit as soon as ripe, and never select any other than fruit full of seed; ill-formed ones are disappointing, and often get seedsmen and gardeners in bad repute on this account.

Cannells' Golden Nugget—Of a rich and beautiful colour; useful for exhibition ... 0

CANNELLS' PERFECTION—Perfectly smooth and very solid; ripens evenly and early; enormously productive, and contains very few seeds 6d. and 1 0

Cannells' King—This remarkable variety was raised in Denmark. The fruit large, and nearly all of one uniform large size, and of the most brilliant red; and full, very free setting, and is certainly by far the best variety in cultivation. We guarantee it to give the greatest satisfaction wherever planted, and will take the lead, whilst its strength, size, good quality, and flavour will make it a general favourite. Indispensable on the exhibition table ... 6d., 1s. and 1 6

Cannells' New Zealand Peach—Of a pleasing and pretty colour; distinct ... 1 0

CHALLENGER—Of medium size, very solid and heavy, bright scarlet colour, excellent flavour, very fleshy, and with but little core; a grand exhibition or market kind ... 6d. and 1 0

***CHEMIN ROUGE**—A splendid cropper, one of the best market varieties in cultivation ... 6d. and 1 0

Conference—Medium-sized fruit, perfect in form, rich in colour, and produced in wonderful freedom, not only under glass but outdoors ... 6d. and 1 0

Conqueror—An early and free setter and a great cropper, whether under glass or outdoors ... 3d. and 0 6


Dedham Favourite—Good main-crop variety 6d. and 1 0

Duke of York—Rich scarlet, round in shape, flesh very firm, fine flavour, splendid cropper ... 1 0

Early Dwarf Red—A quick grower, one of the best for general cultivation ... 3d. and 0 6

Early Ruby—A capital smooth round variety; good cropper, flavour excellent ... 6d. and 1 0

Frogmore Selected—The fruit is of good medium size, and a deep bright red colour, smooth and almost round, very firm and solid, with flesh of an unusual depth, while the flavour is delicious. It is a most prolific and continuous cropper, the plant being literally covered with large clusters of fruit. For early forcing this variety is unequalled. A very free setting and desirable sort. It is also very suitable for outdoor cultivation ... 1 0




A DISH OF CANNELLS' PERFECTION.

Goldfinder—It is of beautiful form, brilliant scarlet colour, and exquisite flavour. The flesh is solid, and contains very few seeds; profuse and continuous bearing ... 6d. and 1 0
Hackwood Park—Prolific, a magnificent exhibition kind, good cropper, smooth, a brilliant red. In fact a good all-round Tomato ... 6d. and 1 0
Ham Green Favourite—Good size, scarlet, and of fine shape; a wonderful cropper ... 6d. and 1 0
Hathaway's Excelsior—A very handsome variety; fruit large, round, and quite smooth ... 6d. and 1 0
Large Red—Splendid for general purposes ... 3d. and 0 6
Laxton's Open Air—Has much to recommend it; exquisite flavour; first-rate variety for growing outdoors; a remarkably free setter of good size and prolific, fruiting within several inches from the ground, and continuing up the plant for several consecutive joints ... 3d., 6d., and 1 0
Marvel—The plant is dwarf and vigorous, short jointed and branching. It is very prolific, and ripens its fruit earlier than other outdoor varieties; fruit, large clusters, smooth and bright red in colour, very solid and heavy ... 1 0

Cannell & Sons' Complete Seed Guide.

Mikado—An American variety, grows to a very large size; one of the best ... Per pkt.—s. d.
6d. and 1 0




MIKADO TOMATO.

Ponderosa—One of the largest; fruit is smooth and very solid; a free setter, useful for exhibition purposes. Specimens of this variety have been produced weighing upwards of 3 lbs. each ... 6d. and 1 0

Red Currant, or Cluster—Highly ornamental and interesting, producing an abundance of small fruit in clusters similar to Red Currants, but larger ... 6d. and 1 0

The Trophy—This ranks amongst the earliest, and is, without doubt, the largest, most fleshy, and best flavoured of all when well grown ... Per pkt.—s. d.
6d. and 1 0



TROPHY TOMATO.

Vick's Criterion—Medium-sized fruit, resembling a plum in shape ... 6d. and 1 0

Yellow Trophy—Identical in shape and size of the well-known Trophy, but in colour a beautiful yellow ... 6d. and 1 0

OTHER VARIETIES CAN BE SUPPLIED.

VEGETABLE MARROW. (*Cucurbita ovifera*.)



Cannell & Sons' Complete Seed Guide.

CULTURE.—The seed may be sown in a slight heat the end of March, and shifted from the pots about the middle of May, when select an open piece of ground and throw out holes from 2 to 3 feet square and 1 foot deep, which should be at least 12 feet apart, the soil thrown out being used to raise the sides. A layer of dry leaves or litter should be spread over the bottom, and afterwards a sufficient quantity of ordinary good soil, wherein a small portion of leaf soil and spent manure has been mixed, to refill it. The plants being hardened off, should receive at the time of planting a good watering, and be shaded and protected as long as necessary. Planted in this manner they make firmer and shorter jointed growth, are more prolific, less water required, and are not so liable to go off when in full bearing, as often happens under a more forcing treatment. They can also be grown with success outdoors by putting in a few seeds the first week in May, where they are to remain.

	Per pkt.—s. d.
Cannells' White Beauty —This will undoubtedly prove a most useful variety. We have now for several seasons been testing its good qualities and adaptability under the variable weather we have had during the past summers, and have always found it a free setter and producing a fine crop of medium and most useful-sized fruits of a creamy white; of good quality, and continues bearing for a very long time 1 0	
Green Bush, or Cluster 3d. and 0 6	
Hibberd's Early Prolific —A heavy cropping kind, setting its fruit quicker than some varieties 3d. and 0 6	
Improved Custard —A very ornamental as well as a useful variety 0 6	
Large White —Large size, handsome shape, splendid flavour; one of the best 3d. and 0 6	

Large Green and Gold , best for eating	Per pkt.—s. d.
Mixed Varieties	... 3d. and 0
Moore's Cream —Splendid for exhibition	... 3d. and 0



CUSTARD MARROW.

Muir's Prolific Hybrid —A first-class variety, very distinct, creamy-white; flesh thick and excellent in flavour	3d. and 0
Pen-y-byd —A distinct variety of great merit; fruit almost globular in shape; colour delicate creamy-white; firm flesh, of fine quality and delicate flavour; one of the finest	3d. and 0

Transplanted Vegetable Plants.

Plants of the following Vegetables supplied and sent by Parcel Post, at the periods stated below:—

	Per 100—s. d.	s. d.		Per 100—s. d.	s. d.
Borecole, or Kale —From April to Aug. 1 0 to 1 6 according to size.			Coleworts —From June to August ... 1 0 to 1 6 according to size		
Broccoli —From May to August ... 1 0 ,, 1 6 ,, ,,			Endive —From May to August 1 0		
Brussels Sprouts —From Sept. to July 0 9 ,, 1 0 ,, ,,			Leek —During May and June ... 1 6 ,, 3 0 ,, ,,		
Cabbage —From August to April ... 0 9 ,, 1 0 ,, ,,			Lettuce —Nearly all the year round ... 1 0 ,, 2 6 ,, ,,		
Cabbage, Savoy —From May to Sept. 0 9 ,, 1 0 ,, ,,			Onions —Finest Exhibition. (List and price on application.)		
Cauliflower —From March to August ... 1 6 ,, 2 0 ,, ,,			Onions, Autumn sown —During February and March ... 1 0 ,, 1 6 ,, ,,		
Celery —From May to August 1 6 ,, 3 0 ,, ,,			Tomatoes —February to June ... 1 6 ,, 2 6 per doz.		
Chou de Burghley —May to August ... 2 0 ,, 4 0 ,, ,,					

A list will be forwarded on application, at current prices, for plants of Cucumbers, Melons, and Vegetable Marrows at their proper seasons.

Tobacco.

HAVANNAH	3d. per packet
KENTUCKY	3d. ,,
VIRGINIAN SEED LEAF	3d. and 6d. ,,

Agricultural Seeds.

We do not pay Carriage on Agricultural Seeds unless an allowance is enclosed.

	Per lb.—s. d.		Per lb.—s. d.
Carrot, White Belgian —Very heavy cropper	1 6	Parsnip, Champion —Very fine and large	1 0
„ Yellow Belgian —Large and very free-growing	1 9		Sow 6 to 7 lbs. an acre.
Cabbage, Cattle or Ox, Drumhead —From the finest selected stock	3 0	Swede Turnip, Giant Purple Top —Heavy cropper, good quality, fine shape	0 10
	Sow 6 lbs. per acre.	Swede Turnip, Improved Green Top —Very hardy and useful for grazing purposes	0 9
Mangold Wurzel, Yellow Globe —From the finest selected ... 1 0			Sow 3½ lbs. per acre.
„ Giant Long Red —Extra fine variety ... 1 0			
	Drill from 6 to 8 lbs. per acre.		

Other Varieties can be supplied at advertised prices.

Mr. A. ARCHER, The Gardens, Camden Hill, Chislehurst, 23rd August, 1897.
Your King Tomatoes have turned out remarkably well with me, and I consider it the finest Tomato grown.

Mr. T. J. HARTLESS, The Gardens, King's-Waldenbury, Hitchin, 5th August, 1897.
Your Tomato Cannell's King is rightly named. I think it will be a long time before it is beaten. My house last year was the admiration of all who saw it. This year the same house was planted with other varieties under the same conditions, but the results are not near like Cannell's King.

Cannell & Sons' Complete Seed Guide.

CULINARY PLANTS, ROOTS, &c.

ASPARAGUS PLANTS.

Splendid plants that will give abundance of this lovely vegetable.

				s.	d.
Connover's Colossal	—1 year	...	...	per 100	—3 0
"	"	2	"	"	4 0
"	"	3	"	"	7 0
Giant or Battersea	—1	"	...	"	2 0
"	"	2	"	"	4 0
"	"	3	"	"	6 0

SEA KALE PLANTS.

	s.	d.
Extra Selected ... per doz.	2	0
Strong Plants ... per doz.	1	0


HERB ROOTS, &c., &c.

Balm.	Marjoram.	Savory, Winter.
Chives.	Mint.	Tarragon.
Horehound.	Pennyroyal.	Thyme, Common.
Hyssop.	Rue.	Thyme, Lemon.
Lavender.	Sage.	Wormwood.

Good plants 6d. each; 5s. per doz.

ARTICHOKE ROOTS AND PLANTS.

	s.	d.
Globe Artichokes (Plants) ...	per doz.	—6 0
Jerusalem Artichokes (Tubers) ...	per peck	—1 0
Jerusalem Artichokes (White Skinned)—The tubers have a clear white skin instead of the reddish tint of the old variety. They are also more regularly formed, having a tendency to a globular shape, and the quality is excellent; a nutritious and easily-cultivated Winter vegetable, and will undoubtedly tend to increase its cultivation and popularity		
	per peck of 14 lbs. 1s. 6d.; 56 lbs.	5 0




WHITE SKINNED.

Stachy's Tuberifera (Chinese Artichoke) Choro-Gi. — Should be tried by every one. The plant is more profitable than French Beans, and during the Autumn and Winter season the tubers are welcomed as a variety in vegetables. As a salad it is quite equal

to Radishes, being brought to the table in the same way. It is as hardy as Knot Grass, not affected by frost in the least. The tubers should be lifted in November and stored in dryish earth or sand, not in damp material, as with the latter the growth is apt to recommence. Plant on rich soil.

Tubers, per lb., 1s.; 7 lbs., 4s.; 14 lbs., 7s. 6d.



STACHY'S TUBERIFERA.

POTATO; OR, UNDERGROUND ONIONS.

	s.	d.
Good Select Stock ...	6d. per lb.; 14 lbs.	5 0

RHUBARB ROOTS.

	Per doz.	s.	d.
Sovereign ...	...	7	0
Earliest of All ...	...	7	0
Johnston's St. Martin	...	7	0
Mitchell's Royal Albert or Early Red	...	7	6
Myatt's Victoria ...	...	7	0
Hawke's Champagne ...	...	7	0
Extra large, for forcing	...	12	0
Mixed Varieties ...	...	6	6

One or six roots of each of the above can be supplied also.

Seed can also be supplied 6d. and 1s. per packet.

GARLIC.

1s. per lb.

SHALLOTS.

Plant and cultivate similar to Onions.

9d. per lb.

HORSE-RADISH SETS.

	s.	d.
Good Plants ...	per doz.	—1 6
Extra Selected ...	...	2 0



Cannell & Sons' Complete Seed Guide.

OUR WONDERFUL A1 REAL MANURE. TREBLE YOUR PRODUCE.

FOR
GREENHOUSE PLANTS,
FOLIAGE and POT PLANTS,
ROSES, VINES,
and
VEGETABLES.



Double production of everything is obtained by using it. Nothing is so important in every part of the garden as two or three applications during the season. It gives more than satisfaction to whatever it is applied to, and in most cases trebles the size making the whole garden the treasure of one's life. A 1-lb. tin will show its effect and guarantee its general use.

Sold under the Analysis of Dr. A. B. GRIFFITHS, F.R.S. (Ed.), F.C.S., whose report is in our possession.

1-lb. tin 1s., post free 1s. 4d.; 3-lb. tin 2s. 6d., post free 3s.; 6-lb. tin 4s. 6d., post free 5s. 3d.

In Bags—14 lbs., 7s.; 28 lbs., 12s. 6d.; 56 lbs., 23s.; 1 cwt., 42s.

Please write us for Particulars and Prices of Seeds and Plants required not mentioned here.



A PERFECT SPECIMEN OF AN INCURVED CHRYSANTHEMUM FOR EXHIBITION.

ALWAYS AN ABUNDANCE OF FLOWERS.

THIS Manure is far superior to all others; its properties go direct to make Flower, Fruit, and Vegetable more brilliant, larger and finer, without the gross foliage. After one gets used to it they will soon gauge the exact strength that is necessary for any plant desired to have extra fine, the great thing is not to over-apply it, but, if used with discretion, this is the most convenient and valuable of all Manures—its effect in a fortnight is marvellous—and those who use it double their produce. We have several who leave us standing orders for large quantities to be sent at stated times. All are charmed with its results, no greenhouse or garden ought to be without it, and for all who wish to be first at exhibitions, it is absolutely necessary. Every shilling so expended gives another in return, and often two.



INCREASED PRODUCTION AND
QUALITY COMBINED.

DIRECTIONS FOR USE.

FOR LAND IN GOOD CULTIVATION AND GROWN CROPS.—Three-quarters of an ounce to the square yard, one and a half cwt. to the acre. Mix with treble its quantity of fine, slightly damp soil, and scatter it regularly; you can see to a line how far has been put.

FOR POOR LAND AND POTATOES.—Four to six cwt. to the acre.

FOR POTTING.—One ounce to the bushel of good compost, and thoroughly mix.

TOP DRESSING.—Two ounces to a bushel of good soil.

LIQUID MANURE.—Half ounce to a gallon of water, and increase it a little twice a week until the plants are well in flower.

FOR LAWNS.—Scatter broadcast at the rate of 1½ ounces to the square yard, afterwards to be well watered.

Cannell & Sons' Complete Seed Guide.

MISCELLANEOUS ARTICLES, MANURES, HORTICULTURAL TOOLS, & GARDEN REQUISITES.

Aeeme" Labels—See illustrations.

Aeeme" Weed Killer—A solution for effectually destroying weeds on carriage drives, garden walks, stable yards, cemetery walks, railway station platforms, &c. Saving more than half the cost of labour, and more effectual and clean than hand-weeding, or the use of salt. Price per gallon, 2/-; 5-gallon lots, 1/9 per gallon. Special quotation for larger quantities.

phicides—For spraying plants with insecticides, &c., 1/6 and 2/- each.

prons, Gardeners'—Shalloon, 4/6 each; serge, 3/- each.

askets—Split oak, for stables, carrying potatoes, &c., light and very durable, 2/-, 2/9, and 3/6 each. Wood or truck, for vegetables or fruit, with cross handles, 9d. to 3/3 each. Orchid, best octagonal teak wood, with hanging wires complete, 4 to 18 inches, 1/6 to 7/6 each.

eeble Powder (Hughes's)—A most effective article, 6d., 1/-, and 2/6 per tin.

eeble Traps (Birkenhead's)—1/6 and 1/9 each.

ell or Propagating Glasses—From 10d. to 2/9. Larger sizes can be had.

ill Hooks—Double-edged, for pointing pea stakes, &c., 3/6 to 4/6 each. Hammer and claw, a most useful article, 1/9, 2/-, and 2/3 each.

oite-a-Houpe—See Distributors.

ouquet Wire—See special mention.

rushes—Aphis, for cleaning plants, 2/- each. Cocoa Fibre, for scrubbing flower pots, &c., 6d. each.

harcocall—From best wood, 2/6 per bushel.

hisels—Pruning or Garden Spuds, 1/3 to 1/6 each.

lay's Fertilizer—See Manures.

coconut Refuse—In bags of 4 bushels, 3/9 each; 1/- per bushel.

ork, Virgin—For ornamental purposes, $\frac{1}{4}$ cwt., 6/-; $\frac{1}{2}$ cwt., 11/-; per cwt., 20/-.

overs, Sea-Kale and Rhubarb—For forcing, 2/6 each.

ucumber Glasses—12 to 24 inches long, 2/- and 3/6 each.

daisy Lifters—For weeding lawns, 15-in. handles, 2/- to 2/9 each.

ibbles—For transplanting, shod with iron, 1/6 each.

distributors—India-rubber Puffs, for applying sulphur, tobacco powder, &c., to plants, "The Duplex," 2/9; Boite-a-Houpe, for the same purpose, 3/- each.

edging Irons, or Grass-Plot Knives—3/6 to 4/- each.

ern Pans—In various fancy patterns and sizes, 2/3 to 8/6 each.

ir Tree Oil—See Insecticides.

loral Cement—For fixing the petals of flowers, 1/- and 2/6 per bottle.

Shading—Shaw's Tiffany, in pieces 20 yards long by 38 inches wide, 5/- per piece.

Flower Canes—Bamboo, about 4 ft. long, 2/6, 3/6, 5/- per 100; about 5 ft. long, 10/- and 12/- per 100.

Dressers or Tweezers—Ivory, 3/6; steel, 1/9 and 3/-.

Gatherers—Scissors for cutting and retaining the flower, 2/9 to 4/- each.

Pots—Sizes: 2, 2 $\frac{1}{2}$, 3, 3 $\frac{1}{2}$, 4, 4 $\frac{1}{2}$, 5 $\frac{1}{2}$, 6, 7, 8, 9, 10, 11, 12 $\frac{1}{2}$ to 16 inches diameter at mouth of pot. Inside measure. Special quotations will be sent for large quantities or extra sizes at current prices.

Sticks or Supports—Wooden, excellent for pot plants, &c., in bundles of 100, 1 ft., 6d.; 2 ft., 1/6; 3 ft., 2/-; 3 $\frac{1}{2}$ ft., 2/6; 4 ft., 3/6; 5 ft., 4/6 per bundle. Painted green, 2 $\frac{1}{2}$ ft., 5d.; 3 ft., 6d.; 3 $\frac{1}{2}$ ft., 8d.; 4 ft., 10d. per doz.

Stout Stakes for Roses and Dahlias—Per doz., 3 $\frac{1}{2}$ ft., 1/6; 4 ft., 2/-; 4 $\frac{1}{2}$ ft., 2/6; 5 ft., 3/-.

Forks—American Spading, steel, 4-pronged, prongs broader and thicker than those of the Digging Fork; a strong fork, but light; used for lifting potatoes, &c., 4/6 and 5/- Cast-steel Digging, very serviceable, 4 and 5 prongs, 4/- to 4/9. Flower Border, 3-prong, 6-inch handles, 1/6 to 2/6; also 15-inch handles, 2/-; 3 to 5-prong, with long or short handles, 3/- to 4/-.

Frigi Domo Canvas—Per square yard, 1/-.

Fumigators—Appleby's, a strong, useful article, 3/6, 4/6, and 6/- Hughes's Vapour Roll, 1/- each, sufficient for a house 1,200 cubic feet. Tebb's, from 3/6 to 5/- See Special Notice of XL ALL Fumigator.

Garden Engines—Of various makes. Particulars and prices on application.

Gishurst Compound—See Insecticides.

Gishurstine—For protecting boots from wet, 6d. and 1/- per tin.

Gloves—Best strong pruning, 1/6, 2/-, to 2/6 per pair. Hedgers' gauntlets, extra strong, 2/3. Ladies' tan, with cuffs, 2/3. Gentlemen's mock buckskin, 3/3 per pair.

Gooseberry Pruners—Hooked blades, 3/6 and 4/- each.

Grafting Wax—1/- and 2/- per box.

Grape Scissors—See Scissors.

Hammers—1/9, 2/-, and 2/6 each.

Handles for Rakes, &c.—Best ash, 5 $\frac{1}{2}$ feet, 8d.; 6 feet, 9d.

Hatchets—2/6 to 4/-.

Hellebore Powder—For destroying caterpillars, &c., 1/- per tin.

Hoes—"Draw," solid, from 4 to 9 in., 2 $\frac{1}{2}$ d. per in.; "draw," swan-neck, 5 to 9 in., 3d. per in. Duteb, solid, 5 to 9 in., 3 $\frac{1}{2}$ d. per in. Onion, with polished handle, 1/9 each. Triangle, 2/- each.

Hones, Tam o' Shanter—8d., 1/-, and 2/6 each.

Hyacinth Glasses—In various colours, 9d. to 2/6 each.

Ink, Indelible—For writing on zinc labels, 6d. and 1/- per bottle.

Insecticides—Beetle Powder, very effective, in tins, 6d. and 1/- each.

" Campbell's, 8d., 1/-, 1/3, and 2/3 each.

" Fir Tree Oil, pint bottles, 2/6; half-pint bottles, 1/6.

" Fowler's, for scale, red spider, thrip, ants, mildew, &c., in jars, 1/6 and 3/-.

" Fowler's Mealy Bug Destroyer, in jars, 1/- and 2/6 each.

" Nicotine Soap, from 1/- per lb.

" Gishurst Compound, for destroying red spider and thrip, in boxes, at 1/- and 3/-.

" Lethorion (vapour cone), 6d., 1/-, and 1/6 each.

" Quassia Chips, extra strength, 6d. per lb.

" Wasp Destroyer, 1/6 and 2/6 per bottle.

Ichthemic Guano, Pure—Handsome Enamelled Tins, 6d. and 1/-.

Bags—7-lbs., 2/6; 14-lbs., 4/6; 28-lbs., 7/6; 56-lbs., 12/6; 112-lbs., 20/-.

Instruments—Complete set for dressing Chrysanthemums, 21/-.

Jadoo, Fibre—1/- per peck; 3/6 bush.; 8/- 3 bush.

" Liquid—1/- qt.; 2/6 gal.; 4 $\frac{1}{2}$ to 12 gal. 1/10; 18 to 20 gal. 1/3.

Knives—See Illustrations.

Labels, Wood—For Flower Pots (painted), in bundles of 100; per bundle, 4-inch, 8d.; 5-inch, 10d.; 6-inch, 1/-.

Labels, Wood—Unpainted, in bundles of 100; per bundle, 3-inch, 4d.; 4-inch, 5d.; 5-inch, 6d.; 6-inch, 7d.; 7-inch, 8d.; 8-inch, 10d.; 9-inch, 1/4; 10-inch, 1/8; 12-inch, 2/-.

Lines, Garden—Best hemp, in 25, 50, and 84 yard lengths, 10d., 1/6, and 4/6 each.

Manures—Bone Meal, in a fine state, suitable for potting, at current prices.

" Bones, Crushed, for vine borders, at current prices. Present price, 3/6 for 14-lbs.

" Cannells' Real Manure—See special page.

" Chrysanthemum Manure, 7 lbs., 3/6.

" Clay's "Fertilizer," in packets, 1/-; 7-lbs., 2/6; 14-lbs., 4/6; 28-lbs., 7/6; 50-lbs., 11/6; 112-lbs., 21/-.

" Guano, Jensen's Fish Potash, 2-lb. tins, 1/-.

" Pure Ichthemic, per packet, 6d. and 1/-.

" Standen's, in canisters, 1/- and 2/6.

" Sulphate of Ammonia, a very powerful and invaluable fertilizer, 6d. per lb.; 7 lbs., 2/6.

" Superphosphate, specially made for garden purposes, at current prices.

" Thomson's Improved Vine, Plant, and Vegetable Manure, 1 cwt., 20/-; 28 lbs., 6/-; 14 lbs., 3/3; in tins, 1/- each.

Other Manures can be supplied at the usual prices.

Mats—Best Archangel, 2/- each, 21/- doz.; St. Petersburg, 1/6 each.

Moss—Green, for furnishing, 6d. per bundle.

" Sphagnum, for Orchids, 3/- per bushel, 12/- per sack.

Nails—Best cast iron, 3d. per lb. Leather Bags for carrying nails, &c., with double pocket, 5/6.

Netting, Garden—Bark-tanned, for strawberries, &c., 2 to 4 yards wide, 3d. and 6d. per yard run.

Pans, Propagating or Seed—Round and oblong, 4d. to 3/- each.

Pea Guards—Wire, from 1/- per dozen.

Peat—Specially selected for orchids, 10/- per sack, 3/- per bushel.

" Wicklow Loam, very fibry, 3/6 per cwt.

Pencils—Wolff's Indelible, for writing on wood, &c., 3d. each.

Pots—See Flower Pots.

Pruners—See Scissors.

Puffs—See Distributors.

Raffia Grass—For tying, 1/6 per lb.

Rakes—Iron, all sizes, from 6 to 20 teeth, extra strong, 1/- to 3/4.

" Daisy or Lawn, 18 to 24 teeth, 6/6 to 8/-.

" Handles for Iron Rakes, 6 feet long, 8d. and 9d.

Reels, Garden—Iron, strong, with pin, 1/6, 2/6, and 3/6.

Cannell & Sons' Complete Seed Guide.

MISCELLANEOUS ARTICLES, MANURES, HORTICULTURAL TOOLS, & GARDEN REQUISITES—continued

- Sand, Silver—2/- per bushel.
 „ Fowler's Lawn—Destroys all weeds, and improves the growth of grass. In tins, 1/- and 2/6 each.
 Saucers for Flower Pots—See Flower Pots.
 Saws—See Illustrations.
 Scissors—See Illustrations.
 Seythes—See Illustrations.
 Secateur, or French Pruner—3/6 and 4/6.
 Shears—Hedge-cutting, 8, 9, and 10-in., 4/-, 5/-, and 6/- per pair.
 „ with Notch, 9 and 10-inch, 5/- and 6/- per pair.
 „ Strong Branch Pruning, 6/6, 7/6, and 8/6.
 „ Slide Pruning, 6/6 and 8/6.
 „ Grass-edging or Verge, 5/6, 6/6, and 7/6 per pair.
 „ Trowel Cranked, for cutting grass, 3/-.
 „ Ladies' Box, 3/6 and 3/9.
 „ Pruning, 5/- and 6/-.
 Shovels—Square and diamond-pointed shape, best manufacture, 3/- to 4/6.
 „ Stoking, all steel, 4/3, 4/6, and 4/9.
 Shreds—For nailing purposes, 6d. and 9d. per lb.
 Sieves or Riddles—3/9 to 4/6 each.
 Soap—See Insecticides.
 Spades—Best quality, 4/6, 5/-, and 5/6 each.
 „ Turfing, 8/6 each.
 Spuds—Scotch pattern, for weeding, 1/3 to 2/-; chisel-shaped, 8d. to 1/6;
 on strong oak walking sticks, 3/-.
 Stakes—See Flower Stakes.
 Standen's Manures—See Manures.
 Styptic—Thomson's, for preventing the bleeding of vines after pruning,
 3/- per bottle. Hughes's, in bottles, 1/6 and 2/6.
 Sulphur, Flower of—6d. per lb.
 „ Dusters—See Distributors.
 Summer Cloud—For shading conservatories, &c., 1/- per packet.
 „ Shading—For shading conservatories, &c., white or green, 1/- per packet.
 Syringes—From 5/- to 22/-.
 Thermometers—Boxwood, for ordinary purposes, showing present temperature, 1/3 to 2/6; minimum, 10 inches, 2/6 and 3/6; maximum and minimum combined, 8/6 to 21/-.
 Tiffany—See Floral Shading.
 Tobacco Powder—1/- and 2/6 per tin.
 „ Paper—Best quality, for fumigating, 1/- per lb. (very superior)
 „ Rag—For fumigating, 1/- per lb.
 „ Sheets—McDougall's fumigating, 9/- per dozen.
 Trowels—See Illustrations.
 Turfing Irons or Spades—For lifting sods, 8/6.
 Twine, Tarred—5d. per lb.
 Vine Scissors—See Scissors.
 Verbena Pins, Galvanized—1/- per box of one gross.
 Wasp Destroyer—See Insecticides.
 Watering Pots—1/6 to 7/6 each.
 Haws's Improved Watering Cans—Lady's one rose, one quart, 2/-; two quarts, 3/-. Shelf Can, 9-inch spout, two quarts, 2/9; three quarts, 3/6. Greenhouse Can, two roses, four quarts, 5/-.
 Weed Killer—See "Acme" Weed Killer.
 Worm Destroyer—1/6 per bottle.
 Yarn—See Twine.

Other kinds, and of the finest make, also supplied.

For Edging Irons, Garden Reels, Hammers, Hoes, Rakes, Saws, Scissors, Seythe, Shears, Syringe, Trowels, &c., see illustration.

If you are in want of anything connected with the Garden not mentioned here, please write for quotation. We are prepared to supply from the smallest to the largest quantities at Advertised Prices.

LAWN GRASS SEEDS,

For TENNIS LAWNS, CRICKET GROUNDS, PLEASURE GROUNDS, &c.

THERE is nothing more essential to a rural or suburban residence than a beautiful lawn with its close, velvety turf. In sowing down a lawn insure the soil is perfectly clean, and if poor a good dressing of loam should be well spread over about 3 or 4 inches deep. After being well rolled and raked very fine the seed may be sown broad cast and as evenly as possible, then rolled down. In a few weeks the grass will appear and be ready for cutting, which operation should be often performed, using the scythe until the lawn be well established, when it may be cut with machine and rolled as frequently as required. Sow per acre from 3 to 4 bushels. It should be sown in April, May, August, and September.

The following mixtures contain only those close-growing dwarf Evergreen Grasses and Clovers that will produce a thick turf in a very short time:—

	Per Bushel.				Per Peck.				Per lb.			
	s.	d.			s.	d.			s.	d.		
Ordinary Mixture	20	0	...	...	5	6	...	...	1	0	...	...
Best	24	0	...	...	6	6	...	...	1	3	...	...
Renovating	20	0	...	...	5	6	...	...	1	0	...	...

1 quart will sow 300 square feet; 1 peck will sow 2,400 square feet; 1 bushel, 10,000 square feet; 4 bushels, 1 acre.

Clover, White Dutch, for Lawns, 1s. 6d. per lb.

Cannells' Grass Seeds for Bowling Greens.
 Cannells' Grass Seeds for Cricket Grounds.
 Cannells' Grass Seeds for Golf Links.

Cannells' Grass Seeds for Tennis Grounds.
 Cannells' Grass Seeds for Town Lawns.
 Cannells' Grass Seeds for Under Trees.

BOUQUET WIRE (Silver White).

This Wire is of the finest quality, smooth and easy to work, no matter how long kept.

Stalk Wire in $\frac{1}{4}$ -lb. packets (about 500 wires), two different thicknesses of wire in each. Price 6d. Postage extra.

Fine $\frac{1}{4}$ -lb. reels for binding, also best annealed (black), &c., price 9d.

Extra fine (white only), 1s. per reel. Sent by post, $\frac{1}{4}$ -lb., 2 $\frac{1}{2}$ d. extra; under 1 lb., 3d. extra; 3 lbs., 6d. extra.

"XL ALL" VAPORISING FUMIGATOR

	No. 4 bottle, sufficient for 5,000 cubic feet of space				s.	d.
" 3 "	"	10,000	"	"	3	3
" 2 "	"	20,000	"	"	6	6
" 1 "	"	40,000	"	"	13	0
Fumigators, complete for above	...	each 1s. 9d. and	2	0		
	No. 1 Set				s.	d.
" 2 "	"	29	6	Parcel postage	0	9
" 3 "	"	16	9	"	0	7
" 4 "	"	8	6	"	0	5
" 5 "	"	5	3	"	0	5

We can confidently recommend the above as a most safe and effectual remedy.

Cannell & Sons' Complete Seed Guide.

THE Amateur's Handbook on Gardening.


A new Gardening Book for Amateurs, conducted on Novel Lines.

In CLOTH (Demy 8vo), Price 2s. 6d.; Post Free, 2s. 9d.

LOW'S GROUND COMPASSES.

PATENT No. 767—(1893).

The Compasses are substantially made of wood, four feet long, shod with metal, and have a radius of six feet.



INSTRUCTIONS FOR USING.

Slip off the leather band A and open the legs of the Compasses, then from the groove in the leg B remove the thin piece of wood which is hinged at the top, this pass through the slot in the other leg and there secure by the thumbscrew at the required distance; then take the square piece of wood C, which press spike downwards into the ground, and in the hole in its upper side place the point of the stationary leg B. The square piece of wood C, being provided with sights at right angles, can be also used as a cross; the spike fitting into an orifice at the top of the Compasses D, which when closed and secured by the leather band, can be thrust into the ground, serving the purpose of a staff.


ADVANTAGES.

A straight piece of wood is made use of instead of the segment in the ordinary ground Compasses; this being hinged at the top, when not in use rests in a groove in the leg, thus taking up less space and rendering the Compasses more easily portable than those in general use.

Also, by reason of a square piece of wood bearing a metal spike on the one side for fixing in the ground, and having a metal plate with a hole in its centre on the other side for inserting the stationary leg of the Compasses, thus preventing it from sinking in soft ground, keeps the same firm, and enables truer and more accurate designs for garden purposes to be made than with the ordinary ground Compasses; this same instrument, being provided with sights at right angles, when fixed at the top of the Compasses enables perpendiculars to be erected.

Price 17s. 6d. each.

ZINC GARDEN LABELS.




Per 100—s. d.			Per 100—s. d.		
No. 1. Zinc Garden Labels	4	0	No. 13. Zinc Garden Labels	2	0
" 2. " " "	3	0	" 14. " " "	1	6
" 3. " " "	3	6	" 15. " " "	1	6
" 4. " " "	3	0	" 10. Flat Zinc Layer Peg	1	6
" 5. " " "	3	6	" 16. Galvanised Wire Verbena Pins, per gross,	1	3
" 6. " " "	2	6			
" 7. " " "	2	0			

INDELIBLE INK for the above, per bottle, 6d. and 1s.


The Labels may be written on with the Indelible Ink, or can be painted white and marked with ordinary lead pencils while wet, or when dry with black paint.

ACME LABELS.



Acme Label for ORCHIDS, 3s. 6d. per Dozen, or 36s. per Gross.
Acme Label for FRUITS, 1s. 9d. per Dozen, 18s. per Gross.
Acme Label for ROSES, 1s. 3d. per Dozen, or 12s. per Gross.

NEW SPRAY PUMP. PERFECT SYRINGER. [Registered Design No. 223,229.]




If ever there was an instrument where the words "immense improvement" is correctly applied it is this. In this we get one continual stream of fine-t rain at a great force to dislodge insects and spiders' homes; it leaves the house and every axil of leaf, nook, and corner saturated. We have never had anything so needful for stove and Orchids as this. Those who have to bob and squat like a pop-gun for hours with the syringe will hail this with the greatest delight, as it does more work in five minutes, and that more effectually, than the old system in half-an-hour.

Each—£ s. d.

No. 1. 4 in. diameter air chamber	3	3	0
No. 2. 4 1/2 in. diameter air chamber	3	13	6
Extra Roses (improved pattern) ...	0	3	0
Extra Jets ...	0	1	3

Height of Pump, about 2 ft. 2 in.

Cannell & Sons' Complete Seed Guide.



THESE NEW LABELS have been introduced to supply a long-felt want for a label similar to the now well-known "Acme" Labels, made for Roses, Fruits, Orchids, and Chrysanthemums, but of various sizes, and capable of being made with any name.

They are made in commercially pure zinc, with raised bright letters on a black ground, and are practically indestructible. A further improvement has been made by putting the labels on a double stem where possible, which, in addition to giving the necessary strength to the label, prevents it being blown round by the wind, gives it a neater and less conspicuous appearance, without detracting from its usefulness.

Although in every way superior, these labels will be found to compare in price favourably with any on the market.

* PRICES *


No.		Per doz.
201.	For Forest Trees, on stem 14 in. long	12/0
202.	" " for hanging	9/0
203.	For Herbaceous Plants, on stem	3/0
204.	" " for hanging	2/6
205.	For Carnations, Pot Plants, &c., on stem	2/6
206.	" " for hanging	2/0
207.	Number Labels, on stem	2/0
208.	" " for hanging	1/9

THE SPRINGTHORPE CUP AND TUBE.

PROVISIONALLY PROTECTED,
No. 7141, 1894.

For EXHIBITING
CHRYSANTHEMUMS,

And other Flowers.



THE Cup has one Brass Side Spring which enables the exhibitor to adjust his flower with speed and accuracy in the Tube or Water Container. It also has a very simple arrangement to prevent the necessity of plugging. The Tube or Water Container has also one Brass Side Spring which passes through a Flange fixed to the Showboard from the under side.

By using these Tubes the exhibitor can raise his flowers seven inches from the board with instant adjustment.

ITS ADVANTAGES ARE—
Simplicity,
Ease of Adjustment,
Durability,
Efficiency,
AND
Great Saving of Time.

For Incurved size, 2 in. diameter.
" " " 2 1/2 " "
Japanese " " 3 " "

Price 9/- per doz.

CHANDLER'S COMBINED WALL NAIL.


Made with malleable iron unbreakable shanks and soft lead heads or clips, and are practically indestructible. After the Nail is driven into the wall, the lead clips can be turned over the branch with the fingers, and will then hold it firmly into position without injury to the bark.

In Boxes of 100, assorted sizes, 2s.

THE DUPLIX.

THE MOST USEFUL AND EASILY WORKED
Powder Distributor and Dredging Box
EXTANT.

DISTRIBUTES INSECT POWDERS—
"THANATOS," TOBACCO POWDER, SULPHUR, HELLEBORE, &c.




2s. 6d. each; by Parcel Post, 2s. 9d.

We recommend this Sulphur Duster beyond all others.

Cannell & Sons' Complete Seed Guide.

PRUNING AND BUDDING KNIVES, SCISSORS, &c.



All Tools, Knives, &c., are of the best quality, warranted by the Makers, and specially made for Horticultural purposes.

No.	Price.	No.	Price.	No.	Price.	No.	Price.	No.	Price.
3790 ...	3/-	3794 ...	3/-	3792 ...	2/6	329 ...	2/6	126 ...	3/6
6 ...	—	121 ...	3/-	4 ...	7/6 to 21/-	316 ...	3/-	186 1/2 ...	3/-
3 ...	2/6	20 ...	3/6	107 ...	4/-	B L ...	3/-	187 ...	3/-
1 ...	2/6	19 ...	4/-	23 ...	1/6 to 2/6	3 N B ...	3/-	188 ...	3/3
13 ...	1/6	3791 ...	4/-	110 ...	—	207 ...	2/9	189 ...	3/6
14 ...	4/6	9 ...	4/-	26 ...	—	204 ...	3/-	191 ...	3/-
559 ...	5/6	25 ...	2/-	2 ...	3/- and 4/-	323 ...	3/-	191 1/2 ...	3/-
104 ...	6/- to 8/-	100 ...	6/- to 8/-	15 ...	5/-	324 ...	3/-	193 ...	3/-
		11 ...	1/6	17 ...	—	325 1/2 ...	4/-	194 ...	3/-
								230 ...	3 -

LAWN MOWING MACHINES.

Ransome's, and all other approved kinds, at advertised prices.

Price Lists forwarded on application.

GARDEN ENGINES, &c.

Sizes and prices on application.

SWING WATER BARROWS.

Various sizes, and at advertised prices.

GARDEN ROLLERS.

Sizes and prices on application.

Cannell & Sons' Complete Seed Guide.

HOW TO DIG A BIT OF GROUND.

What a lot of jobs are done wrong, certainly not so correctly as they might and should be if we only give a few minutes' consideration and say, "Let us look first if this is right, and the best way to attain the object in view, what is wanted and what to avoid." Jack will say, "I've always seen it done so and so." Well, Jack's way will probably answer, and may or may not be good, but in these days we must adopt the best and most reasonable mode, all things considered. The illustration and our remarks will show and explain how a piece of ground should be dug, how things should be planted, and how treated after planting. How strange so important a matter as digging and pulverising ground is that no one, so far as our experience goes, has ever dealt with the matter properly, or what we should say, carried out the work to the fullest extent for the best. There are plenty of ploughing matches, but no digging matches—and why not? Here a little item about workmen: without hardly a single exception they will shun the work, when it should be to them a pleasure; they never try to adopt or think how would be the best and quickest, and most common-sense way to do it well, but plod on in an unthinking manner. It is of little consequence where and how the ground is situated, it will be best to dig half up, and the other half down, as shown.



Supposing it is a bit of ground with ordinary paths which is required to be turned up to look well and grow a good crop. First see that the ground is level, if not, take a forkful of the soil out here and there from the highest points, and throw into the lower parts until sufficient is moved so that all will be level when finished, for unlevel ground looks extremely unskilful; then wheel on the manure, spread it well and regularly, that is to say, evenly everywhere, just as much round the edges as elsewhere, generally a lot is left where first put, and the crop grows uneven and looks bad—people wonder the reason. This done, peel or skim off the paths all round sufficiently deep to get below the hearts of the weeds, throw this on the ground to be dug in; after this, line out or square the bit of ground. This done, clear off all weeds (see Engraving, Nos. 1 and 2), so that the soil to make a trench is clean, and also where it lays on No. 1. In digging observe the position of the man when the fork is being thrust into the soil with his heel on the shoulder of the tool, and his thumb through the cot of the handle, so that he has a firm hold and command over the fork or spade, which must be kept upright, and thrust down the full length (or at least a foot) of the blade or prongs; no rolling over the soil, small thin slices is far the best and quickest, this lifted clean up rarely requires much breaking afterwards. It will be seen that the man at No. 3 has just finished up to where he wanted to go; he then turns and commences to take out trench on the other end of the next half, which he fills in at No. 3; this all laid level, he digs back to No. 1. Here he finds the soil he first took out at No. 2; this being free from weeds, it is filled in, and the work is finished

off in a workmanlike and proper manner. Always keep a fair sized trench so that all weeds can be put down and buried deeply, and for all special purposes have it extra deeply dug by going all along the trench from end to end and leaving it there, so that the next ordinary trench folds in on the top of it. When all this is carried out the whole should lay roughly level. Always dig square up to where the ground is required to be dug, and the trench fill in along, not up to one corner as is usually done, if so it will be out of level and unworkmanlike.

Arrange the ground so as to fit the position, all grass rubbish and manure must be thoroughly buried and the job finished, that the digger could say, with all pride, "Well, that is done as it should be. I have studied it to its fullest extent, and should be glad for any one to tell me one item that I do not know respecting the digging of ground properly;" and if he really knows without pretending, he is a valuable man, and one to make and grow plenty to eat.


Every employer should encourage this art, and there ought to be a prize offered for the champion digger in every village.



A STRAIGHT PROPER DIGGING FORK.

To those of our Customers who find the usual packets and half ounces of vegetable seeds contain too much, we supply PENNY PACKETS of the most useful varieties, excepting *Beans, Peas, and Novelties*. The Penny Packets contain the same quality of "Perfect Seeds" as in the higher priced. We therefore respectfully suggest that a remittance should accompany all orders so as to save the expense of booking. The postage of Vegetable Seeds is twopence for a dozen or any less number of packets, and unless sufficient money is sent to pay postage for orders under Five Shillings, we cannot send them post or carriage free.

RANSOME'S AUTOMATON MOWER.





		£	s.	d.
8-in.	For small Lawns and Edgings	2	15	0
10-in.	" use by a Lady or a Boy	3	10	0
12-in.	" " Lad	4	10	0
14-in.	" " Man	5	10	0
16-in.	" " Man and Boy	6	10	0

Sent Carriage Paid on a Month's Free Trial.
NO CHARGE FOR PACKING.

Cannell & Sons' Complete Seed Guide.

FLOWER SEEDS.



H. CANNELL & SONS'

(F.R.H.S., M.S.A.)

Home-Grown Extra Choice Flower Seeds.

EXPRESSLY FOR PROFESSIONALS AND AMATEURS.

DIRECT FROM THE GROWERS TO THE SOWERS.

NOVELTIES, &c., IN FLOWER SEEDS FOR 1898.

FULL-SIZED PACKETS ONLY of the following NOVELTIES, &c., can be supplied:—
NOVELTIES RAISED AND INTRODUCED BY H. CANNELL & SONS.

- 1361. *Gloxinia*, "Amiable"—Pure white ground and lobes, pink throat; very free.
- 1362. *Gloxinia*, "Mrs. Ivory"—White ground with a rose coloured margin; very effective and beautiful.
- 1363. *Gloxinia*, "Petunia"—A most distinct and beautiful variety of a decided mauve shade, lighter throat.

Per pkt., 1s. 6d. and 2s. 6d.

The above-named varieties will be found to come perfectly true from seed, and a small batch of each of them when in flower present a most pleasing contrast.

CANNELLS' NEW DECORATIVE PRIMULAS.

The varieties we now have the pleasure of placing before our esteemed patrons, called "Cannells' New Decorative Primulas," are the result of careful and judicious cross fertilising with the *Lady* section and various varieties of the *Sinensis* section. Having become fixed in character, we offer them with every confidence that they will be found to come true and satisfactory from seed. Growers, however, of this new class must not be mistaken in thinking they will come like the old type of *Primulas*—i.e., producing large, lumpy-looking circular flowers, carried in a most unnatural manner; but in contrast, their blossoms are of medium size, and produced on a spike that has three to four tiers or whorls, and carried in a most graceful and æsthetic manner. They continue in bloom for months, and their culture is very easy and safe, forming into elegant-shaped plants, with a profusion of flowers, quite in contrast to the older kinds—in fact, creating wonder and astonishment by their floriferousness. As a decorative plant for the greenhouse and conservatory we claim them to be a decided acquisition. They are well worthy of a trial, and certain to give entire satisfaction.

ROYAL HORTICULTURAL SOCIETY.—"The silver-gilt flora, the highest medal awarded, was taken by Messrs. Cannell & Sons, Swanley, for a magnificent group of *Primulas*."—*Daily Chronicle*, February 13th, 1897.

1364. *Cannells' Pyramidalis Grandiflora Striata*—Of the same habit as the *Lady*, foliage being of a pleasing light green; flowers large pure white, evenly striped, with a pretty rosy pink, trusses being carried well above the foliage; very free and charming. Per pkt., 2s. 6d.; smaller, 1s. 6d.

1365. *Cannells' Pyramidalis Nigrafolia Alba*—Another grand break in the *Primula* family, the result of a cross between the *Lady* and *Cannells' White Perfection*; foliage very dark and evenly fimbriated; flowers of medium size and *Sinensis* in type, of the purest white, and a great profusion of trusses. The decided contrast between the whiteness of the flowers and the darkness of the foliage makes it very effective, conspicuous, and pleasing. A perfect gem. Per pkt., 2s. 6d.; smaller, 1s. 6d.

1366. *Cannells' Pyramidalis Rotundiflora Alba*—This is a pure *Lady*-type flower, a cross between the *Lady* and *Eynsford White*; flowers very round and of the purest white; foliage light green. This variety is very striking and attractive, and when in full blossom is very graceful. Per pkt., 2s. 6d.; smaller, 1s. 6d.

Cannell & Sons' Complete Seed Guide.

OTHER NOVELTIES FROM VARIOUS SOURCES.



AGERATUM, BLUE PERFECTION

1370. **Aster Jewel or Ball, Bright Scarlet with White**—The well-shaped, quite exquisite double flowers in their blending scarlet colour of this variety afford a magnificent sight from afar. The outer petals are of one colour, and distinguished from the more inward ones, which are white-edged, and the petals in the middle of the flower making the filling and almost covered by the others, are of nearly a white colour. Per pkt., 1s.

1371. **Aster Lady, Rose**—Per pkt., 1s.

1372. „ „ **White passing to Rose**—Per pkt., 1s.

Two new varieties of the *White Lady Aster*, introduced a few years ago, and so distinct by its narrow lanceolate foliage. The flowers are well-formed, beautifully imbricated, and for cutting purposes unsurpassable.

1373. **Aster, Mignon, Light Scarlet**—Brilliant new colour, still rare amongst the different tall and demi-tall Aster classes. Flowers very double, and of faultless form. Per pkt., 1s.

1374. **Aster, Ostrich Feather, White**—This magnificent new Aster, originating from the *Goliath* type, bears some resemblance with the *Giant White Comet Aster*. The principal distinction is in the candelabrum-like habit of growth and its far better floriferousness, but the greatest merit is to be found in its flowers of immense size, averaging 6 inches in diameter, of a beautiful snow white colour, combined with much longer petals, and still more loosely formed, thus equalling the best Japanese Chrysanthemum. No gardener wanting Asters for cutting purposes should fail to procure this gem amongst Asters. Per pkt., 1s.



ASTER, OSTRICH FEATHER, WHITE.

1375. **Aster, Princess, Dark Blue**—Per pkt., 1s.

1376. „ „ „ **Crimson**—Per pkt., 1s.

Two new colours of this wonderful useful Aster, which are worthy of a wide circulation, and should secure a permanent place in every garden.

1377. **Aster, Purple, Bijou**—Quite distinct and new colour for a dwarf Aster; although of compact growth, it bears its blossoms most profusely. From 25 to 30 blossoms can frequently be counted on each plant. The seed of this variety is quite distinct. Per pkt., 1s.

1378. **Aster, Triumph, White**—New white-flowering variety of this splendid class of dwarf Asters, with large incurved flowers; especially recommended for pot culture or dwarf groups. Per pkt., 1s.

1379. **Aster, Washington Needle, Carmine Rose**—Especially remarkable is the really nice colour and extraordinary large flowers, which is certain to give every satisfaction. Per pkt., 1s.

Cannell & Sons' Complete Seed Guide.

1380. Little Dear Begonias—

It was us who first raised rosebud-shaped flowered Begonias, and called by that name in consequence; and it is to this day known and spoken of as the loveliest for shape and colour, even of the many raised since, and may well be compared to a Camellia, as the photo will convey. It is from this, during the last six years, we have given much attention in getting up a stock sufficient to raise and offer seed from. All who desire the very prettiest and loveliest of all doubles should certainly have a packet of this, as they are gems of gems in every greenhouse wherever grown. Per pkt., 1s., 2s. 6d., and 5s.



1381. *Begonia Semperflorens*, **Golden Vernon**—A hybrid between *Begonia Semperflorens Bijou* and *Begonia Semperflorens Atropurpurea* (Vernon), and in itself combines all their merits. It has the golden-yellow foliage of the *B. Bijou*, but each leaf is bordered all round with a wide dark-red band; the contrast between the two colours is very striking, making an agreeable effect. Its flowers are red and is as dwarf as its parents. Per pkt., 1s. 6d.

1382. *Begonia Semperflorens*, **Zulu King** (Black Begonia)—This variety is of sturdy habit of growth, the round shape of the leaves, which are formed around the stem, giving the whole plant a rather crisp appearance. The colour of the stem and foliage is a beautiful dark black-red, which makes an exceedingly attractive effect if grown out of doors in summer. The flowers, of a brilliant scarlet with golden-yellow stamens, are produced in great profusion from Spring until late in the Autumn, and beautifully contrast against the remarkable dark foliage. Per pkt., 1s.

1383. *Calla Elliottiana*—New seed now offered for the first time of this beautiful *Calla*. The trumpet is of a rich pure yellow, with dark green leaves, conspicuously and evenly marked and spotted white. The plant is of medium height, and distinct from any other species in cultivation, and a most valuable acquisition as a conservatory or greenhouse plant. Per pkt., 2s. 6d.

1384. **Candytuft, Giant Hyacinth, Flowered White**—This is a grand improvement on *Empress*, with enormous spikes of bloom. These measure 7 inches in length and 7 inches in circumference, with 120 to 140 florets to a spike. Per pkt., 1s.

1385. *Campanula Mirabilis*—This beautiful new variety was recently introduced from the Caucasus. In shape and size of flower it resembles *C. Medium*, but in every other respect it is absolutely unique. The plant forms a densely branched pyramidal bush about 2 feet high, each branch bearing a multitude of pale blue or lilac flowers. When in full bloom the plants present a regular pyramid, at least a hundred blossoms being open at one time. Per pkt., 1s. 6d.

1386. *Cuphea Miniata Compacta*—This pretty novelty grows about 8 inches high. Its flowers are produced in great number, in various shades of carmine, scarlet, crimson, and purple, and form a pleasing contrast with the fresh green foliage. They will be found useful for bedding, and still more so as pot plants, being the first annual *Cuphea* suitable for this purpose. Per pkt., 1s.

1387. *Cyclamen Persicum*—**Large flowered double, mixed.**—The double form of *Cyclamen* is a great improvement on the single varieties from the fact that the petals are more numerous, with a tendency to become undulated, which gives the flower a more substantial figure, and the whole plant a more elegant appearance. The seed now offered has been saved from a splendid collection of double large flowers. Per pkt., 3s. 6d.

1388. *Delphinium Speciosum*, var. **Glabratum**—Handsome new Hardy Perennial Larkspur from the Himalaya Mountains. The lively green leaves are radical palmately lobed. The lobes toothed and cut inflorescent corymbose, 2 feet in breadth by 3 feet in height; branches spreading; flowers silkily hairy, 1½ to 2 inches across, and of a beautiful dark azure blue colour. Per pkt., 1s. 6d.

1389. **New Feathered Cyclamen, Bush Hill Pioneer** (First-Class Certificate, Ghent, 1897; First-Class Certificate, Paris, 1897).—Flowers white, of great substance, with a strikingly distinct crest or feather of the same colour upon the face of each petal. This, the first variety of its kind, is undoubtedly destined to be the forerunner of an entirely new strain of *Cyclamen*, the feather adding enormously to the substance and lasting properties of the flower, besides opening up the possibility of endless variety by the introduction of a coloured feather on the white ground, or a white feather on the coloured ground. In sealed packets, 2s. 6d. each.

1390. *Gloxinia Hybrida Crassifolia* (**Improved Scarlet Queen**)—Recommended as one of the best scarlet *Gloxinias* yet introduced; the beautiful deep green leaves and glowing scarlet flowers produce a bouquet of marvellous effect. Per pkt., 1s. 6d.

1391. *Godetia Grandiflora* **Rosea**, fl. pl.—A new double-flowering variety from the beautiful *Godetia The Bride*. The flowers of this novelty are well filled and of elegant shape. The colour is a delicate pink of a deeper shade than those of its parent. The plant grows about 2 ft. high and is very floriferous. Per pkt., 1s.

1392. *Helenium Bigelowi*—A beautiful hardy perennial, newly re-imported from North America. It grows from 2½ to 3 ft. high, and produces a large quantity of long-stalked most elegantly shaped flowers of a vividly coloured golden yellow, with a black centre; also answers well the demand for cut flowers. Per pkt., 1s.



BEGONIA (GOLDEN VERNON).



NEW FEATHERED CYCLAMEN.

Cannell & Sons' Complete Seed Guide.

1393. **Helianthus Annus Goldleaf**—This very attractive variety is of luxurious but stont growth, and reaches a height up to 7 feet. The large leaves are variegated with most distinct markings, the colours varying from golden yellow to dark green; some leaves are regularly striped and blotched, in some the colour approaches a clear golden yellow. By the regular branching and vigorous habit, this novelty will prove to be a most useful ornamental annual, either if planted singly or in groups. Per pkt., 1s.

1394. **Helianthus Maximiliani**—The single sunflowers usually grown are scarcely in bloom before the end of summer: this new variety develops very rapidly, and flowers as early as June, for which reason it is specially valuable, being covered with beautiful large yellow flowers up to late in the Autumn. Per pkt., 1s.

1395. **Heliotropium Hybridum Giganteum**—New kind, and splendid quick growing Heliotrope, reaching up to a yard in height, with effective leaves and immense umbels 10 to 14 inches across. The blossoms of the pretty closed umbels vary from light to dark blue, and give a most delightful perfume; easily cultivated from seed. Per pkt., 1s.

1396. **Hibiscus Manihot**—This strikingly beautiful decorative plant attains a height of about 4 feet, producing flowers fully 4 inches in diameter, their colour being a soft clear sulphur yellow, with a conspicuous maroon blotch at the base of each petal, and which are borne in large numbers, and make a splendid display for a long time. It is very ornamental either as a greenhouse plant or when used for beds or borders. Although a perennial, we advise the treatment of a half hardy annual. Per pkt., 2s. 6d.

1397. **Incarvillea Variabilis**—New and rare shrubby perennial, in the style of *Incarvillea Olgae*. It forms many-branched bushes of pinnatifid foliage, and produces its pink flowers of about one inch in diameter without interruption from May until October. When sown early the seedlings will flower the first season: and without doubt this handsome species will prove to be a plant worth cultivating. Per pkt., 1s.

1398. **Lathyrus Latifolius, Pink Beauty (Everlasting Pea)**—An entirely new variety, the colour of which is a delicately shaded pink on the standard, the lacing of the edge being paler than the centre, the wings are deeper pink of a very rich shade, giving it a very striking appearance. The trusses as well as the individual flowers are larger than the older varieties, and the character may be considered to be quite fixed. Per pkt., 1s.

1399. **Leptosyne Stillmani**—A beautiful Californian annual, the seed of which has not hitherto been offered. With graceful thinly-cut foliage and growing about one foot high, the habit of the plant is bushy and compact, and each of the numerous flower stems is crowned with a splendid golden-yellow blossom of elegant shape and over 1½ inches in diameter, which remains five to six weeks in full beauty, and is excellent for cutting. A prominent characteristic of this *Leptosyne* is that it blooms within four to five weeks after sowing, surpassing in this respect almost every other annual. It is best sown in the open air in a sunny situation. Per pkt., 1s.

1400. **Lobelia Ramea, Heavenly Blue**—A new variety of an intense bright shade of blue of the *Ramea* type, very large flowering and free growing. For borders or baskets this is a desirable novelty, and will produce a grand effect. Per pkt., 1s.

1401. **Lobelia Rivoirei**—This will prove to be a valuable acquisition on account of its beauty and large light pink flowers. It is a perennial plant, and blooms during the whole Summer and Autumn. The best culture is in the open ground; we must, however, say that the germination is very slow and difficult, the seeds must absolutely not be covered with earth. Per pkt., 5s.

1402. **Myosotis Alpestris Stricta Cœlestina**—A *Myosotis* striking by its very unique structure. All branches that form the plant grow straight and perpendicular, without ever bending to the side. By this compact growth every plant forms a regular pillar or column, which makes this variety particularly useful as a pot plant or any other decorative purpose. The wonderful sky blue of this free-flowering *Myosotis* greatly increases its value. Per pkt., 1s. 6d.

1403. **Myosotis Alpestris Triumph**—This novelty is another of the early-flowering class. It is a sport of *Myosotis Alpestris Robusta Grandiflora* (the Hen and Chickens Forget-me-Not). The plants are of a vigorous habit, grow about 12 to 15 inches high, and they bloom like their parent, having the same large bright azure blue coloured flowers, borne on long stems, with the characteristic central double bloom. Seeds may be sown at any time of the year, and may be treated as an annual or biennial. Per pkt., 1s.

1404. **Myosotis Oblongata Perfection**—This novelty has been produced only through long years of careful selection, and is the best possible improvement on the winter-flowering *Myosotis Oblongata Vera*. The flowers have long stems, large sized, deep blue colour, and appear in large quantities. The plant requires during the winter a light and not too warm place. Per pkt., 1s. 6d.

1405. **Myosotis Palustris Tom Thumb**—Compact dwarf variety of the well-known Marsh Forget-me-not, the plants forming little tufts like *Spergula Ptilifera*, from whence springs up an abundance of delicate sky-blue flowers. Admirably adapted both for borders and for pot culture. Per pkt., 1s.

1406. **Papaver Cardinale, Bright Rose**—Per pkt., 1s.

1407. " " **Copper Rose**—Per pkt., 1s.

1408. " " **Chamois**—Per pkt., 1s.

1409. " " **Brick Red**—Per pkt., 1s.

The above four hybrids of the popular *Cardinal Poppy* are offered as reproducing themselves true from seed. Each of them is of the same height and has the dark green deeply lacinated foliage and strong compact habit which characterise the type. Per pkt., 1s.



HELIANTHUS BIGELOWI



LOBELIA RIVOIREI

Cannell & Sons' Complete Seed Guide.

1410. **Giant Pæony Poppy, Nankeen**—An entirely new variety. A pale lemon, affording a pleasing contrast to others of a more vivid hue. Per pkt., 1s.

1411. **Giant Pæony Poppy, Snowball**—A New Zealand variety of enormous size and matchless beauty, and a fitting companion to the much admired *White Swan*. Per pkt., 1s.

1412. **Petunia Hybrid Dwarf Compact Brilliant**—This produces little bushy plants producing a great number of large upright flowers of the most brilliant bright red colour. Admirably suited for edgings and borders. Per pkt., 2s. 6d.

1413. **Petunia Double Lilliput Brilliant Rose**—The dwarf and freely-branching plants grow about 8 inches high, and are covered with lovely little flowers of a brilliant rose tint on which the regular stripes stand boldly out. Per pkt., 1s. 6d.



SALPIGLOSSIS VARIABILIS
SUPERBISSIMA.



PETUNIA "FAVOURITE."

1414. **Petunia Hybrida Grandiflora Superbissima, "Favourite"**—This is an entirely new variety of the *superbissima* type. The flowers are of an extraordinary large size. The ground colour is a delicate creamy-white, remarkably interwoven with green nerves, then turning to an indescribable colouration at the outer lobes, being a mixture of pink and white. Per pkt., 1s.

1415. **Petunia Hybrida Grandiflora Superbissima, "Venus"**—Belonging to the same class as "Favourite." It is of equal beauty and perfection of flowers, only the colour again is very peculiar—it is a splendid carmine with white of such a charm and beauty as not seen before amongst Petunias. Per pkt., 1s.

1416. **Primula Sinensis Fimbriata Rosea, "Delicata"**—The colour of this beautiful new variety is a charming and delicate shade of rose-pink, quite a new colour in Primulas. The flowers are large, flat, and well fringed, whilst the eye is a bright yellow, showing a charming contrast to the ground colour of the petals. The trusses are borne on stout stems well above the foliage, which is of the normal and not of the filicifolia character. Per pkt., 3s. 6d.

1417. **Primula Capitata (Cashmeriana) Alba**—New white flowering variety of this lovely early blooming Primrose, reproducing itself true from seed. The flower heads are much larger than those of *Denticulata Alba*. Per pkt., 1s.

1418. **Primula Floribunda Grandiflora Isabellina**—This bears flowers of a soft and very pleasing pale sulphur, contrasting beautifully to the lively green foliage. If sown in January or February the seedlings will commence blooming in June, and continue so during the Summer and Winter months. Per pkt., 1s. 6d.



PRIMULA CAPITATA ALBA

Cannell & Sons' Complete Seed Guide.

1419. **Rudbeckia Bicolor Superba**—This is a very effective new annual, and will be found extremely useful for cutting. It grows about 2 ft. high, is very branching, and produces its long-stemmed flowers in the greatest abundance. The ray-florets are yellow with large velvety-brown spots at the base. Per pkt., 1s.

1420. **Salpiglossis Variabilis Superbissima, "New Emperor"**—This is entirely different from any other *Salpiglossis* by reason of its peculiar habit, producing only one thick stem, which is thickly covered with blossoms, and presents, as it were, a compact bouquet of flowers. The individual blooms are richly veined with gold, and are considerably larger than those of the grandiflora type. The throat is wide open and short. The edge of the flower is not so deeply curved as the old variety, which gives it a more round shape. This has been much admired by all who have seen it, and there is no doubt, the *Salpiglossis* being a favourite flower, that it will be a valuable introduction. Per pkt., 1s.

1421. **Double Scabious, "The Pompadour"**—A good improvement upon the old garden favourite *Scabious*. The individual florets are increased in size and variety and intensity of colours. An excellent border plant, and first class as a cut flower for decorative purposes. Per pkt., 1s.

1422. **Senecio Elegans Pomponicus fl. pl., Flesh Colour**—An improvement on the well-known pretty *Senecio Pomponicus*, of which there are only a few colours. The variety now offered is another nice and tender colour, which cannot fail to give satisfaction. Per pkt., 1s.

NEW SWEET PEAS.



THE DWARF PINK CUPID

1423. **New Dwarf Pink Cupid**—This little wonder, like the original *Cupid*, hails from California. It is not a sport from the original *White Cupid*, but an actual departure from its parent, the tall *Blanche Ferry*. In habit and manner of growth it is strictly a *Cupid*, spreading from the root from a foot to 18 inches around, growing from 6 to 8 inches high, and shooting up stems about 6 inches long, which bear, in full bloom at once, from three to four handsome blossoms, all borne close to the end of the stem. The standard of the flower is wide, not infrequently measuring an inch and a half, but not over an inch high, being developed latterly. The standard is a bright rose-pink, while the wings are pure white or light pink. The plant itself is vigorous and hardy, and those who had poor or indifferent success with *White Cupid* will find *Pink Cupid* easy to grow anywhere. The seed, which is black, is of wonderfully strong germination, and the plant an early bloomer, coming into bloom simultaneously with *White Cupid*. Per pkt., 8d. and 1s.

1424. **Queen Victoria**—This is an exquisitely lovely flower, large, finely expanded, very handsome. Colour soft yellow subtly overlaid with faint purple, imparting a lustre most desirable but difficult to describe; a great acquisition. *Queen Victoria* is a beautiful pale yellow form, with erect standards and bold flowers.—*Gardeners' Magazine* Award of Merit, R.H.S. F.C.C., Wolverhampton, 1896. Sealed pkts., 1s. each.

1425. **Prince Edward of York**—Is one of the largest of the new varieties, having finely expanded standards of a charming shade of scarlet, and large wings of the deepest rose colour; one of the most effective Sweet Peas for any purpose. The *Gardeners' Magazine* of July 18th, 1896, says:—*Prince Edward of York* has lovely erect scarlet standards, with deep rose coloured wings; very attractive and handsome. Certificate of Merit, R.H.S., 1896; F.C.C., Birmingham, 1896. Sealed pkts., 1s. each

1426. **Lady Nina Balfour**—Is one of the most exquisite of recent introductions, being exceedingly lovely. In colour it is the most delicate mauve imaginable, beautifully shaded with a charming dove grey, which gives a most captivating charm to the whole flower. *Lady Nina Balfour* has been a great favourite wherever exhibited, and is bound to become very popular. F.C.C., Edinburgh, 1896. Sealed pkts., 1s. each.

1427. **Countess of Powis**—For exquisite beauty and delicate finish this lovely variety is unequalled. The colour being a glowing orange suffused with light purple, with a beautiful satin polish novel in the extreme. In size and colour this flower is really unique. Award of Merit, R.H.S., 1896. F.C.C., Edinburgh and Dundee, 1896. Sealed pkts., 1s. each.

1428. **Triumph**—Is a flower of enormous size—a veritable giant amongst Sweet Peas—and in addition, by its attractive beauty, has become a great favourite with every one who has seen it during the season. The standard is bold and well expanded, of the most exquisite bright orange-pink; the wings white, slightly flushed with delicate purple; a perfect flower. Sealed pkts., 1s. each.

1429. **Salopian**—Is a superbly beautiful variety. Colour deep crimson, tinged with mulberry-red, suffused with rich orange-scarlet; flowers large, finely formed, and handsome; without doubt one of the very finest and most desirable of late introductions. Award of Merit, R.H.S., 1896. F.C.C., Wolverhampton, Dundee, Birmingham, and Edinburgh. Sealed pkts., 1s. each

1430. **Shahzada**—A decided advance in the direction of dark-coloured Sweet Peas; as regards size, form, and floriferousness, it is quite up to the highest standard; the colour, rich dark maroon with a shade of purple, is most distinct and attractive. Sealed pkts., 1s. each.

1431. **Tagetes Patula Nana Lutea**—Of late years single-flowering Marigolds of dwarf habit have become great favourites. The variety now offered grows about 8 inches high by 10 inches in diameter, and forms pretty little bushes with elegant foliage, thickly covered with bright sulphur-yellow flowers, the dark yellow centre of which is surrounded by a ring of brown spots. Per pkt., 1s.

1432. **Torenia Fournieri Speciosa, The Bride**—This is similar to one offered last year, the giant blossoming *Torenia Princess Helen of Montenegro*, the only difference being the colour of the flower; the over lip is white, and the under lip and side flaps of a delicate pink, the bottom of the corolla gold-yellow. This family produces but little seed. Per pkt., 1s. 6d.

1433. **Viscaria Oculata Brunea**—An entirely new variety of an original blood-brown colour. Will be a welcome addition and improvement to this well-known annual. Per pkt., 9d.

1434. **Wallflower, Dwarf Nankeen Yellow**—Quite a new shade of colour in this section, being a very delicate pale yellow. The plant of dense pyramidal habit, about 12 inches high; early, floriferous, and very fragrant. Per pkt., 1s.

1435. **Wallflower, Vulcan**—A new variety of dwarf habit, growing only about 9 inches high, whilst the flowers are very large in size, averaging inches in diameter. These are of the richest velvety crimson. Per pkt., 1s.

1436. **Zinnia Double Giant Queen Victoria**—A pure white variety of the *Zinnia Elegans Robusta Plenissima*, the well-known Giant Zinnias. The very double flowers are of beautiful shape, and measure about 4 inches across. This excellent novelty comes true from seed, and is deserving of universal attention. Per pkt., 1s

Cannell & Sons' Complete Seed Guide.

PEARS.

- 
- *BERGAMOTTE D'ESPEREN.
 - BEURRÉ D'AMANLIS.
 - *BEURRÉ CLAIRGEAU.
 - BEURRÉ RANCE.
 - *BEURRÉ HARDY.
 - *CATILLAC.
 - *CITRON DES CARMES.
 - CLAPP'S FAVOURITE.
 - *DOYENNE DU COMICE.
 - DURONDEAU.
 - FERTILITY.
 - *FONDANTE D'AUTOMNE.
 - *LOUISE BONNE OF JERSEY.
 - *MARIE LOUISE D'UCCLES.
 - *MARECHAL DE COUR.
 - *PITMASTON DUCHESSE.
 - *THOMPSON'S.
 - *VERULAM.
 - *VICAR OF WINKFIELD.
 - *WILLIAM'S BON CHRÉTIEN.

CHERRIES.

- 
- DUCHESS DE PALLUAN.
 - EARLY RIVERS.
 - GOVERNOR WOOD.
 - KENTISH.
 - MAY DUKE.
 - MORELLO.

We exhibited Vegetables at the December Show (7th, 8th, and 9th) at the Royal Aquarium, and the "Journal of Horticulture" says:—

Messrs. CANNELL & SONS' VEGETABLES WERE MAGNIFICENT. THEIR "DEFIANCE" CABBAGE, ONIONS, AND "MODEL" TURNIPS SPLENDID.

SEEDS—BEST IN ENGLAND

HENRY W. SAXTON, Esq.,

Audlem, Nantwich,

19th October, 1897.

The Seed I had from you were double the value to any I have had before. I recommend you to my friends.

"Times" says:—

Canon Chapman exhibited at St. Pauls Cray Horticultural Society's Show, on October 19th, one of the finest collections of Vegetables thought ever seen in Kent. We understand they were all from pure Kentish-grown Seed, supplied by

H. Cannell & Sons, Swanley.

Cannell & Sons' Complete Seed Guide.

ALL FLOWER SEEDS POST FREE.

CANNELLS' COMPLETE COLLECTIONS.

HALF-PACKETS

AT

HALF PRICE

OF ALL

Flower Seeds

Where priced 1/- and upwards,

EXCEPT

COLLECTIONS AND NOVELTIES.

For Penny Packets, see page 135.

The following Collections, consisting of Selections from our Eynsford Seed Grounds of the choicest and most universal favourites of the garden that have been awarded numerous first prizes, we are sure will give every satisfaction:—

Collections to the value of 31s. 6d. and 42s. also supplied.

No. 1, Price 21s., contains
(POST FREE)

- 1 Collection of 12 Varieties of Victoria Aster
- 1 " 6 " Bettridge's Globe Quilled Aster
- 1 " 12 " Large Flowering German Ten-week Stock
- 1 " 6 " Brompton Stock
- 1 " 8 " Double Zinnia
- 1 " 6 " Phlox Drummondii
- 12 Varieties of Showy Hardy Annuals
- 6 " Popular Hardy Perennials
- 6 " Half-hardy and Tender Annuals
- 3 " Ornamental Grasses for Winter Bouquets and Table Decoration
- 3 " Everlasting Flowers
- 1 oz. Sweet Peas, finest mixed
- 1 " Mignonette, Sweet Scented
- 1 " Nasturtiums, Dwarf, mixed
- 1 Packet choice Petunia
- 6 Selected Varieties of Greenhouse Plants, including Calceolaria, Primula, Begonia, Cineraria
- 1 Packet of Balsam, Cannells' Perfection
- 1 " Sunflower, Single, mixed
- 1 " Verbena



No. 2, Price 10s. 6d., contains
(POST FREE)

- 1 Collection of 6 Varieties of Victoria Aster
- 1 " 6 " Large Flowering German Ten-week Stock
- 6 Varieties of Half-hardy and Tender Annuals
- 6 " Hardy Perennials
- 12 " the best and most showy Hardy Annuals
- 3 " Everlasting Flowers
- 3 " Ornamental Grasses for Winter Bouquets
- 1 Packet of Double Zinnias, mixed
- 1 " Petunia, choice, mixed
- 1 " Balsam, Cannells' Perfection
- 1 " Sunflower, Single, mixed
- 1 " Verbena
- 1/2 oz. Sweet Peas, finest mixed
- 1/4 " Mignonette, Sweet Scented

Cannell & Sons' Complete Seed Guide.

No. 3, Price 7s. 6d., contains

(POST FREE)

- 10 Varieties of Showy Hardy Annuals
- 6 " Half-hardy and Tender Annuals
- 6 " Hardy Perennials
- 1 Packet of Pæony-flowered Aster
- 1 " German Ten-week Stocks
- 1 " Double Zinnia, mixed
- 1 " choice Petunias
- 1 " Mignonette, Sweet Scented
- 1 " Balsam, Cannells' Perfection
- 1 " Sweet Peas, finest mixed
- 1 " Everlasting Flowers, mixed
- 1 " Ornamental Grasses, mixed
- 1 " Sunflowers, Single, mixed

No. 4, Price 5s., contains

(POST FREE)

- 6 Varieties of Showy Hardy Annuals
- 3 " Half-hardy and Tender Annuals
- 3 " Hardy Perennials
- 1 Packet of Double Zinnias, mixed
- 1 " Truffaut's French Asters
- 1 " German Ten-week Stocks
- 1 " Balsam, Cannells' Perfection
- 1 " Mignonette, Sweet Scented
- 1 " Sweet Peas, finest mixed
- 1 " Ornamental Grasses, mixed
- 1 " Everlasting Flowers, mixed
- 1 " Sunflowers, Single, mixed

No. 5, Price 3s. 6d., contains

(POST FREE)

18 Packets of the most useful Annuals for cutting.

No. 6, Price 2s. 6d., contains

(POST FREE)

- 3 Varieties of Showy Hardy Annuals
- 3 " Half-hardy Annuals
- 1 Packet of Balsam, Cannells' Perfection
- 1 " Best Quilled Aster
- 1 " German Ten-week Stocks
- 1 " Everlasting Flowers
- 1 " Ornamental Grasses
- 1 " Sweet Peas
- 1 " Mignonette
- 1 " Sunflowers

No. 7, Price 1s., contains

(POST FREE)

12 Packets of the most Showy Hardy Annuals for an Amateur's Garden. Cheaper by the dozen or gross.

CANNELLS' COLLECTIONS OF THE BEST KENTISH-GROWN ASTERS IN DISTINCT COLOURS.

For full description of the various varieties, see page 60.

DWARF BOUQUET.

- 8. 12 distinct colours, separate 2s. 6d.
- 9. 6 " " " " " " " " 1s. 4d.

NEWEST IMPROVED PÆONY PERFECTION.

- 10. 12 distinct colours, separate 2s. 6d.
- 11. 6 " " " " " " " " 1s. 4d.

WASHINGTON.

- 12. 6 distinct colours, separate... .. 1s. 6d.

IMBRICATED POMPON.

- 13. 12 distinct colours, separate 2s. 6d.
- 14. 6 " " " " " " " " 1s. 4d.

GIANT EMPEROR.

- 15. 6 distinct colours, separate 2s. 0d.

VICTORIA.

- 16. 12 distinct colours, separate 2s. 6d.
- 17. 6 " " " " " " " " 1s. 4d.

ENGLISH QUILLED, OR GLOBE.

- 18. 18 distinct colours, separate 3s. 0d.
- 19. 12 " " " " " " " " 2s. 0d.
- 20. 6 " " " " " " " " 1s. 3d.

DWARF SHAKESPEARE.

- 21. 6 distinct colours, separate 1s. 6d.

DWARF CHRYSANTHEMUM FLOWERED.

- 22. 12 distinct colours, separate 2s. 6d.
- 23. 6 " " " " " " " " 1s. 4d.

COCARDEAU or CROWN (white centre.)

- 24. 6 distinct colours, separate 1s. 6d.

COMET.

- 1172. 12 distinct colours, separate 2s. 6d.
- 25. 6 " " " " " " " " 1s. 6d.

Cannell & Sons' Complete Seed Guide.

CANNELLS' COLLECTIONS OF THE BEST STOCKS IN DISTINCT COLOURS.

LARGE FLOWERING GERMAN TEN-WEEK STOCK.

26	12	distinct	colours, separate	...	...	...	2s.	6d.
27.	6	"	"	"	"	"	1s.	6d.

WINTER INTERMEDIATE.

28.	6	distinct	colours, separate	..	...	...	1s.	6d.
-----	---	----------	-------------------	----	-----	-----	-----	-----

EAST LOTHIAN INTERMEDIATE.

29.	4	distinct	colours, separate	..	...	...	2s.	0d.
-----	---	----------	-------------------	----	-----	-----	-----	-----

GERMAN EMPEROR.

30.	12	distinct	colours, separate	...	...	...	2s.	6d.
31.	6	"	"	"	"	"	1s.	6d.

BROMPTON STOCK.

32.	12	distinct	colours, separate	...	...	...	2s.	6d.
33.	6	"	"	"	"	"	1s.	6d.

MISCELLANEOUS COLLECTIONS.

		s.	d.			s.	d.
34.	Annuals, 12 best varieties	...	...	34.	Picotee, 12 choice varieties, separate	...	3 6
35.	Antirrhinum, 8 choice varieties, separate	...	1 6	35.	" 6 " " " " " " " " " " " "	...	2 0
36.	Balsam, Camellia Flowered, 12 varieties, separate	...	3 0	36.	Peas, Sweet, 12 fine varieties, separate	...	1 6
37.	" " " " 6 " " " " " " " " " " " "	...	1 6	37.	" " 6 " " " " " " " " " " " "	...	1 0
37A.	Bees, flowers for, 12 varieties, separate	...	2 6	38.	Portulaca Grandiflora Fl. Pl., 6 varieties, separate	...	1 6
38.	Carnation, Fancy, 12 varieties, separate	...	3 0	38A.	Rockwork, flowers for, 12 varieties, selected	...	3 0
39.	" " 6 " " " " " " " " " " " "	...	1 6	39.	Salpiglossis, 6 large flowering varieties, separate	...	1 3
40.	Carnation, self colours, 12 varieties, separate	...	3 0	40.	Scabious, Dwarf, Double, 6 varieties, separate	...	1 3
41.	" " 6 " " " " " " " " " " " "	...	1 6	40A.	Sub-tropical and Ornamental Foliaged Plants,		
41A.	Climbers, Hardy Annual, 12 varieties, selected	...	2 6		12 varieties, separate	...	3 0
42.	Cocksecomb, Dwarf, 12 varieties, separate	...	2 6	61.	Sweet-Scented Flowers, 12 best varieties	...	2 6
43.	" " 6 " " " " " " " " " " " "	...	1 6	62.	" " " 6 " " " " " " " " " " " "	...	1 6
44.	Convolvulus Major, 6 varieties, separate	...	1 3	63.	Sweet William, 6 varieties, separate	...	1 3
45.	Helichrysum Monstrosum, 6 varieties, separate	...	1 6	64.	Tropæolum Lobbianum, 6 varieties, separate	...	1 3
46.	Hollyhock, Chater's, 6 varieties, separate	...	2 6	65.	Wallflower, Double German, 12 varieties, separate	...	3 0
47.	Larkspur, Hyacinth Flowered, 6 varieties, separate	...	1 6	66.	" " " 6 " " " " " " " " " " " "	...	1 6
48.	" Giant Rocket, 6 varieties, separate	...	1 6	67.	Zinnia Elegans, Double, 8 varieties, separate	...	2 0
49.	Pansy, 12 choice varieties, separate	...	2 6	68.	" " Single, 6 " " " " " " " " " " " "	...	1 3
50.	" 6 " " " " " " " " " " " "	...	1 6	69.	Everlasting Flowers, 12 varieties, separate	...	2 0
51.	Phlox Drummondi, 12 varieties, separate	...	2 6	70.	" " 6 " " " " " " " " " " " "	...	1 0
52.	" " 8 " " " " " " " " " " " "	...	1 9	71.	Ornamental Grasses, 12 varieties, separate	...	1 6
53.	" " Grandiflora, 8 varieties, separate	...	2 0	72.	" " 6 " " " " " " " " " " " "	...	0 10

We should esteem it a favour, and would accept with much pleasure from our esteemed patrons Photographs of Vegetable, Flower, and Fruit Views in Gardens or Conservatories, for the purposes of reproduction in our Catalogues.

CANNELLS MIXED FLOWER SEEDS,

Suitable for Shrubberies, Rockeries, Woodland Walks, Large Banks, &c.

Sow broadcast during March, April, and May, or during August and September for Spring flowering.

	s.	d.		s.	d.
Tall varieties	...	5 0	per lb.	...	0 6
Dwarf "	...	5 0	"	...	0 6

Not less than one ounce will be supplied at above prices.

Half-packets at half-price of all Flower Seeds where priced 1s. and upwards, except collections and novelties.

For Penny Packets, see page 135.

Cannell & Sons' Complete Seed Guide.

CANNELL'S SHOWY FLOWER SEEDS BY WEIGHT.

For the embellishment of the Garden, in large masses, Open Spaces, Bare Banks, Rockeries, and Edgings.
For description of the undermentioned, and also Prices of Packets, see the General List of Seeds.



PARTIAL VIEW OF OUR SEED GROUNDS.

The following, grown by us in large quantities, enables us to supply them by weight, but of not less than half an ounce of each kind at the prices quoted.

		Per Ounce.—s. d.				Per Ounce.—s. d.	
73.	Alyssum, Sweet	...	1 0	117.	Malope Grandiflora	...	0 8
74.	Amaranthus mel. ruber	...	1 6	118.	Mignonette, Cannells' Perfection	...	2 0
75.	Antirrhinum, mixed; our own choice strain	...	2 0	119.	" Sweet Scented	per lb. 6 0	0 6
76.	Aquilegia, finest, mixed	...	1 6	120.	Nasturtium, Tall, mixed	...	0 6
77.	Arabis Alpina	...	3 0	121.	" Tom Thumb, Scarlet	...	1 0
78.	Aster, various, mixed	...	2 6	122.	" Pearl	...	1 0
79.	Bartonia aurea	...	0 9	123.	" Crystal Palace Gem	...	1 0
80.	Beet, dark leaved, useful for bedding	...	1 0	124.	" Beauty	...	1 0
81.	Calandrinia speciosa	...	1 0	125.	" Spotted	...	1 0
82.	" alba	...	1 0	126.	" King Theodore	...	1 0
83.	Calliopsis, mixed	...	0 9	127.	" Dwarf, mixed	...	0 9
84.	Candytuft, White Rocket	...	0 9	128.	Nemophila Insignis, blue	...	0 6
85.	" crimson	...	0 9	129.	" Maculata	...	0 6
86.	" mixed	...	0 8	130.	" mixed	...	0 6
87.	Canterbury Bells, mixed	...	1 6	131.	Perilla Nankinensis	...	1 6
88.	Chrysanthemum, annual, mixed	...	0 9	132.	Phlox Drummondi, best mixed	...	2 6
89.	Clarkia, mixed	...	0 9	133.	Poppy, fine mixed	...	0 8
90.	Collinsia Bicolor	...	0 6	134.	Pyrethrum, Golden Feather	...	3 0
91.	" Alba	...	0 9	135.	Ricinus Gibsoni	...	0 9
92.	Convolvulus Minor, blue	...	0 6	136.	Saponaria Calabrica	...	1 0
93.	" Major, mixed	...	0 8	137.	Silene pendula, pink	...	0 9
94.	Corn Flower (Centaurea Cyanus Minor), mixed	...	0 9	138.	" mixed	...	0 8
95.	Delphinium hybridum, mixed	...	1 6	139.	Schizanthus, mixed	...	1 0
96.	Dianthus Heddewigi, finest mixed	...	2 6	139A.	Schizopetalon Walkeri	...	1 6
97.	Digitalis (Foxglove)	...	1 6	140.	Sultan, Sweet, mixed	...	1 0
98.	Erysimum Perowskianum	...	0 9	141.	Sunflower, double	...	0 6
99.	Eschscholtzia Crocea	...	0 9	142.	" single	...	0 6
100.	Eutoca Viscida	...	0 9	143.	Sweet Pea, Invincible Scarlet	...	0 6
101.	Flos Adonis	...	0 9	144.	" Painted Lady	...	0 6
102.	Gilia Tricolor	...	0 6	145.	" White	...	0 6
103.	Godetia, Lady Albemarle	...	1 0	146.	" Purple	...	0 6
104.	" The Bride	...	0 9	147.	" (Lathyrus Odoratus), colours mixed, per pint	2 6	0 4
105.	" choicest mixed	...	1 0	148.	Sweet William; our own choice strain	...	1 6
106.	Helichrysum, finest mixed	...	2 0	149.	Tagetes Signata Pumila	...	2 0
107.	Hibiscus Africanus	...	0 9	150.	Tropæolum Canariense (Canary Creeper)	...	2 6
108.	Larkspur, Dwarf Hyacinth flowered, mixed	...	1 0	151.	Virginian Stock, Red	...	0 6
109.	Limnanthes Douglassi	...	0 9	152.	" White	...	0 6
110.	Linum Grandiflorum Rubrum	...	1 0	153.	Viscaria, mixed	...	1 0
111.	Lobelia Speciosa (Crystal Palace)	...	3 6	154.	Wallflower, dark	...	1 0
112.	Love-lies-Bleeding, crimson	...	0 6	155.	" Yellow	...	1 0
113.	Lupinus Nanus	...	0 8	156.	" mixed	...	0 9
114.	" Mixed, Annual	...	0 6	157.	Whitlavia Grandiflora	...	0 9
115.	" Perennial	...	0 9	158.	Zinnia, double, mixed	...	2 6
116.	Maize, variegated	...	0 9	159.	MIXED ANNUAL FLOWER SEEDS, 3d. PER OZ.		

Cannell & Sons' Complete Seed Guide.

GENERAL LIST OF FLOWER SEEDS.

Any Variety not mentioned in this List can be supplied on a few days' notice.

ABBREVIATIONS.

A.C.	Annual Climber.	H.A.	Hardy Annual.
AP.	Apetalous, without petals.	H.H.A.	Half-hardy Annual.
G.A.	Greenhouse Annual.	H.H.	Hardy Herbaceous.
G.B.	Greenhouse Biennial.	H.B.	Hardy Biennial.
G.C.	Greenhouse Climber.	H.H.B.	Half-hardy Biennial.
G.P.	Greenhouse Perennial.	H.P.	Hardy Perennial.
H.H.SH.	Half-hardy Shrub.	H.H.P.	Half-hardy Perennial.

HARDY ANNUALS may be sown from February till the end of September; March, April, and May are the best months for general Summer display; June and July for Autumn blooming; August and September for Spring flowering. Half-hardy Annuals—Sow from the beginning of March to the end of May; place in a frame on a gentle bottom heat. When sowing from the middle of April to the end of May they may be easily raised without artificial heat, and by selecting a warm, sheltered situation, and covering them with a hand-light till they are strong enough to bear transplanting.

BIENNIALS AND PERENNIALS—The most select and tender varieties for Summer and Autumn blooming may be sown in a gentle heat in March and April, and pricked out into pots until fully established, and then potted off singly, or transplanted into the open ground, as required. The hardier varieties may be sown in the open ground, in prepared beds, in June and July, and when strong enough, transplanted to where they are intended to bloom the following year.

HERBACEOUS PLANTS are those Perennials which lose their stems annually, whilst the roots continue alive in the ground.

162. H.H.A. *Abronia Umbellata* (*Nyctaginaceæ*)—Delicate rose colour; a beautiful dwarf trailer. $\frac{1}{2}$ ft. 2d. per pkt.

163. H.H.SH. *Abutilon* (*Malvaceæ*)—Saved from ours, the finest collection of hybrids ever brought together, containing the most beautiful and varied colours. Very showy, decorative, and free-growing shrubs, both for the greenhouse and outside culture during the Summer and Autumn. 3 to 6 ft. high. 1s. per pkt.

164. H.H.SH. *Acacia* (*Albizzia*) *Lophantha* (*Leguminosæ*)—A fine, fern-like foliage plant for greenhouse or window decoration. 6 ft. 3d. pkt.

165. H.H.SH. *Acacia*—Choice, mixed, decorative plants, with pretty foliage. 6d. per pkt.

166. H.P. *Acanthus Mollis Latifolius* (*Acanthaceæ*)—Large, handsome foliage. 3 ft. 6d. per pkt.

167. G.P. *Achimenes*—Finest mixed, of easy culture and free flowering. 1 ft. 2s. per pkt.

169. H.H.A. **Acroclinium Album*—White flowered; very beautiful $1\frac{1}{2}$ ft. 2d. per pkt.

168. H.H.A. **Acroclinium Grandiflorum Atroroseum* (*Compositæ*), Everlasting—Very large flowered; dark. 1 to 2 ft. 3d. per pkt.

170. H.H.A. **Acroclinium Roseum Flore Pleno*—Charming rosy hue, fading to a delicate pink. The flowers have less tendency to close in damp weather than the single kind. $1\frac{1}{2}$ ft. 3d. per pkt.

* Flowers of these should be gathered before they are fully opened, so as to secure a bright centre when dried.

171. H.A. *Adonis Æstivalis* (*Ranunculaceæ*), Flos Adonis—Bright crimson flowers, finely cut foliage. 1 ft. 2d. per pkt.

172. H.A. *Adonis Autumnalis* (Pheasant's Eye)—Crimson; flowers in Autumn. 1 ft. 3d. per pkt.

173. H.P. *Adonis Vernalis*—Bright yellow colour; charming for flower-border and rockery decoration in Spring. $\frac{3}{4}$ ft. 6d. per pkt.

174. H.H.A. *Ageratum* (*Compositæ*), "Cannells' Dwarf"—The best of all the dwarf blues. $\frac{1}{2}$ ft. 3d. per pkt.

176. H.H.A. *Ageratum*, Imperial Dwarf White— $\frac{1}{2}$ ft. 2d. per pkt.

177. H.H.A. *Ageratum Mexicanum*—Useful for large beds; blue, $1\frac{1}{2}$ ft. 2d. per pkt.

175. H.H. *Ageratum*, "Swanley Blue"—Dwarf. $\frac{1}{2}$ ft. 3d. per pkt.



CANNELL'S "PREMIER" ABUTILON.

178. H.A. *Agrostemma Cœli-Rosa* (*Caryophyllaceæ*)—Dwarf, fringed; very pretty. 1 ft. 2d. per pkt.

180. H.P. *Agrostemma Coronaria Atrosanguinea*—Flowers large, deep crimson. 2 ft. 2d. per pkt.

179. H.P. *Agrostemma Coronaria* (Rose Campion)—Pretty rose coloured. 2 ft. 2d. per pkt.

Agrostis—See Ornamental Grasses.

181. H.H.A. *Alonsoa Linifolia* (*Scrophulariaceæ*)—Showy flower; bright scarlet. 1 to $1\frac{1}{2}$ ft. 3d. per pkt.

182. H.H.A. *Alonsoa Albiflora*—White. Useful for pot culture in the conservatory during the Autumn and Winter. $1\frac{1}{2}$ to 2 ft. 3d. per pkt.

1821. H.H.A. *Alonsoa Mutisi*—Soft pink flowers, deep crimson centre; compact habit; flowers throughout the Summer and Autumn months. 1 ft. 6d. per pkt.

183. H.H.A. *Alonsoa Warscewiczii*—Bright scarlet flowers, for beds or borders. 2 ft. 2d. per pkt.

184. H.H.P. *Alstroemeria Aurantiaca* (*Amaryllidaceæ*)—Golden orange, streaked with red; fine for cutting. $1\frac{1}{2}$ ft. 3d. per pkt.

185. H.A. *Alyssum Maritimum* (*Cruciferae*), Sweet Alyssum—Flowers white; in clumps it has a very pretty effect. $\frac{3}{4}$ ft. 3d. per pkt.

186. H.P. *Alyssum Saxatile Compactum*—Yellow; suitable for the rockery and early Spring gardening. $\frac{3}{4}$ ft. 2d. per pkt.

187. H.A. *Amaranthus Caudatus* (*Amaranthaceæ*), Love-lies-Bleeding—Exceedingly graceful, free-flowering, ornamental plant. Red. 2 to 3 ft. 2d. per pkt.

Cannell & Sons' Complete Seed Guide.

188. H.A. *Amaranthus Caudatus*—White. 2 ft. 2d. per pkt.

Amaranthus Globe—See *Gomphrena*.

189. H.H.A. *Amaranthus Tricolor* (Joseph's Coat)—Dwarf, leaves marked with scarlet and rich bronzy purple; beautiful foliage. 1½ ft. 2d. per pkt.

190. H.H.A. *Amaranthus Melancholicus Ruber*—A compact growing variety, with large shaded crimson leaves; useful for bedding. 1 to 1½ ft. 2d. per pkt.

191. H.H.A. *Amaranthus*, "Princess of Wales"—Leaves intense carmine with olive-green tips, the remainder orange-yellow beautifully veined with pink; splendid plants for table decoration. 3 ft. d. per pkt.

192. H.H.A. *Amaranthus* (Hybrid), "Henderi"—Graceful habit, brilliant colours, gives a striking effect. 2 ft. 6d. per pkt.



AMARANTHUS SALICIFOLIUS.

193. H.H.A. *Amaranthus Salicifolius* (The Fountain Plant)—One good plant will repay all trouble. For beds, ribbon borders, or decoration of the conservatory. 3 ft. Sow early in March. 6d. per pkt.

1175. *Amaryllis* (*Hippeastrum*), newest Hybrids—Very choice, saved from a collection of exceptionally fine varieties. 1s. 6d. and 2s. 6d. per pkt.

1304. H.H.A. *Amblyolepis Setigera*—Dwarf growing; small heads of orange-yellow flowers, sweetly scented. 1 ft. 3d. per pkt.

194. H.H.P. *Ammobium Alatum Grandiflorum* (*Compositae*), Everlasting—Flowers pure white, of a small rosette shape, reminding one of the old *Bachelor's Buttons*. It is of a very easy growth, and of great value for cut flowers all the Winter. 1½ to 2 ft. 2d. per pkt.

195. H.H.A. *Anagallis Grandiflora Breweri* (*Primulaceae*).—Pretty dwarf plants, rich dark blue; effective as edgings for rockwork and sunny positions. ½ ft. 3d. per pkt.

196. H.H.A. *Anagallis Sanguinea*—Bright ruby colour; beautiful. ½ ft. 3d. per pkt.

197. H.P. *Anchusa Italica* (*Boraginaceae*)—Deep blue, of easy culture, preferring a sunny situation. 3 to 4 ft. 3d. per pkt.

198. H.P. *Anemone Coronaria* (*Ranunculaceae*)—Mixed. ½ ft. 3d. per pkt.

1173. H.P. *Anemone Coronaria*, St. Brigid—Large flowered double kind, of many beautiful colours. 1 ft. 1s. per pkt.

199. H.P. *Anemone Fulgens* (Scarlet Wind Flower)—Graceful habit; flowers beautiful bright scarlet. ¾ ft. 1s. per pkt.

1174. H.P. *Anemone Coronaria*, Scarlet—Specially saved from the best scarlet flowers. ½ ft. 1s. per pkt.

Angel's Trumpet—See *Datura*.

1305. H.P. *Antennaria Margaritacea*—Everlasting flower; silvery foliage and white flowers; dwarf, very pretty. 1 ft. 6d. per pkt.

200. H.P. *Antirrhinum* (*Scrophulariaceae*), Snapdragon—*Handsome free-flowering border plants, decorative the first season when sown early.* These are from our best varieties, and it is impossible to find a more distinct selection. The greater part of them are beautifully striped. 2 ft. 3d. and 6d. per pkt.

Varieties to colour can be supplied, 3d. to 6d. per pkt.

201. *Antirrhinum*, "Golden Gem"—Of dwarf stiff growth and producing masses of blooms of a rich yellow shade; very attractive; most useful for borders. ¾ ft. 6d. per pkt.

202. H.P. *Antirrhinum*, "Queen of the North"—Elegant habit, and densely covered with large white flowers. A gem in herbaceous borders, and most useful for cutting. 1½ ft. 6d. and 1s. per pkt.

203. H.P. *Antirrhinum*, "Tom Thumb"—Flowers large, dwarf stiff growth and shiny foliage, with masses of blooms, render them exceedingly attractive. ½ to 1 ft. 3d. per pkt.



Cannells' Antirrhinums (Snapdragon).


Our collection is the choicest in the World. We showed a grand collection, and were awarded the Silver Medal by the R.H.S.

CANNELLS' SELECTED COCKSPUR AQUILEGIAS.

204. H.P. *Aquilegia* (*Ranunculaceae*), Columbine—Long-Spurred Hybrids—It is scarcely possible to lavish too much praise upon this graceful and elegant family of plants, being most beautiful in habit of growth, colours, and form of flowers. After several years' careful selecting and re-selecting, we have obtained a splendid strain, which we now offer to all admirers of this graceful and delightful flower. Amongst these hybrids will be found many novel combinations of pleasing shades of colour. They prefer a moist and sheltered position, with as much exposure to the sun as possible; of robust habit and perfectly hardy, flowering most profusely during May and June; admirably adapted for cutting purposes and the home decorations; highly recommended for table decorations. 1s. per pkt.

Cannell & Sons' Complete Seed Guide.

CANNELLS' PIGMY ANTIRRHINUMS.



AWARDED A SILVER MEDAL BY THE R.H.S.

It will be observed how dwarf and massive are ours contrasted with an old-fashioned kind in the centre, and which was arranged to show the difference of habit and freeness of character between the Eynsford strain and that of the older varieties. For several years we have been selecting our well-known and richly-varied strain of Dwarf Antirrhinums until we have succeeded in obtaining most satisfactory results. From the reports gathered from the Gardening Press any further description on our part is unnecessary.

1237. Self colours, mixed, 1s. per pkt.

1238. Striped colours, mixed, 1s. per pkt.

THE GARDEN.

Messrs. Cannell & Sons sent three baskets of nice Antirrhinums, a dwarf yellow *Golden Gem* being particularly pleasing.

THE GARDENERS' CHRONICLE.

Messrs. H. Cannell & Sons exhibited an uncommonly dwarf type of Antirrhinums. The flowers were pure yellow, purple, crimson and yellow, and other shades of colour; some also were striped in bizarre fashion.

A plant that has flowered well this dry, hot season, and which generally does when circumstances are similar, is the Antirrhinum, of which a very dwarf type was shown by Messrs. H. Cannell & Sons at a meeting of the R.H.S. on 28th July. In small gardens or forming edges and similar uses the dwarf type is an excellent one, and Messrs. Cannell's plants bore clear, distinct, self-coloured flowers or variously striped or mottled ones.

THE GARDENERS' MAGAZINE.

Dwarf Antirrhinums possess a considerable value for beds and borders, as their free branching habit enables them to continue in bloom for a much longer period than the taller kinds, which produce a comparatively small number of spikes, and, moreover, the lower part of the older spikes are so hidden by those of later development that the seed pods resulting from the earlier flowers, which are so unsightly in the case of the tall strains, are not seen. A very fine strain was shown at Westminster by Messrs. H. Cannell & Sons, of Swanley, of which the plants were about six inches in height, and furnished with large numbers of spikes bearing flowers distinguished by their large size and effective colouring.

Cannell & Sons' Complete Seed Guide.

205. H.P. *Aquilegia Vulgaris*—Mixed (Columbine). 2d. per pkt.

206. H.P. *Aquilegia Skinneri*—Red, with tips of the petals golden yellow. 2 to 3 ft. 6d. per pkt.

207. H.P. *Aquilegia Chrysantha*—Beautiful yellow, very useful for cutting. 2 to 3 ft. 6d. and 1s. per pkt.

208. H.P. *Aquilegia Cœrulea Hybrida*—The flowers are large and well opened, the centre petals clear sulphur-yellow, and the spurs and sepals a charming shade of pale blue; foliage very handsome; it is perfectly hardy, and grows well in almost any soil. 2 ft. 6d. and 1s. per pkt.



ARISTOLOCHIA ELEGANS.



CANNELL'S LONG-SPURRED HYBRID AQUILEGIAS.

209. H.P. *Aquilegia Californica Hybrida*—Flowers large; the centre petals are yellow, and form a marked contrast to the deep orange-red of its sepals and spurs. 2 ft. 6d. and 1s. per pkt.

210. H.P. *Aquilegia Glandulosa* (Grigor's Variety)—Tips of petals white, sepals dark blue, large blooms; one of the most beautiful of this family. 1½ to 2 ft. 1s. per pkt.

211. H.P. *Aquilegia Grandiflora Alba*—Fine pure white flowers; one of the best for cutting. 2 ft. 3d. per pkt.

212. H.P. *Arabis Alpina* (Crucifera)—A beautiful, hardy, miniature-growing plant, and for permanent edging or Spring bedding one of the best plants in cultivation; flowers white. ½ ft. 3d. per pkt.

213. G.S. *Aralia Sieboldi* (Araliaceae)—Handsome, ornamental foliage plant. 3 to 6 ft. (New seed ready in April.) 1s. per pkt.

1306. H.H.A. *Arctotis Breviscapa*—Resembling the *Gazania*; orange and black; useful for bedding. ½ ft. 2d. per pkt.

214. H.P. *Argemone Grandiflora* (Papaveraceae)—Large, white, daisy-shaped flowers; may be sown in borders in April. 2 ft. 3d. per pkt.

215. H.A. *Argemone Mexicana* (Devil's Fig)—Yellow. 2 ft. 2d. per pkt.

216. H.P. *Armeria*—Choice mixed, useful for rockwork and edging of borders, also as cut flowers. 3d. per pkt.

217. H.H.A. *Arnebia Cornuta*—Rich yellow flowers, with fine large black spots; the latter changes colour, and the whole flower becomes a pure yellow. 2 ft. 6d. and 1s. per pkt.

218. H.H.P. *Asparagus plumosus*—Most useful for pots or bouquets. 2½ ft. 1s. 6d. and 2s. 6d. per pkt.

219. H.P. *Asperula Odorata* (Woodruff)—White, sweet-scented flowers, dwarf; thrives well in the shade. 3d. per pkt.

220. H.A. *Asperula Azurea-setosa*—Rosy-blue; a free bloomer. 1 ft. 2d. per pkt.

221. G.P. *Aristolochia Elegans*—A beautiful free-flowering species of neat growth. Its blossoms are produced in the greatest profusion even on small plants, and are entirely free from the objectionable odour peculiar to the genus. Can be grown in the stove or warm greenhouse. 1s. and 2s. per pkt.

Miss NASH, Ballyknock, Collinstown, Killnecan, Co. Westmeath. 26th July, 1897.

Your seeds have all done beautifully with me, and were greatly admired by many. Some ladies near here—the Misses McCormack—admired them so much they are now getting all their seeds from you, and are so pleased with them.

The seeds I had from you are the best I ever had. Kindly send me as follows.

Mr. C. SMITH, Fridge Place, Sunbury. 12th August, 1897.

Cannell & Sons' Complete Seed Guide.

CANNELLS' ASTERS

(Compositæ).

AWARDED a SILVER-GILT FLORA MEDAL by the ROYAL HORTICULTURAL SOCIETY.

ALL FLOWERS SHOWN IN THIS EXHIBIT WERE GROWN FROM ENGLISH SAVED SEED FOR THE NINTH SEASON.



ASTER—COMET, IMPROVED GIANT WHITE.

OUR ASTER FIELD.

Come and see our Aster Field to give an idea of the extent of our seed growing—particularly Asters—which do so wonderfully well, yielding seed equal to what is usually supplied from the Continent, and which we guarantee to give more than satisfaction. We have hundreds of testimonials praising our Asters. All the seeds are our own growing.

A. LEON, Esq., The Boltons, S.W., 4th January, 1897.

At one of the Shows of the Horticultural Society I admired immensely your exhibition of Asters, and shall feel glad to receive a packet of each of the following varieties.

Mr. ROBT. LOW, Police Station, Minehead, near Chryston, Lanark, 30th August, 1897.

It is with great pleasure that I write to inform you that I got First Prize (Society's Medal) for Asters, of which I bought seed from you. There was a strong competition. I wish also to inform you that I am highly satisfied by the quality and variety you sent.

Cannell & Sons' Complete Seed Guide.

NEW CHRYSANTHEMUM ASTER.



RAY ASTER.

Sow Aster seed in February and March in pots, or on a spent hot-bed in drills, 4 inches apart. When the plants are 1 inch high prick out into a cold frame, or under hand-glasses, 3 to 4 inches apart, from whence they can be planted out when 4 inches high. Select showery weather for planting, when the ground is in good working order; plant out in rows 1 foot apart each way. To grow Asters to perfection a rich deep soil is indispensable, and during dry weather they should be watered, and a top-dressing of well-rotted manure applied early in August. Be very particular that they are always thoroughly free from insects when they are planted out, otherwise the leaves will become curled, and vigour and protection lost for the season. If required for exhibition the buds should be thinned, and the plants well watered with liquid manure. During the last fortnight cover with glass.

1248. Aster, Giant Comet, Light Blue—The class of *Giant Comet Asters* was represented hitherto by a very limited number of colours, now can be added these new and quite distinct colours to this much admired class. *The Gardeners' Chronicle* speaks of them as decided acquisitions. Per pkt., each colour, 1s.

1307. Aster, Giant Comet, Lilac } Description as above. Per
1308. " " " Crimson } pkt., each colour, 1s.

1249. Aster, Ideal—Quite a new class, of which a similar, regular constant, bouquet-pyramidal growth has not yet existed among all Asters; medium-sized, elegant shaped, pure white flowers, somewhat resembling the *Victoria* class. Well adapted for pot culture. Per pkt., 1s.

1250. Aster, Jewel or Ball—Pure white. This pure white variety, with its perfectly globular-shaped flowers, is especially valuable for cutting or bunching; equal in size, form, and beauty to the other varieties in this pretty class. Per pkt., 1s.

1251. Aster, Mignon Lilac—This lovely variety is certain to give delight to all who may grow it; the colour most nearly resembles the "white, passing to lilac," introduced a few years ago, as the flowers open almost white, but whereas the latter darkens considerably towards the close of the blooming period this novelty retains the delicate charm of its light lilac shade until the very last. Per pkt., 1s.

1252. Aster, Ray, White—Attains a height of about 20 inches; in habit of true candelabrum growth, and bearing its large flowers on long strong stalks; the flowers measure 4 to 6 inches in diameter, and consist of rays of very long, slender, grided florets, which have a charming appearance. *The Gardeners' Chronicle* says of this novelty: "The asters of the Ray type have terete florets resembling some of the straight-rayed Japanese Chrysanthemums; they are pretty and distinct." Awarded a Certificate of Merit. Per pkt., 1s.

1303. Aster, Ray, Bright Rose—Similar to foregoing, except colour. Per pkt., 1s.

Cannell & Sons' Complete Seed Guide.

FOR NOVELTIES SEE COLOURED PAPER.

THESE ARE UNIVERSAL FAVOURITES.



JEWEL.

COCARDEAU, OR CROWN.

VICTORIA.

222. H.H.A. **Cocardeau, or Crown**—A very striking and distinct class, each flower having a white centre surrounded by rose, crimson, blue, &c. $1\frac{1}{2}$ ft. Per pkt., mixed, 6d. and 1s.

1177. **Giant Comet, The Bride**—White, changing to rose; it need hardly be stated that this colour is most effective on the *Giant Comet* with its long wavy petals, like those of the Japanese Chrysanthemums. Per pkt., 1s.

224. H.H.A. **Comet, Indigo**—Of the richest indigo-blue shade; this will form a welcome addition to the now well-known *Comet* class. Per pkt., 1s.

225. H.H.A. **Comet, Peach Blossom**—The flowers attain a diameter of 3 to 4 inches, are gracefully arched, and petals slightly twisted, a peculiarity which distinguishes this class; a beautiful and delicate tint; useful for bouquets and other decorative purposes. Per pkt., 1s.

226. H.H.A. **Comet, White**—Of medium height, the flowers are large, pure white; a useful variety for cutting. Per pkt., 6d. and 1s.

227. H.H.A. **Comet, White with Rosy-Pink**—The habit of the plant and shape of the flower is equal to those of any other colour. White with a delicate hue of rosy-pink; later on the colouring becomes more intense. 1s. per pkt.



COMET ASTER.

223. H.H.A. **Aster—Comet, Improved Giant White**—The centre of the flower is formed by a great number of fine golden-yellow florets, shaped in the form of a hair; after a few days they unfold to regular florets, and change colour to a pure white, so that a flower of eight days is pure white; the best Aster for show purposes. 1s. per pkt.

FOR COLLECTIONS, SEE PAGE 52



ASTER, EYNSFORD YELLOW.

Cannell & Sons' Complete Seed Guide.

228. H.H.A. **Comet, Mixed**—Large and extremely double flowers, similar in shape to the Japanese Chrysanthemum. $1\frac{1}{2}$ ft. Per pkt., mixed, 6d. and 1s.

229. H.H.A. **Dwarf Bouquet**—Best of the dwarf Asters, growing about 6 inches; the flowers are all bi-coloured, small, flat-petalled, and very free. Exceedingly pretty, and makes very attractive beds; suitable for pot culture. Mixed. $\frac{3}{4}$ ft. 6d. and 1s. per pkt.

1176. **Dwarf Chrysanthemum-Flowered (Bismarck-brown)**—The young blooms are salmon-red, and after full development of the flowers they show the so-called Bismarck-brown, or somewhat approaching a terra-cotta colour. Per pkt., 1s.

251. H.H.A. **Dwarf Chrysanthemum-Flowered**—Can scarcely be too highly recommended, dwarf compact growth; large, beautifully shaped flowers, very suitable for bedding, and marginal belts to other tall varieties. 1 ft. Mixed colours. 6d. and 1s. per pkt.

230. H.H.A. **Emperor, or Giant**—Also a very fine class of Pyramidal Asters, bearing large flowers. The flowers frequently measure 4 inches in diameter, much resembling shining satin. Mixed. 2 ft. 1s. per pkt.

246. H.H.A. **English Quilled, or Globe**—The guard petals sit regularly round, and are thickly quilled, with very high centres; for size and shape they are superior to those usually seen at exhibitions. It is well known to all lovers of this class that if home-grown it is superior to that imported. Our large Aster bed in September is generally the finest seen in England. Mixed. $1\frac{1}{2}$ ft. 6d. per pkt.

231. **Eynsford Yellow (Cannell)**—A distinct advance. Perfectly tubular-shaped petals, forming into flowers of the best form and quite globular, of graceful growth, and very free blooming. Award of Merit, R.H.S. Per pkt., 1s.

250. H.H.A. **Humboldt**—A very elegant and large Pæony-flowering variety of this much-admired section of Asters. They are, by their graceful growth, free blooming, and extremely showy qualities, well adapted for groups. Mixed. 1 ft. 6d. and 1s. per pkt.

232. H.H.A. **Imbricated Pompon**—The coloring is precisely the same as that of the Dwarf Chrysanthemum and *Giant Emperor* races. Fine for bouquets. $1\frac{1}{2}$ ft. 6d. and 1s. per pkt.



IMPROVED PÆONY PERFECTION ASTER.

233. H.H.A. **Improved Pæony Perfection**—The flowers combine the enormous size of the *Giant Emperor* Aster with the greatest perfection in form and doubleness of the Pæony class. The plants are of pyramidal growth. The yield of seeds is a very small one. Mixed colours. $1\frac{1}{2}$ ft. 6d. and 1s. per pkt.

234. H.H.A. **Jewel or Ball**—(1) Apple-blossom; (2) Deep Rose; (3) Rose with White—Three very handsome varieties obtained from the well-known large flowered Pæony *Perfection* tribe. Beautiful, short-petalled, and perfectly round flowers, which may be compared to the finest varieties of the incurved class of Chrysanthemum. The fully-developed flowers are

as round as a ball, very useful for cutting and bunching. Each colour separate. $1\frac{1}{2}$ ft. Per pkt., 1s.

235. **Jewel or Ball**—Dark blue. Equal in beauty and exquisite form to the other varieties introduced several years ago. Per pkt., 1s.

236. **Jewel or Ball**—All colours. Mixed. 1s. per pkt.

236A. H.H.A. **Jewel or Ball, Purple-violet**—Another exceptionally fine colour to this short-petalled class of Pæony-flowered Asters which have already attained such great popularity. Per pkt., 1s.

237. **Lady in White**—The flowers are elegantly borne on very slender stalks, and having exactly the same graceful semi-globular form as the *Mignon*. It is of inestimable value for bedding, pots, and especially for cut flower purposes. The leaves are long and narrow, and a striking light green in colour. Per pkt., 1s.

238. H.H.A. **Mignon, Hortense Red**—Of the greatest value for use in the late Autumn. A last sowing in June will bring in the flowers of this excellent variety in the months of October and November. Per pkt., 1s.

252. H.H.A. **Mignon** White, changing to lilac } 1s. per pkt. each
252A. " " White, changing to rose } colour.

The above are of incomparable delicacy and beauty. Flowers of three distinct shades of colour are borne at the same time by one plant: the blossoms on first appearing being pure white; those half developed white, changing to lilac or rose; and, finally, the full-blown flowers are of a beautiful pure lilac or rose tint. Of beautiful shape, and most useful for pot culture and cutting purposes.

253. H.P. **Aster Perennial (Composite)**, Michaelmas Daisy—From a splendid collection; sown early they will flower the same year. These are most useful for all kinds of decoration, and are also quite the fashion. Sow in heat. Mixed. 2 to 6 ft. 6d. and 1s. per pkt.


1178. **Princess**—White, passing to rose, flowers being the same lovely delicate hue which has now become so widely popular since appearing in the *Victoria* and *Mignon* Asters. Per pkt., 1s.

239. **Princess Rosalind**—It has the same habit, the same round short-petalled Liliput Dahlia-like flowers, is just as floriferous, and continues as long in bloom as the *Snowball*, the blossoms being of a most charming bright rose colour. The whole plant possesses a beauty and elegance which few other Asters can rival. Per pkt., 1s.

240. H.H.A. **Pure White Victoria**—The most prized by growers of all the Asters. $1\frac{1}{2}$ ft. 1s. per pkt.

1179. **Queen of the Felibres**—Flowers pure white; excellent for cutting. 1s. per pkt.

249. H.H.A. **Queen of the Market, White**—A capital Aster for cutting purposes, blooming quite three weeks earlier than any other kind. $1\frac{1}{2}$ ft. 6d. and 1s. per pkt.



CANNELLS' VICTORIA ASTER.

242. H.H.A. **Cannells' Victoria**—The finest variety in cultivation, and for exhibition purposes unequalled. Flowers perfectly double, imbricated, globular, and as large as the *Giant Emperor* Aster. Habit very robust. Mixed. $1\frac{1}{2}$ ft. 6d. and 1s. per pkt.

Cannell & Sons' Complete Seed Guide.



OUR FIELD OF ASTERS AT EYNSFORD.

247. H.H.A. **Shakespeare**—Distinct kind, prettiest of all Dwarf Asters, the plants forming a compact bush of 6 to 10 inches in diameter and only 9 inches high, producing extra double well-imbricated flowers. Very valuable for pot culture, edgings, and groups; extremely free blooming. The finest colours mixed. 6d. and 1s. per pkt.

248. H.H.A. **Snowball or Princess**—Of the purest white, and continues in flower for a very long time; useful for cutting purposes. 1s. per pkt.

241. H.H.A. **Triumph Deep Scarlet**—The most perfect and beautiful of all Dwarf Asters, attaining a height of but 12 inches. The colour is peculiarly rich and brilliant; when beginning to bloom it is a pure scarlet, but when in full bloom it changes to a magnificent satiny deep scarlet, well adapted for beds, groups, carpet bedding, or pot culture. 1s. 6d. per pkt.

243. H.H.A. **Victoria Dwarf**—A very dwarf class of the preceding. A suitable variety for pots. Mixed. 1 ft. 6d. and 1s. per pkt.

244. H.H.A. **Victoria Needle, or Hedgehog**—Pure white. 1s. per pkt.

245. H.H.A. **Washington**—Extra fine varieties for exhibition. Mixed. $\frac{1}{2}$ ft. 6d. and 1s. per pkt.

For collections of plants of Perennial Aster, see *Floral Guide*.

254. H.A. **Atriplex Hortensis Rubra** (Red Mountain Spinach)—Reddish coloured foliage; ornamental; useful in cold positions. 4 ft. Per pkt. 3d.

255. H.H.A. **Aubergine** (EGG PLANT), *Solanum melongena* var. *ovigerum*.

Handsome fruit-bearing annual, fine for table decoration. Sow in heat in March, pot off in rich soil; the chief thing is to keep them thoroughly free from insects. 2 to 3 ft. Mixed, 3d. per pkt.



AUBERGINE (EGG PLANT).



AURICULA.


H.P. **Aubrietia** (*Cruciferae*)—Splendid dwarf growing plants of spreading habit; very attractive in the rock garden; valuable for Spring bedding. $\frac{1}{4}$ ft.

256. H.P. **Aubrietia Deltoidea**—Rose-violet. Per pkt., 6d.


257. H.P. **Aubrietia Græca**—Neat habit; flowers purple. Per pkt., 6d.

258. H.P. **Aubrietia Leichtlini**—Rose-carmine; a pretty variety. Per pkt., 1s.

259. H.P. **Aubrietia Purpurea**—A good border plant; effective. Per pkt., 6d.



SEEDLING.



ALPINE.

H.P. **Auricula**. Handsome favourite hardy perennials.

260. **Auricula, Cannell's Finest Prize Show Varieties.** $\frac{1}{2}$ ft. 2s. 6d. per pkt.

261. **Alpine.** $\frac{1}{2}$ ft. 6d. and 1s. per pkt.

262. H.A. **Bartonia Aurea** (*Loasaceæ*)—Cup-shape flowers of a bright golden yellow, the centre resembling a bunch of fine yellow silk, foliage blue-green; very pretty. 1 ft. 2d. per pkt.

F. M. VOKES, Esq., Birch Lawn, Sholing, 8th March, 1897.

(Winner during 1896 of six championships—one gold and five silver medals—16 first-class certificates of merit, and over 100 prizes.) The seeds you supplied me with are coming up splendidly, I should say every seed has germinated; truly, they are perfect golden seeds.

Cannell & Sons' Complete Seed Guide.

Our 100-foot house was the finest sight of Balsams ever seen, and the many visitors to our "Home of Flowers" pronounced them grand, being so very double; but, considering the number of plants grown, the crop of seed yielded is very limited.

Sow in middle of March, in pans, and place on a brisk hot-bed. When the young plants are up, pot off into 3-in. pots, shifting into larger size as they appear to require it, 6-inch pots being sufficiently large for the last shift. The soil best suited is half good strong loam, and half rich rotten manure and leaf mould. A moist and genial atmosphere in a cold frame, expose fully to all the light and air at all favourable opportunities, and as soon as the soil becomes exhausted let them be well supplied with liquid manure twice a week, for it is impossible to grow them good without it.



BEET, ORNAMENTAL FOLIAGE (*Dracena-leaved*).

265. H.B. *Beta Chiliensis* (*Chenopodiaceae*)—Admired by all. The gorgeous colouring of its broad-stemmed foliage cannot fail to render it a most effective plant either for borders or scrubbery. 3d. per pkt.

266. H.B. *Lee's Belvoir Castle*—A dwarf compact-growing Beet, with intensely dark purple glossy leaves, the best variety for flower garden decoration; the root also is excellent, being deep red, tender, and of good flavour. 3d. per pkt.

Col. UNIAKKE, Monkstown, Co. Cork,
5th August, 1897.

The Begonia seed I had from you last year has turned out remarkably well. I have a most lovely collection in full bloom just now, nearly all double, very large, and most beautiful colours, various shades of scarlet and crimson, bright yellow and white; they are greatly admired. I have been very fortunate with all the seeds I have had from you, none have ever failed.

C. LEACH, Esq., Sans Souci, Sliema,
Malta, 12th May, 1897.

I was delighted with the plants, and they are all thriving. After losing every one of a consignment from another firm, it is a pleasure to find yours arrive in such condition. I am going to try to beat the flowers one sees here, and with such a start as you have given me I have no fear of the result.

Mr. JAS. NUNN, Erwood, Radnor,
20th February, 1897.

The seeds I bought of you last year did remarkably well in spite of the dry weather.

Cannells' Balsams

(*Impatiens Balsamina*
Camellie flore).

263. H.H.A. BALSAM,
CANNELLS' PERFECTION—Our house of these when in bloom is a grand sight. 2 ft. 6d. and 1s. per pkt.

264. H.H.A. Dwarf
Camellia-Flowered Balsam—Imbricated double, large flowered. Lilac, rose, vermilion, pale lilac, bright rose; all colours. Mixed. 2 ft. 6d. and 1s. per pkt



BALSAM, CANNELLS' PERFECTION.

Mr. J. YEATMAN, Gardener to J. Watts, Esq., Allandale, Wimborne, 1st July, 1897.

We are very pleased with the plants we have from your Begonia seed. We have some splendid double ones from it, quite equal to many of the best named varieties.

Cannell & Sons' Complete Seed Guide.

CANNELLS' TUBEROUS BEGONIAS

(*Begoniaceæ*).

THE GOLD CLOCK COLLECTION.

The highest and most important award yet given, and indicating the excellency of our strain.


The twelve houses we devote to Double and Single Begonias (principally for the production of Seed) will be found to contain a great selection of colour, a fact that is vouched for by our customers having taken probably twice as many prizes for this family. We have had blooms far finer than the engravings seem to indicate, the flowers we have exhibited having caused surprise and astonishment to all who beheld them. Mounted on wire separately, they form charming ornaments for buttonholes or bouquets, whilst their lasting properties render them desirable for vases or table decorations. Our Experimental Flower Garden—an acre of our Nursery and our twelve houses—full of them has been beyond all question the grandest floral sight ever seen; one cannot form the slightest idea of its grandeur unless they visit the Home of Flowers.



OUR BEGONIAS

WHEN IN FLOWER, FROM MAY UNTIL OCTOBER.

Frequent trains from London. Entrances from the stations. All lovers of the best Flowers and Vegetables are cordially invited. [No horticultural establishment is filled with such an amount of interesting objects as ours at all seasons. SEND FOR A CATALOGUE.



CANNELLS' GRANDIFLORA SINGLE BEGONIAS.

All colours mixed, saved from the newest and best sorts, all one quality; in sealed packets, with full directions, per pkt., 1s., 2s. 6d., 3s. 6d., 5s.

Cannell & Sons' Complete Seed Guide.

Cannells' Perfect Strain of Begonia Grandiflora, Single—In sealed packets, with full directions for sowing and treatment.

- 267. Amber.
- 268. Buff.
- 269. Crimson.
- 270. Magenta, Red.
- 271. Orange.
- 272. Orange-Scarlet.
- 273. Picotee.
- 274. Pink.
- 275. Pink and White.
- 276. Primrose.
- 277. Red.
- 278. Salmon.
- 279. Scarlet.
- 280. White (the purest).
- 281. Yellow.

In separate colours,
1/0, 2/6, and 5/0
per packet.



282. H.H.P. Packets, mixed from the above, all one quality, and saved from the finest varieties in existence, 1s., 2s. 6d., 5s.

283. H.H.P. **Cannells' Perfect Strain of Begonia Grandiflora, Double**—Saved from ours, the first collection in the world. Awarded Gold and Silver Medals, Gold Clocks, Silver Cups, and innumerable First Prizes throughout the globe. Per pkt., 1s., 2s. 6d., 5s., and upwards, according to quantity required.



BEGONIA SEMPERFLORENS ATROPURPUREA COMPACTA,



BEGONIA REX

284. H.H.P. **Bedding Begonia**—Best varieties. Mixed. 1s. and 2s. 6d. per pkt.


285. H.H.P. **Begonia Davis**—Bluish-green foliage, producing abundant flowers of brilliant scarlet. $\frac{3}{4}$ ft. 1s. 6d. per pkt.

286. H.H.P. **Begonia Erfordia**—The flowers are of a lovely rosy-carmine, in loose clusters, and form a beautiful contrast to the foliage; it attains the height of about 12 to 15 inches. It is a splendid bedder, and also a good Winter-blooming variety. 1s. per pkt.

287. H.H.P. **Begonia Semperflorens Mixed** (Winter-flowering)—Containing Mr. Iggulden's variety. 1 ft 1s. per pkt.

Cannell & Sons' Complete Seed Guide.

Full particulars, see New Plants and our General Collection in Floral Guide



Scatter the Seed on a level, moderately-firm surface, cover with glass and paper, keep it in darkness until germinated; sow and place in heat at any time of the year, or as soon as the seed is ripe; pot the young seedlings as soon as large enough, and re-pot when necessary; in three or four months they begin to display their beautiful blooms. For further particulars see Collection, *Floral Guide*.

288. H.H.P. *Begonia, Tuberosa Vittata*—Striped flowered. The flowers are flaked and striped after the manner of the Carnation, even in the lower buds. From the seed offered sowers will obtain about 40 per cent. of plants with flowers more or less striped or rayed. Per pkt., 1s 6d.

289. H.H.P. *Begonia Semperflorens Atropurpurea* (Vernon)—Brilliant orange-carmine flowers, and glossy deep brownish-red foliage, the deep red tint growing in intensity as the season advances. The beauty of the male flowers is still enhanced by the bright yellow stamens, which contrast admirably with the brilliant red flowers and the dark metallic leaves. Cannot be too highly recommended for beds or for pot culture. Per pkt., 1s.

290. H.H.P. *Begonia Rex*—Ornamental-leaved varieties saved from the choicest. 1 ft. 2s. 6d. per pkt.

1180. *Begonia Hybrida Hero*—(Originating from *B. Baumannii* and *B. Hybrida Gigantea Alba*; exceedingly robust growth and glossy green foliage, slightly covered with hairs; long, stiff, and erect flower stalks, bearing a great number of splendid flowers of *La France* colour: the flowers emit a little fragrance during warm and sunny weather. 1s. 6d. per pkt.

1181. *Begonia Semperflorens Atropurpurea Compacta* *Begonia Dwarf Vernon* (Queen of the Carpet Bedders)—Forming small, round, very compact bushes of about 4 to 5 inches in height, and possessing the same good qualities as its taller-growing parent—namely, the brilliant red flowers and the deep brownish red foliage. Blooming in the greatest profusion throughout the Summer and Autumn; one of the best bedding plants for dwarf groups or ribboning. 1s. per pkt.

291. H.H.P. *Begonia, Odorata Pionier*—Grown in the open ground, the plants form nice round bushes about 4 inches in height, surmounted by about 8 inches of erect flower stems. The thick waxy leaves are dark green and round shaped; the blooms are from 3 to 4 inches across, and exhale the sweetest perfume, and are of a very rich rose-carmine colour. 1s. 6d. per pkt.

292. H.H.P. *Begonia, Odorata Saladin*—The growth, foliage, flower-stems, and delicious perfume of this variety are equal to those of *Pionier*, and the flowers are of the same size, but are of a rich crimson shade. The upper part of the leaves is dark green with a reddish reflex, the under part being of a reddish-bronze colour. Both varieties are valuable for pot culture or bedding. 1s. 6d. per pkt.

293. H.H.P. *Begonia Weltoniensis*—One of the perpetual-flowering and evergreen varieties, with small light rose flowers and bright green foliage. 1½ ft. 1s. 6d. per pkt.

294. H.P. *Bellis Perennis fl. pl.* (Double Daisy)—Mixed. ¼ ft. 1s. per pkt.

295. H.P. *Bellis Perennis fl. pl. Maxima* (Giant Daisy)—Produces beautiful and densely imbricated flowers of an unusual size, measuring from 1½ to 2 inches in diameter, and varying in different red tints. 1s. per pkt.

296. H.P. *Bellis Perennis fl. pl. "Longfellow"*—Comes true from seed, producing dark rose flowers of unusual size and doubleness, having flower-stalks of great length and stiffness. ¼ ft. 1s. per pkt.

Blanket Flower—See *Gaillardia*.



BELLIS PERENNIS MAXIMA FL. PL.

Blue Bottle—See *Centaurea cyanus*.

Bouncing Bet—See *Saponaria calabrica*.

297. H.H.A. *Brachycome, Iberidifolia* (Compositæ), Swan River Daisy—One of the prettiest of Summer annuals; blue Cineraria-like flowers. 1 ft. 3d. per pkt.

Briza—See Ornamental Grasses.

Broom—See *Genista*.

298. H.H.A. *Browallia Elata Grandiflora* (Scrophulariaceæ)—A pretty decorative plant for the greenhouse or conservatory; bright blue. 1½ ft. 3d. per pkt.

299. H.A. *Browallia Elata Alba*—Pure white flowers; useful. 1½ ft. 3d. per pkt.

300. H.A. *Cacalia Coccinea* (Compositæ)—Very showy border annual; flowers scarlet. 1 ft. 3d. per pkt.

301. H.A. *Cacalia Aurea* (Lutea)—Yellow. 1½ ft. 2d. per pkt.

Calampelis—See *Eccremocarpos*.

302. H.A. *Calandrinia Grandiflora* (Discolor) (Portulacæ)—Large rose-coloured flowers. 1 ft. 2d. per pkt.

303. H.A. *Calandrinia Speciosa*—Purple. ½ ft. 2d. per pkt.

304. H.A. *Calandrinia Speciosa Alba*—White. ½ ft. 3d. per pkt.

Mr. H. LAW, Hoods Street, Kettering Road, Northampton, 6th August, 1897.

Your Carnation seeds have turned out grand, only three singles in the bed. I cut off one plant enough to make a bouquet, with which I took Second Prize, and used others in the First Prize table decoration.

Mr. A. WESTON, Belswood Gardens, Winchfield.

I must say that your seeds are the best I ever had, for they give both great satisfaction to my master and myself. They are well called golden seeds, which I believe they are.

Cannell & Sons' Complete Seed Guide.

BEGONIA, CANNELLS' GRANDIFLORA DOUBLE.

See our *Floral Guide* for grand new kinds. The best illustrated and descriptive list ever published.

Our Seed is saved from the large-flowering best-shaped varieties only.



One of our esteemed customers, the Rev. John Hemphill, Knockaney Rectory, Bruff, Co. Limerick, having purchased seeds from us, and being so highly pleased with the results, kindly forwarded us a Photograph of his plants when in flower, and which we reproduce as above.

We have been awarded innumerable First-Class Certificates.

See full particulars in *Floral Guide*.

Tubers in the dormant state can be supplied from the end of October until March. After that date in plants.

Mr. E. N. GARNETT, Apricot Cottage, Bishop's Waltham, 19th July, 1897

I must say the Seeds have come up extremely well, and the beds were the talk of my neighbours.

Mr. R. HARRY, Brackla Street, Bridgend, 3rd August, 1897.

Seeds you sent me have done grand; you will have many orders from this district next year. Your "Allotment Guide" is much prized.

J. A. HAMILTON, Esq., The Firs, Beckley, Sussex, 13th July, 1897.

It may interest you to know that your little book (sent me while in London last Christmas) has been of great use to me, and this fall I intend getting all the Seeds I require from you.

Mr. J. J. LE PAGE, c/o M. Marquis, Esq., Friquet, Côtel, Guernsey, 20th July, 1897.

Would you kindly send me your Catalogues? I propose dealing with you for the future.

Canstair's

Near Edinburgh

Oct 13th / 97.

Glentworth

I am sure you will be
pleased to hear how remarkably
well the Begonias you sent
me have done this season:

They have been exceptionally
large & brilliant, and given
perfect satisfaction.

Yours sincerely

Mayhew

Cannell & Sons' Complete Seed Guide.



CANNELLS' DOUBLE BEGONIAS.

H. R. COVENTRY, Esq., Monkton Park, Chippenham, 19th May, 1896.

I have had plants from many nurserymen, but yours are far stronger and cleaner than any one of them.

Mr. THOMAS CARSON, Waipawa, Hawkes Bay, New Zealand, 27th September, 1897.

The Seed and Chrysanthemums have arrived in splendid condition.

A. T. HOUGHON, Esq., Richmond Hill, Port Elizabeth, South Africa, 9th August, 1897.

The plants arrived in splendid order this morning.

J. E. WILLMAN, Esq., 23, Elizabeth Street, Port Elizabeth, Cape of Good Hope.

The Seeds I ordered from you have arrived quite safe to hand; am very well pleased with them. Some are already up—have only been sown four days.

Mr. W. BAYLIS, Aston, Bampton, Oxon., R.S.O., 7th September, 1897.

I beg to thank you very much for the straightforward way in which you have dealt with me, and I am sure I shall be very happy to recommend your firm whenever I can. I am glad to state that your seeds have given satisfaction in every case.

Cannell & Sons' Complete Seed Guide.

CANNELLS' EXHIBITION CALCEOLARIAS.



ALL FOR SEED. A VIEW OF OUR CALCEOLARIA HOUSE, 100 FT. LONG. (From a Photograph.)
There being so many lovely dark self shades they do not show up so conspicuously as they otherwise would do with a greater admixture of ordinary light colours. Per pkt., 1s. 6d., 2s. 6d., 3s. 6d.

Cannell & Sons' Complete Seed Guide.



OUR CALCEOLARIAS.

305. H.E.P. *Calceolaria*—Shrubby, dwarf bedding varieties. 1½ ft. Per pkt., 1s. 6d.

306. G.P. *Calceolaria*, Swanley Hybrid Dwarf Perfection (*Scrophularineæ*). 2s. 6d. per pkt.; smaller pkt., 1s.

The seed germinates best without heat, and should be sown in pans or pots, following the directions here given as nearly as possible what we practice:—The pots to be quarter filled with drainage, over which place the rough siftings of the mould, filling up the pot with very fine soil, half of which should be composed of sand. When thus prepared, water through a fine rose, and carefully sow the seed, but do not cover it. Place the pots in a close and totally dark frame, or under a square of glass. The moment they show the seed leaf, gradually expose to the light, taking care to protect from exposure to the sun. When the seedlings are strong enough, prick them off into pans prepared as before, and placed in a similar position. From the store pans pot off singly, placing them in a cold frame or near the glass. The main thing is never to let them become dry, starved, and pot-bound; if so, the fly will attack them, and they will never make good plants. These directions apply to nearly all seedlings. The common error, and the cause of nearly all failures—the seed is sown too early. Plants become too large, and often for the want of either root or top room have to stand still, as it were, and the moment the roots become stationary they go backward, and when so they become stunted, insects attack them, or yellow foliage sets in, and perfection is lost. Sow in August, and from the moment they are up do everything to keep them growing, and the faster the better. Rain water is absolutely necessary. Let them be carefully shifted from the small pot to the 5-inch. Let the night temperature and moisture be such as to cause a nice refreshing dew to stand on the surface of the leaves every morning. This wards off insects and gives vigour to the plant, but it should be dispelled during the day by the admission of air. (See important cultural directions given for *Cinerarias*.) Keep them in a cold frame, with plenty of air and moisture at all favourable times. No frost must touch them. The grand secret is to keep all green fly away, and if coddled in a house, they are almost sure to be attacked. If so, the most effectual means must be adopted by placing them in a lofty position and fumigating, as per directions given (see Guide); and at the very moment of the first curled leaf, every fly must be destroyed. As soon as the first root appears at the drainage hole, let them be shifted intact and without injury into their blooming pots, making sure that every pot is well drained, for no plant is more liable to become sickly and yellow in wet, sour soil than the *Calceolaria*. On the first signs of sharp weather, place in a house near the glass, with temperature not above 50 deg., with plenty of moisture; and as soon as the pots become well filled with roots, give liquid manure once a week, and stake out and fumigate thoroughly just before they show flowers, and the result will be a grand sight. Some plants die off suddenly at the blooming time; this is generally caused by over watering. (See cultural directions for *Primulas*.)

307. H.A. *Calliopsis* (*Coreopsis*) *Coronata* (Tickseed) (*Compositæ*)—Yellow, brown spots; very pretty. 2 ft. 2d. per pkt.

308. H.A. *Calliopsis Drummondii*—Flowers yellow, with brown centre; one of the best. 2 ft. 2d. per pkt.

309. H.A. *Calliopsis Tinctoria* (Bicolor)—Yellow and crimson; valuable. 3 ft. 2d. per pkt.

310. H.A. *Calliopsis atrosanguinea*—Dark crimson; attractive. 1 ft. 2d. per pkt.

311. H.A. *Calliopsis Atkinsoniana*—Orange-yellow, spotted brown in centre. 2 to 3 ft. 3d. per pkt.

312. *Calliopsis*—Mixed, 2d. per pkt.

1182. H.P. *Calliopsis Grandiflora*—Yellow; a large free-flowering variety. 2 ft. 6d. per pkt.

313. H.A. *Callirhoe digitata*—Bright crimson, very free flowering, and lasting for a long time. 2 ft. 2d. per pkt.

314. H.A. *Callirhoe involucrata*—Large purplish-crimson flowers. 1½ ft. 3d. per pkt.

315. H.A. *Calendula Officinalis Grandiflora Sulphurea* fl. pl.—Of the improved compact growing pot-marigold, producing very large and extremely double flowers of a pleasing sulphur-yellow colour. Per pkt., 3d.

316. H.A. *Calendula Officinalis* fl. pl. "Meteor" (*Compositæ*)—A splendid variety, with large and beautifully imbricated striped flowers, the colours of a deep brown-orange on a pale straw-coloured, almost white, ground; the stripes are very striking, and of the greatest regularity. 1 ft. 2d. per pkt.

317. H.A. *Calendula* "Orange King"—This variety represents the highest possible perfection in the class of Double *Calendula*. The flower is faultlessly shaped, and of a very dazzling deep orange colour. ¾ ft. 3d. per pkt.

318. H.A. *Calendula pluvialis* (Cape Marigold)—Very free flowering. white. 1 ft. 3d. per pkt.

Californian Poppy—See *Eschscholtzia*.

319. H.P. *Campanula Carpathica* (*Campanulaceæ*)—Covered with large erect blue flowers. ½ ft. 3d. per pkt.

320. H.P. *Campanula Carpathica Alba*—Flowers white. ½ ft. 3d. per pkt.

321. H.P. *Campanula Carpathica Pallida*—Very pale blue; pretty. ½ ft. 3d. per pkt.

322. H.P. *Campanula Celtidifolia*—Produces light blue flowers blooms first season. 6d. per pkt.

323. H.P. *Campanula Grandiflora* (*Platycodon grandiflorum*)—Large; blue, flowers in Autumn; effective. 2 ft. 6d. per pkt.

324. H.P. *Campanula Grandiflora Alba*—Flowers pure white. 2 ft. 6d. per pkt.

325. H.P. *Campanula Latifolia*—This produces stout stems 3 feet high, bearing large blue flowers in great abundance. 6d. per pkt.

326. H.B. *Campanula Media Calycanthema*—Blue. 2 ft. 3d. per pkt.

327. H.B. *Campanula Media Calycanthema Alba*—2 ft. 3d. per pkt.

Two splendid showy varieties of Canterbury Bells, the calyx forming an elegant cup round the base of the bell, and being of the same beautiful colour as the corolla. These varieties come quite true from seed.

328. H.B. *Campanula Media* (Double Canterbury Bells)—Mixed. 2 ft. 3d. per pkt.

329. H.P. *Campanula Pyramidalis* (Chimney Campanula)—This when in bloom is very handsome; pale blue. 3 ft. 3d. per pkt.

332. H.P. *Campanula Pyramidalis Alba*—This and the above make handsome pot plants for the decoration of conservatories and the border 3 ft. 3d. per pkt.

333. H.P. *Campanula Macrantha Alba*—Long white spikes a noble border plant. 3d. per pkt.

1183. H.P. *Campanula Macrantha*—Blue. 3d. per pkt.

334. H.P. *Campanula Specularioides*—A charming dwarf species, of uniform compact growth, only 4 inches in height. Flowers upright, well shaped, of unusual large size, and of a beautiful blue with white throat; useful for carpet bedding. ½ ft. 1s. per pkt.

330. H.P. *Campanula Persicifolia Backhousei* (*grandiflora alba*)—Of the purest white, and almost twice the size of the type *C. Persicifolia*, which is noted for its free and long-lasting bloom. The plant grows about 3 ft. high, and throws up six to eight strong flower stalks, each covered with 15 to 20 magnificent blossoms, and equally as valuable for cut flowers as for the border. Per pkt., 1s. Plants of this grand variety, 1s. each.

1255. *Campanula Persicifolia Grandiflora Cœrulea*—The large flowering white variety has already assured itself a place among the finest of our perennials, and this new variety with superb large blue flowers is in every respect of equal excellence. A pleasing effect is obtained by planting the blue and white varieties together. Per pkt., 1s.

Cannell & Sons' Complete Seed Guide.

331. H.P. *Campanula Pyramidalis Compacta* (Syon House var.)—This is quite distinct from the older form, being the result of careful selection for years, the plants dwarfer, the flowers larger and deeper blue, with more substance. It possesses a good habit, the dwarfing not having robbed the plant of the pyramidal habit so graceful in this plant, but being of stronger growth is erect, and the plants require no staking or supports, the leaves being hid by the great profusion of bloom. The value of this variety is that it is most useful for decorative effect, and is much admired whenever exhibited, the plants being clothed to the ground with foliage. It is readily grown from seed, and by sowing early in the Spring may be had in bloom 15 months from the time of sowing; is hardy and specially adapted for pot culture, but well repays cold-frame shelter during severe weather. For cool conservatories it is invaluable, lasting a long time in bloom; also for halls or corridors it is a most useful and decorative plant. Should be sown in heat and potted on as required, growing in the open during the Summer months, and giving plenty of moisture and liquid manure when pot bound. Per pkt., 1s.



CAMPANULA PERSICIFOLIA GRANDIFLORA
CERULEA.




CALENDULA OFFICINALIS GRAND.
SULPHUREA FL. PL



CANDYTUFT, EMPRESS.



CANDYTUFT ROCKET.



Cannells' Canterbury Bells. Cup and Saucer.



CRIMSON CANDYTUFT.

Cannell & Sons' Complete Seed Guide.

335. H.A. **Campanula Speculum** (Venus's Looking-Glass)—Blue; very pretty annual for borders, rockwork, &c. 3d. per pkt.
 336. H.A. **Campanula Speculum fl. Alba**—White. 3d. per pkt.
 337. H.P. **Campanula Turbinata**—Flowers blue dwarf. 6l. per pkt.
 338. H.P. **Campanula Turbinata Alba**—White. 1s. per pkt.
Campion—See *Agrostemma*.
Canary Creeper—See *Tropæolum*.



CAPSICUM, RUBY KING.

- H.A. **Candytuft**—One of the most useful of annuals.
 339. „ **Carnea**—Flesh colour. 1 ft. 2d. per pkt.
 340. „ **Crimson**—1 ft. 2d. per pkt.
 341. „ **Empress**—A splendid variety, producing pure white pyramidal trusses on dwarf branches; very free. ¾ ft. 3d. per pkt.
 342. „ **Lilacea**—Lilac. 1 ft. 2d. per pkt.
 343. „ **Mixed**. 2d. per pkt.
 344. „ **Pink**—Quite a distinct variety, pretty colour; should be grown in every garden. 1 ft. 3d. per pkt.
 345. „ **Rocket**—White. 1 ft. 2d. per pkt.
 346. „ **Sweet Scented**—White. 1 ft. 2d. per pkt.
 347. „ **White Tom Thumb**—Very dwarf, good white. ¾ ft. 3d. per pkt.

348. H.A. **Cannabis Gigantea** (*Cannabaceæ*), (Giant Hemp)—A tall ornamental foliaged plant, useful for sub-tropical effect. 6 ft. 3d. per pkt.

349. H.B. **Cannells' Clematis Canterbury Bells**—The greatest and most surprising novelties are our Canterbury Bells; their singularity of shape, which the illustrations truly represent, come perfectly true from seed, and being quite hardy should be in every garden. Habit very dwarf, and so free that the whole plant, when in full flower, presents one surface of colour. Shape of flower extremely striking. Mixed, in several delicate and pleasing colours. 2 ft. 6d. and 1s. per pkt.

350. H.B. **Canterbury Bells**. Cup and Sancer varieties, mixed. 2 ft. 6d. and 1s. per pkt.

351. H.B. Canterbury Bells, Single—Blue	...	Single, many shades. Our own collection. Mixed. 2 ft. 3d. per pkt.
352. „ „ „ —White	...	
353. „ „ „ —Pink	...	
Each 3d. per pkt.		

354. H.H.A. **Capsicum**—Mixed. 3d. per pkt.

355. H.H.A. **Capsicum Annuum** (Prince of Wales)—Charming plant for decoration, beautiful green-shaded foliage, fruit bright golden yellow. 1½ ft. 3d. per pkt.

356. H.H.A. **Capsicum Ruby King**—Colour beautiful ruby crimson. 1½ ft. 6d. per pkt.

357. H.B. **Carduus Benedictus** (Holy Thistle)—For mixed borders; foliage marked white. 3 ft. 3d. per pkt.

358. H.B. **Carduus Marianus** (Ornamental Thistle). 2 ft. 3d. per pkt.

359. H.H.P. **Cannas** (*Canneæ*), (Indian Shot)—These give a very beautiful and tropical aspect to pleasure grounds, by their stately growth and broad, massive foliage, relieved by rich crimson-scarlet, orange, or yellow flowers during the late Summer months; their foliage, comprising various shades of rich green, glaucous, and chocolate-crimson leaf-tints, fits them admirably for effective groups, their appearance rendering them a striking contrast to other plants. They are also invaluable for large pot plants, as portable specimens in pleasure-ground decoration, and equally so for Summer groups in large conservatories, in which their great diversity of foliage appears to advantage, and they are very ornamental for any purpose. Owing to the seeds being so very hard (hence the name of Indian shot) occasionally considerable time elapses before germination takes place, it is always advisable, so as to assist vegetation, to soak the seeds in water. We obtain good results by putting the seeds in a tin box, covering them with water, and then placing it upon the hot pipes or in a propagating frame, and as the outer covering is broken by the germs starting into growth, so the seedlings are removed to small pots, and kept in a temperature of about 70 to 75 degrees, and from then onwards they will be found of easy culture. Being of strong growth and somewhat voracious feeders, they require good rich soil and perfect drainage, and when the pots become full of roots our Real Manne should be given as a liquid once a week; if this is used, and the plants kept in 6-inch pots, and the side shoots cut off from the parent plant as they appear, large flowers and gorgeous colours will always be obtained. 3 to 6 ft. high. 6d. per pkt. Saved from the very best varieties, 1s. per pkt. For full collection of best named varieties that can be supplied as plants, see *Floral Guide*.

Mr. ED. WRIGHTON, Gardener to Sir Richard Wyatt, Garthynghared, Dolgelly, 10th September, 1897.

The Strawberry plants arrived safely. They are grand stuff for the money.

J. SELMS, Esq., Lossenham, Newenden.

I am pleased to hear your firm gained the highest honours at Chicago. Your seeds have turned out with me splendidly, especially the Asters and Salpiglosses.

Mr. O. W. GUY, Honington Hall Gardens, Shipston-on-Stour, 31st August, 1897.

I wish to say that from the packet of your *Eynsford Yellow* Aster seed I had from you in the Spring I have 210 plants in full bloom at the present time, which have been greatly admired. I find it stand the wet well, and am well pleased with it myself.

Mr. JOS. HAYES, The Gardens, Ecclesall Grange, Sheffield, 20th January, 1897.

I wish to say how well the Primulas I had from you have turned out. Your Pink is a grand one. Am pleased Mrs. Milner is getting seed from you again this year. Your Stock, *Princess Alice*, also did well.

Miss PARKER, Little Hall Barn, Beaconsfield, Bucks, 17th July, 1897.

The seeds I had from you this Spring pleased me very much.

Miss BURSTALL, 25, Steele's Road, Haverstock Hill, N.W., 6th September, 1897.

I have been so much pleased with the results of the seeds you sent that I wish to try your bulbs. Please send as follows.

Mr. GEO. PESCOD, Queen Street, Aylesbury, 19th January, 1897.

The seeds arrived safely this morning. I must thank you heartily for the very generous contents of the packets, I am more than pleased.

P. G. EVANS, Esq., 1, Klea Avenue, Cavendish Road, Clapham Common.

I have frequently tried your seeds, and have always found them excellent. The *Aurora* Sweet Peas I had from you this year turned out wonderfully well, despite the trying weather.

Cannell & Sons' Complete Seed Guide.

WE WILL SUPPLY TWELVE REALLY GOOD VARIETIES IN PLANTS, OUR SELECTION, FOR 12s.
FOR FURNISHING LARGE OLD-FASHIONED GREENHOUSES OR CONSERVATORIES DURING THE SUMMER AND AUTUMN
NOTHING CAN BE FOUND MORE SUITABLE. THEY ARE WELL WORTH A TRIAL.



OUR EXHIBIT OF CANNAS AT THE CRYSTAL PALACE IN 1897,
And described by the Press as a wonderful and glorious display.

SHOULD ANY OF OUR CUSTOMERS WISH IT,

WE CAN SUPPLY SEEDS OF VARIOUS KINDS IN SEPARATE PACKETS. 6d. AND 1s. PER PACKET.

A COLLECTION OF 12 DISTINCT VARIETIES, 2s. 6d.

CARNATIONS AND PICOTEEES.

For complete List of CARNATIONS, PICOTEEES, and PINKS, also TREE or WINTER-FLOWERING CARNATIONS, see FLORAL GUIDE.

Good strong healthy plants supplied of all the best varieties. Seed, Mixed, 1s. and 2s. 6d. per packet. No Half-packets supplied.

ALL SAVED FROM THE FINEST FLOWERS AND BEST NAMED VARIETIES.



PARTIAL VIEW OF CANNELLS' CARNATIONS AND PICOTEEES. SPECIALLY GROWN FOR SEED.



365. CANNELLS' CHOICE PICOTEE. Mixed, 1s. and 2s. 6d. per pkt. No half-packets supplied.

54. Picotee, 12 choice varieties, separate, 3s. 6d.
55. " 6 " " 2s.

38. Carnation, 12 varieties, separate, 3s. 39. Carnation, 6 varieties, separate, 1s. 6d.

The DOUBLE MARGARET CARNATIONS are a grand addition to this much-appreciated flower.

Plants may be had in bloom four months from the time of sowing seed. The colours are mixed, sweet scented, and most useful for cutting purposes. Per packet, 1s. and 1s. 6d.

Cannell & Sons' Complete Seed Guide.



PERPETUAL FLOWERING DWARF DOUBLE MARGARET CARNATIONS—TOM THUMB.

360. H.P. Carnations—Mixed. $1\frac{1}{2}$ ft. 1s. and 2s 6d. per pkt. No half-packets supplied.

361. H.A. Perpetual Flowering Dwarf Double Margaret Carnations—Tom Thumb—Most valuable for pot culture, bedding, groups, borders, &c., and will be highly appreciated by all lovers of the Carnation. The cultivation is quite simple, as they can be sown at almost any time of the year, but must be transplanted at once to the spot where intended to flower. If sown in March they require but very little more attention than many of the common Summer flowers. Per pkt., 6d., 1s., and 1s. 6d.



CANNELLS' CHOICE CARNATION.

Sow in June, and treat them like *Calceolarias* until September; after that to be kept in a cool frame.

For Collections of Carnation and Picotee, see page 53

1253. Carnation, Chabaud Tree—Pure white. Flowers within six months after date of sowing, being very free flowering, and yields about 60 to 65 per cent. true plants of exceptionally sweet scented and pure white flowers. Per pkt., 2s.

363. H.P. Carnation, Double Grenadin—Early flowering, of a rich salmon-red colour; effective. $1\frac{1}{2}$ ft. 1s. per pkt.

362. H.A. Carnation Margaret White—Pure white. 1s. 6d. per pkt.

1186. Carnation, Uriah Pike—Crimson. The flowers, which are produced abundantly and continuously for a long period, are perfect in form and emit a powerful clove fragrance, and measure $2\frac{1}{2}$ to 3 in. across; a model "button-hole" flower. Per pkt., 1s. 6d.

1254. Carnations, Yellow-ground Perpetual—The seedlings reproduce the desired shades of about two thirds. Per pkt., 1s. 6d.

364. H.P. Cannells' Picotees and Carnations—Mixed, 1s. and 2s. 6d. per pkt.

365. H.P. Cannells' Picotees—Mixed. $1\frac{1}{2}$ ft. 1s. and 2s. 6d. per pkt.

366. H.H.P. Tree, or Winter Flowering Carnations—Saved from the best varieties. 2 ft. 2s. per pkt.

1309. G.P. Cassia Corymbosa—A pretty free-flowering greenhouse variety; compact habit; can be used in the garden during the Summer; yellow. 2 ft. Per pkt., 6d.

Castor Oil Plant—See *Ricinus*.

367. H.P. Catananche Cœrulea—Blue and purple, free flowering. 2 ft. 3d. per pkt.

368. H.A. Catchfly, Lobel's Red (*Carophyllaceæ*) (*Silene Armeria*)—Very showy, early flowering plant. 1 ft. 2d. per pkt.

369. H.A. Catchfly, Lobel's White. 1 ft. 2d. per pkt.

370. G.A. Celosia Plumosa (*Amarantaceæ*)—A very handsome, dwarf, bright crimson sort of the feathery Cockscombs, of regular pyramidal growth; well adapted for pot culture as well as for flower beds. 3 ft. 6d. and 1s. per pkt.

371. G.A. Celosia Huttoni—Bright crimson, very effective. 2 ft. 6d. and 1s. per pkt.

372. G.A. Celosia Japonica—The branches, from the roots to the smallest leaf vein, are scarlet or crimson, the combs are almost as delicately cut as ruffled lace, often in pyramidal masses, while the colours are of the brightest description imaginable. 2 ft. 6d. per pkt.

373. G.A. Celosia Pyramidalis Aurea (Golden)— $2\frac{1}{2}$ ft. 6d. per pkt.

374. G.A. Celosia Pyramidalis Coccinea— $2\frac{1}{2}$ ft. 6d. per pkt.

375. G.A. Celosia Pyramidalis Versicolor—A tall feathery Cockscomb of several beautiful colours; if properly grown cannot fail to be appreciated. 6d. per pkt.

376. G.A. Celosia Spicata Rosea—Crimson, with shaded maroon foliage. 2 ft. 6d. per pkt.

The above to be treated like the *Amaranthus*, only to be kept in pots, as they are more for indoor decorations.

1256. Celsia Areturus—A very pretty pot plant for conservatory or greenhouse decoration, also known as *Celsia cretica*; the flowers are bright yellow, and look exceedingly well mixed with foliage plants. It is half hardy and of shrubby habit; by sowing seed in gentle heat in the spring good plants may be had by the following September, yielding a better display the second year. $2\frac{1}{2}$ ft. Per pkt., 1s.

1310. H.A. Centaurea Americana—Large pale lilac flowers, very showy. $1\frac{1}{2}$ ft. Per pkt., 6d.

377. H.P. Centaurea Clementei—Robust growing; white foliage variety. 2 ft. 1s. per pkt.

378. H.A. Centaurea Cyanus—The beautiful Cornflower, much used for floral decoration, bonquets, &c., mixed, containing blue, pink, and white. 2 to 3 ft. 2d. per pkt. Purple, pink, and white in separate packets. 3d. per pkt.

379. H.A. Centaurea Cyanus, Blue (Cornflower)—2 to 3 ft. 2d. per pkt.

380. H.A. Centaurea Cyanus Victoria.—This charming variety of our garden Cornflowers is very dwarf, rarely exceeding 6 to 8 inches in height, and the plants form very pretty miniature globular bushes, which are profusely covered with dark blue flowers. 6d. per pkt.

381. H.A. Centaurea Cyanus Nana Compacta—A charming miniature Cornflower. In height and habit they are similar to the parent form, and comprise flowers of white, lilac, rose, light blue, and brown-red tints. They make a fine show in Spring, and are specially suited to Autumn sowing, and capable of withstanding severe cold. The young seedlings bear transplanting. Per pkt., 1s.

382. H.H.P. Centaurea Gymnocarpa—Rose-purple flowers, silvery-white; pinnatifid foliage. $1\frac{1}{2}$ ft. 6d. per pkt.

1311. H.A. Centaurea Margarita—A most exquisite variety, of the purest white, and agreeably scented; flower stalks long and of great use for cutting purposes. 2 ft. Per pkt., 6d.

1184. H.P. Centaurea Montana—Dark blue. $1\frac{1}{2}$ ft. 6d. per pkt.

1185. H.P. Centaurea Montana, Lady Florence Hastings—Creamy-white. $1\frac{1}{2}$ ft. 1s. per pkt.

383. H.A. Centaurea Moschata Alba (White Sweet Sultan)—1 ft. 2d. per pkt.

384. H.A. Centaurea Moschata Purpurea (*Compositæ*) (Purple Sweet Sultan)—1 ft. 2d. per pkt.

385. H.H.P. Centaurea Ragusina (*Candidissima*)—The best of the genus for bedding purposes, and a very valuable decorative plant for conservatory or other purposes; its large silvery white leaves form a fine contrast when grouped with other plants; as an ornamental bedding plant it is unequalled. $1\frac{1}{2}$ ft. 1s. per pkt.

386. H.A. Centaurea Suaveolens (Sweet Sultan)—Well known; a very useful plant, flowers bright yellow. $1\frac{1}{2}$ feet high. 3d. per pkt.

Cannell & Sons' Complete Seed Guide.

387. H.A. **Centaurea, Sweet Sultan**—Mixed, all colours. 2d. per pkt.

388. H.P. **Centranthus Macrosiphon**—Very pretty; pink. 1½ ft. 2d. per pkt.

389. H.P. **Centrosema Grandiflora**—Pea-shaped flowers, ranging in colour from a rosy-violet to a reddish-purple, with a broad feathered-white marking through the centre.

It is well adapted for every garden purpose, especially as a climber, running 6 to 8 ft. in a season. Even in the poorest soil it will bloom freely until cut down by frost. 1s. per pkt.

390. H.P. **Cerastium Biebersteinii** (*Caryophyllaceæ*)—Pure white flowers, silvery foliage; most useful for edgings. ½ ft. 6d. per pkt.

391. H.P. **Cerastium Tomentosum**—A white foliage miniature plant for edgings or rockwork. ½ ft. 6d. per pkt.

392. H.H.B. **Chamæpeuce Afra**—Leaves of a dark green colour, veined beautifully with ivory-white; light purple flower heads in abundance; a stately ornamental foliaged plant. 1s. 6d. per pkt.

393. H.H.B. **Chamæpeuce Casabonæ** (*Fish-bone Thistle*)—1 ft. 6d. per pkt.

394. H.H.B. **Chamæpeuce Diacantha** (*Compositæ*) (*Ground Pine Thistle*)—Magnificent ornamental foliaged biennial *Carduinea*, with long leaves thickly set with spines symmetrically arranged. 1 ft. 3d. per pkt.

1312. H.P. **Chelone** (*Pentstemon*) **Barbata**—Rosy-scarlet flowers; an attractive border plant, flowers are produced in succession. 3 ft. Per pkt., 3d.



CHAMÆPEUCE AFRA.

395. H.H.A. **Chenopodium Atriplicis** (*Chenopodiaceæ*) (*Goosefoot*)—Purple-shaded foliage plant. 3 ft. 3d. per pkt.

CANNELLS' RE-SELECTED CHRYSANTHEMUMS.



CHRYSANTHEMUMS, EARLY-FLOWERING JAPANESE



CHRYSANTHEMUM (TRICOLOR), DOUBLE.

Cannell & Sons' Complete Seed Guide.



CHRYSANTHEMUM CARINATUM.

399. H.A. *Chrysanthemum Carinatum* (*Composita*) (Tricolor)—White and yellow band, brown centre. 1½ ft. 3d. per pkt.



CHRYSANTHEMUM CARINATUM HYBRIDUM FIMBRIATUM FL. PL.

400. H.A. *Chrysanthemum Carinatum Hybridum* Fimbriatum fl. pl., or The Double-Fringed Annual Hybrids—The shades of colour vary from white, yellow, to pink, blood-red, and the deepest purple; the flowers are extremely double, of brilliant colours, and the finely fringed petals are overlapping each other. Per pkt., 1s.

1257. *Chrysanthemum Carinatum plenissimum foliis aureis*—A notable addition; the large double flowers are of all colours, the red shades being especially strongly represented. The plants are only half the height of the ordinary variety, and will be found useful in the garden and as cut flowers. Per pkt., 1s.



CHRYSANTHEMUM CARINATUM, "PURPLE CROWN."

1187. H.A. *Chrysanthemum Carinatum*, "Purple Crown" (*Atrococcineum Foliis Aureis*)—Of dwarf, compact, and very regular growth (height about 8 inches), and beautiful yellow foliage. Its flowers, produced in great abundance, are purple scarlet, ornamented inside with a sparkling golden-yellow ring. Owing to its great beauty, is of value for the border as well as for edgings. One of the most indispensable of annuals. Per pkt., 1s.

401. H.A. *Chrysanthemum Carinatum* (Tricolor), "Eclipse," syn. W. E. Gladstone—Colour yellow, delicate and pretty; some have purple, brown, and other shades of colour round the base. To be sown and treated the same as Asters or Marigolds, and they will flourish and produce innumerable flowers in any sunny situation. 1½ ft. 2d. per pkt.

410. H.A. *Chrysanthemum Coronarium* (Double)—This variety is very useful; valuable for cut flowers, and of very easy growth, white and yellow mixed. 2 to 3 ft. 2d. per pkt.

402. H.P. *Chrysanthemum Grandiflorum* (Marguerite)—Large-flowering White Marguerite. 1½ ft. 6d. and 1s. per pkt.

407. H.A. *Chrysanthemum Hybridum* fl. pl. — Remarkably beautiful and exceedingly showy. 2 ft. 3d. per pkt.

408. H.A. *Chrysanthemum Inodorum Plenissimum*—Produces a large percentage of double white flowers. 2 ft. 3d. per pkt.

406. H.H.P. *Chrysanthemum*, Japanese Early-Flowering Dwarf Varieties—This will be found a useful strain, growing only 1½ to 2 feet in height, and yielding during August and September an abundance of large flowers, and comprising the various colours and forms belonging to this section. The seed should be sown in February or March, and as soon as large enough to be handled pricked out into boxes or small pots, they will then flower the first year. 1s. per pkt.

403. H.P. *Chrysanthemum Leucanthemum Grandiflorum*—Where cut flowers are in great request during Summer, no more useful plant is grown—in fact, it is a most remarkable plant, for it is pretty and grows anywhere. 2 ft. 3d. per pkt.

409. H.A. *Chrysanthemum Segetum Grandiflorum* — An improved form of the common English variety of our fields; if sown at Christmas it gives abundance of splendid yellow flowers all the Spring. Its lovely flowers are most useful in our homes, and although common, is always a favourite with ladies. 2 ft. 2d. per pkt.

404. H.A. *Chrysanthemum Sultan* and Lord Beaconsfield—Edged and striped with gold, maroon, and white. 1½ ft. 2d. per pkt.

405. H.A. *Chrysanthemum* (Tricolor), Double—They are extremely variable, embracing a great variety of tints, ranging from white and yellow to richest purples and crimsons, with intermediate shades of rose, lilac, &c. 6d. per pkt.

Cannell & Sons' Complete Seed Guide.



OUR CINERARIAS.

FINEST NAMED COLLECTION IN THE WORLD.

SEE PHOTOGRAPHIC VIEW OF OUR HOUSE FOR SEEDING FROM.



WE CAN SUPPLY PLANTS OF NAMED VARIETIES FOR GROWING ON FOR EXHIBITION PURPOSES.

CANNELLS' GRANDIFLORA CINERARIA

(Compositæ).

398. Price per packet, 2s. 6d. and 3s. 6d. Smaller packet, 1s. 6d.

They are lovely, both Singles and Doubles, during March and April; by far the finest named collection in the world—like all our strains, the best that can be obtained. They were awarded the First Prize in open competition at Regent's Park, and at the Quinquennial Exhibition at Ghent we were awarded the Gold Medal.

Although hardier in growth, and requiring less care than Calceolarias, the treatment for raising seed, &c., is the same; if required to flower in Winter, seed must be sown in May or June. The secret of growing well is to grow fast, never allowing them to receive a check, either from being pot bound, dryness of root, or attack of insects, the cooler they are kept the better, just preventing frost reaching them, and giving abundance of air; precisely the same treatment and remarks given for Calceolaria apply to the Cineraria, except larger pots must be allowed for root action, and rather stronger liquid manure. The main thing is to keep them growing quickly from the seedling up to the blooming period, avoiding all other plants that are at all likely to be infested with insects. If the green aphid is not kept thoroughly away there will not be a bloom worth seeing. Every possible means and precaution must be adopted to keep the foliage full of life and vigour. See every morning that the points of their leaves stand erect, and that the foliage is slightly covered with dew-like moisture, and the centre or heart is stout and bold, that their white silver bristles, or respiratory organs, round the stems or leaves are fresh and full of health, and stand out and show conspicuously when the sun shines; avoid dust, and make sure that no other than perfectly clear rain water ever goes near the foliage. Of course at all times the keenest observation of extreme temperature must be made for cold, cutting draughts, or a too glaring sun, and warmth must be avoided, otherwise fine healthy plants and valuable time will be lost. See important cultural particulars given for Cyclamen and Calceolarias, and how to use our "Real Manure," see Floral Guide.

396. G.P. Cineraria Hybrida (Double)— $1\frac{1}{4}$ ft. 2s. 6d. per pkt. (See Floral Guide.)


397. H.P. Cineraria Maritima — Beautiful silver-foliaged hardy perennial; very attractive in beds, mixed borders, and rockwork. 2 ft. 3d. per pkt.

398. G.P. Cineraria (Single), Cannells' First Prize— $1\frac{1}{2}$ to 2 ft. 2s. 6d. per pkt.; smaller pkt., 1s. 6d.

Cannells' Re-selected Clarkias.

411. H.A. Clarkia Elegans (*Onagraceæ*)—An elegant and profuse flowering annual; lilac-rose. 2 ft. 2d. per pkt.

CANNELLS' CINERARIAS.



VIEW OF OUR CINERARIA HOUSE, 100 FT. LONG.
All named varieties for Seeding from.

From a Photograph.

Seed, per packet, 1s. 6d., 2s. 6d., and 3s. 6d.

Cannell & Sons' Complete Seed Guide.

412. H.A. *Clarkia Elegans Nana Rosea*—The bushy plants attain only 10 to 12 inches in height, and produce large pink flowers on short upright branches, and form thus, intermixed with the dark green foliage, a pretty sight. Well recommended for groups or borders. Per pkt., 6d.

413. H.A. *Clarkia Mrs. Langtry*—Pure white, centre brilliant carmine-crimson. 1½ ft. 3d. per pkt.

414. H.A. *Clarkia Pulchella Alba*—Beautiful white. 1½ ft. 2d. per pkt.

415. H.A. *Clarkia Pulchella*—Mixed. 2d. per pkt.

416. H.A. *Clarkia Pulchella*—Rosy purple. 1½ ft. 2d. per pkt.

1188. H.A. *Clarkia fl. pl. Alba*—Double white variety; good contrast to other kinds. 2 ft. 3d. per pkt.

417. H.A. *Clarkia fl. pl. Purple King* (Hardy's)—Exceedingly pretty and distinct. 2 ft. 3d. per pkt.

418. H.A. *Clarkia fl. pl. Salmon Queen* (Hardy's)—Exceedingly pretty and distinct. 2 ft. 3d. per pkt.



HARDY'S CLARKIA.

419. H.A. *Clarkia* (Hardy's) *Cannells' Re-selected*—Mixed, beautiful large double flowers. 1½ to 2 ft. 3d. per pkt.

420. H.P. *Clematis Davidiana*—This fine Chinese Clematis is seldom offered as seeds as they do not often ripen in this country. It is remarkable among the non-climbing species for its sweet-scented blue flowers, and for the fragrance of its foliage when dried. The flowers give out on application a Jasmine-like fragrance peculiar to the species. As the summer wanes, and the foliage assumes a russet tint, it emits so powerful an odour of new hay from the development of conmarin that the attention of the passer-by is strongly attracted; the dried foliage retains this scent for a considerable time. 3 to 4 feet. Per pkt., 1s. 6d.

428. H.H.P. *Clianthus Dampieri* (*Leguminosæ*), Glory Pea of Australia.—Sow in April, in heat, and after attaining the height of three inches, exposed to all the light and sun in a temperature of 60 to 70°. It likes rather poor gravelly or sandy soil. Seeds should be soaked in water till they swell, and then be covered with a quarter of an inch or less of sandy soil, and pressed down with the hand. Sow where it is wanted to grow, as the young plants do not like being shifted. 4 ft. 1s. and 1s. 6d. per pkt.

429. H.P. *Clianthus Puniceus*—Vivid crimson flowers; large. 4 ft. 1s. per pkt.

430. H.A. *Clintonia Elegans*, *syn. Downingia Elegans* (*Campanulaceæ*)—Beautiful little annuals, very suitable for edgings or rockeries; sow in heat with care as the seed is very minute. ½ ft. 3d. per pkt.

431. H.A. *Clintonia Pulchella Alba*—½ ft. 6d. per pkt.

421. H.H.P. *Coleus* (*Labiatae*)—Our own choice collection. Saved from the very best golden-edged kinds, and there can be no doubt it will produce some fine new and distinct varieties. For culture, see Floral Guide. 1½ to 3 ft. 2s. 6d. per pkt.; smaller, 1s. 6d. per pkt.

422. H.H.P. *Coleus Giganteus Crispa*—Producing large bold foliage. The colours consist of blackish-maroon shades, golden-yellow, greenish-yellow, deep rosy-crimson, blood red, reddish-brown, clear green-veined rose, and also marked and maculated in the most varied forms. For groups of large dimensions will be found most useful. Per pkt., 1s. 6d.



423. G.A. *Cannells' New Hybrid Cockscombs*

(*Celosia cristata*) *amarantaceæ*.

The many thousands who honoured us with a visit last Summer will acknowledge that one of our 100-foot houses, filled with Cockscombs, contained the most magnificent lot of this family ever seen in England. Hitherto, one or two colours has been the extent of the varieties, whereas we have now a dozen distinct colours. All are of rich satiny colour, such as bring forth the expression, "Had I not seen these I could not have believed they would have caused such a glare." Many had perfectly arched heads more than two feet over, and every seed is from those which had combs quite equal to the engraving. Mixed, 2s. 6d. per pkt.; smaller, 1s. and 1s. 6d. per pkt.

424. G.A. *Glasgow Prize*—1 ft. 1s. 6d. per pkt.

425. G.A. *Swanley Dwarf*—Intense crimson. The best for market purposes, only averaging 6 to 9 inches high. 1s. and 1s. 6d. per pkt.

426. G.A. *Empress*—Very tall, and grows to an immense size. 1½ ft. 1s. per pkt.

427. G.A. *Cockscomb Vesuvius* (*Celosia cristata nana*)—A very effective dwarf variety, producing large perfectly shaped heads of a fiery-red colour on a golden-yellow ground; most useful for pot culture. 1 ft. 1s. per pkt.

Mr. GEO. GRIFFITH, The Gardens, Pen-y-wern, Aberystwyth, 31st August, 1897.
I got the Silver Medal for Gloxinias from your seed. Some of the plants had 32 fully expanded blooms on them. They were very much admired, and many asked me where I bought the seed, and said they never saw such a free flowering strain.

Cannell & Sons' Complete Seed Guide.



COBÆA SCANDENS.

432. H.H.P. *Cobæa Scandens* (*Polemoniaceæ*)—Purple-lilac, large bell-shaped flowers, a rapid growing climber, producing a grand effect under glass, and during Summer on south walls, verandabs, arbours, &c. 20 ft. 6d. per pkt.

433. H.H.P. *Cobæa Scandens Alba*—White. 20 ft. 1s. per pkt.

434. H.A. *Collinsia Bicolor*—Early and free-flowering, purple and white. 1 ft. 2d. per pkt.

435. H.A. *Collinsia Candidissima*—White; very pretty dwarf Spring-flowering annual. 1 ft. 2d. per pkt.

436. H.A. *Collinsia Grandiflora* (*Scrophularinaceæ*)—Purple. 1 ft. 2d. per pkt.

437. H.A. *Collinsia Multicolor Marmorata*—White and rose; very pretty. 1 ft. 3d. per pkt.

438. H.A. *Collomia Coccinea* (*Polemoniaceæ*), Phloxworts—Scarlet; blooms in July. Sow the seed either in the Spring or Autumn. 3d. per pkt.

Columbine—See *Aquilegia*.

439. H.H.P. *Commelina Cœlestis* (*Commelinaceæ*)—Flowers bright blue, tuberos rooted. 1½ ft. 3d. per pkt.

440. H.A. *Convolvulus Major* (*Convolvulaceæ*)—Finest mixed. 10 ft. 2d. per pkt.

441. H.P. *Convolvulus Mauritanicus*—Lavender-coloured flowers, useful for the rockery, baskets, &c.; a pretty trailing plant. 6d. per pkt.

442. H.A. *Convolvulus Minor*—Crimson-violet flowers, very striking; bright yellow eye, encircled with a band of snowy white, broadly margined with rich crimson-violet, varying in some blooms from bright violet to rich velvety purple-crimson. 1 ft. 2d. per pkt.

443. H.A. *Convolvulus Minor*—Blue. 1 ft. 3d. per pkt.



CONVOLVULUS MINOR ROSEUS.

444. H.A. *Convolvulus Minor Roseus*—12 inches high. The centre of the rose-coloured flowers is surrounded with purplish violet, and changes towards the throat into five broad golden-yellow rays. 1 ft. 3d. per pkt.

Coreopsis—See *Calliopsis*.

Cornflower—See *Centaurea cyanus*.

447. H.H.A. *Cosmos Bipinnatus* (*Cosmea*)—Light and graceful foliage; very free-flowering; purple. 2 ft. 3d. per pkt.

448. H.H.A. *Cosmos Bipinnatus Alba*—Large white flowers on long and stiff stems. 2 ft. 6d. per pkt.

1189. H.H.A. *Cosmos Sulphureus* (*Cosmea Sulphurea*), *syn.* *Bidens Humilis*—A much-branched annual, with slender stems and fine divided glossy green foliage; flowers deep clear yellow, and produced in great abundance till the frost; of the simplest culture. 2½ ft. Per pkt., 3d.

449. H.P. *Cowslip*—Finest mixed, early Spring flowering. ¾ ft. 3d. per pkt.

450. H.P. *Crucianella Stylosa* (*Rubiaceæ*), Crosswort—Pink; very dwarf; useful for rockwork. 3d. per pkt.

451. H.H.P. *Cuphea Eminens* (*Lathyraceæ*)—Red and yellow tubular flowers; useful for bedding or greenhouse. 1½ ft. 1s. per pkt.

1259. H.A. *Cuphea Lanceolata fl. alba*—A pleasing variety of this free-flowering Mexican annual, with pure white blossoms. Per pkt., 1s.

1313. H.H.P. *Cuphea Platycentra* (*Cigar Flower*)—Tubular flowers, scarlet and black: well adapted for bedding. 1 ft. Per pkt. 6d.

CANNELLS' CYCLAMEN PERSICUM.

(*Primulaceæ*.)

OURS ARE THE FINEST AND NEAREST PERFECTION EVER SEEN.

Awarded a Silver Medal by the Royal Horticultural Society for our Strain.

Awarded a Silver Gilt Medal for a collection of plants, and a Certificate of Merit for the Strain, Royal Horticultural Society, 106 flowers on one plant.

During the Spring our two houses, filled with the best hybrids, is one of the grandest floral sights round London. We invite all to come and see how, and from what, we save our seeds.

Cyclamen, although so beautiful, yet how seldom do we see them grown well, except by a few; yet to alter this their few natural wants should have attention, and merely mentioned to be thoroughly understood, then the result would be the reverse.

Cannell & Sons' Complete Seed Guide.

Sow seeds thinly, in a compost of two parts turfy yellow loam, one of peat and leaf mould mixed together, and one part of thoroughly decayed cow-dung sifted very fine, and a little silver sand; cover the seeds to the depth of a quarter of an inch; place the pots on a shelf in the greenhouse, near the glass in the Winter, and in Summer in any shaded pit. Under no circumstances must the surface of the soil become dry. Some of the seeds take four months to germinate.

After the plants have attained one or two leaves, and formed a small bulb, remove with root intact into small and well-drained pots, at all times using the soil mentioned above, adding one ounce to every peck of soil of our Real Manure, well mixed. Of course these small pots and plants must be watered with a rose on water-can, and hence the foliage moistened at every watering, and if anything but the cleanest rain water is ever used, the leaves become corroded with a white slime, and unsatisfactory results will be sure to follow, and as the entire health of the plant depends on a few

leaves only, these precious leaves must be kept of a bright green hue from the first seedling leaf up to the flowering period. All sun must be avoided during the late Spring and Summer, and never allowed to shine on them after 8 o'clock a.m. and before 4 o'clock p.m. A cold frame in a shaded position, pitched north, is the best place for them; after flowering they have made their season's growth, and show signs of going to rest, gradually withhold water, shake away all soil, and re-pot. Be particular that the bulbs are buried just below the surface, except the crown, and after all are placed in a shaded frame, and every pot placed on a hard surface, so that no worms can enter; keep lights off in all moderate weather, and as cool as possible during hot weather, and in about a month new foliage will begin to push up; showery weather and night dews assist them immensely. Remove to a greenhouse, place them close to the glass, with plenty of air and light; they will be a surprise and delight all the Winter. As soon as they show flower, give liquid manure once a fortnight; and if the foliage becomes too vigorous, withhold it.



CANNELLS' WHITE CYCLAMEN.

Reproduced from a Photograph taken in our Nursery.

452. G.P. Cyclamen (Hybrid) Persicum—Red. 1s. 6d. and 2s. 6d. per pkt.

453. G.P. Cyclamen (Hybrid) Persicum—White. 1s. 6d. and 2s. 6d. per pkt.

454. G.P. Cyclamen (Hybrid) Persicum—Rose. 1s. 6d. and 2s. 6d. per pkt.



CYCLAMEN HEDERIFOLIUM (HARDY).

455. G.P. Cyclamen (Hybrid) Persicum—White with purple base. 1s. 6d. and 2s. 6d. per pkt.



CANNELLS' PERSICUM GIGANTEUM.

456. G.P. Cyclamen Persicum—Mixed; saved from our finest Prize Collection of the very best white and highly-coloured varieties. $\frac{1}{2}$ ft. 1s. 6d. and 2s. 6d. per pkt.

457. G.P. Cyclamen Persicum Giganteum—Very large flowers. $\frac{3}{4}$ ft. 1s. 6d. and 2s. 6d. per pkt.

458. G.P. Cyclamen Persicum Giganteum—Rose. $\frac{1}{2}$ ft. 2s. 6d. per pkt.

459. H.P. Hardy Cyclamen—In the rockery, perhaps, there is no prettier plant grown; it has the advantage of reproducing itself by setting its own seedlings for the coming year. $\frac{1}{4}$ to $\frac{1}{2}$ ft. 1s. per pkt.

460. G.P. Cyclamen Persicum Giganteum—White, with purple base. $\frac{1}{2}$ ft. 1s. 6d. and 2s. 6d. per pkt.


461. G.P. Cyclamen Persicum Grandiflorum— $\frac{1}{2}$ ft. 1s. 6d. and 2s. 6d. per pkt.

462. G.P. Cyperus Alternifolius—Well adapted for the decoration of the greenhouse, conservatory, or table, and can also be grown as a semi-aquatic during the Summer outdoors; good-sized plants can be obtained from seed in about three months. 2 ft. 1s. per pkt.

1260. H.P. Cyphomattia Lanata—A very interesting new perennial from Asia Minor. The plant forms a small bush, with an umbel-shaped inflorescence rising from 12 to 15 inches in height above the leaves. It is well set with small flesh-coloured flowers, which are densely covered and surrounded by a silvery down. 1s. 6d. per pkt.

Cannell & Sons' Complete Seed Guide.

ALL GROWN EXPRESSLY FOR SEED.



A VIEW OF OUR 'CYCLAMEN HOUSE, 100 FT. LONG.

(From a Photograph.)

Seed, per pkt., 1s. 6d. and 2s. 6d.

Cannell & Sons' Complete Seed Guide.

CANNELLS' DAHLIAS.

(Compositæ.)

We have been Awarded Medals for many years past.

463. H.H.P. **Single Mixed**—From the finest collection in cultivation. 3 to 4 ft. 3d. and 6d. per pkt.

464. H.H.P. **Dahlia, Double**—Saved from our unrivalled collection of show kinds, and cannot fail to produce some first-class varieties. 4 ft. 1s. per pkt.

465. H.H.P. **Dahlia, Cactus**—Choicest mixed, from our best named varieties. 3 to 4 ft. 1s. per pkt.

466. H.H.P. **Dahlia, Cactus-shaped Single**—Their characteristic is the twisted or fluted petals, similar to those of the Double Cactus kinds. They are of graceful appearance, and the range of colour is quite as rich and varied. 1s. per pkt.



DAHLIA, FANCY SINGLE.

467. H.H.P. **Dahlia, Fancy Single**—Saved from a collection containing the most regular markings and distinct colours; generally white and yellow flowers, edged with nearly all colours peculiar to Dahlias. 6d. per pkt.

468. H.H.P. **Dahlia, Tom Thumb**—The plants are of a close compact habit, and produce a dense mass of flowers of the most brilliant colours. 1 ft. 1s. per pkt.

469. H.H.P. **Dahlia, Pompon**—The pretty double bouquet Dahlias. 2½ to 3 ft. 1s. per pkt. For descriptions, see Guide.

Daisy—See Bellis.

470. H.H.A. **Datura Ceratocaula**—Satin-white, striped purple; sweet scented, large. 2½ ft. 3d. per pkt.

471. H.H.A. **Datura Chlorantha fl. pl.**—(Solanaceæ)—Golden double, scented flowers. 2½ ft. 3d. per pkt.

472. H.H.A. **Datura Cornucopia** ("Horn of Plenty")—Of robust habit. The flowers are trumpet shaped, and form three distinct flowers growing each within the other; the throat and mouth of corolla most delicate French white, beautifully contrasted, and marbled with royal-purple on the outside; flowers are produced freely, followed by a large thorny seed-vessel, which adds to the beauty of the plant. Of easy culture. 1s. per pkt.

473. H.H.A. **Datura Fastuosa fl. pl.** (The Thorn Apple)—Double purple. 2 to 4 ft. 3d. per pkt.



CANNELLS' SINGLE DAHLIAS. FINEST EXHIBITION.

474. H.H.A. **Datura Meteloides, syn Wrightii**—Delicate blue and white shaded; very handsome. 2 ft. 3d. per pkt.


475. H.P. **Delphinium Formosum** (Ranunculaceæ)—Bright blue, with white centre; one of the finest varieties of this beautiful genus. 3 ft. 3d. per pkt.

477. H.P. **Cannells' Delphinium Hybridum, mixed**—This mixed seed is collected from one of the best collections, comprising 50 varieties. We grow half an acre. Our spikes of bloom were awarded the Silver Medal of the Royal Botanic Society, Regent's Park. 3 ft. 3d. per pkt.


See Collection in Floral Guide.

Devil-in-the-Bush—See Nigella.

Cannell & Sons' Complete Seed Guide.



CANNELLS' CACTUS DAHLIA.



CANNELL.

Dianthus Barbatus (Sweet William, Cannells' Perfection).

478. H.P. *Delphinium Grandiflorum*—Beautiful blue. 2 ft. 3d. per pkt.

479. H.P. *Delphinium Cardinale*—Handsome species, with large scarlet and yellow flowers; quite hardy. 3 to 4 ft. 1s. 6d. per pkt.

480. H.P. *Delphinium Nudicaule*—Flowers produced in spikes, each blossom being an inch in length; the colour varies from a light scarlet to a shade verging closely on crimson. $\frac{3}{4}$ to 1 $\frac{1}{2}$ ft. 6d. and 1s. per pkt.



DIANTHUS HEDDEWIGII DIADEMATUS FLORE PLENO.

481. H.P. *Delphinium Sulpureum* (Zalil)—Beautiful sulphur yellow flowers. 3 ft. 1s. per pkt.

482. H.P. *Dianthus Barbatus* (*Caryophyllaceae*), Sweet William Cannells' Perfection—If it was needed, we could append 100 testimonials and extracts from the Horticultural Press of the splendour and brilliancy of our strain, and although a Sweet William, we know of no flower that requires more experience and stricter attention to produce seed that will bring forth flowers like the engraving than this plant. 1 ft. 3d. per pkt.

483. H.B. Sweet William — Mammoth Holborn Glory—It is unapproached by any stock in cultivation for show, exhibition, or staging purposes. No collection should be without it. It is perfectly established in character, and the most perfect formed and large developed flower of Sweet William in existence. 1s. per pkt.

484. H.B. *Dianthus Chinensis* fl. p. (Double Indian Pink)—Charming Biennial, well adapted for bedding purposes, if sown early and transplanted. Free blooming. 1 ft. 3d. per pkt.

485. H.A. *Dianthus*, Eastern Queen and Crimson Belle—These beautiful forms are the popular *D. Heddewigii* are most distinct and pleasing. *Eastern Queen* is beautifully marbled the broad bands of reddish lake upon the paler surface of the petals are very striking and pretty. *Crimson Belle*, as its name implies, of a rich, vivid crimson-lake colour; flowers of extraordinary size and substance, evenly and finely lacinated. 1 ft. Each, 6d. per pkt. Both colours mixed, 6d. per pkt.


486. H.A. *Dianthus Heddewigii*—Single, easy to grow, and very showy. 2d. per pkt.

487. H.A. *Dianthus Heddewigii* Diadematus fl. pl. —A very beautiful and valuable improvement; habit more compact and robust than that of the well-known *Dianthus Heddewigii* fl. pl.; flowers large; colours are arranged in zones, varying from lilac and crimson to the richest dark purple; the edges of the petals are very beautifully fringed and margined with white. 1 ft. 3d. per pkt. Treated the same as the Aster.

Cannell & Sons' Complete Seed Guide.



DATURA CORNUCOPIA, "HORN OF PLENTY."



SINGLE CACTUS-SHAPED DAHLIA.



JAPANESE DIANTHUS, EASTERN QUEEN AND CRIMSON BELLE.



SWEET WILLIAM, MAMMOTH HOLBORN GLORY.

Cannell & Sons' Complete Seed Guide.



DIANTHUS LACINIATUS, SALMON QUEEN.

488. H.A. **Dianthus Laciniatus, Salmon Queen**—A beautiful acquisition to the annual Pinks. Flowers are of a very distinct and perfectly new tint in this class; they are of the most brilliant salmon colour imaginable, changing into a salmon-rose when fading. The flowers are well formed and nicely fringed. Plants are from 10 to 12 in. high, like other varieties of *D. Hedewigi*. Per pkt., 1s.

Dictamnus—See *Fraxinella*.



DIANTHUS LACINIATUS NANUS.

1261. H.A. **Dianthus Laciniatus Nanus, New Hybrids**—This novelty differs from the well-known *D. Laciniatus* by its lower growth, and its somewhat smaller, less fringed, but much finer coloured flowers. A group of this new tribe in full bloom presents a beautiful and distinct aspect on account of the charming salmon colouring, and of the great diversity of designs and dark ring round the centre. 10 inches high, and are remarkable for their free-flowering character. Per pkt., 1s.

489. H.P. **Cannell's Dianthus Plumarius Single, mixed**—Although these are amongst the *Dianthus*, and correctly so, yet they are really Single Pinks, and for all purposes of cut-flowers most lovely and beautiful. One of the easiest to grow either from seeds or cuttings, grow anywhere; are what was formerly called Rock Pinks. Strange to say, they are almost unknown. 1 ft. 6d. per pkt.

1262. H.A. **Dianthus Superbus, "Telekii"**—The result of a cross between *Dianthus Superbus* and *D. Chinensis*, having all the advantages of its parents without their defects. Seen at its greatest advantage as a perpetual blooming variety from June to October. Its double flowers range from pure white, black carmine, and violet, and can be cultivated as a biennial as well as an annual, even during the rainy season the display of flowers is still beautiful, while the *Chinensis* and other varieties are spoilt. Per pkt., 9d.

490. H.P. **Digitalis (Scrophularineæ), Foxglove, Gloxinæflora, Improved Large Spotted**—An excellent strain, with large flowers, heavily spotted; flowers nearly equal to the *Gloxinia*. Very striking in a shrubbery. This seed is from our very best kinds. 3 to 5 ft. 3d. per pkt.



DIANTHUS SUPERBUS "TELEKII."

491. H.A. **Dracocephalum Moldavica (Labiata), Balm**—Purple; very pretty. 1 to 1½ ft. 3d. per pkt.

492. H.H.P. **Eccremocarpus Scaber, syn. Calampelis Scaber (Bignoniaceæ)**—Elegant climber; a magnificent plant for south walls, verandahs, pillars, &c. 3d. per pkt.

Egg Plant—See *Aubergine*.

1263. H.H.P. **Echeveria Purpusi**—This fine new succulent, discovered by the botanist, Mr. Purpus, at a height of 7,500 to 8,000 feet on Mount Whitney, in the Sierra Nevada of California. The plant suggests at first sight the *E. Pulverulenta*. It produces handsome white powdered foliage, surmounted by deep red orange-centred flowers. There is no doubt this is a very valuable introduction, the more so as its habitat being at a considerable elevation will enable the plant to be grown here in the open. Per pkt., 1s. 6d.

493. H.H.P. **Echeverias (Cotyledon) (Crassulaceæ)**—Splendid plants for bedding purposes. We have one of the largest stocks in this country. The seed is very dust-like, therefore must be barely covered with soil, and treated very carefully until the seedlings are fit to handle. To be treated the same as recommended for *Calceolarias*.

494. **E. Metallica**—1½ ft. 1s. per pkt.

495. **E. Secunda**—½ ft. 1s. per pkt.

496. **E. Secunda Glauca**—½ ft. 1s. per pkt.

Edelweiss—See *Gnaphalium*.

Eragrostis—See *Ornamental Grasses*.

1264. H.P. **Erigeron Hybridus Roseus**—Interesting and attractive new hybrid of *E. aurantiacus* and *E. Villarsi*, similar in habit to the latter; it resembles, regarding the flowers, more the *E. aurantiacus*. The flowers, about one inch across, are of a beautiful purplish rose, while the disc is of a clear golden yellow. When sown early it flowers the first year from seed. It is a hardy perennial, producing its lovely flowers without interruption from May until late in the autumn. Per pkt., 1s.

497. H.A. **Erysimum Arkansanum (Crucifera)**—Sulphur yellow. Very useful for spring bedding. 1½ ft. 2d. per pkt.

498. H.A. **Erysimum Perofskianum**—Orange-coloured flowers. Sow in the Autumn for an effective display in the Spring. 1½ ft. 2d. per pkt.

499. H.H.S. **Erythrina Crista Galli (Leguminosæ), Coral Tree**—Bright, deep scarlet flower. 3 to 5 ft. 1s. per pkt.

500. H.H.P. **Eryngium Amethystinum**—Remarkable for the Amethystine-bloom which the leaves assume in July, and until the approach of frost; suitable for planting in groups. 2½ ft. 3d. per pkt.

1190. H.B. **Eryngium Giganteum**—Very effective. 2½ ft. 3d. per pkt.

501. H.A. **Eschscholtzia Californica Alba**. 1 ft. 3d. per pkt.

Cannell & Sons' Complete Seed Guide.



ESCHSCHOLTZIA CROCEA FLORE PLENO.

502. H.A. *Eschscholtzia Crocea* fl. pl. (*Papaveraceæ*)—Double yellow. 1 ft. 3d. per pkt.
503. H.A. *Eschscholtzia Crocea*—Yellow flowers; when once introduced into the garden will sow themselves. 1 ft. 3d. per pkt.
504. H.A. *Eschscholtzia Mandarin*—The inner side of the petals of a rich orange colour, and the outer side brilliant mandarin scarlet. 1 ft. 2d. per pkt.
505. H.A. *Eschscholtzia Rose Cardinal*—Bright rose-coloured flowers, pretty foliage; a very useful addition to our hardy annuals. 1 ft. 6d. per pkt.
506. H.A. *Eschscholtzia Maritima*—This new Californian Poppy distinguishes itself essentially from the well-known *Californica* by its whitish-grey foliage and lighter coloured flowers. The latter are of a bright light yellow, with deep orange, and very distinct spots at the base of petals. 1 ft. 6d. per pkt.
1314. H.A. *Eschscholtzia*—Mixed. 2d. per pkt.
507. H.H.SH. *Eucalyptus Globulus* (*Myrtaceæ*), The Blue Gum of Tasmania—A pretty pot plant and also for sub-tropical effect; useful for sitting-rooms and conservatories. 4 to 200 ft. 6d. per pkt.



EUCALYPTUS GLOBULUS.

508. H.A. *Eucharidium Grandiflorum Album*—Flowers pure white. 1 ft. 2d. per pkt.



ESCHSCHOLTZIA MARITIMA.

517. H.A. *Eucharidium Breweri* (*Onagraceæ*)—Rare and truly magnificent species of dwarf spreading habit of growth and narrow lanceolate foliage. The colour of the flower is a pleasing purplish rose, shading to white in the centre. It flowers very profusely, and is of the same easy culture as the different kinds of *Clarkia*. 1 ft. 1s. per pkt.

1191. G.P. *Eupatorium Serrulatum*—New shrubby species from Uruguay. Resembling in habit of growth the *Eupatorium Riparium*, it differs essentially by its shorter and less serrate leaves and the large corymbs of purplish-rose flowers. This new species is, like most of the greenhouse species of this tribe, of the easiest culture, and produces its fine flower heads during the dull Winter months, when flowers are naturally doubly valuable. Per pkt., 1s.

509. H.A. *Eutoca Viscida* (*Hydrophyllaceæ*), *syn. Phacelia*—Producing very bright blue flowers; very suitable for bees. 1 ft. 2d. per pkt.

Everlasting Flowers—See *Helichrysum* and *Acroclium*.

Fennel Flower—See *Nigella*.

510. H.H.A. *Fenzlia Dianthoides* (*Polemoniaceæ*)—Smothered with brilliant rose-purple flowers; very dwarf, suitable for pots, rockeries, or edgings. $\frac{1}{4}$ to $\frac{1}{2}$ ft. 6d. per pkt.

511. H.H.A. *Fenzlia Dianthoides Alba*—White. $\frac{1}{2}$ ft. 6d. per pkt.

512. H.H.P. *Ferdinandia Eminens*—Useful for sub-tropical gardening and very wide borders; should be sown early. 6 to 8 ft. 6d. per pkt.

Feather Grass—See *Stipa*.

513. G.P. Ferns—Mixed, from the best greenhouse and stove kinds. 1s. per pkt.

514. H.P. Ferns—Best hardy mixed. 1s. per pkt.

Fish-bone Thistle—See *Chamaepeuce*.

Flos Adonis—See *Adonis*.

Forget-me-not—See *Myosotis*.

Foxglove—See *Digitalis*.

515. H.P. *Fraxinella Dictamnus* } Cultivated for their beautiful
(*Rutaceæ*)—Red } flowers and fragrant leaves.
" " White } 2 ft. 6d. per pkt.

516. H.H.P. *Freesia*—Best mixed. March and August are the best times for sowing. To be sown in 5-in. pots, and then thinned out to six or eight plants in each pot; delightfully fragrant flowers. 1 ft. 6d. and 1s. per pkt.

518. H.H.P. *Fuchsia* (*Onagraceæ*)—Saved from our splendid collection of double and single varieties. 1s. and 2s. 6d. per pkt.

1315. H.P. *Gaura Lindheimeri*—White flowers and pink calyx, on long slender graceful spikes, flowering in Summer and Autumn. 3 ft. Per pkt., 3d.

519. H.H.P. *Gazania Nivea Pygmaea* (White Treasure Flower)—A species from Natal, growing at an elevation of about 6,000 feet. The leaves, generally 1 foot long, are narrow lineate, downy underneath, with broad ribs which are white above and green below; flowers nearly 2 inches across, and are pure white; very free flowering. 1s. 6d. per pkt.

520. H.P. *Gaillardia Perennial* (*Hybrida Grandiflora*)—A lovely coloured flower, perfectly distinct to any other, and for all decoration quite a charming feature; perfectly hardy, producing abundance of flowers all the Summer. For cut flowers one of the most useful plants of the garden. Mixed. $1\frac{1}{2}$ ft. 6d. per pkt.

521. H.H.A. *Gaillardia Pulchella Picta* (*Compositæ*)—A very fine free-flowering variety, of good compact habit; the flowers, which are of a large size, are of a reddish crimson colour, bordered with citron-yellow. 1 ft. 2d. per pkt.

Cannell & Sons' Complete Seed Guide.



CANNELLS' FUCHIAS

522. H.H.A. *Gaillardia Picta* Lorenziana.—The ray and disc flowers of this variety develop themselves into tubular funnel-shaped florets of three to five lobes, and form handsome flower heads; it will be found very useful for cutting. The seed offered is mixed, containing sulphur and golden-yellow, amaranth-red, claret red, and purple. $1\frac{1}{2}$ ft. Sow early in March 3d. per pkt.

1316. H.P. *Genista Andreana* (Gold and Crimson Broom).—The wings of each flower are rich crimson, and standards golden yellow very free and attractive. It commences to flower the second year from the seedling plant; useful as a pot plant. Per pkt., 1s.

523. H.P. *Gentiana Acaulis* (*Gentiana*).—Beautiful hardy plant, exceedingly free, will grow almost anywhere; it forms dense masses of dark green foliage, from which protrude large deep blue flowers; it continues in bloom from Spring for a long time. A bed or line of this lovely plant once seen in bloom will never be forgotten. $\frac{1}{4}$ ft. Seed germinates slowly. 3s. per pkt.

Geranium—See Zonal Pelargonium.

524. H.H.P. *Gerardia Tenuifolia*.—Beautiful half-hardy perennial from Mexico forms branching erect bushes of 12 to 15 inches in height, narrow linear foliage. The flower $1\frac{1}{2}$ inches long, are of a light violet colour, with a soft lilac throat. When sown early will begin to bloom in July or August; fine plant for pot as well as for outdoor culture. 1s. per pkt.

525. P.S.B. *Gesnera* (*Gesneraceae*).—Very choice hybrids, flowering the first season from seed. Valuable for the conservatory. Require the same treatment as Gloxinias. $1\frac{1}{2}$ ft. per pkt.

526. H.P. *Geum Atrosanguineum* pl. (*Rosaceae*).—Handsome continuous-blooming border plant, large double flowers of a dazzling scarlet. 6d. per pkt.

527. H.P. *Geum Coccineum Grandiflorum*.—Scarlet; very fine. $1\frac{1}{2}$ ft. 3d. per pkt.

528. H.A. *Gilia* (*Leptosiphon*) *Achilleæfolia* (*Polemoniaceae*).—Beautiful annual when grown in masses; much prized for rock work. 1 ft. 2d. per pkt.

529. H.A. *Gilia Liniflora*.—A new pretty species from California. 1 ft. 2d. per pkt.

530. H.A. *Gilia Minima Cœrulea*.—Very pretty miniature annual. $\frac{1}{2}$ ft. 2d. per pkt.

531. H.A. *Gilia Tricolor*.—White and purple. 1 ft. 2d. per pkt.

532. H.A. *Gilia*.—Mixed. 2d. per pkt.

Miss ETHERIDGE, Forest House, Bartley, Totton, Southampton, October 5th, 1897.

I have been always pleased with your flowers and seeds, some of your Fuchsias are in bloom now.

Mrs. W. TOOP, Westergate, Chichester, August 9th, 1897.

The Seeds I had of you were very good indeed, I should say every one grew; from the packet of Gloxinia I have some splendid plants now in bloom.

Mr. F. BENNETT, The Gardens, Pound, Yelverton, January 29th, 1897.

I hope the Seeds will turn out as well in the future as they have done in the past


Cannell & Sons' Complete Seed Guide.



GERARDIA TENUIFOLIA



PERENNIAL GAILLARDIA.



CANNELLS' GLOXINIA, FINEST SPOTTED.

533. H.P. **Gladiolus** (*Iridææ*)—Mixed. Perfectly hardy garden varieties, therefore saving the trouble of hosing them from the frost. 2 to 4 ft. 6d. per pkt.

534. H.H.P. **Gladiolus**—Choice mixed; saved from the best hybrids of Gandavensis. 3 to 4 ft. 6d. and 1s. per pkt.

G.P. CANNELLS' GLOXINIA (*Gesneraceæ*).

Whenever these gorgeous flowers are at the zenith of their perfection, it would be difficult to imagine anything more beautiful, and as they can be easily flowered twice a year, it is surprising that they are not more generally grown.

535. G.P. **Erecta**—The best erect, flowering kinds. $\frac{3}{4}$ ft. 2s. 6d. per pkt.; smaller pkt., 1s. 6d.

536. G.P. **Pendula**—Drooping flowers. $\frac{3}{4}$ ft. 2s. 6d. per pkt.; smaller pkt., 1s. 6d.

537. G.P. **Spotted**—We have a charming strain. 2s. 6d. per pkt.; smaller pkt., 1s. 6d.

To be sown in a brisk heat at any time during February, and grown on vigorously, and they will flower abundantly during Summer and Autumn, and make extra strong roots by Winter.

Many who saw our 100-ft. house last season filled with the above in all their various forms will confirm the splendid sight, size of flower, and the surprising glare of colour; in fact, many exclaimed, "These are grand flowers! they beat Roses." And, like all other choice flowers, every

bloom selected for seed is hybridised with the greatest possible care. The brilliancy and beauty of the spotted kinds is perfectly marvellous. See *Floral Guide* for our grand collection.

1192. G.P. **Gloxinia Aigburth Crimson**—Vivid crimson self of the highest merit; flowers are erect and of the finest form and substance, of great size, and abundantly produced. Per pkt., 1s. 6d.


1239. G.P. **Gloxinia Prince of Wales**—Our magnificent collection is well known throughout the world, and for several years we have now been awarded Silver-gilt Medals by the Royal Horticultural Society for the varied and extensive groups we have exhibited at various times. The above new variety having obtained an Award of Merit should be sufficient guarantee of its merit as a grand introduction. The flowers are perfectly erect, of the finest form and substance, large, and very freely produced; of a beautiful and effective reddish crimson shade; good strong flower stems, robust habit, and forming into splendid specimens; fine bold foliage; indispensable. Per pkt., 1s. 6d. and 2s. 6d.

538. G.P. **Grevillea Robusta** (*Proteaceæ*)—Exceedingly graceful for table decoration. In the conservatory and sub-tropical garden they rank foremost as fine foliage plants. Seed should be sown in peat. 3 to 5 ft. 6d. and 1s. per pkt.

539. H.P. **Gnaphalium (Leontopodium) Alpinum** (*Compositæ*), Edelweiss—The famous and true Edelweiss of the Alps. The flowers are downy texture and pure silver white; it thrives best in calcareous soil, with full exposure to the sun; quite hardy. $\frac{1}{2}$ ft. 6d. and 1s. per pkt.

Cannell & Sons' Complete Seed Guide.

CANNELLS' GLOXINIAS—Seed, 1 6, 2/6, and 3 6 per pkt.; Bulbs, 5 0 to 12 0 per doz.



W A VIEW OF OUR GLOXINIA HOUSE, 100 FT. LONG.
(From a Photograph.)

Seed, per pkt., 1s. 6d., 2s. 6d., and 3s. 6d.

Our Exhibit at the Great Temple Show was acknowledged to be the best ever seen in London.

Cannell & Sons' Complete Seed Guide.

BULBS CAN BE SUPPLIED



GLADIOLI.

FROM 1S. 6D. TO 18S. PER DOZ.



GNAPHALIUM LEONTOPODIUM (EDELWEISS).

CANNELLS' SELECTED GODETIAS.

SOWN IN THE AUTUMN.



GODETIA, DUCHESS OF ALBANY.

GRAND DISPLAY EARLY IN SUMMER.

THE VARIOUS VARIETIES ARE



GODETIA, LADY ALBEMARLE.

MOST USEFUL GROWN IN POTS.


549. H.A. Godetia (mixed)—Very showy, Summer-flowering. 2d. per pkt.
 540. H.A. Godetia, Bijou (*Onagrariæ*)—The dwarfest, of very bushy habit; flowers pure white, marked with a dark rose spot. $\frac{3}{4}$ ft. 2d. per pkt.
 545. H.A. Godetia, Duchess of Albany—Handsome pyramidal growth, branching from the bottom, and producing large clusters of *Knothera*-like flowers of a beautiful glossy, satiny white. 1 ft. 2d. per pkt.
 1266. H.A. Godetia, Gloriosa.—Of the same habit and dwarf compact growth as the *Lady Albemarle compacta*, from which it differs essentially by its large satiny, brilliant deep blood-red flowers. It is without doubt the darkest coloured of all Godetias, and produces a gorgeous effect by the wonderful brilliancy of its flowers. Per pkt., 1s.
 542. H.A. Godetia, Lady Albemarle—Superb variety, dwarf, brilliant crimson coloured flowers; most magnificent. 1 ft. 2d. per pkt.

543. H.A. Godetia, Lady Albemarle Compacta—A dwarfier and more compact form of the preceding brilliant variety; particularly fine and showy. 1 ft. 3d. per pkt.
 541. H.A. Godetia, Princess of Wales—Ruby-crimson, pencilled with pale rose and silver-grey. $1\frac{1}{2}$ ft. 3d. per pkt.
 546. H.A. Godetia Rosea Alba—Has a bright crimson spot on each petal, which has a peculiarly pretty effect. $1\frac{1}{2}$ ft. 3d. per pkt.
 544. H.A. Godetia, The Bride—A very pretty variety. Should be grown in every garden. $1\frac{1}{2}$ ft. 3d. per pkt.
 548. H.A. Godetia, White Pearl—Satiny-white. On account of its very regular compact growth it is best adapted for dwarf beds or borders. 3d. per pkt.
 547. H.A. Godetia Whitney—Very attractive; flowers varying from flesh colour to crimson. 1 to $1\frac{1}{2}$ ft. 2d. per pkt.
 Golden Feather—See *Pyrethrum*.

Cannell & Sons' Complete Seed Guide.

GIGANTIC
SUNFLOWER

15
INCHES OVER



HELIANTHUS UNIFLORUS.

551. H.H.A. **Gomphrena Globosa** (Globe Amaranthus)—Highly prized for their heads of flowers, which will retain their beauty for months. Various shades of purple. The seeds to be treated the same as Balsams. $1\frac{1}{2}$ ft. 3d. per pkt.

550. H.H.A. **Gomphrena Globosa Nana Compacta** (Amarantaceæ), Everlasting—Purple, dwarf; is the best everlasting flower that has been introduced for many years. A gem for pot culture. 3d. per pkt.

Gourds—See Vegetable Seeds.

552. H.H.A. **Grammanthes Gentianoides** (Crassulaceæ)—Rich orange scarlet; a nice plant for vases, pots, or the rock garden; requires plenty of sun. $\frac{1}{4}$ ft. 6d. per pkt.

Grasses, Ornamental—See Collection.

553. H.P. **Gynerium Argenteum** (Gramineæ), Pampas Grass—Producing large, feathery plumes; useful as single specimens on lawns. 4 to 14 ft. 6d. per pkt.

554. H.A. **Gypsophila Elegans** (Caryophyllææ)—Very graceful habit; flowers rosy-white. $1\frac{1}{2}$ ft. 3d. per pkt.

555. H.A. **Gypsophila Elegans Rosea**—Producing attractive rose-coloured flowers. 2 ft. 3d. per pkt.

556. H.A. **Gypsophila Muralis**—Very dwarf; useful for rockwork and edgings. $\frac{1}{2}$ ft. 3d. per pkt.

557. H.P. **Gypsophila Paniculata**—Charming plants, covered with small white flowers; very handy for table decoration, &c. Much used in Paris. 2 to 3 ft. 3d. per pkt.

558. H.A. **Hawkweed (Crepis)** (Compositæ)—Red, White, Yellow. Useful and very showy annuals; effective in beds, rockwork, or massed. 1 ft. Mixed. 2d. per pkt.



GODEZIA "GLORIOSA."

Heartsease—See Pansy.

Cannell & Sons' Complete Seed Guide.



GYNERIUM ARGENTEUM.

1193. H.B. *Hedysarum Coronarium* (French Honeysuckle)—
1. per pkt.

1267. H.P. *Helenium Autumnale Superbum*—Grows 4 to 8 feet
high, according to soil, with strong angled stems $\frac{1}{2}$ to $\frac{3}{4}$ inch in diameter,
branching at the top into 20 to 50 branches, these dividing again and bearing
several (5 to 10) flowers. The individual blossoms are 2 to 2 $\frac{1}{2}$ inches in
diameter with wedge-shaped rays, and are of a rich golden-yellow colour, the
central disc being of the same colour. A single crown of this plant
takes one of these tall stems with an oval mass of several hundred
blossoms, a huge head of splendid yellow blossoms 2 feet or more in diameter,
and is a sight not easily forgotten. Per pkt., 1s.

559. H.H.P. *Helenium Pumilum*—Bright yellow flowers, useful for
cutting purposes. 1 $\frac{1}{2}$ ft. 3d. per pkt.

560. H.A. *Helianthus* (*Compositae*), Sunflower, Annuus, Double—
1. per pkt.

563. H.A. *Helianthus Annuus Globosus Fistulosus*—Flowers of a
globular outline, from 12 to 18 inches in width, of a rich saffron yellow.
The best of all the doubles; no comparison to those mostly seen. 5 to 6 ft.
1. per pkt.



HELIANTHUS ANNUUS GLOBOSUS FISTULOSUS (DOUBLE SUNFLOWER).

561. H.A. *Helianthus Californicus* fl. pl.—Large flowers; effective.
1. ft. 3d. per pkt.

562. H.A. *Helianthus Citrinus*—Very desirable for large gardens,
rubberies, and sub-tropical effects of branching habit; flowers pale yellow
and dark disc; exceedingly pretty, quite distinct. 4 ft. 3d. per pkt.

565. H.A. *Helianthus Cucumerifolius*—Very neat in habit, pretty;
small, single yellow flowers, with black centre; very decorative. 3 $\frac{1}{2}$ ft.
1. per pkt.



HELIANTHUS CUCUMERIFOLIUS "STELLA."

1194. H.A. *Helianthus Cucumerifolius* "Stella"—Differs from the
H. Cucumerifolius or *Miniature Sunflower* by its larger and better-formed
flowers of the purest golden yellow with a black disc. Flowers are all
borne on long stems and rise well above the lively green, small foliage. Sown
in the open ground in April, flowers may be cut daily from the end of
June until the frost kills the plants. 3 to 4 ft. 6d. per pkt.

564. H.A. *Helianthus, Primrose*—Coloured; very distinct, bearing
beautiful large single flowers, with a dark centre. 5 ft. 3d. per pkt.

1268. H.P. *Helianthus Pumilus*—Closely related to the well-known
H. Rigidus, but it is of dwarfer habit, and has somewhat smaller flower
heads. The stems do not exceed the height of 2 to 3 feet, sparingly branched
near the top, and bear several flowers which differ from those of *H. Rigidus* in
having both the ray and disc florets of a pure yellow colour. Per pkt., 1s.

567. H.A. *Helianthus* (Single Sunflower)—All the finest single varieties;
mixed. 4 to 6 ft. 2d. per pkt.

These wonderful Sunflowers are very attractive, admirably adapted for
intermingling in shrubby borders and in groups for distinct effect, and for
naturalisation in semi-wild situations.

566. H.A. *Helianthus Uniflorus*—Immense single yellow flowers,
large dark centre. 6 to 8 ft. 3d. per pkt.

568. H.H.A. *Helichrysum Bracteatum Album*—White. 3d. per pkt.

570. H.H.A. *Helichrysum* (*Helichrysum*) *Bracteatum* (*Compo-*
sitae)—Everlasting. Dwarf, yellow. 3d. per pkt.

569. H.H.A. *Helichrysum Monstrosum* fl. pl. (*Compositae*)—Choice
mixed; fine large flowers. These are known as Everlasting Flowers, and
as cut dried blooms are largely used for church and house decorations,
also for winter bouquets, in which, to conduce to general effect, it is
advisable to have some varieties of the Ornamental Grasses. (See page 136.)
It is necessary, when cutting the flowers for drying for Winter use, to pluck
them before the flower-bud is expanded. 3d. per pkt.

572. H.H.P. *Heliotropium* (*Boraginaceae*), Cherry Pie—Finest large
flowering varieties; mixed. 1 to 2 ft. 6d. per pkt.

573. H.H.P. *Heliotropium* (*Queen Marguerite*)—Sweet-scented
clusters of deep blue-coloured flowers; suitable for pot or border culture,
and of high value for cut-flower purposes. 1s. per pkt.

574. H.H.A. *Helipterum Sandfordi*, *syn. Humboldtianum* (*Com-*
positae)—Everlasting flower. 1 to 2 ft. 3d. per pkt.

571. H.P. *Helleborus Niger* (The Christmas Rose)—1s. per pkt.

575. H.A. *Hesperis Matronalis Candidissima* (*Cruciferae*), Rocket
—White flowered, and has a sweet perfume towards evening. 2 to 3 ft.
2d. per pkt.

1269. H.P. *Heuchera Alba*—One of the most charming perennials of
recent introduction, is decidedly the red flowering *Heuchera Sanguinea*, and
do not doubt that the new pure white flowering variety, will be welcomed
warmly by all lovers of hardy perennial plants. The graceful flower scapes,
15 to 20 inches in height, produce their pure white flowers just as freely
as those of the red flowering species, and furnish a splendid material for
bouquets. Per pkt., 1s.

Cannell & Sons' Complete Seed Guide.



HELIOTROPE (QUEEN MARGUERITE)

1317. H.P. *Heuchera Sanguinea*—Of dwarf compact branching growth, robust constitution; bright coral-red flowers on slender stalks, elegant and graceful; useful for rockeries and borders. 1 ft. 6d. per pkt.

576. H.H.P. *Hibiscus Coccineus*—Large magnificent flowers of a bright carmine-red, one of the finest plants for bedding out, and blooms more freely than the *Chinese Hibiscus*. 4 to 5 ft. 6d. per pkt.

577. H.A. *Hibiscus Trionum*, *syn. Africanus* (*Malvaceæ*)—Abundance of lovely creamy-white flowers (measuring about 2 inches across), with intense dark throat, nearly black; much admired; sow in gentle heat in March, plant out in May. 1½ ft. 3d. per pkt.



HEUCHERA ALBA.

578. H.P. *Hollyhocks* (*Althæa fl. pl. vars.*)—The distinctive character and massive beauty of the Hollyhocks render them unrivalled as a picturesque relief to the background of evergreen shrubs. For distinct effect in large groups they are matchless; they also form a showy and effective outline in flower gardens and borders, and an admirable boundary line for extensive avenues in park scenery. The seed offered has been saved from our exhibition flowers, and cannot fail to produce first-class varieties. 5 to 6 ft. 6d. and 1s. per pkt.

Sow in February in a moderate heat, and grow on quickly, and again in August. Those kept in a cold frame all the Winter and planted out in March make the best display.

Honesty—See *Linnaria Biennis*.



HIBISCUS TRIONUM.

579. A.C. *Humulus Japonicus* (*Urticaceæ*), Japanese Climbing Hop—Of very rapid growth, luxuriant foliage, and one of the best plants for covering verandahs, trellis work, &c., &c. 10 ft. 6d. per pkt.

580. A.C. *Humulus Japonicus Fol. Variegatus*—A very attractive variety of the *Japanese Hop*, with beautiful silvery-white, variegated, blotched leaves. It is as hardy and of the same vigorous growth as the green-leaved species; will prove to be an admirable and decorative climbing plant, well adapted for covering fences, rustic arches, &c.; 80 per cent. come true from seed. 6d. per pkt.

581. H.H.B. *Humea Elegans* (*Calomeria Amarantoides*) (*Compositæ*)—A well-known and very useful decorative garden plant, producing large graceful plumes of rose-tinted flowers. Superior in appearance to the *Tobacco Plant*, the leaves having a distinct and powerful perfume. All valuable for conservatory or room decoration in Winter if lifted before the frost. 5 ft. 1s. per pkt.

582. H.H.B. *Humea Elegans Alba*—Uncommonly free-flowering graceful habit, dark green foliage, pure white flowers; very novel. 5 ft. 1s. per pkt.

Sow in August, and place in a warm pit or greenhouse; shift into large pots until bedding-out time. If large, fine specimens are required, they must never become pot-bound.

583. H.B. *Hyacinthus Candicans*, *syn. Galtonia Candicans* (*Liliaceæ*)—A noble bulbous plant, with narrow leaves, and bearing from 18 to 20 large, white, bell-shaped flowers on a stout stem, 3 feet high; quite hardy. 3d. per pkt.

1318. H.A. *Hymenoxis Californica* (*Compositæ*)—Early summer flowering, golden yellow; useful for pot culture. 1 ft. 3d. per pkt.

1195. H.P. *Hypericum Calycinum* (*Rose of Sharon*)—6d. per pkt.

584. G.P. *Impatiens Sultani* (*Geraniaceæ*) *Balsam*—Distinct and beautiful. It is of neat, compact growth, almost a perpetual bloomer in the stove it is quite at home, in warm houses it does well. The flowers are of a brilliant rosy-scarlet colour. 2 ft. 1s. and 2s. per pkt.

585. G.P. *Impatiens Sultani* (*Queen Carola*)—A charming variety with salmon-rose flowers, which are freely produced, and remain a long time in bloom; it comes almost true from seed. 1s. 6d. per pkt.

586. H.P. *Iberis Sempervirens* (*Cruciferae*)—Pure white, large flowers; early blooming; useful for edgings, beds, and rockwork. 1 ft. 6d. per pkt.

587. H.H.A. *Ice Plant*, *Mesembryanthemum Crystallinum* (*Ficoideæ*)—A singular trailing plant, with thick fleshy leaves, that have the appearance of being covered with crystals of ice; very ornamental, mixing with other plants in conservatory or flower garden. Sow in heat March. ½ ft. 3d. per pkt.

Indian Pink—See *Dianthus Chinensis*.

Indian Shot—See *Canna*.

588. H.P. *Inula Ensifolia*—Free flowering and showy, forms into neat bush; the flower heads are of a pure golden yellow, and fully 1½ inches across; when sown early the seedlings will flower the first season, and do well in any soil. 1¼ ft. 6d. and 1s. per pkt.

Cannell & Sons' Complete Seed Guide.



IMPATIENS SULTAN.

589. H.H.A. *Ionopsidium Acaule* (*Cruciferae*)—Lilac flowers, very pretty and useful for rockwork; pots. $\frac{1}{4}$ ft. 6d. per pkt.

1196. H.A. *Ipomœa Hederacea Marmorata Cœlestina*—Very pretty new variety of the *Ivy-leaved Morning Glory*, with large, light blue marbled and striped flowers, reproducing itself true from seed. Per pkt., 6d.

590. H.A. *Ipomœa (Convolvulus) Hederacea Marmorata Rosea*—A handsome variety of the *Ivy-leaved Morning Glory* with large rose-marbled flowers. 6d. per pkt.



INULA ENSIFOLIA

591. H.A. *Ipomœa (Convolvulus) Purpurea flore pleno* (Double-lowered Morning Glory)—It is of rapid growth, and produces its double flowers very freely, resembling in form those of the *Calystegia rubescens fl. pl.* They are white, with a slight spot of red or of blue at the base of the larger petals. About 80 per cent. of the seedlings will reproduce themselves true from seed, the remainder will flower semi-double or single. Per pkt., 6d.

Ipomœa—See *Convolvulus* also.

Jacobœa—See *Senecio*.

592. H.A. *Kaulfussia (Charieis Heterophylla) Amelloides (Compositæ)*—One of the useful tribes of hardy annuals; blue. $\frac{3}{4}$ ft. 3d. per pkt.

593. H.A. *Kaulfussia (Charieis) Amelloides Kermesina*—Scarlet; very showy. 3d. per pkt.



LARKSPUR.

594. H.A. *Kaulfussia (Charieis) Amelloides Alba*—White. 3d. per pkt.

599. H.H.P. *Lantana (Verbenaceæ)*—A beautiful plant, either for garden or greenhouse. The seed is saved from our collection, and will, in all probability, produce some splendid new kinds. Mixed. Sow in March. 6d. per pkt.

596. H.A. *Larkspur Bismarek (Delphinium Consolida Robustum fl. pl.)*—Very fine. Mixed. 1 ft. 3d. per pkt.

597. H.A. *Larkspur Dwarf Ranunculus Flowered Rocket*—Beautiful class, with globular flowers, spirally arranged on long elegant spikes. 1 ft. 3d. per pkt.

595. H.A. *Larkspur Hyacinth Flowered (Ranunculaceæ)*—Dwarf and beautiful class, with double flowers. Mixed. 1 ft. 3d. per pkt.



IPOMœA HEDERACEA MARMORATA CœLESTINA.

598. H.A. *Larkspur Tall Double Rocket (Delphinium Ajacis Elatum fl. pl.)*—Finest. Mixed. $1\frac{1}{2}$ ft. 3d. per pkt.

600. H.H.A. *Lasthenia Californica, syn. Glabrata (Compositæ)*—Bright golden-yellow flowers; early blooming; showy. 1 ft. 3d. per pkt.

Cannell & Sons' Complete Seed Guide.



IPOMCEA PURPUREA FL. PL.

Lathyrus Odoratus—See Sweet Pea.

601. H.P. **Lathyrus Latifolius** (*Leguminosæ*), Everlasting Pea—Red. 6 ft. 3d. per pkt.

602. H.P. **Lathyrus Latifolius Albus**, Everlasting Pea—White. 5 ft. 6d. per pkt.

603. H.P. **Lavatera Arborea Variegata** (*Malvaceæ*)—A variegated-leaved variety, quite hardy; very ornamental foliage plant. 4 to 5 ft. 6d. per pkt.

604. H.A. **Lavatera Trimestris**—Red; a splendid annual; excellent as a back ground for other plants; also very effective in shrubby borders or large masses. 3 to 4 ft. 3d. per pkt.

605. H.A. **Lavatera, White**—A white form of the preceding. 3 to 4 ft. 3d. per pkt.

606. H.A. **Layia Elegans** (*Compositæ*)—Pretty and attractive. A bed or mass of this annual produces a fine effect, owing to the large quantity of bloom produced. The leaves are almost entirely bitten by the flowers. May be sown in Autumn or Spring, and flowers then from April to July or from July to October. 1½ ft. 6d. per pkt.

Leontopodium—See Gnaphalium.

607. H.A. **Leptosiphon Aureus**—Golden yellow. ½ ft. 3d. per pkt.

608. H.A. **Leptosiphon (Gilia) Densiflorus**—Flowers produced in clusters, of a bright purple. 1 ft. 3d. per pkt.

609. H.A. **Leptosiphon Densiflorus Albus**—Of the purest white, very showy. 1 ft. 3d. per pkt.

610. H.A. **Leptosiphon Hybridus**—Various bright and beautiful colours, mixed. ½ ft. 3d. per pkt.

611. H.A. **Leptosiphon Roseus**—Rich rose, close habit. ½ ft. 3d. per pkt.

612. H.A. **Limnanthes Douglasii** (*Geraniaceæ*)—Yellow and white, exceedingly pretty; good for edging, clumps, &c. ¾ ft. 3d. per pkt.

619. H.A. **Linaria Bipartita Splendida**—Deep purple flowers; pretty. 1 ft. 3d. per pkt.

613. H.P. **Linaria Cymbalaria** (*Scrophularinææ*), Kenilworth Ivy—Rich violet, fine for hanging baskets, rockwork, &c. 6d. per pkt.

614. H.P. **Linaria Cymbalaria fl. Alba**—Very pretty light green glossy foliage and its pure white flowers. It is of vigorous growth, and may either be cultivated as an annual or as a perennial. For covering rockwork or walls, or for hanging baskets, there is hardly a more suitable plant to be found, thriving equally as well in the shade as in the full sun. Per pkt., 1s.

615. H.P. **Linaria Hendersoni Ericoides**—Compact; glaucous linear foliage; round upright bushes; purplish-violet flowers; grown as an annual, it is continually in bloom from July until the Autumn; valuable for dwarf groups, borders, or pot culture. ¾ ft. 6d. per pkt.

617. H.P. **Linaria Purpurea**—Purple. 1½ to 2½ ft. 3d. per pkt.

618. H.A. **Linaria Reticulata Aurea Purpurea**, Toad Flax—Mixed One of the most showy annuals in existence. 1 ft. 3d. per pkt.



LINARIA RETICULATA AUREA PURPUREA.

620. H.P. **Linum Flavum**—Golden yellow; very pretty. 1 ft. 3d. per pkt.

621. H.A. **Linum Grandiflorum Rubrum** (*Lineæ*), Scarlet Flax—Splendid colour. 1½ ft. 3d. per pkt.

622. H.P. **Linum Perenne**—Blue; neat border species. 1½ ft. 3d. per pkt.

623. G.P. **Lisianthus Russellianus**—A beautiful greenhouse plant with violet-blue flowers. 1½ ft. 1s. per pkt.

624. H.H.A. **Loasa Aurantiaca**, *syn. Lateritia* (*Loasææ*)—Beautiful climbing plant, suitable for trellis or wirework. 6 ft. 3d. per pkt.

H.H.A. **Lobelias** (*Campanulacææ*)

625. H.H.A. **Lobelia, Barnard's Perpetual**—Flowers a brilliant ultramarine blue, pure white markings at the base of each of the two lower petals; of compact habit, useful alike for bedding or growing in pots; of a perpetual blooming character. ¾ ft. 1s. per pkt.

626. H.H.A. **Brighton**—For general purposes, the brightest blue Lobelia ever yet sent out, and the best variety of the *Speciosa* class. 4 in. 1s. per pkt.

627. H.H.A. **Blue Stone**—True, clear blue, without eye. 5 in. 6d. per pkt.

628. H.H.A. **Crystal Palace Compacta**—Deep blue; excellent for edgings and carpet bedding. 4 in. 6d. per pkt.

629. H.H.A. **Erinus**—Blue. 4 in. 6d. per pkt.

630. H.H.A. **Erinus Compacta Aurea, "Italia"**—A charming plant; colour of the foliage is of a more decided golden-yellow shade than *Goldelse*. Very free-flowering. Very effective. Useful for bedding and borders owing to its bright and attractive colours. Per pkt., 1s.

632. H.H.A. **Erinus Compacta Goldelse**—A golden-green foliage and bright blue flowers, very attractive, and of value for borders and pot culture. It is reproduced quite true from seed. 1s. per pkt.

1197. H.H.A. **Erinus Delicata**—A splendid new dwarf variety, with large flowers of a brilliant indigo-blue, with a very distinct and clearly marked eye; short, vigorous habit. Per pkt., 1s.

631. H.H.A. **Erinus Erecta Alba**—Pure white. 5 in. 6d. per pkt.

1271. H.H.A. **Erinus Speciosus Compacta Duplex**—Dwarf and compact, dark foliage, and deep blue semi-double flowers; extremely free flowering. Per pkt., 1s.

633. H.H.A. **Gracilis**—Blue. 4 in. 3d. per pkt.

634. H.H.A. **Speciosa**—4 in. 6d. per pkt.

635. H.H.A. **White Ladie**—In form and habit similar to the universal favourite "Blue" Lobelia, of Crystal Palace fame. Continuous blooming. It is white in seed. ¾ ft. 6d. per pkt.

Perennial Varieties.

636. H.P. **Lobelia Cardinalis**—Dark green foliage, intense red flowers. 2 ft. 1s. per pkt.

1270. H.P. **Lobelia Cardinalis Nansentiana**—It is distinguished by an increased profusion of flowers of a brilliant crimson-purple colour, contrasting beautifully with the foliage, which is nearly as dark as that of the popular *L. Queen Victoria*. The variety comes true from seed. Per pkt., 1s. 6d.

Cannell & Sons' Complete Seed Guide.

637. H.P. *Lobelia Fulgens Multiflora*—Deep scarlet; splendid. 2 ft. 1s. and 1s. 6d. per pkt.

638. H.P. *Lobelia Fulgens Queen Victoria*—Dark red foliage. 2 ft. 1s. and 1s. 6d. per pkt.

Love-in-a-Mist—See *Nigella*.

Love-lies-Bleeding—See *Amaranthus Caudatus*.



LINUM GRANDIFLORUM RUBRUM.



DWARF LOBELIA.



LOBELIA, BARNARD'S PERPETUAL.

639. H.B.P. *Lophospermum Scandens* (*Scrophulariaceæ*), *Maurandya Scandens*—Colour of flowers purple; the roots are fleshy and may be preserved in Winter like *Dahlia* tubers, or it may be treated as an annual and grown from seed on a hot-bed, and grown out of doors during the Summer months. It is a very graceful looking plant, when well grown, for trailing and hanging purposes; of quick growth. *Sow in March.* 4 to 6 ft. 6d. per pkt.

1198. G.P. *Lotus Peltorhynchus*, *Coral Gem*—A most charming plant. Its slender branching habit is most striking, and the silvery foliage even more so. Without its flowers it might almost be described as a silvery *Asparagus*, but the bright coral-red flowers, measuring 2 inches in length, are really beautiful, greatly reminding one of the rare and beautiful *Clianthus* or *Glory Pea*, so difficult to grow, whilst this gem is of the easiest possible management. Its drooping habit also makes it useful for hanging baskets. Per pkt., 1s. 6d.



LOTUS PELTORHYNCHUS, CORAL GEM.

640. H.B.P. *Lotus Jacobæus*—Most suitable for the greenhouse, of Pea-like growth, only not so robust; very rich purple, almost black flowers; quite distinct. 2 ft. 3d. per pkt.

641. H.B. *Lunaria Biennis*, *syn. Annua* (*Cruciferae*), *Honesty*, *Moonwort*—Ornamental, transparent, silvery seed vessels (much used for winter decoration), purple flowers; very showy. 3d. per pkt.

643. H.A. *Lupin*—Yellow. 1½ ft. 2d. per pkt.

642. H.A. *Lupin*, *Rose*—Very suitable for mixed borders, vigorous growth, elegant foliage, and long spikes of bloom. 2 ft. 2d. per pkt.

647. H.A. *Lupinus Annual Varieties*.—Finest mixed. 2 ft. 3d. per pkt.

649. H.P. *Lupinus Arboreus* (The Yellow Tree Lupin)—4 ft. 6d. per pkt.

Cannell & Sons' Complete Seed Guide.

650. H.A. *Lupinus Hartwegi*—Very pretty border species. 2 ft. 3d. per pkt.
 644. H.A. *Lupinus (Mutabilis) Cruickshanki* (*Leguminosae*)—Splendid blue and white flowers. 4 ft. 3d. per pkt.
 645. H.A. *Lupinus Nanus*—Dwarf, blue. 1 ft. 3d. per pkt.
 648. H.P. *Lupinus Perennial Varieties*—Finest mixed. 3d. per pkt.
 646. H.A. *Lupinus Subearnosus*—Splendid species for beds; flowers blue and white. 1 ft. 3d. per pkt.
 651. H.P. *Lychnis Chalcedonica*—Fine bold plants, with beautiful heads of scarlet. 2 ft. 3d. per pkt.
 652. H.P. *Lychnis Chalcedonica Alba* (*Caryophyllee*)—Flowers white. 2 ft. 3d. per pkt.
 653. H.P. *Lychnis Fulgens*—Very showy flowers, brilliant scarlet. 1½ ft. 3d. per pkt.
 654. H.P. *Lychnis Haageana Hybrida*—Showy and effective; large flowers of various bright colours. 1 ft. 6d. per pkt.

Maize—See Zca.

655. H.A. *Malope Grandiflora Alba*—Very free flowering; useful for mixed borders. 2 ft. 3d. per pkt.

656. H.A. *Malope Grandiflora Purpurea* (*Malvaceae*)—Very showy annual, forming bushes about 2 ft. high, completely covered with handsome flowers of a shiny crimson-purple, very useful for cutting, and lasts in bloom till frost sets in. 3d. per pkt.



MALVA MOSCHATA ALBA MAJOR.

657. H.P. *Malva Moschata Alba Major* (*Malvaceae*)—The pure white flowered variety of the British Musk Mallow; an extremely pretty and attractive plant, specially well adapted for cutting purposes; quite hardy. 2 to 2½ ft. 3d. per pkt.

660. H.H.A. *Marigold, African*—Mixed. 3d. per pkt.

661. H.H.A. *Marigold Aurea Floribunda*—One of the prettiest dwarf yellow bedding plants that we know. 3d. per pkt.

658. H.H.A. *Marigold, Dark African* (*Tagetes erecta*)—These produce heads of bloom of immense size; at a distance they have the appearance of Dahlias; to be treated the same as Asters. 3d. per pkt.

663. H.H.A. *Marigold, Dwarf French*—Selected from the choicest blooms and dwarfest plants. 1¼ ft. 6d. per pkt.



MARIGOLD, DWARF FRENCH, PURPLE AND GOLD.

Cannell & Sons' Complete Seed Guide.

664. H.H.A. Marigold, Dwarf French, Purple and Gold (Legion of Honour) and Little Brownie—Grows quite regularly, and only about 1 foot high, and blooming in abundance from July until cut down by the frost. The single flowers are of a lovely golden yellow, with a broad velvety blotch on each petal; of easy culture, and absolute resistance against dryness and insects; a valuable plant for any place in the garden wherever a decorative effect is required. 6d. per pkt.

1199. H.H.A. Marigold, Dwarf Striped French, Electric Light—It is a most profuse bloomer, its distinguishing feature being a bright lemon stripe on a chocolate maroon background, presenting a most pleasing and effective contrast of colours; habit dwarf and compact. 6d. per pkt.

662. H.H.A. Marigold, French, CANNELLS' First Prize Strain (*Compositæ*) (*Tagetes patula*)—Sow in March, shift into good-sized pot, plant out the first warm weather in May; they will last in bloom till the frost sets in. 1½ ft. 6d. per pkt.

Marigold, Pot—See *Calendula*.

659. H.H.A. Marigold, Selected African, Light Lemon Colour—Extra fine for exhibition. These are equally as fine in quality as the preceding varieties. 3d. per pkt.

For other varieties—See *Tagetes*.

665. H.H.A. *Martynia Fragrans* (*Pedaliaceæ*)—Splendid; bearing fragrant crimson-purple flowers. 2 ft. 3d. per pkt.

666. H.H.P. Marvel of Peru (*Mirabilis Jalapa*) (*Nyctagineæ*)—A very picturesque plant, the diversified colours contrasting well with its dark green glossy foliage; continues in bloom through the Summer and Autumn; the root may be preserved, like Dahlias, throughout the Winter; the best colours mixed. 2 ft. 3d. per pkt.

667. H.H.A. *Mathiola Bicornis* (*Cruciferae*), Night-scented Stock—Light lilac; deliciously fragrant in evening and morning, and especially after a shower. 1 ft. 3d. per pkt.



MATRICARIA EXIMIA "GOLDEN BALL."

1200 H.P. *Matricaria Eximia* "Golden Ball"—Rayless flowers, of a very rich and intense golden yellow; compact pyramidal growth, it may be advantageously used for flower beds or borders. 1 ft. Per pkt., 6d.

668. H.P. *Matricaria Eximia Nana Aurea Crispa Compacta* fl. pl. (*Compositæ*)—Lovely little cream-coloured quilled flowers, very useful for cutting. It is one of the curled-leaved Feverfews; height about 8 inches; a gem in any garden. 3d. per pkt.

669. H.H.P. *Maurandya Barclayana* (*Scrophularineæ*)—A most beautiful slender climber, producing abundance of purple and white coloured tube-shaped flowers; for trailing up pillars, wirework, &c., is one of the best plants. Sow from March to May. 6d. per pkt.

670. H.H.P. *Maurandya Barclayana Alba*—White. 1s. per pkt.


671. H.P. *Meconopsis Cambrica* (*Papaveraceæ*), Welsh Poppy—Thrives well on rockwork; golden yellow. 1 ft. 6d. per pkt.

Medeola—See *Myrsiphyllum*.

672. H.H.P. *Melianthus Major* (*Zygophyllaceæ*), The Honey Flower—Useful for sub-tropical gardening; rich green elegant foliage; a fine conservatory plant. 3 to 4 ft. 6d. per pkt.

673. H.H.A. *Mesembryanthemum Cordifolium Variegatum* (*Ficoideæ*)—Foliage elegantly variegated with white; a gem for flower beds and hanging baskets. ¼ ft. 1s. per pkt.

674. H.H.A. *Mesembryanthemum Tricolor*—Lovely dwarf plants for borders or rockwork. 2d. per pkt.



MIGNONETTE, CANNELLS' PERFECTION.

684. H.A. *Mignonette*—Sweet scented. 3d. per pkt., 6d. per oz., per lb. 6s.

678. H.A. *Mignonette, Cannells' Perfection* (*Resedaceæ*) (*Reseda Odorata*)—One of the finest and most useful varieties yet introduced; a splendid kind for market and exhibition purposes. 1 ft. 6d. and 1s. per pkt.

680. H.A. *Mignonette, Crimson*. 1 ft. 3d. per pkt., 1s. 6d. per oz.

676. H.A. *Mignonette, Garaway's White*—Much grown as a pot plant for greenhouse decoration during the Winter and early Spring months; the spikes are not only larger, but the individual flowers are more double, and of a much purer white. 1 ft. 6d. per pkt.

682. H.A. *Mignonette, Golden Gem*—An excellent partner to the *Improved Victoria*, being of the same dwarf regular pyramidal growth, but producing a still greater abundance of flowers of a beautiful golden yellow; of dwarf compact growth, keeps quite distinct from *M. Golden Queen*, a tall growing variety; valuable for pot culture, groups, and edgings. Per pkt., 1s.

1201. H.A. *Mignonette, Golden Machet*—It is of compact habit, large wrinkled leaves peculiar to the *Machet*, and bears long massive spikes crowded with large golden-yellow blossoms; distinct. 6d. per pkt.

681. H.A. *Mignonette, Golden Queen*—A most decided golden hue, which carries a cheer into every bouquet or table decoration; wonderfully free and deliciously fragrant. 1 ft. 6d. per pkt.

683. H.A. *Mignonette, Improved Victoria*—Grows only about 6 in. high, of perfectly regular pyramidal habit, and well-formed spikes. The flower is larger and of a more brilliant red than the old *Victoria*; dark glossy-green foliage; valuable for pot culture, groups, and edgings. Should be planted about 8 inches apart. 6d. per pkt.

Cannell & Sons' Complete Seed Guide.

OF EASY CULTURE.



MIMULUS (HOSE-IN-HOSE).

ADMIRER BY ALL.



MYOSOTIS ALPESTRIS STRICTA ROSEA.



MESEMBRYANTHEMUM TRICOLOR.



MIGNONETTE, IMPROVED VICTORIA.

685. H.A. Mignonette, Machel—A fine variety; habit extremely dwarf, thick dark green leaves, stout flower stalks, which terminate in abundant large and broad spikes of beautifully scented flowers of a bright red colour. $\frac{3}{4}$ ft. 6d. and 1s. per pkt.

675. H.A. Mignonette, Miles' New Hybrid Spiral—Much admired by the public generally; habit dwarf and branching, with spikes often attaining a length of from 8 to 10 inches; powerful odour. Well adapted for market purposes. 1 ft. 6d. per pkt.

679. H.A. Mignonette, Parson's White. 1 ft. 3d. per pkt.

677. H.A. Mignonette, Red King—The prettiest, highest coloured red, and the most distinct of the whole family. It has also a remarkably neat habit, medium flowers, just the convenient size for cut blooms, and has a charming and striking effect amongst other flowers. 6d. per pkt.

DIRECTIONS FOR SOWING.—Sow in the open ground in April, and in succession throughout the Summer, covering the seeds about a quarter of an inch deep. For Winter and Spring flowering sow in August and September in pots of loam, mixed with a little leaf mould, and protect from frost in cold frame. For early flowering sow in February and March, on a slight bottom heat. Thin out or transplant before the plants get crowded.

686. G.A. Mimosa Pudica (*Leguminosae*), Sensitive Plant—Gracful, fern-like foliage, mostly grown as a curiosity, being so sensitive that the leaves close up immediately from the slightest touch. Must be sown in heat in small pots, and reduced to one or two plants, as they suffer greatly from being transplanted. 1 ft. 3d. per pkt.

687. H.P. Mimulus Grandiflorus "Brilliant"—Bearing very large and finely formed flowers of an intense bright blood-crimson colour; very free. $\frac{3}{4}$ ft. 1s. per pkt.

688. H.P. Mimulus Moschatus, Musk—A common and well-known trailer. 3d. per pkt.

689. H.P. Mimulus, New Hybrid, Cannells' Hose-in-Hose—An important improvement on the well-known Mimulus, *Hose-in-Hose*; of most compact growth and scarcely 3 in. high. The flowers appear in great abundance, and are borne but slightly above the cushion-shaped bush, which spreads close upon the ground. A fine plant for pots. 1s. per pkt.

690. H.P. Mimulus, New Hybrid, Cannells' Perfection (*Scrophulariaceae*), Monkey Flower—Single mixed. The colours and markings are extremely novel and richly spotted. $\frac{3}{4}$ ft. 6d. and 1s. per pkt.

Sow Mimulus in heat from March to May, and as soon as they are established give them plenty of air, and, well shaded, they will then produce splendid flowers quite equal to the woodcut.

Cannell & Sons' Complete Seed Guide.



MIGNONETTE, GOLDEN GEM.

691. H.H.C. *Mina Lobata*, *syn. Ipomœa Versicolor*—A rapid climber. The seedlings should be grown on in pots until the middle of May, and then planted in the open garden; it makes rapid growth, and producing in profusion semi-erect racemes of flowers of bright red, changing through orange-yellow to yellowish white. 12 ft. 1s. per pkt.

Mirabilis Jalapa—See Marvel of Peru.

692. H.P. *Morina Longifolia*—Highly ornamental both in foliage and flowers. 3d. per pkt.

1272. H.P. *Myosotis Alpestris* "Distinction"—This will prove to be a valuable acquisition to the varieties of the Alpine Forget-me-not. While all other varieties have to be treated as biennials, this novelty will bring forth its flowers eight or ten weeks after the sowing, and will continue to bloom throughout the season. It is similar in growth and in the colouring of its flowers to the *M. Alp. Victoria*. If sown in July or August, potted singly, and put in a greenhouse, this variety will furnish any amount of flowers during the dull winter months. Per pkt., 1s.

693. H.P. *Myosotis Alpestris*, "Jewel" Blue—A new large-flowering variety of the compact growing *Victoria* kind. 6d. and 1s. per pkt.

694. H.P. *Myosotis Alpestris*, "Jewel" White—Extremely large-flowering variety of the semi-tall class, with large umbels of the purest white. $\frac{3}{4}$ ft. 1s. per pkt.

1273. H.P. *Myosotis Alpestris Stricta Rosea*—Another new variety of the Alpine Forget-me-not of peculiar growth. It forms by its strictly upright branches regular pillar-like bushes, which are completely covered with rose flowers. For pot culture or ribboning of great effect. Per pkt., 1s.

695. H.P. *Myosotis Alpestris*, "Victoria"—This beautiful and distinct Forget-me-not claims a prominent place in every garden. The plant grows about 5 or 6 inches high, forming compact globular little bushes, which are completely covered with neat flowers of a bright azure blue with a yellow centre. We can safely recommend it, not only for bedding and pot culture, but for cut flowers, carpet bedding, and ribbon borders. 6d. and 1s. per pkt.

696. H.P. *Myosotis Dissitiflora* (*Boraginææ*), Forget-me-not—One of the best of all of the Forget-me-nots. It is of a remarkably compact habit and a profuse bloomer, having the appearance, when in full flower, of a sheet of most exquisite blue; an exceedingly attractive and beautiful spring bedding plant. 1 ft. 1s. per pkt.

697. H.P. *Myosotis Dissitiflora* Alba—A splendid white variety. 1 ft. 3d. per pkt.

698. H.P. *Myosotis Dissitiflora*, "Perfection"—Beautiful sky-blue flowers of double the size of those of the original species; the finest and best Forget-me-not for cut bloom. 1s. and 1s. 6d. per pkt.

699. H.P. *Myosotis Pagoda*—A beautiful variety of Forget-me-not, blooms in great profusion during the Spring and Summer months; as a bedding variety it is unsurpassable. $\frac{3}{4}$ ft. 3d. per pkt.

700. H.P. *Myosotis*, Pigmy Bedder—The best dwarf of all the Forget-me-nots, a charming Spring-flowering plant, very dwarf and neat in habit, flowering early in Spring and continuing in bloom a considerable time; a real gem. $\frac{1}{2}$ ft. 6d. per pkt.

Sow in July or August in open ground, or in slight hot-bed in February.

701. G.C. *Myrsiphyllum Asparagoides* (*Smilax*)—Best grown in the greenhouse or a warm pit. An excellent climbing plant; sprays several feet long of bright green foliage; can be cut and used for decorative purposes. 6 to 10 ft. 6d. per pkt.

Musk—See *Mimulus Moschatus*.

Nasturtiums—See *Tropæolum*.



MYOSOTIS ALPESTRIS "VICTORIA."

Cannell & Sons' Complete Seed Guide.

702. H.H.A. *Nemesia Strumosa Suttoni*—The colour of flowers are variable, being white ochreous, pale yellow, deep yellow, orange scarlet, magenta, carmine, &c. The variation in the colour of the flowers is one of the most interesting features of this plant. The seed should be sown in pans or boxes filled with light soil in March or April, and the plants put outdoors in May; they will come into bloom in June. 1s. per pkt.

703. H.H.A. *Nemesia Versicolor (Scrofulariaceae)*—Very neat, bushy, profuse-blooming plants; they commence flowering when a few inches high, and continue in beauty for months. Mixed. 1½ ft. 3d. per pkt.

Nemophilas (Hydrophyllaceae)—These charming and useful dwarf-growing hardy annuals have a neat, compact, uniform habit of growth, with shades and colours the most strikingly beautiful; arranged in any style which the fancy may suggest, the effect is pleasing and very striking in the extreme; sow in Autumn for Spring bedding.

705. H.A. *Nemophila Atomaria*, *syn. Menziesii*—White, shading to light blue, dotted with blackish spots. ½ ft. 2d. per pkt.

706. H.A. *Nemophila Discoidalis*—Velvety black, edged white. ½ ft. 2d. per pkt.

708. H.A. *Nemophila Insignis Alba*—Pure white. ½ ft. 2d. per pkt.

707. H.A. *Nemophila Insignis Grandiflora*—Lovely blue, white centre. ½ ft. 2d. per pkt.


709. H.A. *Nemophila Maculata Grandiflora*—White and violet. ½ ft. 2d. per pkt.

710. H.A. *Nemophila*, Mixed. 2d. per pkt.

711. H.H.P. *Nertera Depressa (Rubiaceae)*, Bead Plant—This charming little plant, with its crimson bead-like berries close to the ground, forms a dainty cushion for a carpet bed in Summer, and is likewise very ornamental when grown in pots for the front of a greenhouse stage. It is also a valuable acquisition for rockwork. 2 in. 1s. per pkt.

712. H.H.A. *Nicotiana Atropurpurea Grandiflora*—6 ft. 3d. per pkt.

713. H.H.A. *Nicotiana Colossea*—Amongst ornamental foliaged plants coming to perfection the first season from being sown this ranks foremost. It is an annual (perennial when grown under glass), attaining a height of 5 to 6 ft. in the open ground. The leaves, of about 3 ft. in length by 18 to 20 ins. in breadth, are erect at first, gracefully bending down successively. The plants being of branching habit and of robust growth, and the leaves being very tough, are never damaged by wind or rain. It is well adapted for sub-tropical gardening, either as single specimens or for groups, with other ornamental-leaved plants. 6d. and 1s. per pkt.



NICOTIANA VICTORIA (AFFINIS).

714. H.H.A. *Nicotiana Macrophylla Gigantea*—6 to 10 ft. 2d. per pkt.

715. H.H.A. *Nicotiana Victoria Affinis (Solanaceae)*, Tobacco—Different, both in growth and flowers, to the ordinary kind; producing splendid pure white flowers on long terminal tubes, with a delicious scent. When its gigantic white Bouvardia-like flowers are fully expanded in the evening and early morning it has a most striking effect, and perfumes the whole surrounding atmosphere. It is, beyond doubt, the greatest novelty of the garden. Very free. 2½ ft. 6d. per pkt.

716. H.H.A. *Nicotiana Wigandioides*—Attains immense size. 10 to 12 ft. 2d. per pkt.

Tall handsome foliage plants of rapid growth; very suitable for shrubberies, borders, or sub-tropical gardens. Other varieties can be supplied.

717. H.H.P. *Nierembergia Frutescens (Solanaceae)*—Valuable for pots or out of doors; flowers white, veined lilac. 1 ft. 6d. per pkt.

718. H.H.P. *Nierembergia Gracilis*—Charming plants for edgings, hanging baskets, or rockwork. ¾ ft. 6d. per pkt.

719. H.A. *Nigella Damascena (Ranunculaceae)*, Devil-in-a-Bush—Blue. 1½ ft. 2d. per pkt.

720. H.A. *Nigella Hispanica (Love-in-a-Mist)*—Brown and white. 1½ ft. 2d. per pkt.

721. H.A. *Nolana Atriplicifolia (Convolvulaceae)*—Pretty low-growing plant; blue, white, and yellow flowers. 2d. per pkt.

721a. H.H.A. *Nycteria Zaluzianskia Selaginoides (Scrophulariaceae)*—Beautiful miniature plant covered with blossom, well suited for rockwork and edgings. ½ ft. 2d. per pkt.

Obeliscaria—See *Rudbeckia Drummondii*.

722. H.P. *Oenothera Macrocarpa*, *syn. Missouriensis Latifolia (Onagraceae)*, Evening Primrose—Immense flowers of a rich yellow colour. 1 ft. 3d. per pkt.

723. H.P. *Oenothera Taraxacifolia*—Large and beautiful silver-white flowers; dwarf. ½ ft. 6d. per pkt.

724. H.H.P. *Onopordon Acanthium (Cotton Thistle)*—Can be effectively used in a variety of ways, of bold habit and vigorous growth, branching stems 5 ft. high, covered with long whitish, cobweb-like hairs, flowers purplish. 2d. per pkt.

725. H.H.P. *Oxalis Rosea (Oxalideae)*—Rosy-purple; very desirable, free bloomer; useful for rockwork. ½ ft. 6d. per pkt.

726. H.H.P. *Oxalis Rosea Alba*—Pretty pure white variety. 6d. per pkt.

727. H.H.P. *Oxalis Tropaeoloides*—Deep yellow flowers and dark bronze foliage. 6d. per pkt.

1202. H.H.P. *Oxalis Tropaeoloides Aurora*—

1203. H.H.P. *Oxalis Tropaeoloides Brilliant*—} Two different and distinctly variegated varieties of these old garden favourites. The intensity of colouring is so vivid and attractive that both are worth a place in the garden. They will be found valuable for rockwork, edgings, and also very suitable in pots. Each, per pkt., 1s.

729. H.P. *Oxlips (Primula Elatior) (Primulaceae)*—Are a grand sight their many colours and profuse flowering render them a most interesting class. 1 ft. 6d. per pkt.

1282. H.P. *Oxytropis Lamberti*—One of the finest of this class, and the most robust of the genus. It is a dwarf stemless plant, with somewhat silky pinnate foliage, the flowers being borne in scapes, sometimes a foot high, usually violet-blue, but variable both in colour and in size. Blooms in May and June. 1s. 6d. and 2s. 6d. per pkt.

728. H.A. *Oxyura Chrysanthemoides*—Very showy, flowers yellow and white; useful for cutting. 1 ft. 2d. per pkt.

1319. H.P. *Pæony, Chinese*—Double varieties, saved from a splendid collection. 1s. and 1s. 6d. per pkt.

1320. H.P. *Pæony, Chinese*—Single varieties, saved from a splendid collection. 1s. and 1s. 6d. per pkt.

730. H.H.A. *Palava Flexuosa (Chilian Palava)*—A pretty plant, deep rose-coloured flowers. 1½ ft. 6d. per pkt.

Cannells' Pansies (*Viola tricolor*)—We grow the largest and most complete collection of all this family in the kingdom. Pansies and Violas form a separate department in our gardens; for years we have been improving all classes, the Rainbow section in particular, these varieties possess more real salvia blue colour than any other kinds, and are favourites with every one. The seeds we now offer—if the plants are put in open beds, previously deeply dug, and manured good ground—will be a charm indeed; they are not large, but lovely in the extreme.

731. H.P. *Dr. Sankey's Striped*—Distinct class; colours wonderfully bright and attractive. ½ ft. 1s. per pkt.

732. H.P. *Eynsford Sweep*—The best black Pansy in cultivation. When exhibited in the great show at the Temple Gardens it caused quite a furore amongst all beholders. ½ ft. 1s. per pkt.


Cannell & Sons' Complete Seed Guide.

733. H.P. Pansy—Mixed from a good strain. 6d. per pkt.

734. H.P. *Pansy, Fancy—Our collection is one of the finest and largest in the kingdom, flowers possess most beautiful markings, and blotched with more brilliant and curious colours than we have in any other flower. ½ ft. 1s. and 2s. 6d. per pkt.

* It should be distinctly understood, and undoubtedly so, that many mistakes and disappointments arise from the name "SHOW PANSY," for that title is misleading to young beginners and amateurs. The Pansy shown under that heading is very small and of only one or two colours, and but seldom shown at exhibitions nowadays. Formerly it was the only class of bloom staged; but since the introduction of the "Fancy Pansy," they have quite excelled the old "Show." Many persons therefore think because the Fancies are the only kinds met with at all the large exhibitions they are "Show Pansies." That is not so, for the difference between them are as distinct as Show and Fancy Dahlias. One is limited to a few colours, whereas the other has a much wider range of colour, and also larger flowers and broader petals, the markings not so even and regular in their colouration as the old Show Pansy. We wish all our customers to make themselves thoroughly acquainted with these observations when ordering their Pansy Seed.

1204. H.P. Pansy "Fiery Faces" Of compact growth, and the flowers are of pleasing shape. The colour is purple scarlet, with yellow margin and yellow eye. The three lower petals are regularly marked with large velvety purple-black spots. In Spring and Autumn they are particularly brilliant. Per pkt., 1s.



CANNELLS' IMPROVED FANCY PANSY.



STRIPED PANSY.



PANSY "FIERY FACES."


735. H.P. Pansy Rainbow—No Pansies are so lovely and elegant as these, not on account of their great size as their surprising colours, almost every shade can be seen in them; but a bright blue and purple prevails blended one into the other, hence its name; they are most deliciously scented and free flowering, and the surprise of all. ½ ft. 1s. and 2s. 6d. per pkt.

736. H.P. Pansy Show, Extra Choice, Mixed—Saved from our acre of Pansies, the finest collection in the South of England. ½ ft. 1s. and 2s. 6d. per pkt. See Collection.

737. H.P. Pansy Snow Queen—We have many white Pansies, but none can compare with this; it is so white and pure that all others appear dirty when planted by the side of it; therefore the effect is most pleasing. 4 in. 9d. per pkt.

738. H.P. Pansy Trimardeau (*Viola tricolor maxima*)—Distinct and beautiful. The plants are of vigorous though compact habit, the flowers carried well, and each one is marked with three large blotches or spots. They are exceedingly large, and most varied shades of colour. ½ ft. 6d. and 1s. per pkt.

Seeds in either 6d., 1s., 2s. 6d., or 5s. packets are all exactly of the same quality.



OUR FIELD AT EYNSFORD.

Cannell & Sons' Complete Seed Guide.

CANNELLS' RE-SELECTED PAPAVERS (POPPY).



PAPAYER NUDICAULE (ICELAND POPPY).

Papavers, or Poppies (*Papaveraceæ*)—All those who want the gayest garden with the least trouble and expense, by all means try a packet of our Poppy. Simply scatter the seed over the ground, one hoeing, and you will have ten rods of ground a mass of colour for months; onrs was a grand sight last year.

739. H.P. **Papaver Alpinum Roseum**—Of the same dwarf habit as the white, yellow, and orange varieties already in commerce, but of a beautiful rose colour; a fine addition to this already charming class of Alpine Poppies. 1s. per pkt.

740. H.P. **Papaver Bracteatum**—Red, with black blotches 2½ ft. 3d. per pkt.

741. H.A. **Papaver Cardinal**—Deeply cut dark green foliage, very large double scarlet flowers with a white ground; continues in bloom a long time; brilliant and effective. 1½ ft. 3d. per pkt.

1275. H.A. **Papaver Cardinale Hybridum**—New hybrids of the Cardinal Poppy. They attain, like the scarlet flowered variety, but a height of 1½ feet, and the large flowers are borne well above the deeply cut dark green foliage. The colours of the flowers are very attractive, being chamouis and bright pink on light ground, purple, crimson, and rose on blackish brown or violet ground. 1s. per pkt.



PAPAYER DANEBROG.

742. H.A. **Papaver Caryophylloides** (Carnation Poppy) — Finely fringed edge; very pretty. 2 ft. 3d. per pkt.

743. H.A. **Papaver Danebrog** Danish Flag Poppy—Of striking effect. The flowers are of a brilliant scarlet colour, bearing on each of the four petals a large silvery white spot, forming thus a white cross on scarlet ground, similar to the Danish and Swiss national banners. Very desirable and showy. 1 ft. 3d. per pkt.



PEONY-FLOWERED POPPY.



PAPAYER UMBROSUM.

744. H.A. **Papaver Glaucum**. Tulip Poppy—Very showy, glaucous foliage, and large flowers of brilliant deep scarlet. The two outside petals are double the size of the inside ones, so that each couple form a round cup by themselves, and resemble somewhat the early flowering single Tulips. Seeds are of slow germination. 1 ft. 6d. per pkt.

745. H.A. **Papaver Murselli**, Mikado—Beautifully cut and fringed: colour at the back white, edges crimson scarlet. 2 ft. 3d. per pkt.

Cannell & Sons' Complete Seed Guide.



CANNELLS' SELECTED SHIRLEY POPPIES—MOST LOVELY COLOURS.

755. H.A. *Papaver Lævigatum*—Fine-shaped large flowers, 4 inches in diameter, of a brilliant deep scarlet with black spots, surrounded by a white margin at the base of each petal. The two outside petals of the flowers are twice the size of the inside ones, so that each couple form a round cup by themselves; very free flowering and extremely showy. 1½ ft. 6d. per pkt.

756. H.A. *Papaver Mephisto*—Prettily fringed; red, black, rose, and white. 2½ ft. 3d. per pkt.

751. H.A. *Papaver*, New Double, American Flag—A most beautiful double pæony-flowered variety of robust growth, bushy, and bearing freely large flowers 3 to 4 inches across; very double and charmingly coloured, pure white ground margined dark orange-scarlet. 6d. per pkt.

746. H.P. *Papaver Nudicaule*, Iceland Poppy—Clear yellow. 6d. per pkt.

749. H.P. *Papaver Nudicaule*—Mixed. 6d. per pkt.

747. H.P. *Papaver Nudicaule Album*—Pure white. 6d. per pkt.

748. H.P. *Papaver Nudicaule Miniatum*—Orange-scarlet. 6d. per pkt.

750. H.P. *Papaver Nudicaule Coccineum* fl. pl.—Double-flowering form of the bright orange-scarlet variety of the *Iceland Poppy*, producing about 40 to 50 per cent. of true plants with perfectly double flowers. The different varieties of this lovely Poppy, ranging amongst the most attractive of early flowering perennials, have become great favourites in all countries. 1s. per pkt.

A beautiful class of dwarf hardy Poppies, flowers very showy and effective. Much used for table decoration. Will flower the same year if seed is sown in March. 1 ft.



PAPAVER NUDICAULE COCCINEUM FL. PL.

757. H.P. *Papaver Orientale*—Deep scarlet with black blotches; a grand border plant. 2½ ft. 3d. per pkt.

759. H.A. *Papaver Pæoniflora*, Pæony-flowered Poppy—These showy double-flowering Poppies are well known as effective additions to mixed borders and large gardens and for ornamental shrubberies. Finest mixed. 3 ft. 3d. per pkt.

1205. H.A. *Papaver Pæoniflorum* fl. pl. "Salmon Rose"—Remarkably pretty new colour of the dwarf pæony-flowered Poppy with very large and extremely double flowers. Per pkt., 6d.

758. H.A. *Papaver Pavonium*, Peacock Poppy—Glossy black zone which marks the petals near the base, brilliant scarlet ground colour. 1 ft. 3d. per pkt.

762. H.A. *Papaver* (Poppy) *Snowdrift* (White Swan)—Large pure white elegantly fringed flowers, showy for the garden, and most useful for cutting purposes. 2 ft. 6d. per pkt.

754. H.P. *Papaver* (Poppy) *Umbrosum*—The most beautiful dwarf single Poppy; somewhat resembles the ordinary field kind in growth, but a most vivid red, with a large intense black blotch at the base of each petal, rendering it most striking and surprising; it is really one of the best. 1 ft. 3d. per pkt.

The seed should be sown in the Autumn, grown on through the Winter, and planted out in early Summer. They will then make a grand display. (Applies to *P. Umbrosum* and *Iceland* varieties only.)

760. H.P. *Papaver Prince of Orange*—Pretty. 6d. per pkt.

761. H.P. *Papaver Salmon Queen*—Distinct. 6d. per pkt.

1321. H.A. *Papaver Somniferum Chamois-Rose*, fl. pl.—Flowers of a pretty delicate blush-rose. 1½ ft. 3d. per pkt.

752. H.A. *Papaver Somniferum Fimbriatum*, Double-fringed Garden Poppy—These produce a great variety of colour, and make a grand display. 2½ ft. 3d. per pkt.

753. H.A. *Papaver Somniferum Fimbriatum*, Double White—2½ ft. 3d. per pkt.

764. H.A. *Papaver*, The Bride or Giant White—Splendid large pure white single flowers. 3 ft. 3d. per packet.

Poppy, Welsh—See *Meconopsis*.

763. H.A. *Shirley Poppy* (*Rheas* vars.)—Of all the Poppy tribe the *Shirley* strain gives us the loveliest of colours, combined with exquisite form and the most remarkable floriferousness. To have the plants at their best, and flowers in finest form, seed should be sown quite early in September, so that the plants may be dibbed out singly some 15 or 18 inches apart in good rich soil, although seed sown in Spring does very well indeed if sown very thinly. 1½ ft. 3d. and 6d. per pkt.

1274. H.P. *Paracaryum Angustifolium*—Forming dense rosettes of narrow lanceolate leaves. The flower scapes, appearing to the number of 25 to 30 on each plant, produce pretty flowers of a lovely deep blue. Very showy, and extremely free flowering. Per pkt., 1s. 6d.

Cannell & Sons' Complete Seed Guide.



OUR ZONAL PELARGONIUMS.


ALWAYS IN FLOWER.

SEE "FLORAL GUIDE."



H. CANNELL & SONS' ACRE OF ZONAL PELARGONIUMS. ALSO OUR 18 FEET HIGH SHELTER HEDGE ALWAYS ADMIRABLE.

PHOTOGRAPH OF OUR ZONAL GERANIUMS FOR SEEDING PURPOSES.



CANNELLS' ZONAL PELARGONIUM.

Peas—See Sweet Peas.

765. Pelargonium, Fancy—The choicest. Mixed, 1½ ft. 1s. and 2s. per pkt.

766. Pelargonium, French Spotted—2 ft. 2s. per pkt.

767. Pelargonium, Gold Bronze—1½ ft. 2s. 6d. per pkt.

768. Pelargonium, Show—The finest large flowering sorts. Mixed. 2 ft. 2s. per pkt.

769. Pelargonium, Zonal (*Geraniaceae*)—Without doubt we have the finest and best collection of Zonal Geraniums in the world—both men and houses are entirely devoted to their culture. One large house contained upwards of 600 specimen varieties, exclusively for trial and seeding. The number being gradually reduced to 200 of the very choicest, we can therefore confidently say the seed now offered is far superior in quality to any other yet introduced to the public, and cannot fail to bring forth some startling improved varieties, as it is carefully hybridised with only the very choicest kinds. 2 ft. 6d. and 1s. per pkt.

Pennisetum—See Ornamental Grasses.

770. H.P. Pentstemons (*Scrophulariaceae*)—Saved from our own Catalogue collection, which embraces all the best up to the present, including every new variety, and cannot fail to produce flowers of superior quality. 6d. and 1s. per pkt.

773. H.P. Pentstemon Murrayanus—A beautiful rich scarlet-coloured variety. 2 ft. 6d. per pkt.

Sow in March in pans, using light soil, and place in a dark frame and gentle heat; prick out into other pans when strong enough to handle, and continue to grow on freely in heat until established, then gradually harden off. By the end of May they can be planted out 18 inches apart, into good soil and open situation.

774. H.H.A. Perilla Laciniatus Atropurpurea—Foliage much darker than *Nankinensis*, and finely lacinated. 1½ ft. 3d. per pkt.

775. H.H.A. Perilla Nankinensis (*Labiatae*)—A distinct and useful ornamental plant; leaves dark reddish mulberry; desirable for masses and lines in flower gardens. 1½ ft. 2d. per pkt.



USEFUL FOR HOME DECORATIONS DURING THE WINTER

Cannells' Petunia (*Solanaceae*)—It is surprising this family is not more largely grown, considering how easy they are to cultivate, and if well grown, what grand things they are, both for decoration and exhibition. Treat them similar to a Verbena, choose nice young plants about March, or any time up to July; give them good shifts and rich soil. Well stake out, and you will be highly gratified, for some are certainly surprisingly large; colours not equalled by any other flower. The finest varieties ever offered.

Hender's Grand Strain of Petunias:—

- 1208. H.H.P. Single Striped, grand bedders. 1s. and 2s. per pkt.
- 1210. H.H.P. Double Grand Fringed, mixed colours. 1s. 6d. and 3s. per pkt.
- 1211. H.H.P. Rosa Hender Strain, magnificently fringed double pink. 2s. per pkt.
- 790. H.H.P. **Petunia Grandiflora fl. pl. Aurora**—The flowers are of medium size and of a charming delicate rose colour veined with crimson-purple, thus making a very attractive combination. 1s. 6d. per pkt.
- 791. H.H.P. **Petunia, "Giants of California"**—Most of the flowers are exquisitely fringed on the edges and are very large, the colours are rich and gorgeous, and others of lovely delicate shades; some have charming deep throats of yellow, white, black, green, or maroon; the flowers, moreover, are of great substance and very deep throated. Per packet of the best varieties, mixed, 1s.



PETUNIA HYBRIDA NANA COMPACTA.

Cannell & Sons' Complete Seed Guide.



PETUNIA "SNOWBALL."



Cannell's Double Petunia. (Finest collection in the World.)

792. H.H.P. *Petunia Grandiflora Fimbriata*, Single—Flowers are of great size; the colouring of the throat extends to the middle of the petals. Unusually beautifully veined, and the colouration of flowers rose, crimson, and purple lines, which reflect a metallic tinge. 6d., 1s., and 2s. per pkt.

793. H.H.P. *Petunia Grandiflora Fimbriata fl. pl.*—Large-flowering double-fringed Petunias. 1s. 6d. and 2s. 6d. per pkt.

789. H.H.P. *Petunia Hybrida*—Finest mixed for bedding. 6d. per pkt.

1277. H.H.P. *Petunia Hybrida Grandiflora "Admiration"*—Very large finely-shaped flowers of a deep violet colour, with pure white stripes and blotches, which make a pleasing contrast, and have a most charming effect. Robust in growth, and very free flowering. Per pkt., 1s.

1206. H.H.P. *Petunia Hybrida Grandiflora, "Purple King"*—Valuable acquisition to the class of large-flowered Petunias. When opening its flowers the colour is a velvety purplish violet, which changes after a few days into a brilliant blood red, and at last into fiery red. A distinct lilac, dark-veined throat adds to the beauty of the flowers. 1s. 6d. per pkt.

794. H.H.P. *Petunia Hybrida Grandiflora Violacea fl. pl.*—Handsome and distinct variety of the largest flowering class, with deep violet flowers. About 30 per cent. of the seedlings bear double flowers, and the remaining single ones are of the same rich and effective shade of colour. 1s. 6d. per pkt.

795. H.H.P. *Petunia Hybrida Nana Compacta*, Dwarf Inimitable Petunia—Each plant forms a complete and densely branched bush, 5 to 8 inches high by as much in diameter, resembling a naturally-grown bonquet. Flowers a brilliant cherry-red, and each one is marked with a regularly-formed white star. Profuse bloomer; seedlings, when only 3 inches in height, begin to unfold their charming flowers. 6d. and 1s. per pkt.

1276. H.H.P. *Petunia Hybrida, "Snowball"*—Very dwarf variety that comes quite true from seed. Its beautiful large satiny white flowers covering the plant with bloom. Admirably adapted for hedging and pot work. Per pkt., 1s.

797. H.H.P. *Petunia (Large-flowering Yellow-throated) Grandiflora Intus Aurea*.

The yellow-throated Petunia constitutes a class of rare beauty. The characteristics are large-sized flowers of faultless form, with a broad and deep yellow throat, which is generally veined after the manner of the *Salpiglossis*. The latter colouring heightens the effect of that of the outer surface of the petals, and completes the beauty of the entire flower. 6d., 1s., and 2s. per pkt.

796. H.H.P. *Petunia Nana Compacta Multiflora fl. pl.*, Lilliput, Double—Producing dwarf and dense bushes, upon which are born very numerous and exceedingly pretty small double flowers of the most charming shades of colour; they are in part spotted and striped, and part self-coloured, giving the plant a very pleasing appearance. 1s. and 2s. per pkt.

776. H.A. *Phacelia Campanularia (Hydrophyllaceae)*—Large and numerous flowers, of the finest deep gentian satiny blue, of a shade rivalling that of *Salvia patens*, produced in terminal racemes of from 12 to 20 blossoms, which are developed in succession. 1 ft. 6d. per pkt.

777. G.P. *Phormium Tenax*, New Zealand Flax—For greenhouse decoration, or used as a sub-tropical plant outdoors during the Summer; very ornamental. 5½ ft. 6d. and 1s. per pkt.

778. H.P. *Physalis Alkekengi (Solanaceae)*. Winter Cherry—A curious perennial, with white flowers, succeeded by brightly coloured calyces in which are enclosed the orange berries or seed. 3d. per pkt.


779. H.H.P. *Physalis Edulis*, The Cape Gooseberry—When grown under pot culture or cool greenhouse it produces its yellow fruit very freely. 1 ft. 6d. per pkt.

Our Petunia Seed
is well known to be the best
in England.

Cannell & Sons' Complete Seed Guide.

780. H.P. **Physalis Franchetii**—It differs from *P. Alkekengi* in its much larger size, in the leafstalks being considerably shorter in proportion to the blade, much larger fruits, and brighter colours. It is quite hardy and of the easiest culture, requiring only to be planted in any good garden soil, either in the open border or in beds, where it will make a fine display during October and November; great acquisition. $2\frac{1}{2}$ ft. 1s. per pkt.

Picotée—See Carnations.



PINK MODEL BLOOM.

781. H.P. **Pink (Dianthus)** (*Caryophyllaceæ*)—All from our unrivalled collection, saved only from splendid flowers, and cannot fail to produce some first-class new varieties. See Collection in Floral Guide. 1 ft. 1s. 6d. per pkt.

Sow the seed about May, and treat the same as recommended for Carnations.

782. H.A. **Platystemon Californicus** (*Papaveraceæ*)—Clear, lemon-coloured flowers, beautiful in the rock garden or flower border. Sow in spring for Summer and again in Autumn for Spring flowering. $\frac{1}{2}$ ft. 3d. per pkt.



POLYANTHUS.

783. H.P. **Polemonium Cœruleum** (*Polemoniaceæ*), Charity, Greek Valerian, Jacob's Ladder—Elegant fern-like foliage. 2 ft. 3d. per pkt.

784. H.P. **Polemonium Album**—White. 2 ft. 3d. per pkt.

785. H.P. **Polyanthus** (*Primulaceæ*)—Named varieties. Choice mixed. $\frac{1}{2}$ ft. 6d. and 1s. per pkt.




POLYANTHUS, HOSE-IN-HOSE.

786. H.P. **Polyanthus, Gold Lace**—We have great pleasure in offering seeds of our well-known choice collection, the best in the south of England. $\frac{1}{2}$ ft. 1s. and 2s. 6d. per pkt.

Sow in pots from February and place in a gentle heat, when the seedlings are strong enough prick out into other pans, and when well established harden off. Transplant in a shady border, free from drip, 6 inches apart.

787. H.P. **Polyanthus, Hose-in-Hose**—Finest mixed. 1s. 6d. and 2s. 6d. per pkt.



THE CHOICEST COLLECTION OF POLYANTHUS IN ENGLAND.

Cannell & Sons' Complete Seed Guide.

For the convenience of our customers separate colours can be supplied of the various classes of
Phlox Drummondii. See Collections, page 53.

CANNELLS' RE-SELECTED PHLOX DRUMMONDII.



PETUNIA GRANDIFLORA INTUS AUREA.

798. H.H.A. **Phlox Drummondii Grandiflora** (*Polemoniaceae*)—These comprise the most brilliant colours imaginable; the flowers are larger than those of the older kinds, and of finer substance. We consider it safe to observe that there is no known annual which will more amply repay any care bestowed upon it. 1 ft. The finest mixed, 6d. and 1s. per pkt.

799. H.H.A. **Phlox Drummondii Grandiflora Alba**—Flowers pure white; very useful where cut flowers are in demand. 1 ft. 6d. and 1s. per pkt.

800. H.H.A. **Phlox Drummondii Grandiflora Splendens**—Refulgent scarlet red flowers, rendered further remarkable by a large white eye, the centre of which is encircled with a well-defined violet edge. 1 ft. 6d. and 1s. per pkt.

801. H.H.A. **Phlox Drummondii Isabellina fl. semipleno.** 1s. per pkt.

802. H.H.A. **Phlox Drummondii Purpureo-Marmorata fl. semipleno**—Two semi-double flowering varieties, the former with pale yellow, the latter with dark purple, rose marbled flowers. They reproduce themselves true from seed, each colour separate. 1s. per pkt.

803. H.H.A. **Phlox Drummondii Lutea fl. pl.**—A very pretty yellow flowering variety, comes quite true from seed, and possesses a slight perfume. In order to produce the best double flowers these Phloxes should be grown in light soil. 1s. per pkt.



PHLOX DECUSSATA.



CANNELLS' RE-SELECTED PHLOX DRUMMONDII.

Cannell & Sons' Complete Seed Guide.

807. H.P. **Phlox Decussata**. Perennial Phlox—From the finest collection. Mixed. 3 ft. 6d. per pkt.

804 H.H.A. **Phlox Drummondii** (Mixed)—Very handsome useful Summer and Autumn bedding plants; the flowers, which vary from white to purple and rich crimson, are borne in great profusion many months in succession. 6d. per pkt.



PHLOX DRUMMONDII CUSPIDATA.

806. H.H.A. **Phlox Drummondii Cuspidata** "Star of Quedlinburgh."—Obtained from the *Phlox Drummondii Fimbriata*, is slightly more compact than that variety. The size of the flower is the same, but the pointed centre-teeth of the petals (five in number) are five to six times as long as the lateral ones, and project beyond them like little spikes $\frac{1}{4}$ to $\frac{1}{2}$ inch long, giving the flowers a distinctly-marked, regular, star-like form. Offered in finest mixture of nearly twenty colours. 6d. and 1s. per pkt.

805. H.H.A. **Phlox Drummondii Fimbriata**—The petals are partly fimbriate, partly three-toothed. The centre-teeth are almost twice as long as the lateral ones, all distinctly bordered with white, which, together with the bright eye of the centre, contrast with the magnificent velvety colours, consisting already of more than twenty-five very splendid distinct colours. We offer it in finest mixture. 6d. and 1s. per pkt.

1278. **Phlox Drummondii Nana Cœrulea Stellata**—Dwarf compact variety of uniform growth, with large pure light blue flowers with a white centre. On account of its rather rare colour amongst Phloxes, very useful for carpet bedding. Per pkt., 1s.

1322. G.C. **Physianthus Albens** (the Cruel Plant)—A rapid growing climber, bearing white bell-shaped flowers, which are covered with a gummy substance. Butterflies and other insects which alight thereon are unable to free themselves. In favoured spots this will succeed in the open air against a sheltered wall. 6d. per pkt.

Picotee—See Carnation.

1212. **Polygonum Orientale Pumilum Album**—Elegant white-flowering variety of the dwarf-growing *Persicaria*. It forms regular and many-branched bushes of 2 to 2½ feet in height, well garnished with luxuriant foliage, above which are borne on slender stems the exceedingly pretty and numerous hanging flower spikes. Equally useful for groups or single specimens and perfectly constant from seed. Per pkt., 1s.

Poppy—See Papaver.

824. H.H.A. **Portulaca Grandiflora fl. pl.** (*Portulacæ*)—For brilliant, beautiful, and delicate flowers, this charming genus stands unrivalled; and whether in baskets, beds, edgings, or rockwork, its large, splendid flowers, produced in the greatest profusion, are extremely effective; succeeds best in light, gravelly soil. Must be exposed to the full glare of the sun. 6d. per pkt.

825. H.H.A. **Portulaca**, Single—3d. and 6d. per pkt.



PHYSIANTHUS ALBENS (THE CRUEL PLANT).



PORTULACA GRANDIFLORA FL. PL.

826. H.P. **Potentilla** (*Rosacæ*)—Handsome herbaceous plants. Finest mixed. 1½ ft. 6d. per pkt.

Mr. GEO. JULL, Hon. Secretary, Horticultural Society, Sandwich, Kent.
I did remarkably well last year—43 Prizes, 21 Firsts. Your seeds are all the talk about here.

F. MEADE KING, Esq., Stoke Courcy, Bridgwater, 24th December, 1896.

With your Primula Seed and directions "How to Grow," I have a batch of plants that I almost worship.

Cannell & Sons' Complete Seed Guide.



P. LUX DRUMMONDI NANA CÆRULEA STELLATA.



POLYGONUM ORIENTALE PUMILUM ALBUM.



PHOTOGRAPH OF CANNELLS' PRIMULAS GROWING FOR SEED.

Cannell & Sons' Complete Seed Guide.



CANNELLS' PRIMULAS.

Our Strains are well known to be the best in the World.

Awarded the Highest Diplomas for our Varieties at the Chicago Exhibition.



Come and See



OUR PRIMULAS AT SWANLEY.

Awarded a Silver Gilt-Medal for a Collection of Plants, and a Certificate of Merit for the Strains.

MEDAL AND DIPLOMA AWARDED TO US AT CHICAGO.

For other valuable cultural remarks, see Cyclamen, Calceolarias, and Cinerarias.

It is well known that our collection, solely for seeding purposes, is the choicest in the world, and are throughout the Winter a sight worth seeing, for the new kinds possess such brilliancy of colour that they totally eclipse

the older ordinary rose-coloured varieties; were it needed, we could append numerous extracts from every Horticultural Journal and other testimonials (See Report of the Royal Horticultural Floral Committee Meetings.)

HOW TO GROW PRIMULAS.

GROW the seed in May, and again in June, on a level surface of soil, composed of two parts rotten turfy loam, one of partly rotten leaf mould, one of decayed cow-manure, and a small quantity of sea-sand; this mixture of soil will do for all growths and potting. Just cover over the seed with some light material (sifted cocoa-nut fibre is the best), water lightly, but thoroughly. place in total darkness, and in a few days examine and give light and air; the moment the seed leaves appear gradually expose, and prick out, as soon as they can be handled, into small pots; shade, and at all times keep them as near the glass as possible (a cold frame is the best place up to the first cool weather in September), slightly shade from hot sun, and as soon as the roots make their appearance in the drainage-hole shift into 5 or 6-inch pots; be careful that this is done in a clean skilful manner, by not dirtying the foliage nor injuring the roots; pot firmly, pressing the soil down as tightly as you can with the forefinger; be sure that the soil is neither too wet nor too dry; sprinkle well, and shade and shut up rather closely for a few days; water with perfectly clear rain-water; and as soon as the plants show the flower-stem give them weak liquid manure once a week, and all the moisture you can without creating any damp or mould; keep in a temperature of from 50° to 60°, and one regular moisture at the root is the great secret of success, so that the soil never shows the least crack or vacancy round the inside of the pot; if this is allowed to occur, vigour is gone for the season. Often seedsmen and nurserymen are blamed for sending wrong and inferior kinds, and their engravings and descriptions set down as puff.



CANNELLS' PRIMULA PYRAMIDALIS ALBA

Cannell & Sons' Complete Seed Guide.



PHOTOGRAPH OF CANNELLS' PRIMULAS.



PHOTOGRAPH OF CANNELLS' PRIMULAS.

The photographs from which these engravings were taken were kindly sent to us by J. Lambert, Esq., one of our esteemed and enthusiastic customers, who was so highly pleased with our strain of Primulas and the elegant appearance of *The Lady*, which is to be observed forms the back row in engravings, that that gentleman obligingly sent us the views.

THE GARDENERS' CHRONICLE.

Chinese Primulas have received great attention from Messrs. H. Cannell & Sons during the entire existence of the firm. *The Lady* strain presents a much more effective display than the ordinary varieties. Mr. Cannell has taken the variety as means of producing a new type of Primula called "*Pyramidalis*" strain, and many will doubtless favour them who are not admirers of the original plant. We have no hesitation in saying that a group of the plants present a fine effect, being so numerous flowered. The spikes of blossom were in many cases 16 inches high. The strain is one which will meet with considerable popularity—this much seems assured by graceful and floriferous qualities.

1240. *Purple Lady*—We had the pleasure of bringing to notice the now much admired and elegant variety, *The Lady*, producing pure white flowers, many of which are occasionally splashed with a rosy-purple shade. Taking advantage of this variation of colour, and with judicious cross-fertilising and careful selection, we succeeded in obtaining a variety with light rosy-purple coloured flowers, and which we now have the pleasure of offering, feeling sure that it will be as much appreciated for its light and graceful appearance as our *The Lady*. It is identical in habit, and also in having the rich dark coloured stems and leaves, adding much to the contrast of colours, and therefore most essential for the decoration of the conservatory and greenhouse. It also possesses the pleasing characteristic and distinctive feature of the whorl-like or pyramidal formation of flower stems, differing so much from the ordinary varieties. 2 ft. Per pkt., 2s. 6d.; smaller, 1s. 6d.

In Primulas and Begonias I have tried all the best growers of repute, and must acknowledge I have been the most successful, both in quality and quantity, with the seeds I have procured from you.

Mr. R. GLADWELL, The Gardens, Werndee Hall, South Norwood, 19th November, 1897.

I feel I must send you a line in praise of the Primulas I had from you, they are simply grand; I never had anything like them, they are such fine large blooms, and true to name.

H. G. FLANAGAN, Esq., Prospect Farm, near Komgha, Cape Colony, 25th August, 1897

The Carnations, Violets, and Pelargoniums to hand in good condition, and more than two-thirds have already started growing, thanks to your perfect system of packing. I enclose an order for other things, which I hope you will forward at once, so as to catch our Spring.

Cannell & Sons' Complete Seed Guide.

QUITE A NEW TYPE OF PRIMULA.



CANNELL'S PRIMULA PYRAMIDALIS GRANDIFLORA ALBA.

Since introducing *The Lady*, which has given such universal satisfaction to all growers, and anxious to obtain an intermediate cross more particularly affecting the flower-heads and obviating the massive, formal, and one-shaped trusses of the ordinary *Primula sinensis*, we fertilised flowers of Cannells' *White* with pollen obtained from *The Lady*, the result giving us a great variety of seedlings, many of them worthless, and some of a very promising character. From these we re-selected and re-crossed again, the sequence being we now have a class of *Primula* combining the advantages of both forms. Admirers of this most necessary winter-flowering plant have often expressed a wish to see a deviation in some way, and the blossoms growing in a more artistic manner. In the two we now offer this wish has been fulfilled, and we have no hesitation in stating that they will be found both very beautiful and useful. They are distinct from all others in constitution, habit, and foliage; flowers also. They are more easily grown, and continue to blossom for a much longer period. Both have pure white flowers and distinct yellow eyes; foliage ample and fully developed. $1\frac{1}{2}$ ft in height.

1241. *Primula Pyramidalis Grandiflora Alba*. 2s. 6d. per pkt; smaller, 1s. 6d

1242. *Primula Pyramidalis Alba*. 2s. 6d. per pkt.; smaller, 1s. 6d.

HABIT GOOD.
FLOWERS LARGE.



CANNELL'S PRIMULA SINENSIS OCLATA "EYNSFORD YELLOW"

In *Eynsford Yellow* we have the best of this colour, and it shows much improvement.—
Gardeners' Chronicle.

1243. *Primula sinensis oculata*, "Eynsford Yellow"—An improvement in this class. This will be found possessing decided merit over all others in this colour. The flowers are much larger, of a purer white, and the yellow centre considerably larger and more pronounced in colour than any we have yet seen; the habit is also good and very uniform. A small group of this variety is very pleasing and effective; should be given a trial by all. Favourably reported upon by the Gardening Press. Per pkt., 2s. 6d.; smaller, 1s. 6d.

Cannell & Sons' Complete Seed Guide.

FOR NEW KINDS, SEE NOVELTIES ON COLOURED PAPER.

PRIMULAS (PRIMULA SINENSIS). (*Primulaceæ*.)

808. **Cannells' White Perfection**—The loveliest and the most perfect in habit, flower, and freshness, and stands at the head of this class. Fern leaf and dark stems. First Class Certificate. 9 in. 2s. 6d. per pkt.; smaller pkt., 1s. 6d.

809 **Cannells' Swanley Blue**—Identical, or nearly so, with what has been shown as blue colour. It is a beautiful mauve, perfectly distinct, and one of the most uncommon coloured Primulas of the whole collection; very striking. 9 in. 2s. 6d. per pkt.; smaller pkt., 1s. 6d.

810. **CANNELLS' IMPROVEMENT**—Bright red; habit, size, substance and freshness, together with its fine flowers, constitute it a gem. First-Class Certificate. 9 in. 2s. 6d. per pkt.; smaller pkt., 1s. 6d.

811. **Cannells' Pink**—Is acknowledged to be the most perfect Primula ever raised; colour, the most lovely of pinks ever seen, nearly resembling the tint at the base of the petals of *La France* rose. By carrying

your thoughts to that flower you can readily imagine the grandeur of this variety; the largest bloom and the finest habit. The value can readily be seen. 2s. 6d. per pkt.; smaller pkt., 1s. 6d.

813. **Primula, The Queen**—White, slightly tinted, fine flowers; graceful fern-leaf foliage; useful. 2s. 6d. per pkt.; smaller pkt., 1s. 6d.

814. **Primula Sinensis Fimbriata Rubra Superbissima**—The fringing of the extra large bold flowers—which are of great substance—is of the same heavy character as in *Alba Magnifica*, and which distinguishes that variety from all others; whilst the colour is that of the best type of the ordinary "Rubra," relieved by a rich golden-yellow eye, the well-shaped truss being borne well above the foliage, which is deeply cut, and of good rich green. Per pkt., 2s. 6d.

815. **Mixed**—Containing nearly all the above kinds. 2s. 6d. per pkt.; smaller pkt., 1s. 6d.

Primula Sinensis Fimbriata fl. pl. (Double).


- | | | |
|-------|----------------------------|---------------------------|
| 1323 | Fringed, double crimson. | Per pkt., 2s. 6d. |
| 1324. | " " lilac. | Per pkt., 2s. 6d. |
| 1325. | " " Prince of Wales. | Per pkt., 2s. 6d. |
| 816. | " " white. | Per pkt., 2s. 6d. and 5s. |
| 817. | " " brilliant magenta-red. | Per pkt., 2s. 6d. and 5s. |
| 818. | " " red and white mixed. | Per pkt., 2s. 6d. and 5s. |
| 819. | " " lovely soft salmon. | Per pkt., 2s. 6d. and 5s. |

Our eight houses, each 100 feet, from November to May, present a most wonderful sight.

821. **Cannells' Eynsford White**—Of the purest white, and highest quality flower; so overlapping are the petals that it resembles the outline of an immense double. Its fimbriation is not approached by any other kind; habit good, and very free. Per pkt., 1s. 6d. and 2s. 6d.

1326. **Cannells' Lilacina (Fern Leaf)**—Soft lilac, sil. ded silver; a useful variety. Per pkt., 1s. 6d. and 2s. 6d.

822. **Cannells' White**—A decided improvement, and will undoubtedly commend itself as a first-class variety both for general purposes and exhibitions; it is of vigorous dwarf growth, and producing bold trusses of pure white flowers of great substance and size. Per pkt., 1s. 6d. and 2s. 6d.



CANNELLS' PRIMULA SINENSIS FIMBRIATA, EYNSFORD WHITE.

OTHER VARIETIES OF PRIMULA SINENSIS FIMBRIATA.

1327. **Alba Magnifica**—Of great substance, beautifully fringed. Per pkt., 2s. 6d.
1328. **Avalanche**—Pure white, dark red stem. Per pkt., 2s. 6d.
1329. **Chiswick Red**—Very bright colour. Per pkt., 2s. 6d.
1330. **Coccinea Magnifica Improved**—Flowers of a rich and striking colour. Per pkt., 2s. 6d.
1331. **Florence**—Of a beautiful scarlet shade. Per pkt., 2s. 6d.
1332. **Lilacina Marginata**—Lilac, white border; distinct. Per pkt., 2s.
1333. **Magenta Queen**—A rich colour. Per pkt., 2s. 6d.
1334. **Marquis of Lorne**—Rich red; large and fine. Per pkt., 2s. 6d.

1335. **Mary George**—Of a silvery lilac shade. Per pkt., 1s. 6d.
1336. **Red**—Fern leaf, large, beautifully fringed. Per pkt., 2s.
1337. **Rose Carmine**—Fern leaf, a pretty shade. Per pkt., 2s. 6d.
1338. **Rosy Morn**—A charming blush colour. Per pkt., 3s. 6d.
1339. **Ruby Queen**—Brilliant colour. Per pkt., 2s. 6d.
1340. **Snowdon**—Snowy whiteness, large and fine. Per pkt., 3s. 6d.
1341. **Snowflake**—Fern leaf; very fine. Per pkt., 2s. 6d.
1342. **Village Maid**—White striped rosy carmine. Per pkt., 2s.
1343. **Mixed**—Saved from the best of recent introductions. Per pkt., 2s. 6d.

820. **Primula, The Lady**—This variety is the *beau idéal* of gracefulness and elegance. It has an attraction peculiar to itself. It has beautiful dark foliage and stems—when in a young state the leaves are almost a purplish-black colour—the foliage and stems being a most effective contrast to its pure white flowers and bright yellow centre. When in a group of half-a-dozen or more plants it has a most fascinating appearance on the dinner table; as a pot-plant it is perfection; and when in a cut state, intermixed with a few fern fronds, it is the very thing required for table decoration. By occasionally changing the water it will be found to keep fresh and effective for a fortnight or more. The flowers do not drop so quickly as in other varieties of the Chinese Primula. Owing to the more slender and graceful habit of this variety in comparison with others, it is essential that the plants when in the flowering stage should be shaded somewhat from the full glare of the sun; by this means they will continue in full vigour for a much longer time, and the flowers be considerably finer. It was again much admired last year. Per pkt., 2s. 6d. and 3s. 6d.; smaller pkt., 1s.

THE GARDENING WORLD.

One of the most notable varieties of the Chinese Primula to be found in Messrs. Cannell & Sons' superb exhibit was undoubtedly that known as *The Lady*. Certainly in appearance it is as distinct from the ordinary form of Chinese Primula as can well be imagined. When full grown the plant average from 18 ins. to 2 ft. in height, producing vigorous rosettes of leaves with remarkably long petioles, above which the tall, many-flowered scape rises erect and imposing, forming a truly pyramidal outline. How different this is to the other varieties, in which the flower scapes hug the leaves, or do not rise well above them until the season is well advanced. When Messrs. Cannell & Sons have succeeded in producing a race of plants with the splendid habit characterising *The Lady*, and imparting to it the rich and varied hues to be found in the dwarf varieties, which are now popular, they will indeed have achieved a notable success, and one that will doubtless be appreciated and taken advantage of by the numerous lovers and cultivators of the Primula the world over.

Cannell & Sons' Complete Seed Guide.

THE GARDENERS' MAGAZINE.

Messrs. H. Cannell & Sons occupied the whole length of one side of the hall with thoroughly well-grown Primulas, a magnificent set, in a large variety of colours—*Pyramidalis alba*, *Pyramidalis grandiflora alba*, a splendid grower, and *The Lady*, a free, white-flowered, red-stemmed form, with a purplish flowered companion, were all most attractive, strong, and well furnished with handsome foliage and plenty of bright flowers. The Swanley firm gained a Silver-Gilt Banksian Medal, R.H.S. Show.

GARDEN AND FOREST (New York).

A special feature of the last meeting of the Royal Horticultural Society (London) was a large collection of *Primula sinensis*, exhibited by Messrs. H. Cannell & Sons, Swanley, who have long held a foremost place among the trade growers and breeders of this useful plant. Eight large-houses are filled with it in all its best forms, about 10,000 plants being grown annually for seeds. Messrs. Cannell are, however, alive to the defect common to all the improved strains—the short flower stalks which give the plants a squat, stubby look—and for several years they have aimed at producing a race with looser, taller trusses. They have made considerable progress in this direction, their *Pyramidalis* strain, bred from a loose, tall-stalked variety known as *White Lady*, crossed with the short-stalked, large-flowered forms, being a decided improvement. These fine varieties come true from seeds—a remarkable fact, but one about which there can be no question.—W. WATSON.

832. H.P. *Primula Flatiar Duplex* (Hose-in-Hose), *Polyanthus*—Cnrions and pretty. 1s. and 2s. 6d. per pkt.

823. H.P. *Primula Japonica*, Japanese Primrose—A superb Alpine species, which has proved itself perfectly hardy; well known. 1½ ft. 6d. and 1s. per pkt.

831. H.H.P. *Primula Obconica*, *syn. Puculiformis*—If sown in Spring, *Primula Obconica* blooms in the latter half of Summer, but it is from December to June that in a conservatory or cold frame it attains its height of attractiveness and beauty, and all the while furnishes a very plentiful and useful material for cutting. Flowers vary between white and pale lilac. ½ ft. 6d. and 1s. per pkt.



PRIMROSE HARBING P.



PRIMULA OBCONICA.



BLUE PRIMROSES.

Cannell & Sons' Complete Seed Guide.

1250. H.P. **Primula Parryi**—Thirty-one years have elapsed since this handsome Primrose was first introduced to cultivation, having been raised from seeds collected by the late Dr. Parry in the Rocky Mountains of Colorado. It is of robust habit, leaves from 6 to 12 inches long, crimson-purple flowers with yellow eye, borne on a scape 6 to 12 inches high. It is best treated as a semi-aquatic, and when grown as a pot plant it may be set in a saucer of water. Owing to it having probably nearly disappeared from our gardens, it affords us much pleasure to offer fresh seeds from its native habitats. Per pkt., 1s. 6d.


828. H.P. **Cannells' Primrose (Hybrid)**—Extra fine, many colours, saved from our fine seedling varieties. Keep the seed moist and cool; some will germinate soon after sowing, others much later. $\frac{1}{2}$ ft. 6d. and 1s. per pkt.

830. H.P. **Primrose, "Beaconsfield Primroses," or Fancy Polyanthus**—All are familiar with the ordinary yellow primrose, and probably with some few of the coloured varieties, but very, very few have the slightest idea of the grand varieties originating from the result of long and careful hybridising and selection: strong growers and most abundant bloomers; flowers of immense size, colours varying from a blue purple, dark maroon-scarlet, yellow, white, and a hundred other intermediate colours. None will dispute them, and we guarantee that they will give more than satisfaction. 6s. per doz. fine blooming plants; seeds, 6d. and 1s. per pkt.

829. H.P. **Primrose, Common Yellow—True**; seed gathered from plants growing wild. $\frac{1}{2}$ ft. 6d. per pkt.

827. H.P. **Primrose Harbinger**—We are now able to offer seed of this magnificent White Primrose, which is far in advance of all other whites. 6d. and 1s. per pkt.

1213. H.P. **Primrose, Hardy, Wilson's New Blue**—A splendid introduction of great merit. The most prominent feature, and which clearly distinguishes it from all others in cultivation, is its remarkable colour, which is developed into many shades of blue, from pale lavender to deep violet. The flowers are freely produced on foot stalks rising well above the foliage, and are fully equal in size, shape, and duration to the best older varieties. They have received Awards of Merit and other Certificates. Per pkt., 1s. 6d. and 2s. 6d.



PYRETHRUM AUREUM CRISTATUM.

835. H.P. **Pyrethrum Aureum Cristatum (Hurst)**—A beautiful curled-leaved form of the ordinary *Golden Feather*, and in colour equal to the best type of the original from which it has sported, whilst the leaves have the crisp appearance of the most exquisitely curled Parsley. Habit is extremely dwarf and compact, well adapted for carpet bedding, edgings, and similar purposes; dwarf habit and good colour, a shy seeder. 1s. per pkt.

836. H.P. **Pyrethrum Aureum Laciniatum**—Sport from *Golden Feather*. Beautifully lacinated foliage, almost like a fern. $\frac{3}{4}$ ft. 3d. per pkt.

837. H.P. **Pyrethrum Aureum Selaginoides**—Distinct, of an exceedingly dwarf and compact habit, the flat foliage resembling fronds of *Selaginella Martensi* overlaying each other, which gives the plant a wonderfully grand and level appearance. $\frac{3}{4}$ ft. 6d. and 1s. per pkt.

831. H.P. **Pyrethrum, Double**—From best named kinds. $1\frac{1}{2}$ ft. 6d. and 1s. per pkt.

838. H.P. **Pyrethrum, Golden Gem, or "Paris Pearl"**—Invaluable bedding plant, producing large, elegant, double-white flowers, which are continued without intermission from May to November. $\frac{3}{4}$ ft. 3d. per pkt.

833. H.P. **Pyrethrum Parthenifolium Aureum (Compositae)**, *Golden Feather*—This is the best yellow foliage bedding plant ever sent out. For Autumn, Winter, and Spring decorations they look grand if sown about the middle of August. 1 ft. 3d. per pkt.



RICINUS ZANZIBARIENSIS.

839. H.P. **Pyrethrum, Single**—From best named kinds, beautiful colours; most useful for cutting purposes. $1\frac{1}{2}$ ft. 3d. per pkt.

840. H.P. **Ranunculus Asiaticus Superbissimus (Ranunculaceae)**—Splendid large-flowered double hybrids, flowering the second year from seed; most valuable acquisition. $\frac{3}{4}$ ft. 6d. per pkt.

1244. H.H.A. **Reseda Alba (Mignonette)**—Like the Violet, the scent of Mignonette is always agreeable, but in a room it is much too strong, as to become at times almost oppressive, and perhaps it is only in the garden or as a pot plant it is most appreciated; where as the variety we are desirous of bringing to everyone's notice has none of the above objections, having little or no odour, and its flower spikes are white, elevated on long stalks, and lasting in water for days. We are certain it will become a great favourite with all persons of taste; it will not only give a new and beautiful feature to all cut-flower arrangements, but can be used in room decoration, hand bouquets, or wherever cut flowers are required, adding beauty and setting off other flowers to great advantage. As a pot plant it is very beautiful; a strong grower, and possessing quite a lovely fern-shaped foliage, which increases its attractiveness. Of a very pleasing and telling effect when formed into groups with the addition of several other flowering plants, and finished off with ferns; a desirable plant where light and artistic floral arrangements are necessary. Planted outdoors in May it soon grows into well-shaped plants, flowering profusely, and hardly excelled by any other plant for beauty. Figured in the *Gardeners' Chronicle*, July 11th. Per pkt., 1s.

Reseda Odorata—See Mignonette.

841. H.H.A. **Rhodanthe (Helipterum) Maculata (Compositae)**—A very elegant variety, silvery pink, with yellow centre, beautiful alike either in bud or fully expanded. 1 ft. 3d. per pkt.

842. H.H.A. **Rhodanthe Maculata Alba**—1 ft. 3d. per pkt.

843. H.H.A. **Rhodanthe Manglesii, Everlasting Flowers**—Elegant half-hardy annual, with dwarf erect branching habit, and bright rose-coloured flowers. 1 ft. 3d. per pkt.

844. H.H.A. **Rhodanthe Maculata Atrosanguinea**—Very fine; crimson. 1 ft. 6d. per pkt.

845. H.H.A. **Ricinus Bonboniensis Arboreus (Euphorbiaceae)**, *Castor Oil*—Extra fine, growing 10 ft. high. 3d. per pkt.

Cannell & Sons' Complete Seed Guide.



RESEDA ALBA (MIGNONETTE).

846. H.H.A. **Ricinus Gibsoni**—Dark purple stem and leaves, very fine and ornamental; the best of all the ornamental-leaved Castor Oil plants for sub-tropical appearance. 5 ft. 3d. per pkt.

848. H.H.A. **Ricinus Gibsoni Mirabilis**—A handsome variety; dwarf. 4 ft. 3d. per pkt.

847. H.H.A. **Ricinus Roseus Magnificus**—A distinct and beautiful variety of dwarf and bushy habit, with large palmate leaves; seed vessels beautiful rose-pink, borne in large clusters. 5 ft. 3d. per pkt.



ROSA (POLYANTHA) MULTIFLORA.



SAINTPAULIA IONANTHA.

849. H.H.A. **Ricinus Guyanensis**—Dwarf. 4 ft. 3d. per pkt.

850. H.H.A. **Ricinus Zanzibariensis**—The plants attain great dimensions, presenting a splendid aspect with their gigantic leaves, which surpassed in size and beauty all the species and varieties known hitherto. The seeds also are very distinct, large, and of new and exquisite tints. The variety named above produces light green leaves of 2 to 2½ feet across, with whitish ribs, and may in its general appearance be compared to a luxuriantly growing giant *Aralia Sieboldi*. Ornamental foliated plants, of great effect for large groups or single specimens. 6d. per pkt.

Cannell & Sons' Complete Seed Guide.

855. H.H.A. *Ricinus Zanzibariensis* Mixed—The five varieties equally mixed. 6d. per pkt.

853. H.H.A. *Ricinus Zanzibariensis Cinerascens*—Very large leaves of a brownish purple, changing into dark green with lighter ribs; stem reddish brown; seeds grey, speckled blackish brown. 6d. per pkt.

851. H.H.A. *Ricinus Zanzibariensis Enormis*—Produces enormously large leaves, being brownish purple when in a young state, and changing into dark green with reddish ribs later on. The seeds are the largest of all varieties, being white marbled with black. Per pkt., 6d.

852. H.H.A. *Ricinus Zanzibariensis Maculatus*—Equally handsome, leaves are coppery-bronze when in a young state, changing afterwards to a dark green with reddish ribs; stem and branches coppery-brown; seeds white, blotched brown. 6d. per pkt.

854. H.H.A. *Ricinus Zanzibariensis Niger*—Foliage bronze, passing into dark green, with reddish ribs; stem light brown with a glaucous hue; seeds black. 6d. per pkt.

857. G.P. *Rivina Humilis* (*Phytolaccaceæ*), Bloodberry, or Ronge Plant—The prettiest red berry bearing plant that we have, and for table decoration all through the Autumn a gem; no warm greenhouse should be without it. 2 ft. 6d. and 1s. per pkt.

858. H.P. *Rock Cistus* (*Cistineæ*)—Mixed. Elegant plants for rock-work, flower and shrubby borders. 1½ ft. 3d. per pkt.

Rocket—See *Hesperis*.

859. H.H.P. *Romneya Coulteri* (Great White Californian Poppy)—More particularly adapted for pot culture, unless it can be given a well sheltered and favoured position outdoors. The seed occasionally remains dormant for a long time. 3 ft. 6d. per pkt.

856. H.H.P. *Rosa* (*Polyantha*) *Multiflora*—Dwarf perpetual Rose, double mixed. Flowering the first year from seed, which if sown in February, planted out in April, will bloom from June throughout the Summer and Autumn. It grows about 1 foot high, and produces its semi-double flowers in graceful clusters and of various shades of colour. 1s. per pkt.

860. H.S. *Rosa Rugosa*, Single Japanese Rose—Large crimson flowers, the seed is a long time germinating. 3 ft. 6d. per pkt.

Rose Campion—See *Agrostemma*.

1344. H.P. *Rose Hybrid Perpetual*—Saved from the well-known and best varieties; useful for sending abroad. 1s. per pkt.

861. H.P. *Rudbeckia Amplexicaulis* (*Compositæ*)—Yellow flowers. A bunch of these looks very handsome arranged with their own foliage, and last a long time in water. 3 ft. 3d. per pkt.

862. H.P. *Rudbeckia Drummondii*—Orange. 3d. per pkt.

863. H.P. *Sacaline* (*Polygonum Sachalinense*)—Forage plant. Of ornamental value, and no better plant could be employed for naturalisation in semi-wild spots, and also intermixed with other vigorous herbaceous plants, the border, pleasure grounds, or shrubbery. Per pkt., 6d.

864. G.P. *Saintpaulia Ionantha*—One of the most charming stove plants. It belongs to the family of the *Gesneriaceas*, and was found on the Usambara Mountains in East Africa. The tiny plants form a flat rosette of deep green hairy leaves, which are similar in form to those of the *Gloxinia*, but smaller in all parts, and most reddish brown underneath. The flower stems, 2 to 4 inches in length, are crowned by beautiful deep blue flowers; stamens deep golden-yellow. A well-established plant will bloom continually throughout the year. The seed is extremely fine, and requires similar treatment to that of the *Streptocarpus*. It is readily propagated by division of the leaves, but does not form a bulb, the roots being of a fibrous character. Will be found useful planted out as an edging in large conservatories. 1s. 6d. per pkt. Plants, 1s. each.

1281. G.P. *Saintpaulia Ionantha Rubra*—New variety of this neat *Gesneriaceæ*, with deep lilac-red flowers, and which comes true from seed. Although this colour may not by some be considered quite equal in beauty to that of the type, the first new departure from it will still interest everyone who has seen or grown this charming little plant. Per pkt., 1s. 6d.

865. H.H.A. *Salpiglossis Dwarf* (*Solanaceæ*)—Mixed. Large handsomely marked flowers, varying in tint from creamy white to black, blue, and purple; has a splendid effect. Sown in March. 3d. per pkt.

866. H.P. *Salvia Argentea* (*Labiata*)—Very silvery foliage, large size; a most effective and beautiful plant. 2 ft. 3d. per pkt.

867. H.A. *Salvia Coccinea*—Very free and continuous in flowering; very bright scarlet. 2 ft. 3d. per pkt.

868. H.P. *Salvia Farinacea*—A branching shrubby plant for Summer bedding, of a habit similar to the *Salvia splendens* and flowering at the same time. If sown early in the Spring, the ends of the branches begin to show the flower-spikes in July; these are light blue, and retain for months this beautiful shade. 2 ft. 6d. per pkt.

869. H.H.A. *Salvia Hispanica*—A very fine annual, grows 3 feet, and its glittering azure charming blossoms form a fine contrast to the glossy green foliage. 3d. per pkt.

870. H.H.A. *Salvia Horminum* (*Labiata*)—Very fine, when massed for bedding, and lasting a very long time when cut and put in water; deep purple. 1½ ft. 3d. per pkt.

871. H.H.P. *Salvia Patens*—Splendid blue. 2½ ft. 1s. per pkt.

872. H.H.P. *Salvia Splendens*—A very pretty and useful variety for the greenhouse during the Autumn and Winter; very free. 2½ ft. 1s. per pkt.

873. H.A. *Sanvitalia Procumbens* (*Compositæ*)—Very effective, dwarf, close-growing plants, admirably suited from their continuous and free-blooming habits for filling beds, planting edgings, rockwork, &c. ½ ft. 3d. per pkt.

874. H.A. *Sanvitalia Procumbens* fl. pl.—Very double golden-yellow flowers. ½ ft. 3d. per pkt.

875. H.A. *Saponaria Calabrica* (*Caryophyllaceæ*), Fuller's Herb, Soapwort—One of the prettiest and most useful annuals for bedding purposes; flowers dark rose, produced in great profusion for many months. ½ ft. 2d. per pkt.

876. H.A. *Saponaria Calabrica Alba*—A white-flowered variety of the preceding; in all other respects similar; very desirable for contrast. Sown in the open in August or early in Spring. 2d. per pkt.

877. H.P. *Saponaria Oeymoides*—An elegant trailer, well adapted for rockwork, &c. ½ ft. 3d. per pkt.

878. H.B. *Scabiosa* (*Dipsacæ*), Dwarf, Double, Pincushion Flower—Mixed. Fine for beds or mixed borders; rich and beautifully coloured flowers; excellent for cutting. 1½ ft. 3d. per pkt.

879. H.P. *Scabiosa Caucasica*—Beautiful heads of lilac-blue flowers. 2½ ft. 1s. per pkt.

1214. H.P. *Scabiosa Caucasica Alba*—The flowers are as large as those of the blue variety, and as freely produced; in habit and foliage it does not differ, but occasionally the plants are more compact; a charming variety, plants flowering the first year if sown early. Per pkt., 1s. 6d.

880. H.B. *Scabiosa*, Golden Yellow, Double—Pretty and useful compact double flowers of a fine golden-yellow colour, which are admirably adapted for cutting. 6d. per pkt.

1345. Other varieties of *Scabiosa* or *Scabious* can be supplied. 3d. to 1s. per pkt.

882. H.H.A. *Schizanthus Grahmi* (*Solanaceæ*), Butterfly or Fringe Flower—Elegant garden or greenhouse variety; lilac and orange. 2 ft. 3d. per pkt.

1215. H.H.A. *Schizanthus Grahmi Carmineus*—Pure red flowers the yellow eye common to the class being entirely absent; distinct and pretty. Per pkt., 6d.

881. H.H.A. *Schizanthus Grahmi Retusus Nanus*—Flower bright scarlet, with orange, red and dark brown, shaded. 1 ft. 2d. per pkt.

883. H.H.A. *Schizanthus Papilionaceus Pyramidalis*—Charming variety of colours. 1½ ft. 2d. per pkt.

1346. H.H.A. *Schizanthus Pinnatus Niveus*—Pure white; very pretty and useful. 1½ ft. Per pkt., 6d.

884. H.H.A. *Schizanthus Pinnatus Pyramidalis*, "Tom Thumb"—Perfectly constant variety, symmetrical growth, only 12 inches high abundance of flowers; purple, with black centre; an acquisition. 2d. per pkt.

885. H.A. *Schizopetalon Walkeri* (*Cruciferae*)—White, sweet scented; can be scattered about in borders or elsewhere, same as *Mignonette*. 1 ft. 3d. per pkt.

886. H.H.P. *Scyphanthus Elegans*—Yellow flowers, marked red useful for the greenhouse or sunny walls as a climber. 6d. per pkt.

887. H.P. *Sedum Cœruleum* (*Crassulaceæ*)—A pretty blue flowering stone-crop, useful for the rockwork, &c. 6d. per pkt.

888. H.A. *Senecio Elegans Pomponicus*, Cream Coloured—A charming and very delicate coloured variety, equally as pretty and comes true from seed as the other kinds of *Pompon Senecios*. 6d. per pkt.

889. H.A. *Senecio* or *Jacobæa* (*Compositæ*), Double—Free-flowering plants, producing their gay-coloured flowers in great profusion. Mixed ¾ ft. 2d. per pkt.

890. H.H.P. *Senecio Sagittifolius*—Perennial from Uruguay. Interesting and attractive: bold tufted and lobed leaves covered with white down. From the centre of the tuft arises a tall flower stem from 3 to 6 ft. in height, terminating in a loose corymb of creamy-white Aster-like flower heads, each about 1 in. across. It thrives well in the open ground during the Summer. Per pkt., 1s.

891. H.H.P. *Sempervivum Tabulæforme*, The Table Plant—splendid succulent. ½ ft. 1s. per pkt.

Sensitive Plant—See *Mimosa Pudica*.

1216. H.P. *Sidalcea Candida*—Long spikes of pure white flowers. 3 ft. 6d. per pkt.

1283. H.P. *Sidalcea Listeri*—One of the finest border plants. Its lovely colour a delicate satiny pink, with flowers borne alternately on long branching stalks, and flowered with continuous profusion throughout the whole season, make it a most desirable plant for all. For competition at an exhibition it is simply indispensable. When put up into sprays or bunch nothing could be more fetching or telling on any stand; while for flower shrubbery borders it is equally effective. The spikes when cut stand in water, making it still more useful for decoration. Awarded special Silver Medal, Wolverhampton, and Certificate of Merit, R.H.S. First Class Certificate, Edinburgh, Rothsay, and Clydebank. Per pkt., 1s.

Cannell & Sons' Complete Seed Guide.




SILALCEA LISTERI.



SILENE PENDULA NANA COMPACTA.

892. H.A. *Silene Pendula*—Mixed. 2d. per pkt.
 898. H.A. *Silene Pendula* (*Caryophyllea*)—Pink. 1 ft. 2d. per pkt.
 898a. H.A. *Silene Pendula* fl. pl.—A splendid double variety, flowers rose-carmine. 1 ft. 3d. per pkt.
 893. H.A. *Silene Pendula Alba*—White. 1 ft. 2d. per pkt.
 894. H.A. *Silene Pendula Compacta Alba*—Dwarf, and compact, very recommendable for edgings; white. 2d. per pkt.
 895. H.A. *Silene Pendula Compacta Ruberrima* fl. pl.—Splendid variety; flowers red. $\frac{1}{2}$ ft. 3d. per pkt.



SILENE, AMALIA.

1217. H.A. *Silene Pendula Compacta*, Empress of India—An intense crimson combined with an additional deepening of colour in the leaves and stems of the entire plant, giving the whole flower a suffused depth of colour hitherto unknown in *Silenes*; compact habit. Per pkt., 6d.
 896. H.A. *Silene Pendula Nana Compacta*—A very beautiful Spring bedding plant, dwarf and compact; flowers bright pink, borne profusely in a dense compact mass; valuable for edging on ribbon borders. 4 in. 3d. per pkt.
 897. H.A. *Silene Pendula Nana Compacta*, Amalia—A regular compact, semi-globular formed variety, densely covered with soft rose-coloured flowers. Admirably suited for Spring gardening, and very useful for beds or borders. $\frac{1}{2}$ ft. 1s. per pkt.

Smilax—See *Myrsiphyllum*.

Snapdragon—See *Antirrhinum*.



SOLANUM, HYBRID IMPROVED.

899. G.S.H. *Solanum Capsicastrum* (*Solanaceae*), Hybrid Improved—These are beautiful for Winter decoration, and are of easy culture. 1 to $1\frac{1}{2}$ ft. 6d. per pkt.

Sow in January, keep them growing, and by the Autumn they will be covered with round, bright, orange-coloured berries, which are very pretty all the Winter.

1347. H.H.P. *Solanum Marginatum*—Leaves elegantly scalloped and margined silvery-white; useful for specimens or groups. 4 ft. Per pkt., 6d.

1348. H.H.P. *Solanum Robustum*—Large effective foliage, covered with long spines; the young leaves are of a rich bronze tint. 4 ft. Per pkt., 6d.

- 899a. Ornamental-foliaged Solanums for sub-tropical arrangements also supplied. 3d. to 6d. per pkt.

900. H.A. *Sphenogyne Speciosa* (*Compositae*)—Useful for beds or edgings; free flowering; pure golden yellow. 1 ft. 2d. per pkt.

901. H.P. *Stachys Lanata* (*Labiatae*), Hedge Nettle—A very hardy plant, with large woolly leaves, close compact growth; fine for large broad margins. 1 ft. 2d. per pkt.

CANNELLS' STOCKS.

1246. H.H.A. **Stock Camellæflora fl. pl. (Cannell)**—This was much admired when exhibited before the Royal Horticultural Society, and pronounced as one of the grandest double pure white varieties yet seen. It belongs to the Ten-week class; very robust habit. Per pkt., 1s.

902. H.H.A. **Stock, Cannells' Giant Winter Blooming**—A white Winter-flowering variety, which has always been in the forefront in Covent Garden Market. It matures with greater certainty, and in finer form, than any other grown. Its spikes, both central and lateral, surpass all competitors. It has come with the grower 90 per cent. double, and its pure white flowers are invaluable from Christmas to Easter. The grower writes of it as follows:—"It is a cross between the ordinary *Intermediate* and *East Lothian White*. If sown in May in a cool frame and pricked off in small pots in a north pit, or outdoors in a shady place, it can be gradually forced into bloom by Christmas; or sown in July it will bloom at Easter, if brought into a cool house and kept at 40 to 45 degrees. It does best on a cool bottom, and requires plenty of air." 1s. 6d. per pkt.

1245. H.H.A. **Stock, Firefly (Cannell)**—A splendid rich colour of this fine large flowering class; beautiful double deep red blossoms of giant proportions; vigorous and compact habit. Will be found a most useful introduction where rich colouring is required. Per pkt., 1s.

903. H.H.A. **Stock, Princess May**—Large-flowering pyramidal ten-week, originating from one of the finest types: very large flowers of good shape, and of the purest and most delicate light primrose. The percentage of double flowers is far above the average, and the few singles being of the same tint as the double ones (which in other varieties are most white) are barely noticeable. The bold foliage is glossy green, Wallflower-leaved, and shows off the delicate hue of the flowers to the best advantage. 6d. and 1s. per pkt.



CANNELLS'
BROMPTON STOCK.



PERPETUAL TEN-WEEK STOCK,
"PRINCESS ALICE."

904. H.H.A. **German Emperor Stock**—Extra fine, mixed. 1 ft. 6d. and 1s. per pkt.

H.B. Stocks, Brompton—

905. **Scarlet**

906. **Purple**

907. **White**

908. **Mixed**

A strong growing biennial variety, very useful for Winter or Spring gardening. 2½ ft. Scarlet, 6d. per pkt.; Purple, 6d. per pkt.; White, 6d. per pkt.; Finest Mixed, 6d. and 1s. per pkt.

Brompton should be sown in July, and planted out in a good soil in a sheltered situation. They generally stand the Winter without protection, and make a grand display in June and July.

H.B. Stocks, East Lothian, Intermediate (Edinburgh Prize Strain)—Magnificent in beds or ribbon borders, also herbaceous borders; grows rapidly and flower abundantly from August to January, forming quite a link between Summer and Spring flowers. All 1½ ft. high.

909. **White**—Pure white; grand flowers. 6d. and 1s. per pkt.

910. **White (Wallflower leaved)**—Admirably adapted for growing in pots, as it seldom grows more than 1 foot in height; flower fine, perfume delicious. 6d. and 1s. per pkt.

911. **Magenta Crimson**—Vivid colour; very choice. 6d. and 1s. per pkt.

912. **Purple**—Grand. 6d. and 1s. per pkt.

913. **Mixed**—6d. and 1s. per pkt.

H.B. Stocks, Intermediate—

914. **Scarlet**

915. **White**

916. **Purple**


917. **Mixed**

This seed is saved from the best Covent Garden Stock. Scarlet, 6d. per pkt.; White, 1s. per pkt. Purple, 6d. per pkt.; Mixed, 6d. and 1s. per pkt.

The Intermediate or Spring-flowering Stocks are extensively cultivated for Covent Garden Market. In the early Summer months, during the "London Season," it constitutes one of the principal features in furnishing jardinetts, &c., and is also of great value in filling the early Summer flower beds. The *East Lothian Stock* is more branching than the *True Intermediate*, and therefore not so well adapted for pot culture, but is more valuable for the flower garden. For Autumn flowering sow early in Spring; for Spring flowering sow early in July, and winter in cold frame.

918. H.H.A. **Stock, Perpetual-flowering**—Dwarf, mixed. 6d. and 1s. per pkt.

919. H.H.A. **Perpetual Ten-week Stock, Princess Alice**—Snow white; fine for pot culture and cut flowers. 6d. and 1s. per pkt.



LARGE FLOWERING DOUBLE GERMAN TEN-WEEK STOCK.

920. H.H.A. **Stocks (Cruciferae), Large-flowered German Ten-week**—Finest mixed colours; extra fine. 1 ft. 6d. and 1s. per pkt.

920a. **Stock, large-flowering Dwarf Winter or Brompton (Sunrise)**—A beautiful variety, about 1 ft. high; numerous flower spikes with beautiful large blossoms, of a bright rose with metallic lustre. About 70 per cent. of the plants may be depended upon flowering double. A fine variety for market purposes. Per pkt., 1s.

For collection of Stocks, see page 53.

Cannell & Sons' Complete Seed Guide.



WHITE MAMMOTH TEN-WEEK STOCK.



STATICE SUPERBA ALBA.



STATICE SUWOROWI.
A Floral Gem.

921. H.H.A. Stock, White Mammoth Ten-Week—Of luxurious robust growth; attains in the open ground a height of 3 ft., and produces only a single strong spike, 1 ft. in length, closely covered with very large well-formed flowers of the purest white; valuable for large groups. 6d. and 1s. per pkt.

The foregoing varieties of Stock have proved to be the most distinct and decorative, and suitable to the different styles of gardening for which the Stock is so admirably adapted. All are desirable pot-plants, and are greatly prized as cut flowers, both for their diverse colours and fragrance. For a continuous succession of bloom, seed should be sown at intervals from the beginning of March to the end of May, the first sowing under glass, the latter sowings may be made where the plants are intended to bloom.

924. H.H.P. Statice Bonduelli (*Plumbaginæ*)—Light golden-coloured everlasting flowers. 1 ft. 6d. per pkt.

927. H.A. Statice Spicata (Everlasting)—Forms long spikes of rosy-pink flowers; of easy growth. 3d. per pkt.

1284. H.H.A. Statice Superba Flore Albo—A white blooming variety. The foliage forms an elegant rosette on the surface of the ground, from which numerous slender branched flower stalks are thrown up, the centre one attaining a height of about a foot. The latter are clad with innumerable

little delicate rose flowers, which afterwards become pure white. This very ornamental plant remains an uncommonly long time in flower. Per pkt., 1s.

926. H.A. Statice Suworowi—The finest of all annual Statice; similar in habit to *S. Spicata*, but greatly superior to it. Its branching flower spikes, of a very bright rose with a crimson shade, appear successively from ten to fifteen on each plant, and measure each fully 15 to 18 inches in length, and from $\frac{1}{2}$ to 1 inch in breadth. One plant will last in flower more than two months. 6d. per pkt.

Other Varieties of Statice can be supplied.

922. H.P. Stellaria Graminea Aurea (*Caryophyllæ*)—Neater than *Golden Feather*, and, like that, far better from seeds than plants. 3 in. 3d. per pkt.

Cannell & Sons' Complete Seed Guide.

923. *H.P. Stenactis Speciosa*, *syn. Erigeron Speciosus* (*Compositae*).—Purple flowers, plants 2 ft. high. If the seed is sown in a slight hot-bed in March, it will produce flowering plants the same year. 3d. per pkt.

Stipa—See Ornamental Grasses.



STREPTOCARPUS.

929. *G.P. Streptocarpus (Gesneracea) Newest Hybrids*—Remarkable for their abundance of bloom, and the continuous succession in which the flowers are produced for about four months in the Summer and early Autumn, and also for the long time the individual flowers last in perfection. The plant is a greenhouse perennial, of dwarf, neat habit, growing about 9 inches high, with rather long, narrow, arched and recurved stemless leaves; whilst the flowers, which are very graceful in form, are trumpet-shaped, and measure about $1\frac{3}{4}$ inches in length. The variation of colours in these hybrids is very striking, and the colours range from pure white, through pale lavender, lavender-blue, lilac-blue, light mauve, purple, violet, bright rose, and red to rich rosy purple, with all the intermediate tints, and in all the flowers the throat and three lower segments are more or less marked or splashed with long blotches or spots of various shades of purple, generally shaded and relieved with white, which greatly enhances the effect, and affords a pleasing contrast of colour. If seed is sown the end of January and February, the plants come into bloom the following June and July, and continue flowering freely until the end of September and October. 1s. per pkt. This popular greenhouse plant has now been brought to a very high state of perfection by careful culture and hybridisation, and the seeds now offered are selected from plants far in advance of the older varieties in richness of colour, size, and form of flower, containing only the most distinct and rarer shades; particularly amongst the purple, purplish violet, bright red, deep rose, and rich rosy purple. The whites are more pure, and the markings on the throat more defined. We have also saved seed of some of the lighter shades, which have been so much admired, and given such satisfactory results in former years. Seed saved from the newest forms and brightest colours. 1s. 6d. and 2s. 6d. per pkt.

1219. *G.P. Streptocarpus Wendlandii*—A most remarkable and interesting variety; it produces one immense sized leaf only, which is very often from 24 to 28 inches long and 12 to 15 inches broad; the flowers, which are violet-blue, and shaded white in certain parts, being produced from the main axis on rough hairy peduncles, attaining a height of 24 to 36 inches. Will be found useful for the conservatory, as the flowers are produced from June to November. It will be found best to sow the seed in a warm greenhouse, during the early part of the year, receiving the same temperature and treatment as the Gloxinia as they advance in growth. Per pkt., 2s. 6d. and 1s. 6d.

Sunflowers—See Helianthus.

Sweet Alyssum—See Alyssum Maritimum.

Sweet Sultan—See Centaurea Moschata.

Sweet William—See Dianthus Barbatas.

SWEET PEAS.

H.A. Lathyrus odoratus.

930. *Adonis*—Bright carmine. 3d. per pkt.

1220. *Alice Eckford*—Rich cream tinted cerise standards, white wings; a refined beautiful flower. 6d. per pkt.

931. *Apple Blossom*—The standard bright pinkish rose, the wings bluish; a beautiful shade of apple blossom. 3d. per pkt.



COPYRIGHTED 1895
W.A.B. & CO

1285. *Aurora*—The flowers are of fine substance, full expanded form, and are truly gigantic in size. The immense flowers are borne three and four on a stem; the stems are extra long and straggly. The vines are vigorous in growth, and bloom most profusely. The colour effect is gorgeous, both standard and wings are flaked and striped on a white ground with bright orange-salmon. For bunching alone, or to brighten a bouquet of assorted colours, nothing could be more effective. Per pkt., 6d.

932. *Blanche Burpee, New Giant White*—A white-seeded pure white of exquisite form and of immense size, bold upright shell-shaped standard of great substance. A wonderfully profuse bloomer; very chaste, and the finest white variety yet produced. 6d. per pkt.

933. *Blushing Beauty*—Soft pink, suffused with lilac; a superb flower; a distinct and lovely variety. 6d. per pkt.

934. *Boreatton*—Fine deep maroon self. 6d. per pkt.

1286. *Brilliant*—The flowers are of good substance, medium to large in size; the broad standard is inclined to hood, while the wings are well spread. The colour is of a rich, bright crimson-scarlet. The wings nearly equal the standard in intense richness of colour. The flowers are borne three on a stem. A most important point is in the fact that the flowers retain their full brilliancy of colour under the hottest sun, never becoming marbled or burned. Per pkt., 6d.

935. *Bronze King*—A perfectly distinct coppery bronze, the wings are pure white; charming variety. 6d. per pkt.

1289. *Burpee's New Countess*—This strain, which has been developed from a single plant selected some years ago, now comes almost absolutely true from seed. The flowers are of the largest size, and are a pure light lavender throughout, both on standard and wings. Nothing could be more beautiful than a bouquet of these dainty light flowers. Per pkt., 6d.

Cannell & Sons' Complete Seed Guide.

936. **Butterfly**—Wonderfully attractive. 3d. per pkt.

937. **Captain of the Blues**—The standards bright purple-blue, with pale blue wings; a very striking and fine variety. 6d. per pkt.

1221. **Captivation**—Rosy-purple self, finely expanded shell-shaped standard; quite distinct and beautiful. 6d. per pkt.

938. **Cardinal**—Bright shining crimson-scarlet. 6d. per pkt.

1226. **Carmen Sylva**—The standard shading off from a dark purplish carmine base in the centre to light rose at the edge, with bright heliotrope blue wings. 1s. per pkt.

1222. **Celestial**—Robust growth, remarkably large-flowering, and very floriferous. The flowers, freely borne on slender stalks, are of a wonderfully tender aerial blue. 6d. per pkt.

1223. **Countess of Aberdeen**—White, margined with pale pink; finely formed standards; charming, very lovely. 6d. per pkt.

939. **Countess of Radnor**—Pale mauve standards, with a deeper shading of mauve, wings pale lilac or delicate mauve. 6d. per pkt.

1224. **Crown Jewel**—Pale standard, tinted and veined with violet rose; the wings creamy, slightly tinted with rose; a most profuse bloomer. 6d. per pkt.



BRONZE KING.

1225. **Sweet Pea, Cupid**.—White Tom Thumb.

The foliage is very dark green; blossoms pure, waxy white, of unequalled substance, and fully as large as *Emily Henderson*. The plant does not grow over 5 inches high, and never more than 12 to 15 inches in diameter; the stems are about 4 inches long, bearing two or three blossoms, all very near the end of the stem. It is a wonderfully free bloomer, and begins to flower as early as May and continues until November. The seed is white and of usual size. Per pkt., 8d. and 1s.



The illustration was accurately engraved from a photograph, taken on May 25th, of one of the three pieces (in all seven acres), but fails to show the beauty of the photograph. It began to bloom on April 15th, and continued to flower until killed by frost. In length of season of blooming it excels all other Sweet Peas, while in habit it is, of course, quite unique.

941. **Duchess of York**—White, deeply striped and barred with delicate pinkish purple; a very pleasing shade of colour, and a large flower of perfect form. 6d. per pkt.

943. **Duke of Clarence**—Rosy claret self-coloured flower, large; very fine. 6d. per pkt.

942. **Duke of York**—The standard is bright rosy pink, with a primrose tint in it; the rings are primrose, tinted white; distinct. 6d. per pkt.

944. **Eckford's**—Finest varieties, mixed; a splendid strain. 6 ft. 6d. per pkt.

945. **Eliza Eckford**—Award of Merit. Standards a pretty hue of rose, wings delicately striped with rose; pretty and attractive. 6d. per pkt.

946. **Emily Eckford**—A superb flower, of a well-marked cerulean tint, the standard suffused with reddish mauve, closely approaches a true blue; a most desirable variety, large, and of good substance. 6d. per pkt.

UNIQUE NEW DWARF SWEET PEA, CUPID.

947. **Emily Henderson**—Pure white. The flowers are large, with broad round standards that stand up boldly without reflex or curl. For forcing under glass it is particularly adapted. Per pkt., 6d.

948. **Empress of India**—Clear rosy-pink standards and white wings; large and very pleasing. 3d. per pkt.

949. **Fairy Queen**—Flesh-coloured. 3d. per pkt.

950. **Firefly**—A self-coloured, intense, glowing crimson, good size and substance; a very free bloomer. 6d. per pkt.

951. **Gaiety**—The standards white striped, and flaked with bright rosy-lilac, the wings delicate blush. 6d. per pkt.

1227. **Her Majesty**—Pinkish rose, shaded carmine. 3d. per pkt.

952. **Indigo King**—Standards dark maroon purple, wings clear indigo blue. 3d. per pkt.

953. **Invincible Scarlet**—3d. per pkt.

Cannell & Sons' Complete Seed Guide.



EMILY HENDERSON.

954. **Isa Eckford**—Creamy white, suffused with rosy pink. 6d. per pkt.
955. **Lady Beaconsfield**—Award of Merit. Salmon standards, tinted rose, the wings pale yellow; very distinct and beautiful. 6d. per pkt.
956. **Lady Penzance**—Award of Merit. Pale, but very bright rose; very striking and distinct; a most chaste and lovely flower. 6d. per pkt.
1230. **Little Dorrit**—Carmine, tinted pink, standard of finest form, large white wings; the colours beautifully harmonised; a superb, lovely variety. 6d. per pkt.
957. **Lottie Eckford**—The reverse of the standards deep mauve, paler on the surface, the wings white, beaded with soft mauve. 6d. per pkt.
1228. **Madame Carnot**—An almost self-coloured porcelain blue when fully expanded, shaded with a singular metallic-coppery lustre. 1s. per pkt.
958. **Meteor**—The standards very bright orange salmon, the wings delicate pink with slight veins of purple; very rich. 6d. per pkt.
1229. **Mikado**—Deep orange-cerise ground, striped white, of exquisite form and good size; very pleasing and desirable. 6d. per pkt.
959. **Monarch**—Bronzy-crimson standards, with rich deep blue wings; a very large and striking variety. 6d. per pkt.
960. **Mrs. Gladstone**—Delicate pink standards, the wings blush, edged with delicate pink. 6d. per pkt.
961. **Mrs. Joseph Chamberlain**—White, striped, and flaked heavily with bright rose; fine form; very striking and pretty. 6d. per pkt.
962. **Mrs. Sankey**—Pure white; a large bold flower. 6d. per pkt.
1288. **Coquette**—Deep primrose colour, just shaded fawn, suffused with a pleasing and subtle tint of purplish rose; a most fascinating flower. 6d. per packet.

1287. **Countess of Shrewsbury**—A beautiful deep clear pink, suffused with a lovely shade of light purple, the wings blush pale pink; large and fine. One of the grandest. 6d. per pkt.

1290. **Creole**—A chance seedling from *Lemon Queen*; the flowers are of the same open, expanded form. Of good substance and large size; the vines average three flowers on a stem. The standard is light pinkish lavender, while the wings are a pure lavender. The flowers are of a most refined, delicate beauty, and yet produced profusely. Per pkt., 6d.

1291. **Golden Gate**—Of good substance and large size, with standard of fine hooded form. The novel feature is seen in the long, pointed wings which stand upright (like the ears of a rabbit), nearly parallel with the standard. The wings never overlap or meet together, as in all other Sweet Peas. The distinct, upright form, parallel with each other, suggested the name—*Golden Gate*. The numerous strong stems bear three and four flowers each, while a remarkable feature is that two stems frequently grow together (united their entire length), bearing six to eight flowers on one truss. The standard is soft pinkish mauve; wings a lighter mauve and lavender. Per pkt., 6d.

1292. **Lovely**—First-Class Certificate. The most pleasing shade of pink, wings delicate rose, charming colour; large, very grand flower; a great acquisition. 1s. per pkt.

1293. **Maid of Honour**—An Improved *Light Butterfly*, and is a decided improvement, both in size, form, and colour. The colouring is very beautiful—lighter than the original *Butterfly*; it is light blue on a white ground, shaded and edged. The flowers, borne three on a stem, are of the finest hooded form, entirely free from notches so conspicuous in the original *Butterfly*, while in size and substance they are fully equal to *Lottie Eckford*. Per pkt., 6d.

1294. **Mars**—Award of Merit, R.H.S., 1895. Bright fiery crimson deepening with age; a large finely expanded, bold flower, of the most beautiful form; a great advance on every crimson yet introduced. 6d. per pkt.

1295. **New American Seedlings**—All of the largest size, perfect form, and of the most beautiful colourings. By crossing and re-crossing the finest new Sweet Peas of the improved large-flowering type there has occurred the most remarkable "break," which we now offer in mixture as *BURPEE'S NEW AMERICAN SEEDLINGS*. In gathering a bouquet of these beautiful new seedlings we counted 24 distinct shades and colours. Among the shades and colours, which are distributed quite evenly, is one of an almost true orange, another of lemon blush, while others are of pure cream, lemon, lemon tinted with blush, orange-red, salmon-buff, also salmon-buff with pink edge, blue-edged, light lavender and all shades of pink from very light (nearly white) to the richest deep rose colour. All the flowers are of fine expanded form, of the largest size and of wonderful substance. This strain is remarkable also for its free-flowering character; the grand flowers are borne three and four on a stem. 6d. per pkt., 1s. per oz.

963. **Novelty**—Orange-rose standards, the wings delicate mauve, lightly margined with rose; very bright. 6d. per pkt.

964. **Orange Prince**—Standard bright orange-pink, flushed scarlet, wings rose-pink. 3d. per pkt.

965. **Ovid**—The standards and wings bright rose-pink, margined rose; a very pleasing flower; a great gem. 6d. per pkt.

966. **Painted Lady**—3d. per pkt.

967. **Peach Blossom**—Salmon-pink standards, the wings soft pink; very pleasing indeed. 6d. per pkt.

1296. **Prima Donna**—A most lovely shade of soft pink, of large size and fine form; a great gem. Very frequently bears four flowers on a stem, which are extremely prettily placed. 6d. per pkt.

968. **Primrose**—A near approach to a Yellow Sweet Pea, quite novel and distinct in colour; the standards and wings pale primrose yellow. Awarded First-class Certificate. 6d. per pkt.

969. **Princess Beatrice**—A beautiful pink. 3d. per pkt.

970. **Princess May**—A most beautiful and distinct variety, colouring is of a delicate shade of pale heliotrope or lavender. The flowers are large, and the wings and standard well expanded. 6d. per pkt.

1231. **Princess of Wales**—Striped purplish mauve on white. 3d. per pkt.

971. **Princess Victoria**—Standards dark cerise, the wings mauve-pink and slight lines of rose; very pretty and attractive. 3d. per pkt.

972. **Purple or Black**—3d. per pkt.

973. **Queen of England**—White; of large size and good substance. 3d. per pkt.

974. **Queen of the Isles**—Bright scarlet ground, mottled with white and purple. 3d. per pkt.

Cannell & Sons' Complete Seed Guide.

1297. **Red Riding Hood**—When fully developed, the standard and wings are a pleasing rosy-pink, shading to blush white at the calyx; the keel, which is almost completely enveloped, being nearly pure white. Early flowering. The standard is diminutive and peculiarly convoluted, forming a hood round the wings which protrude in wavy form, lending a novel and pleasing character to the flowers. The length and rigidity of the stems are remarkable, they are 18 inches long, and when cut the stem and bloom retain their stability for a much longer period than other sorts. Per pkt., 8d.

975. **Rising Sun**—Very striking and pretty, the standard embracing a curious mixture of orange and rose, shaded and splashed or spotted carmine, wings pale rose, shading off to blush white. 6d. per pkt.

976. **Royal Robe**—Delicate pink standards, the wings soft blush pink; a lovely flower, an exquisite variety. 6d. per pkt.

1298. **Royal Rose**—The standards deep rosy-pink, the wings a most charming light rosy-pink, almost a self-coloured flower of handsome shape and immense size. 8d. per pkt.

977. **Senator**—A large bold flower, finely expanded standards, shaded and striped chocolate on creamy ground; a lovely variety. 6d. per pkt.

978. **Splendour**—Colour rich bright pinkish rose, shaded with crimson. 6d. per pkt.

979. **Stanley**—Deep maroon self, large, very handsome, distinct; of the finest form and substance, a great advance. 6d. per pkt.

1299. **Striped Celestial**—The flowers are of the same size, delicate and true as the *Celestial*, but is marked with stripes of a darker bluish-violet, drawn with more or less regularity. In habit of plant and for richness of bloom it equals *Celestial*, and like the latter it will surely acquire the entire favour of every gardening friend. 8d. per pkt.

1300. **Sultan**—A fine and distinct variety; standards rich maroon, keel and wings pale lilac or mauve, edged all round with a narrow dark blue border, giving the whole a finished appearance. The contrast of the two colours is very striking and pleasing in appearance, flowers are large, petals stout, and the standards quite upright. 1s. per pkt.

980. **Venus**—Salmon buff, the standards delicately shaded rosy pink, very distinct; charming. Certificate of Merit, R.H.S. 6d. per pkt.

981. **White**—3d. per pkt.

982. **H.A. Cannell's Selected Sweet Peas (*Lathyrus Odoratus*)**—Finest, mixed. 6 ft. 3d. per pkt., 4d. per oz., 2s. 6d. per pint.

COLLECTIONS OF SWEET PEAS.

983. **24 Varieties**, to name, choice. Twenty-five seeds of each, 3s. 6d.

984. **12 Varieties**, to name, choice. Twenty-five seeds of each, 2s.

985. **12 Varieties**, to name. Twenty-five seeds of each ... 1s. 3d.



TAGETES SIGNATA PUMILA.

987. **H.H.A. Tagetes Signata Pumila (*Compositae*)**—A miniature variety of Marigold, with small pinnate leaves, golden-yellow flowers, striped with crimson during Autumn and Summer months; one of the most useful annuals for bedding and decorative purposes. 1 ft. 3d. per pkt.

CANNELL'S IMPROVED AND RE-SELECTED TROPÆOLUMS.

1234. **H.H.A. Tropæolum "Liliput"**—The plant is in every respect smaller than the *Tom Thumb*, and the dainty little flowers, produced in the greatest profusion, and peering up well above the small cut foliage, make it one of the prettiest annuals imaginable. The blossoms are of the most various showy colours. 1s. per pkt.

Tassel Flower—See *Cacalia Coccinea*.

1232. **G.B. Tecoma Smithi**—An exceedingly beautiful addition to our Autumn and early Winter-flowering greenhouse plants. Handsome pinnate leaves. The seed may be sown at any time. It is as easily managed as a *Chrysanthemum*, the flowers lasting in perfection upwards of a month. As many as 100 flowers are sometimes produced from a single shoot, the total height of which is not more than 18 inches; flowers are tubular, of a rich lemon and dark orange combined. Per pkt., 1s. 6d.

991. **G.A. Thunbergia**—Mixed. Per pkt., 6d.

988. **G.A. Thunbergia Alata (*Acanthaceae*)**—Beautiful climber for pot culture in conservatories, and for low walls on warm aspects in the garden, flowering profusely throughout the Summer; flowers pale buff with nearly black throat. 4 to 6 ft. 3d. per pkt.

989. **G.A. Thunbergia Alata Alba**—Flowers white, with black eye. Per pkt., 6d.

990. **G.A. Thunbergia Aurantiaca**—Rich orange flowers with black eye. Per pkt., 6d.

G.A. Tobacco—See *Nicotiana*.



TORENIA.

992. **G.A. Torenia Baillonii, syn. Flava (*Scrophulariaceae*)**—A gem; yellow, with a purplish-brown tube; is very effective as a basket plant in a compost of two parts peat and one part loam and leafy mould. 9 in. 1s. per pkt.

993. **G.A. Torenia Fournieri Cœlestina**—A very pretty and delicate colour; the upper part of the flower is nearly pure white, whilst the side florets are of a most pleasing tint of soft mauve. 1s. per pkt.

994. **G.A. Torenia Fournieri Grandiflora Cœlestina**—Very attractive, a beautifully tinted variety of this lovely annual; flowers white, with light azure blue spots. To be recommended for pot culture. 1s. per pkt.

1301. **G.A. Torenia Fournieri Speciosa, "Princess Helen of Montenegro"**—Of vigorous growth and well furnished with branches; the flowers are much larger and finer than other varieties in this beautiful coloured and much admired family. 1s. 6d. per pkt.

995. **G.A. Torenia Fournieri Superbens**—Large sky-blue flowers, with indigo blue spots and bright yellow in centre. If sown from February to April will bloom under glass from June to September, and will also thrive well if planted out in the Summer months in a warm climate. 1 ft. 1s. per pkt.

995a. **H.H.A. Trichosanthes Colubrina, syn. Anguina (*Cucurbitaceae*)**, Snake Gourd—Beautiful climbing plant, with long, elegant, serpent-like fruit from 5 to 6 feet in length, which when ripe is of a brilliant carmine colour. 3d. per pkt.

996. **H.H.A. Tropæolum Lobbianum (True)**—Elegant, and remarkable for their richly diversified colours and profusion of bloom, being equally adapted for in or out door decoration, and very graceful growing over trellises, pillars, walls, &c. Best named kinds, to colour, can be supplied. (See collections, page 53.) Mixed. 3d. per pkt.

Cannell & Sons' Complete Seed Guide.

997. H.A. *Tropæolum Majus*—Strong growing; tall. Mixed, 3d. per pkt. Best named kinds, to colour, 6d. per pkt.

998. H.H.A. *Tropæolum*, *syn. Peregrinum (Aduncum) Canariense*, Canary Creeper—8 ft. 6d. per pkt.

999. H.A. *Tropæolum*, Tom Thumb, Crystal Palace Gem—Sulphur, spotted with crimson. 3d. per pkt.

1000. H.A. *Tropæolum*, Tom Thumb, Empress of India—One of the best of this section; very showy; a gem. 6d. per pkt.

1001. H.A. *Tropæolum*, Tom Thumb, King Theodore—A distinct and very effective variety; foliage bluish green; habit compact; flowers very dark velvety crimson, borne in great profusion many months in succession. 3d. per pkt.

1002. H.A. *Tropæolum*, Tom Thumb (Mixed)—Containing many showy varieties. Best named kinds, to colour, 3d. per pkt.

1003. H.A. *Tropæolum*, Tom Thumb, Pearl—Creamy white; very pretty. 3d. per pkt.

1004. H.P. *Tropæolum Speciosum*—Tuberous-rooted. 1s. per pkt.

1005. H.A. *Tropæolum*, Tom Thumb, Beauty—Scarlet and yellow. 3d. per pkt.

1006. H.A. *Tropæolum*, Tom Thumb, Coccineum Folius Aureus—Yellow-leaved Dwarf Nasturtium; flower scarlet, which forms a striking contrast with the pretty light foliage; very attractive as a bedding plant. 6d. per pkt.

1007. H.A. *Tropæolum*, Tom Thumb, Cœrulea-Roseum—3d. per pkt.

1008. H.A. *Tropæolum*, Tom Thumb, Ruby King—3d. per pkt.

1010. H.A. *Tropæolum*, Tom Thumb, Scarlet—Very bright in colour and effective as a bedder. 3d. per pkt.

1009. H.A. *Tropæolum*, Tom Thumb, Spotted—Scarlet and yellow. 3d. per pkt.

1011. H.A. *Tropæolum*, Tom Thumb, Yellow—Clear yellow. 3d. per pkt.

1233. H.P. *Tupa Montana*—Rare Lobeliacea from Chili, well worth cultivating on account of its great beauty; similar in growth to the *Lobelia Fulgens Queen Victoria*. Each plant produces, the second year from being sown, five to six flower spikes of 4 to 5 feet in height well set with 60 to 100 deep-scarlet blossoms; the leaves are of a greyish-green colour. The culture is the same as that of the *Lobelia Fulgens* varieties, 1s. 6d. per pkt.

1012. S.P. *Tydæa Hybrida Nana*—Attaining a height of 6 to 9 inches when in full bloom, being very free flowering, and varying in the same magnificent colours and strains as the tall sorts. Its very dwarf habit renders it very valuable, being equally as pretty as *Gloxinias*, and if sown early and potted forward these gay and effective varieties will also bloom the same season and at the same time. 1s. per pkt.

1013. H.P. *Valeriana Ruber (Valerianæ)*—The well known red garden Valerian. 2 ft. 2d. per pkt.

Venus Looking-Glass—See *Campanula Speculum*.

1014. H.P. *Verbascum Olympeum*—Flower spike from 6 to 8 ft. in height; flowers of a soft yellow shade, very sweet; large woolly leaves. For the back part of a mixed border, or grouping with other plants of remarkable size it is well suited. 6d. per pkt.

1015. H.P. *Verbascum Pannosum*—A native of the Rhodope Mountains in South Bulgaria. It produces a very large rosette of downy, silvery-grey foliage, in the centre of which rises the stately flower-spike, attaining a height of 4 to 5 feet by 1½ inches in diameter, and being mostly unbranched. Flowers are rather large and of a bright yellow colour. The single leaves often measure more than 3 feet in length. 6d. per pkt.

1016. H.P. *Verbascum Phœniceum Roseum*—Very showy, flowering freely throughout the Summer. 2 ft. 3d. per pkt.


1017. H.P. *Verbascum Wiedemannianum (Blue Knapweed)*—A magnificent species from Kurdistan, in Asia Minor. It is a very fine flowering plant, growing more compact than *V. phœniceum*, producing many side branches on the flower stems covered with blossoms of a pleasing indigo-blue changing to lilac-purple. 1s. per pkt.

1018. H.H.P. *Verbena (Verbenacæ) Hybrida Candidissima*—Large, pure white flowers. 6d. and 1s. per pkt.

1019. H.H.P. *Verbena Hybrida Dark Blue*—6d. and 1s. per pkt.

1020. H.H.P. *Verbena Hybrida Defiance*—Beautiful rich scarlet flowers. 6d. and 1s. per pkt.

1021. H.H.P. *Verbenas (Choicest Mixed)*—This seed is saved from our best collection—in fact, from all the best at present in cultivation. Sow in heat early in Spring. 6d. and 1s. per pkt.



VERBENA.

1022. H.P. *Verbena Venosa*—A good old bedding plant; the true variety. 1½ ft. 3d. per pkt.

1023. H.P. *Veronica Spicata (Scrophularinæ)*, Speedwell—Long, elegant spikes of rich blue. 3d. per pkt.

1349. H.A. *Veronica Syriaca*—Bright blue; useful for edgings. ½ ft. 3d. per pkt.

1350. H.A. *Veronica Syriaca Alba*—Pure white; free flowering, ½ ft. 3d. per pkt.

1024. H.H.P. *Vinca Rosea (Apocynacæ)*—These beautiful and easily cultivated plants when sown in Spring flower in Summer, and are important in the decoration of the conservatory and sitting-room; they succeed out of doors in warm situations; flowers rose, white centre. 1 ft. 3d. per pkt.

1025. H.H.P. *Vinca Rosea Alba Pura*—Pure white. 1 ft. 3d. per pkt.

H.P. *Violas (Violariæ)*—For continuous lines, ribbons, and edging to large beds, or intermingled with other plants these are charming; continuously in bloom if attended to.

1026. *Champion*—White, useful for bedding. 6d. per pkt.

1031. *Finest Mixed*—6d. and 1s. per pkt.

1027. *Skylark*—White, blue edges; showy. 6d. per pkt.

1028. *Souvenir*—Bright mauve, very large and fine. 6d. per pkt.

1029. *Warrior*—Pale indigo blue. 6d. per pkt.

1032. *White Czar (Violet)*—6d. per pkt.

1030. *Yellow Boy*—Fine yellow; very free. 6d. per pkt.

H.A. *Virginia Stock (Malcolmia) (Crucifera)*—When sown in February or March, a very gay display is produced in the flower garden with this plant, while Spring flowers are passing away and Summer flowers are coming on. 6 in.

1034. *Crimson King*—2d. per pkt.

1035. *Pigmy*—Dwarf, compact white. 2d. per pkt.

1036. H.A. *Virginian Stock (Mixed)*—2d. per pkt.

1040. H.A. *Viscaria (Mixed)*—Lovely little flowers, borne on graceful stems well above the foliage; is most valuable when gathered for specimen glasses, baskets, &c. 2d. per pkt.


1037. H.A. *Viscaria Cardinalis (Caryophyllæ)*—Splendid cardinal coloured. 1 ft. 2d. per pkt.

1038. H.A. *Viscaria Cœrulea*—Blue; this fine variety produces a nice contrast with *cardinalis*. 1 ft. 2d. per pkt.

1039. H.A. *Viscaria Elegans Picta*—Scarlet margined white; elegant and beautiful. 1 ft. 2d. per pkt.

1041. H.H.A. *Waltzia Grandiflora (Compositæ)*—Everlasting flower, valuable for Winter bouquets; flowers bright yellow. Requires picking early on account of the centre soon becoming discoloured. 1½ ft. 6d. per pkt.

Cannell & Sons' Complete Seed Guide.



TROPÆOLUM LOBBIANUM.



TROPÆOLUM TOM FUMB.



TYDÆA HYBRIDA NANA.



TROPÆOLUM PERGRINUM CANARIENSE.

CANNELLS' WALLFLOWERS. (*Cheiranthus Cheiri*.) CRUCIFERÆ.



WALLFLOWER, EARLY SINGLE ANNUAL.

Wallflowers are prized for their delicious fragrance. In the Spring they are indispensable for beds, groups, and ribbons. The large massive

conspicuous spikes of the double German varieties have a charming effect, while the more bushy compact growth and profuse blooming of the *Single Wallflowers* render them exceedingly attractive. A mass of *Golden Tom Thumb*, with its unalloyed rich golden orange blossoms, is a sight unrivalled, and so profusely does it bloom as to resemble a dense carpet of gold.

1043. Wallflower, Early Single Annual—If sown early in March in a frame, will begin flowering in June, and continue until late in the Autumn. The flower is of a pretty light brown colour, very agreeably scented; well adapted for pot culture and market purposes. 6d. per pkt.

1042. Wallflower, Eastern Queen, Large Flowered Single—In habit it resembles the well-known *Dresden Forcing*, being very bushy 1 ft. Flowers of a bright chamois, changing to salmon-red, a very pleasing shade. The effect is decidedly surprising, as it differs so widely in colour from any hitherto existing variety. Per pkt., 1s.

1044. H.P. Bedford Yellow—Fine colour, rich golden yellow. 2d. per pkt.

1045. H.P. CANNELLS' IMPROVED MAROON—Very dwarf blood-coloured Wallflower. The darkness and the perfume of this variety far exceeds all others, and a few plants are a feature in every garden. 1½ ft. 6d. per pkt.

1046. H.P. Covent Garden—Dark blood red. 1½ ft. 2d. per pkt.

1047. H.P. Double German—Dwarf, compact habit; exceedingly fine massive spikes of beautiful flowers. Finest mixed. 6d. and 1s. per pkt.

1235. Wallflower, Ruby Gem—The colour is a beautiful clear shade of ruby-violet, with a bluish satin-like sheen (quite unlike the old purple Wallflower, which is much more dark and dull in colour), and when seen in a mass the effect produced is very striking; it has the habit of the ordinary dark blood Wallflower of medium height, and the flowers are extra large and of good substance. Per pkt., 6d.

Cannell & Sons' Complete Seed Guide.

1048. H.P. **Golden Tom Thumb**—Ought to be more generally grown in every garden than it has been, for it is a mass of flower all the Winter and Spring. 1 ft. 2d. per pkt.

1049. H.P. **Harbinger**—Autumn and Winter flowering Wallflower, extremely early flowering; great acquisition all the Spring; flowers brown. 1½ ft. 3d. per pkt.

1050. H.P. **Sisley's Broad Petalled Winter Flowering**—Far superior to English varieties; surprise and admiration of all. Should be introduced into every garden. 3d. per pkt.

1051. H.P. **Wallflower, Clemence Hatton**—Rich yellow; one of the very finest. 3d. per pkt.

1052. H.P. **Wallflower**—Graham's Yellow Perfection. 2d. per pkt.

1053. H.P. **Wallflower**—Single, mixed. 2d. per pkt.

1054. **Wallflower**—Single, dwarf Harbinger; brown. 6d. per pkt.

1055. **Wallflower**—Single, dwarf; brilliant red. 6d. per pkt.

Two pretty colours of the Dwarf Single Wallflower, which will be much appreciated by all lovers of this popular flower.

1056. H.P. **Wallflower Primrose Dame**—Quite distinct from all others; colour a pale lemon; forms a striking contrast to the dark varieties. 3d. per pkt.

Welsh Poppy—See *Meconopsis*.



WALLFLOWER (DOUBLE GERMAN).

1057. H.A. **Whitlavia Gloxiniaëoides (Phacelia) (Hydrophyllaceae)**—The fine Gloxinia-like blooms of these recommend them for flower beds and border decoration during both Spring and Summer. 1 ft. 2d. per pkt.

1351. H.A. **Whitlavia Grandiflora**—Rich violet, bluebell-shaped flowers, for beds or borders. 1 ft. 3d. per pkt.

1352. H.A. **Whitlavia Grandiflora Alba**—Pure white, slightly scented. 1 ft. 3d. per pkt.

1058. H.H.P. **Wigandia Caracasana, syn. Macrophylla (Hydrophyllaceae)**—Useful as single specimens on the lawn and sub-tropical effect. 6 ft. 6d. per pkt.

1353. H.H.P. **Wigandia Imperialis**—Useful in the sub-tropical garden. 6 ft. 1s. per pkt.

Winter Cherry—See *Physalis*.

1059. H.A. **Xeranthemum Annuum Superbissimum (Compositae) Immortelle**—Beautiful violet-purple everlasting flowers. The cut flowers are peculiarly interesting and desirable as dried specimens; handsome bouquets may be formed of them for indoor decoration during the Winter, if the blooms be gathered when upon the point of opening. 1½ ft. To be treated the same as the *Aster*. 3d. per pkt.

1060. H.A. **Xeranthemum Annuum Superbissimum fl. pl. Alba**—Fine globular heads of pure white flowers. 1½ ft. 3d. per pkt.

1061. H.H.P. **Zauschneria Californica**—Suitable for pot culture; orange-scarlet flowers; delights in plenty of sunshine and warmth. 1 ft. 1s. per pkt.

1074. H.H.A. **Zea Japonica Variegata (Striped Japanese Maize)**—Free growing and very ornamental, 4 ft.; leaves broad, alternately striped with green and white, and one of the best ornamental foliage plants that we possess; invaluable for the centre of beds or borders. Sow in March. 3d. per pkt., 6d. per oz.



WALLFLOWER, RUBY GEM.



WIGANDIA CARACASANA.

Cannell & Sons' Complete Seed Guide.



CANNELL'S ZINNIA.

In some seasons the first or early flowers of Zinnias do not come perfectly double, it is therefore best to allow a fair time to elapse before weeding them out.



ZEJA JAPONICA VARIEGATA



ZINNIA LILLIPUT.

CANNELLS' FINEST EXHIBITION

DOUBLE ZINNIA.

H.H.A. Cannells' Zinnias (*Compositae*)—These are amongst the most dazzling and durable of annuals, and the way in which they look best is in a bed or masses of mixed colours. Why many fail with them is in sowing them too soon, as they either get drawn or starved before it is safe to plant them out, or they get pinched with cold, and in either case they get such a check that they seldom recover. Any time in April is quite early enough to sow the seed, which ought to be sown in gentle heat to get it to germinate. As soon as the plants are up stand near the glass to keep them strong and stocky, and after being pricked out into boxes and well rooted, harden off gradually for a week or so ready to plant out in rows a foot apart, and the same distance from plant to plant. To grow well and enable them to stand dry weather Zinnias require a good soil which has been deeply dug with plenty of rotten manure worked in.

The *Pumila* varieties, which are dwarf and compact, are admirably adapted for pot plants. The single Zinnias are also very handsome, while it would be impossible to speak too highly of the double and single varieties of *Haageana* for beds, rockwork, and masses in the borders. The seeds are carefully selected from the finest and most perfect flowers only.

1070. Zinnia, Double Liliput, Scarlet Gem—Extremely pretty scarlet-flowered variety, can be used with great success in pots as well as for groups and borders. About 1½ ft. high, short-stemmed, very double flowers, hardly exceeding a large daisy in size. Per pkt., 1s.

1066. H.H.A. Zinnia Elegans Alba fl. pl.—A beautiful variety, producing magnificent double white flowers all through the season. 1½ ft. 6d. per pkt.

1062. H.H.A. Zinnia Elegans, Single—Mixed. 2d. and 6d. per pkt.

1063. H.H.A. Zinnia Elegans, Double—Mixed. 3d. and 6d. per pkt.

1069. H.H.A. Zinnia Elegans Nana fl. pl. Striata—As in the case of the tall double-striped varieties, the semi-dwarf class now offered comes about 50 per cent. true from seed, and includes in its range a great variety of very effective colours. 6d. and 1s. per pkt.

1067. H.H.A. Zinnia Elegans Pumila fl. pl.—Great acquisition for ribbon borders, &c. Its flowers are perfectly double, and include many brilliant colours. 12 to 15 in. 6d. and 1s. per pkt.

1068. H.H.A. Zinnia Grandiflora Robusta Plenissima—Producing very large fine flowers of the richest shades of colour; vigorous, bushy growth. 2½ to 3 ft. 6d. and 1s. per pkt.

1065. H.H.A. Zinnia Haageana fl. pl.—Habit similar to the single form known under the name of *Z. Haageana*, but its brilliant orange flowers are full, double, and regularly built; ought to be more grown. To be sown and grown the same as recommended for the Aster. 6d. per pkt.

1302. Zinnia Liliput "Golden Gem"—A worthy compeer to the beautiful *Scarlet Gem* and *White Gem*. The diminutive and very double flowers of this charming novelty are of a brilliant golden yellow, and when used for bedding, produce a most striking effect; also excellent for pot culture. 1s. per pkt.

Cannell & Sons' Complete Seed Guide.



1073. *Zinnia Dwarf, Double Striped*—The seed will produce 60 to 65 per cent. of very fine striped or Zebra-marked flowers, whose range of colour includes a great variety of very effective shades. 6d. and 1s. per pkt.

1071. *Zinnia elegans fl. pl. Crispa*. The Curled and Crested Zinnias—The flowers are of perfect form, large and double, the petals being twisted, curled, and crested into the most fantastic contortions and graceful forms, rendering them entirely free from the stiffness which is characteristic of this family. Their ease of culture, and their early and long continued bloom, will render them popular garden favourites wherever tried. 6d. per pkt.

1072. *Zinnia Lilliput, Double-flowered*—A very dwarf and improved form of this interesting class of Zinnias. 6d. and 1s. per pkt.

**For Collections of
Zinnias, see page 53.**

GARDENING PUBLICATIONS.

Book about Roses. By Rev. Canon Hole. 2s. 6d.; post free, 2s. 9d.

Book on Vines. By A. Barron. 5s.; post free, 5s. 6d.

Carnations and Picotees. By E. S. Dodwell. Paper, 1s. 6d.; post free, 1s. 7d.

Chrysanthemums and Their Culture. By E. Molyneux. 1s.; post free, 1s. 2d.

Ferns. By J. Birkenhead. 1s.; post free, 1s. 3d.

Mushrooms. By J. Wright. 1s.; post free, 1s. 2d.

How to Grow Vegetables and Fruit for Exhibition and Profit. By George Garner. Quarter bound cloth, post free, 1s. 2d.; full cloth, post free, 1s. 8d.

Notes on Lilies. By Dr. A. Wallace. Post free, 4s. 9d.

Orchids. By H. A. Burberry. 5s.; post free, 5s. 6d.

Profitable Fruit Growing. By J. Wright. 1s.; post free, 1s. 3d.

Rose Growing. By D. Gilmour. 1s.; post free, 1s. 2d.

Sweet Scented Flowers and Fragrant Leaves. By D. McDonald. Post free, 5s. 6d.

Vegetable Culture. By Alex. Dean. 1s.; post free, 1s. 2d.

The Amateur's Handbook on Gardening, conducted on quite new and novel lines. 2s. 6d.; post free, 2s. 9d.

Tomato Growing. By W. Iggulden. 1s.; post free, 1s. 3d.

Tuberous Begonias. By B. Ravenscroft. 1s.; post free, 1s. 3d.

Table Decorations: A Book on Dinner Table Decoration, with 19 Illustrations. By William Low. Post free, 4s. 9d.

FLORISTS' FLOWER SEEDS.

Should any amateur or gardener have seed of the above from a choice first-class strain, and would kindly send a fair sample of bloom for inspection, if satisfactory, H. CANNELL & SONS, DEALERS IN ALL KINDS OF FLORISTS' FLOWER SEEDS, would be glad to exchange or purchase the same.

Cannell & Sons' Complete Seed Guide.

USEFUL PLANTS FOR VERY LARGE BEDS, &c.,

Which see

Abutilon	Helianthus
Acanthus	Hibiscus
Beta	Hollyhock
Bocconia	Hyacinthus
Canna	Lavatera
Cannabis	Lobelia Phormium
Canterbury Bells	Lunaria
Carduus	Malope
Centaurea	Malva
Dahlia	Marvel of Peru
Datura	Nicotiana
Delphinium	Ricinus
Digitalis	Rocket
Eryngium	Solanum
Eucalyptus	Verbascum
Ferdinandia	Wigandia
Grevillea	Zea



ZINNIA HAAGEANA FL. PL.

CANNELLS' LIST OF PENNY PACKETS OF FLOWER SEEDS.

We are growers of Flower Seeds in large quantities, and of the very best quality in Europe, and now offer the following in Penny Packets for cottagers. Our facilities enable us to be more generous, and to send better seeds, than any other house in England.

12 packets post free; if less than 12 packets are ordered, extra stamps must be sent to cover the postage.

1075. Adonis, Flos	1092. Erysimum Arkansanum	1109. Pansy, Mixed
1076. Antirrhinum	1093. Eschscholtzia Californica	1110. Papaver Somniferum, Double
1077. Aster, Chinese, Mixed	1094. „ „ Alba	1111. „ Orientale
1078. Balsam, Double	1095. Gilia, Mixed	1112. „ Umbrosum
1079. Calliopsis Drummondii	1096. Godetia Whitneyi	1113. Poppies, Mixed (annual varieties)
1080. Candytuft, White Rocket	1097. „ Mixed	1114. Saponaria Calabrica
1081. „ Crimson	1098. Helichrysum, Mixed	1115. Silene Pendula, Mixed
1082. „ Mixed	1099. Linum Grandiflorum Rubrum	1116. „ „ Ruberrima
1083. Canterbury Bells, Mixed	1100. Love-Lies-Bleeding	1117. Stock, Ten-Week, Mixed
1084. Clarkia, Mixed	1101. Marigold, African, Mixed	1118. Sunflower
1085. Collinsia Bicolor	1102. Mignonette	1236. Sweet Peas, Mixed.
1086. Convolvulus Major, Mixed	1103. Myosotis (Forget-me-not) Blue	1119. Sweet William, Mixed
1087. „ Minor, Mixed	1104. Nasturtium, Tall, Mixed	1120. Virginian Stock, Mixed
1088. Cornflower, Mixed	1105. „ Dwarf, Mixed	1121. Viscaria, Mixed
1089. Delphinium Elatum, Mixed	1106. Nemophila Insignis	1122. Wallflower, Single, Mixed
1090. Digitalis (Foxglove), Mixed	1107. „ Mixed	1123. „ Blood Red
1091. Erysimum Perofskianum	1108. Ornamental Grasses	

1124 100 packets in 100 good varieties, our own selection, 8s.

1125. 50 packets in 50 good varieties, our own selection, 4s.

1126 25 packets in 25 good varieties, our own selection, 2s.

POST FREE.

EVERLASTING FLOWERS,

Which see

Acroclinium	Helichrysum
Ammobium	Helipterum
Antennaria	Rhodanthe
Catananche	Statice
Gnaphalium	Waitzia
Gomphrena	Xeranthemum

ORNAMENTAL FOLIAGE & SUB-TROPICAL PLANTS.

Acacia	Carduus	Perilla
Amaranthus	Cineraria	Ricinus
Aralia	Datura	Salvia
Beet	Eucalyptus	Solanum
Centaurea	Grevillea	Verbascum
Chamæpeuce	Lavatera	Wigandia
Cannas	Morina	Zea
Cannabis	Nicotiana	

CLIMBERS, ORNAMENTAL,

Which see

Aristolochia	Maurandya
Cobæa	Mina
Convolvulus	Sweet Peas
Eccremocarpus	Thunbergia
Humulus	Tropæolum
Lophospermum	

Cannell & Sons' Complete Seed Guide.

ORNAMENTAL GRASSES.

THESE beautiful, fine, feather-like Grasses are exceedingly ornamental, and are much grown—in fact, thousands are sold in Covent Garden, and they contrast most beautifully amongst high-coloured flowers either in pots or bouquets, Winter and Summer. Their culture is very simple: treat them similar to Asters, and they will be sure to give a charm to every garden. The following will be found the most useful:—



BRIZA GRACILIS.



BRIZA MAXIMA, OR QUAKING GRASS



ERAGROSTIS ELEGANS, OR LOVE GRASS.



AGROSTIS PULCHELLA.

- 1127. H.A. Agrostis Dulcis—1 ft. 3d. per pkt.
- 1128. H.A. Agrostis Nebulosa—1½ ft. 2d. per pkt.
- 1129. H.A. Agrostis Pulchella—¾ ft. 2d. per pkt.
- 1130. H.A. Agrostis Minutiflora—1 ft. 6d. per pkt.

The above are very pretty varieties.

- 1132. H.A. Anthoxanthum Gracile—1 ft. 3d. per pkt.
- 1133. H.P. Arundo Conspicua—6 to 8 ft. 6d. per pkt. *Fine for clumps.*
- 1134. H.A. Avena Sterilis—3 ft. 3d. per pkt.
- 1135. H.A. Briza Compacta—2d. per pkt.
- 1136. H.A. Briza Geniculata—1 ft. 2d. per pkt.
- 1137. H.A. Briza Gracilis—1 ft. 2d. per pkt.
- 1138. H.A. Briza Maxima—1 ft. 2d. per pkt.
- 1354. H.A. Briza Rotundata—1 ft. 3d. per pkt.
- 1139. H.A. Briza Spicata—1 ft. 1s. per pkt.
- 1140. H.A. Brizopyrum Sieculum—¾ ft. 2d. per pkt.
- 1141. H.A. Bromus Brizæformis—2 ft. 2d. per pkt.
- 1355. H.P. Ceratochloa Pendula—1 ft. 3d. per pkt.
- 1142. H.A. Chloris Barbata—1½ ft. 3d. per pkt.
- 1143. H.A. Chloris Elegans—1 ft. 3d. per pkt.
- 1356. H.A. Chloris Truncata—1½ ft. 3d. per pkt.
- 1144. H.A. Chrysurus Cynosuroides—½ ft. 3d. per pkt.
- 1357. H.H.A. Coix Aurea Zebrina—1½ ft. 3d.
- 1145. H.H.A. Coix Lachryma (Job's Tears)—1 ft. 2d. per pkt.
- 1146. H.A. Eleusine Indica—1 ft. 2d. per pkt.
- 1147. H.P. Elymus Caput-Medusæ—Useful for borders; elegant. 1 ft. 3d. per pkt.
- 1148. H.A. Eragrostis Elegans—1½ ft. 2d. per pkt.

- 1149. H.A. Eragrostis Maxima—1½ ft. 6d. per pkt.
- 1150. H.A. Eragrostis Cylindriflora—2 ft. 3d. per pkt.
- 1151. H.P. Erianthus Ravennæ—5 ft. 3d. per pkt.
- 1152. H.P. Erianthus Violaceus—5 ft. 6d. per pkt.
- 1153. H.A. Eulalia Japonica Zebrina—Valuable for grouping with lilies and aquatics round edges of ponds, &c. 3 ft. 3d. per pkt.
- 1154. H.P. Festuca Glaucæ—½ ft. 6d. per pkt.
- 1155. H.P. Festuca Viridis—½ ft. 3d. per pkt.
- 1156. H.A. Gynierium Argenteum—The well-known and beautiful Pampas Grass. 6 to 10 ft. 6d. per pkt.
- 1157. H.A. Hordeum Jubatum—1 ft. 2d. per pkt.
- 1158. H.H.P. Isolepis Gracilis—½ ft. 6d. per pkt.
- 1159. H.A. Lagurus Ovatus (Hare's Tail Grass)—1½ ft. 2d. per pkt.
- 1160. H.A. Lasiagrostis Argentea—1 ft. 2d. per pkt.
- 1161. H.A. Leptochloa Gracilis—Graceful and hardy. 2 ft. 6d. per pkt.
- 1358. H.P. Melica Papillonacea—1½ ft. 3d. per pkt.
- 1359. H.A. Panicum Capillare—1½ ft. 3d. per pkt.
- 1162. H.H.P. Panicum Sulcatum—1½ ft. 3d. per pkt.
- 1164. H.A. Paspalum Elegans—1½ ft. 3d. per pkt.
- 1165. H.A. Pennisetum Longistylum (Villosum)—2 ft. 2d. per pkt.
- 1360. H.A. Piptatherum Thomasii—2 ft. 3d. per pkt.
- 1166. H.P. Stipa Elegantissima—2 ft. 6d. per pkt.
- 1167. H.P. Stipa Pennata—2 ft. 2d. per pkt.
- 1168. H.A. Tricholœna Rosea—2 ft. 2d. per pkt.
- 1169. H.P. Uniola Latifolia—3 ft. 2d. per pkt.
- 1170. H.H.A. Zea Gracillima—2 to 4 ft. 4d. per pkt.
- 1171. H.H.A. Zea Japonica Variegata—Ornamental Maize. 5 to 6 ft. 3d. per pkt.

CANNELLS' TUBEROUS BEGONIAS.

THE GRAND GOLD CLOCK COLLECTION.

The highest and most important award yet given, and indicating the excellency of our strain.

SEEDLINGS (DOUBLE) FROM OUR FINEST NAMED COLLECTION.

- 1st Quality—Various colours. 18s., 24s., and 30s. per doz. (dry tubers).
- 2nd Quality—Various colours. 10s. per doz.; 70s. per 100 „
- 3rd Quality—Various colours. 6s. per doz.; 40s. per 100 „

- Mixed Colours—For bedding. 6s. per doz.; 42s. per 100.
- Specialty Selected—3s. 6d. to 5s. each.

Many of these are equal to the named kinds, and none but a trifle inferior.

SEEDLINGS (SINGLE) FROM OUR FINEST NAMED COLLECTION.

- No. 1 Quality—Selected to colour, and almost equal to named varieties. 12s. per doz.
- No. 2 Quality—Selected to colour. 7s. per doz.; 45s. per 100 (dry tubers).

- No. 3 Quality—Selected to colour. 4s. per doz.; 25s. per 100 (dry tubers).
- Mixed—Suitable for bedding. 20s. per 100 (dry tubers).

Special Prices for large quantities.

Cannell & Sons' Complete Seed Guide.

BULBS, PLANTS, &c., &c., for SPRING PLANTING.

FOR A FULL AND COMPLETE LIST OF BULBS, SEND FOR OUR AUTUMN CATALOGUE, POST FREE.

ANEMONES.

Anemone, Double, mixed	...	0/9 per doz.	5/0 per 100.
Single	...	0/6	3/0
Fulgens	...	1/3	7/0
Double	...	1/6	6/6

RANUNCULUS.


Ranunculus, Persian, mixed	...	0/6 per doz.	2/6 per 100.
Turban,	...	0/6	2/0
200 in 5 varieties, 9/0; 100 in 4 varieties, 4/6.			

GLADIOLI.

		Per 100.	Per doz.
	s. d.	s. d.	
Brenchleyensis, dazzling scarlet, very fine bulbs	...	6 0	1 0
Floribundus, white, striped and stained purple	...	10 6	1 6
Gandavensis, scarlet, with yellow throat	...	10 6	1 6
Gandavensis, best named hybrid varieties, each, 3d. to 1s.			
Gandavensis, seedling, equal to many named varieties	...	10 6	1 6
Lemoinei, creamy white, dashed crimson-maroon; hardy	...	5d.	3 6
Marie Lemoine, rosy blush, dashed crimson-maroon; hardy	...	6d.	12 0
Saundersii, salmon-scarlet and white; distinct and telling	...	9d.	—
Trimaeculatus, rose, spotted white	...	1s.	—

TIGRIDIA (Mexican Tiger or Iris Lily).

THE VARIETY "LILACEA" IS VERY



DISTINCT AND PRETTY.

TIGRIDIA PAVONIA GRANDIFLORA.

Natives of Mexico, producing flowers of exquisite beauty and singularly curious shape, the colour of each variety is gorgeous and finely contrasted; they bloom from July to October. Before the frost take up the bulbs, and keep in a dry place until the time of planting in March or April. The following are the most distinct and beautiful varieties:—

Pavonia Grandiflora Alba—Large ivory-white flowers, spotted with maroon and rosy lake in the centre, most beautiful when the bloom unfolds itself in the morning; recommended as a distinct and useful variety. 2s. 6d. per doz.

Pavonia Grandiflora—Is most beautiful when the bloom unfolds itself in the morning; from June until the frost sets in no flower so gorgeous or pretty was ever seen, but as the sun sets the flower ceases to exist, and the quantity produced is enormous. Beyond planting in the ordinary way of a Tulip, nothing more is required. 2s. per doz.

Pavonia Grandiflora Lilacea—Distinct; purplish lilac, with white and purplish spots in centre. 2s. 6d. doz.

Conchiflora—Orange and golden yellow, spotted with dark crimson. 2s. per doz.

Pavonia—Rich scarlet, tinged and spotted with yellow. 2s. per doz.

Speciosa—Brick-red. 1s. 6d. per doz.

Wheelerii—Blood-red. 2s. per doz.

Mixed—2s. per doz.

TUBEROSES.

All who have our Tubers at once exclaim, "I have had nothing like them before." The fact is we are large growers, and the secret is they are grown especially for us in a spot most congenial, which makes them unequalled in England.

CULTURAL DIRECTIONS.—Pot into 60's, place in 65° temperature bottom heat, keep moist until roots have made a growth, then increase the temperature to 80°. When full of roots re-pot into 6-inch pots, and place near the glass; after bloom spike appears, place them in a cooler house, and train up under the glass. They must be well syringed, and amply supplied with liquid manure.

For other choice bulbous plants—viz., *Begonias*, *Achimenes*, *Cyclamen*, *Gloxinias*, and *Tropaeolums*—see our Floral Guide and Bulb Catalogues both sent post free on application.



TUBEROSE.

African Tuberose (Double)—Direct from the Cape; can highly recommend them. 2s. 6d. per doz.; 17s. 6d. per 100.

Cannell & Sons' Complete Seed Guide.



Arum Sanctum (The Black Calla, *Arum Palestinum*, or Solomon's Lily)—These magnificent flowers often measure more than a foot in length by 5 to 8 inches in width; the inside colour is of the richest velvety purplish black imaginable, while the outside is of a pleasing green. The centre spadix rises to a height of 10 to 12 inches, and is of the deepest black. The foliage is solid in texture, rich deep green, and reticulated. Very attractive when growing in the greenhouse. 1s. 6d. each.

DAHLIAS.



DAHLIA TUBERS.

The finest and best kept collection in the world.

For Collections we have received more Awards than any other Firm.

The tubers can be sent by post to all parts of the globe. Capital presents to make to friends abroad.

30,000 Pot Roots for Propagation now ready for immediate delivery.

Our selection, 5s., 12s., and 18s. per dozen, from General Collection, as per "Floral Guide."

For varieties and descriptions, see Dahlia List.

LILIES.



LILIUM HARRISII.

The best and most useful varieties in cultivation. See Floral Guide.

Auratum (*The Golden-rayed Lily of Japan*)—One of the grandest of Lilies, 1s., 1s. 6d., 2s., and 2s. 6d. each; 9s., 12s., 18s., and 24s. per dozen. Bulbs in pots can be supplied if required.

Brownii—Interior pure white, exterior of a brownish shade; very fine. 3s. 6d. to 5s. 6d. each.

Bulbiferum Umbellatum—Crimson-scarlet, shading to yellow, thickly spotted. 2½ ft. 9d. each; 7s. 6d. per dozen.

Candidum (*The Old White Garden Lily*)—Still one of the best for forcing or borders, snow white. 4 ft. 3d. each; 2s. 6d. per dozen.

Longiflorum Harrisii, True (*The Bermuda, or Easter Lily*)—Flowers pure white, long and handsome; very free. 1s. to 2s. each; 10s. 6d. to 20s. per dozen.

Many other varieties can be supplied.

Mr. M. COLE, Dunsford Works, Merton Road, Wandsworth, 29th September, 1897.
Your Spring seeds have grown some of the best plants in this neighbourhood, and many practical gardeners here have paid me a visit on being informed of what I had growing.

Mr. J. H. MOULDER, Sunnyside Road, Newtown, Chesham, 8th October, 1897.
I have had great satisfaction from your seeds, and have recommended others to try them.

Cannell & Sons' Complete Seed Guide.

MONTBRETIAS.



MONTBRETIAS.

Fine plants, flowering from July till frost sets in.
Invaluable for cut flowers.

	Each—s. d.
Crocsmæflora —Large one-sided spikes of brilliant orange	per 100, 6s. 0 3
Crocsmæflora Aurea —Golden yellow, new and rare	... 1 0
„ Elegans —Bright yellow and vermillion	... 1 0
„ Pyramidalis —New colour, apricot-salmon	... 1 0
„ Sulphurea —Chrome yellow	... 1 0
Pottsii —Branching spikes of reddish crimson and orange flowers; very showy	... per 100, 6s. 0 3

CHINESE SACRED LILY.

(Narcissus Tazetta.)


They may be grown either in soil in pots or water in a vase, but the latter method is to be preferred, as it lends itself more readily to artistic arrangement, and the bulbs bloom much earlier. They should be treated in the same way as Hyacinths, and can be planted at any time between October and March.

The flowers are exquisitely perfumed, and of a clear white colour, with bright yellow cup.

Each bulb sends up six or more strong spikes, and in a moderately cool room will bloom in about eight or ten weeks from the time of planting.

Each, 9d.; per doz., 7s. 6d.

CHINESE SACRED LILY.



(Narcissus tazetta).

We have imported a limited quantity of specially decorated Japanese bowls, as used in Japan for the cultivation of the Chinese Sacred Lily, which we can supply at the following prices so long as unsold.

1 bowl for 1 bulb	...	price 1s. 3d.
1 „ 2 „	...	„ 1s. 9d.
1 „ 3 „	...	„ 2s.
1 „ 4 „	...	„ 2s. 6d.
1 „ 6 „	...	„ 3s.

N.B.—The Chinese Sacred Lily sometimes produces double flowers.

VALLOTA PURPUREA (The Great Scarborough Lily).

This is the grandest and most general favourite of all bulbs.
Plants of easy growth, 9d. and 1s. each; 8s. and 10s. per doz.

WINTER ACONITE (Eranthis Hyemalis).

Per 100, 3s.; per dozen, 6d.

HARDY PLANTS.

FOR EARLY SPRING BEDDING AND DECORATION OF FLOWER GARDEN.

Adonis Vernalis.
Anemone Fulgens.
Anemone Pulsatilla.
Alyssum Saxatile.
Arabis Albida.
Arabis Variegata.
Aubrietias.
Daisies, of various colours.
Gentianas.
Hepaticas.
Iberis (Candytuft).

Myosotis, of sorts.
Pansies, of sorts.
Phloxes.
Polyanthus.
Primroses, Double.
Primroses, Single.
Pyrethrum, Golden.
Silene Pendula.
Silene Compacta.
Violas, in vars.
Wallflowers.

See description of above in our *Floral Guide*.

HARDY FERNS. (For shady corners.)

Our selection, 12s., 18s. to 30s. per dozen.

Cannell & Sons' Complete Seed Guide.

WINTER-FLOWERING GREENHOUSE PLANTS, BULBS, &c.,

Set with Flower Buds for immediate effect, and forcing all through the Winter Season. In 5 and 6-inch Pots.

Abutilons—Bloom all the Winter. 8s. to 12s. per dozen.
Azaleas—All the very best varieties. 1s. 6d., 2s. 6d., 3s. 6d., and 5s. each, our selection.
Azaleas, Ghent—Yellow, in many shades, for forcing. 18s. to 24s. per dozen.
Begonias, Winter-flowering—All the best varieties, in flower or showing flower. 1s. each; 8s. per dozen.
Begonia Carrieri—Always producing beautiful pure white blooms in nice clusters; fine plants. 1s. 6d.
Bouvardias, Single (President Cleveland, Priory Beauty, Bockii, Vreelandi, and all the leading kinds)—Good flowering plants. 12s., 15s., and 18s. per dozen.
Bouvardias, Double (President Garfield, Alfred Nenner, and Hogarth, fl. pl.)—Useful varieties. 9s. and 12s. per dozen.
Calla Æthiopica (Arum Lily)—12s. and 24s. per dozen.
Camellias—The best and most useful. 2s. 6d., 3s. 6d., and 5s.
Carnations, Winter-Blooming—Most useful for cutting purposes. 1s. and 1s. 6d. each; 10s. to 18s. per dozen.
Christmas Roses—Pure white. 18s. to 24s. per dozen.
Cinerarias, Hybrid Seedlings—Our prize *March Past* strain, which will make a grand display. 6s., 8s. to 12s. per dozen.
Cinerarias, Double—Our strain stands far ahead of any other. 12s. to 18s. per dozen.
Cyclamen—Fine plants with flower buds, and of the finest quality. 12s., 18s., and 24s. per dozen.
Cytisus—1s. each; 9s. and 12s. per dozen.
Diellytra (Dicentra) Spectabilis—Well-known forcing plant. 9d. and 1s.
Dracænas, in variety—Fine foliage plants for the table. 1s. 6d. and 2s. 6d. each.
Epacris, various—1s. 6d., 2s. to 2s. 6d. each.
Ericas, in variety—1s. 6d. and 2s.
Ferns, Cuneatum (Maidenhair)—6d., 1s. to 2s. 6d. each.

Ficus Elastica—Beautiful foliage. 1s. 6d. to 5s. each.
Gardenias—2s. 6d. to 3s. 6d. each.
Heliotropiums (President Garfield and White Lady)—Best Winter-flowering varieties; useful. 1s. each.
Hyacinths—All the best colours. 6s. to 12s. per dozen.
Hyacinths, Roman—Papery White. 6s. per dozen.
Isolepis Gracilis—Lovely green plant all the Winter, useful for the conservatory; good plants. 6d.
Lily of the Valley—Very strong clumps. 9s. per dozen; potted, 12s.
Double and Single Zonal Pelargoniums (the best Winter bloomers)—All these are specially prepared in 5-inch pots, and well set with bloom to flower all the Winter. 12s. and 15s. per dozen.
Primulas—Flowers all the season. 9s. to 12s. per dozen.
Primulas, Double (Alba plena)—6s. to 10s. per dozen.
Rochea Falcata—A splendid Winter-blooming succulent. 1s. and 2s. each.
Roses, in Pots, Teas and Hybrid Perpetuals. 18s. to 30s. per dozen.
Salvias—All the best varieties. 6s., 9s., and 12s. per dozen.
Schizostylis Coccinea—A useful decorative bulbous plant during the Winter. 6d.
Solanums—Full of berries. 12s. to 18s. per dozen.
Solomon's Seal (Polygonatum)—Very useful for forcing, good strong crowns. 3s. 6d. to 5s. per dozen.
Spiræa Japonica (Hoteia)—A most useful plant, and extensively grown. 6s. to 9s. per dozen; out of pots, 4s. per dozen.
Streptosolen (Browallia) Jamesoni—A most desirable addition to our list of greenhouse plants; strong plants. 1s. and 1s. 6d.
Tropæolums—Useful for climbing in greenhouses. 6d.
Tuberoses—In pots, ready for flowering. 18s. per dozen.
Tulips, Double and Single—6s. to 8s. per dozen.
Violets—All the best varieties, fine plants in 5-inch pots. 9d. each; 6s. to 10s. per dozen. Names, see List.

All the above are in pots, safely packed, and sent anywhere in Great Britain.

THE SWANLEY COLLECTION OF HARDY PLANTS.

We shall be happy to advise intending purchasers as to the quantity of plants, &c., for any given beds or borders, if particulars are sent as to dimensions, aspect, and soil.

Collections of 100 useful border Plants, flowering at various seasons, 30s. & 50s.
 " Spring-flowering Plants, 12 varieties, 9s.
 " " " 25 " 16s.
 " " " 50 " 30s.

Collections of Autumn-flowering Perennials, 12 varieties, 5s. to 12s.

" " " 25 " 10s. to 20s.
 " " " 50 " 20s. to 40s.

The Bijou Collection for the rock garden carefully selected. 50 plants in 50 varieties, 20s.

Older and commoner sorts:—25 varieties for 7s. 6d.; 50 varieties, 14s.

GARDENERS.

Our Mr. H. Cannell, Senr., gives personal daily attention to all applications for Gardeners (good all-round men); his wide connection, and being a large employer, makes him either personally or intimately acquainted with most of the best practical and deserving men in the country, and he would feel a real pleasure in assisting and fitting in the right man to fill the situation for which any lady or gentleman may require him.

Cannell & Sons' Complete Seed Guide.

❁ ROSES ❁



NIPHETOS.



FOR FULL DESCRIPTION OF
ALL THE BEST KINDS,
see our *AUTUMN CATALOGUE*.

We have one of the largest
and finest collections of Roses
in England—

10 acres; 5,000 in pots.

PRICES OF ROSES.

WHEN THE SELECTION IS LEFT TO US:—

Standards and Half-Standards, best sorts, and
well varied, 18s. to 24s. per dozen.

Dwarfs on the Brier, extra strong good varieties,
8s. per dozen; £3 per 100.

Warf Teas, varieties, from open ground,
15s. per dozen. Extra fine plants in pots,
18s., 24s., and 30s. per dozen.

Hybrid Perpetuals in pots, good strong plants,
18s. per dozen.

Amateurs selecting their own are respectfully re-
quested to add to their orders a few supplementary
plants, lest by previous orders the stock of any particular
variety should be exhausted, this being especially
necessary late in the season.

12 SPLENDID DISTINCT BEST ROSES

FOR 9s.



GOLD MEDAL LONDON PARIS GHENT
POST FREE, PARCELS POST.

Turner's Crimson Rambler, dwarfs, 1s. and
1s. 6d.; extra strong, 2s. 6d., 3s. 6d., and 5s. each.

MARECHAL NIEL,

8 ft. to 12 ft. high. 3s. 6d., 5s., and 8s. each.

ESTABLISHED PLANTS in 6-inch pots, of all the
finest Tea-scented varieties, grown especially for
Conservatories. 18s. to 30s. per dozen.

Extra Strong Plants of NIPHETOS, full of buds,
3 and 4 feet high, 7s. 6d. and 10s. 6d. each. Special
Prices for Large Quantities to the Trade.

Climbing Roses, specially grown in pots for training
on walls and rafters, for Conservatory and Outdoor
Planting. 3s. 6d. to 5s. each.

All the Newest Kinds supplied at Advertised Prices.

The quality of all I have had from you is first rate. Nearly every seed must have germinated.

Mr. GEO. PESCOD, Queen Street, Aylesbury, 17th July, 1897.

I have the greatest pleasure in telling you that everything I have had from your firm has given me the greatest satisfaction, whether it has been plants or seeds, and I have had excellent results, especially from your Real Manure.

Mr. GEO. H. NORCLIFFE, Rock Cottage, Batley Carr, Dewsbury, 5th June, 1897

Mr. WM. FIFE, Lockinge Gardens, Wantage, 10th April, 1897.

Thanks for plants received in good condition, and with which we are well-pleased.

Cannell & Sons' Complete Seed Guide.

Select Grape Vines



GRAPE VINES we grow very extensively; four of our 100-feet houses are filled with them early in the Spring, and afterwards (the houses) used for drying seeds during August and September. Each year we have some unsold from the preceding year's sale, carrying bunches of Grapes. These are of great importance when a house is required to be filled at once. At all seasons these Vines, if planted intact and laid sideways, together with 2 feet of stem, six inches below the surface, will at once put forth young fresh roots. By having these a season's planting will be saved, and fruit at once. 6s. to 8s. each.

We have also a large quantity planted out, four years old, with very large strong canes for immediate cropping. Would fill a house the first season if planted in a similar way in good soil.

* For cool house.

† For hot house.

α Pot culture.

α† **Alicante**—Black, bunches large; a fine late variety.

† **Alnwick Seedling**—Black, large oval berries; rich flavour.

† **Barbarossa** (Gros Guillaume)—Black, produces enormous bunches, and hangs late.

α* **Black Hambro'**—A delicious Grape, best for general use.

† **Bowood Muscat**—A first-class variety.

α* **Buckland Sweetwater**—White, an excellent early Grape.

* **Calabrian Raisin.**

Chasselas Musque.

* **Duke of Buccleuch**—Amber; largest white-berried Grape in cultivation; good companion to *Black Hambro'.*

α* **Foster's Seedling**—White; early and good.

* **Golden Queen**—Amber; bunches large, flesh firm.

† **Gros Colmar**—Black, late; very large berries.

† **Gros Maroc**—Black.

Gros White Maroc—White.

† **Lady Downe's Seedling**—Black, late hanging, firm flesh.

α* **Madresfield Court**—Black; well suited for cool vinery.

† **Mrs. Pince's Black Muscat**—Fine colour; late.

† **Muscat of Alexandria**—White; requires heat; late.

† **Muscat Hambro'**—Black; Muscat flavour.

α* **Royal Muscadine**—White; early, and one of the best for a wall outside.

Sweetwater—Old white, a sweet and refreshing white Grape; succeeds in the open air.

* **Trebbiano**—White; large, good; late.

Fine Grown Canes, 5s., 7s. 6d., and 10s. 6d. each.

CHRYSANTHEMUMS.

AWARDED THE GOLD MEDAL, 1895 and 1897.

SILVER-GILT MEDAL, GHENT, 1896.

OF these we have the largest, finest, and best kept collection in the world. For full particulars send for our special Catalogue, which is acknowledged to be very much the best book on the whole family ever published. Sent post free for 4d. Customers free.

For a List of all Sections of Chrysanthemums, see our Illustrated and Complete Descriptive List, sent Post Free to all parts.



Cannell & Sons' Complete Seed Guide.

STRAWBERRIES.

What a lovely refreshing fruit! And when we hear it is the firm belief of the highest in the medical profession that if we were to eat more we should hear less of gout, rheumatism, and other pains; and seeing how easy Strawberries are to grow, it should be the set determination of all to cultivate their own, and have them, with all their beautiful freshness, morning and evening, as long as possible; and when so, they are one of the greatest charms that mankind can possess.

"ROYAL SOVEREIGN."

CERTAINLY ONE OF THE BEST IN CULTIVATION.

This variety has now been grown and tested and subjected to all kinds of conditions and seasons, and has fully confirmed everything previously said of it, so that it is now universally admitted on all sides to be the best introduction since *Sir J. Paxton*, and should be extensively planted in every garden, totally setting aside many of the older kinds which we have discontinued growing.


Small runners, 3s. per 100; fine selected runners, 4s. per 100;
12s. per 1,000; small ro per 1,000.

Fine plants in small pots, 15s. per 100
pots, 30s. per 100.

Plants in large 5-inch

Mr. W. H. LAWSON, Fruit Grower, Knaresborough, August 21st, 1897.

Please send me 5,000 more of your *Royal Sovereign* Strawberry runners; those I had from you in the Spring have done remarkably well.



NEW SCOTCH VARIETIES.

OF GREAT VALUE FROM THEIR LATENESS.

Raised by WM. CARMICHAEL, formerly Chief Gardener at Sandringham.

Queen of Denmark—Raised from *Frogmore Late Pine* crossed with *Waterloo*. It is new in colour, firm in flesh, very prolific, and A1 in flavour; it has every indication of becoming the Strawberry of the future for forcing and general culture; a gem.

Richard Gilbert—In the way of *Royal Sovereign*, but finer fruit; grand.

Wm. Carmichael—Very distinct, immense strong stems, throwing its fruit well above the foliage, of very fine flavour.

Hand laid runners, 12s. per doz.; £5 per 100.

LEADER.

First-Class Certificate from the Royal Horticultural Society, May 14th, 1895.

An enormous handsome mid-season Strawberry of rich Pine-like flavour.

The fruit is of enormous size, of a bright crimson or carmine shade of colour, flesh and skin firm, and of a dark scarlet tint throughout; the seeds set in shallow basins projecting beyond the surface, the fruit travelling well—flavour very rich and Pine-like, with a pleasant aroma—plant very compact in habit, and a robust grower. The variety was raised from *Latest of All* crossed by *Noble*. For forcing purposes *Leader* is likely to be in great request, for which purpose we recommend it to follow *Royal Sovereign*. It forces very freely, the trusses setting well, with little if any artificial fertilisation, and its compact habit is a great point in its favour.

Strong plants in pots, 20s. per 100; 3s. per doz. Strong open ground runners, 10s. per 100; 1s 6d. per doz.

PRINCESS OF WALES.

Latest of All crossed with *Frogmore Late Pine*. Full size, dwarf habit, fine *Queen* flavour, excellent constitution.

PRINCE OF WALES.

Waterloo crossed with *British Queen*. Larger size, rich flavour, *Queen* foliage, dwarf habit, very prolific, not so dark as *Waterloo*, vigorous constitution; one of the very best late Strawberries.

Runners, 3s. per doz.; 20s. per 100.

MONARCH.

First-Class Certificates from the Royal Horticultural Society, June 11th, 1895; Royal Botanic Society, June 11th, 1895; and York Gala, June 19th, 1895.

A most distinct richly-coloured second early variety of enormous size, wedge-shaped, and of a rich *Queen*-like flavour; a worthy companion to *Leader*, ripening before that variety, and following closely on *Royal Sovereign*.

Strong plants in pots, 25s. per 100; 3s. per doz. Strong open ground runners, 13s. per 100; 2s. per doz.

PERFECTION.

The result of a cross between *British Queen* and *Waterloo*; fruit of large size and deep colour, the flesh is juicy and luscious, of *British Queen* flavour; very prolific. First-Class Certificate, Royal Horticultural Society, July 14th, 1896.

Plants in small pots, 6s. per doz.; 42s. per 100. Strong Runners, 4s. per doz.; 21s. per 100.

I am pleased to tell you I received the Strawberry plants quite safe this morning, they arrived in splendid condition.

Yours is the finest consignment of Strawberry plants we have ever had, and your method of packing leaves nothing to be desired.

Received Strawberry plants in splendid condition, and am highly satisfied with them.

A. W. HAYDEN, Esq., Vinings Cottage, Sandown, I.W., August 18th, 1897.

Messrs. JOHN BOLAM & SONS, Alnwick, April 9th, 1897.

Mr. G. H. HUNT, Market Grower, The Lodge, Stapleton, April 17th, 1897.

Half-packets at half price of all Flower Seeds where priced 1s. and upwards, except collections and novelties. For Penny Packets, see page 135.

Cannell & Sons' Complete Seed Guide.

We respectfully solicit orders for ours, the finest plants and most complete collection in England. Swanley is the largest and best Strawberry-growing district in the world.

Eight Acres grown entirely for the Runner Plants, at a distance of 4 ft. from plant to plant, on purpose so that every plant is true.

Strawberries, like Potatoes, are always more fruitful when given a change of soil, consequently success depends a good deal on having runners from a purely different soil.

(Our Establishment being located in the midst of hundreds of acres of all the best Strawberries and Raspberries enables us to offer fine plants and good sure-cropping kinds at the lowest prices.

Swanley has again this season far excelled all other localities for its quantity and quality of fruit.

Rooted Runners from fruiting plants, all best rooted and picked, 5s. per 100; in small pots, to fruit the first season, 12s. to 14s. per 100; in 5 and 6-inch pots, for forcing, 25s. to 40s. per 100.

Special Prices per 1,000, 50,000, and 100,000.

LIST OF FRUIT TREES, Post Free on application.



OLD AND YOUNG SHOULD EAT APPLES.

THE VALUE OF APPLES AS FOOD.

There is probably a good diietetic reason underlying our accepted use of apples, or apple sauce, with pork, rich goose, Yorkshire paste, mincemeat, and similar dishes. Apples have excellent medical qualities. Chemically, the apple is composed of vegetable fibre, albumen, sugar, gum, chlorophyll, mallic acid, gallic acid, lime, and much water. Furthermore, the German analysts say that the apple contains a larger percentage of phosphorus than any other fruit or vegetable. The phosphorus is admirably adapted for renewing the essential nervous matter, lecithin, of the brain and spinal cord. It is, perhaps for the same reason, rudely understood that the old Scandinavian traditions represent the apple as the food of the gods, who, when they

felt themselves to be growing feeble and infirm, resort to this fruit for renewing their powers of mind and body. The acids of the apple are signal use to men of sedentary habits, whose livers are sluggish in action, those acids serving to eliminate from the body noxious matters, which, retained, would make the brain heavy and dull, or bring about jaundice, skin eruptions or similar troubles. The mallic acid of ripe apples (either raw or cooked) will neutralise any excess of chalky matter engendered in eating too much meat. It is also a fact that such fresh fruits as the apple, the pear, and the plum, when taken ripe and without sugar, diminish acidity in the stomach rather than provoke it. Their vegetable sauces and juices are converted into alkaline carbonates, which tend to counteract acidity.

Cannell & Sons' Complete Seed Guide.

INDEX TO CANNELL & SONS' COMPLETE SEED GUIDE for 1898.

	PAGE		PAGE		PAGE		PAGE
ABBREVIATIONS	55	Begonia	65—69, 136	Chamæpeuce	77, 89	Devil-in-the-Bush	85, 104
Abronia	55	Bellis	67, 85	Charlieis	97	Devil's Fig	58
Abutilon	55, 135, 140	Beta	54, 64	Charity	111	Dianthus	54, 86, 96, 111, 126
Acacia	55	Bidens	82	Chelone	77	Dictamnus	88
Acanthus	55	Books, Gardening	28, 47, 134	Chenopodium	77	Digitalis	54, 88, 89
Achimenes	55	Black Calla	138	Cherry Pie	95	Dill	24
Acme Labels	45, 47, 48	Blanket Flower	67	Chervil	24	Downingia	81
Aconite	139	Blood Berry	122	Chicory	23	Dracocephalum	88
Acroclinium	55, 89	Blue Bottle	67	Chili	18	Dredger	45—48
Adonis	54, 55, 89	Blue Gum	89	Chilian Palava	104		
Ageratum	55	Borage	24	Chinese Sacred Lily	139		
Agricultural Seeds	42	Borecole	14, 42	Chives	43		
Agrostemma	55, 73, 122	Bouncing Bet	67	Chloris	136	ECCREMOCARPUS	67, 88
Agrostis	55, 136	Brachycome	67	Chou de Burghley	16, 42	Echeveria	88
Albizzia	55	Briza	67, 136	Christmas Rose	95, 140	Edelweiss	88, 91, 93
Alonsoa	55	Brizopyrum	136	Chrysanthemum	54, 78, 142	Egg Plant	24, 63, 88
Alstræmeria	55	Broccoli	15, 42	Chrysurus	136	Eleusine	136
Althæa	96	Broom	67	Cineraria	78, 79, 140	Elichrysum	95
Alyssum	54, 55, 126	Bromus	136	Clarkia	54, 79, 81	Elymus	136
Amaranthus	54, 55, 57, 99	Browallia	67	Clary	122	Endive	24, 42
Amaryllis	56	Brushes	45	Clematis	81	Eragrostis	88, 136
Ammobium	56	Brussels Sprouts	14, 42	Clintonia	81	Eranthus	139
Anagallis	56	Bulbs	137	Climbers	53, 96, 135	Erianthus	136
Anchusa	56	Budding Knives	49	Clintonia	81	Erigeron	88, 126
Anemone	56	Butter Beans	11	Clover	46	Eryngium	88
Anemone, Roots	137	Butterfly Flower	122	Cobæa	82	Erysimum	54, 88
Angelica	24			Cockscomb	53, 76, 81	Erythrina	88
Angel's Trumpet	56			Cocoonut Fibre	45	Eschscholtzia	54, 71, 88
Anise	24	CABBAGE	16, 42	Coix	136	Eucalyptus	88
Annuals	53, 54	Cabbage, Savoy	17, 42	Coleus	81	Eucharidium	88
Annuals, Culture of	55	Cacalia	67, 129	Colewort	16, 42	Eulalia	136
Antennaria	56	Calampelis	67, 88	Collections, Flower Seed	51, 53	Eupatorium	88
Anthoxanthum	136	Calandrinia	54, 67	Collections, Vegetable Seed	4, 5	Eutoca	54, 88
Antirrhinum	53, 54, 56, 123	Calceolaria	71	Collinsia	54, 82	Evening Primrose	104
Apples	144	Calendula	71, 101	Collomia	82	Everlasting Flowers	53, 56, 89, 94, 120, 125, 130
Aprons, Gardeners'	45	Californian Poppy	71, 89, 122	Columbine	58, 82	Everlasting Pea	98
Aquilegia	54, 56, 82	Calla	138	Cornflower	54, 76, 82		
Arabis	54, 58	Calliopsis	54, 71, 82	Corn Salad	24	FEATHER GRASS	89
Aralia	58	Callirhoe	71	Cosmea	82	Fennel	24
Aretotis	58	Calomeria	96	Cosmos	82	Fennel Flower	89
Argemone	58	Campanula	71, 72, 130	Cotton Thistle	104	Fenzlia	89
Aristolochia	58	Campion	55, 73, 122	Cotyledon	88	Ferdinandia	89
Armeria	58	Cannabis	73	Couve Tronchuda	16	Ferns	89, 139
Arnebia	58	Canary Creeper	54, 73, 129	Cowslip	82	Fertiliser Clays	45
Artichoke, Plants	43	Candytuft	54, 73	Crepis	94	Festuca	136
Artichoke, Seed	12	Canna	73, 96	Cress	23	Feverfew	101
Arum Lily	136	Canterbury Bells	54, 71, 73	Crickit Grounds, Seeds for	46	Fir Tree Oil	45
Arundo	138	Cape Gooseberry	110	Crosswort	82	Fish-bone Thistle	77, 89
Asparagus, Plants	43	Cape Marigold	71	Crucianella	82	Flax	98, 110
Asparagus, Seed	12, 13, 58	Capsicum	18, 73	Cruel Plant	113	Flos Adonis	54, 55, 89
Asperula	58	Caraway	24	Cucumber	22, 23	Flower Seed Collections	51—53
Aster	52—54, 59—63	Cardoon	19	Culinary Plants	43	Flower Seed Novelties, ...	
Atriplex	63	Carduus	73	Cuphea	82	Coloured Paper	
Aubergine	24, 63, 88	Carnation	53, 75, 76, 111, 140	Cups and Tubes	48	Flower Seeds, Mixed	54, 55
Aubrietia	63	Carrot	17, 18, 42	Cyclamen	82, 83, 140	Flower Seed by Weight	54
Auricula	63	Cassia	76	Cyperus	83	Foreign Trade	3
Avena	136	Castor Oil Plant	76, 120	Cyptromattia	83	Forget-me-not	89, 103
		Catananche	76			Fountain Plant	56
BALM	24, 43, 88	Catchfly	76	DAHLIA	85, 138	Foxglove	55, 88, 89
Balsam	53, 64, 96	Cauliflower	19, 20, 42	Daisy, Double	67, 85	Fraxinella	88, 89
Bamboo Canes	45	Celeriac	21	Daisy, Paris	78	Freesia	89
Bartonia	54, 63	Celery	21, 42	Dandelion	24	Fringe Flower	122
Basil	24	Celery, Turnip-rooted	21	Datura	56, 85	Fuchsia	89
Baskets	45	Celosia	76, 81	Delphinium	54, 85, 97	Fuller's Herb	122
Bead Plant	104	Celsia	76			Fumigators	45—49
Beans	10	Cement Floral	45				
Beans, Dwarf French	11	Centaurea	54, 67, 76, 82, 126			GAILLARDIA	67, 89
Beans, Runner	10	Centranthus	77			Galtonia	96
Beetle Powder	45	Centrosema	77			Garden Engines	49
Beet, Garden	13	Cerastium	77				
		Ceratochloa	136				

Cannell & Sons' Complete Seed Guide.

INDEX TO CANNELL & SONS' COMPLETE SEED GUIDE for 1898.

	PAGE
Gardening, Books on	28, 47, 134
Garden Implements	45-49
Garden Rollers	49
Garden Sundries	45-49
Garlic	43
Garnishing Plants, Seeds	24
Gaura	89
Gazania	89
Genista	90
Gentiana	90
Geranium	90, 108
Gerardia	90
Gesnera	90
Geum	90
Gherkin	23
Gilia	54, 90, 98
Gladiolus	91, 137
Globe Amaranth	94
Globe Artichoke	12, 43
Gloey Pea	81
Gloves, Garden	45
Gloxinia	91
Gnaphalium	88, 91, 98
Godetia	54, 93
Golden Feather	54, 93, 120
Gomphrena	56, 94
Goosefoot	77
Gourd	24, 94, 129
Grammanthes	94
Grape Vines	142
Grass Seed, Lawn	46
Grasses, Ornamental	53, 67, 94, 108, 126, 136
Grevillea	91
Gynerium	94, 136
Gypsophila	94

HARDY PLANTS	139
Hawkweed	94
Heartsease	94
Hedge Nettle	123
Hedysarum	95
Helenium	95
Helianthus	95, 126
Helichrysum	53, 54, 89, 95
Heliotrope	95, 140
Helipterum	95, 120
Helleborus	95
Hemp, Giant	73
Herbs	24, 43
Hesperis	95, 122
Heuchera	95
Hibiscus	54, 96
Hippeastrum	56
Hollyhock	53, 96
Holy Thistle	73
Honesty	96, 99
Honey Flower	101
Honeysuckle	95
Hop, Annual	96
Hordeum	136
Horehound	24, 43
Horn of Plenty	85
Horse Radish	43
Humea	96
Humulus	96
Hyacinthus	96
Hymenoxys	96
Hypericum	96
Hyssop	24, 43

IBERIS	96, 139
Ice Plant	24, 96
Immortelle	132
Impatiens	64, 96
Indian Pink	86, 96

Indian Shot	73, 96
Insect Destroyer	45-47
Insecticides	45-49
Instruments	45-49
Inula	96
Ionopsidium	97
Ipomoea	82, 97, 103
Isolepis	136, 140
JACOBEE	97, 122
Jacob's Ladder	111
Jernsalem Artichoke	43
Job's Tears	136
Joseph's Coat	56

KALE	14, 42
Kaulfnesia	97
Kenilworth Ivy	98
Kidney Beans	11
Knapweed	130
Knives	45-49
Kohl Rabi	16

LABELS	45-49
Lagurus	136
Lamb's Lettuce	24
Lantana	97
Larkspur	53, 54, 97
Lasiagrostis	136
Lasthenia	97
Lathyrus	53, 54, 98, 126
Lavatera	98
Lavender	24, 43
Lawn Grass Seed	46
Lawn Mowers	47-49
Lawn Sand	45
Layia	98
Leek	25, 42
Leontopodium	91, 98
Leptochloa	136
Leptosiphon	90, 98
Lettuce	25, 26, 42
Lilies	138-140
Limnanthes	54, 98
Linaria	98
Linum	54, 98
Lisianthus	98
Loasa	98
Lobelia	54, 98
Lophospermum	99
Lotus	99
Love Apple	40-42
Love-in-a-Mist	99, 104
Love-lies-bleeding	54, 55, 99
Linnaria	96, 99
Lupinus	54, 55, 99
Lychnis	100

MAIZE	54, 100, 132
Malcolmia	130
Mallow	100
Malope	54, 100
Malva	130
Mangold	42
Manures	44-46
Marguerite	78
Marigold	24, 71, 100, 129
Marjoram	24, 43
Martynia	101
Marvel of Peru	101, 103
Mathiola	101
Matricaria	101
Mats	45
Maurandya	101
Meconopsis	101, 107, 132

Medeola	101
Melanthus	101
Melica	136
Melon	26, 27, 42
Mesembryanthemum	94, 101
Michaelmas Daisy	62
Mignonette	54, 101, 120
Mimosa	102, 122
Mimulus	102, 103
Mina	103
Mint	43
Mirabilis	101, 103
Miscellaneous Articles	44-50
Monkey Flower	103
Montbretia	139
Moonwort	99
Morina	103
Mountain Spinach	39, 63
Mourning Bride	53, 122
Mullein	130
Mushroom Spawn	28
Musk	102, 103
Mustard	28
Mutabilis	100
Myosotis	89, 103
Myrsiphyllum	101, 103, 123

NAILS	45-49
Narcissus	139
Nasturtium	54, 103
Nemesia	104
Nemophila	54, 104
Nertera	104
Nicotiana	104
Nierembergia	104
Nigella	85, 89, 99, 104
Night-scented Stock	101
Nolana	104
Novelties in Flowers	See
Novelties in Vegetables	coloured paper
Nycterinia	104

OBELISCARIA	104
Oenothera	104
Onion	28-32, 42, 43
Onopordon	104
Orache	39
Ornamental Climbers	135
Ornamental Thistle	73, 77, 104
Ornamental Foliage Plants	135
Ornamental Grasses	53, 67, 94, 108, 126, 136
Oxalis	104
Oxlips	104
Oxyura	104

PALAVA	104
Paony	104
Pampas Grass	94, 136
Panicum	136
Pansy	53, 94, 104, 105
Papaver	54, 106, 107, 113
Paracaryum	107
Parsley	32
Parsnip	32, 42
Paspalum	136
Peas	6-9, 108
Pelargonium	108, 140
Pencils, Garden	45
Pennisetum	108, 136
Penny Packets	135
Pennyroyal	43
Pentstemon	108
Pepper Grass	23

Perilla	54, 108
Petunia	109-112
Phacelia	89, 110, 132
Phlox	53, 54, 112
Phloxwort	82
Phormium	110
Physalis	110, 132
Physianthus	113
Picotee	53, 76, 110, 113
Pin Cushion Flower	122
Pink	75, 110
Piptatherum	136
Platycodon	71
Platystemon	110
Polemonium	111
Polyanthus	111, 119
Polygonum	113, 122
Poppy	54, 89, 106, 107, 113
Portugal Cabbage	16
Portulaca	53, 113
Potentilla	113
Pot Marigold	24, 100
Potatoes for planting	33-36
Potato Onions	43
Primrose	104, 120
Primrose, Evening	104
Primula	104, 115-120, 140
Pruning Knives	49
Pumpkin	24
Purslane	24
Pyrethrum	54, 93, 120

RADISH	37, 38, 43
Raffia Grass	45
Rampion	24, 38
Ranunculus Roots	137
Ranunculus Seed	120
Reseda	101, 120
Rhodanthe	120
Rhnbarrb Roots	43
Rhubarb Seeds	33
Ricinus	54, 76, 120, 135
Ridge Cucumber	23
Rivina	122
Rock Cistus	122
Rocket, Sweet	95, 122
Romneya	122
Rosa	122
Rose Campion	55, 122
Rosemary	24
Rose of Sharou	96
Roses	141
Ronge Plant	122
Rndbeckia	104, 122
Rne	24, 43

SACALINE	122
Sage	24, 43
Saintpaulia	122
Salads	38
Salpiglossis	53, 122
Salsafy	38
Salvia	122, 140
Sand	46
Sanvitalia	122
Saponaria	54, 67, 122
Savory	24, 43
Savoy	17, 42
Saws	46-49
Scabiosa	53, 122
Schizanthus	54, 122
Schizopetalon	54, 122
Scissors	46-49
Scorzonera	38
Scyphanthus	122
Scythes	46-49

Cannell & Sons' Complete Seed Guide.

INDEX TO CANNELL & SONS' COMPLETE SEED GUIDE for 1898.

	PAGE		PAGE		PAGE		PAGE
Seakale	38, 43	Sundries, Garden	43—49	Trichosanthes	129	Violet	130, 140
Sedum	122	Sunflower	54, 95, 126	Tropæolum	53, 54, 73, 103, 129, 140	Virginian Stock	54, 130
Sempervivum	122	Swede	40, 42	Trowels, Garden	45—49	Viscaria	54, 130
Sencio	97, 122	Sweet Alyssum	54, 55, 126	Tupa	130		
Sensitive Plant	102, 122	Sweet Pea 53, 54, 98, 108, 126—129		Turnip-rooted Celery	21	WAITZIA	130
Shading Material	45—48	Sweet Scented Flowers... ..	53	Tuberoses	137, 140	Wallflower	53, 54, 131, 132
Shallots	43	Sweet Sultan	54, 76, 126	Turnip	39, 40	Water Barrow... ..	49
Shears	45—49	Sweet William 53, 54, 86, 126		Twizzers	45	Watercress	23
Sidalcea	122	Syringes	45—49	Tydaa	130	Weed Destroyers	45—49
Silene	54, 76, 123					Welsh Poppy	101, 132
Skirret	24	TABLE PLANT... ..	122	UNDERGROUND ONIONS 43		Whitlavia	54, 132
Smilax	103, 123	Tagetes	54, 101, 129	Uniola	136	Wigandia..	125, 132
Snapdragon	54, 56, 123	Tarragon	24, 43			Windflower	56
Soapwort	122	Tassell Flower	129	VALERIANA	111, 130	Winter Aconite	139
Solanum	123	Tecoma	129	Vallota	139	Winter Cherry	110, 135
Sorrel	24	Terms of Business	2	Vegetable Marrow... ..	41, 42	Winter Flowering Bulbs ...	140
Speedwell	130	Thermometers... ..	46—49	Vegetable Novelties, <i>coloured paper</i>		Winter Flowering Plants ...	140
Sphenogyne	123	Thorn Apple	85	Vegetable Oyster	38	Wire, Bouquet	46
Spinach	39, 63	Thunbergia	129	Vegetable Plants	42	Witloof	23
Spray Pump	47	Thyme	24, 43	Vegetable Seed Collections... 4, 5		Woodruff	58
Stachys	43, 123	Tickseed	71	Venus's Looking-Glass	73, 130	Wormwood	24, 43
Statice	125	Tigridia	137	Verbascum	130		
Stellaria	125	Toad Flax	98	Verbena	130	XERANTHEMUM	132
Stenactis	126	Tobacco Plant	104, 129	Verbena Pins	46		
Stipa	89, 126, 136	Tobacco Seed	42, 104, 129	Veronica	130	ZAUSCHNERIA	132
Stock	53, 124	Tomato	40, 41, 42	Vinca	130	Zea	53, 100, 132, 136
Strawberry Plants	143	Tools, Garden... ..	45—49	Vines	142	Zinnia	53, 54, 133—135
Streptocarpus	126	Torenia	129	Viola	104, 130	Zonal Pelargonium	90, 108, 140
Sub-tropical Plants	53, 135	Treasure Flower	89				
Succory	23	Tricholena	136				
Sultan's Balsam	96						

CANNELLS' NOBLE PÆONIAS.



Special offer of grand named varieties at half-price to all those sending us their Seed order.

Huge clumps of these, when in flower, form one of the grandest never-to-be-forgotten sights, adding considerably to the value of every estate, and lasting for years without the least attention.

H. CANNELL & SONS will send—

12 assorted for 8s.; 24 assorted for 16s.

Distinct lovely colours.

Cannell & Sons' Complete Seed Guide.

H. CANNELL & SONS

OFFER TO ALL MEMBERS OF THE

NATIONAL AMATEUR GARDENERS' ASSOCIATION

AND ITS AFFILIATED BRANCHES

The following PRIZE, to be competed for at the Society's Rooms,
Winchester House, Old Broad Street, City.


The "Cannell" Trophy, value £10.

Presented by
Messrs. H. CANNELL & SONS,
Seed Growers,
Swanley, Kent,

for the best combined exhibit
consisting of

- 6 dishes of Vegetables distinct,
- 6 dishes of Fruit distinct, and
- 6 bunches of Cut Flowers distinct,

all to have been grown by the
exhibitor from plants and seeds
(except fruit and Potatoes)
supplied by Messrs. CANNELL
direct.



To be competed for in
October, 1898.

The Trophy to become the
property of any Member
winning it
three times in succession,
or five times in all.

Full particulars from—**Mr. LEONARD BROWN,**

Secretary N.A.G.A.,

The Cottage, Seven Arches, BRENTWOOD.

Previous Winners:

Mr. L. BROWN (1).

Mr. F. M. VOKES (1).

THE CHAMPIONSHIP OF KENT.

CANNELLS' KENT CHAMPIONSHIP COLLECTION OF GARDEN PRODUCE.



Finest ever seen in Kent (as shown at Rodmersham), and won for the third time by Milton, who now retire.

Cannell & Sons' Complete Seed Guide.

CANNELLS' CHAMPION BELT COMPETITIONS

Have proved of great national importance, showing how Vegetables, Fruits, and Flowers should be when near perfection; and the longer these prizes are contended for, and the more generally they are taken up, so will healthy conditions follow. Kent had 10 entries, and a sharp competition ensued, exhibits coming in from all parts of the county (as will be seen by its report); and we hope many more will contend, thus increasing their store of knowledge, and enabling them to conduct their gardening with much more ease and success for the benefit of themselves personally, and thus improving the whole district.

H. CANNELL & SONS' CHAMPION SASH

TO AMATEUR GARDENERS' SOCIETIES.

WE also offer a valuable MONEY PRIZE, together with a splendid GOLD-LETTERED SASH, for the Best Collection of 16 distinct Dishes of Vegetables and Fruit and a Stand of Flowers.

ALL MUST HAVE THE BEST SEEDS.

Amongst the exhibits for our many prizes in various parts of the country it is surprising what a lot of inferior productions are put up, while an enormous lot must be left at home, and to have both Vegetables and Flowers more uniform in quality and correctly named for the future, **all seeds must come direct from us.** In nearly all instances the winning exhibits are from our seed—this being so, it will be greatly to the advantage of all to make this compulsory. It will now be understood that only those who have had their seed from us can compete for any prize offered by us.

Prizes,	1st	2nd	3rd	}	For the Best Collection of 10 distinct Vegetables. (No restriction as to when Onions are to be sown.)
	£3	£2	£1		" " " 6 Dishes of Hardy Fruit, all distinct. (Peaches, Nectarines, Melons, Breadfruit, and Indoor Grapes not admissible.)
					" " " Stand of Annuals or other Outdoor Flowers, arranged for effect. Stand to be 2 ft. by 1½ ft.

Productions exhibited for these Prizes must have been grown by *bonâ-fide* members of the Societies, and residing in the same or an adjoining parish.

For final particulars, see Schedule of the Society where the Competition takes place.

Our Mr. H. Cannell, Sen., will endeavour to be present on the occasion of presenting all Prizes, and the Society will invite some distinguished personage to invest the fortunate winners with their decorations.

The Great Contest for the COUNTY CHAMPIONSHIP of KENT, 1898,
will take place at ROCHESTER.

That Society challenges, and most cordially invites, all others in Kent to compete.

For full particulars apply to Mr. C. VA RALL (Secretary), 19, Bryant Road, Strood, Rochester.

CANNELLS' "PERFECT GOLDEN" SEEDS.

KENTISH CHAMPION HORTICULTURAL SOCIETY.

Finest collection of Fruit, Flowers, and Vegetables ever exhibited in Kent, in competition for Cannell & Sons Championship Belt and £6.

See the following description respecting it; certainly the sharpest and most exciting contest for the victory ever fought in England for this great honour which Mr. Chopping and his friends of the Milton (near Sittingbourne) Society have the pleasure of holding, having won it on three occasions from the greatest experts, and now retire with the Belt and all honour.

Cannell & Sons' Complete Seed Guide.

BEST GARDEN PRODUCTIONS EVER SEEN IN KENT FOR THE CHAMPIONSHIP WON BY MILTON FROM RODMERSHAM.

ALL ADMITTED THE EIGHT EXHIBITS MADE A MAGNIFICENT DISPLAY.

THE institution of the Kent championship belt competition by Mr. Cannell, the head of the well-known firm of Messrs. Cannell & Sons, of Swanley, has done an immense amount of good for horticulture in the county. A few years ago it would have been deemed an impossibility for vegetables to be grown to their present size. But, while weight is a consideration in the cultivation of vegetables, quality is also another important factor. Indeed, quality ranks before quantity. While vegetables have increased in bulk, however, quality has also taken an upward tendency, so that it would seem to be impossible to improve upon the present standard that has been attained. So successful has the competition in vegetables become that fruit and flowers are now introduced, and these new features have added to the beauty of the competition.



MR. CHOPPING

The struggle for possession of the county championship this year took place at the annual exhibition of the Rodmersham Amateur and Cottage Gardeners' Association, which was held in a large booth in Rodmersham Park, near Sittingbourne, on 25th and 26th August last. This pretty spot was placed at the disposal of the Rodmersham Society by R. Mercer, Esq., C.C. It was here that the competition for the Kent championship belt took place two years ago, after the honour had been won by Rodmersham from Milton in the previous year. Two years since the Miltonians came to Rodmersham, and wrested the championship from their neighbours. Last year the fight took place at Milton, and here Rodmersham once more turned the tables on the Miltonians, and for the past twelve months the coveted belt has found a resting place at Rodmersham. Now the contest for the title of the champions of Kent has again taken place at Rodmersham, and, by a singular coincidence, the championship has gone to Milton for the third time. To outsiders it may possibly seem to be extraordinary that, for the past four years, this annual championship competition has resolved itself into a duel between Milton and Rodmersham. The explanation of this is not far to seek. Ever since the championship was brought into this district from Eynsford, by Milton, Rodmersham and Milton have singled themselves out from among other competitors as veritable giants in the horticultural world, with the result that, if Milton has not been successful, then the championship has gone to Rodmersham. So the belt has alternated between the two. Meanwhile other societies in the county do their best to stop this "little game," as it has been not inaptly termed, but so far they have been powerless to prevent it. They can only view the fight from afar with hungering eyes upon that coveted piece of gold-bedizened silk, and sigh for the day when it shall be their turn to wear it.

As we pointed out last year, this is, in the main, the result of the championship competition. Now that Rodmersham and Milton have glided into the championship groove, and have tasted the sweets of success, they are very tough customers to displace. In other words it means that at Milton and Rodmersham the science of horticulture has been raised to such a pitch of excellence, that these parishes can breathe defiance to the county. At the present time they look in vain for their conquerors. The day, no doubt, will come when the horticultural championship of Kent will be taken to some other part of the county; and in the interests of horticulture generally it will be a good thing when this happens; but, until that time arrives, Milton and Rodmersham are content to rest upon their laurels, and to do their best to retain the championship in this neighbourhood.

There were eleven entries for the competition this year, viz., Eynsford, Strood, Ash, Penshurst, Charing, Ightham, Milton, Linton, Milsted, Westgate, and Rodmersham (the holders). At the last minute Charing, Ightham, and Eynsford withdrew, leaving eight stern and determined competitors to enter the list. Local horticulturists are fairly familiar with the conditions of the competition, but, for form's sake, it would be as well to state what the conditions are. The competition is open to all amateur and cottage garden associations in Kent. It consists of ten varieties of vegetables (cauliflowers, beetroot, kidney potatoes, round potatoes, marrows, tomatoes, onions, carrots, runner beans, and turnips), six dishes of fruit (two dishes each of apples, pears, and plums), and a stand of annuals, or other outdoor flowers, arranged for effect. The exhibits were staged down one side of the booth, and were quite an exhibition in themselves. Considering the trying nature of the summer it would not have been surprising to have observed a falling off in quality. But last year's high standard was not only maintained, but in one or two instances was improved upon. In some of the stands of flowers there was a lighter and more graceful arrangement of the flowers, while some of the vegetables were, if anything, a little larger. And yet the quality was of the very highest. What we shall see in a few years' time it would be difficult to say; but after the great improvement effected in the past half-dozen years we must be prepared for anything. Rodmersham had a slight advantage over Milton for arrangement of flowers, the floral section of the Rodmersham collection being very handsome. It may be added that the Rodmersham flowers were arranged by Mrs. Dixon and Miss Thomas, while Miss Prentis performed a similar office for Milton. The vegetables shown by these societies were little short of perfection, and a similar remark applies to the Penshurst vegetables, Ash and Linton being close on the heels of Penshurst. The judges were painstaking to a degree in their work, and a considerable time was occupied in comparing the merits of the respective exhibits. In the end the awards were placed as follows:—1st, £3 and the Kent championship belt, Milton, with a total of 76 points out of a possible 84; 2nd, £2, Rodmersham, 73 points; 3rd, £1, Penshurst, 71½ points. Ash, with 65½ points, and Linton, with 61½ points, were each highly commended. The result was received with extreme satisfaction by the Miltonians, who were congratulated upon having regained the honour which they won on the same spot two years ago. Rodmersham had made a truly gallant fight, and it was hard for any one but an expert to tell where the superiority existed, but Milton gained their advantage in the fruit. The difference

Cannell & Sons' Complete Seed Guide.

between the first three societies was not great, as the respective aggregates testify. Penshurst are to be congratulated upon their capital fight. Among the Penshurst representatives was an old friend in the person of Mr. E. Baker, formerly of Milsted. The collections made an extremely handsome show. They comprised the cream of Kentish garden produce, and elicited general admiration.

THE CHAMPIONSHIP BELT WILL STAY AT MILTON.

We understand that, as Milton have won the championship belt three times, it is the intention of Messrs. Cannell & Sons to let the Miltonians retain it for good. The contest will now return to a central position in Kent, which will be chosen.

The judges were Mr. W. P. Wright, F.R.H.S. (the well-known instructor in horticulture for the Kent County Council); Mr. J. Cornford, of Quex Park, Birchington; and Mr. F. T. Hart, of Ospringe, Faversham. It may be asserted that never did judges have a more difficult task allotted to them, and never was that task more faithfully and conscientiously performed.

THE LUNCHEON

took place in a booth adjoining the show, the catering being well done by Mr. W. Gott, of the Fruiterers' Arms, Rodmersham Green. Mr. R. Mercer, C.C., the president of the Rodmersham Society, was in the chair, and amongst those present were Mr. J. Dixon, the chairman of the Rodmersham committee of management, Mr. A. J. Thomas, Mr. Dunbar Thomas, the judges, members of the Rodmersham committee, and the representatives of the competing societies.

The CHAIRMAN gave the toast of "The Queen," which came with especial significance in this Jubilee year. It was loyally honoured, whereupon

Mr. DIXON submitted the toast of "The Judges." He remarked that it went without saying that the judges had given great satisfaction. He paid a high compliment to the three gentlemen who had come there that day to award the prizes, and he thought everyone would agree with him that they had done their duty. The toast was drunk with great cordiality.

Mr. CORNFORD, in replying, congratulated Rodmersham upon their excellent exhibition. With regard to the championship belt competition, Mr. Cornford said that his colleagues and himself had spent considerable time in examining the various collections. The quality was remarkably good and the competition keen. The exhibits were the best that he had had the pleasure of seeing this season. He trusted that another year the season would be more favourable for gardeners. The exhibition reflected great credit upon all the competing societies. Although Rodmersham were second that day, he hoped they would be first next year. He confessed it was a toss up to say which was the better of the two—Milton or Rodmersham. He trusted that the show would be a financial success. (Applause.)

Mr. WRIGHT, who was called upon for a response, also said a few words. He said there was one aspect of the show which had struck him with considerable force—and that was the educational aspect. They had seen a magnificent lot of produce there that day, and, as one who believed in the value of education, he only wished that every society in the county could have sent a representative to see that exhibition. There was a lot of stuff there, and it was very fine, but the vegetables were not coarse, a remark that applied more particularly to the onions. It would be a good thing, he thought, to know how the onions were

grown. A little information on that subject, widely disseminated, could not fail to do good. Horticulture, as they saw there that day, was a grand educational work, and he thought it would go on. Mr. Wright concluded with a few humorous remarks, and resumed his seat amidst loud applause.

A. J. THOMAS, Esq., submitted the toast of the health of Mr. Cannell, who was the promoter of the championship competition. It was a funny little game that was going on there—Rodmersham winning one year, and Milton the next. (Laughter.) They had got a County Council representative there, and he should like to see the County Council take the matter up. If it could be arranged, he thought it would be a grand idea to get the horticultural societies of the county to enter into competition once a year. (Hear, hear.) Nevertheless, they must not forget that horticulture owed a great deal to Mr. Cannell for the grand work he had done; for one result of the competition was that produce was now raised, the equal of which had never been seen before. Mr. Thomas regretted that Mr. Cannell was not with them that day, and then submitted the toast, which was drunk with great heartiness.

Mr. ARTHUR MAYES, the representative of Messrs. Cannell & Sons, acknowledged the compliment, remarking how sorry Mr. Cannell was at being unable to be present, in consequence of a show that took place that day in his (Mr. Cannell's) own neighbourhood. Mr. Mayes said he quite agreed with the judges that the produce improved in quality year after year. Last year the exhibits in the belt competition were good, but he thought that this year the first three or four of the collections were certainly better than those of last year. Taking the season into consideration he thought that the fruit was very fine. He congratulated Milton upon their success in again winning the belt, but—it was no good to cloak the matter—Mr. Cannell would rather have seen the belt go to some other part of the county. (Hear, hear.) He thought that Mr. Thomas's idea of a county competition being taken up by the County Council a grand one, and he saw no reason why it should not be brought about. Mr. Mayes concluded by proposing a vote of thanks to Mr. Mercer for having presided so efficiently over those proceedings. (Applause.)

The CHAIRMAN returned thanks, and observed that, in his capacity as County Councillor, he should be pleased to do all that he could to promote the establishment of a competition under the auspices of the Technical Education Committee of the County Council, as suggested by Mr. Thomas.

THE HANDING OVER OF THE BELT

was a ceremony that possessed no little interest for the company. The belt was handed over by Mr. Dixon to the Chairman, who invested Mr. Chopping with the silken sash, amidst loud applause. Mr. Chopping sententiously remarking, "The same old hoss."

Mr. CHOPPING observed that Milton had been second three times, and they had won the belt three times—a record of which any society might well feel proud. With a proud air Mr. Chopping exhibited the sash to admiring rivals, and received the congratulations of a circle of delighted Miltonians.


The show was formally opened by Mr. MERCER, who said they had hoped to have secured the services of Mr. Gorell Barnes, M.P. for that function, but that gentleman was abroad. Failing Mr. Barnes, it gave him (Mr. Mercer) the greatest pleasure to open it. They had a grand show in the championship competition, and he would do all he could to support the suggestion of Mr. Thomas. Amidst applause, Mr. Mercer then declared the show to be open wishing it every success.—*Kentish Gazette*.

Cannell & Sons' Complete Seed Guide.

CHAMPIONSHIP OF LANCASHIRE, CUMBERLAND, AND WESTMORLAND.

KIRKBY SOCIETY AGAIN WINS THE CHAMPIONSHIP.

They will gladly hand up the Belt and £3 to whoever can beat them.



Their exhibits were arranged with very artistic taste, and included some very fine specimens, particularly so in vegetables and fruit; some of the apples and gooseberries were of extraordinary size. There were four Societies entered—Dalton, Askam, Milton, and Kirkby. All the exhibits were of a very high order, and each stand was erected and decorated very neatly. Askam and Milton both had the advantage in flowers, which were, moreover, beautifully fresh, but this was counterbalanced by the excellence of the Kirkby vegetables and fruit. The Judges had a very difficult task before them, and considerable time was spent before giving their awards, which were Kirkby 81 points, Askam 76, Milton 72, Dalton 66. The result was awaited with keen anxiety by a large number who were outside; and as soon as the door was opened and the result made known, it was received with much cheering. The Judges were Mr. Shaw, of Muncaster Castle, and Mr. Hacker, Ponsonby Hall. After the judging, the Officials and Judges sat down to a splendid tea at "The Punch Bowl" Hotel. Upon the removal of the cloth, Mr. E. N. Lewis, Vice-President, presided, and proposed the toast of the Judges in felicitous terms. Mr. Hacker, in reply, paid a high tribute to the quality of the exhibits, and said he had been a Judge at many a Show, but the like of what he had seen that day fully convinced him it was the best Show in point of quality he had had the honour of judging. (Applause.) The Chairman next invested the Secretary, Mr. W. Watters, with the coveted Sash of Honour, and at the same time complimented them upon again winning the Sash. (Loud applause.) Mr. Watters, in reply, said he had very great pleasure in

accepting the Sash on behalf of Kirkby, and proposed a hearty vote of thanks to Messrs. Cannell for the great good they are doing all over the country by offering a County Prize like the Belt. It makes the production of gardens considerably better, and he felt sure the whole company would give them their best support and wishes.

RECORD.


1895. DALTON-IN-FURNESS.

1896. KIRKBY-IN-FURNESS.

1897. KIRKBY-IN-FURNESS.

Cannell & Sons' Complete Seed Guide.

CHAMPIONSHIP OF YORKSHIRE.



W. H. SENIOR, *Secretary.*

W. H. DEWHURST, *Treasurer.*

J. WADDINGTON, *President.*

J. H. MOORE, *Secretary.*

Horsforth (near Leeds) Gardeners' Association had their Annual Show, which proved a great success. Cannells' Champion Belt, for the best collection of Fruit, Flowers, and Vegetables, had been wrested and brought from Leeds the previous summer, and the year before that Leeds had brought it from Bingley, who had the preceding and first year brought it from Keighley. The result was, the Champions and three ex-Champions all fought their hardest, and after one of the most severe and sharpest straight-up honest fights that ever occurred in Yorkshire, it was won and carried away in triumph by Keighley, the mother Society. The excitement ran so high that the attendance was phenomenal for the Horsforth Society and the building became blocked, although the arrangements were as perfect as they could well be. The Judges did their part so satisfactorily that the whole passed off in a thoroughly pleasant manner, especially to those who had journeyed long distances to see their respective men crowned with laurels.

RECORD.

1893. KEIGHLEY.

1894. BINGLEY.

1895. LEEDS PAXTON.

1896. HORSFORTH.

1897. KEIGHLEY.

All Champions cordially invite and challenge all similar Societies in their Counties to compete (1898). Competitors and their produce are conveyed free from the Station to the Show, and a luncheon is provided for one member of each Society honouring the Show with their productions.

Cannell & Sons' Complete Seed Guide.

CHAMPIONSHIP OF HAMPSHIRE AND WILTSHIRE.

SHANKLIN GARDENERS' SOCIETY.



MR. A. CARTER, *Secretary.*

A. F. SWAYNE, Esq., *Chairman.*

Shanklin, not having been defeated since the institution of the Competition, now claim the Belt and retire from all future Contests.

PLACE OF COMPETITION FOR 1898 CAN BE HAD ON APPLICATION.

LEICESTER AND DERBYSHIRE COMPETITION.

1897. LOUGHBOROUGH.


Secretary—GEORGE TAYLOR, 45, Cobden Street, Loughborough.

Cannell & Sons' Complete Seed Guide.

CHAMPIONSHIP OF SURREY AND MIDDLESEX.

MR. E. G. ALLSOPP.

MR. J. ALLINGHAM.



ALL MUST HAVE CANNELLS'

BEST OF ALL SEEDS AND VARIETIES.

MR. G. W. WALKER, *Chairman*, MR. R. W. REFFOLD.
CARFAX, SURBITON.

The Richmond Society, one of the strongest and most determined lot of men in the South of England, has held the Belt in defiance of all comers for years: evidently the surrounding Societies felt a little cautious in tackling them. However, at last, Surbiton came in with a grand lot, and quietly walked away the Belt in defiance to Richmond and Hook, or any other district. Next year the strongest possible challenge is to be issued to every known Society. The two defeated ones are making strenuous efforts to regain their position—Richmond feeling their defeat most acutely; and whoever wishes to see the best collection of garden produce in these two counties will have a splendid opportunity next year. Surbiton now invites all Societies in the two Counties to compete next Autumn.

RECORD.

1895. RICHMOND.

1896. RICHMOND.

1897. SURBITON.

CANNELLS' SEEDS,

NONE SO GOOD OR PRODUCE SUCH CROPS.



BEST SPOT FOR PRODUCING THEM.

BEST EXHIBITS. BEST PRODUCE. BEST REPORTS.

BEST SEEDS. BEST VARIETIES.

SEVEN YEARS' UNPRECEDENTED CONTINUAL SUCCESS EVERYWHERE.

From the

ROYAL HORTICULTURAL SOCIETY
117, VICTORIA STREET, WESTMINSTER, S.W.



ESTABLISHED 1804.
INCORPORATED 1809.



Wm Cannell & Sons
Samuel
Kew

SIR,

Oct 26 1897

The President and Council of the ROYAL HORTICULTURAL SOCIETY thank you for your exhibit at the Fortnightly Meeting of the Society on Tuesday last.

Yours very faithfully,

W. WILKS, Secretary

Remarks
(if any).

Wonderful Vegetables
Silver Gilt Knightian Medal

Please read the following extracts, fac-simile of post card, "Wonderful Vegetables," and the Reports over-leaf:—

GARDENERS' MAGAZINE says:—

Cannells' is fast becoming the floral centre of the terrestrial globe.

GARDENERS' CHRONICLE.—

Messrs. H. Cannell & Sons. A wonderful Seed Farm, the management of which must require unremitting care and attention (See page 198—1897.)

GARDENERS' CHRONICLE says:—

Cannells' is a well-appointed firm.

JOURNAL OF HORTICULTURE says:—

All who know the Cannells respect them as men of sound sense, judgment, and practical knowledge.

KENT.

All are well aware it has been quite common to speak of Kent, for centuries, as the "Garden of England," and, so far as our hardy fruits are concerned, it might justly be described as the "Garden of the World," for nowhere can Apples, Cherries, Pears, and Plums be grown to a higher degree of perfection than within its boundaries. It is a matter of common knowledge that the most advanced practice obtains among a section of the fruit-growers of Kent. — **GARDENERS' MAGAZINE.**

H. Cannell & Sons' —

Great Exhibit before the Council of the Royal Horticultural Society at the Drill Hall, October 26th, 1897. The productions from their Seeds have for years had a continued success, and have taken the Highest Awards in England and America for Vegetables and Flowers of any Seed Growers—positively all our own growing and from our own Seeds. The Horticultural papers report our Exhibits thus:—



JOURNAL OF HORTICULTURE.—28th October, 1897.

A magnificent collection of vegetables came from Messrs. H. Cannell & Sons, Swanley. Onions were grand, as were carrots, cabbages, leeks, and potatoes.

GARDENERS' MAGAZINE.—30th October, 1897.

A magnificent collection of vegetables came from Messrs. H. Cannell & Sons, Swanley, and were grand examples of field cultivation, meriting a Silver-Gilt Knightian Medal.

GARDENING WORLD.—30th October, 1897.

Messrs. H. Cannell & Sons received a Silver-Gilt Knightian Medal for a grand collection of vegetables that comprised magnificent samples.

GARDENERS' CHRONICLE.—30th October, 1897.

Messrs. H. Cannell & Sons, Swanley, Kent, made a display with excellent vegetables from their Eynsford Nurseries.

Send for Catalogue and have your Seeds direct from us—the actual growers. We shall be delighted to serve you. The strength of our Seeds will surprise you, nearly doubling your crops.

BETTER the SEEDS & PLANTS, BETTER the CROPS.



THE GREATEST OF ALL HONOURS CONFERRED ON BRITISH NURSERYMEN OR SEEDSMEN

By the most select International Jury

AT CHICAGO,

Were awarded to us, not only for the large size and fine quality of our Seeds and Plants on arrival, but when compared with a thousand others sent from the most celebrated in all countries. They were afterwards sown, and their growth and produce during the season registered. The result was, ours were not only awarded the above Great Medal, but Four Diplomas also; and what is even of more value, the inscription says:

"They are Large, Perfect, Great Advancements, Finest yet attained."

It is therefore quite fair and right to say, after this impartial test and scrutiny, "Ours are the finest in the World," and give the best results.

Every Seed and Plant sent was taken exactly as we get up an order. It therefore proves absolutely that what we grow and sell every day at a very moderate price is far superior to those puffed up and generally sold.

H. CANNELL & SONS, Swanley, Kent

Please pass to Gardening Friends.

we are glad of the Smallest Order.

MESSRS H. CANNELL & SONS,

Have the Honour of announcing that they have
received the HIGHEST ENGLISH TRADE AWARD
as follows, from the

ROYAL HORTICULTURAL SOCIETY

ESTABLISHED A.D. 1804



INCORPORATED A.D. 1809

SILVER GILT

KNIGHTIAN



MEDAL

Oct 26th

1897.

Awarded to Messrs Cannell & Sons
For Collection of vegetables

SWANLEY, KENT.

No. 121.
1900—1901.



No. 121.
1900—1901.

By appointment to his Majesty the King of Italy.

DAMMANN & C^o

Seed and Bulb Growers and Merchants

SAN GIOVANNI A TEDUCCIO

near Naples, Italy.


Established 1877.

Awards obtained:

First Diploma of
Honour at the Italian
Exhibition, London,
1888.

Large Gold Medal of the
Royal Academy of
Naples for Improve-
ments in Horticulture.
1890.

Three Medals at the
Great Berlin Inter-
national Horticultural
Exhibition, 1890.



Lettuce, improved Tyrol Cabbage.

Awards obtained:

Diploma of Honour from
the Botanic Society,
Geneva, 1891.

Horticultural Exhibi-
tion, Naples 1892.

11 first Prizes, both the
2 Medals of the Govern-
ment. Florence 1893.
1895.

Leipzig, large and small
silver Medals 1893.

Chicago 1893.
Naples 1895.

General Price List

of

Vegetable, Farm, Tree, Conifer, Palm, Flower and other Seeds, Canna Roots, Italian
Fruit Trees, Plants, Novelties of Seeds &c. &c.

Conditions of sale and important remarks.

All prices are quoted in Shillings and Pence (English currency) and to be understood for goods delivered and payable in San Giovanni a Teduccio net without discount at 3 months from date of invoice. Agricultural seeds at 30 days. This condition will not in the least be altered and remains valid even if we draw upon our customers.

We allow 20% discount on all amounts exceeding £ 10.—/—, if cash is remitted on receipt of goods. Smaller amounts are absolutely to be paid in cash.

Our prices being very low (which you will easily find out by comparing them with those of other reliable houses) we cannot deviate from the above condition.

Orders from unknown correspondents must invariably be accompanied by references to continental firms, or the approximate amount be remitted, otherwise orders will not be executed.

Prices are subject to variations and as many quotations are made before the final result of the crop is known we shall not hold ourselves liable for quantities.

We shall thank our Patrons if they will send in their orders on receipt of this list and more especially orders for seeds which have to be collected, such as seeds of Trees, Shrubs, Conifers etc. etc.

Almost all the seeds are grown under our special superintendence, but although we use the utmost care to have all seeds etc. pure and true to name yet we give no warranty expressed or implied as to description, quality, or any other matter connected with the goods we send out and we will not be in any way responsible for the crop. Moreover all our transactions are to be ruled by Italian law. Any claims if in spite of the great care we take there should be any, will, however, be taken into most liberal consideration, but we wish it to be understood, that in no case and under no circumstances we will be responsible beyond the price invoiced for each article. It is on these strict terms only that we offer any goods or execute orders, and in accepting the goods our clients implicitly acknowledge all these terms as binding.

This List cancels all previous quotations.

For quantities from 28 lb. upwards of one sort we quote the price for 1 cwt.; quantities of at least $\frac{1}{4}$ lb. of one sort will be charged at the rate of 1 lb., quantities under $\frac{1}{4}$ lb. will be charged at the price per oz, orders for smaller quantities than offered in this list will be charged at comparatively higher prices.

Any claims resulting from the invoice itself or from the merchandise, are to be made immediately on receipt thereof, else they can in no way be acknowledged.

Shipping.

In order that our customers may have an idea of what they will have to pay for freight and shipping charges on our goods, we give the following approximate rates of freight and all charges (not including packing and insurance) from Naples — our establishment can be reached by horse car in about half an hour from the centre of Naples — calculated on 500 Kilos or 10 cwt, which are, however, subject to variations:

To London and Liverpool board: about $\frac{2}{3}$ d. per cwt. Freight for Beans to London, Liverpool, Hull etc. about 15 Shillings per ton. Fast Steamers by British India Line and others.

To New-York board: about $\frac{2}{6}$ d. per cwt. (not including insurance and consular charges). (Fast steamers by North German Lloyd, Hamburg-American, Anchor and Fabre Lines.)

To Australia, New-Zealand, India, China, Japan, South Africa, South America etc. etc., similar cheap rates by direct Steamers.

Parcels

can be forwarded by post at the following rates: parcels up to 11 lb, (5 kilos) to:

Australia:	Egypt.	1/6
New South Wales	Great Britain	2/3
Victoria	Hongkong	6/8
Tasmania	Japan	4/5
Queensland, 11 lb.	Malta	1/6
Canada $6\frac{1}{2}$ to 11 lb.	Natal $2\frac{1}{2}$ to $6\frac{1}{2}$ lb.	5/6
Cape Colony	$6\frac{1}{2}$ to 11 lb.	7/10
Ceylon	Mexico via France	3/2
Dutch Colonies:	" " Germany	3/8
Batavia, Padang, Samarang, Soerabaya	New Zealand $11\frac{1}{2}$ lb.	8—
East India $8\frac{3}{4}$ lb.	South African Republic.	
" 11 lb.	$6\frac{1}{2}$ lb.	6/7
	11 lb.	8/8

U. S. of America (any State) via Germany (Hamburg or Breme) at a through rate of 5/— (subject to eventual changes).

Samples

to Great Britain and U. S. A., of 12 oz weight —/4, registered —/7 to all other countries " " " —/3, " —/6

Postage

on letters $2\frac{1}{2}$ d.
" post cards 1 d.

Packing at first cost.

Goods travel entirely and exclusively at purchasers risk and we are therefore not responsible for any fault or deficiency arising during the voyage or from an eventual long duration of the same.

We shall however thank our correspondents to give us instructions as to the mode of forwarding, otherwise we shall send the goods by the way we think most convenient, without, however, taking any responsibility.

Insurance, if no other instructions are given, will be covered by us for amount of invoice, freight and charges added.

Our Patrons, by ordering, acknowledge the above conditions of sale.

Electros.

On application we shall forward a list of all electros published at the charge of 6d which will be credited again on an eventual invoice of electros. These electros can be had from us at the prices indicated, but it is to be distinctly understood, that our customers use them exclusively for themselves and that they do not sell, lend or copy them. They will be forwarded through Messrs. Dammann & Co., Leipzig (Germany). Any breach of this agreement is liable to a fine of £ 5—/—.

Our establishment being the largest and oldest of its kind in Italy we can show our customers at any time a great many most interesting things and solicit the favor of a visit, when we shall be happy to show them our large crops of every description.

NB. We shall be glad to procure from reliable sources at reasonable prices any kinds of seeds which our friends may not find in our catalogue.

Dammann & Co.

Cable address: DAMMANN, San Giovanni Teduccio.

A. B. C. CODE, IVth edition used.



Zinnia elegans fl. pl. „Iris“.



Celosia pyramidalis plumosa
nana „Preziosa“.



Gazania pygmaea lutea.



Kopfsalat brauner Eis.
Laitue glaciale rouge.
Brown Ice Lettuce.

DAMMANN & CO.

San Giovanni a Teduccio (Italie).

I. Vegetable Seeds.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Alkekengi.					
Eatable Winter-Cherry (<i>Physalis edulis</i>)	2 3	— —	Hinrich's speckled giant	— —	19 —
Purple, new	3 —	— —	Hundred for one, small yellow, extremely prolific	— —	26 —
Artichoke.					
Large early purple Campania	— —	— —	Ilseburg purpled speckled, very long pods, extremely early	— —	21 —
„ „ green of Naples	6 —	— —	„ white, splendid, very early	— —	16 —
„ green of Laon or Paris	6 8	— —	Negro Monster	— —	20 —
Purple of Venice	2 10	— —	„ long pod	— —	20 —
„ Provence or purple French	3 3	— —	„ extra early	— —	20 —
Green „ „ green „ „	3 10	— —	Ne plus ultra, fine for forcing	— —	19 —
Remontant, one of the finest; large, dark green without any spines; bears twice with us, i. e. in spring and autumn	6 —	— —	Osborne's forcing	— —	19 —
Horatius	3 10	— —	Pale Dun	— —	16 —
Of Modica, very large, glaucous, without spines	3 10	— —	Perkin's red speckled	— —	16 —
Of Terranova, very early and fine	3 5	— —	Sion House	— —	16 —
We warmly recommend these last 4 varieties.			Sir Joseph Paxton	— —	14 —
Asparagus.					
Giant	— 6	— —	Beans-Soja (<i>Soja hispida</i>).		
Purple Argenteuil	— 6	44 —	Yellow	— 5	— —
Conovers Colossal	— 6	46 —	Brown	— 4	28 —
Palmetto	1 6	— —	Black	— 4	28 —
Columbian White	1 10	— —	Green Samarow, extremely early and prolific	— 5	30 —
Ivory, new; very tender, remaining white even if shot up very high above the ground	1 6	— —	Giant yellow Santa Margherita; of enormous growth; Beans very large; extremely prolific	— 6	— —
Basella.					
White of Malabar (<i>Basella alba</i>)	1 10	— —	Beans-Lima.		
(Phaseolus lunatus var.)					
Dwarf.					
			Toledo, white, very prolific	— 4	— —
			Linderaya, very dwarf white, very large pods	— —	— —
			Giuditta, very prolific, pods broad	— —	— —
			Wonder of San Giovanni, most prolific and early, dark red speckled	— 4	— —
Beans.					
Broad Varieties.					
Sevilla long pod	— 4	21 —	Runners.		
Aguadulce, the finest and largest	— 5	25 —	San Giovanni white; runs high, abundant bearer	— 6	— —
Valencia, large black	— 3	16 —	Sant Antonio, yellowish white; highly prolific	— 6	— —
„ small „	— 3	15 —	San Giuseppe, white of medium size	— 6	— —
Windsor, green	— 3	17 —	San Carlo, black speckled; runs high; abundant bearer, one of the finest	— 6	— —
Beans.					
French or dwarf varieties.					
Algiers black	— —	23 —	Lagune, red speckled, splendid	— 6	— —
Best of All	— —	19 —	Beet.		
Black Belgian, excellent for forcing	— —	21 —	Crapaudine, rough-skinned, half long	— 7	52 —
Canada yellow	— —	21 —	Castelnaudary, blood-red	— 8	60 —
Canadian Wonder	— —	19 —	Long, deep red	— 8	60 —
Canterbury yellow	— —	14 —	Covent Garden, long, red	— 8	60 —
China	— —	17 —	Dells crimson, long, red	— 7	60 —
Crimson flageolet	— —	19 —	Whyte's black, long and fine, dark blood- red	— 7	45 —
Dark Dun or Liver colour	— —	19 —	Large blood-red	— 7	48 —
Fulmers early forcing	— —	16 —			
Golden Butter Wax, black seeded	— —	24 —			

	per lb. s. d.	per cwt. s. d.
Strasbourg or pear-shaped	— 7	45 —
Bastian's blood-red Turnip	— 7	50 —
Egyptian Turnip, red	— 7	50 —
Bassano, flat, red, early	— 6	44 —

Sugar Beet.

(German grown, from selected stock).

Imperial white	— 7	45 —
Klein Wanzleben	— 7	45 —
Vilmorin's improved	— 7	45 —
Dippe's best stock	— 7	50 —

Silver-Beet, see Swiss Chard.

§ Benincasa-Cerifera oz —/5	4 5	— —
---------------------------------------	-----	-----

Borecole or Kale.

Curled dwarf green (German Greens)	1 5	— —
" " purple	1 4	— —
Palm Tree, high	1 9	— —
" " King, dwarf	1 9	— —

Broccoli.

Purple Navidad, early, dark purple . .	1 10	— —
Dark red Santa Teresa, early, purple, changing into green, when boiled . .	1 10	— —
Walcheren	3 3	340 —
Adams early white	3 —	— —
Backhouse's white winter	3 3	— —
Cattell's Eclipse, late	3 3	— —
Chappell's Cream, late	3 6	— —
Ellettson's Mammoth, late	2 10	— —
Knights protecting, late	2 8	— —
Penzance (from Cornish stock)	2 3	— —
Snow's white winter	3 3	— —
Valencia, early, beautiful white heads .	3 —	— —
Como, early, white, splendid	3 6	— —
Veitch's self protecting, late	2 9	280 —
Giant Malta, late	2 9	280 —
Late Asiatic	2 9	280 —
Sprouting Nataleschi	1 6	— —
" Gennarese	1 6	— —
" Febbrajoli, late	1 6	— —
" Marzajuoli, very late	1 6	— —

Brussels Sprouts.

Tall, best stock	1 5	— —
Dwarf, improved	1 6	— —
Aigburth	1 9	— —

Cabbage.

Bacalan, early	1 9	180 —
Brunswick, large Drumhead, best stock	1 7	160 —
Cocoa Nut	1 7	160 —
Drumhead Dutch late	1 —	105 —
" " early dwarf	1 —	105 —
Early Etampes	1 9	175 —
Enfield Market	1 9	180 —

Myatt's early Offenham	1 7	160 —
Mein's No. 1	1 7	160 —
Oxheart large	1 6	150 —
" early	1 7	160 —
St. John's Day, early	1 7	160 —
" " late	1 6	150 —
Schweinfurt Drumhead	1 7	160 —
Strassburg Quintal or Cwt. Drumhead	1 6	145 —
Sugar loaf	1 9	180 —
Wheeler's Imperial	1 9	180 —
Winnigstadt, best stock	1 6	150 —
York early	1 9	180 —
" large	1 9	180 —
Late Calabria	1 6	150 —
Early Mongibello	1 6	150 —

We recommend these last two sorts quite especially for warmer countries; they are splendid.

Large blood-red Drumhead	1 7	160 —
Small " early Dutch	1 9	180 —
Pisa, a very early, splendid variety with large solid heads; very much adapted for warmer countries	2 3	— —

Savoy.

Drumhead, large late	1 5	140 —
Early dwarf Ulm	1 4	120 —
Favourite	1 3	135 —
Marcelin	1 2	110 —
Small early Vienna	1 2	120 —
Victoria (Waterloo)	1 5	140 —

Caper Tree, see Trees.

Capsicum.

Sweet varieties.

Black Nubian per oz —/3	2 3	— —
Cardinal, scarlet, fruits long " " —/3	1 10	— —
Columbus (Dam.) (Electro), red of enormous size . . . " " —/4	3 9	— —
Columbus (Dam.), yellow . . . " " —/3	1 10	— —
Elephant's Trump red, splendid " " —/3	1 10	— —
Golden Dawn " " —/3	1 7	— —
Golden King (Nocera) most beautiful, very large fruit . per oz —/3	1 7	— —
Maddaloni, of conical shape, very early " " —/3	1 10	— —
Mild red Harald (Electro). The fruits resemble much the Ruby King as to size, shape and color, but contrary to this latter kind the fruits stand perfectly upright above the leaves, a decided advantage over the other kinds as the fruits are more exposed to the sun, thus ripening better and more quickly per oz —/5	3 —	— —
Papacello, red, round, medium sized, slightly ribbed; a fine Neapolitan variety, very good for pickling per oz —/3	1 7	— —

	per lb. s. d.	per cwt. s. d.
Procop's Giant per oz —/4	2 —	— —
Red Etna, fruits upright . . . —4	2 8	— —
Red pointed Calabrese (Electro). Ex- tremely rich bearing, with large fleshy dark purple fruits reaching a length of about 7 inches ending in a point; quite a new form per oz —/4	2 10	— —
Ruby King, red, splendid very large " " —3	1 9	— —
Sweet Mountain or Bull nose " " —3	1 9	— —
" Spanish " " —3	1 8	— —
Tomato-shaped, red " " —3	1 10	— —
" " yellow " " —3	1 10	— —
Under different climatic and cultural conditions it happens that certain kinds of mild Capsicum turn hot.		



Capsicum Columbus.
Electro 3/3.

Capsicum.

Hot varieties for pickling.

Cayenne, red, long fruited, . per oz —/3	1 6	— —
Celestial " " —/3	1 —	— —
Cherry, red " " —/3	1 4	— —
Chile red, orange, sulphur yellow, purple, each . . . " " —/3	1 5	— —
Japanese Cluster (Electro) scarlet, fruits long . . . " " —/4	2 8	— —
Kaleidoscope " " —/4	1 10	— —
Prince of Wales, yellow . per oz —/3	1 5	— —
Spanish or Guinea . . . " " —/2	1 —	— —
Szegedin (Hungarian) Rose Paprika " " —/3	1 5	— —

	per lb. s. d.	per cwt. s. d.
Tom Thumb (producing fruits in clusters), red, orange, yellow, each per oz —/3	1 5	— —
Tomato red " " —/3	1 6	— —

Cardoon.

Puvis, very fine and large	1 3	— —
Bolognese, excellent	1 9	— —
Alexander, (prickly) of enormous size . .	1 10	— —

Carrot.

Please state if you desire „Rubbed“ or „Bearded“ Seed.	Rubbed or clean Seed		Bearded Seed	
	per lb. s. d.	per cwt. s. d.	per lb. s. d.	per cwt. s. d.
Altringham, long scarlet	1 5	145 —	1 3	125 —
Chantenay, half long	1 9	165 —	1 7	145 —



Capsicum mild red Harald.
Electro 4/6.

Carentan, early, half long, scarlet	1 10	180 —	1 8	160 —
Early Gem (Oxheart- Guerande)	1 10	180 —	1 8	160 —
Early scarlet Horn . .	1 11	185 —	1 9	165 —
French early forc. Horn	1 10	180 —	1 8	160 —
Half long Luc, stump- rooted	1 9	165 —	1 7	145 —
James Intermediate, half long scarlet, pointed .	1 4	135 —	1 2	120 —
Nantes, early half long scarlet, stump-rooted .	1 9	165 —	1 7	145 —
St. Valery	1 10	180 —	1 8	160 —

	Rubbed or clean Seed		Bearded Seed	
	per lb. s. d.	per cwt. s. d.	per lb. s. d.	per cwt. s. d.
Stump-rooted, half long scarlet	—	—	—	—
Surrey long, red . . .	1 9	165 —	1 7	145 —
White Belgian, green top	1 —	100 —	1 —	90 —
„ Vosges, thick, short	1 —	96 —	— 11	84 —
Indian dark red . . .	— 8	70 —	—	—

Caterpillar. Scorpiurus.

	per lb. s. d.	per cwt. s. d.
Mixed per oz —/4	3 9	— —

Cauliflower.

Italian varieties.

Earliest short-stemmed Italian Giant

(Dam.), very early, most beautiful large,
white, solid heads 3 8 370 —



Capsicum red pointed Calabrese.
Electro 3/3.

Eclipse, true, short-stemmed	—	—
Earliest Italian Giant „Non plus ultra“	2 6	225 —
Veitch's Autumn Giant	2 3	215 —
Algiers Giant, late	2 9	280 —
Late Asiatic	2 9	285 —
„ Italian Giant (Veitch's self pro- tecting Broccoli)	2 9	275 —
Giant Malta	2 9	275 —

Cauliflower.

English, French and German varieties
grown in Italy. Finest seeds.

Erfurt earliest Dwarf . per oz 1/2	16 6	— —
Snowball, very fine . . „ „ —/11	13 —	— —

	per lb. s. d.	per cwt. s. d.
Montblanc, of the Snowball type; quite dwarf, pure white and solid heads (crop failed)	13 3	— —
Imperial early	5 6	— —
Early Paris or small Salomon . . .	5 6	— —
Large white Erfurt	3 5	340 —
Early Dutch	5 2	— —
„ London	4 6	— —
Lenormand large	4 6	— —
„ short-stemmed, true . . .	10 3	— —
Large Salomon	4 6	— —
Stadtholter	3 9	— —
Walcheren, true	4 —	— —

Cauliflower.

Imported seed, from our special
growers.

Erfurt earliest dwarf, for forcing, finest quality . . per oz 4/—	60 —	— —
Snowball, large, very firm white heads, superior stock . . „ „ 3/—	40 —	— —



Capsicum, Japanese Cluster.
Electro 3/—.

Celery.

Arezzo	these Italian varieties are quite extra	1 2	— —
De Candolle		1 2	— —
Folgore		1 2	— —
Henderson's White Plume		— 8	— —
Ivery's Nonsuch Pink		1 —	— —
Large dwarf white solid		— 8	— —
Leicester Red		— 8	— —
Pink Plume		— 9	— —
Sandringham white		— 8	— —
Scrymgers Giant		1 2	— —
Wright's Grove Red		— 8	— —
„ Giant White		— 8	— —
Soup Celery		— 7	45 —

Celeriac or Turnip-rooted Celery.

	per lb. s. d.	per cwt. s. d.
Erfurt	— 9	70 —
Giant of Prague	1 2	105 —
Ne plus ultra, Paris white	1 —	100 —
Apple-shaped	1 —	100 —

Chervil.

Common or plain	— 10	— —
Curled	— 9	— —
Turnip-rooted	2 3	— —

Chicory.

Common (Barbe de Capucin)	— 7	57 —
Improved very large-leaved	— 10	90 —
Red-leaved Milan (Lombardy)	— 9	80 —
Brussels or Witloof	— 10	82 —

excellent
for
salad



Cucumber, Yokohama climbing.
Electro 3/3.

Large-rooted Brunswick	— 9	80 —
Asparagus, an excellent Italian variety quite different from any other; leaves and stalks give a most wholesome and refreshing salad when cooked and served cold	1 6	— —

Corn, Sweet or Sugar.

Adam's, extra early	— 5	30 —
Crosby's early	— 5	30 —
Cory early (red Cob)	— 5	30 —
Early Minnesota	— 5	30 —
Egyptian Sugar	— 5	30 —
Mammoth	— 5	30 —

Manhattan early	— 5	30 —
Moore's early concord	— 5	30 —
Narraganset	— 5	30 —
Non plus ultra	— 5	30 —
Perry's Hybrid	— 5	30 —
Stabler's early	— 5	30 —
Stowell's evergreen	— 5	30 —
The Country Gentleman	— 5	30 —

Cornsalad.

Large round-leaved	— 8	70 —
Large-seeded round-leaved Dutch	— 8	70 —
Italian (Valleriana coronata)	— 8	70 —
" Lettuce-leaved	— 9	78 —

Cress (1 bushel = abt $\frac{1}{2}$ cwt.).

Common or plain	— 5	35 —
Curled	— 5	35 —



Cucumber, Corosan climbing.
Electro 3/3.

American Winter	1 —	— —
Australian or Golden	— 5	37 —
Broad-leaved	— 5	37 —
Water Cress	2 3	— —

Cucumber.

(Open ground varieties.)

Long green	1 8	— —
" " Italian, very fine and pro- ductive	1 6	— —
" " of Athens, or Greek	1 4	— —
" " English prickly	1 5	— —
" " Bismarck, white-spined	1 5	— —

	per lb. s. d.	per cwt. s. d.
Long green Goliath	1 6	—
" " prolific	1 6	—
Very long Yellow Dutch	1 4	—
Paris pickling	1 1	—
Small pickling Bourbonne	1 3	—
Japanese green Climbing	1 9	—
" white Climbing	2 3	—
Formosa climbing (Dam.), very early and enormously prolific, of splendid flavour. Fruit smooth, dark green, slightly black spotted; flesh white, very solid	2 8	—
Yokohama climbing (Dam.) (Electro). A most beautiful late sort; the foliage never suffers from disease. The fruits are cylindrical, bright green and very slightly spined or prickly. Later, if ripe, they turn brighter, almost into wax colour. Flesh white solid. A most abundant bearer	3 2	—



Cucumber Persian Cluster.
Electro 3/3.

Corosan climbing (Dam.) (Electro). This is the ne plus ultra of productiveness as it bears most abundantly and never suffers from moisture or diseases. Fruit dark green, bright green striped and very slightly prickly, with a curious knot at the extremity. Flesh white, of finest flavour and never bitter	3 2	—
Giant of Quedlinburg	1 3	—
Pera gigantic green	1 3	—
The Prince's Cucumber (Electro), fruits short, about 6—8 in. cylindrical smooth, light green, very fleshy and solid, extremely prolific and highly to be recommended	1 6	—
Santa Rosalia, very prolific, climbing very little	1 8	—
Bonneuil, white very large	1 6	—
Russian small (Murum)	1	—

	per lb. s. d.	per cwt. s. d.
Chiwa netted (Emperor Alexander)	1 5	—
Russian "	1 3	—
Hairy cucumber of Egypt	1 7	—
" " Palestine	1 7	—
" " Taranto	2 2	—
Cucumis flexuosus (Snake)	2 2	—
Cucumber Melon	1 6	—
Persian Cluster (Dam.) (Electro), very early, ripening in about 5 weeks, about 8 inches long, dark green, very slightly prickly; very fine	1 10	—
Bedfordshire Price Ridge	2 10	—
Stockwood extra	2 10	—

Cucumber.

(Frame Varieties.)

Gladiator long green	per oz —/4	3 6	—
Man of Kent	" " —/4	3 6	—
Rollisson's Telegraph	" " —/4	3 9	—



Cucumber, The Prince's
Electro 2/6.

Glory of Erfurt	per oz —/5	4 6	—
Marquis of Lorne	” ” —/6	6 —	—
Arnstadt white Giant, } very	” ” —/5	4 6	—
” green ” } fine	” ” —/7	6 7	—
Hampel’s Forcing	” ” —/6	— —	—
Model	” ” —/7	— —	—
Prescot Wonder	” ” —/8	— —	—
Noa’s Forcing	” ” —/8	— —	—
Swan’s Neck	” ” —/7	— —	—
Ideal	” ” —/8	— —	—
Berlin Eel, very long, thick,			
green	” ” —/7	— —	—
Indefatigable	” ” —/7	— —	—
Long green Cardiff	” ” —/6	4 10	—
Jewel of Koppitz	” ” —/8	— —	—
Old cucumber seed		— 3	16 —
Cyperus esculentus		— 10	— —

Dandelion.

Common	3	—	—	—
Improved thick-leaved or cabbaging	9	3	—	—
Improved Moss	7	4	—	—

Egg Plant.

Barbentan long early	1	9	—	—
Purple dwarf	2	2	—	—
Black Nagasaki (Dam.), dwarf very early and prolific	1	5	—	—
Black Prince (Dam.); pear-shaped, very early	1	9	—	—
Black Snake (Electro). Quite a new and very interesting form; the plant grows about 2 feet high and bears an abundant number of cylindrical dark purple almost black fruits about 12 inches long of the very best flavour	3	4	—	—



Egg plant black Snake.
Electro 4/6.

Dammann's „Délicatesse“ (Electro) the earliest, pear-shaped; quite an enormous bearer	1	10	—	—
Purple large	1	7	—	—
„ round	2	2	—	—
„ long of Palermo	1	10	—	—
„ giant	2	8	—	—
Black China (Peking)	3	—	—	—
New York Giant	3	9	—	—
Giant green Thibet	2	3	—	—
Calcutta	1	5	—	—
Long white China	1	3	—	—
Guadeloupe white, purple striped	1	10	—	—
Asia, new, (Dam.) of really yellow colour, very fleshy and sweet	1	3	—	—

Persia, new, (Dam.) yellow, of more cylindrical shape	1	3	—	—
Round white	1	3	—	—
Green Campania (Dam.), large, round, green and white, very fleshy	1	7	—	—
Giant Pear of Guadeloupe (Dam.), pure white with purple stripes, of enormous size	2	9	—	—
Long Horn (Dam.), pure white with green stripes, very early	2	9	—	—
Tricolor (Dam.), fruits very large, long, thick, fleshy; the upper part is bright green and the lower one white with purple stripes; quite peculiar	2	7	—	—

Endive.

Small green curled summer	—	9	76	—
Large green curled	1	2	120	—



Egg Plant, Dammann's „Délicatesse“.
Electro 3/—.

Moss curled	1	3	—	—
Rouen or Staghorn	1	3	125	—
Ruffec curled	1	2	—	—
White curled (Picpus)	1	5	—	—
Pancalier curled	1	2	125	—
Ever white curled	1	8	175	—
Imperial curled	1	5	145	—
Green fine curled winter Meaux	1	2	—	—
Carters Model	1	2	110	—
Moss curled Monreale (Dam.)	—	10	—	—
Batavian (Scarole) green	1	—	105	—
„ white	1	—	100	—
„ Sant Angelo } both	—	9	80	—
„ of Naples } very fine	—	9	80	—

Garlic.

Large Naples	— 2	17 —
Very large Calabria	— 3	20 —
Mammoth, 3 bulbs weighing abt 2	— —	— —

Gourd.

Eatable sorts see *Vegetable Marrow*.
Ornamental sorts see *Cucumis*, *Cucurbita*, *Lagenaria*.

Ice Plant, see *Sweet Herbs*.

Kohl-Rabi.

Grown exclusively from selected stock.

White ordinary	1 —	100 —
„ very early Vienna	1 2	— —
„ very early Vienna, short-leaved	1 2	— —
„ of Prague, the finest of all	1 5	— —



Leek, Giant Italian Winter.
Electro 24.

Purple ordinary	1 —	100 —
„ very early Vienna	1 7	— —
„ very early Vienna, short-leaved	1 7	— —
White Giant	1 —	— —
Purple Giant	1 —	— —
White Goliath, extremely large	1 —	100 —
Purple „ „ „	1 —	100 —
Erfurt Dreienbrunnen, white, small, beautiful	1 2	— —
Curled of Naples	— 8	70 —

Leek

(Grown from selected stocks).

Bangholm Prizetaker	— 10	90 —
Musselburgh (Scotch stock seeds)	— 11	100 —
Large Rouen winter	— 10	85 —
Monstrous Carentan	— 10	85 —
Poitou large yellow	— 10	90 —
Large Brabant	— 11	100 —
The Lyon	— 9	78 —
Henry's Prize or Ayton Castle	1 1	110 —

Broad London flag	— 9	78 —
Renton's Monarch	— —	— —
Giant Italian Winter (Electro)	— 10	90 —
„ Ostia, dark green	— 11	95 —
„ of Palermo, glaucous, the largest	1 —	95 —

These last 3 Italian sorts are most beautiful, producing enormous plants; they will give satisfaction everywhere and more especially in warmer countries.

Lettuce.

w. s. = white seed; bl. s. = black seed;
y. s. = yellow seed.

Cabbage varieties.**a) Spring varieties.**

Boston Market or white Tennisball, w. s.	1 8	— —
Golden Yellow Stonehead or Golden Ball w. s.	1 9	— —



Dammann's Ice Lettuce.
Electro 3/—.

Wheeler's Tom Thumb; bl. s.	1 4	130 —
Egg, small early, w. s.	— —	— —
Dippe's Emperor, w. s.	1 5	145 —
Sutton's forcing, w. s.	1 2	— —

b) Summer varieties.

All the year round, w. s.	1 2	120 —
„ „ „ „ bl. s.	1 2	105 —
Nonpareil, w. s.	1 —	100 —
Imperial (Green Lettuce) w. s.	1 3	130 —
Turkey Cabbage (Mammoth Butter Head) bl. s.	1 —	100 —
Lee's Immense Hardy Green, w. s.	1 —	100 —
Perpignan improved, w. s.	— —	— —
Blonde de Versailles, w. s.	1 4	130 —
Mogul, bl. s.	1 2	115 —
Blonde de Dresde, w. s.	1 —	— —
Stubborn-headed large yellow (Trotzkopf) w. s.	1 2	110 —

	per lb. s. d.	per cwt. s. d.
Stubborn-headed new brown (brown Trotzkopf) w. s.	1 4	125 —
Small dark red, bl. s.	1 9	— —
Golden spotted, w. s.	1 9	— —
Passepartout or Fearnought, bl. s.	1 4	— —
Dippe's yellow solid (yellow-seeded Butter) y. s.	1 2	— —
Rudolph's Favourite, w. s.	1 4	— —
Large yellow market, w. s.	1 2	— —
Albano, seed light brown	1 4	— —
Genezzano, (Continuity) bl. s. of a bronzy colour outside and creamy white inside; stands the greatest heat, is very solid and at the same time very tender, scarcely pro- duces any seed; the finest sort that exists per oz —6	5 6	— —
Sémoroz, y. s. splendid large heads, very solid, when fully developed; leaves green, with a bronze margin; golden yellow inside	1 5	— —



Cabbage Lettuce, Besson or Marvel.
Electro 3/1.

Canada, bl. s. very tender with bronze leaves when exposed to the sun; stands the heat very well; produces very few seeds	1 2	— —
Erfurt, yellow, fine, w. s.	1 4	— —
Green Unctuous, bl. s.	1 7	— —
Malta Drumhead, w. s.	1 —	95 —
Batavia white, w. s.	1 4	130 —
„ green, w. s.	1 3	120 —
Bossin's Giant, bl. s.	1 2	115 —
Chou de Naples, w. s.	1 6	155 —
Ice Lettuce of Laibach (Iceberg), w. s.	2 —	— —
Dammann's Ice Lettuce, w. s. (Electro) larger than the former and of the finest flavour, quite excellent; requires a good loamy soil	1 10	— —
Italian Ice Lettuce, w. s., also very large, and solid, yellow; remarkably fine . . .	1 9	— —

c) Winter varieties.

Hammersmith Hardy Green, w. s.	1 2	— —
Brown German Winter, w. s.	1 —	100 —

Green German Winter, w. s.	1 —	100 —
Besson or Marvel, bl. s. (Electro) . . .	1 4	135 —
Nansen, w. s., green, very hardy . . .	1 2	— —

Varieties for picking and cutting.

American brown curled, w. s.	1 5	143 —
Australian yellow curled, w. s.	1 2	— —

Cos varieties.

Alexandra white, w. s.	1 4	— —
Balloon, bl. s.	1 6	— —
Brown Bath, bl. s.	1 3	130 —
Brown Bath, w. s.	1 3	130 —
Crystal, w. s.	1 7	160 —
Cooling's Leviathan, br. s.	— —	— —
Frascati, w. s. White self-folding, most excellent	1 5	150 —
Ivery's Non Such, bl. s.	1 3	— —



Melon Rujukdere.
Electro 3/3.

Kingsholm, w. s.	1 6	— —
Magnum Bonum or Florence, w. s. . .	1 6	— —
Paris white, w. s.	1 6	— —
„ Green, w. s.	1 6	— —
Potenza, w. s. of enormous size and most excel- lent; leaves very numerous, white, bronze, self- folding, very solid; does not easily run to seed	1 2	120 —
Prince of Wales, w. s.	1 6	— —
Spotted, w. s.	1 4	— —
Tankred, w. s. splendid, new; white, self- folding, beautiful	1 4	— —
Trianon, w. s.	1 6	— —
Lettuce seed for bird's food, w. s. . .	— 8	65 —
„ „ „ „ bl. s.	— 5	35 —

Asparagus Lettuce.

Lactuca angustana, bl. s.	10	— —
„ „ bl. s. A new form with broad green deeply cut leaves, which is far superior to the former one for its		

exquisite flavor. The plant attains a height and diameter of about 10 inches, stands long before running to seed, and can be highly recommended, quite specially for southern countries

Melon.

		per lb. s. d.	per cwt. s. d.
American Peach-Melon	for { pr oz — 3	3 —	—
„ Mango	pre- { „ „ — 2	1 9	—
„ oval Mango	serves { „ „ — 2	1 9	—
Neapolitan Winter,	keep {		
white flesh	very { per oz — 2	1 7	—
„ green „	well {		
Netted of Naples	„ „ — 2	1 7	—
Malta, red flesh	„ „ — 2	1 5	—
„ green „	„ „ — 3	2 3	—
Honfleur netted	„ „ — 4	2 9	—
Tours netted	„ „ — 4	3 2	—
Pine Apple, white flesh	„ „ — 3	2 3	—



Melon Galata.
Electro 32.

Pine Apple, red flesh	per oz — 3	2 8	—
Hackensack	„ „ — 3	2 —	—
Emerald Gem	„ „ — 3	1 9	—
Skillman's netted	„ „ — 3	2 —	—
Delmonico	„ „ — 3	2 —	—
Nutmeg	„ „ — 2	1 6	—
Hero of Lockinge	„ „ — 4	3 9	—
Knowley's Favourite	„ „ — 4	3 9	—
Bishop's „	„ „ — 4	3 9	—
Blenheim Orange	„ „ — 4	3 9	—
Best of all (Marcellus)	„ „ — 4	3 9	—
Munroe's Little Heath	„ „ — 4	3 9	—
The Czar	„ „ — 3	2 —	—
The Earl's Favourite	„ „ — 4	3 9	—

The following sorts have been introduced by us two years ago and we can quite especially recommend them.

Asiatic long white, flesh glaucous, like frozen water per oz — 3

Bujukdere (Electro) round, smooth, light yellow with green spots or stripes; flesh snow white, thick and juicy; of finest flavour per oz — 4

Portoghese, oval, yellow dark green spotted; flesh white, tender of best flavour; contains but few seeds per oz — 3

Cercola, oval, dark green, strongly netted; flesh white, sweet and of fine flavour; the fruits grow up to 8 to 10 lb. weight per oz — 3

Galata (Electro). Fruit large, oval, about 16 inch. long, yellow, dark green marbled; flesh greenish white, very juicy and sweet per oz — 3

Therapia (Electro) large, yellow-netted; flesh thick, dark green, changing into a



Melon Therapia.
Electro 33.

yellowish red towards the interior; very juicy and of excellent flavour	per oz — 4	3 9	—
Turkish Giant (Electro) fruits large, orange yellow, smooth, oval, weighing up to 11 lb.; flesh glaucous, very sweet and juicy	per oz — 4	3 5	—
Iberia, of medium size, green-fleshed, of best flavour	per oz — 2	1 7	—
Tajo, netted, green-fleshed, very juicy and aromatic	per oz — 2	1 7	—
San Martino, of medium size, and roundish shape, bright yellow, orange-marbled; flesh white, excellent	per oz — 2	1 7	—
Large Spanish, very large, yellow, much netted; flesh yellowish, red, juicy and of an exquisite flavour	per oz — 3	3 —	—
Spanish Pearl, very juicy and aromatic	per oz — 2	1 7	—

	per lb. s. d.	per cwt. s. d.
Giant of Porto, very large, attaining a weight of about 15 lb.; slightly netted, juicy and of fine flavour . per oz —/3	3 —	— —
Abundantia (Dam.). Certainly the most prolific. The oval shaped medium sized slightly ribbed fruits of a bright green colour are green fleshed and of a most delicious flavour. One of the earliest sorts and for this reason well suited for northern countries. The plant produces such a number of fruits that all the ground is covered with them . . . per oz —/3	2 4	— —
Cilento (Dam.). Of oval shape, smooth dark green skin and medium size. The flesh is greenish, almost white of quite an excellent flavour and very sweet. It keeps very well and may be kept in a dry and airy place (without frost) for many months; its seeds are unlike any of other melons. Highly to be recommended all the more as it is very productive . per oz —/2	1 7	— —
All sorts mixed	1 2	80 —
Frame varieties mixed	7 6	— —
Old Melon seed	— 3	16 —

Water-Melon.

Red-fleshed of Castellamare, black-seed per oz —/2	1 9	— —
Very large black seeded —/2	1 3	— —
„ „ white seeded —/3	2 —	— —
Homerus (Dam.) of enormous size; flesh bright red of finest flavour; <i>the seeds are quite soft and can be eaten</i> . per oz —/4	3 —	— —
Brindisi Giant (Dam.). Round, rind smooth and thin, flesh carmine, seeds black, of excellent flavour per oz —/4	3 —	— —
Julius Caesar (Dam.). Fruit long of very large size; flesh dark red, seeds black; a splendid sort of exquisite musk flavour per oz —/5	4 6	— —
Ice Cream „ „ —/2	1 8	— —
Mammoth Ironclad, flesh red „ „ —/2	1 9	— —
Mountain Sprout, flesh red „ „ —/2	1 9	— —
Oh! My!	3 4	— —
An American sort, which is said to grow to an enormous size.		
Wisconsin, grows also very large	3 —	— —
Mixed varieties	— 8	55 —
Okra, see Sweet Herbs.		

Onion.

The crop of the Italian varieties has been again almost an entire failure this season. (The growing of Onion seed is one of our specialities; stock seeds of the foreign sorts have been obtained from the most reliable sources.)

Wonder, small white, the earliest of all

	per lb. s. d.	per cwt. s. d.
White Queen (white Barletta, Neapolitan Marzajola) very early, for pickling	— —	— —
White Nocera, early	— —	— —
„ Etna, silverskinned	2 3	— —
„ Pearl „	2 3	— —
Early white Paris	2 3	— —
White Valence	2 3	— —
Maggiajola, flat white (May-Onion)	2 3	— —
Flat white Italian Tripoli	2 3	— —
„ red „	— —	— —
Giant white Mammoth (Silverking)	2 5	— —
„ red Mammoth (giant red Garganus or Pompei)	— —	— —
Giant Rocca brown	2 3	— —
„ „ blood-red	2 3	— —
„ „ white (white globe)	2 3	— —
„ „ yellow	2 3	— —
Blood-red Vesuvius	— —	— —
Bassano or Genoa, dark red	— —	— —



Melon Turkish Giant.
Electro 33.

Madeira round	2 3	— —
„ flat	— —	— —
Giant white Victoria, very large	— —	— —
„ red „ „	— —	— —
Coimbra, roundish or flattened, of rosy colour	2 3	— —
Bermuda red	— —	— —
„ white	— —	— —
Prizetaker	— —	— —
Red Wethersfield	1 10	— —
Southport large red globe	— —	— —
„ white globe	— —	— —
James long keeping	2 2	— —
Magnum Bonum	2 2	— —
Trebons	2 2	— —
White Spanish	1 10	— —
Brown „	1 3	125 —
White Lisbon	1 —	95 —

	per lb. s. d.	per cwt. s. d.
Danvers yellow	1 10	— —
Zittau giant, yellow or pale red	1 9	— —
" " red	2 2	— —

Orach, see Spinach.

Parsley.

Common or plain	6 36	—
Curled	6 40	—
Myatt's dwarf	7 44	—
Moss-curved	6 40	—
Fern-leaved	7	—
Italian large-leaved (Celery-leaved)	1 —	—
Giant of Eboli (Dam.)	1 2	—

Both very large, especially the last one, resembling almost the Celery; we recommend these 2 sorts quite particularly.



Tomato semperfructifera.
Electro 3—.

Turnip-rooted long	8 52	—
" " short	8 54	—

Parsnip.

Long smooth	5 40	—
Round	5 40	—
Hollow crown	6 50	—
Elcombe's improved	6 50	—
Sutton's Student	6 50	—
Dobbie's selected	6 50	—

Peas.

Prince Albert (of Paris)	5 26	—
Caractacus	5 30	—
Express, green	5 30	—
Alaska "	5 32	—
Fillbasket (Laxton)	5 26	—
White Victoria	5 30	—
New Emperor, green	5 33	—

Clamart	5 33	—
Serpette	5 33	—
Ring leader	5 32	—
Extra early dwarf	5 36	—
De Grace	6 38	—
Beck's Gem	7 45	—

Peas (Wrinkled Varieties).

Queen of England	6 38	—
Telephone	8 50	—
Knight's	6 38	—
Laxton's Alpha	8 50	—
Stratagem	8 50	—
American Wonder	8 48	—

(Any other English, French or German &c.

Peas can be supplied in best quality at same or lower prices than those of other respectable firms).

Gioachino, early, very productive	3 20	—
Marcantonio, white, dwarf	3 20	—

(Two very fine Italian sorts.)

Radish

(saved from transplanted roots).

Turnip scarlet	1 —	96 —
" early scarlet	1 2	105 —
" extra early scarlet	11	80 —
" early scarlet white tipped	11	80 —
" early white	10	—
" very early yellow	1 —	96 —
Olive shaped scarlet	1 —	90 —
" " " white tipped (French breakfast)	1 —	90 —
" " early deep scarlet	1 —	90 —
" " " " white-tipped (new)	1 —	90 —
Long scarlet or short top	11	88 —
" Wood's early frame	9	75 —
" White Naples	11	88 —
" scarlet "	1 —	96 —
Summer Black Turnip	8	65 —
" Black Long	8	65 —
Winter Spanish Black Round	7	58 —
" " " Long	7	58 —
" Scarlet China	8	60 —

Rhubarb.

Myatt's Victoria	1 —	— —
Prince Albert	1 2	— —

Salsify, Mammoth Sandwich Island	1 —	— —
Scolymus hispanicus (sort of Salsify)	1 3	— —

Scorzonera.

Common	3 9	— —
Large Russian	4 6	— —
Sea-Kale (Crambe maritima)	2 3	— —
Shallot (bulbs) (price variable)	5	— —

Spinach.

	per lb. s. d.	per cwt. s. d.
Prickly or Winter (prickly seed) . . .	— 5	26 —
Monstrous Viroflay (round seed) . . .	— 5	26 —
Round-leaved large Dutch (round seed)	— 5	30 —
Victoria, dark green	— 5	30 —
Catillon, very large, dark green long standing	— 6	33 —
Lettuce leaved (round seed)	— 5	30 —
Long-standing, round seed	— 6	33 —
New Zealand (<i>Tetragonia expansa</i>) . .	— 10	85 —
Mountain Spinach or Orach, white . . .	— 6	— —

Swiss Chard.

Silver-ribbed (yellowish white)	— 6	40 —
„ „ curled	— 6	40 —
Chilian scarlet-ribbed	— 8	— —
„ yellow-ribbed	— 8	— —

Tomato.

Acme	1 10	— —
Apricot (Dam.) new; orange-coloured, most-		



Vegetable Marrow, Neapolitan Cocozzella.
Electro 3/3.

ly round, sometimes slightly ribbed and rough-skinned; when cooked the fruits have the flavour of the Apricot . per oz —/6	5 6	— —
Aurora (Dam. 97) apple-shaped, orange-yellow; flesh solid . . . per oz —/4	3 —	— —
Cardinal „ „ —/4	3 2	— —
Carter's Duke of York . „ „ —/4	3 9	— —
Challenger, very large, scarlet; very productive per oz —/4	3 3	— —
Chemin, one of the finest sorts „ „ —/4	2 9	— —
Cherry-shaped, red „ „ —/3	1 7	— —
Conference „ „ —/3	2 3	— —
Conqueror „ „ —/4	2 3	— —
Coriolan (Dam.) upright; fruits round, smooth and of a brilliant purple . per oz —/4	3 3	— —
Enormous, an American sort, fruits of an enormous size per oz —/8	6 6	— —

Ficarazzi (Dam.) the earliest of all per oz —/3	1 7	— —
Frogmore selected per oz —/8	6 6	— —
Goldball (Dam. 97) golden yellow; fleshy; velvety skinned per oz —/4	3 —	— —
Ham Green Favorite „ „ —/8	6 6	— —
Helios (Dam. 97) fruits velvet skinned, coral red, very fleshy and solid, containing but few seeds; early and therefore suitable also for northern countries . per oz —/4	3 3	— —
King Humbert (Dam.) red; well-known fine sort	— 10	60 —
King Humbert (Dam.) golden-yellow; the finest of all yellow sorts . per oz —/4	2 —	— —
King Humbert (Dam.) white (wax); very prolific and of fine flavour . per oz —/4	3 —	— —
Large red	— 6	45 —
„ „ early dwarf	1 5	— —
„ yellow per oz —/3	2 —	— —
„ Laxton's open air . „ „ —/4	3 —	— —
Lemon Blush „ „ —/3	1 10	— —



Coccozelle of Tripoli.
Electro 3—.

Matchless per oz —/4	3 —	— —
Mayflower „ „ —/3	2 —	— —
Meteor (Dam.) very dwarf; needs no sticks; fruits large, smooth, scarlet, solid per oz —/5	4 3	— —
Mikado, purple „ „ —/4	3 —	— —
„ scarlet „ „ —/4	3 —	— —
Nonplusultra (Dam.) large red „ „ —/3	1 10	— —
Nordlight (Dam.) upright; fruit not very large, round carmine-red; flesh solid . per oz —/5	4 3	— —
Northern Beauty „ „ —/4	2 8	— —
Paragon „ „ —/3	1 10	— —
Peach (Dam.) „ „ —/3	2 —	— —
Pear-shaped red „ „ —/3	1 7	— —
Perfection „ „ —/4	2 7	— —
Pine Apple (Dam.) round, golden-yellow; enormous bearer per oz —/4	3 —	— —

	per lb. s. d.	per cwt. s. d.
Ponderosa per oz —	5 3 8	—
President Garfield „ „ —	4 3 2	—
Prince of Naples (Dam.) fruits scarlet, of enormous size, flat-round, slightly ribbed per oz —	6 5 —	—
Red Apple „ „ —	3 2 —	—
Ruby, large red early „ „ —	3 1 9	—
Semperfructifera (Dam.) (Electro) enormously prolific, bearing large clusters of plum-shaped scarlet fruits (often 50 to one cluster). With us the first fruits are ready in May and the plants continually produce them almost until Xmas; they are not very large, but solid and of fine flavour, per oz —	5 4 5	—
Skamander (Dam.) upright, large purple fruits like those of Woodgate Hero, from which it descends, . . . per oz —	4 3 3	—
Tom Thumb (Dam.) . . . „ „ —	3 2 8	—



Cucozella snow-white Belmonte.
Electro 33.

Tokio (Dam. 97) fruits dark red, large, fleshy, often of a very curious form per oz —	4 3 —	—
Trophy, red „ „ —	3 2 6	—
All sorts mixed	6 —	40 —

Turnip (Garden).

Very early flat white Dutch	11 —	160 —
Golden Ball	8 —	70 —
Munich early purple top	1 —	105 —
Early red top strap-leaved American stone	10 —	70 —
Early white top strap-leaved American stone	10 —	70 —
Milan purple top strap-leaved very early	1 6	150 —

Milan white top extra early, new	1 10	—
Early flat red top	10 —	70 —
Early Snowball	10 —	70 —
Jersey white	10 —	70 —
Jersey Lily Turnip	10 —	—
Chirk Castle black stone	9 —	68 —

Vegetable Marrow.

Vegetable Marrow long green Bush or Neapolitan Cocozzella, green and yellow striped (Electro)	1 1	92 —
Neapolitan Portmanteau green	1 2	90 —
Italian white Mushroom (Champignon) Dam.	1 3	—
Marrow early golden Bush	1 8	—
Marrow Squash Hubbard	1 5	—
Red Cardinal	1 5	—



Vegetable Marrow, Neapolitan longest green running.
Electro 4—.

Long white Marrow	1 10	—
Boston Marrow	1 8	—
Winter Crookneck	1 8	—
Early white Bush	1 8	—
Large yellow gourd or yellow Mammoth	2 3	—
„ white „ „ white „	4 —	—
„ red „ „ red „	4 —	—
„ green „ „ green „	4 —	—
Ohio large yellow	2 —	—
Cocozella of Tripoli (new) (Electro) .	2 3	—
„ „ „ white	2 —	—
„ „ Molfetta, dwarf, with long yellowish-white fruits; very fine	1 7	—
„ „ snow - white Belmonte (Dam.) (Electro). Dwarf with long white fruits; particularly fine	2 6	—

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Charles Naudin (<i>Cucurbita moschata</i>) (Dam.) a beautiful sort, slightly climbing, with round white-striped white-fleshed fruits and large silvery seeds	2 9	— —	zella da pergola (Electro) when young, this sort furnishes quite an excellent dish; cut into pieces of ab ^t 3 in. long, take out the seeds, fill it up again with a stuffing of meat &c. boil, and serve with Tomato sauce	2 —	— —
Scarlet Chinese Sugar, fruits round with scarlet rind; flesh very solid and sweet .	2 4	— —	Moore's Vegetable Cream	1 10	— —
Wonder, new; very early and prolific; round, of medium size; the seeds have no shell as those of other kinds but only a very soft skin per oz —/4	3 9	— —	English Vegetable Marrow (<i>à la moelle</i> <i>anglais</i>)	1 3	— —
King's Acre Cream	2 6	— —	Hymalayan; round dark green, spotted white; flesh delicious; called in India 'Mock apple Tart'	3 —	— —
Pen-y-byd	2 6	— —	Long green trailing	2 —	— —
Neapolitan longest green running (<i>La-</i> <i>genaria leucantha longissima</i> (Cocoz-			" white "	2 —	— —
			Whale, greyish green	2 4	— —

II. Swede, Turnip and Mangel Wurzel.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Swede.			Mangel Wurzel.		
White-fleshed	1 2	— —	Long red	— 6	44 —
White fleshed purple top	1 3	— —	" yellow	— 7	52 —
Yellow green top	1 —	95 —	" Mammoth	— 7	52 —
" purple top	1 2	— —	Champion Yellow Globe	— 6	44 —
Laings yellow purple top	— 11	— —	Golden Tankard	— 6	45 —
Skirvings " "	— 10	— —	Oberndorf Yellow Globe	— 6	38 —
Bangholm " "	1 2	— —	" Red Globe	— 6	44 —
Turnip.			Olive-shaped Yellow or Intermediate .	— 7	52 —
White Tankard, green top	— 7	48 —	" " Red	— 7	52 —
Red " "	— 6	45 —	The seeds of Swede, Turnip and Mangel Wurzel as offered above have been grown from best stocks; any other sorts not enumerated will be sup- plied also in reliable quality at cheapest prices.		
Pomeranian White Globe	— 7	55 —			
Red Top Norfolk	— 7	52 —			
Green Top Norfolk	— 7	50 —			
Skirving's Purple Top Yellow	— 7	48 —			
Carters Purple top Mammoth	— —	— —			
Aberdeen purple top	— —	— —			

III. Sweet Herbs &c.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Arachis hypogaea (Pea-nut; ground- nut)	— 4	25 —	both for the kitchen and as a decorative plant oz —/3	2 —	— —
Angelica (<i>Angelica Archangelica</i>) . .	1 8	— —	Basil purple dwarf curled	1 9	— —
Anise (<i>Pimpinella Anisum</i>) best of Apulia (South Italian)	— 8	50 —	Blessed Thistle (<i>Centaurea benedicta</i>)	— 5	— —
Balm (<i>Melissa officinalis</i>)	1 10	— —	Borage (<i>Borago officinalis</i>)	1 —	— —
Basil sweet, large green	1 —	— —	Burnet, Garden (<i>Poterium hortense</i> <i>sanguisorba</i>)	— 6	— —
" lettuce-leaved	— 11	— —	Caper Tree, see Tree Seeds (<i>Capparis</i>).		
" large purple	1 —	— —	Caraway (<i>Carum Carvi</i>)	— 5	32 —
" bush purple	1 —	— —	Chives (seed) oz 2/9	— —	— —
" " green	— 10	— —	Cardoon, see Vegetable seeds.		
" of Abyssinia (<i>O. suave</i>) excellent			Clary (<i>Salvia sclarea</i>)	1 10	— —

	per lb. s. d.	per cwt. s. d.
Coriander (<i>Coriandrum sativum</i>) . . .	— 3	13 10
Cumin (<i>Cuminum Cyminum</i>) . . .	— 5	31 —
Dill (<i>Anethum graveolens</i>) . . .	— 6	— —
Fennel, Carosella of Naples (<i>Foeniculum piperatum</i>) . . .	1 10	— —
„ sweet Bolognese (<i>Foeniculum dulce</i>) (Electro) . . .	— 10	— —
„ largest sweet of Sicily, new . . .	— 11	— —
Fennel Prince Bismarck, very large . . .	— 11	— —



Fennel, sweet Bolognese.
Electro 1/6.

Fennel Morosini (Dam.) new; the largest, finest and sweetest; a first rate sort . . .	11	—
These sweet Fennels are quite excellent and whoever tried them with us here, were very satisfied.		
Horehound (<i>Marrubium vulgare</i>) . . .	1 9	—
Hyssop (<i>Hyssopus officinalis</i>) . . .	2 3	—
Ice plant (<i>Mesembrianthemum cristallinum</i>) . . .	2 8	—
Lavender (<i>Lavendula spica</i>) . . .	1 —	—
„ true (<i>Lavendula vera</i>) . . .	1 8	—
Marigold, Pot (<i>Calendula officinalis</i>) . . .	1 3	—
Marjoram, sweet (<i>Majorana hortensis</i>) . . .	1 —	—
„ pot (<i>Origanum vulgare</i>) per oz —/6	5 10	—

Mignonette, see Flower Seeds.

Mint, <i>Mentha piperita</i> , Peppermint	1000 seeds —/10	—	—
„ „ <i>crispa</i> 1000 „ —/8	—	—	—
„ „ <i>Pulegium</i> , (Penny-Royal)	per oz 2/3	—	—
„ „ <i>viridis</i> , (Spear-Mint) the best for sauces	per oz 2/3	—	—
Okra, dwarf early . . .	1 6	—	—
„ „ improved . . .	1 9	—	—
„ „ white Louisiana . . .	1 9	—	—
„ „ Egyptian (<i>Hibiscus lutescens</i>) . . .	1 6	—	—
Purslain green (<i>Portulacca oleracea</i>) . . .	— 11	—	—
„ golden . . .	1 2	—	—
Pyrethrum <i>cinerariaefolium</i> per oz —/6	4 6	—	—
Rampion (Raiponce) <i>Campanula</i> (<i>Rapunculus</i>) . . .	3 3	—	—
Rocket (<i>Brassica Eruca</i> , <i>Eruca sativa</i>) . . .	— 5	—	—
Rosemary (<i>Rosmarinus officinalis</i>) . . .	4 5	—	—
Rue (<i>Ruta graveolens</i>) . . .	— 11	—	—
Sage (<i>Salvia officinalis</i>) . . .	1 —	—	—
„ large-leaved . . .	1 5	—	—
Savory, Summer or annual (<i>Satureja hortensis</i>) . . .	— 5	40	—
„ Winter or perennial (<i>Satureja montana</i>) . . .	1 3	—	—
Skirret . . .	—	—	—
Sorrel, common . . .	1 4	—	—
„ broad-leaved French . . .	1 5	—	—
Tarragon, Russian (<i>Artemisia Dracunculus</i>) . . . per oz 2/3	—	—	—
Thyme, Summer . . .	2 2	—	—
„ German Winter . . .	1 5	—	—
Wormwood (<i>Artemisia Absinthium</i>) . . .	2 —	—	—
Veronica beccabunga . . .	2 2	—	—

IV. Clovers, Lucerne &c. &c.

Prices variable; terms 30 days.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Bird's foot Trefoil (<i>Lotus corniculatus</i>) . . .	1 —	85	Goat's Rue (<i>Galega officinalis</i>) . . .	—	19
Broom, common (<i>Spartium scoparium</i>) . . .	— 5	25	Lathyrus Clymenum . . .	—	14
„ yellow or Spanish (<i>Spartium junceum</i>) . . .	— 5	29	Lentil, Spanish (<i>Lathyrus sativus</i>) . . .	—	14
Clover, Alsike (<i>Trifolium hybridum</i>) . . .	— 9	75	Lupins, white (<i>Lupinus albus</i>) . . .	—	11
„ Bokhara (<i>Melilotus alba</i>) . . .	— 7	57	„ yellow (<i>Lupinus luteus</i>) . . .	—	11
„ Crimson, scarlet or Italian (<i>Trif. incarnatum</i>) . . .	—	42	„ blue („ <i>angustifolius</i>) . . .	—	15
„ Japan (<i>Lespedeza striata</i>) . . .	1 7	—	Lucerne (<i>Medicago sativa</i>) best Italian, carefully sifted, fine quality . . .	— 9	57
„ red (<i>Trifolium pratense</i>) . . .	— 8	68	„ hardy (<i>Med. media</i>) . . .	— 11	90
„ white („ <i>repens</i>) . . .	— 9	68	Lucerne tree (<i>Med. arborea</i>) . . .	— 10	—
Fenugreek (<i>Trigonella foenum graecum</i>) . . .	—	13	Melilotus coerulea . . .	— 10	—
Furze, Gorse or Whin (<i>Ulex europaeus</i>) . . .	1 —	—	Pea, Wood-(Vetchling) improved (<i>Lathyrus sylvestris Wagneri</i>) . . .	1 6	—

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Sainfoin, common (<i>Hedysarum Onobrychis</i>) in husk	—	14	Spurrey, common (<i>Spergula arvensis</i>) .	—	21
Sainfoin, common (<i>Hedysarum Onobrychis</i>) husked or milled (to be preferred, as the seeds grow more easily)	5	39	Tares, common or Spring Vetches (<i>Vicia sativa</i>)	—	13
Sulla (Spanish Sainfoin, <i>Hedysarum coronarium</i>) in husk	—	18	„ <i>Vicia narbonensis</i>	4	20
Sulla (Spanish Sainfoin, <i>Hedysarum coronarium</i>) husked or milled (to be preferred, as the seeds grow more easily)	1	92	Tares, <i>Vicia villosa</i>	—	28
Sulla is one of the very best fodder plants for warmer countries. Ask for special circular on Sulla which will be sent free on application.			„ „ <i>angustifolia</i> , narrow-leaved	4	—
			„ „ <i>atropurpurea</i>	4	—
			„ „ <i>Faba arvensis</i>	—	12 6
			„ „ „ <i>equina</i> (Horse Bean)	—	13
			Trefoil yellow, (<i>Medicago lupulina</i>)	3	27
			Trigonella corniculata	9	—
			Vetchling (<i>Lathyrus sylvestris</i>)	2 8	—
			Yellow Sand Clover (<i>Anthyllis vulneraria</i>)	1	—

V. Grasses.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Bent-Grass common (<i>Agrostis vulgaris</i>)	8	61	Marram-, Reed-Grass (<i>Arundo arenaria</i> , <i>Ammophila arundinacea</i>)	1	92
„ creeping („ <i>stolonifera</i>)	8	55	Millet, wood (<i>Milium effusum</i>)	3	27
Blue Melic Grass (<i>Molinia coerulea</i>)	3	26	„ Pearl or cat-tail, (<i>Penicillaria spicata</i>)	6	—
Brome, Hungarian or awnless (<i>Bromus inermis</i>)	7	55	Oats, tall (<i>Avena elatior</i>)	8	52
„ soft or Bull Grass (<i>Bromus mollis</i>)	—	15	Rye-Grass, Italian (<i>Lolium Italicum</i>)	—	28
„ meadow (<i>Bromus pratensis</i>)	4	27	„ „ English („ <i>perenne</i>) 28 lb.	—	26
Canary-Grass (<i>Phalaris arundinacea</i>)	2 9	—	„ „ „ („ „) 26 lb.	—	25
Cocksfoot, common (<i>Dactylis glomerata</i>)	8	51	„ „ „ („ „) Pacey's	—	30
Crested Dogstail (<i>Cynosurus cristatus</i>)	8	58	Soft Grass, meadow, Honey gr. (<i>Holcus lanatus</i>)	3	18
Eleusine coracana	10	—	Sweet Vernal Grass (<i>Anthoxanthum odoratum</i>) true	1 6	—
Fescue, hard (<i>Festuca duriuscula</i>)	5	40	Sweet Vernal Grass common (<i>Anthoxanthum odoratum</i> Puellii)	5	27
„ tall („ <i>elatior</i>)	6	44	Teosinte, (<i>Reana luxurians</i>)	1 10	—
„ various-leaved (<i>Festuca heterophylla</i>)	9	64	Timothy (<i>Phleum pratense</i>)	5	38
„ sheep's (<i>Festuca ovina</i>)	5	39	Lawn Grass	—	32
„ meadow („ <i>pratensis</i>)	7	58	Mixture for meadows, pastures &c.	—	34
„ red or creeping (<i>Festuca rubra</i>)	5	39	„ „ „ „ „ in-	—	34
Hair-Grass tufted (<i>Aira caespitosa</i>)	5	33	„ „ „ „ „ cluding clovers &c.	—	34
„ waved („ <i>flexuosa</i>)	5	31	„ „ „ „ „ lawns on dry land	—	38
Meadow, Foxtail (<i>Alopecurus pratensis</i>)	9	65	„ „ „ „ „ wet	—	38
„ wood (<i>Poa nemoralis</i>)	10	72	Please indicate nature of soil, exposure &c. &c.		
„ smooth-stalked (<i>Poa pratensis</i>)	7	54			
„ rough-stalked („ <i>trivialis</i>)	8	64			

VI. Seeds of sundry Agricultural, Economical, Officinal &c. Plants.

Prices variable.

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Barley, best Italian { very fine Italian		12 —	Millet of Yokohama (Eleusine caracana		
„ Altamura { varieties . . .		12 —	var.)	— 4	20 —
Canary-seed (Phalaris canariensis) . . .		13 —	Moha, Hungarian or German Millet		
Chamomile (Matricaria Chamomilla) . . .	2 7	— —	(Panicum Germanicum) . . .	— 3	15 —
Cotton (Gossypium herbaceum), Nea-			„ green Californian	— 3	16 —
politan		12 —	Nettle China-Grass, Silvery Ramieh		
„ Gordon Pasha, very fine . . .	1 3	— —	(Urtica nivea) per oz 1/—	13 —	— —
Cumin (Cuminum Cyminum)	5	31 —	Oats best Naples	— —	12 —
Flax, giant of Naples (Linum usitatissi-			„ „ of the Abbruzzes	— —	12 —
um)		20 —	Panicum frumentaceum giganteum, an		
„ Riga, grown from Riga stock seeds	— 1	22 —	annual gigantic grass, growing about 6 feet		
„ Campania, dwarf, furnishes the best			high. Grows very quickly and gives		
fibre suitable for the finest texture . . .	— 4	24 —	an enormous amount of green fodder. .	— 7	— —
Hemp, giant of Naples, large-seeded	— 4	22 —	Rice, Piedmontese (Novara)	— 4	25 —
„ „ „ „ small- „	— 4	22 —	„ of Castellamare (Naples)	— 4	17 —
„ „ of Piedmont, a choice			Rye, winter of Naples	— —	10 —
variety, growing very high	— 6	35 —	„ of the Abbruzzes	— —	10 —
Indian Corn or Maize, Nanerottolo, very			Rush (Juncus multiflorus)	— 7	— —
dwarf; the earliest of all	— 3	17 —	Sacaline (Polygonum sacchalinese) . .	9 —	— —
Indian Corn or Maize, Ambra			Sorghum, (Holcus Sorghum) Broomcorn	— —	9 —
10 spikes — 9	— 2	13 —	„ cernuum (Douro, Durra) . . .	— —	19 —
„ „ „ „ Harlequin	— 2	13 —	„ saccharatum (Sugar-Millet)	— —	16 —
10 spikes — 9	— 2	13 —	„ „ black-seeded	— —	16 —
„ „ „ „ Caragua, giant	— 2	13 —	„ „ Minnesota	— —	16 —
white (Horse tooth)	— 2	13 —	„ „ (Amber cane)	— —	19 —
„ „ „ „ six weeks or			„ „ Orange-Sugar	— —	19 —
Quarantine of			„ „ the Shaw, dwarf,		
Naples	2	10 —	ab ^t 4 to 5 feet high, very early, compact,		
„ „ „ „ seven-weeks or			with large panicles, very rich in sugar .	— —	22 —
Cinquante, yellow	— 2	12 —	Sorghum halepense, perennial, attains in		
„ „ „ „ yellow large of			a very short time a height of ab ^t 6 feet	— 6	35 —
Naples	— 2	10 —	Sorghum halepense, giganteum; a		
„ „ „ „ brown King			gigantic grass, growing in one summer		
Philip	— 3	20 —	ab ^t 12 to 15 feet high	— 7	40 —
„ „ „ „ white King			Sunflower, common	— —	14 —
Philip	— 3	18 —	„ Hungarian	— —	14 —
„ „ „ „ Pignoletto, ...			„ Russian giant	— —	15 —
yellow	— 2	10 —	Tobacco (Nicotiana Tabacum var.)		
„ „ „ „ Pearl, white	— 2	16 —	„ Hungarian Szegedin. per oz —/8	6 9	— —
„ „ „ „ Kansas King,			„ „ Debroy „ „ —/8	7 6	— —
giant white	— 2	13 —	„ Hungarian Czetneck „ „ —/10	9 6	— —
„ „ „ „ in the husk, an			„ Turkish Bafra	1/—	12 —
interesting sort, the grains of which are			„ Turkish Samsun „ „ 1/—	12 —	— —
wrapped up in a reddish hull			„ American Kentucky „ „ 1/—	12 —	— —
10 spikes —/10	— 6	— —	„ „ Burley „ „ 1/—	12 —	— —
Lentil, small red (Ervum lens minor			„ „ Pennsylvania		
hyemalis)	— 4	25 —	Seed Leaf „ „ 1/—	12 —	— —
„ large yellow	— 4	20 —	„ „ Virginia		
Millet, yellow Neapolitan	— —	12 —	Seed Leaf „ „ 1/—	12 —	— —
„ silver-white round Italian	— —	13 —	„ Havana	2/6	25 —
„ Italian (Panicum Italicum) excel-			„ Brazilian	1 9	19 —
lent, especially for warmer countries;			„ Sumatra (Deli)	5/—	62 —
sown in April, it can be cut already in July	— 2	12 —	Seeds obtained exclusively from the		
			respective native countries.		

	per lb. s. d.	per cwt. s. d.		per lb. s. d.	per cwt. s. d.
Tobacco Sumatra, grown in Europe . .	4 6	— —	Wheat Noè	— —	16 —
Trevir (for insect powder) (Pyrethrum cinerariaefolium) . . per oz —/5	4 6	— —	„ Saragolla	— —	15 —
Yarrow (Achillea millefolium) clean seed	3 —	— —	„ Selina	— —	13 —
Wheat Bianchetta	— —	13 —	„ Fuccense	— —	19 —
„ Carosella	— —	13 —	With the exception of Noè all others are native of Italy and of great repute in this country; in fact they are excellent and will certainly give satisfaction.		
„ Majorica white	— —	13 —			
„ „ red	— —	13 —			
„ Rieti	— —	19 —			

VII. Fruit Trees.

(See our remarks on Seeds of Trees, Shrubs &c. page 20, to which we refer.)

	per lb. s. d.		per lb. s. d.
Amgdalus communis (Almond bitter) cwt. 52/—	— 8	Fragaria vesca Alpine (des 4 saisons) oz —/3	3 —
„ „ dulcis „ sweet „ 48/—	— 7	„ „ very large fruits . . „ —/3	3 4
„ fragilis (Almond Princess) „ 56/—	— 9	Hovenia dulcis	1/2 —
„ tenerrima, with very thin shell . .	1 —	Inga dulcis (Sapan fruits)	2/3 —
„ Persica (Peach, common) cwt. 18/—	— —	Juglans americana nigra (Black Walnut)	
Anacardium occidentale, fruits (Caskew Nut)	4 —	„ „ „ „ cwt. 19/—	— 4
Anona squamosa (Sweet Sop Sugar Apple)		„ regia var. Sorrento (Sorrento Walnut)	
„ „ „ „ oz —/5	4 6	„ „ „ „ cwt. 41/—	— 6
„ triloba (Papaw Custard-Apple) „ —/4	4 —	„ „ „ Nocera . . „ 41/—	— 6
Arbutus canariensis	7/—	„ „ „ macrocarpa	48/—
„ „ „ „ „ 7/—	— —	„ „ „ „ „ 48/—	— 6
„ Unedo (Strawberry Tree)	2 3	„ „ „ „ „ 52/—	— 7
Carica Papaya (Papaw common, Melontrec)		„ „ „ „ „ 52/—	— 7
1000 seeds 2/9	— —	„ cordiformis	3 3
Castanea vesca (Chestnut sw. Spanish) cwt. 14/—	— 3	„ Sieboldiana	3 —
„ „ macrocarpa, large-fruited „ 16/—	— 4	Mangifera indica (Mangotree) . 10 seeds 1/8	— —
Ceratonla Siliqua (Carob Tree)	— 4	Morus alba of Milan (Mulberry Tree white)	1 9
Citrus Aurantium (Orange Tree)	2 9	„ „ „ „ „ oz —/2	2 3
„ „ „ „ „ 3 3	— —	„ nigra vera	— 7
„ Bigaradia	3 3	Olca europaca (Olive Tree) . . cwt. 55/—	— 9
„ Limonum (Lemon Tree)	3 6	„ „ „ „ „ fr. nigro (Olive Tree black)	— 9
„ medica (Citron Tree) oz —/7	6 6	„ „ „ „ „ fr. maxima	— 9
„ myrtifolia	1/3 —	Opuntia Ficus indica (Indian Fig) . oz —/5	— —
„ nobilis (Mandarine Tree) —/10	— —	Persea gratissima (Alligator Pear) 100 seeds	
Coffea arabica (Arabian Coffee Tree) 100 fruits		13/—	— —
1/10	— —	Pirus communis (Pear pips)	2 —
„ liberica 100 fruits 3/6	— —	„ japonica (Pear Tree of Japan) oz —/5	4 6
Corylus Avellana (Hazel Nut) best South Italian,		„ Malus (Apple-Pips)	— 8
from Avellino cwt. 48/—	— 7	Pistacia vera (Pistachia Tree of Sicily) . .	1 8
„ „ „ „ „ 43/—	— 6	Prunus Armeniaca (Apricot Tree)	— 4
„ „ „ „ „ fol. atropurpureis	2 8	„ „ „ „ „ Avium dulcis (Cultivated Cherry) . .	— 3
Crataegus Azarolus (Neapolitan Medlar) clean		„ „ „ „ „ damascena St. Julien	— 5
seed	2 8	„ „ „ „ „ Myrobolana 1st. Qual.	— —
Cydonia japonica (Pirus) oz —/10	— —	Psidium Cattleianum oz 1/7	— —
„ „ „ „ „ vulgaris (Common Quince)	2 —	Punica Granatum (Pomegranate) . . „ —/3	3 —
Diospyros Lotus (Date Plum)	1 —	Ribes Grossularia (Gooseberry) . . „ —/4	3 9
„ „ „ „ „ sinensis (Kaki) (Japanese Date Plum)		„ „ „ „ „ rubrum (Red Currant)	— 3
oz —/4	3 4	Rubus fruticosus (Blackberry)	1 10
„ „ „ „ „ virginica (Virginian Date Plum) . .	1 6	„ „ „ „ „ Idaea (Raspberry) oz —/3	2 6
Eriobotrya japonica (Loquat tree. Japan		Sorbus Aria (White Beam)	— 8
Medlar)	— 6	„ „ „ „ „ domestica (Service Tree) . . oz 1/—	— —
Ficus carica mixed (Fig tree cultivated) oz —/9	9 2	Tamarindus indica (Tamarind Tree) „ —/6	4 5

		per lb. s. d.			per lb. s. d.
Thea Bohea (Chinese Tea Tree)	100 seeds 4/6	—	—	Vitis vinifera of Naples, mixed	1 3
Vitis vinifera, Capri, white	oz —/3	2	3	" Californica	oz —/8
" " Moscatella, white	— 4	3	9	" Coignetiae	—/9
" " " black	— 4	3	9	" riparia	—/6 5 3
" " Vesuvius (LacrymaeChristi)..	— 3	2	3		

VIII. Seeds of Trees, Shrubs &c.

We shall be glad to receive orders for these seeds as early in the season as possible as we have them collected only in such quantities as to meet our regular demand; orders for larger quantities should at any rate be sent in September at latest, but possibly earlier; even having accepted an order we wish it however to be clearly understood that we shall not be bound to supply the seeds, should they fail to come in or be of an unsatisfactory quality. We supply only fresh seeds, but will not under any circumstances accept any responsibility as to growth and denomination, but will submit samples on application.

The prices of many kinds are subject to variations. \$ = Climbers.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Acer campestre	cwt. 17/—	— 3	Bupleurum fruticosum	— 3	2 —
" monspessulanum	— —	1 3	Buxus balearica	— 6	6 —
" neapolitanum	cwt. 20/—	— 3	" sempervirens	— 3	1 6
" Negundo	" 20/—	— 3	Callicarpa japonica	— 8	9 3
" platanoides (Maple)	" 20/—	— 3	Calycanthus floridus	— 4	3 —
" polymorphum	— 7 7 3	— —	" occidentalis (macrophyllus)	10	— —
" " atropurpureum 100 seeds 1/2	— —	— —	" praecox (fragrans)	— 3	2 2
" " " 1000 " 10/—	— —	— —	" " grandiflorus	— 3	2 9
" Pseudo-Platanus (Sycamore)	cwt. 20/—	— 3	Capparis inermis	— 7	7 3
Ailanthus glandulosa	" 17/—	— 3	" spinosa	— 8	9 2
Alnus cordifolia (Alder)	— —	1 —	Caragana arborescens	— 3	1 8
" glutinosa	— —	6 —	Carpinus Betulus (Hornbeam) cwt. 40/—	— —	6 —
" incana, white Mountain Alder .	— —	1 —	Carya alba (White Hickory)	— —	6 —
Amorpha fruticosa	— —	8 —	" olivaeformis (Decan Nut).	— —	1 3
\$ Ampelopsis Veitchii, berries	— 3	2 3	" porcina (Pig Nut Hickory)	— —	6 —
\$ " quinquefolia (Hedera quin-	— 2	1 3	" tomentosa (Mocker Nut)	— —	6 —
quefolia)	— 6	7 3	Castilleja elastica	1000 seeds 6/9	— —
Aralia spinosa	— 6	7 3	" " 1000 " 54/—	— —	— —
Ash, see Fraxinus.	— —	— —	Catalpa, see Bignonia.	— —	— —
Aucuba japonica	— 3	1 8	Ceanothus americanus	— 6	7 3
" " viridis	— 3	1 8	" azureus	— 8	— —
Azalea americana	5 —	— —	" Gloire de Versailles	— 8	— —
" indica the best varieties mixed .	6 —	— —	Celtis australis	cwt. 100/—	— 1 —
" mollis	5 6	— —	Cercis Siliquastrum	cwt. 45/—	— 6 —
" pontica fine mixed	4 6	— —	Chionanthus virginica	— 7	6 8
Beech, see Fagus sylvatica.	— —	— —	Cistus albidus	1 —	— —
Benthamia fragifera	— 3	1 9	" cirrhosus	— 9	— —
Berberis spicata	— 4	3 9	\$ Clematis coccinea	1 6	— —
" vulgaris	— —	9 —	" fragrans (flammula).	— —	1 2
" " fol. atropurpureis	— 4	2 6	" integrifolia	— 7	— —
Betula alba (Birch)	— —	7 —	" Pitcheri crispa	1 3	— —
Bignonia Catalpa	— —	7 —	" vitalba	— —	6 —
" Kaempferi	— —	1 6	" Viticella	— —	10 —
Birch, see Betula.	— —	— —	" Wilfordii, yellow	— 3	2 8
Bird Cherry, see Prunus Padus.	— —	— —	" yemenica	— 7	6 9
Broom, see Spartium scoparium, page 22.	— —	— —	Cockspur, see Crataegus Oxyacantha.	— —	1 —
Broussonetia papyrifera	— —	1 —	Colutea arborescens	— —	6 —
Buddleia Lindleyana	— 3	2 10	" cruenta	— —	— —
Bumelia lycioides	— 3	2 10	Common Privet; see Ligustrum.	— —	— —
			Cornus sanguinea	— —	5 —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Coronilla Emerus	— 3	2 4	Hibiscus syriacus mixed	— —	— 6
Cotoneaster lanata	— 3	2 8	" " double mixed	— 3	1 2
Crataegus crus-galli	— —	9	Hickory, see Carya alba.		
" oxyacantha, clean seed	— —	— 6	Hippophaea rhamnoides	— —	1 5
" " cwt. 37/—	— —	— 6	Holly, see Ilex.		
" pyracantha, clean seed	— —	1 10	Honey Locust, see Gleditschia tria-		
Cytisus alpinus	— 3	1 10	canthos.		
" Laburnum	— —	8	Honey Suckle, see Lonicera.		
" nigricans	— 3	2 4	Hornbeam, see Carpinus Betulus.		
" proliferus albus	— 3	2 —	Horse Chestnut, see Aesculus.		
" purpureus	1 9	— —	Hymenaea Courbaril . 100 seeds 2/1	— —	— —
Daphne Gnidium	— 3	2 8	Ilex aquifolium, berries	— —	7
" Laureola	1 —	12 9	" " fol. var. berries	— 3	1 9
" Mezereum	— 4	3 9	" " crenulata	— 3	1 10
Desmodium gyrans (Hedysarum)	6 —	— —	" " orientale	— 3	1 7
" japonicum	2 2	— —	Lucarvillea Olgae	1 —	— —
Deutzia crenata	— 4	3 5	Indigofera Anil	1 —	11 —
" " fl. pleno	— 5	4 5	" Dosua, in pods	— 3	1 11
" gracilis	— 3	2 3	" tinctoria	— 3	2 3
Dimorphanthus mandschuricus	— 11	— —	Ivy, see Hedera.		
Dog Rose, see Rosa canina.			Judas tree, see Cercis Siliquastrum.		
Dogwood, see Cornus.			Kadsura japonica	— 4	3 10
Drymis chilensis	4 6	— —	Kalmia latifolia, clean seed	1 2	16 —
Edgeworthia papyrifera	— 5	4 8	Koelreuteria paniculata	— —	— 8
Elaeagnus angustifolia (Olea bohemica)	— 3	1 9	Laburnum, see Cytisus Laburnum.		
" longipes	— 5	6 4	Laurel common, see Prunus Lauro		
" reflexa fol. var., berries	— 4	3 —	Cerasus.		
Edler, see Sambucus racemosa.			" Portugal, see Prunus lusitanica.		
Elm, see Ulmus.			Laurus Tinus, see Viburnum Tinus.		
Evonymus europaeus	— —	1 —	" Camphora	— 3	2 10
" fimbriatus	— 3	1 11	" indica	— —	— 6
" japonicus	— —	1 —	" nobilis	— —	— 5
" latifolius	— —	1 3	Lespedeza bicolor	— 11	— —
" Sieboldianus	— 7	— —	Ligustrum japonicum	— —	— 6
Exochorda Alberti	3 3	— —	" lucidum	— —	1 3
Fagus sylvatica (Beech) . cwt. 35/—	— —	— 5	" sinense	— —	1 3
" " atropurpurea	— —	2 6	" vulgare italicum	— —	— 5
Fraxinus excelsior (Ash) . cwt. 13/—	— —	— 3	Lilac, see Syringa.		
" Ornus " 16/6	— —	— 4	Lime, see Tilia.		
Furze, see Ulex europaeus, page 23.			Liquidambar orientalis	1 10	— —
Genista juncea (Spartium junceum) see			" styraciflua, clean seed	1 —	13 —
under Clover page 16 (Broom).			Liriodendron tulipifera (Tulip Tree)		
Gleditschia ferox	— —	1 —	" cwt. 48/—	— —	— 8
" inermis	— —	1 3	Luhea divaricata	— 7	— —
" japonica	— 4	3 7	Locust Tree, see Robinia Pseudo-		
" triacanthos . . cwt. 30/—	— —	— 5	Acacia.		
§ Glycine floribunda	— 3	3 3	§ Lonicera caprifolium	— 4	— —
" frutescens	— —	1 9	§ " etrusca	— 4	— —
" sinensis (Wistaria)	— 6	6 3	" tartarica	— 5	3 10
" " fl. albo	1 2	— —	Maclura aurantiaca (Osage Orange) .	— 3	2 2
Gorse, see Ulex, page 23.			Magnolia Alexandrina	— 5	5 3
Guettarda uruguayensis 100 seeds 1/3	— —	— —	" grandiflora	— 3	1 6
Guelder Rose, see Viburnum Opulus.			" Lenné . . . 100 seeds 1/9	— —	— —
Halesia tetraptera, pods	— 6	6 —	" macrophylla . 100 "—/11	— —	— —
Hamamelis virginiana	— 8	7 6	" purpurea (discolor)	— 4	3 3
Hawthorn, see Crataegus oxyacantha.			" Soulangeana, fruits	— 4	3 5
Hedera arborea (Ivy)	— —	— 6	" Yulan	— 5	4 5
Heteromelis arbutifolia 100 seeds 2/1	— —	— —			

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Mahonia Aquifolium, clean seed . . .	3	2 —	Rhus typhina	—	1 —
" gracilis, fruits	2	1 8	" vernicifera	4	3 11
" japonica "	4	3 7	Ripogonum album, roots eatable . . .	1 2	—
Mallotus (Rottlera) japonicus . . .	3	2 —	Robinia Pseudo Acacia (Thorn Acacia- Locust Tree) . cwt. 36/6	—	7
§ Mandevillea suaveolens	7	7 —	" Pseudo Acacia Bessoniana . . .	3	2 6
Melia Azedarach cwt. 37	—	6	" " " pyramidalis	3	2 10
" japonica (floribunda)	3	2 3	" viscosa	4	3 7
" sempervirens	4	3 2	Rock Rose, see Cistus.	—	—
Mock Orange, see Philadelphus.	—	—	Rosa Banksiana, berries	2	1 9
Mountain Ash, see Sorbus Aucubaria.	—	—	" bengalensis fl. pl. mixed, berries .	2	1 9
Myrtus communis, berries	—	10	" canina (Common Dog Rose), clean seed cwt. 23/—	—	4
" " romana, berries	—	10	" hybrida Remontant, berries . . .	3	2 2
Nandina domestica	5	5 3	" multiflora, clean seed	7	8
Oak, see Quercus.	—	—	" " semperflorens nana 100 berries 1/8 1000 " 15/—	—	—
Oreodaphne californica	3	2 7	This remarkable new kind produces its flowers already about 4 months after the sowing; they measure abt 1 in. and over in diameter and are of all shades of white, rose and rose-purple. The plant grows about 3 feet high, flowering most abundantly the whole summer.	—	—
Osage Orange, see Maclura.	—	—	Rosa rugosa, berries . . 100 fruits 1/3	—	—
Osyris alba	3	2 3	" " clean seed	9	—
Paconia arborea	9	—	" Thea, finest mixed, clean seed . .	8	9 —
Paliurus aculeatus, clean seeds . . .	—	1 6	Ruscus aculeatus	—	—
Paulownia imperialis	—	8	" racemosus	—	1 9
§ Periploca graeca	1 2	—	Sambucus Ebulus	—	10
Philadelphus coronarius, clean seed .	9	10 3	" glauca (California)	3	2 3
Phillyraea angustifolia	—	10	" nigra	—	7
Phlomis fruticosa	5	3 10	" racemosa	—	1 —
Photinia glabra	8	—	Schinus molle cwt. 29/—	—	6
" villosa	6	6 —	Sea Buckthorn, see Hippophaea.	—	—
Pistacia Lentiscus	—	1 —	Sloe, see Prunus spinosa.	—	—
" Terebinthus	—	1 —	Snowball, see Viburnum.	—	—
" vera	—	1 9	Snowberry, see Symphoricarpus.	—	—
Plane, see Platanus.	—	—	Sophora japonica	—	7
Platanus occidentalis . . . cwt. 9/—	—	2	" " pendula	—	1 —
" orientalis 9/—	—	2	Sorbus Aucubaria (Mountain Ash) .	—	4
Polycarpa Maximowiczii (Idesia) . .	8	8 10	Spartium junceum (Span. Broom) see page 16.	—	—
Privet common, see Ligustrum.	—	—	Spartium scoparium (Clovers &c.) (common Broom)	—	—
Prunus Avium, wild sweet Cherry . .	—	4	Spindle Tree, see Evonymus europaeus.	—	—
" Lauro-Cerasus (Common Laurel) .	—	8	Spurge Laurel, see Daphne Laureola.	—	—
" lusitanica (Portugal Laurel) . . .	—	10	Staphylaea Bumalda	7	8 2
" Mahaleb	—	1 —	" colchica	4	3 —
" Padus (Bird Cherry)	—	1 6	" pinnata	3	1 7
" spinosa (Sloe, Black Thorn) . . .	—	6	Sterculia platanifolia	3	1 5
Ptelea trifoliata	3	2 —	Styrax japonica	4	3 —
Pterocarya caucasica	5	5 —	" officinale	3	1 11
Quercus Cerris cwt. 16/—	—	3	Sumach, see Rhus.	—	—
" Ilex " 12/—	—	2	Sweet Bay, see Laurus nobilis.	—	—
" pedunculata " 7/—	—	2	Sycamore, see Acer pseudo-platanus.	—	—
" pyramidalis " 22/—	—	4	Symphoricarpus racemosus	4	2 7
" Robur, common Oak	—	—			
" " cwt. 7/—	—	2			
" Suber, Cork Oak " 30/—	—	7			
Rhamnus Alaternus	—	10			
" cathartica	—	1 —			
Rhododendron arboreum, mixed, clean seed	2 3	—			
" ponticum, mixed	1 4	—			
Rhodotypos kerrioides	5	5 2			
Rhus coriaria, true	2	1 7			
" Cotinus	3	2 8			
" semialata (Osbecki)	7	4 10			

	per oz. s. d.	per lb. s. d.		per oz. s. d.	per lb. s. d.
Symphoricarpus vulgaris, clean seed.	1 2	—	Viburnum Opulus (Snowball)	—	6
Syringa japonica, clean seed	2 7	—	„ Sandankiva	6	7 4
„ vulgaris, pods . . cwt. 48/—	—	7	„ Tinus	—	6
„ „ alba	—	1 5	Virginian Creeper, see Ampelopsis.		
Tamarix gallica	4	3	Virgin's Bower, see Clematis.		
„ germanica	4	3	Vitex Agnus castus	—	8
„ tetrandra	3	1 7	„ „ fl. albo	—	1
Thorn Acacia, see Robinia.			Weigelia mixed	1 6	—
Tilia argentea	—	1	Wistaria, see Glycine.		
„ europaea latifolia	—	6	Woodbine, see Ampelopsis quinquefolia.		
Traveller's Joy, see Clematis Vitalba.			Yucca alaspica	1 2	—
Tree of Heaven, see Ailanthus.			„ aloefolia	—	1 5
Tulip Tree, see Liriodendron.			„ „ fol. var.	—	1 11
Ulex europaeus	—	1	„ angustifolia	8	9 3
Ulmus campestris (Elm)	—	4	„ canaliculata, Treculiana	1	—
Viburnum dilatatum	4	3 10	„ filamentosa, true	1 3	—
„ japonicum	5	5 6	„ Whipplei	2 2	—
„ Lantana	—	6			

IX. Seeds of Conifers.

We offer these under the same conditions as for the Tree and Shrub Seeds (see page 20) to which we refer.

Denominations after the „Handbook on Conifers“ by L. Beissner (Handbuch der Nadelholzkunde). The prices of many kinds are subject to variations.

	per oz. s. d.	per lb. s. d.		per oz. s. d.	per lb. s. d.
Abies amabilis	1	14	Arbor Vitae, see Biota and Thuja.		
„ balsamea, ...	5	4 9	Biota orientalis (Thuja)	—	9
„ brachyphylla	1 2	—	„ „ aurea	—	1 4
„ bracteata	3	—	„ „ compacta	—	1 5
„ cephalonica	4	4 5	„ „ elegantissima	4	3 2
„ „ Apollinis	4	4 4	„ „ pyramidalis	—	1 7
„ cilicica	4	4 2	„ „ semperaurea	3	3
„ concolor	10	—	Callitris quadrivalvis (Thuja articulata)	11	—
„ firma	7	—	Casuarina equisetifolia	1	—
„ Fraseri	7	5 6	„ quadrivalvis	10	—
„ lasiocarpa	10	—	„ stricta	1	—
„ magnifica	1 5	—	„ tenuissima	6	5 3
„ nobilis	1 2	—	Cedrus atlantica (argentea) clean seed .	4	4
„ Nordmanniana, true	3	2 8	„ Deodara	4	3 4
„ numidica	7	—	„ Libani, clean seed (Cedar of Libanon)	4	3 6
„ pectinata (Pinus Abies.), common			Chamaecyparis Lawsoniana (Cupressus)	—	1 10
„ Silver Fir . . . cwt. 31/—	—	4	„ „ argentea	5	3 9
„ Pinsapo	3	2 2	„ „ aurea	6	—
„ sibirica (Pichta)	6	7 3	„ „ glauca	7	—
„ Veitchii	1	14	„ nutkaensis (Thujopsis		
Araucaria Bidwillii	—	—	„ borealis)	2 5	—
„ brasiliensis	—	—	„ obtusa (Retinospora)	11	10 11
„ Cunninghami	—	—	„ pisifera („)	7	6 6
„ excelsa	—	—	„ „ plumosa (Reti-		
„ imbricata . . 100 seed 3/6	—	—	„ nospora)	1	—
the seeds of Araucaria are not always sure			„ „ plumosa aurea		
to come in and often they arrive in bad			„ (Retinospora)	1	—
condition; we therefore do not quote any			„ „ squarrosa (Re-		
prices, but shall make special offers in			„ tinospora)	1 3	—
every single case.			Cryptomeria japonica	3	2

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<i>Cryptomeria japonica elegans</i>	4	3 4	<i>Pinus densiflora</i>	6	6
" " <i>Lobbi</i> (<i>viridis</i>)	4	3	" <i>excelsa</i> , Nepaul Weymouth Pine	4	3 9
<i>Cunninghamia sinensis</i>	1 9	—	" <i>halepensis</i> cwt. 105 —	—	1 3
" " <i>glauca</i>	3	—	" <i>insignis</i>	7	8 5
<i>Cupressus australis</i>	4	3 9	" <i>Lambertiana</i>	8	9 5
" <i>Bedfordiana</i>	4	3 4	" <i>Laricio</i> , Corsican Pine	3	1 9
" <i>Benthamiana</i>	4	3 4	" " <i>austriaca</i> , black Austrian Fir	2	1 7
" <i>elegans</i>	4	3 4	" <i>longifolia</i>	1 5	—
" <i>excelsa</i>	9	—	" <i>Massoniana</i>	6	5 3
" <i>funbris</i>	4	2 9	" <i>montana</i> , (variable)	4	2 9
" <i>glauca</i> (<i>lusitanica</i>)	4	3 2	" <i>monticola</i>	1 3	—
" " <i>pendula vera</i>	4	3 3	" <i>muricata</i>	1 5	—
" <i>Goveniana</i>	4	2 9	" <i>Nordmanniana</i> , see <i>Abies</i> .	—	—
" <i>gracilis</i>	5	5 3	" <i>Parryana</i> (<i>Llaveana</i>)	1 5	—
" <i>Lambertiana</i> (<i>macrocarpa</i>)	3	2 8	" <i>Picea</i> , Norway Spruce, see <i>Picea</i>	—	—
" <i>Lawsoniana</i> , see <i>Chamae-</i>	—	—	<i>excelsa</i> .	—	—
<i>cyparis</i> .	—	—	" <i>Pinaster</i> (<i>maritima</i>) . cwt. 35/—	—	5
" <i>sempervirens</i> (<i>horizontalis</i>)	—	7	" " <i>Hamiltoni</i>	—	10
" " <i>pyramidalis</i> (<i>fastigiata</i>)	—	7	" <i>Pinea</i> , Italian Stone Pine (variable)	—	—
" <i>Tourneforti</i>	—	1 9	cwt. 25/—	—	5
" <i>torulosa</i>	3	2	" " <i>fragilis</i> (variable) " 42/—	—	8
<i>Dammara australis</i>	6	—	" <i>ponderosa</i> (<i>P. Benthamiana</i>),	—	—
<i>Ginkgo biloba</i> (<i>Salisburia adianthifolia</i>)	—	8	<i>yellow</i>	8	8 2
<i>Juniperus Bermudiana</i>	5	4 2	" <i>pyrenaica</i> (<i>Paroliniana</i>)	5	5 2
" <i>chinensis</i> (<i>dioica</i>)	—	1 6	" <i>rigida</i>	8	8 3
" <i>communis</i>	—	3	" <i>Sabiniana</i>	4	3 —
" <i>excelsa</i>	—	1 5	" <i>silvestris</i> , Scotch Fir (variable) .	3	2 3
" <i>japonica</i>	—	1 5	" <i>sitchensis</i> , see <i>Picea</i>	—	—
" <i>macrocarpa</i>	—	6	" <i>Strobis</i> , Weymouth Pine (variable)	5	3 8
" <i>Sabina</i>	—	7	" <i>Torreyana</i>	9	—
" <i>virginiana</i> (<i>Red Cedar</i>)	—	7	<i>Podocarpus macrophylla</i>	5	—
" " <i>pyramidalis</i>	—	1 —	<i>Pseudotsuga Douglasii</i>	9	9 10
<i>Larix europaea</i> (<i>Larch</i>) (variable)	—	1 5	<i>Salisburia</i> , see <i>Ginkgo</i> .	—	—
" <i>dahurica pendula</i>	3	2 4	<i>Sciadopitys verticillata</i>	1 —	—
<i>Libocedrus chilensis</i> 1/8 oz 3 6	22	—	<i>Sequoia sempervirens</i> (<i>Taxodium</i>)	3	2 3
" <i>decurrens</i> (<i>Thuja gigantea</i>	—	—	<i>Taxodium distichum</i> , clean seed	—	1 —
<i>Craigiana</i>)	3	2	" <i>mucronatum</i>	3	2 6
<i>Picea excelsa</i> (<i>Pinus Picea</i>) Norway	—	—	<i>Taxus baccata</i> (<i>Yew</i>) clean seed	—	1 7
<i>Spruce</i>	—	1 2	" " <i>pyramidalis</i>	3	1 10
" <i>Morinda</i> (<i>Khutrow</i> , <i>Smithiana</i>)	9	8 2	" " <i>fastigiata</i> (<i>hibernica</i>)	4	3 2
" <i>orientalis</i> , (<i>Oriental Spruce</i>)	1 2	—	<i>Thuja gigantea</i> (<i>Lobbi</i>)	7	6 6
" <i>pungens</i>	1 2	—	" <i>occidentalis</i>	4	3 9
" <i>sitchensis</i> (<i>Menziesi</i>)	1 4	—	" " <i>Warreana</i>	8	8 —
<i>Pinus australis</i> (<i>palustris</i>)	1 2	—	<i>Thujopsis dolobrata</i>	1 6	—
" <i>austriaca</i> , see <i>P. Laricio austriaca</i> .	—	—	<i>Torreya californica</i>	6	5 6
" <i>canariensis</i>	4	3 —	" <i>nucifera</i>	6	5 6
" <i>Cembra</i> , Swiss Stone Pine, variable	—	6	<i>Tsuga canadensis</i> , Hemlock Spruce	10	9 10
" <i>Coulteri</i>	11	11	<i>Wellingtonia gigantea</i>	1 3	18 —

X. Palm Seeds.

We receive these seeds from all parts of the world and of course at very different times of the year; we shall therefore thank our correspondents if they will give us their orders as soon as they receive this list. The seeds will then be shipped as soon as they arrive in good condition and our patrons are sure to receive only fresh seeds. We send out but such and decline any other guarantee and responsibility.

	100 seeds s. d.	1000 seeds s. d.		100 seeds s. d.	1000 seeds s. d.
Areca Baueri, fresh seeds in April . . .	1 9	12 —	Kentia Belmoreana (Griesebachia) . . .	1 9	14 6
„ lutescens (Hyophorbe indica) . . .	2 5	20 —	„ Canterburyana (Hedyscepe) . . .	3 5	31 3
„ madagascariensis	2 —	16 6	„ Forsteriana (Griesebachia) . . .	1 9	14 6
„ rubra	2 1	16 6	„ Mac Arthuri, splendid	4 —	— —
„ sapida	1 9	15 —	„ Mooreana	3 3	28 —
„ Verschaffeltii (Hyophorbe) . . .	2 8	20 —	„ Wendlandiana	4 —	— —
Brahea dulcis (Corypha frigida) . . .	3 3	28 —	Latania aurea (Verschaffeltii) . . .	4 3	36 —
„ edulis (Erythea edulis) . . .	6 —	56 —	„ borbonica (Livistona sinensis)		
„ Roezlii (Erythea armata), „Blue- palm“	6 —	56 —	lb. —/7; cwt. 46/—	— —	— —
Caryota urens	1 9	15 —	„ „ Seeds raised in Africa		
Chamaerops excelsa lb. —/6	— —	— —	lb. —/9; cwt. 61/—	— —	— —
„ „ Fortuneii „ —/8	— —	— —	„ Commersonii (rubra)	4 —	32 —
„ Histrix	2 10	4 —	„ Loddigesii (glaucohylla) . . .	4 —	32 —
„ humilis mixed . lb. —/4	— —	— —	Licuala amplifrons	2 —	17 9
„ „ argentea „ —/10	— —	— —	Livistona altissima	1 9	14 6
„ „ tomentosa „ 1/—	— —	— —	„ olivaeformis	1 9	14 6
„ „ elegans „ —/10	— —	— —	„ rotundifolia	3 4	29 —
„ „ gracilis . . . 1/2	— —	— —	Oreodoxa oleracea	1 3	10 6
„ „ macrocarpa „ 1/—	— —	— —	„ regia, a splendid kind . . .	1 5	11 3
Chamaedorea elegans	1 9	15 —	Pandanus odoratissimus	7 3	— —
„ „ Ernesti Augusti	1 9	15 —	„ utilis	1 10	16 —
Cocos australis	1 3	9 9	Phoenixcophorium sechellarum . . .	2 6	22 6
„ Bonettii (Diplothemium cam- pestre)	1 5	12 3	Phoenix acaulis	2 10	— —
„ campestris	1 5	12 3	„ canariensis	6	2 10
„ coronata	1 3	10 —	„ cycadifolia	1 3	9 9
„ eryspatha (C. Blumenavia)			„ dactylifera lb. 1/3	— —	— —
„ splendid	1 9	16 —	„ farinifera	1 3	9 9
„ flexuosa	1 4	10 —	„ leonensis	— 9	5 9
„ plumosa	1 4	10 —	„ pumila	1 3	9 9
„ Romanzoffiana, splendid for green- house and rooms	1 4	10 —	„ reclinata	— 9	5 9
„ Weddeliana (Glaziova Martiana)	3 3	26 —	„ rupicola	1 8	12 9
„ Yatay, the true kind for the green- house	2 10	25 9	„ silvestris	1 —	7 6
Corypha australis (Livistona) . . .	1 1	8 —	„ tenuis	— 9	4 —
Cycas circinalis	6 6	60 —	Pritchardia pacifica	6 —	— —
„ revoluta	8 6	— —	Ptychosperma Alexandrae	2 —	17 9
Daemonorops grandis	2 6	20 —	„ „ elegans (see Seaforthia)	— —	— —
„ longipes	3 3	28 —	Sabal Adansonii lb. 2/3	— —	— —
„ pericanthus	3 3	28 —	„ Blackburniana (umbraculifera) .	1 —	8 —
Elaeis guineensis	3 —	— —	„ Ghiesbreghtii	— 9	5 9
Euterpe edulis	3 —	24 —	„ Palmetto	— 8	4 —
Geonome elegans	3 —	25 6	„ princeps	1 —	7 9
„ „ gracilis	2 9	24 —	Seaforthia (Ptychosperma) elegans .	1 3	9 9
Glaziova insignis	3 9	32 —	Thrinax argentea	1 3	9 9
Jubaea spectabilis	3 3	28 —	„ „ elegantissima	1 4	11 3
			Verschaffeltia splendida	5 —	44 —
			Washingtonia filifera (Pritchardia) .	— 6	2 5
			„ „ robusta H. W.	— 9	4 10
			Zamia integrifolia . . . 10 seeds 1/3	11 3	— —

XI. Annual, Perennial, Climbing, Hot- and Green-House Plants.

Explanations of the signs used:

⊙ = annual || 4 = perennial || § = climber || g = greenhouse || h = hothouse (stove).

	per oz. s. d.	per lb. s. d.		per oz. s. d.	per lb. s. d.
⊙ Abronia arenaria	6	6	Agave jacquiniana 1000 seeds 1/8	—	—
" umbellata	5	5	" lephantha . . . 1000 " 1/3	—	—
§ Abrus praecatorius	5	4 5	" maculata . . . 100 " —/6	—	—
g Abutilon Boule de neige (Snowball)	—	—	" pulcherrima . . 1000 " 1/3	—	—
100 seeds —/8	—	—	" Salmiana . . . 1000 " 1/3	—	—
1000 " 5/—	—	—	" Victoriae Reginae 100 " —/10	—	—
" sulphureum . . 1/8 oz 1/3	9	—	" Witakeri . . . 1000 " 1/3	—	—
" new hybrids mixed 1/8 oz —/11	6 10	—	⊙ Ageratum Lasseauxi, rose	6	5 6
g Acacia arabica	6	4 10	" mexicanum coeruleum	3	2 8
" armata	6	4 10	" " album	3	2 8
" cyanophylla	3	2	" " Imperial dwarf, dark blue	4	4 2
" cyclopis	4	3 9	" " " white	4	4 2
" dealbata	4	3	" " nanum album	3	3 4
" decurrens	6	4 10	" " " coeruleum	3	3 4
" Farnesiana	—	1 3	" " " Swanley blue	5	4 5
" floribunda	4	2 10	" " " Little Dorrit, blue	5	5 3
" Julibrissin	—	7	" " " " white	6	5 6
" Lebbek	4	3 4	" " " " Forget me not	5	5 3
" leiophylla	5	4	" Wendlandii, blue	4	3 9
" longifolia	—	8	" " " white	4	3 9
" lophantha	—	1	" " " nana compacta, blue	6	5 6
" " speciosa	—	1	" " " " white	6	5 6
" Nemu	3	2 8	⊙ Agrostemma coeli rosa	—	1 5
" penninervis	3	2 3	" " coronaria, red	—	1 9
" pycnantha	3	2 3	" " " white	—	1 9
" saligna	5	4 5	Alkekengi, see Physalis.	—	—
" semperflorens	3	2	§ Allamanda Schotti . . . 100 seeds 3/3	—	—
" suaveolens	3	1 7	g Aloe africana 100 " —/4	—	—
" in great variety mixed	2	—	1000 " 2/6	—	—
4 Acanthus latifolius	—	10	⊙ Alonsoa albiflora	3	—
" mollis	—	1 3	" " linifolia	4	3 5
" spinosissimus	—	1 3	" " myrtifolia	3	1 9
4 Achillea aegyptiaca	6	—	" " Warscewiczii	5	4
" clypeolata	3	2 3	4 Aloysia citriodora	10	—
" Ptarmica fl. pl.	2 9	—	g Alsophila australis, tree-fern 1/8 oz —/9	5	—
h Achimenes, finest mixed 1000 seeds 5/—	—	—	4 Althaea ficifolia, yellow	8	7 4
⊙ Acroclinium roseum grandiflorum	3	2	" Heldreichii	3	2
⊙ " " grandiflor, album	3	2	" " rosea fl. pl. (Hollyhocks)	—	—
" " fl. pl., double pink	3	2 6	" " English var. best mixed	9	8 10
" " fl. albo pl. " white	3	2 6	4 " " rosea fl. pl. Chaters strain,	—	—
⊙ Adonis aestivalis	—	1	" " choice mixed	1 3	17 5
" autumnalis	—	1	⊙ Alyssum Benthami	4	3 4
" baetica	—	1 3	" " " grandiflorum compactum	4	4 5
4 Agathaea coelestris (amelloides)	1 7	—	4 " " " saxatile	—	3 4
g Agave americana	10	—	⊙ Amaranthus abyssinicus	—	1
" " fol. var. 1000 seeds 1/8	—	—	" " amabilis	3	2 3
" applanata . . . 1000 " 2/4	—	—	" " atropurpureus	—	6
" Ellemeetiana . . 1000 " 2/4	—	—	" " bicolor	—	1 2
" ferox 1000 " 2/—	—	—	" " " ruber	—	1 5
" filifera 1000 " 2/4	—	—	" " caudatus	—	6
" grandidentata . . 1000 " 2/—	—	—	" " " albiflorus (vividiflorus)	—	6
" hetheracantha . . 1000 " 1/3	—	—	" " Dussii Dam. 1890	—	1
" horrida 1000 " 1/3	—	—	" " Henderi	4	4 5

		per oz s. d.	per lb. s. d.
<i>Asclepias curassavica atrosanguinea</i>	—	4	3 9
" <i>incarnata</i>	—	8	7 4
" <i>tuberosa</i>	1	7	—
4 <i>Asparagus acutifolius</i>	—	3	2 9
" <i>decumbens</i> , a splendid kind for suspending baskets, highly decorative 100 seeds 3/—	—	—	—
1000 .. 25/—	—	—	—
g " <i>plumosus</i> 1000 .. 24/—	—	—	—
" " <i>nanus</i> 1000 .. 42/—	—	—	—
10000 .. 380/—	—	—	—



Asparagus Sprengeri Rgl. (Dammann).
Electro 4/—.

4 <i>Asparagus plumosus superbus</i> , a highly decorative climber, the branches of which furnish a most splendid material for bou- quets and any kind of decorations. 100 seeds 6/—; 1000 seeds 48/—	—	—	—
g <i>Asparagus Sprengeri</i> Dam. (Electro) 1000 seeds 6/6; 10000 seeds 56/—	—	—	—
50000 " 250/—; 100000 " 450/—	—	—	—
Special prices for larger quantities on application.	—	—	—
<i>Asparagus trichophyllus</i>	—	8	—
⊙ <i>Asperula azurea setosa</i>	—	2	8
4 <i>Aster alpinus</i>	—	8	—
4 " the best perennial sorts mixed	—	8	6 6

⊙ *Aster sinensis* fl. pl. Asters.

We warrant our Asters not to be in any way inferior to the finest German strains and our patrons may fully rely upon receiving only choicest qualities. The growing of the best Asters is one of our most important specialities.

1. Tall Section.

Tall Chrysanthemum Asters mixed	—	11	10 10
Goliath Asters, mixed	—	10	9 2
Harlequin Asters, mixed	—	10	9 2
Hohenzollern Asters, new; very rich- flowering, pure white, bright rose, each separate	1	9	—
Jewel-or Ball Asters, mixed	1	5	14 6
Globe-flowered pyramidal Asters, mixed	—	11	10 3
Ladies Asters, with narrow leaves and well-shaped flowers, resembling those of the Comet Asters; a very distinct class; mixed	1	9	18 2
Paeony Perfection Asters,			
1. crimson, 7. bright scarlet,			
2. light blue. 8. dark blue,			
3. rose, 9. purple and white,			
4. purple, 10. rose and white,			
5. pure white, 11. Victoria red,			
6. white and crim- 12. bright rose,			
son,			
each separate	1	9	25 —
mixed	1	6	19 9
Washington Asters, mixed	1	2	12 9
Imbriquée Pompon Asters, mixed	—	11	10 10
" Pyramidal Asters, mixed	—	9	9 6
Cocardeau or Crown Asters, mixed	1	2	12 9
" imbriquée Pompon (Pom- pon Crown) Asters mixed	—	11	10 10
New Giant Globe Asters, dark crimson	1	2	12 9
Large flowered Perfection Needle Asters, mixed	1	2	12 9
Giant Comet Asters, crimson, rose, in- carnate, Peachblossom, snow white, each separate	1	10	18 2
Giant Comet Asters, mixed	1	5	14 6
Surprise Asters, rose chamois	2	3	—
White of Boston, splendid for cutting	1	6	—
Asters tall varieties, mixed	—	8	7 4

2. Semi-tall Section.

Anmuth Asters mixed	—	8	7 4
Comet Asters, carmine, lilac, rose, bright rose, rosy carmine, snow white, white with lilac, white with rose, each separate	1	6	19 9
Comet Asters, mixed	1	5	16 9
Christmas-Tree Asters, a curious very rich flowering kind of pyramidal habit, with almost horizontal branches	2	4	—
Quilled Asters, mixed	—	5	4 6
Queen of the Halls Asters, mixed	—	7	6 3

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.	
Queen of the white	2 3	— —	Dwarf Crown or Cocardeau Asters, mixed	1 6	19 9	
Globe-flowered Asters mixed	— 6	5 6	Triumph Asters, Dark blue, Dark scarlet, Dark scarlet with white, Dark-lilac, Rose with white, White, each separate	1 9	— —	
Paeony-flowered Asters, mixed	1 2	12 9	" " mixed	1 6	19 9	
" Globe Asters, mixed	— 11	10 10	Dwarf varieties mixed	— 7	6 3	
Rose Asters, mixed	— 9	9 3				
Liliput Asters, mixed	— 11	10 10	4 Asteriscus sericeus	— 6	5 6	
Meteor Asters, mixed	1 —	14 7	4 Astragalus Cicer	— 5	— —	
Mignon Asters, carmine, darkblue, light blue, lilac, pure white, lilac-rose, scarlet, pure white early flowering, each separate	1 3	— —	Auriculas, see Primula Auricula.			
lilac-purple, new	1 5	— —	g Azalea indica fine mixed	6 4	— —	
mixed	1 2	13 10	" " new best varieties mixed	7 11	— —	
Ostrich-Feather Asters, light blue, rose, pure white, white changing into rose, each separate	1 3	— —	Bachelor's Button, see Centaurea Cyanus. Balm, see Dracocephalum. Balsam Apple, see Momordica. Balsams double, see Impatiens Bal- samina. Balloon-vine, see Cardiospermum.			
Schiller Asters, mixed	— 8	7 4	© Bartonia aurea	— 3	2 2	
St. John's Day Asters, pure white, very early flowering	2 4	— —				
Victoria Asters, 1. Crimson, 7. Crimson-rose, 2. Dark blue, 8. Light blue, 3. Bright scarlet, 9. Hortensia-red, 4. Indigo and white, 10. Peach blossom, 5. Rose white tip- 11. Lilac-red, ped, 12. White changing in- to red, 6. White, each separate	1 8	20 10	Bear Grass, see Yucca.	per 1/16 oz s. d.	per 1/8 oz s. d.	per oz s. d.
mixed	1 5	17 6	h Begonia corallina	5 3	10 —	78 5
Victoria Needle Asters, mixed	1 —	14 7	" discolor	1 9	3 —	22 5
Asters semi-tall varieties mixed	— 8	7 4	" Dregei	1 5	2 5	13 6
			" hybrida gigantea, carmine	4 6	8 7	67 —
3. Dwarf Section.			" " " rose	4 6	8 7	67 —
Dwarf Asters, mixed	— 11	11 9	" " " scarlet	4 6	8 7	67 —
" pyramidal Asters, mixed	1 2	12 9	" " " white	6 8	12 10	100 —
" Bouquet pyramidal (Boltze's) Asters mixed	1 3	16 4	" " " yellow	5 3	10 —	78 —
" Comet Perfection, pure white 1/8 oz —/4	2 —	— —	" " " finest mixed	4 5	8 7	67 —
" " " rose, new 1/8 oz —/5	2 10	— —	" " mixed	2 6	4 6	35 10
Shakespeare Asters, mixed	1 2	14 10	h Begonia hybr. double- flowered, splendid	per 1/32 oz s. d.		
Improved dwarf Bouquet pyramidal Asters, mixed	1 5	17 5	varieties mixed	18 —	35 —	66 —
Dwarf Chrysanthemum Asters, 1. Brownish purple, 7. Incarnate, 2. Carmine, 8. Bright scarlet, 3. Dark blue, 9. Light blue and 4. Indigo and white, white, 5. Reddish purple, 10. Purple, 6. White changing 11. Snow-white. into rose, 12. Brick red, each separate	2 —	20 10	h Begonia Rex, mixed varieties 100 seeds —/6 1000 seeds 2/10	— —	— —	— —
mixed	1 6	16 5	h Begonia semperflorens, white	— 4	1 9	
German Emperor Asters, mixed	1 2	13 2	" " atropurpurea (Vernon) " " rosea	1 —	6 10	
Dwarf Bouquet Victoria pyramidal Asters, mixed	1 3	14 6		— 5	2 9	
Dwarf New Paeony mixed	1 3	12 9	Bellflower, see Campanula.			
" Victoria Asters mixed	1 5	17 6	4 Bellis perennis fl. pl. (Daisies) double fine mixed	2 —	26 10	
			" " " double white	2 10	— —	
			" " " Longfellow, rose, large-flowered	2 10	— —	
			" " " Snowball	2 10	— —	
			Belvidere (Summer Cypress), see Kochia scoparia.			
			©§ Benincasa cerifera	— 5	4 5	
			" sinensis	— 5	4 5	

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
• Bidens ferulacifolia	— 4	3 —	h Caesalpinia Bonidicella	— 8	— —
" leucantha	— 4	3 —	h§ Cajanus indicus	— 4	3 9
§ Bignonia Tweediana	— —	1 3	•§ Cajophora lateritia (Loasa)	— 6	5 6
h Bixa Orellana	— 7	6 —	h Caladium bulbosum, newest varie- gated-leaved mixed. 100 seeds 1/3	— —	— —
Blanket flower, see Gaillardia.			4 Calamintha grandiflora	1 7	— —
Blue Bottle, see Centaurea Cyanus.			Calampelis, see Eccremocarpus.		
4 Bocconia flavesceus	— 4	— —	• Calandrinia grandiflora	— 6	— —
g Boehmeria biloba	3 5	— —	" speciosa	— —	10 —
g§ Bougainvillea spectabilis			" umbellata (setosa)	— 11	9 2
100 seeds 5/8			g Calanhoe marmorata 1000 seeds 1/8		
2§ Boussingaultia baselloides			" teretifolia " " 2/—		
1/8 oz — 11	5 10	— —			
h Bouvardia Jacquinii 1000 seeds 3/9	— —	— —	g Calceolaria hybrida	per 1/32 oz s. d.	per 1/16 oz s. d.
" longiflora . 1000 " 2/3	— —	— —	self coloured, large		
" longispica . 1/4 oz — 9	2 9	— —	flowered mixed	2 8	4 8
" splendens . 1000 seeds 3/—	— —	— —	self coloured dwarf	2 10	5 2
Brachychiton populneum	— 4	3 —	spotted or tigred mixed	3 9	6 3
• Brachycome iberidifolia (Swan River Daisy)	9	10 3	spotted or tigred large flowered dwarf	4 6	7 6
• Browallia Czerwiakowsky	— 8	— —	painted or margined mixed	3 2	5 9
" elata fl. albo	— 8	— —	painted or margined dwarf mixed	3 2	5 9
" " " coerulea	— 8	— —			
" " " purpureo	— 10	— —			
" " " grandiflora	— 9	— —			
" " " alba	— 8	— —			
" Roetzli	— 2	— —			
" speciosa major, new, darkblue					
1/8 oz 7/6; 1/16 oz 4/—; 1/32 oz 2/3	56	— —	• Calendula hybrida	— —	1 2
4§ Bryonia alba	— 3	2 3	" maritima fl. pl.	— —	— 10
•§ Bryonopsis laciniosa erythrocarpa .	— 3	2 3	" officinalis (Souci), single	— —	— 10
• Calacia coccinea (Tassel Flower)	— 4	3 —	" officinalis fl. pl.	— —	— 11
" " lutea	— 4	3 2	" " fl. pl. Meteor, striped	— —	1 1
			" " " Isabellina (LeProust)	— —	— 9
g Cactuses.			" " " Orange King	— —	1 3
100 seeds 1000 seeds			" " " Prince of Orange	— —	— 10
s. d. s. d.			" " " ranunculoides	— —	— 10
Cereus alacriportanus	— 3	1 8	" " " regalis	— —	— 10
" Bonplandi	— 4	2 6	" " " sulphurea	— —	— 10
" Jamararu	— 3	1 8	" " " Trianon (Royal- Marigold)	— —	1 3
" tortuosus	— 3	1 8	" pluvialis	— —	1 —
" validus	— 3	1 8	" Pongei fl. pl.	— —	1 7
Echinocactus setispinus	— 3	1 8	" sicala fl. pl.	— —	10 —
" Grusoni, splendid	1 —	8 —	Californian Poppy, see Eschscholtzia.		
Echinocereus cinerascens	— 3	2 —	g Calla aethiopica	— 7	7 4
" Ehrenbergii	— 3	— —	" candidissima	— 10	11 —
" Engelmanni	— 4	— —	" compacta	— 10	— —
" pentalophus	— 3	— —	" gigantea	1 3	— —
" stramineus	— 3	— —	• Calliopsis bicolor (tinctoria)	— —	1 3
" mixed	— 4	1 8	" " atrosanguinea	— —	1 3
Echinopsis Eyriesii	— 3	— —	" " lutea	— —	1 3
" multiplex	— —	1 8	" " semiplena	— —	1 7
" oxygona	— 3	— —	" " nana	— —	1 7
" mixed	— 2	1 3	" " semiplena	— 3	1 9
Mammillaria Nuttallii	— 2	1 3	" coronata	— 3	2 2
" mixed	— 2	1 3	" maxima	— 3	2 2
Melocactus spec. from, Porto Rico	1 —	8 —	" Drummondii (Golden Wave)	— —	1 6
" " St. Thomas	1 —	8 —	• Callirhoe lineariloba	— 5	4 5
Opuntia Ficus indica	— 2	1 6			
Peireskia aculeata	— 8	6 —			

	per oz. s. d.	per lb. s. d.
Callirrhoe pedata	— 4	3 9
" " compacta	— 4	3 9
" " verticillata	— 6	5 3
Callistemon, see Metrosideros.		
⊙§ Calonyction speciosum (Ipomoea speciosa)	— 3	2 9
g Camellia japonica, mixed		
1000 seeds 4/—	— —	— —
" " double, mixed		
1000 seeds 4/6	— —	— —
4 Campanula alliariaefolia	— —	1 7
⊙ " " dichotoma, blue	— 4	3 7
" " " white	— 6	— —
4 " " divergens . . . 1/8 oz —/10	5 8	— —
4 " " fragilis (Electro)	1 8	18 3
4 " " glomerata speciosa	— 4	3 9
⊙ " " Loreyi	— 5	4 5
" " " fl. albo	— 5	4 5
4 " " macrantha	— 4	3 9
⊙ " " macrostyla	1 3	16 5
" " " rosaeiflora	1 4	18 2
4 " " Medium fl. albo (Canterbury Bells)	— 4	2 8
" " Medium fl. albo pleno	— 10	— —
" " " calycanthema	— 11	— —
" " " " fl. albo	1 3	— —
" " " " fl. coeruleo	— 3	2 3
" " " " " pleno	— 7	7 5
" " " " fl. lilacino	— 4	— —
" " " " single, mixed	— —	1 5
" " " " fl. pleno, mixed	— 7	7 5
4 " " pyramidalis	— 6	— —
⊙ " " Speculum, blue	— 3	1 10
" " " white	— 3	2 —
" " " double, white	1 5	— —
Canary Creeper, see Tropaeolum canariense.		
Candytuft, see Iberis.		
Canna-Seeds, see page 63.		
Canna-Roots, see page 65.		
⊙ Cannabis gigantea, Giant Hemp	— —	— 10
Canterbury-Bell, see Campanula.		
Cape Forget-me-not, see Anchusa.		
Cape Hyacinth, see Hyacinthus candicans.		
Capsicum, see Vegetable seeds.		
h Caraguata cardinalis (Bromeliaceae)	1 2	— —
⊙§ Cardiospermum Coindum, new	— 3	2 6
" " colutoides	— 3	2 6
" " halicacabum (Balloon Vine)	— 3	— —
" " hirsutum	— 7	6 8
" " macrocarpum	— 4	2 10
" " microcarpum	— 4	2 10
" " velutinum	1 —	— —
⊙ Carduus giganteus	— 3	2 —
" " Marianus (Silybum)	— —	— 4
Carnation, see Dianthus Caryo- phyllus.		

g Carpodetus serratus	2 1	— —
4 Caryopteris mastacanthus, new, blue	1 10	— —
" " " candidus, white	2 3	— —
h Cassia Candelleana	— 5	5 2
" " " floribunda	— 6	5 6
" " " fulgens	— 8	9 —
Castor Oil Plant, see Ricinus.		
Casuarina, see Conifers.		
4 Catananche coerulea bicolor	— 3	— —
h Cedrela chinensis	— 7	7 4
" " " odorata	2 1	— —

Cocks comb (Celosia cristata).

⊙ Celosia cristata, 12 tall varieties, each separate	— 6	5 3
" " " cristata, finest mixed	— 4	3 7
" " " " nana alba	— 7	7 9
" " " " " atropurpurea	— 8	8 2



Campanula fragilis.
Electro 2/4.

⊙ Celosia cristata nana aurea	— 7	7 5
" " " Empress	— 9	8 10
" " " fire red	— 8	8 5
" " " coppery chamois	— 7	7 9
" " " lutea	— 7	7 5
" " " kermesina (Glas- gow Prize, President Thiers)	1 2	12 9
Celosia cristata nana Queen of Dwarfs, crimson	— 9	— —
Celosia cristata nana Dam. 1898 "Ruby". The plant grows about 12 inches high producing flowers of a perfect shape and of quite a peculiar most lovely crimson color displaying still more its charm under the sunlight. The stalks also are almost of the same color and the leaves are of a brownish red, giving the plant a most lovely appearance; quite a wonderful kind	— 9	9 3

	per oz s. d.	per lb. s. d.
<i>Celosia cristata nana</i> Vesuvius . . .	— 9	9 3
" " " violacea . . .	— 7	6 8
" " " finest mixed . . .	— 7	6 8
" Huttoni . . .	1 9	— —
" japonica . . .	— —	1 5
" pyramidalis alba . . .	— —	1 1
" " atrocarminea . . .	— —	1 2
" " aurantiaca . . .	— —	1 2
" " aurea . . .	— —	1 —
" " cardinalis . . .	3	2 —
" " coccinea . . .	— —	1 5
" " kermesina . . .	— —	1 —
" " lutea . . .	— —	1 —
" " mixed . . .	— —	1 —



Celosia pyramidalis monstrosa.
Electro 4/—.

- *Celosia pyr. monstrosa* (Electro)
Dam, 1898. Its bushy habit is like that of the *C. pyramidalis* while the flowers and specially those of the main stems are more like those of the *C. cristata*. They are dark red, the leaves dark green spotted more or less with dark red. The plant grows most vigorously to about 4 feet in height which makes it invaluable for large groups . . . — 4 3 —

• <i>Celosia pyr. nana aurantiaca</i> . . .	— 2	1 5
" " " aurea . . .	— 2	1 5
" " " carminea . . .	— 2	1 6
" " " coccinea . . .	— 2	1 5
" " " kermesina . . .	— 2	1 5

• <i>Celosia pyr. nana Thompsoni</i> (Triomphe de l'exposition) . . .	— 4	3 4
" " " violacea . . .	— 3	2 3
" " " mixed . . .	— —	1 2
" " " plumosa aurea . . .	— 3	2 6
" " " coccinea . . .	— 3	2 6
" " " ostrich-feathered, orange-crimson; an absolutely distinct and fine sort . . .	1 3	— —
" " " finest mixed . . .	— 3	1 10
• <i>Centaurea americana</i> . . .	— 9	8 2
" " " alba . . .	1 6	— —
4 " Behen . . .	— 3	2 —
4 " candidissima (ragusina) . . .	3 —	— —
" " compacta . . .	3 3	— —
4 " Clementei . . .	— 10	— —
• " cyanoides . . .	— 2	1 5
" Cyanus (Blue Bottle, Bachelor's Button) . . .	— 2	1 6



Centaurea eriophora.
Electro 3/9.

• <i>Centaurea Cyanus alba</i> . . .	— 3	1 7
" " " albo-rosea . . .	— 2	1 5
" " " coelestina (Emperor William) . . .	— 2	1 6
" " " fl. pl. mixed, new double flowered . . .	— 3	1 7
" " " nana compacta Victoria . . .	— 4	3 —
" " " " Victoria purpurea . . .	— 6	— —
" " " nana compacta Victoria fl. pl. Dam, 1899, double, dark red . . .	2 3	— —
" Cyanus purpurea . . .	— 2	1 —
" " " rosea . . .	— 2	1 —
" " " single flowered, mixed . . .	— 2	1 4

		per oz s. d.	per lb. s. d.			per oz s. d.	per lb. s. d.
⊙	<i>Centaurea depressa</i>	—	—	9	⊙ Cheiranthus annuus. Stocks.		
	" <i>rosea</i>	—	—	9	One of our most important specialities!		
4	" <i>diluta</i> , Dam. 1899. A very				All our stocks are grown with so much skill and		
	profuse flowering bushy plant				care that there is no better quality in the		
	growing 30 to 35 inches high				market; they give the highest percent-		
	and covered almost literally with				age of double flowers as all our many thou-		
	charming lilac-rose flowers with				sands of patrons who received them, will testify.		
	a white centre, about 2 inches						
	across, on long stalks. They				Dwarf early-flowered ten week		
	are highly adapted for table	—	6	—	Stocks,		
	and other floral decorations				1. Apple-blossom, 11. Lazur-blue,		
⊙	" <i>erriophora</i> , Dam. 1899 (Electro).				2. Ash-grey, 12. Light-blue,		
	This variety is extremely inter-				3. Brick-red, 13. Lilac,		
	esting. Although its blooms				4. Copper-red, 14. Pale Rose,		
	cannot be compared with those				5. Chamois, 15. Rose,		
	of the large flowered kinds of				6. Crimson, 16. Rosy-carmine,		
	<i>Centaurea</i> , they are however				7. Dark Blue, 17. White,		
	equally adapted for everlasting				8. Dark Crimson, 18. White and rose,		
	bouquets as the rather woolly				9. Dark Purple, 19. Yellow and rose,		
	and spiny buttons keep a very				10. Deep blood-red, 20. Yellow,		
	long time. From these buttons				each separate	2 3	28 10
	emerges the yellow flower like				all colours mixed	1 8	23 9
	a brush. The plant grows only				Creamy yellow Dam. 1898. A new		
	about 12 inches high	—	6	—	strain of great beauty and a worthy		
4	" <i>glastifolia</i>	—	4	3 —	addition to the collection; it is also		
4	" <i>gymnocarpa</i>	—	5	5 2	especially valuable for its rich and	3 —	— —
	" <i>fl. albo</i>	—	5	4 5	continuous flowering		
⊙	" <i>Margaritae</i> , Dam. 1891 (White				Large-flowered dwarf ten week		
	Mammoth Sultan), pure white,				Stocks,		
	very large scented flowers	1 3	14	—	1. Brown, 8. Dark blue,		
⊙	" <i>moschata</i> (Sweet Sultan)	—	3	2 8	2. Brownish 9. Dark Crimson,		
	" <i>alba</i>	—	3	2 10	purple, 10. Fire red,		
⊙	" <i>odorata</i> Dam. 1891 (Red Mam-				3. Canary-yellow, 11. Light blue,		
	moth Sultan), with large purple				4. Chamois, 12. Lilac,		
	scented flowers	1 3	16	5	5. Coppery red, 13. Purple,		
	" <i>odorata Chamaeleon</i> Dam.				6. Crimson, 14. White,		
	(Yellow Mammoth Sultan),				7. Dark blood-red,		
	with very large flowers of				each separate	2 9	39 9
	a pale sulphur-yellow, later				all colours mixed	2 3	32 —
	whitish yellow changing into				Wallflower-leaved large flowered		
	lilac and fading in a rosy colour	1 9	23	6	ten week Stocks,	3 9	— —
4	" <i>Parlatoris</i>	—	4	3 9	all colours mixed		
4	" <i>plumosa</i>	—	4	3 9	Victoria Bouquet ten week Stocks,		
⊙	" <i>suaveolens</i> , Yellow Sweet				1. Carmine, 4. Light blue,		
	Sultan	—	4	3 9	2. Dark bloodred, 5. White,		
⊙	<i>Centranthus macrosiphon nanus</i>	—	—	1 4	3. Dark blue,		
	" " <i>albus</i>	—	3	1 6	each separate	3 10	— —
	" " <i>carneus</i>	—	3	1 6	all colours mixed	3 3	— —
⊙§	<i>Cephalandra palmata</i> , Dam. 1889	2 4	—	—	Dresden Perpetual-flowered ten		
4	<i>Cerastium Biebersteinii</i>	—	7	—	week Stocks,		
	" <i>tomentosum</i>	1 10	—	—	1. Apple-blossom, 6. Flesh-colour,		
⊙	<i>Cerinthe major</i>	—	3	1 9	2. Ash-grey, 7. Light blue,		
g	<i>Cestrum aurantiacum</i>	—	7	—	3. Brownish red, 8. Rosa,		
	" <i>Parqui</i>	—	7	—	4. Dark blue, 9. Sulphur-yellow,		
4	<i>Chamaepeuce Casabonae</i> , Fishbone				5. Deep crimson, 10. White,		
	Thistle	—	9	—	each separate	2 9	— —
	" <i>diacantha</i> , Ivory Thistle	—	4	3 —	all colours mixed	2 7	— —
					Large-flowered pyramidal ten		
					week Stocks mixed	4 10	— —

Stocks (continued).

		per oz. s. d.	per lb. s. d.
Dwarf large-flowered pyramidal ten-week Stocks, mixed		4 4	— —
Giant or Tree ten-week Stocks, mixed		3 6	— —
Giant Perfection ten-week Stocks, mixed		5 —	— —
Perpetual-flowering or Emperor Stocks,			
1. Brilliant rose, 5. Flesh colour,			
2. Crimson, 6. Light blue,			
3. Dark blue, 7. White,			
4. Dark purple,			
each separate $\frac{1}{8}$ oz 1/9	12 6	— —	— —
all colours mixed	9 3	— —	— —



Victoria White Winter Stock.
Electro 4/—.

Winter or Brompton Stocks, mixed	6 10	— —
Dwarf Winter or Brompton Stocks		
1. Brick red, 4. Rose,		
2. Crimson, 5. White,		
3. Deep rose,		
each separate $\frac{1}{8}$ oz 1/3	7 10	— —
all colours mixed	7 —	— —
Brompton Stocks, white Nice, magnificent, continuously flowering; splendid for cutting	3 2	43 6
Victoria white Winter Stock; (Dam.) since we introduced this beau- tiful kind it has met every where with an unlimited and unrestricted approbation; we recommend it most warmly to all who wish to have a fine cut flower. (Electro)	3 5	— —

Canary - yellow Winter Stock

Dam. 1898. This new and very valuable addition is a worthy pendant to the Victoria Stock introduced by us several years ago and which obtained such a grand and general success. We can recommend this new kind most especially for cutting purposes. It can also easily be forced $\frac{1}{8}$ oz 1/—

Light rose Winter Stock $\frac{1}{8}$ oz 1/—

Lilac wallflower-leaved, Winter Stock $\frac{1}{8}$ oz 1/—

Italian red Winter Stock; a most recommendable sort producing an abundance of fine red flowers during the winter

Cheiranthus Cheiri, German Wallflower.

Double Tree, mixed of many fine colours

Double Branching, mixed of many splendid colours

Single Branching, mixed

⊙ Cheiranthus maritimus (Malcolmia)

Virginian Stocks

⊙ " maritimus albus

" " carminenssplendens

" " Fairy Queen

" " kermesinus (Crimson King)

" " luteus

" " mixed

4 Chelone barbata

Chinese Bellflower, see Abutilon.

" Primrose, see Primula

chinensis.

Christmas Rose, see Helleborus.

Chrysanthemum Burridgeanum

" carinatum, see tricolor.

g Chrysanthemum chinense, double fine

mixed

g Chrysanthemum Japanese double large-

flowered, mixed

g Chrysanthemum Japanese, a special

selection of the former with very large

and well-shaped flowers

g Chrysanthemum Japanese Imperial

double Ostrich-feathered, imported seed

from one of the best collections

⊙ Chrysanthemum coronarium album

plenum

" coronarium luteum plenum

" " sulphureum plenum

" " double, mixed

g " frutescens (Argyranthemum)

⊙ " inodorum plenissimum

	per oz. s. d.	per lb. s. d.
	6 10	— —
	6 10	— —
	6 10	— —
	1 —	10 10
	4 2	— —
	4 2	— —
	— —	1 10
	— —	1 1
	— —	1 —
	— —	1 —
	— —	1 2
	— —	1 2
	— —	1 —
	— —	— 10
	— 3	2 8
	— —	— 10
	— —	— —
	6 4	— —
	6 8	— —
	10 8	— —
	5 2	— —
	— —	1 3
	— —	1 3
	— —	1 7
	— —	1 3
	— 9	10 8
	— 10	— —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
h Coleus hybridus regalis (imperialis) newest large-leaved varieties, splendid mixed 1/8 oz 1/4	9 3	— —	⊙ Cosmea pinnatifida nana Dawn, pure white, rich flowering	— 10	— —
Coleus hybr. fol. laciniatis, with fine light brownish lacinated leaves; a most lovely and remarkable kind	7 10	— —	" " sulphurea	— 4	4 8
Coleus Verschaffelti, with very fine dark brown leaves . . 1/8 oz — 10	5 8	— —	" " mixed	— 4	4 8
⊙ Collinsia bicolor	— —	1 —	⊙ Cosmidium Burridgeanum	— 3	1 7
" " candidissima	— —	1 —	h Cosmophyllum calaliaefolium (Fer- dinanda eminens)	3 5	— —
⊙ " " rosea Dam. 1898. A new and quite distinct rose colored form which distinguishes itself from the others also by its considerably larger flowers. An extremely beautiful kind	— 11	12 9	h Coulteria pectinata	— 3	2 3
Collinsia bicolor, mixed	— —	1 2	Cowslip yellow, see Primula veris.		
Collomia coccinea	— —	1 —	⊙ Crepis japonica	— 5	4 3
Columbine, see Aquilegia.			g Crinodendron Hookerianum 100 seeds 1/3; 1000 seeds 11/6	— —	— —
4 Commelina bengalis cyanea Dam. 1/8 oz — 7	3 5	— —	h Croton sebiferum (Stillingia) . . .	— —	— —
" coelestis	— 2	2 3	Crown of the Field, see Agrostemma.		
" " alba	— 3	2 9	⊙ Cryptostemma lusitanicum, Dam. 1899. A rival of the Gazanias, all the more as it is an annual of rapid growth. The plant attains a height of about 8 inches. Its narrow pinnate or deeply cut leaves are of a greyish green and silvery grey on the back. The plant produces a large number of flowers measuring about 2 inches in diameter, the petals of which are sulphur-yellow and chrome-yellow at the base with a dark brown spot . .	— 7	— —
" Sellowiana, new	3 4	45 —	⊙§ Cucumis anguineus, see Tricho- santhus.		
4§ Convolvulus altissimus	— 9	— —	Cucumis Anguria (Aradae)	— 4	2 10
" althaeoides	— 11	— —	" Cossonianus	— 2	1 5
" major, see Ipomoea pur- purea.			" dipsaceus, Teasel Gourd	— 4	2 10
g " mauritanicus	— 7	7 4	" echinoformis	— 4	3 1
⊙ " minor (tricolor), mixed . . .	— —	— 6	" erinaceus, Hedgehog Gourd . . .	— 3	2 8
Coral Tree, see Erythrina.			" Grossularia, Gooseberry Gourd .	— 3	2 8
h Cordyline angustifolia (Dracaena)	— 4	4 —	" Hookeri	— 3	2 3
" australis, berries	— 4	4 5	" metuliformis	— 3	2 3
" " clean seed	1 8	— —	" " oblongus	— 3	2 3
" Banksii	— 10	— —	" minutissimus	— 3	2 3
" congesta spectabilis 1000 seeds 6/—	— —	— —	" myriocarpus	— 5	4 5
" indivisa (C. colocoma super- biens) berries	— 4	3 9	" odoratissimus (Dudaim)	— 4	3 1
" " lineata	— 5	4 —	4 " perennis	— 8	— —
" " latifolia	— 6	5 9	" prophetarum	— 4	3 1
" " rosea	— 6	5 6	" pustulatus	— 3	2 3
" " Veitchi	— 6	— —	" Vilmorini	— 5	— —
" " rubra (Dracaena)	— 6	— —	⊙§ Cucurbita argyrosperma	— 4	2 10
" nutans 1000 seeds 4/—	2 9	— —	" aurantiaca, Orange Gourd . . .	— 3	2 6
" rubra 1000 " 10/—	— —	— —	" depressa alba	— 3	2 —
⊙ Coreopsis abyssinica	1 10	— —	" " aurea	— 3	2 —
4 " auriculata	— 5	— —	" maliformis, Apple Gourd, yellow, white, striped, each . . .	— 4	3 3
4 " grandiflora	— 5	— —	" maxima sylvestris, Naudin 1889	— 3	2 3
⊙ " japonica	— 10	— —	" melanosperma, variegated fruited Malabar (Angora), black seed	— 3	2 3
Corn Flower, see Centaurea Cyanus.			" oviformis, Ostrich Egg	— 4	3 9
⊙ Cosmea hybrida Klondyke, orange- red, large flowering	2 4	— —	" Pepo turbinata, Turban Gourd, scarlet.	— 3	2 8
" pinnatifida (Cosmos bipin- natus)	— 5	5 6			
" " albiflora	— 6	6 7			
" " purpurea	— 5	5 6			
" " Mammoth, white	— 7	— —			
" " " mixed	— 7	7 3			

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙§ Cucurbita piriformis (pear-shaped) green, green with white, each	— 3	1 10	Datura fastuosa coerulea plena	— 4	3 5
" radicans	— 3	2 3	" " lutea plena	— 3	2 —
" verrucosa (warted) apple- and pear-shaped	— 3	1 9	" " fl. pl. mixed	— 3	1 9
" viridis annulata vera	— 3	1 9	" " Huberiana alba plena	— 4	3 9
⊙ Cuphea Balsamora	1 —	— —	" " Huberiana atrovio- lacea punctata plena	— 3	3 2
" cinnabarina	— 5	— —	" " Huberiana violacea intus alba plena	— 3	3 2
" miniata	— 6	5 6	" " humilis flava plena	— 4	3 9
" platycentra . 1/8 oz 1/—	7 —	— —	" ferox	— 2	1 —
" purpurea	— 4	3 9	" Humata, dwarf blue	— 2	1 2
" Roezli . . . 1/8 oz 1/—	6 10	— —	" humilis Golden Queen	— 8	8 2
" silenoides	— 4	3 9	" laevis (inermis) dwarf white	— —	1 —
" " marginata Dam. 1892	— 6	5 6	" Metel	— —	— 10
" Zimapani	— 3	3 —	" quercifolia	— 2	1 7
Cyanus, see Centaurea.			" Stramonium giganteum vio- laceum	— —	— 10
Cyclamen, see Seeds of Bulbs and Roots.			" Wrightii (meteloides)	— —	1 2
⊙§ Cyclanthera edulis	— 4	3 —	⊙ Delphinium Ajacis, see Larkspur.		
" elastica	— 4	3 —	4 " Cardinale	10 —	— —
" explodens	— 5	4 5	⊙ " cardiopetalum	— 3	1 10
" pedata	— 3	3 —	" chinense mixed	— 4	3 5
4 Cynanchum acutum	— 5	— —	" emarginatum	— 5	4 5
⊙ Cynoglossum coelestinum	— —	1 —	" formosum	1 2	— —
" linifolium (Venus Navelwort)	— —	— 9	" hybridum, mixed	— 4	3 9
Cyperus, see Ornamental Grasses.			" " fl. pl. double mixed	4 —	— —
Cypress Vine, see Ipomoea Qua- moclit.			" luzulinum	1 2	— —
4 Dahlia imperialis grandis	4 6	— —	" sulphureum (Zalil)	3 8	— —
" Zimapanii (Bidens atrosan- guinea)	1 2	— —	" triste	— 7	— —
⊙ 4 Dahlia hybrida, splendid mixture of single Dahlias	— 5	4 3	Devil in a bush, see Nigella.		
" hybrida striata, striped	— 6	5 10	Dew Plant, see Mesembrianthemum tricolor.		
" " grandiflora striata, dwarf	— 9	8 4	4 Dianthus barbatus, Sweet William.		
" " " marginata, margined, single Dahlias, mixed	— 8	7 4	fine single mixed	— —	1 2
" " " nana, dwarf, finest mixed	— 5	4 6	fl. pl. best double-flowered mixed	— 5	4 5
" " fl. pl. double, from first class flowers, mixed	1 3	13 10	nanus compactus, double mixed	— 10	— —
" " fl. pl. double, Cactus (Juarezi) mixed	1 8	29 6	Dianthus Caryophyllus fl. pl.		
" " fl. pl. double, Liliput, extra	1 10	— —	seeds raised from finest stage flowers only.		
" " fl. pl. double, dwarf mixed (Tom Thumb)	1 10	— —	Bizarre	— 10	6 6
Daisies, see Bellis perennis.			Doublettes	— 10	6 6
Dames Violet, see Hesperis.			Fancy	— 10	6 6
g Dasylium acrotriche (serratifolium)	— 10	10 —	Self	— 10	6 6
" glaucophyllum	— 7	7 6	Picotees (Avranches), yellow ground	1 —	8 —
" gracile	— 7	7 6	" white ground	— 10	6 6
" longifolium verum	— —	— —	" (Saxons, with red border)	1 3	12 —
1000 seeds —/11	— —	— —	Spotted (Grenoble and Salamander)	— 10	6 6
h Datura arborea	3 6	— —	Extra fine mixture of the above stage flowers	— 9	6 3
" " fl. pl. (Knighti)	7 —	— —	Splendid mixture of stage flowers 1/8 oz 5/7	— —	— —
⊙ " atrovioacea plenissima	— 5	5 2	Perpetual-flowering,		
⊙ " ceratocaulis	— 5	4 6	raised from finest stage plants only.		
" cornucopiae	— 8	9 2	Extra double	5 3	— —
" fastuosa alba plena	— 4	3 5	" " dwarf (tige de fer)		
			1/16 oz 5/6; 1/8 oz 10/3	78 —	— —

	per oz s. d.	per lb. s. d.
Riviera Market		
Alégatière $\frac{1}{16}$ oz 3 4; $\frac{1}{8}$ oz 6 —	45 —	— —
$\frac{1}{16}$ „ 5 6; $\frac{1}{8}$ „ 10 3	78 —	— —
Border- (Ground) Carnations.		
Extra double self coloured . . .	2 8	32 6
„ „ striped in beautiful colours . . .	2 10	36 —
Early flowering dwarf Vienna, finest strain	1 9	20 —
Grenadin, brilliant red, choice quality . . .	2 6	31 —
Margaret Carnations Dam.		
Malmaison, very large-flowering (require a heavy good soil)	3 —	40 —
Semi-high, very double, saved from the finest collection (Electro)	1 —	12 9
Semi-high, very double white	3 3	— —
„ „ „ rose	2 6	— —
„ „ „ scarlet	2 6	— —



Margaret Carnation semi-high double.
Electro 3/3.

Margaret Carnation:

Semi-high, very double dark red . . .	2 6	— —
„ „ „ purple (violet) . . .	2 6	— —
„ „ „ yellow and yellow-ground $\frac{1}{8}$ oz —/8	4 2	— —
„ „ „ striped	3 3	— —
The separate colours are still very variable		
Dwarf, very double, finest mixed . . .	2 7	32 —
Dwarf Margaret Carnation, newest dwarf double-Chabaud (tige de fer) . . .	5 6	— —
⊙ <i>Dianthus chinensis</i> fl. pl. double Chinese Pinks, finest mixed . . .	— 4	3 9
„ „ <i>chinensis</i> albus plenissimus . . .	— 5	4 6
„ „ „ nanus atrosanguineus . . .	— 5	4 6
„ „ „ pumilus striatus plenus . . .	— 5	4 6
⊙ „ „ <i>dentosus</i> hybridus, dwarf mixed . . .	— 4	3 9

	per oz s. d.	per lb. s. d.
<i>Dianthus dentosus</i> hybridus fl. pl. double mixed	— 5	4 6
⊙ „ „ <i>imperialis</i> fl. pl. double Imperial Pink, finest mixed	— 4	3 9
⊙ „ „ <i>Heddewigi</i> (giganteus) single flowered mixed	— 4	3 9
„ „ (giganteus) double, finest mixed	— 4	3 9
„ „ „ albus plenus	— 6	5 6
„ „ „ atrococcineus plenus, Dam. 1899. A new dark scarlet and very fine color. The plant produces a large number of very double flowers	— 8	7 5
„ „ „ diadematus plenus	— 5	5 2
„ „ „ hybr. atropurpureus plenus	— 5	5 2
⊙ „ „ „ hybridus (latifolius) atrococcineus plenus	— 4	3 9
„ „ „ atropurpureus plenus	— 4	3 9
„ „ „ atrosanguineus plenus	— 4	3 9
„ „ „ atroviolaceus plenus	— 4	3 9
⊙ „ „ „ laciniatus, single-flowered mixed double mixed	— 8	7 5
„ „ „ „ albus	— 4	3 9
„ „ „ „ plenus	— 8	7 5
„ „ „ atrosanguineus	— 5	5 2
„ „ „ atropurpureus plenus	— 7	6 7
„ „ „ atroviolaceus plenus	— 7	6 7
„ „ „ Oriental Beauty	1 7	— —
⊙ „ „ „ rubro striatus Dam. 1898. An extremely pretty kind blooming most profusely and growing about 8 to 10 inches high. The flowers are white, richly striped with lilac-red. A very valuable addition to the collection	— 10	— —
<i>Dianthus laciniatus</i> Salmon Queen, new, large-flowering, salmon-red	— 8	8 2
„ „ „ laciniatus Salmon Queen fl. pl. double flowered	1 7	— —
4 „ „ „ plumarius, the common Pheasant eye Pink	— 3	1 7
„ „ „ „ fl. pl. finest double Garden Pink	2 4	— —
4 ⊙ <i>Didiscus</i> (Huegelia) coeruleus	— 9	— —
<i>Didymocarpus</i> , see <i>Streptocarpus</i> .		
4 <i>Digitalis</i> (Foxglove) canariensis $\frac{1}{8}$ oz —/9	5 3	— —
„ „ „ „ <i>gloxiniaeflora</i> mixed	— 3	2 3
„ „ „ „ <i>maculata</i> superba	— 4	3 —
„ „ „ „ <i>purpurea</i>	— 2	1 5
„ „ „ „ <i>alba</i>	— 3	2 3
g§ <i>Dioclea glycinoides</i>	— 5	5 3
4 <i>Diotis candidissima</i> (<i>Santolina maritima</i>)	— 10	10 3
⊙ § <i>Dolichos atropurpureus</i>	— 2	— 11
„ „ „ „ <i>bahiensis</i>	— 2	— 11
„ „ „ „ <i>bicontortus</i>	— 2	— 11

The flowers are pure white and are reproduced continually throughout the summer

<i>Eupatorium aromaticum</i>	1	3	—	—
„ <i>carolinianum</i>	—	5	—	—
„ <i>cannabinum</i>	—	5	4	3
„ <i>riparium</i>	—	6	5	3
„ <i>glechomaefolium</i>	—	—	—	—

1000 seeds 2/6

4 *Eupatorium serotinum*, Dam. 1898.

This plant shares for its remarkable properties all the qualities of the above, only its leaves are shorter and similar to those of *Eupatorium riparium*, although much longer and more narrow. For



Gazania hybr. Blondine,
Electro 3/3.

cutting purposes both kinds are of the greatest value

<i>Eupatorium serrulatum</i> , new	2	4	—	—
4 „ <i>verticillatum</i>	—	5	4	3
g „ <i>Weinmannianum</i>	—	9	—	—
„ „ <i>tricolor</i>	2	10	—	—
g⊙ <i>Euphorbia heterophylla</i>	—	10	11	—
⊙ „ <i>variegata</i> (marginata) Variegated Spurge	—	3	2	2
h <i>Euryale ferox</i> , hot-house aquatic, similar to <i>Victoria regia</i>	—	—	—	—
10 seeds —/10; 100 seeds 6/6	—	—	—	—
⊙ <i>Eutoca viscida</i>	—	3	2	—
⊙ „ <i>Wrangeliana</i>	—	2	1	2
Evening Primrose, see <i>Oenothera</i> . Everlasting Flower, see <i>Helichrysum</i> . Everlasting Pea, see <i>Lathyrus latifolius</i> .	—	—	—	—

⊙ <i>Fedia Cornucopiae</i>	—	3	2	3
4 <i>Felicia abyssinica</i> Dam. 1897 new <i>Ferdinanda eminens</i> , see <i>Cosmophyllum</i> .	1	6	—	—
4 <i>Ferula neapolitana</i>	—	4	3	—
„ <i>tingitana</i>	—	5	4	3
Feverfew, see <i>Matricaria</i> .	—	—	—	—
h <i>Ficus Cooperi</i> 1000 seeds 2/9	—	—	—	—
„ <i>elastica</i> 1000 „ 2/—	—	—	—	—
„ <i>imperialis</i> 1000 „ 2/9	—	—	—	—
„ <i>macrophylla</i> 1000 „ 2/6	—	—	—	—
„ <i>Wrightii</i> 1000 „ 2/6	—	—	—	—
Fishbone Thistle, see <i>Chamaepeuce</i> . Flora's Paint Brush, see <i>Cacalia</i> . Flos Adonis, see <i>Adonis aestivalis</i> . Flowering Flax, see <i>Linum</i> . „ Maple, see <i>Abutilon</i> . Forget me not, see <i>Myosotis</i> . Fountain Plant, see <i>Amaranthus salicifolius</i> . Four o'clock, see <i>Mirabilis</i> . Fox glove, see <i>Digitalis</i> .	—	—	—	—
4 <i>Fragaria indica</i>	—	10	11	—
g <i>Franseria artemisioides</i>	—	—	—	—
100 seeds —/7	—	—	—	—
g <i>Fuchsia corymbiflora</i> 1000 seeds —/7	—	—	—	—
g „ „ <i>alba</i> 1000 „ —/7	—	—	—	—
„ „ <i>procumbens</i> 1000 „ 2/4	—	—	—	—
⊙ <i>Gaillardia Amblyodon</i>	—	3	2	—
„ <i>Amblyodon atrosanguinea</i>	—	4	3	9
4 „ <i>grandiflora</i> Loisel	—	4	3	9
⊙ „ <i>picta</i> (pulchella)	—	3	1	7
„ „ <i>Lorenziana</i> , best double mixed	—	3	2	3
⊙ <i>Gamolepis Tagetes</i>	—	4	—	—
h <i>Gardenia florida</i> , clean seed	—	8	7	4
„ <i>radicans</i> 100 fruits 1/3	—	4	3	4
„ <i>Rothmannii</i> 100 seeds 1/3	—	—	—	—
„ <i>Thunbergia</i> 100 fruits 5/—	—	—	—	—
⊙ <i>Gaura Lindheimeri</i>	—	3	2	2
4 <i>Gazania bracteata</i> pure white, rich-flowering 1/8 oz 3/—	20	6	—	—
4 „ <i>hybrida</i> Nora, Dam. 1897 (Electro No. 1). Flowers milk white, with lilac tips, sulphur-yellow at the base with a large black spot, 100 seeds 1/2; 1000 seeds 8/3	—	—	—	—
4 <i>Gazania hybrida</i> Diana, Dam. 1897 (Electro No. 2). Upper part of the petals yellowish white, the lower part changing into chrome-yellow, 100 seeds 1/2; 1000 seeds 8/3	—	—	—	—
4 <i>Gazania hybrida</i> Blondine, Dam. 1897 (Electro No. 3). Bright chamois, dark orange on the base with white or pale yellow spots; the opposite part of the petals is dark lilac striped, 100 seeds 1/4; 1000 seeds 10/—	—	—	—	—

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
4 <i>Gazania hybrida</i> Bianca, Dam. 1897. Flowers at first sulphur-yellow, changing afterwards into white; slight purple spots at the base of the petals; the opposite part of the petals bears a broad blue stripe in the centre. Flowers measuring about 3 in. across 100 seeds 1/5; 1000 seeds 12/6	—	—	splendid mixed 1/32 oz 2/9; 1/16 oz 4/9; 1/8 oz 8/9	67	—
4 <i>Gazania hybrida</i> Venus, Dam. 1899. Satiny white flowers with a light yellow hue at the base. The back side of the petals is crossed by a broad greyish green line. This plant differs from <i>G. nivea</i> by its shorter and broader petals and also by the greater profusion of flowers, which makes it a worthy addition to the fine varieties introduced by us 2 years ago. 100 seeds 1/5; 1000 seeds 12/6	—	—	4 <i>Gnaphalium</i> <i>Leontopodium</i> (Edel- weiss)	4	6
4 <i>Gazania splendens</i> , a fine, well known plant for carpet-bedding	— 8	9 1	⊙ " <i>orientale</i> fl. pleno 1/32 oz 1/6; 1/16 oz 2/6; 1/8 oz 4/6	34	—
" <i>stenophylla</i> (<i>Gazaniopsis</i>)	1 3	—	⊙ <i>Godetia amoena</i>	— 3	1 9
4 <i>Genipa americana</i> (<i>Gardenia Genipa</i>) 10 seeds 1/—	—	—	" <i>Bijou</i> , dwarf, with rose-coloured spot	— 4	3 9
g <i>Genista canariensis</i>	— 10	9 3	" <i>Bridesmaid</i>	— 4	3 —
g " <i>candicans</i>	— 8	—	" <i>carminea aurea</i>	— 6	—
" <i>thyrsiflora</i>	— 3	—	" <i>Duchess of Albany</i> , satin white " of Fife, dark-red with white	— 4	3 9
4 <i>Gentiana acaulis</i>	— 8	7 3	" <i>Duke of Fife</i> , crimson	— 5	—
<i>Geranium</i> , see <i>Pelargonium</i> .	—	—	" " <i>York</i> , scarlet carmine	— 6	5 6
4 <i>Gerbera Jamesoni</i> 100 seeds 5/—	—	—	" <i>Fairy Queen</i>	— 5	4 6
4 <i>Geum coccineum</i>	— 7	—	" <i>General Gordon</i> , deep crimson " <i>Gloriosa</i> , deep bloodred	— 4	3 9
" " <i>atrosanguineum</i>	— 8	7 8	" <i>grandiflora rosea plena</i>	— 8	—
⊙ <i>Gilia californica</i>	—	10	" <i>La Belle</i> , brilliant rose	1 —	—
" " <i>capitata</i> blue	—	10	" <i>Lady Albemarle</i>	— 9	—
" " <i>alba</i>	—	10	" " " <i>compacta</i>	— 5	3 9
" <i>liniflora</i>	— 4	3 9	" " <i>Satin Rose</i>	— 5	3 9
" <i>multicaule</i>	—	1 —	" <i>Lindleyana</i> fl. pl.	— 2	1 9
" <i>nivalis</i>	—	6	" <i>Mandarin</i> , pale yellow	— 6	6 8
" " <i>nana compacta</i>	— 2	1 5	" <i>Marchioness of Salisbury</i> , pale rose carmine spotted	— 6	—
" <i>tricolor</i>	—	10	" <i>Princess Henry</i>	— 5	4 5
" " <i>nana compacta</i>	— 2	1 5	" " of Wales	— 4	3 7
4 <i>Glaucium</i> <i>Fischeri</i>	— 3	2 6	" <i>the Bride</i>	— 3	2 —
" <i>luteum</i>	— 3	2 —	" <i>Whitneyi</i> <i>Brilliant</i>	— 4	2 9
" <i>rubrum</i>	— 2	1 7	" " <i>compacta</i>	— 5	3 9
Globe amaranth, see <i>Gomphrena</i> .	—	—	" <i>White Pearl</i>	— 3	2 —
" Thistle, see <i>Echinops</i> .	—	—	" <i>mixed</i>	— 3	2 —
Glory Pea, see <i>Clinanthus</i> .	—	—	Gold Dust, see <i>Alyssum saxatile</i> .	—	—
4 <i>Gloxinia hybrida</i> with erect flowers mixed, 1/32 oz 3/—; 1/16 oz 5/—; 1/8 oz 9/4	72	—	Golden Feather, see <i>Pyrethrum</i> <i>parthenifolium aureum</i> .	—	—
<i>grandiflora</i> (<i>Emperor Frederic</i>), bright scarlet with broad white bor- ders, 1/32 oz 7/—; 1/16 oz 13/—; 1/8 oz 25/—	190	—	⊙ <i>Gomphrena globosa</i> (<i>Globe Amaranth</i>)	— 2	1 3
<i>grandiflora</i> <i>Défiance</i> , scarlet 1/32 oz 8/9; 1/16 oz 16/—; 1/8 oz 30/—	—	—	" " <i>alba</i>	— 2	1 3
	—	—	" " <i>carnea</i>	— 2	1 3
	—	—	" " <i>nana compacta</i>	— 3	2 2
	—	—	" " " <i>alba</i>	— 2	1 3
	—	—	" " " <i>carnea</i>	— 3	2 —
	—	—	" " <i>variegata</i>	— 2	1 3
	—	—	" " <i>mixed</i>	— 2	1 5
	—	—	" <i>Haageana</i> , orange	— 3	2 —
	—	—	Gourds, ornamental, see <i>Cucurbita</i> and <i>Lagenaria</i> .	—	—
	—	—	g <i>Grevillea robusta</i>	— 9	8 10
	—	—	⊙ § <i>Gronovia scandens</i>	— 9	—
	—	—	Groundsel, see <i>Senecio</i> .	—	—
	—	—	4 <i>Guevina Avellana</i>	— 5	4 5
	—	—	4 <i>Gunnera scabra</i> 1/8 oz 1/9	11	3
	—	—	4 <i>Gymnopsis uniseriatis</i> Hook. This compositae is a native of Texas resembling as to its habit the <i>Helio-</i> <i>anthus cucumerifolius</i> . It grows about 30 inches high. Above the dark	—	—

	per oz s. d.	per lb. s. d.
green foliage rise most abundantly on rather long stems very pretty chrome-yellow flowers of 2 to 3 inches in diameter. They are very valuable for cutting as they keep very well in water for a long time. The plant produces flowers without interruption from June to September	— 6	6 —
4 Gypsophila acutifolia	— —	— 10
⊙ " elegans	— —	— 10
4 " paniculata	— 4	3 —
g Habrothamnus elegans	— 10	— —
g Hakea saligna, nuts	— 3	1 6
Hardenbergia, see Kennedyia.		
Harpalum rigidum (Helianthus), rich-flowering, beautiful	— 4	6 —
Hawkweed, see Crepis.		
Heartsease, see Viola tricolor maxima.		
⊙ Hebenstreitia comosa serratifolia	— 1	2 —



Heterospermum Xanthii.
Electro 36.

⊙ Helianthus (Sunflower).

" annuus Bismarckianus, with enormous flowers	— 3	1 5
" " globosus fistulosus	— —	1 —
" " flore pleno	— —	1 —
" " nanus fol. var. (Golden Leaf)	— 2	1 7
" " californicus plenissimus	— —	1 —
" " macrophyllus giganteus	— —	— 8
" " Primrose coloured	— —	1 —
" argyrophyllus	— —	1 —
" cucumerifolius, small-flowered	— 3	2 —
" " Excelsior, flowers cactus- like, with long curled petals	— 7	6 5
" " Orion, new	— 7	7 5
" " Giant Star, same as Ex- celsior, but with much larger flowers	— 8	— —
" " Stella, new, pure golden yellow	— 4	3 4

	per oz s. d.	per lb. s. d.
⊙ Helianthus cucumerifolius Stella grandiflorus, with very large flowers	— 7	6 5
" Dammannii	— 3	2 —
" " sulphureus	— 3	2 —
" giganteus serratifolius	— 4	3 2
" lenticularis	— —	1 —
4 " mollis	— 4	3 9
4 Helichrysum angustifolium	— 7	6 3
⊙ Helichrysum compositum monstro- sum, double large-flowered mixed	— 6	5 6
⊙ Helichrysum compositum nanum plenissimum, dwarf double mixed	— 7	— —
4 Heliophylla patula	— 4	3 —
4 Heliotropium peruvianum.		
" Anna Turell	1 9	— —
" Boule de neige	1 8	— —
" Bouquet parfait	1 9	— —
" giganteum, large-flowered, dark violet (purple) 1/8 oz —/10	5 9	— —
" grandiflorum	1 10	— —
" Gloire des massifs	1 8	— —
" Regina Margarita (Marguerite) 1/8 oz 1/—	6 10	— —
" Reine des Violettes	1 7	— —
" Roi des noirs . 1/8 oz —/6	2 9	— —
" Umberto, very large-flowering 1/8 oz —/11	6 —	— —
" Voltaireanum	1 8	— —
" White Lady . 1/8 oz —/6	2 9	— —
" peruvianum, newest large- flowering varieties mixed	1 7	20 —
⊙ " indicum	— 5	5 6
" suaveolens	— 10	11 —
4 Helleborus niger, (Christmas Rose)	— 5	4 6
4 Heracleum Panaces	— —	1 2
4 Hesperis matronalis (Sweet Rocket) mixed	— —	1 2
" matronalis fl. alba	— —	1 2
" tristis	— —	1 4
⊙ Heterospermum Xanthii A. Gray (Electro), Dam. 1898. Grows only about 8 to 10 inches high and is therefore most adapted for borders or carpet bedding. Its small flowers are chrome-yellow with a shade of canary- yellow at the end of the petals. They bloom continually from beginning of June to the end of autumn and the flowers appear already 4 weeks after the sowing	— 9	— —
4 Heuchera americana	— 4	— —
" cylindrica	— 9	— —
" hispida	— 4	— —
" ribifolia	— 6	— —
" sanguinea, crimson	2 —	— —
4 Hevea brasiliensis	1 3	— —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
4§ Hexacentris coccinea 100 seeds 1/6	—	—	⊙ Impatiens Balsamina flore pleno. Balsams.		
" mysorensis	—	—	We offer and warrant first quality only, inspite of our low prices; our patrons may fully rely upon it.		
100 seeds 4/—	—	—	Double tall Balsams mixed . . .	— 3	2 9
⊙ Hibiscus africanus	—	1 3	Double Rose Balsams.		
h " coccineus	— 7	7 4	1. Apple-blossom, 9. Pale yellow,		
h " grandiflorus, mixed . . .	— 3	2 —	2. Brilliant brick- 10. Peach-blossom,		
h " Hamabo	— 9	10 3	red, 11. Pomegranate		
g " liliiflorus	— 2	2 —	3. Chamois, red,		
g " moschatus roseus	— 4	3 —	4. Chamois rose, 12. Purple,		
g " mutabilis	— 11	14 —	5. Dark blue, 13. Rose,		
g " palustris	— 5	3 9	6. Deep blood-red, 14. White,		
" " roseus	— 4	3 —	7. Light blue, 15. White with rose,		
g " Patersoni (Lagunaria) . .	— 7	— —	8. Lilac,		
h " rosa sinensis	1 10	— —	each separate	— 6	5 2
h " roseus grandiflorus . . .	— 3	2 3	All colours mixed	— 4	3 9
Hollyhocks, see Althaea rosea fl. pl.			Double Camellia Balsams.		
Honesty, see Lunaria biennis.			1. Brilliant rose, 6. Purple,		
Honeysuckle, French, see Hedy-			2. Brilliant scarlet, 7. Rose,		
sarum coronarium.			3. Crimson, 8. Rosy carmine,		
Horn Poppy, see Glaucium.			4. Light blue, 9. Rosy lilac,		
⊙§ Humulus japonicus, Japanese Hop	— 5	4 3	5. Lilac, 10. Scarlet,		
⊙§ " japonicus variegatis, with white			each separate	— 6	5 2
variegated leaves	— 5	5 3	All colours mixed	— 4	3 9
⊙§ " " lutescens	— 6	5 7	Improved Camellia Balsamina		
4§ " Lupulus, seeds as collected .	— 2	1 4	„Prince Bismarck“	1 2	— —
⊙ Hunnemannia fumariaefolia . . .	— 8	8 —	Double dwarf Balsams, splendid mixed	— 4	3 9
h Hura crepitans . . . 100 seeds 2/2	—	—	" Solferino Balsams, streaked and		
Hyacinth Beans, see Dolichos.			spotted, mixed	— 4	3 6
h Hymenaea Courbaril 10 seeds—/5			" dwarf Solferino Balsams,		
100 " 2/10	—	—	streaked and spotted	— 4	3 9
⊙ Iberis (Candytuft) affinis	— 2	1 3	" Emperor Balsams	— 5	4 2
" amara	—	— 10	" Victoria Balsams, white with		
" coronaria Empress	— 3	3 —	rose salmon, spotted with scarlet,		
" " pumila	— 2	1 3	splendid	— 5	4 2
" " regia (hesperidifolia)	—	— 10	Regalis, The King	— 4	4 2
" coronopifolia compacta . .	— 2	1 3	" The Queen	— 4	4 2
" Forestieri	—	— 10	⊙ Impatiens biflora	1 —	— —
4 " Garrexiana	— 3	2 9	h " Rodigasi,		
4 " gibraltarica	2 2	— —	100 seeds—/10; 1000 seeds 7/6	—	— —
⊙ " integerrima	—	— 10	h " Sultani 1/16 oz 2/6; 1/8 oz 4/—	30 3	— —
⊙ " Lagascæ	— 2	1 8	" " hybrida rosea		
⊙ " nigricans	— 2	1 6	1/16 oz 3/3; 1/8 oz 5/6	40 6	— —
⊙ " odorata (pectinata)	—	— 10	" " hybrida salmonea		
4 " sempervirens	— 10	10 3	1/16 oz 3/3; 1/8 oz 5/6	40 6	— —
4 " Tenoriana	— 3	1 10	" " hybrida violacea		
⊙ " umbellata, lilac	— 3	2 —	1/16 oz 3/3; 1/8 oz 5/6	40 6	— —
" " white	— 2	1 8	4 Incarvillea variabilis . . 1/8 oz 1/4	9 3	— —
" " carminea	— 5	3 9	Indian Shoot, see Canna.		
" " carnea	— 5	3 9	h Inga pulcherrima . . 100 seeds 3/9	—	— —
" " purpurea	— 3	2 —	⊙ Ipomoea bona nox	— 2	1 8
" " Queen of Italy	— 10	11 —	" campanulata	— 3	1 10
" " Rose Cardinal,			h " chrysantha, large-flowering, golden		
bright rose-carmine	— 10	— —	yellow . . . 100 seeds 1/2	—	— —
" " nana alba	— 3	2 3	⊙ " coccinea	— 2	1 2
Ice Plant, see Mesembrianthemum			" " luteola	— 2	1 2
crystallinum.					
g Illicium religiosum	— 4	3 9			

	per oz s. d.	per lb. s. d.
• <i>Ipomoea dissecta</i>	— 4	3 9
„ <i>grandiflora</i> Hesperus, new; a grand new variety of the "Moonflower"; flowers pure white of enormous size; most magnificent	1 2	— —
• <i>Ipomoea grandiflora mexicana alba</i>	— 6	6 7
4 „ <i>Hardingi</i> 100 seeds —/8	— —	— —
„ 1000 „ 5/—	— —	— —
• „ <i>hederacea grandiflora alba</i>	— 2	1 2
„ <i>Huberi variegata</i> Carmen Sylva	— 3	1 7
„ <i>Huberi variegata atrovioacea</i> <i>marginata azurea</i>	— 2	1 3
„ <i>Huberi variegata carminea</i> <i>intus alba</i>	— 2	1 3



Ipomoea imperialis collata.
Electro 33.

<i>Ipomoea Huberi variegata violacea</i> <i>intus alba</i>	— 2	1 6
„ <i>Huberi variegata</i> , finest mixed	— —	1 3

• *Ipomoea imperialis* Dam. 1893.

A most beautiful class of *Ipomoea* with so very large flowers, that their borders are often fringed; the colours are for the most part absolutely new and they are also seldom found amongst any other kind of plants.

a) With green leaves.

<i>Adonis</i> , bright purple with pure white throat	— 4	3 9
<i>Aphrodite</i> , pure white, giant flowers	— 5	4 6
<i>Asteria</i> , enormous flowers, copper-red with a white throat	— 4	3 9
<i>Thalia</i> , pure white	— 4	4 —

b) With silvery leaves.

<i>Aglaja</i> , crimson with a white throat	— 3	3 3
<i>Antigone</i> , very large blue flowers with a rosy throat	— 5	4 6
<i>Ceres</i> , crimson with a white border	— 4	4 —
<i>Euphrosyne</i> , pure white with a rosy throat	— 4	3 9
<i>Princess</i> , (Electro) white, crimson speckled	— 6	5 9

c) *Aurata* (fol. aur. — leaves with a golden hue).

<i>Cleopatra</i> , brilliant carmine with a white throat and border	— 6	5 5
<i>Juno</i> , sky-blue	— 4	3 9
<i>Luna</i> , very large flowers, dark and light blue and delicate carnation	— 4	3 9
The above sorts mixed	— 4	4 3

d) *Collata* (Electro).

A most remarkable and beautiful class of the greatest variety of shape and colour, the gigantic flowers are partly curled or frizzled, looking thus, as if they were double.

<i>Alba</i> , pure white	— 7	7 3
<i>Carminea</i> , carmine-red	— 7	7 3
„ <i>albo marginata</i> , with a white border	— 9	9 —
<i>Diana</i> , dark blue with a white border	— 9	9 —
The above sorts mixed	— 6	6 6

e) *Micans*.

Another wonderful class of *Ipomoea* *imperialis* with perfectly smooth stems and leaves; leaves either green or silvery and the variety of colors is most beautiful and striking; finest colours

mixed	— 4	4 —
<i>Ipomoea imperialis</i> , all classes and colours mixed	— 3	2 9

h <i>Ipomoea Learii</i> , blue	1 —	14 7
• „ <i>limbata</i> (Pharbitis)	— 2	1 3
• „ „ <i>hybrida</i>	— 2	1 6
• „ <i>Nil</i>	— —	1 —
• „ „ <i>grandiflora</i>	— 2	1 5
• „ <i>oculata</i>	— 3	2 3
• „ <i>purpurea</i> (Morning Glory) <i>Con-</i> <i>volvulus major</i> , splendid mixed	— —	— 7
• „ <i>purpurea</i> , 6 distinct colours, each separate	— —	— 8
„ „ <i>fl. albo pleno</i> , double white	— 4	3 —
„ „ <i>fl. carminea plena</i>	— 8	— —
„ „ <i>fl. carneo plena</i>	— 6	— —
„ „ <i>fl. violaceo plena</i>	— 6	— —
„ „ <i>flore pleno</i> , double flower- ing mixed	— 5	3 10
• „ <i>Quamoclit</i> , Cypress Vine	— 3	2 3
„ „ <i>fl. alba</i>	— 3	2 3
„ „ <i>fl. rosea</i>	— 3	2 6

	per oz. s. d.	per lb. s. d.
⊙ Ipomoea Quamoclit hederacea, scarlet	— 3	2 3
⊙ " Roxburghii Dam.	— 2	— 11
⊙ " rubro-coerulea (violacea vera)	— 9	9 6
" " fl. albo	— 11	12 9
⊙ " sanguinea (Mina)	— 3	2 3
h " scarlatina	— 6	6 7
h " setifera Dam. 1893	— 2	1 —
⊙ " setosa	— 7	— —
h " tuberculata Dam. 1895	— 7	— —
4 " gossypoides	— 8	— —
⊙ Ipomopsis Beyrichii	— 4	3 9
" elegans, mixed	— 3	2 8
" " cupreata	— 4	3 4
" " rosea	— 4	3 4
Italian Bugloss, see Anchusa.		
h Ixora coccinea	2 10	— —
h Jacaranda mimosaeifolia	1 —	11 —
Jacobaea, see Senecio elegans.		
h Jatropha Curcas	— 4	3 4
" Manihot	— 4	3 4
" multifida	— 5	— —
Jerusalem Star, see Cerastium.		
⊙ Jonopsidium acaule	1 8	— —
Joseph's Coat, see Amaranthus tricolor.		
Jove's Flower, see Agrostemma coronaria.		
4 Jurinaea Eversmannii	— 3	2 —
⊙ Kaulfussia amelloides	— 6	— —
4 Kitaibelia vitifolia	— 7	— —
g§ Kennedya coerulea	1 —	— —
" nigricans	2 10	— —
" ovata rosea	1 —	14 6
" prostrata	1 3	— —
" rubicunda	1 3	— —
⊙ Kochia scoparia	— —	— 7
4 Kuhnia eupatorioides, Dam. 1898.		
A small shrub with lovely flowers of a creamy white which reproduce themselves until the autumn	1 2	— —
⊙§ Lagenaria leucantha clavata	— 3	2 —
" " corsica	— 3	2 —
" " enormis	— 3	2 —
" " maxima	— 3	2 —
" " verrucosa	— 3	2 —
" " var. Gourds of different curious shapes, such as for instance Water-bottle, Tobacco box etc. etc.	— 2	1 6
" sphaerica	— 4	3 —
" vulgaris sylvestris (abyssinica)	— 4	2 9
g Lagerstroemia indica, clean seed	1 6	— —
" " Reginae	— 7	— —
Lagnaria, see Hibiscus.		
g Lantana hybrida grandiflora, fine mixed	— 3	2 2
g§ Lapageria rosea . . . 1000 seeds 6/5	— —	— —

⊙ Larkspurs.

	per oz. s. d.	per lb. s. d.
Double Imperial branching (Delphinium Consolida imperiale) finest mixed	— 3	2 3
Double dwarf branching or Candellabrum mixed	— 8	6 8
Double Hyacinth-flowered giant, finest mixed	— 3	2 —
Double Stock-flowered, mixed	— 3	2 3
⊙§ Lathyrus azureus	— —	— 7
2§ " latifolius albus	— 6	6 7
⊙§ " odoratus, Sweet Peas mixed	— —	— 6
" " Eckfords new hybrids mixed	— —	— 7



Ipomoea imperialis Princess.
Electro 35.

⊙§ Lathyrus odoratus, Bronze King	— —	1 —
" " Carmen Sylva	— 1	1 —
" " Crownprincess of Prussia	— —	— 9
" " Emily Henderson	— 2	1 6
" " Her Majesty	— —	1 —
" " Invincible carmine (Cardinal)	— —	— 10
" " Orange Prince	— —	1 —
" " White, pure white	— —	— 8
" " 12 other Eckford's sorts, each separate	— —	1 —
g Lavatera arborea	— 3	2 —
" " fol. var.	10	10 4
g " assurgentiflora	— 5	— —
⊙ " maritima	— 7	— —
⊙ " trimestris fl. albo	— 3	2 —
" " fl. rubro	— 3	2 —

	per oz. s. d.	per lb. s. d.
• Lavatera tripartita	3	1 10
4 Leonurus sibiricus	—	9
⊙ Leptosiphon aureus	4	3 9
" densiflorus fl. albo	4	3 9
" hybridus, mixed	6	5 3
⊙ Leptosyne Douglasii	5	4 3
4 " gigantea, a charming deco- rative plant with graceful pinnate foliage and golden-yellow flowers 100 seeds —/4; 1000 seeds 2/6	—	—
Leptosyne maritima, large flowered, golden-yellow	7	6 7
4 Leucanthemum creticum	5	3 9
" grandiflorum, large- flowered Ox-eye Daisy	3	2 3
" lacustre	3	—



Leucanthemum nipponicum.
Electro 3/3.

Leucanthemum maximum (Chrysan- themum)	6	—
" montanum hetero- phyllum	4	—
" nipponicum, large-flow- ered white (Electro)	1 10	—
" uliginosum	1 3	—
Ligularia Kaempferi 100 seeds —/5	—	—
⊙ Limnanthes Douglasii	2	1 9
⊙ Linaria aparinoides splendens Dam. concolor	4	3 —
4 " Cymbalaria (Kentucky Ivy) 1/8 oz —/8	5	4 5
" dalmatica (macedonica)	4	6 —
" delphinoides	5	4 5
" Hendersoni ericoides	2	1 6
⊙ " maroccana	8	—
" coccinea	4	3 —
"	4	3 4

	per oz. s. d.	per lb. s. d.
Linaria maroccana hybrida	3	2 4
" multipunctata	8	—
" reticulata aureo-purpurea	5	4 10
4 Linum austriacum	4	3 —
4 " arboreum	1 4	—
4 " corymbiferum	6	—
⊙ " grandiflorum roseum	2	1 6
" " rubrum (Scarlet Flax)	2	1 6
⊙ " humile	5	4 4
4 " perenne	3	2 —
" " fl. albo	4	3 4
g Lippia citriodora (Aloysia, Ver- bena)	1 5	—
⊙§ Loasa hispida	4 6	—
" lateritia (Cajophora)	6	5 6
⊙ Lobelia Erinus, blue	7	7 4
" Erinus, white	10	10 7
" " Barnards Perpetual, dark blue with a white eye	1 8	—
" " compacta Goldelse 1/8 oz —/7	3 10	—
" " Emperor William	2 2	—
" " Pearl	7	7 6
" " Primadonna	1 9	—
" " speciosa (Crystal Palace)	1 3	12 5
" " " superba	2	—
" " pumila, Star of Ischl	10	—
" " " alba (White Gem) 1/8 oz —/5	2 9	—
4 " cardinalis 1/8 oz 1/3	7 6	—
4 " fulgens, best hybrids mixed 1/16 oz 2/6; 1/8 oz 4/5	34	—
" " Queen Victoria 1/16 oz 2/6; 1/8 oz 4/5	34	—
" " Queen Victoria violacea 1/16 oz 3/3; 1/8 oz 6/—	45	—
" syphilitica	1 2	—
⊙§ Lophospermum scandens	2 2	29
g Lotus canariensis floribundus 100 seeds —/5; 1000 seeds 3/—	—	—
⊙ " Jacobaeus	5	5 2
" " luteus	5	5 2
Love Grove, see Nemophila.		
⊙ Love in a Mist, see Nigella.		
" in a Puff, see Cardiospermum.		
" lies bleeding, see Amaranthus caudatus.		
⊙§ Luffa acutangula, Rag or Dish-cloth Gourd	3	2 5
" cylindrica	3	2 3
" gigantea	3	2 3
" Jacquinii	4	3 —
" maxima	4	3 —
" petola	3	2 3
" prophetarum	3	2 3
" Soly Qua	4	3 —
" spectabilis, Dam. 1892	4	3 —
" striata	3	2 3

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙§ <i>Luffa subacutangula</i>	— 3	2 3	⊙§ <i>Maurandia Barkleyana</i>	1 10	— —
4 <i>Lunaria biennis</i> (Moon Wort)	— 3	2 8	" " fl. albo	3 8	— —
⊙ <i>Lupinus affinis</i>	— 2	1 5	" <i>purpurea grandiflora</i>	1 10	— —
" <i>albo-coccineus nanus roseus</i>	1 2	— —	" <i>semperflorens</i>	1 6	— —
4 " <i>arbores</i>	1 4	— —	" <i>mixed</i>	1 6	20 —
⊙ " <i>atroviolaceus</i>	— —	1 2	<i>Medeola</i> , see <i>Myrsiphyllum</i> .		
" <i>Cosentini</i>	— —	1 —	g <i>Melanthus major</i>	2 6	— —
" <i>Cruikshanksii</i>	— —	7 —	g <i>Melicope ternata</i>	2 2	— —
" <i>densiflorus</i>	— 4	3 —	⊙§ <i>Melothria abyssinica</i> , Naud.	1 10	— —
" <i>guatemalensis</i>	— —	10 —	" <i>Cucumis</i>	— 4	2 8
" <i>hybridus</i> fl. pl. President Cleveland	— 2	2 —	" <i>cucumerina</i>	— 4	2 8
" <i>hybridus nigrescens</i>	— —	1 —	" <i>indica</i>	— 4	3 4
" " <i>atrococcineus</i>	— —	10 —	" <i>pendula</i>	— 4	3 4
" <i>hirsutus pantelarius</i>	— —	8 —	" <i>Regeli</i>	— 9	— —
" <i>luteus Romulus Dam.</i>	— 3	2 2	" <i>scabra</i>	— 5	4 2
" <i>nanus albus</i>	— 2	1 7	" <i>punctata</i> 100 seeds —/10	— —	— —
" " <i>coeruleus</i>	— 2	1 2	4 <i>Mentha Pulegium</i> , Pennyroyal	2 3	— —
" <i>pubescens</i>	— —	10 —	" <i>Wierzebeckiana</i>	— 8	— —
" " <i>elegans</i>	— —	1 —	⊙ <i>Mentzelia Lindleyana</i>	— 5	— —
" <i>sulphureus</i>	— 3	2 2	g <i>Mesembrianthemum cordifolium</i> , green	2 2	— —
" " <i>superbus</i>	— 4	3 —	" <i>crystallinum</i> , (Ice Plant)	— 4	2 8
" <i>texanus (subcarnosus)</i>	— 4	3 9	" <i>tricolor</i>	— 5	4 5
" <i>tricolor elegans</i>	— —	1 —	g <i>Metrosideros grandiflora</i> (<i>Callis-</i> <i>temon</i>)	1 10	— —
" <i>tall annual varieties mixed</i>	— —	10 —	4 <i>Michauxia campanuloides</i>	1 10	— —
g§ <i>Luzuriaga radicans</i> . . . 1/8 oz —/9	4 6	— —	<i>Mignonette</i> , see <i>Reseda</i> .		
4 <i>Lychnis chalcadonica</i> , scarlet	— 5	4 6	g§ <i>Mikania scandens</i> (<i>Senecio</i>) 1/8 oz 1/6	— —	— —
" " white	— 5	— —	h⊙ <i>Mimosa pudica</i> (<i>Sensitive Plant</i>)	— 6	5 6
" <i>fulgens</i>	1 4	— —	⊙ <i>Mimulus cardinalis</i>	3 1	— —
" <i>Haageana</i>	1 —	— —	" <i>cupreus</i>	3 8	— —
" <i>tristis</i>	— 10	— —	" " <i>Prince Bismarck</i>	5 —	— —
Madagascar Periwinkle, see <i>Vinca</i> .			" <i>duplex</i> (hose in hose) <i>mixed</i>	4 2	— —
<i>Malcolmia littorea</i> , large-flowering, rose-lilac	1 5	— —	" <i>luteus</i>	— 8	— —
⊙ <i>Malope grandiflora</i> , red	— —	1 3	" <i>moschatus</i> (<i>Musk</i>)	3 8	— —
" " <i>alba</i>	— —	1 3	" " <i>compactus</i> 1/8 oz 1/7	11 6	— —
" " <i>rosea</i>	— —	1 3	" <i>tigrinus</i> (<i>pardinus</i>)	1 10	— —
⊙ <i>Malva crispa</i>	— —	6 —	" " <i>grandiflorus</i> (<i>Queen's</i> <i>Prize</i>)	3 —	— —
g <i>Manihot carthaginensis</i>	— 3	2 8	⊙§ <i>Mina lobata</i> , beautiful climber	1 7	23 5
<i>Marigold</i> , African and French, see <i>Tagetes</i> .			" <i>sanguinea</i> , see <i>Ipomoea san-</i> <i>guinea</i> .		
<i>Marigold</i> Cape, see <i>Calendula</i> <i>pluvialis</i> .			⊙ <i>Mirabilis Jalapa</i> (<i>Marvel of Peru</i>) <i>mixed</i>	— —	9 —
<i>Marigold</i> Pot, see <i>Sweet Herbs</i> .			" <i>Jalapa fol. variegatis</i> , <i>mixed</i>	— —	10 —
⊙ <i>Martynia Craniolaria</i> (<i>formosa</i> , fra- <i>grans</i>)	— 4	3 2	" " <i>Tom Thumb</i> , white	— 2	1 2
" <i>lutea</i>	— 3	2 8	" " " <i>tricolor</i>	— 2	1 2
" <i>proboscidea</i>	— 3	2 8	" " " <i>longiflora</i>	— 2	1 4
" " <i>rosea</i>	— 3	2 8	g <i>Mitraria coccinea</i> 1000 seeds 2/2	— —	— —
<i>Marvel of Peru</i> , see <i>Mirabilis</i> .			⊙ <i>Molucella laevis</i> . . . 1/8 oz —/11	— 6	— —
<i>Mask Flower</i> , see <i>Alonsoa</i> .			⊙§ <i>Momordica Balsamina</i> , <i>Balsam Apple</i> <i>Charantia</i>	— 4	2 10
⊙4 <i>Matricaria eximea flore pleno</i>	— 5	4 2	" " <i>chinensis</i> Dam. 1891	— 4	3 —
" " <i>Golden Ball</i>	4 8	— —	" " <i>Luna</i> Dam. 1892	— 4	2 10
" " <i>grandiflora compacta</i> <i>fol. aureis</i>	— 8	— —	" <i>echinata</i>	— 3	2 6
" " <i>flore pleno</i>	— 6	5 6			
⊙§ <i>Maurandia antirrhiniflora</i>	1 2	— —			

		per oz s. d.	per lb. s. d.			per oz s. d.	per lb. s. d.
	Momordica Elaterium, squirting Cu- cumber	3	2 6	⊙	Nemophila atomaria Holborn Blue Bell	3	2 3
	" Huberi leucantha	3	2 —		" crameoides	—	1 —
	" involucrata Dam.	10	11 —		" discoidalis	—	1 —
	" martinicensis	4	2 10		" insignis, blue	—	10
	" muricata	4	2 9		" " alba	—	10
	" spec. Mexico	3	2 3		" " lilacina	—	1 —
	Monkey Flower, see Mimulus.				" " marginata	—	10
	Moon Wort, see Lunaria.				" " purpurea	—	1 —
4	Moraea tristis	1	—		" " striata	—	1 —
	Morning Glory, see Ipom. purpurea.				" " maculata	—	8
	" Glory Brazilian, see Ipom. setosa.				" " purpurea	—	8
	Mourning Bride, see Scabiosa.			g	Nerium Oleander album clean seed	5	4 5
h	Musa Ensete . 1000 seeds 16/—	—	4 6		" " purpureum " " "	5	5 2
	" " Italian saved seeds	—	—		" " roseum	4	2 10
	" " 100 seeds 4/—	—	—		" " splendens " " "	4	3 7
h	" " in fruits (they keep very well and are very suitable for collec- tions)	—	3 10	⊙	Nicotiana affinis	5	4 5
	Musa Livingstoniana 100 seeds 3/9	—	—		" colossea, one of the finest ornamental foliage plants 1/8 oz 2/—	12	—
	" Martini . . 100 " 4/—	—	—	g	" glauca	3	2 8
	" rosacea . . 100 " 2/6	—	—	⊙	" macrophylla gigantea	3	2 2
	" textilis . . 100 " 1/6	—	—		" noctiflora var. albiflora Dam. 1898 new.	9	8 9
	Musk Plant, see Mimulus moschatus.				" purpurea grandiflora	3	2 3
g	Myoporum pictum	3	2 —		" sylvestris, Spegaz. Dam. Flowers pure white. Discovered in Argentina at abt. 5000 feet above the level of the sea, it will be hardy even in cold climates	10	10 —
4	Myosotis alpestris, Alpine Forget- me-not	6	5 10	⊙	Nierembergia frutescens	6	5 6
	" " alba	8	7 2		" gracilis	6	6 7
	" " rosea	8	—		" rivularis (calycina)	6	—
	" " compacta, blue.	1	12 9	⊙	Nigella communis	—	6
	" " elegantissima	9	9 3		" damascena nana alba plena	—	10
	" " " alba	1	—		" damascena nana coerulea plena (Love-in-a-mist)	—	10
	" " robusta grandiflora (Elisa Fonrobert)	9	9 3		" Fontanesiana	—	1 —
	" " Victoria, dwarf com- pact variety	1 5	18 3		" hispanica	3	1 7
⊙	" azorica	—	—		" " alba	3	1 7
	" 1/16 oz 2/—; 1/8 oz 3/—	20 6	—		" " purpurea	3	1 7
4	" dissitiflora	2 9	—		" " orientalis	—	6
	" " alba	4 3	—	⊙	Nycteria capensis	8	7 4
	" " Blue Perfection	7 6	—		" selaginoides	6	6 3
	" oblongata (latifolia)	8	8 6		" " roseo-violacea	6	5 6
	" palustris, true.	1 9	21 8	4	Nymphaea alba	1 3	—
	" " semperflorens	1 7	20 —		" coerulea	4 3	—
	" " " alba	3 6	—		" lutea	5	5 3
	" " Fairy-Eye (Water-Fairy)	6 3	—	h	" zanzibariensis	7 6	—
	" Welwitschii, dwarf, splen- did	2 3	—	⊙	Oyeliscaria pulcherrima	5	4 10
	Myosotidium nobile, magnificent 1/16 oz 1/2; 1/8 oz 1/9	12 6	—	⊙	Ocimum Basilicum bullatum	2	1 5
g§	Myrsiphyllum asparagoides (Medeola, Smilax)	10	9 10		" comosum Dam.	2	1 5
	Nasturtium (Indian Cress), see Tropaeolum.				" graveolens	3	1 7
h	Nelumbium speciosum 10 seeds —/5	—	—		" pumilum Dam.	—	1 2
	" luteum 100 " 1/8	—	—		" sanctum	—	1 2
⊙	Nemophila atomaria	—	1 —		" suave	3	2 3
				⊙	Oenothera acaulis vera (Evening- Primrose)	10	—

	per oz s. d.	per lb. s. d.
⊙ <i>Oenothera bistorta</i> Veitchii . . .	— 3	2 —
" <i>Drummondii</i>	— 3	2 5
" <i>Johnsoni</i> Parry (Electro), Dam. 1898. This very vigorous annual grows rapidly about 4 feet high producing long panicles of lemon- yellow flowers more than $\frac{1}{2}$ inch in diameter. Our cut represents a single plant flowering already two months after sowing	— 4	3 —
⊙ <i>Oenothera Lamarckiana</i>	— —	1 4
" <i>Nuttallii</i>	— 3	1 7
⊙ " <i>odorata</i>	— 2	1 3
" <i>rhizocarpa</i> , yellow (<i>taraxa-</i> <i>cifolia lutea</i>) clean seed	— 4	3 —
" <i>rosea mexicana</i>	— 6	— —
⊙ " <i>suaveolens</i>	— 3	2 —
Orach, see <i>Atriplex</i> .		
4 <i>Origanum gracile</i>	— 4	— —
" <i>roseum</i>	— 4	— —
" <i>heracleaticum</i>	— 4	— —
" <i>majolicum</i>	— 4	— —
⊙ <i>Oxalis rosea</i> $\frac{1}{8}$ oz —/8	4 8	— —
h " <i>sensitiva</i> (<i>Biophytum</i>) $\frac{1}{16}$ oz 2/5; $\frac{1}{8}$ oz 4/2	31 —	— —
⊙ " <i>tropaeoloides</i>	1 2	— —
" <i>Valdiviana</i>	— 7	6 7
<i>Oxyura chrysanthemoides</i>	— 4	3 9
Oxlip, see <i>Primula elatior</i> .		
4 <i>Paeonia arborea</i> (Moutan) fl. pl. . .	— 9	— —
⊙ <i>Palafoxia Hookeriana</i>	— 3	— —
" <i>texana</i> (<i>Polypteris</i>)	— 3	1 8
Palma Christi, see <i>Ricinus</i> .		
Pansies, see <i>Viola tricolor maxima</i> .		
4 <i>Papaver bracteatum</i>	— 4	3 5
4 " <i>caucasicum</i>	— 4	— —
" <i>coccineum aureum</i>	— 3	1 7
⊙ " <i>Danebrog</i> , brilliant scarlet with large white spots	— —	1 —
" <i>Danebrog flore pleno</i>	— 2	1 3
⊙ " <i>glaucum</i> (<i>Tulip Poppy</i>)	1 2	— —
⊙ " <i>Hookeri</i>	— 3	2 8
" fl. pl., extra double	— 5	4 5
" <i>laevigatum</i>	1 2	— —
" <i>Lecoqui</i>	— 3	2 —
" <i>Mephisto</i> , deep scarlet with blackish purple spots	— —	1 2
" <i>Murselli</i> fl. pl. white, striped dark	— —	1 —
" <i>Mikado</i>	— 2	1 7
4 " <i>nudicaule</i>	1 2	— —
⊙ " <i>paeoniflorum</i> fl. pl. mixed	— —	1 —
" <i>Fairy Blush</i>	— —	1 3
⊙ " <i>pavoninum</i> (<i>Peacock Poppy</i>) . . .	— 5	4 6
" <i>Rhoeas Shirley</i> , single flower- ing	— —	2 9
⊙ " <i>Rhoeas</i> fl. pl. French ranun- culus-flowering double mixed	— —	1 4

	per oz s. d.	per lb. s. d.
<i>Papaver somniferum</i> "The Bride", single flowered white	— —	1 2
⊙ " <i>somniferum</i> fl. pl., double Carnation Poppy, mixed	— —	— 10
" <i>somniferum nanum</i> fl. pl. White Swan	— 2	1 8
" <i>somniferum nanum</i> fl. pl. cardinale, bright rose	— —	1 6
" <i>somniferum nanum</i> fl. pl. cardinale, brick-red	1 7	— —
" <i>somniferum nanum</i> fl. pl. brilliant-rose	— 2	1 6
" <i>umbrosum</i> (<i>commutatum</i>)	— 3	1 10
4 <i>Pardanthus chinensis</i>	— 5	4 5



Oenothera Johnsoni Parry.
Electro 3/9.

<i>Pardanthus japonicus</i>	— 3	2 3
" <i>maximus</i>	— 4	3 4
g <i>Parkinsonia aculeata</i>	— 4	3 —
4§ <i>Passiflora</i> (<i>Passion flower</i>) <i>alba</i> . .	— 9	— —
" <i>coerulea</i>	— 6	5 2
" <i>edulis</i>	1 6	— —
" <i>rosacea</i> (<i>incarnata</i>)	1 4	— —
" <i>suberosa</i>	— 9	— —
g <i>Pavonia spinifex</i> $\frac{1}{8}$ oz —/8	4 —	— —
Pea, Sweet, see <i>Lathyrus odoratus</i> .		
z <i>Pelargonium hybridum grandiflorum</i> , finest large-flowered, <i>Odier</i> and <i>Fancy</i> mixed, 100 seeds 1/3; 1000 seeds 11/5	— —	— —
g <i>Pelargonium hederacifolium</i> mixed, 100 seeds —/7; 1000 seeds 4/2	— —	— —
g <i>Pelargonium hederacifolium</i> , double, mixed, 100 seeds 2/6; 1000 seeds 20/3	— —	— —

	per oz s. d.	per lb. s. d.
g Pelargonium Scarlet, choice mixed .	— 6	6 —
„ Scarlet, double-flowered, mixed, 100 seeds 1/—; 1000 seeds 7/—	— —	— —
g Pelargonium Scarlet, white varie- gated-leaved, hybridized, 100 seeds 1/3; 1000 seeds 11/5	— —	— —
g Pelargonium Scarlet, golden, tri- color, variegated, hybridized, 100 seeds 1/3; 1000 seeds 11/5	— —	— —
h Peltandra virginica (Aroideae) .	— 5	— —
h Pentas carnea (Sipanea), 1/16 oz 2/—; 1/8 oz 3/—	22 9	— —
Penny Royal, see Mentha Pulegium.		
4 Penstemon campanulatus .	— 3	2 3
„ Cobaea .	1 3	18 2
„ Hartwegi (gentianoides) mixed varieties .	1 3	— —



Petunia hybrida grandiflora fimbriata vittata.
Electro 2,10.

Penstemon heterophyllus .	2 5	— —
„ pulchellus (roseus) .	— 3	2 6
„ „ violaceus .	— 5	4 6
„ Torreyi .	— 6	6 —
⊙ Perilla nankinensis .	— 2	1 2
„ „ fol. atropurpureis laciniatis .	— 2	1 4
„ „ macrophylla crispa compacta .	— 3	1 8
„ „ macrophylla crispa elator .	— 3	1 10
„ „ laciniatus picta, Dam. 1899. Under		

normal conditions the plant grows about 2 feet high; the leaves are deeply cut, of a dark brown almost black color with very distinct large rose and white stripes. Having grown this pretty kind for several years we

have found it almost perfectly constant, producing about 75⁰/₁₀ of true plants with fine leaves as above .

⊙ *Petunia hybrida.*

Alba .	— 7	8 —
Atropurpurea .	— 7	7 4
Belle Etoile .	— 8	9 3
Carmen Sylva .	— 8	9 3
Carminea intus alba (Adonis) .	— 8	9 3
Compacta nana multiflora .	1 7	21 —
Countess of Ellesmere .	— 5	5 2
Illustris, brilliant rose-carmine .	— 7	7 4
Inimitable .	— 7	8 —
„ nana compacta multiflora .	1 2	— —
Kermesina splendens .	— 6	6 7
Nyctaginiflora, pure white .	— 5	— —
Purpurea .	— 6	— —
Reticulata .	— 10	— —
Snowball, white, rich flowering .	1 5	— —
Venosa .	— 8	8 5
Violacea .	— 8	8 5
Vittata, purple lilac, white striped .	2 4	— —
Finest mixed, first quality .	— 5	5 6

⊙ *Petunia hybrida grandiflora.*

Choicest quality.

Alba .	1/16 oz 1/10; 1/8 oz 3/—	22 6	— —
Alba intus aurea	1/16 „ 1/10; 1/8 „ 3/—	22 6	— —
Atropurpurea .	1/16 „ 2 —; 1/8 „ 3/9	27 —	— —
Brilliant rose .	1/16 „ 1/10; 1/8 „ 3/—	22 6	— —
Delicata .	1/16 „ 1/10; 1/8 „ 3/—	22 6	— —
Deep blood-red with white throat	1/16 oz 1/6; 1/8 oz 2/6	18 3	— —
Kermesina .	1/16 „ 1/10; 1/8 „ 3/—	22 6	— —
Maculata .	1/16 „ 1/10; 1/8 „ 3/—	22 6	— —
Purpurea .	1/16 „ 1/6; 1/8 „ 2/6	18 3	— —
„ albo maculata, new			
1/32 oz 2/6; 1/16 oz 4/—; 1/8 oz 7/4	56 —	— —	— —
„ Purple King			
1/32 oz 2/6; 1/16 oz 4/—; 1/8 oz 7/4	56 —	— —	— —
„ quadricolor (intus aurea)			
1/32 oz 2/9; 1/16 oz 4/9; 1/8 oz 8/9	67 —	— —	— —
Venosa .	1/16 oz 1/10; 1/8 oz 3/—	22 6	— —
Violacea .	1/16 „ 1/9; 1/8 „ 2/10	20 6	— —
Superbissima Prince of Wurtemberg			
1/16 oz 1/10; 1/8 oz 3/—	22 6	— —	— —
Largest-flowered varieties mixed			
1/16 oz 1/3; 1/8 oz 2/—	13 6	— —	— —

⊙ *Petunia hybrida grandiflora fimbriata.*

Alba .	1/16 oz 3/3; 1/8 oz 6/—	45 —	— —
Atropurpurea .	1/16 „ 1/9; 1/8 „ 2/10	20 6	— —
Maculata .	1/16 „ 2/3; 1/8 „ 4/3	31 6	— —
Purpurea .	1/16 „ 1/6; 1/8 „ 2/6	18 3	— —
Venosa .	1/16 „ 1/—; 1/8 „ 1/8	11 6	— —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Petunia :			very fine partly and also very double		
Vittata (Electro)			flowers of the same slate-blue shades as		
$\frac{1}{32}$ oz 2/6; $\frac{1}{16}$ oz 4/—; $\frac{1}{8}$ oz 7/6	56 —	— —	the single Ph. variabilis $\frac{1}{8}$ oz —/9	4 6	— —
Single-flowered first quality mixed			Violacea	1 2	— —
$\frac{1}{16}$ oz 2/6; $\frac{1}{8}$ oz 4 6	34 —	— —	Washington	1 2	— —
⊙ Petunia hybrida grandiflora fl. pl.			William I.	1 2	— —
Most carefully fecondated.			Extra fine mixed	— 8	8 9
Double large-flowered mixed			Phlox Drummondii grandiflora.		
$\frac{1}{64}$ oz 4/6; $\frac{1}{32}$ oz 8/6	— —	— —	Collected from largest flowers.		
Double fringed in great variety mixed			Alba pura	1 3	— —
(fimbriata) . . . 1000 seeds 1/10	— —	— —	Atropurpurea	1 4	— —
⊙ Phacelia campanularia	— 5	4 6	„ albo-oculata	1 4	— —
„ congesta	— —	1 3	Carminea	1 4	— —
„ Emperor William	— 3	2 6	Carnea	1 4	— —
„ Parryi	— 4	3 7	Chamois rose with white eye	1 4	— —
„ „ alba	— 4	3 7	Coccinea	1 4	— —
„ tanacetifolia	— —	1 —	Kermesina alba oculata	1 4	— —
$\frac{1}{2}$ Phalangium lineare fol. var.	4 6	— —	Lutea	1 4	— —
$\frac{1}{2}$ Phaseolus Caracalla	— 5	4 6	Orbicularis atrorosea	1 4	— —
⊙ § „ ensiformis gigas	— —	1 —	„ violacea	1 4	— —
„ radiatus	— 2	1 5	Picta atrorosea	1 4	— —
Pheasant-eye Pink, see Dianthus			Rosea alba oculata	1 4	— —
plumarius.			Splendens	1 4	— —
4 Phlox decussata (perennis) hybrida,			Striata coccinea	1 4	— —
fine mixed	1 3	— —	„ purpurea	1 4	— —
„ „ (perennis) hybrida nana,			„ rosea	1 4	— —
dwarf mixed	4 —	— —	„ violacea	1 4	— —
⊙ Phlox Drummondii.			Variabilis alba oculata	1 4	— —
Alba pura	— 10	12 —	Violacea alba oculata	1 3	16 4
„ oculata	1 —	— —	All the above mixed	— 10	9 6
„ oculata superba	1 —	— —	Phlox Drummondii nana compacta.		
„ semiplena	1 7	— —	Saved exclusively from dwarf plants.		
Atrococcinea	1 —	— —	Alba grandiflora	4 3	— —
Atropurpurea	1 2	— —	Atropurpurea	4 3	— —
„ striata	1 2	— —	Carminea	4 3	— —
„ semiplena	3 10	— —	Chamois rose	4 3	— —
Brilliant	1 3	— —	Coccinea	4 6	— —
Chamois rose	1 4	— —	„ floribunda, Fireball	4 4	— —
Coccinea	1 —	— —	Coerulea stellata	4 6	— —
„ semiplena . . . $\frac{1}{8}$ oz — 9	4 4	— —	Hortensiaeflora	3 10	— —
„ striata	1 2	— —	Leopoldi	3 10	— —
Heynholdi, mixed	3 5	— —	Nivea (Snowball)	3 6	— —
Hortensiaeflora, alba	1 2	— —	„ oculata	3 6	— —
„ atropurpurea	1 2	— —	Punicea (cinnabarina)	3 6	— —
„ cinnabarina	1 2	— —	Variabilis	3 6	— —
„ coccinea	1 2	— —	Victoria	3 6	— —
„ rosea	1 2	— —	Violacea stellata	3 6	— —
„ violacea	1 2	— —	All the above mixed	2 6	36 —
Leopoldi	1 —	— —	⊙ Phlox Drummondii cuspidata, mixed	1 2	— —
Lutea	1 2	— —	„ fimbriata, mixed	1 4	— —
Meteor	1 2	— —	g Phormium Hursthonsi, flowering even		
Prince Bismarck	1 2	— —	when quite young, with long dark red		
Radowitzii	1 —	— —	panicles . . . 1000 seeds 3 10	— —	— —
Rosea	1 2	— —	g Phormium Colensoi	— 10	— —
Variabilis	1 2	14 6	„ tenax, New Zealand Flax	— 8	9 2
„ fl. pleno, Dam. 1899. With					

Primula:

Gigantea alba pura, largest-flowered

	per oz s. d.	per lb. s. d.
100 seeds 1/—	—	—
Kermesina splendens . 1/16 oz 1 4	16 8	—
1/8 " 2 3	22 6	—
Montblanc . 1/16 oz 1 9; 1/8 " 3/—	—	—
Punctata elegantissima . 1/16 " 1 9	22 6	—
1/8 " 3/—	15 4	—
Rosea . . . 1/16 oz 1 3; 1/8 " 2/—	14 6	—
Striatiflora . . 1/16 " 1 3; 1/8 " 2/—	—	—
Urania; stems and flower stalks of a dark blood-red; flowers fringed, dark copper- red; a very fine and most remarkable kind	31 —	—
1/16 oz 2 3; 1/8 oz 4/—	—	—
Fringed mixed, seeds collected exclusively from selected large flowers;	18 6	—
first quality 1/8 oz 2 8	—	—
mixed, very good quality 1/8 oz 1 6	10 10	—

Pyrethrum parthenifolium glaucum.
Electro 3/—.**Primula chinensis fimbriata filicifolia.****a) Single.**

Alba pura	1/8 oz 3 —	22 6	—
Gigantea Perfection white	1/32 " 2 6	—	—
	1/16 " 4 9	75 —	—
Kermesina splendens . .	1/8 " 3 —	21 —	—
Rosea	1/8 " 2 9	20 —	—
Striatiflora	1/8 " 2 9	20 —	—

b) Double.

Alba 100 seeds —/10; 1000 seeds 7/3	—	—
Kermesina splendens 100 " —/7	—	—
1000 " 5 3	—	—

Primula chinensis fimbriata flore pleno, double fringed.

	100 seeds s. d.	1000 seeds s. d.
Alba, double white fringed	— 6	4 —
Carmine	— 7	5 3
Coccinea	— 7	4 10

	100 seeds s. d.	1000 seeds s. d.
Kermesina splendens	— 7	4 10
Rosea	— 6	4 —
Striatiflora	— 7	4 10
Double fringed mixed	— 7	4 10

Prince's Feather, see *Amaranthus hypochondriacus*.

	per oz s. d.	per lb. s. d.
g§ Pueraria Thunbergiana; most splendid, high-ranking, of Japan, with fine clusters of blue flowers 1/4 oz —/6	1 5	18 3
4 Pulmonaria angustifolia	— 5	4 5
4 Pycnanthemum pilosum	1 7	—
4 Pyrethrum cinerariaefolium	— 6	4 6

Reseda odorata Fiammetta.
Electro 3/10.

4 Pyrethrum parthenifolium aureum (Golden Feather)	— 5	4 10
" parthenifolium Golden Gem.	— 10	9 3
" " laciniatum	— 5	4 6
" " selaginoides	1 —	12 10
" " glaucum (Electro)	— 7	6 —
" roseum hybr. mixed	1 3	—
" " double mixed 1/16 oz 2 9; 1/8 oz 4 9	34 —	—
" Triumphetti	— 7	—
" Tschihatschewi	1 —	5 7
⊙§ Quamoclit Kerberi, (Ipomoea)	— 5	4 5
4 Ranunculus asiaticus superbissimus	— 4	3 9
g Raphiolepis japonica (ovata)	— 3	2 3
Red-hot-Poker Plant, see <i>Tritoma</i> .	—	—
⊙ Reseda abyssinica	— 8	—
⊙ Reseda alba	— 4	3 —
" (Mignonette) odorata cwt. 78/—	—	— 10

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
⊙ <i>Reseda odorata grandiflora</i>			⊙ <i>Rudbeckia bicolor superba</i> . . .	1 —	— —
„ <i>odorata grandiflora arborea</i> . .	— 3	2 —	⊙ „ <i>moschata</i>	— 4	— —
„ „ <i>aurea</i> (Golden Queen) . . .	— 3	1 8	4 „ <i>Neumannii</i>	2 2	— —
„ „ <i>compacta nana multiflora</i> . . .	— 3	1 8	4 „ <i>radula</i> , golden yellow with a black centre	1 8	— —
„ „ <i>Crimson Queen</i>	— 3	2 8	4 „ <i>triloba</i>	— 4	3 —
„ „ <i>Diamond</i>	— 3	1 8	4 <i>Ruellia tuberosa</i> , Dam. 1895; very bushy, dwarf and rich flowering; the numerous Bignonia-like flowers are of blue colour, standing above the foliage. To be sown early in the stove; the plant will then flower in July, lasting until Christmas	2 2	— —
„ „ <i>eximea</i> (Parson's white)	— 3	1 8	Sage, see <i>Salvia</i> .		
„ „ <i>Fiammetta</i> , dwarf (Electro)	— 4	3 9	⊙ <i>Salpiglossis variabilis</i> fine mixed . .	— 6	5 6
„ „ <i>Gabriele</i> (<i>imperialis</i>)	— 4	2 10	„ <i>variabilis grandiflora</i> , large flowered mixed	— 8	7 6
„ „ <i>gigantea pyramidalis</i>	— 3	1 8	„ „ <i>nana</i> , dwarf mixed	— 8	6 8
„ „ <i>Machet</i> , dwarf compact variety	— 3	2 9	4 <i>Salvia argentea</i> , true	— 3	1 5
„ „ <i>Machet</i> , golden yellow	— 7	5 6	⊙ „ <i>carduacea</i>	— 3	2 3
„ „ <i>maxima Goliath</i>	1 10	— —	⊙ „ <i>coccinea</i>	— 4	2 8
„ „ <i>meliorata</i> (Crimson Giant)	— —	1 —	„ „ <i>grandiflora</i>	— 4	3 —
„ „ <i>Mile's Spiral</i>	— 3	1 10	„ „ <i>lactea</i> , pure white	— 6	5 6
„ „ <i>Urania</i> , large-flowered	— 3	2 3	⊙ „ „ <i>nana</i> , Dam. 1899. A dwarf form of the lovely <i>S. coccinea lactea</i> growing only about 16 to 20 inches high and bearing in great number pure white flowers al- ready in June which last until frost sets in; most valuable for groups . .	— 7	7 5
„ „ <i>Victoria</i>	— 3	2 —	<i>Salvia coccinea rosea</i>	— 4	2 9
„ „ <i>Rubin</i> , large-flowered, copper-red	1 10	— —	⊙ „ <i>farinacea</i>	— 5	4 5
4 <i>Rhaponticum pulchellum</i>	— 4	3 9	„ „ <i>alba</i>	— 7	7 —
⊙ <i>Rhodanthe maculata</i>	1 2	— —	„ <i>Horminum atrocoerulea</i>	— —	9 —
„ <i>maculata alba</i>	1 2	— —	4 „ <i>interrupta</i>	— 7	— —
„ „ „ <i>plena</i> 1/8 oz — 8	3 6	— —	„ <i>officinalis</i> , see Sweet Herbs &c.		
„ <i>Manglesii</i>	1 —	— —	„ <i>pratensis atrocoerulea</i>	— 4	3 9
„ „ <i>fl. pl.</i> 1/8 oz — 8	3 6	— —	⊙ „ <i>prunelloides</i>	— 10	— —
4§ <i>Rhynchosia pubescens</i>	— 8	— —	„ <i>Regeliana</i>	— 5	— —
g§ <i>Rhynchospermum jasminoides</i> 1000 seeds 4/—	— —	— —	⊙ „ „ <i>albiflora</i>	— 5	— —
⊙ Ricinus (Castor Oil Bean, Palma Christi)			⊙ „ <i>Roemeriana</i>	1 —	— —
<i>africanus</i>	— —	10 —	„ <i>rubescens</i> 1/8 oz — 5	2 —	— —
<i>borboniensis arboreus</i>	— —	9 —	„ <i>Sclarea</i> , see Sweet Herbs &c.		
<i>canbodgeensis</i> , very dark leaved	— 2	1 5	4 „ <i>silvestris</i>	— 3	1 10
<i>communis major</i>	— —	8 —	4 „ <i>splendens</i>	2 5	— —
<i>Duchess of Edinburgh</i>	— —	9 —	„ „ <i>compacta nana</i> 1/8 oz — 7	3 6	— —
<i>elegantissimus</i>	— —	7 —	„ „ <i>Ingenieur Clavenad</i> 1/8 oz — 8	4 —	— —
<i>Gibsoni</i>	— 2	10 —	„ „ <i>Prince of Naples</i> 1/8 oz — 8	3 10	— —
„ <i>mirabilis</i>	— 2	1 —	„ „ <i>Silverspot</i> , new, leaves yellow spotted 1/3 oz 1/3; 1/16 oz 2/—; 1/8 oz 3/6	26 —	— —
<i>sanguineus</i>	— —	6 —	4 <i>Salvia taraxacifolia</i> , Dam. 1899. Resembling in habit the <i>S. paniculata</i> but growing rather bushy and only about 10 inches high; it is therefore very valuable for dwarf groups. One		
„ <i>minor</i>	— —	7 —			
<i>Zanzibariensis</i> , red seeds	— —	7 —			
<i>Ricinus zanzibariensis cinerascens</i>	— —	8 —			
„ „ <i>enormis</i>	— —	9 —			
„ „ <i>maculatus</i>	— —	9 —			
„ „ <i>niger</i>	— —	9 —			
„ „ <i>mixed</i>	— —	7 —			
„ all sorts mixed cwt. 25/—	— —	6 —			
Rock <i>Lychnis</i> , see <i>Viscaria</i> .					
Rocket, see <i>Hesperis matronalis</i> .					
⊙ <i>Romneya Coulteri</i>	4 3	— —			
Rose <i>Campion</i> , see <i>Agrostemma</i> .					

	per oz. s. d.	per lb. s. d.		per oz. s. d.	per lb. s. d.
single plant will produce about 15 to 20 panicles of bright lilac flowers with a whitish lip, and although they are not very large yet they appear in such a large number from June to September that this very pretty kind may be considered one of the most floriferous of its class . . .	1 4	— —	Schizanthus pinnatus compactus albus . .	— 8	— —
4 Sanguisorba officinalis	— 4	— —	" " mixed . . .	— 3	2 6
4 Santolina Chamaecyparissus	— 5	4 6	4 Schizolobium excelsum 100 seeds 6/6	— —	— —
⊙ Sanvitalia procumbens	— 4	3 9	§ Schubertia grandiflora, a splendid climber with white scented flowers 100 seeds 2/9; 1000 seeds 20/—	— —	— —
" " fl. pleno, double	— 7	6 —	Sea Lavender, see Statice.		
" " plenissima compacta	1 —	— —	⊙ Senecio elegans plenissimus (Jacobaea double) splendid mixed	1 3	— —
4 Saponaria multiflora	— —	— 8	" elegans nanus plenissimus, dwarf mixed	1 3	— —
⊙ Saponaria multiflora (calabrica) . .	— 3	2 —	" " pomponicus plenissimus, creamy white	1 3	— —
⊙ " calabrica alba	— 3	2 3	" " pomponicus plenissimus cupreus	1 5	— —
" " Scarlet Queen	— 5	4 5	" " pomponicus plenissimus purpureus	1 5	— —
4 " officinalis	— 3	2 —	" " pomponicus plenissimus ruber (atroroseus)	1 5	— —
Satin Flower, see Lunaria biennis.			4 " multiflorus, blue, very rich-flowering	1 8	— —
⊙ Scabiosa (Scabious) atropurpurea fl. pl. mixed	— —	1 2	Sensitive Plant, see Mimosa pudica.		
" atropurpurea aurantiaca fl. pl. . .	— 3	1 9	4 Sesbania aculeata	1 10	— —
" " candidissima plena	— —	1 —	" aegyptiana	2 2	— —
" " carnea plena	— 3	2 —	⊙§ Sicydium Lindheimeri	— 7	7 4
" " grandiflora compacta fl. pl. mixed	— 3	2 —	⊙§ Sicyos angulata	— 3	1 7
" " major fl. pl. large flowered, mixed	— —	1 2	" Baderva	— 3	2 —
" " major fl. pl. Giant King of the Blacks	— 3	2 —	" bryonifolia	— 3	2 —
" " major rosea plena	— 3	1 7	4 Silene Fabaria	— 5	— —
" " " rubra plena	— 3	1 5	⊙ " pendula (rosea graeca)	— —	7
" " maxima fl. pl. fiery scarlet	— 3	2 —	" " alba	— —	7
" " maxima fl. pl. The Fairy, with large azur-blue flowers	— 8	— —	" " Bonnetti	— —	9
" " maxima fl. pl. Pompadour	— 10	— —	" " carnea plena	— —	10
" " nana, double dwarf mixed	— 3	1 6	" " delicata fl. pl., light rose, double	— 3	2 —
" " nana compacta pl. fol. aureis, golden leaved Scabious	— 3	1 7	" " Thusnelda Dam. 1896; with long branches of golden yellow foliage and thousands of lovely rose-coloured flowers.	— 3	2 —
" brachiata, Dam. 1899. A most valuable plant for cutting purposes, commencing to bloom already in the month of May; its charming pale blue flowers last a long time	— 6	5 3	Silene pendula compacta rosea	— 3	1 4
4 " fumariaefolia	— 6	— —	" " " alba plena Dam.	— 3	1 7
" hybrida Victoria (Sc. atropurpurea, Columbaria, finest mixed	— 3	1 5	" " " fol. aureis, golden leaved	— 4	2 4
4 " caucasica	3 3	— —	" " " Empress of India, large, dark rose flowering	— 5	4 4
⊙ Schizanthus Grahami carmineus . .	— 6	— —	Silene pendula compacta fol. aur. Venus, Dam. 1898. The contrast between the yellow foliage, the pure white flowers and the green of the lawn, renders this very nice plant extremely adapted for carpet bedding	— 5	4 4
" grandiflorus mixed	— 3	2 6	Silene pendula compacta Luna Dam. 1896; very compact; flowers of a delicate carnation colour; foliage golden yellow	— 4	2 4
" papilionaceus	— 2	1 2	Silene pendula compacta ruberrima	— 3	1 7

	per oz. s. d.	per lb. s. d.		per oz. s. d.	per lb. s. d.
<i>Silene pendula compacta ruberrima</i> fl. pleno.	— 3	2 —	<i>Solidago serotina</i>	— 4	3 —
<i>Silene pendula compacta</i> Snow King, large pure white flowers	— 4	3 9	<i>Spartium</i> (Genista) see Tree seeds.		
" " <i>rosea plena</i> (Carter's Zulu King)	— 2	1 3	⊙ <i>Sphenogyne speciosa</i>	— 3	— —
" " <i>ruberrima</i>	— —	— 8	<i>Spiderwort</i> , see <i>Cleome</i> ,		
" " " <i>flore pleno</i>	— 3	1 5	<i>Spurge</i> , variegated, see <i>Euphorbia</i> variegata.		
g <i>Skimmia japonica</i>	— 7	6 7	4 <i>Stachys lanata</i>	— —	1 3
<i>Smilax</i> , see <i>Myrsiphyllum</i> .				100 seeds s. d.	1000 seeds s. d.
<i>Snapdragon</i> , see <i>Antirrhinum</i> .			g <i>Stapelia atrata</i>	— 3	2 —
⊙ <i>Solanum abyssinicum</i>	— 4	3 —	" " <i>rufescens</i>	— 3	2 —
" <i>aculeatissimum</i>	— 5	3 9	g " " <i>tigrina</i>	— 3	2 —
" <i>aethiopicum</i>	— 4	3 —	g " <i>atropurpurea</i>	— 3	2 —
g " <i>arborescens</i>	— 7	— —	g " <i>bisulca</i>	— 3	2 —
g " <i>auriculatum</i>	— 4	2 4	g " <i>conspurcata</i>	— 3	2 —
⊙ " <i>atropurpureum</i>	— 4	3 —	g " <i>discolor</i>	— 3	2 —
4 " <i>Balbisii</i>	— 4	2 10	" <i>lentiginosa</i>	— 3	2 —
4 " <i>cabliense argenteum</i> (mar- ginatum)	— 5	3 9	" <i>mammosa</i>	— 3	2 —
g " <i>Capsicastrum</i>	— 4	2 10	" <i>mixta</i>	— 2	1 6
" " <i>nanum</i>	— 6	— —	" <i>parvipunctata</i>	— 2	1 6
" <i>citrullifolium</i>	— 3	2 2	g " <i>planiflora</i>	— 2	1 3
4 " <i>coagulans</i> , foliage whitish- grey, flowers pure white, fruits red	1 3	— —	" <i>revoluta</i>	— 3	2 —
4 " <i>Dammanianum</i>	— —	— —	" <i>Sisyrinchium</i>	— 3	2 —
4 " <i>dubiosinuum</i>	1 —	— —	" <i>variegata</i>	— 3	2 —
g " <i>erythrocarpum</i>	— 3	2 4	" 25 other sorts each separate	— 2	1 3
g " <i>Farini</i>	— 6	— —	" finest mixed	— —	— 10
4 " <i>ferox</i> , beautiful	— 9	— —		per oz. s. d.	per lb. s. d.
⊙ " <i>Gilo</i>	— 4	3 2	⊙ <i>Standing Cypress</i> , see <i>Ipomopsis</i> .		
⊙ " <i>guineense</i>	— 3	2 —	⊙ <i>Statice Bonduelli</i> , yellow	— —	1 —
g " <i>haematocarpum</i>	— 5	3 9	4 " <i>caspia</i> ; of one of the finest with purple flowers	2 2	— —
g " <i>Hendersonii</i>	— 4	3 5	4 " <i>cosyriensis</i>	— 7	— —
g " <i>laciniatum</i>	— 5	3 7	4 " <i>incana hybrida</i> (Sea La- vender)	— 3	2 —
⊙ " <i>Lobellii</i>	— —	1 2	4 " <i>latifolia</i>	— 5	— —
g " <i>melanochitum</i>	— 5	3 9	4 " <i>serbica</i>	— 5	— —
" <i>mors elephantum</i>	— 6	5 —	⊙ " <i>sinuata</i> , blue	— —	1 —
" <i>ovigerum</i>	— 3	1 7	" " <i>candidissima</i>	— —	1 —
" <i>pomiferum</i>	— 3	1 3	" " <i>rosea</i>	— —	— 10
g " <i>pseudo-Capsicum</i>	— 4	3 5	⊙ " <i>spicata</i>	— 4	3 5
g " <i>pyracanthum</i>	1 10	— —	⊙ " <i>superba</i>	— 5	3 9
" <i>racemiflorum</i>	— 3	1 7	⊙ " <i>Suworowii</i>	— 5	3 9
g " <i>robustum</i>	1 8	— —	4s <i>Stephanotis floribunda</i> 100 seeds 2/9 1000 " 20/—	— —	— —
⊙ " <i>rostratum</i>	— 3	2 4	⊙ <i>Stevia amabilis</i>	— 7	— —
g " <i>Seaforthianum</i> 1/8 oz — 8	4 6	— —	⊙ " <i>Eupatoria</i>	— 6	4 5
⊙ " <i>sisymbriifolium</i>	— —	1 2	⊙ " <i>Lindleyana</i>	— 6	6 —
⊙ " <i>texanum</i>	— —	1 2	4 " <i>odorata</i> (<i>salicifolia</i>)	1 9	— —
" " <i>nigrum</i>	— —	1 2	4 " <i>purpurea</i>	— 6	6 4
4 " <i>Topiro</i>	— —	1 2	" " <i>fl. albo</i>	— 6	6 8
" <i>verbascifolium</i>	— 3	1 3	4 " <i>serrata</i> , white	— 7	7 4
g " <i>virgineum</i>	— 3	2 4	4 <i>Stobaea membranifolia</i>	— 9	— —
g " <i>Warscewiczii</i>	— 10	— —	" <i>radula</i>	— 9	— —
" <i>Zuccagnianum</i>	— 4	3 —			
4 <i>Solidago canadensis</i>	— 3	2 —	Stocks, see page 33.		
" <i>rigida</i>	— 4	— —	<i>Stonecrop blue</i> , see <i>Sedum coeruleum</i> .		
			4 <i>Strelitzia Augusta</i> 100 seeds 9/8	— —	— —

	per oz s. d.	per lb. s. d.
⊙ <i>Torenia Fournieri grandiflora</i> 1/8 oz — 9	5 —	— —
Touch me-not, see Balsams.		
⊙ <i>Trachelium coeruleum</i>	— 8	— —
" " <i>album</i>	— 8	— —
" " <i>lilacinum</i>	— 8	— —
Tree Cypress, see <i>Ipomopsis</i> .		
⊙ § <i>Trichosanthes Anguinea vera</i>	— 3	2 7
" <i>coccinea</i>	— 4	2 10
" <i>colubrina</i>	— 3	2 6
" <i>cucumerina</i>	— 3	2 6
" <i>palmata</i>	— 4	3 —
" " <i>coccinea</i>	— 3	2 6
4 <i>Trifolium repens</i> fol. atropurpureis (nigrescens)	— 6	— —
Tritoma, see <i>Kniphofia</i> .		
⊙ § <i>Tropaeolum canariense</i> (peregrinum) Canary Creeper	— 5	4 8
" <i>Lobbianum cardinale</i>	— 3	2 3



Verbena erinoides.
Electro 25.

<i>Tropaeolum Lobbianum</i> Crown Prince	— 3	1 10
" <i>Lobbianum</i> Duc de Vicence	— 3	1 10
" " <i>fulgens</i>	— 3	2 3
" " <i>Géant des batailles</i>	— 3	1 10
" " <i>Hookeri</i>	— 3	1 10
" " <i>Kotschianum</i>	— 3	1 10
" " <i>Lilli Smith</i>	— 3	1 10
" " <i>Lucifer</i>	— 3	1 10
" " <i>luteum</i>	— 3	1 10
" " <i>multiflorum</i>	— 3	1 10
" " <i>Queen Victoria</i>	— 3	1 10
" " <i>Roi des noirs</i>	— 3	2 3
" " <i>Spitfire</i>	— 3	1 10
" " <i>Triomphe de Gand</i>	— 3	1 10
" " <i>variegatum</i>	— 3	1 10
" " <i>Zanderi nigrum</i>	— 3	2 3
" " mixed in splendid varieties	— —	1 3
" <i>majus</i> , fine mixed of the best sorts	— —	— 10

<i>Tropaeolum majus</i> nanum Empress of India . .	— 3	2 6
" " " King of Tom Thumbs . .	— 2	1 10
" " " King Theodore . .	— 3	2 —
" " " Ruby King . .	— 2	1 10
" " " mixed . .	— —	— 10
⊙ " minus (trimaculatum)	— 3	2 —
§ " <i>coccineum</i>	— 3	2 8
§ " <i>pentaphyllum</i>	1 10	— —
Trumpet Flower, see <i>Datura</i> .		
g <i>Tweedia coerulea</i>	— 10	— —
4 <i>Umbilicus deflexus</i> . 1/16 oz 1 —	11 —	— —
" <i>gladiatus giganteus</i> 1/16 oz 1/—; 1/8 oz 1/9	11 —	— —
" <i>patens</i> 1/16 oz 1/—; 1/8 oz 1/9	11 —	— —
4 <i>Valeriana rubra</i> (Valerian)	— 3	2 3
g § <i>Vallis dichotoma</i> , a beautiful climber for the conservatory, with large snow white flowers . . 100 seeds 1/8	— —	— —
Venus Looking Glass, see <i>Cam-</i> <i>panula Speculum</i> .		
Venus Navel wort, see <i>Cynoglossum</i> <i>linifolium</i> .		
4 <i>Verbascum floccosum</i>	— 3	2 3
" " <i>album</i>	— 3	2 3
4 " <i>pannosum</i>	— 2	1 2
" <i>phoeniceum</i>	— —	— 10
" <i>speciosum</i>	— —	1 —
⊙ <i>Verbena Aubletia candidissima</i> , new, pure white . .	1 2	— —
" " <i>grandiflora</i> . .	— 4	3 —
" <i>ciliata</i> Dam. 1899. Resembling for its habit and shape of flowers the <i>Verbena erinoides</i> and it is an equally free bloomer, only its leaves are less deeply cut and its flowers are of a very bright lilac	1 2	— —
" <i>Drummondii</i> (montana)	— 5	3 4
" <i>erinoides</i> (Electro)	— 8	8 —
" <i>pulchella</i>	— 3	1 10
" <i>teucrioides</i> (Niveni)	— 3	2 3
" <i>venosa</i>	— 3	1 10

***Verbena hybrida*.**

Finest mixed	— 7	8 —
Extra selected quality	— 10	11 —
Auriculæ flowered sorts with large white eye, first class flowers	— 10	11 —
Alba	— 8	9 2
Atroviolacea	— 7	8 —
Candidissima	— 9	— —
Coccinea	— 10	11 9
" <i>oculata</i>	1 —	12 9
Coerulea	— 8	9 2
Défiance, fiery scarlet	— 10	— —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Verbena:	1 —	11 —	Alba pura (Schneewittchen)	1 —	12 10
Lutea.	1 2	— —	Atropurpurea alba marginata.	1 2	13 6
Purple Cloak	— 10	11 —	Auriculaeflora, bronze	— 10	11 9
Rosea	— 10	11 —	Azure blue	1 —	12 10
Striata, Italian striped			Black tinted golden bronze	— 10	10 3
Verbena hybrida grandiflora.			Bronze coloured	1 —	13 —
Mammoth „Cyclope“ bright carmine with white centre	1 5	— —	Cardinal	2 4	— —
„ Firefly, bright red with white centre	1 2	— —	Dark blue	— 10	11 9
„ rose and carmine	1 —	12 9	Emperor William	1 3	— —
„ mixed			Dr. Faust, pure black	1 —	12 10
Verbena hybrida compacta (erecta).			Gold laced.	1 —	13 —
Défiance	2 10	— —	King of the Blacks	1 —	13 —
Candidissima	2 2	— —	Lord Beaconsfield	1 3	14 10
Coccinea	2 2	— —	Meteor, reddish brown	1 4	— —
„ oculata ¹ / ₈ oz — 7	3 10	— —	Odier Prize Pansies	1 5	— —
Dark blue	2 6	— —	Prince Bismarck	— 10	11 10
Splendid mixed	2 3	— —	Pure yellow	1 2	14 7
4 Verbesina alternifolia	— 8	— —	Purpurea marginata	1 —	13 —
„ virginica Dam. 1897 with numerous white flowers	1 5	— —	Quadricolor	— 10	10 3
4 Vernonia arkansana, Dam. 1898. With very nice purple flowers; splen- did for cutting	— 10	— —	Silver edged	— 10	11 —
g Veronica hybrida, a great many sorts mixed	— 10	— —	Victoria, red	1 2	— —
4 „ spicata	— 5	4 5	White, dark centre	1 —	12 3
„ „ australis	— 4	3 9	Yellow, dark centre	1 —	13 —
h Victoria regia . . 100 seeds 13/9	— 9	8 4	⊙ Viola tricolor maxima Trimardeau, Giant Pansies	2 —	25 6
h⊙ Vinca rosea, Madagascar Periwinkle	— 9	8 4	Auriculaeflora	2 8	— —
„ „ alba oculata	— 9	8 4	Emperor William	1 10	— —
„ „ alba pura	— 7	7 5	Count Moltke	2 2	— —
„ „ mixed	1 3	— —	King of the Blacks	2 2	— —
4 Viola cornuta	1 2	— —	Lord Beaconsfield	2 2	— —
„ „ alba	1 10	— —	Pure yellow	2 5	— —
„ „ Admiration	2 3	— —	White with dark centre	2 2	— —
„ „ Blue Perfection	1 3	— —	Yellow with dark centre	2 2	— —
„ „ Sensation	1 2	— —	Virginian Stocks, see Cheiranthus maritimus.		
„ odorata, common wild Sweet Violet	— 7	6 7	Wahlenbergia grandiflora duplex ¹ / ₈ oz — 8	4 6	— —
„ odorata, semperflorens	— 10	11 —	Wallflower, see page 34.		
„ „ semperflorens fl. albo	1 6	— —	Water Lily, see Nymphaea.		
„ „ „ the Czar	1 4	— —	⊙ Whitlavia grandiflora	— —	1 7
„ „ „ fl. albo	— 10	— —	„ „ alba	— 3	1 5
„ „ „ Wilsonii			h Wigandia caracasana	— 10	— —
⊙ Viola tricolor maxima. Pansies.			„ hybrida	— 10	— —
Seeds saved from the largest flowers only.			„ imperialis	— 7	— —
All colours mixed	— 9	9 3	„ Vigierii	— 8	— —
English show (faced) varieties mixed	— 10	11 —	Woodroof, see Asperula.		
Large-flowered French varieties mixed	1 1	15 3	⊙ Xeranthemum annuum superbissi- mum album fl. pl	— 7	7 4
Cassier, three and five blotched giant	2 6	32 6	Xeranthemum annuum superbissi- mum roseum fl. pl.	— 7	7 4
Bugnots largest flowered	2 6	32 6	Xeranthemum annuum superbissi- mum rubrum fl. pl.	— 7	7 4
			⊙ Ximenesia encelioides	— 3	3 —
			Youth and Old age, see Zinnia.		
			Yucca, see page 23.		
			⊙ Zinnia Darwini fl. pl. finest mixed	— 3	2 3

⊙ *Zinnia elegans*.

Single flowered mixed	— 2	1 3
Alba, Atroviolacea, Aurea, Coccinea, Purpurea, Rosea, each separate . .	— 2	1 6

⊙ *Zinnia elegans grandiflora plenissima*.

The flowers of our Zinnias are quite enormous, for which they have gained a world wide reputation.

Plenissima, finest double mixed . . .	— 3	2 3
Alba	— 3	2 6
Atrococcinea	— 3	2 6
Atropurpurea	— 3	2 6



Zinnia spectabilis miniata.
Electro 33.

Aurea	— 3	2 6
Carminea	— 3	2 6
Carnea	— 3	2 6
Coccinea	— 3	2 6
Lilacina	— 3	2 6
Lutea	— 3	2 6
Rosea	— 3	2 6
Reginae new; the petals are of a peculiar shape	— 4	3 —
Spectabilis miniata, Dam. 1898 (Electro), flowers of minium colour; petals of a peculiar form, being slightly folded up, forming a kind of canal	— 4	3 5
Spectabilis cupreata, Dam. 1899. We are offering the second color, a fine copper red, of the new <i>Z. spectabilis</i> class introduced by us 2 years ago . .	— 4	3 5

Zinnia elegans pumila (nana Tom Thumb) plenissima.

Finest mixed	— 4	3 —
Alba	— 4	3 5
Atrococcinea	— 4	3 5
Aurantiaca	— 4	3 5
Aurea	— 4	3 5
Carminea	— 4	3 5
Coccinea	— 4	3 5
Purpurea	— 4	3 5
Rosea	— 4	3 5
Salmonaea	— 4	3 5
Sulphurea	— 4	3 5
Violacea	— 4	3 5



Zinnia elegans grandiflora laciniata fl. albo pl.
Electro 45

Zinnia elegans robusta grandiflora plenissima.

Double large flowered in splendid mixture	— 3	2 10
Aurea	— 4	3 —
Atrococcinea	— 4	3 —
Carminea	— 4	3 —
Carnea	— 4	3 —
Coccinea	— 4	3 —
Lilacina	— 4	3 —
Lutea	— 4	3 —
Rosea	— 4	3 —
Salmonaea	— 4	3 —
Violacea	— 4	3 —
⊙ <i>Zinnia elegans grandiflora laciniata fl. albo pl.</i> , Dam. 1899 (Electro),		

a splendid new class! The petals of the perfect shaped flowers are as is shown in our cut more or less deeply cut, a fact never met before with any Zinnia. The habit of the plant and shape of the pure white flowers is exactly that of the *Z. elegans* fl. pl. — 6 6 —

- ⊙ *Zinnia elegans pygmaea flore pleno* (Electro). An absolutely new dwarf kind of only about 8 inches in height but in spite of this very dwarf habit, of most extraordinary rich flowering. We have had as many as 25 to 30 flowers of about 3 inches in diameter on a single plant, which is certainly remarkable considering its small proportions. The flowers are quite as large and double as those of the old *Z. elegans*. — This new kind can therefore be quite specially recommended as a border plant.

Brilliant scarlet, Crimson, White, each separate 1 2 — —
Mixed — 11 — —

Zinnia elegans striata plenissima mixed — 4 3 —

Zinnia elegans fl. pl. „*Miniatur*“, a dwarf small-flowered, very double, rich flowering kind, finest colours mixed . . 1 — 12 9

Zinnia Haageana (mexicana) single-flowered . . . — 4 3 5
„ „ fl. pleno double . . . — 7 7 4



Zinnia elegans pygmaea flore pleno.
Electro 4/—.

Zinnia Haageana imbricata plenissima — 7 7 4
Mixed Flower Seeds, annuals cwt. 50/— — — 8
„ „ „ „ „ suitable
for bee feeding . . . cwt. 82/— — — 1 5

XII. Seeds of Ornamental Grasses.

4 = perennial; all others are annual.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
<i>Agrostis Fontanesi</i>	— 4	3 —	<i>Eragrostis megastachya</i>	— 3	1 7
„ <i>nebulosa</i>	— 6	6 7	„ <i>mexicana</i>	— 3	— —
„ <i>pulchella</i>	— 5	4 —	„ <i>pulchra</i>	— 3	2 4
4 <i>Arundo conspicua</i>	2 10	— —	4 <i>Erianthus Ravennae</i>	— 4	3 9
4 „ <i>Donax</i>	— 4	3 9	„ „ <i>violascens</i>	— 5	4 5
4 „ „ fol. var.	1 —	— —	4 <i>Euchlaena luxurians</i> (Reana Teosinthe).	— 3	2 —
4 „ <i>festucoides</i>	— 4	3 —	4 <i>Eulalia japonica</i> (<i>Miscanthus japonicus</i>)	— 6	6 —
4 <i>Briza lutescens</i>	— 8	— —	„ „ fol. argent. vittatis	1 3	— —
„ <i>maxima</i> (Quaking Grass)	— —	1 —	„ „ <i>zebrina</i>	— 8	— —
4 <i>Carex pendula</i>	— 3	2 3	4 <i>Festuca glauca</i>	— 10	— —
4 <i>Coix Lacrymae</i>	— —	7 —	4 <i>Gymnothrix caudata</i>	— 4	3 5
4 <i>Cyperus alternifolius</i>	2 2	— —	„ <i>japonica</i>	— 5	5 2
„ <i>amurensis</i>	— 10	— —	„ <i>latifolia</i>	— 5	4 3
„ <i>ferox</i>	— 6	— —	4 <i>Gynerium argenteum</i> (Pampas Grass)	— 5	5 2
„ <i>flabelliformis</i>	2 9	— —	„ „ <i>Bertini</i>	— 7	6 8
„ <i>foliosissimus</i>	— 8	— —	„ „ <i>jubatum</i>	— 6	— —
„ <i>Papyrus</i>	2 5	— —	„ „ <i>roseum</i>	— 5	4 6
„ <i>reflexus</i>	— 8	— —	4 <i>Hordeum jubatum</i> (Squirrel Tail Grass)	— 3	2 8
4 <i>Eleusine Tocussa</i>	— 2	1 2	Job's Tears, see <i>Coix Lacrymae</i> .		
<i>Eragrostis abyssinica</i>	— 4	3 —			
„ <i>amabilis</i>	— 3	2 —			

	per oz s. d.	per lb. s. d.
Lagurus ovatus (Hare's Tail Grass)	— —	1 3
Pampas Grass, see Gynierium.		
4 Panicum capillare	— —	1 3



Pennisetum RUEPPellianum.
Electro 3/3.

Panicum capillare violaceum Dam. .	— 3	2 3
" crus-galli	— 3	1 7
4 " excurrens	— 3	2 —
4 " plicatum	1 —	— —
4 " sulcatum	1 2	— —

	per oz s. d.	per lb. s. d.
4 Panicum tonsum; dwarf, lawn-forming with numerous loose spikes, at first dark red, then rose and finally of a silvery colour	— 9	10 —
4 Panicum virgatum	— 4	3 —
Paspalum pulchrum	— 6	5 7
Pennisetum longistylum	— 3	2 —
" violaceum	— 3	2 8
" macrurum; a gigantic grass, resembling the Gyncrium argenteum .	— 10	— —
Pennisetum RUEPPellianum, Dam. 1893 (Electro), one of the finest and most graceful grasses, producing a great number of the most lovely spikes	— 5	4 6
Pleuroplitis Langsdorffi	— 4	— —
Poa arachnifera	— 6	— —
Quaking Grass, see Briza maxima.		
4 Scirpus natalensis	— 6	— —
Setaria alopecuroides	— —	1 —
" persica	— —	1 6
4 Stipa elegantissima	— 11	12 9
" pennata (Feather Grass)	— 5	4 10
Tricholaena atropurea	— 5	— —
" rosea	— 5	— —
4 Uniola latifolia	— 5	4 10
Zea gracillima (minima)	— —	— 6
" " fol. var.	— —	— 7
" japonica fol. var., striped japanese Maize	— —	— 4
" " gigantea quadricolor new. Dam. 1896; a gigantic varie- gated-leaved, highly decorative kind and much superior to the old Z. jap. vol. var.; leaves bright green, silver-white, sulphur- yellow and rose striped; most effective	— —	— 10
Zea tunicata fol. var.	— —	— 10

XIII. Seeds of Bulbs and Roots.

	per oz s. d.	per lb. s. d.
Agapanthus umbellatus	— 8	— —
Allium fragrans	— 3	1 7
" giganteum	4 3	— —
" pendulinum	1 —	— —
Amaryllis formosissima (Sprekelia) 1000 seeds 1/8	— —	— —
" vittata, newest English varieties mixed 1000 seeds 10/—	— —	— —
Anemone japonica Honorine Jobert .	4 3	— —
Brodiaea mixed	1 2	— —
Convallaria japonica	— 4	1 9
Cooperia Drummondii	— 5	— —
" pedunculata	— 7	— —

	per oz s. d.	per lb. s. d.
Cyclamen neapolitanum	1 3	— —
" persicum, fine mixed	2 4	— —
Cyclamen persicum giganteum		
sanguineum . 1000 seeds 10/6	— —	— —
roseum . . . 1000 " 9/9	— —	— —
Emperor William 1000 " 9/9	— —	— —
Montblanc, pure white 1000 seeds 9/9	— —	— —
universum, white with a red eye 1/16 oz 1/3; 1/8 oz 2/3	17 —	— —
splendid mixed 1/16 oz 1/— 1/8 oz 1/8	11 —	— —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Freesia Leichtlini	— 3	2 4	Kniphofia (Tritoma) Red-hot-poker-plant	— 8	— —
" refracta alba	— 4	3 9	corallina	— 8	— —
" splendid mixed	— 3	2 —	Mc Owani hybrida	— 9	— —
Gladiolus cardinalis, mixed	1 —	14 6	Saundersi	— 7	— —
" Colvillei	— 3	2 4	Uvaria (aloides) nobilis	— 8	— —
" gandavensis, French in splendid			The above and many other sorts mixed	1 7	— —
varieties mixed	— 8	7 9	Lilium auratum	40 —	— —
" Lemoinei hybrida, best mixed	— 8	8 3	" speciosum, mixed	1 2	12 9
" Nanceianus, fine mixed	— —	— —	1/16 oz 3/—; 1/8 oz 5 6	— 6	5 7
1000 seeds 4/5	— —	— —	Paeonia sinensis fl. pl., double mixed .	— 10	— —
" European and Asiatic varieties			Ranunculus asiaticus superbissimus fl.	— 3	2 4
mixed	— 3	2 4	pl. mixed	— 11	— —
Hyacinthus cardicans (Galtonia)	— 3	2 —	Richardia albo-maculata	2 —	— —
Iris germanica, mixed	— 3	3 —	Scilla Clusii (peruviana)	1 8	— —
" Histrio	2 2	— —	Sparaxis grandiflora, mixed	— 7	6 7
" reticulata	4 3	— —	Tulipa Greigii		
Ixia hybrida, a fine collection mixed	1 —	— —	" " hybrida, mixed		
			" best sorts mixed		

XIV. Seeds of Cannas.

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
a. Gladioli-flowered.			Helios	— 7	— —
Admiral Avellan, leaves red	— 6	— —	Hugo Fuchs	— 6	— —
Alcimene	— 4	3 9	Ingénieur Pérache	— 5	— —
Alfonse Bouvier	— 7	5 7	J. Souvary	— 5	— —
Ami Pichon	— 3	2 4	Jules Favre	— 4	2 4
Aurore	— 3	2 4	Kaiser Wilhelm	— 4	2 4
B. de Jussieu Cr., leaves red	— 3	2 4	Kalliope	— 5	— —
Baronne de Sandrans	— 3	— —	Königin Charlotte (Queen Charlotte)	— 8	6 7
Beauté Poitevine Br.	— 7	— —	L. E. Bally	— 3	2 4
Boucharlat ainé	— 4	3 —	Légionnaire, leaves red	— 5	3 —
Camille Bernardin	— 3	2 4	Lohengrin	— 5	— —
Ch. Buisson	— 4	3 —	Louis de Mérode Cr.	— 4	2 4
Ch. van Geert	— 4	2 8	M. Forgeot	— 4	— —
Colonel Denfert, leaves red	— 4	2 4	Madame A. Blanc	— 5	— —
Comte de Bouchaud, yellow	— 4	3 —	" Meriem Lombard, flowers whitish	1 9	— —
Docteur Vergely	— 5	— —	" Crozy	— 5	3 2
Doyen de Jean Sisley, leaves red	— 5	3 5	" Oscar Meuricoffre Dam.	— 5	— —
Duc de Mortemart, yellow	— 4	3 —	Marquise A. de l'Aigle	— 5	— —
Ed. Mieg	— 6	— —	Maurice Musy	— 5	— —
Emile Barré	— 4	— —	" Rivoire, leaves red	— 4	2 4
Explorateur Crampel	— 4	2 4	M. Ritton	— 5	— —
F. Neuwesel	— 5	2 9	Météore	— 4	2 4
François Morel	— 3	2 4	Mr. Cleveland	— 4	2 4
G. Sennholz	— 5	— —	Otto Froebel	— 5	— —
Gartendirektor Siebert	— 7	— —	Pregmy	— 5	— —
General Baron Berge	— 4	2 4	Président Carnot	— 5	3 —
George d'Harcourt	— 4	2 4	" Chaudon Cr., yellow	— 6	— —
Germania	— 9	— —	Professor J. G. Baker Dam.	— 5	2 9
Gloire des marchés	— 7	— —	" Foster Dam.	— 4	— —
" d'Empel, leaves red	— 7	— —	" David	— 5	— —
Graf von Turin	1 2	— —	" Charguérand	— 4	2 4
Guillaume Couston	— 4	2 4	Princesse Laetitia Dam.	— 9	— —

	per oz s. d.	per lb. s. d.		per oz s. d.	per lb. s. d.
Progression	— 4	2 —	Discolor	— 4	2 4
R. Brandt	— 5	— —	Flaccida le Roi, Dam. 1890.	— 3	1 8
Reval Massot	— 4	2 4	Floribunda grandiflora	— 4	2 4
Rose T. May	1 2	— —	Lutea picta	— 3	1 8
Sophie Buchner	— 5	— —	Mathilde Huber	— —	1 6
Souvenir de François Gaulin	— 4	2 —	Metallica	— 4	— —
Sénateur Montefiore	— 4	2 4	Nigricans, leaves red	— 3	— —
Thomas S. Ware	— 5	— —	Rubra superbissima	— 4	2 —
Trocadero	— 4	2 —	Sanguinea	— 9	— —
Vesuvius Dam.	— 5	2 9	Sénateur Millaud Crozy, the highest sort with very large dark red leaves	— 5	3 5
Victor Gaulin	— 4	2 4	Souvenir de Van Houtte	— 4	2 —
New large flowered early Hybrids (Crozy) dwarf with green leaves, mixed	— —	1 8	Viola macrophylla	— 4	1 10
New large flowered early Hybrids (Crozy) semi-high and high with green leaves, mixed	— —	1 8	Zebrina elegantissima	— 4	2 2
New large flowered early Hybrids (Crozy) with red leaves, mixed	— —	1 10	„ excelsa	— 4	2 2
New large flowered early Hybrids (Crozy) all sorts mixed	— —	1 10	With green leaves mixed . cwt. 92 — — —	— —	1 —
			With red leaves mixed . „ 100 — — —	— —	1 3
			All sorts mixed „ 92 — — —	— —	1 —
b. Hybrids and Garden Forms including the newest sorts.			c. Typical Sorts.		
Alegatière, leaves dark red	— 6	3 10	Canna chinensis	— 3	1 8
Coquette	— 4	2 4	„ gigantea	— —	1 3
			„ indica	— 3	1 6
			„ sanguinea	— 3	2 —
			„ Warszewiczii	— 3	1 6

XV. Stapelia and Huernia.

The Stapelias can be shipped the whole year, even in the winter, if well protected against the cold, and they are offered in good and sound specimens. As to their scent, they are generally better than their reputation, and the most striking kinds are almost scentless.

	1 piece s. d.	10 pieces s. d.		1 piece s. d.	10 pieces s. d.
Huernia macrocarpa, Schwfth.	— 10	— —	Stapelia hirtella hort. Lyon (not Duvalia)	— 6	3 4
Stapelia albicans hort. Dam. wax-white	— 6	— —	„ hispida, Horn.	— 3	1 10
„ anguinea, Jacq.	— 3	— —	„ lentiginosa	— 3	2 3
„ angulosa, Tod.	— 3	— —	„ luxurians D.	— 6	— —
„ „ Charypdis, hort. Dam.	— 6	3 4	„ marmorata, Jacq.	— 3	1 10
„ „ Nemesis, „ „	— 6	3 4	„ „ Urania, hort. Dam. black and yellow	— 6	3 4
„ „ Uranos „ „	— 6	— —	„ mixta, Mass	— 3	1 10
„ atrata, Tod.	— 6	3 4	„ „ pentagona	— 6	3 4
„ „ rufescens, hort. Dam.	— 6	3 4	„ multiflora	— 4	1 11
„ „ tigrina, „ „	— 6	3 4	„ multilineata, hort. Lyon	— 4	1 11
„ atropurpurea, Dyck.	— 7	4 2	„ Munbyana, hort. Lyon	— 6	3 4
„ bisulca, Don.	— 3	1 10	„ muricata, hort.	— 5	2 7
„ Burtini, Tod.	— 3	1 10	„ mutabilis, Jacq. (Orbea)	— 4	2 2
„ ciliolata, hort. Pan.	— 3	1 10	„ „ Chimaera, hort. Dam.	— 9	5 2
„ clypeolata hort. Lyon	— 4	2 6	„ „ Circe, hort. Dam.	— 9	5 2
„ conspurcata, Willd.	— 3	1 10	„ „ Megara, hort. Dam.	— 10	— —
„ decora	— 6	3 4	„ normalis, Jacq.	— 6	4 —
„ deflexa, Jacq. (Stapletonia)	— 6	3 4	„ parvipunctata, Tod.	— 3	1 10
„ discolor, Tod.	— 6	3 4	„ patula, Willd.	— 10	— —
„ geminata	— 6	3 4	„ planiflora, Jacq.	— 3	1 10
„ gigantea, N.E. Br. (Stapletonia)	1 3	10 —	„ purpurea, hort. Dam.	— 3	1 10
„ grandiflora, Mass. (Stapletonia)	1 3	— —	„ quinquenervia	— 6	3 4

	1 piece s. d.	10 pieces s. d.		1 piece s. d.	10 pieces s. d.
Stapelia radiata, Sims	— 6	3 9	Stapelia Uspensky	— 6	3 4
" reclinata	— 6	3 4	" variegata, L.	— 3	1 10
" revoluta	— 5	3 6	" " pallida	— 10	8 —
" rugosa (cricota), hort. Lyon	— 6	3 4	" " Prometheus, hort. Dam.	— 10	— —
" Salmiana	— 6	3 4	25 very fine sorts of our selection	6 2	— —
" Sisyphus, hort. Dam.	— 6	3 9	10 very fine sorts of our selection	2 6	— —
" Stella, Jacq.	— 3	1 10			

XVI. Canna Roots.

In order to offer something special to our friends with whom we are in regular business connection, we have had a colored plate made (29×18 inch.) of 20 of our most beautiful Orchid-flowering Cannas representing the flowers in their natural size or rather below it. These varieties are marked * in our list. This beautiful plate will be sent free of charge to all our customers, and to others on receipt of 6d.

We only send out strong, sound and undivided roots grown in the open ground, and not delicate and poor specimens obtained by unnatural forcing in the hot-house, a good number of which is invariably destined to perish. Our Cannas will therefore be always preferable even at higher prices to any others. They are packed very carefully and travel quite safely even to very distant countries; we wish it, however, to be understood that they travel on buyer's risk. Canna Roots can be forwarded from October to May, as far as the temperature permits it.

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
1. Dammann's wonderful Orchid-flowering Cannas.							
1. Season 1899 to 1900.							
Emilia	2 —	16 —	— —	Musa like, very large flowers with a yellow ground flamed with carmine. Larger than „Italia“.	— 5	3 3	26 —
About 4 feet high. Leaves purple; of strong growth; flowers of a splendid and peculiar scarlet marbled with chamois.				Campania			
Romagna	2 —	16 —	— —	About 6 feet. — Glauous large leaves; growth extremely rich; flowers large, inner petals chrome-yellow with carmine spots, outer petals sulphur-yellow.	— 5	3 8	30 —
About 4 feet high. Dark brown leaves, flowers of a minium scarlet with some large yellowish stripes; a most free flowering kind.				Ch. Naudin	— 5	3 8	30 —
Sicilia	2 —	16 —	— —	About 4 feet. — Dark green, brown bordered foliage. Very large flowers (about 7 inches in diameter), salmon-red, the inner petals are darker.	— 5	3 3	26 —
About 2½—3 feet high. Leaves bright green; of robust growth; flowers very large of a dark chrome yellow the lower petal of which is spotted salmon red.				Hellas	— 5	3 3	26 —
Umbria	2 —	16 —	— —	About 3 feet. — Lively green, of strong growth and bearing abundant flowers of a canary - yellow color spotted brown-red.	— 5	3 6	29 —
About 4 feet high. Leaves brown with a metallic hue, flowers of a brilliant vermilion with distinct chamois stripes.				Phoebe	— 5	3 6	29 —
2. Season 1898 to 1899.				About 6 feet high. — Glauous leaves, luxuriant growth, flowers similar to a Cattleya, very large, sulphur-yellow, turning later on into a whitish yellow; petals spotted carmine, the inner ones more markedly than the outer ones.	— 8	5 8	52 —
Australia	1 3	10 —	— —	Professor Treub			
About 4 feet high, leaves dark green with a brown border; flowers very large, salmon-red striped with deep sulphur-yellow; extremely fine.				About 4 feet. Broad lanceolate leaves, brown-red, with a dark green hue. Flowers large, minium scarlet striped with salmon-red. Among the red-leaved Cannas this is one of the most striking and beautiful.	— 5	3 3	28 —
3. Season 1897 to 1898.				Roma			
Atalanta	— 6	4 5	36 —	About 3 to 4 feet and a half. Growth extremely luxuriant, leaves glaucous. Very numerous and large panicles; flowers large with yellow ground flamed salmon-red.			
Height about 3 feet. Large greyish-green foliage with a dark border; flowers deep orange carmine and very large; of very rich growth.							
Britannia	— 8	5 —	40 —				
About 4 feet. Foliage lively green,							

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Rhea	4	2 8	22 —	hue and small fiery red spots. Extremely handsome.			
About 4 feet. Leaves brown with a metallic hue, flowers of medium size and a brilliant crimson.				Burgundia	5	3 3	27
Trinacria	5	3 3	25 —	Height 3 feet. Large glaucous leaves, very large spikes, enormous flowers resembling an expanded Cattleya, of a brilliant golden yellow with rich scarlet spots, golden yellow in the centre and fiery red flamed. A marvel of beauty.			
About 4 feet. Bright green, of luxuriant growth. Flowers very numerous and large, sulphur-yellow, fading later on into a paler yellow. A very pure color.				Edouard André	5	3 8	32
4. Season 1836 to 1837.				Bushy plant, about 3 feet high. Stalks dark red, broad leaves, short, and dark spotted on the back. Well ramified stalk, spikes bearing 9 to 12 very large flowers of a bright fiery red with orange yellow spots like sparks, long dark red buds of a greenish hue. A kind of sterling merit.			
Africa	5	3 7	30 —	II. Wendland	5	3 3	27
Height about 3 feet, leaves lanceolate, purple, bronzy, striped green with dark green shades. Very large flowers similar to a Cattleya of a rich purple-scarlet, golden yellow and orange inside. A splendid variety.				Height about 4 feet. Very broad beautiful green leaves. Very large trusses of large flowers, outer petals scarlet with a golden yellow border, quite fiery red inside and yellow in the centre. It is one of the best of this class.			
Alemannia	5	3 6	29	Heinrich Seidel	4	2 9	24
This kind produces the largest flowers which have been obtained as yet in the way of Cannas. The plant grows about 4½ to 6 feet high. Numerous Musa-like glaucous leaves and wonderful spikes of flowers. The latter are enormous and surpass in size even those of the Canna „Italia“. The outer petals are scarlet with a very broad gold-yellow border. The inside of the blooms is scarlet and dark red. Exceedingly beautiful.				Height about 3 feet. Green Musa-like leaves with a light glaucous hue. Very large panicles. Very large and numerous flowers of a vivid fiery red with a yellow border spotted with purple. A great beauty.			
America	5	3 6	29	Iberia	4	2 8	22
Red leaves. Height about 4 to 5 feet. The beautiful foliage is of a bronze color with dark red hues and shining as if the leaves were varnished. The spikes are very large and the flowers enormous, of a very beautiful glowing red-purple flamed and striped.				Height about 3 feet. Glaucous leaves, very large panicles. The large flowers are Cattleya-like. Outer petals golden yellow with a red border. Inner petals crimson, very beautiful.			
Aphrodite	5	3 3	25 —	Kronos	4	2 8	22 —
Height about 6 feet. Very rich flowering, broad green leaves, immense trusses of large golden yellow flowers with large spots salmon colour; inner petals entirely salmon colour. Splendid.				Height about 3 feet. Broad sea-green leaves, slender stalk, very large panicles. Very large flowers of a rich sulphur-yellow all spotted in red. An extremely fine form.			
Asia	4	2 9	24	La France	5	3 3	29 —
Height about 3 feet. Numerous stalks, dark green foliage, very effective. Very large regular flowers of a rich golden yellow. Inner petals dotted scarlet. Splendid.				About 4 feet high. Numerous stalks. Broad lanceolate leaves, very large, of a splendid purple and shining as if varnished. Very large and regular flowers similar to „Austria“, of a brilliant yellowish scarlet. Unique for its beauty.			
Bavaria	5	3 3	27 —	Oceanus	4	2 8	22 —
Height about 3 feet. Leaves large, green, with a blueish hue. Very large spikes and flowers of a brilliant golden yellow covered all over with scarlet spots. Quite unique and extremely handsome.				Height about 3 feet, lanceolate leaves bright green. Very large panicles. Flowers yellow red spotted. Inferior petals almost quite red. Remarkably beautiful.			
Borussia	4	2 8	22 —	Pandora	4	2 9	24 —
Height 3 to 4 feet. Broad bright green leaves. Enormous spikes, very large flowers, not so large however as those of „Italia“, of a shining canary-yellow with a golden yellow				Height about 3 feet and more. Lanceolate purple leaves with a metallic hue and dark green stripes. Very large spike; enormous flowers			

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.
of a glowing fiery red, dark red outside. The borders and the inside are gold flamed. An extraordinarily beautiful variety.				Nero	1 3	10 —
Parthenope	— 4	2 9	24 —	About 3 feet high, the beautiful foliage is of a dark brown red, stems of a whitish hue flowers of a rich cherry red.		
Height about 3 feet, broad pointed sea-green leaves. Ramified stalk, enormous spikes of flowers of a vivid dark orange-yellow difficult to define, and not observed in Cannas as yet.				Paestum	— 10	6 6
Perseus	— 4	2 8	22 —	About 3 feet high, large green leaves, flowers light chrome yellow with regular vermilion spots. Very large spikes.		
Height about 3 feet. Broad glaucous green, foliage numerous stalks. Trusses of immense flowers of a pure canary-yellow with scarlet pencillings in the inside. A magnificent variety, very rich flowering and lasting.				Solfatara	1 —	8 —
Pluto	— 5	3 3	27 —	About 3 feet high; light green foliage large flowers of a beautiful orange color with carmine reflex.		
Height about 3 feet. Numerous stalks with a splendid purple-red foliage. Large and beautiful scarlet-purple flowers flamed with red inside.				Toledo	1 —	8 —
Suevia	— 4	2 5	20 —	About 3 feet and $\frac{1}{2}$; leaves green; enormous minium red flowers, often with a light golden edge.		
Height about 3 feet. Leaves Musa-like, slender stalks. Very large flowers of a pure canary-yellow, satiny, and bronzed inside. Bractees bronzed. Splendid.				The whole collection of the above Cannas	5/9	— —
Wilhelm Beck	— 4	2 5	21 —	Introductions of 1898.		
Height about 6 feet. Broad green leaves, immense trusses of sulphur yellow flowers with scarlet red pencillings. Inner perigon scarlet red. A very remarkable variety.				Capri	— 6	4 —
5. Season 1895 to 1896.				Height about 1 foot. Glaucous leaves, very large salmon-scarlet flowers slightly spotted with yellow.		
Austria . . . 1000 pieces 104/—	— —	1 —	8 —	Ischia	— 6	4 —
Flowers very large, canary yellow; centre spotted red.				Height about $1\frac{1}{2}$ feet. Leaves vivid green, flowers sulphur-yellow upon which appear when they begin to fade, large vermilion spots.		
Italia 1000 pieces 120/—	— —	1 3	10 —	Lutetia	— 8	5 4
Enormous panicles of scarlet flowers with a yellow border. Magnificent.				Height about 2 feet, glaucous leaves with a greyish tinge. Flowers deep yellow, ground slightly spotted with red. Very rich flowered and in consequence of its habit much adapted for groups.		
The whole assortment, introductions of 1895 to 1898				Minerva	— 8	5 4
1 root of each. . . . 15 —				Height 3 feet. Dark green foliage; large trusses of very large cinnabar red flowers. a new and grand rich flowering variety.		
12 kinds of our selection 4 —				Professor Rossi	— 5	3 3
Orchid-flowering Cannas mixed	— 3	1 9	15 —	About 2 feet high, dark green foliage turning to brown. Very large trusses of salmon-red flowers. Of great value for cutting purposes.		
				Sultana	— 5	3 3
				Height about 3 feet. Glaucous foliage with a greyish tinge. Flowers canary-yellow with numberless vermilion spots. A very remarkable colour.		
				Introductions of 1896.		
				Adonis	— 4	2 9
				About 2 feet high, leaves green with a brown border; flowers blood-red.		
				Aetna	— 4	2 9
				About 3 feet; leaves very dark red, flowers Crimson and purple.		
				Ajax	— 4	2 9
				About 2 feet; leaves green; flowers wax-yellow with rosy spots.		
				Alkmene	— 4	2 9
				About 3 feet. Leaves green; flowers orange with a golden yellow border.		
				Arethusa	— 6	— —
				About 1 foot $\frac{1}{2}$. Leaves green; flowers very large, sulphur-yellow, changing afterwards into a bright salmon colour; inside dark red; new colour.		

	1 piece s. d.	10 pieces s. d.
Count of Turin	4	2 9
About 2 feet. Leaves glaucous, flowers very large, fire-red, dark red striped with a yellow border, centre blood-red.		
Queen of Italy	8	—
About 2 feet. Leaves large, green. Panicle enormous; flowers very large, dark scarlet with a broad golden border; finer than Queen Charlotte.		
Crown-Prince of Italy	6	4
About 3 feet. Leaves glaucous; flowers very large, dark scarlet; most beautiful.		
Princess Helena of Montenegro	8	—
About 3 feet. Leaves green, flowers very large, salmon-red, striped and bordered with golden yellow; petals round; magnificent.		
Princess Laetitia	4	2 9
About 3 feet. Leaves Musa-like. Panicle enormous, flowers large, bright fire-red, dark red flamed and yellow bordered. Splendid.		
Stromboli	6	—
About 2 feet. Leaves glaucous; flowers very large, red and bright scarlet, fire-red in the centre. Very fine.		

3. Gladioli-flowered Cannas of different raisers.

Best introductions of the last years.

a. Green-leaved.

Alsace, pale sulphur-yellow	8	—	—
Ami Jules Chrétien, salmon-scarlet and yellow	6	4	—
Architecte Mouren, salmon, golden border	10	—	—
Auguste Chantin, copper-red, bright flamed	10	—	—
Baronne de Poilly, salmon	5	3 9	—
Burbank, lemon-yellow . 100 pieces 24	4	2 9	—
Citoyen de Cronstadt, chrome-yellow, crimson spotted	10	—	—
Comtesse de Bouchaud, salmon, crimson spotted, yellow border	1	9 6	—
Coronet, chrome-yellow	5	4	—
Czar Alexander III, bright scarlet	4	3 9	—
Daniel Gerard, crimson, dark crimson flamed, golden-bordered	8	—	—
François Vuillermet, brilliant granate-red, very large flowers	1 3	—	—
Fürst Bismarck, splendid scarlet with a dark red hue and undulated petals	4	2 9	—
100 pieces 24	—	—	—
Généreux, vermillion, very large flowers	1 3	—	—
Goliath, very large flowers, bright amaranth-coloured	8	5 3	—
G. O. Quintus, bright yellowish red, crimson edged	2 4	—	—
Jeanne Schmidt, bright rose, slightly, crimson spotted, with a pale yellow border	1 8	—	—
Léon Pepin Lehalleur, crimson	4	3	—
Madame Chabanne, rose	8	5	—
„ Léon Leclercq, salmon, golden border	6	4	—
„ Legris, chrome-yellow, brown, spotted	5	3 3	—

	1 piece s. d.	10 pieces s. d.
Madame Pichon, lemon-yellow, scarlet spotted	8	5 3
„ Victor Lemoine, pure yellow with brown stripes; a very rare colour	1 8	—
Madagascar, salmon-orange and rose-lilac	8	—
Madame Meriam Lombard, whitish	6	4 6
Marigold, orange	5	3 3
Michel Favrichon, very rich flowering, dark salmon, spotted red with a yellow border	1 8	—
Mrs. F. Dreer, canary-yellow, salmon spotted	8	—
Mr. Colbombet, canary-yellow and red	8	5
Mr. Jarry-Desloges, very large flowers, dark red with a brighter hue and crimson stripes	2	—
Modèle, crimson and carmine	10	—
Panache, crimson	6	4
Papa Canna, salmon-red	8	5
„ Treyve, orange	6	4
Petite Mocotte, crimson-rose, chamois flamed with a yellow border	1 3	10
Philippe Rivoire, very large flowers, crimson-rose marbled carmine with a yellow border	3 3	—
Reichskanzler Fürst Hohenlohe, very large flowers, bright lemon yellow, large undulated petals	8	—
Roi des Rouges, bright crimson	8	5
Rose T. May, bright crimson	—	—
100 pieces 26	5	3 3
Secrétaire Chabanne, salmon-crimson	8	5 3
Souvenir du Capitaine Drujon, canary-yellow, orange spotted	7	5
Souvenir de A. Chargueraud, of a splendid granate-red, striped red	1 8	—
Souvenir de Madm. Crozy, bright red	10	—
„ „ „ Nardy, very large flowers, chrome-yellow spotted carmine, very fine	1	8
Vice President Luizet, cherry-red	8	5 3
Ville de Poitiers, chrome-yellow, very large flowers, splendid	6	4
L. Patry, of middle height; green leaves, very large flowers of a beautiful vermillion with darker spots and a yellow edge	1 3	10

b. Red-leaved.

Attika, bright crimson	6	4	—
Ch. Paul, salmon	8	—	—
Gouverneur von Zimmerer, bright orange and dark-red	8	—	—
Léon Vassillièrre, bright granate-red, very fine	1 3	—	—

4. Gladioli-flowered early

a. Some older fine sorts for forcing.

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Colonel Denfert, red-leaved	1	7	4
Duc de Mortemart	2	10	7 3
Guillaume Couston	1	7	4
J. Cordieux, red-leaved, dwarf	2	10	6
Revol Massot, dwarf	1	7	—

b. Green-leaved, red-flowered.

Semi-high; splendid for pot culture.

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.
Admiral Gervais, ...	2	1 6	—
Alphonse Bouvier, ...	2	1 6	—
Boucharlat aîné	3	2	—
Camille Bernardin	5	3	—
Cousin Jacob	2	10	7 3
Ch. Pallice	3	2	—
Ch. Henderson	2	1 6	—
Ch. van Geert	2	10	7 3
Colonel Vaillard	3	2	—
Comte H. de Choiseul	3	2	—
Emile Barré	3	2	—
Explorateur Crampbel	2	7	4
Frau Oberbürgermeister Rümelin	5	3 3	—
Ferdinand Lombard Dam.	2	7	4
Francisque Morel	2	7	4
Françoise Crozy	2	7	4
Gartendirector Siebert	2	10	5 8
G. Sennholz	2	1 3	8
Gloire des Marchés	3	2	—
H. Guichard	3	2	—
Jules Favre	2	10	7 3
Kaiser Wilhelm	2	10	4 10
Karl Neubronner	4	3	—
M. Ritton	3	2	—
Madame Ginet	2	10	4 10
Mr. Cleveland	1	7	4
Paul Bruant	3	1 8	—
Paul Marquant	1	7	4
Paolo Radaelli	3	2	—
Penelope Dam.	3	2	—
Perle des Massifs	3	2	—
Podere Restelli	3	2	—
Prof. David	2	10	4 10
J. G. Baker Dam.	3	1 8	—
R. Brand, rose	2	10	4 10
Rose Unique	2	1 3	—
Sophie Buchner	2	1 3	8
Trocadero	2	8	4
Vesuvius Dam.	2	1 5	12

c. Green-leaved, semi-high with yellow, red striped and spotted flowers.

Splendid for pot-culture and for cutting.

Aegla Dam.	3	2	—
Ami Pichon	2	1 3	—
Aurore	2	8	4
Baronne de Sandrans	2	8	4
Comte de Bouchaud	7	4 6	—
Crozy père	3	2	—
Docteur Vergely	2	10	6
George d'Harcourt	2	8	4
Hofgartendirector Pfister	5	3	—
J. D. Cabos	2	1 3	—
J. Souлары	2	1 3	—

L. E. Bally	2	8	4 10
Mad. Oriol	2	8	4
N. Bellisso	2	8	—
Pierret Biorlet	3	2	—
Pregmy, golden-yellow	2	8	4
Président Chaudon	2	1 3	—
Prof. Foster Dam.	2	1 3	—
Progression	2	8	4 10
Sénateur Montefiore	2	8	4 10
Souv. de Mr. Gaulin	2	8	4

d. Green-leaved, all colours of red, very dwarf, all very rich-flowering.

Beauté Poitevine	3	2	—
Bonne Etoile	2	10	7 3
C. Buisson	2	8	4 10
Ch. Molin	3	2	—
Ed. Mieg	2	10	6 5
Général Baron Berge	1	8	4 10
Ingénieur Pérache	2	10	6 5
Königin Charlotte	4	2 9	24
Lohengrin	2	1 3	—
Louis van Houtte	5	3 8	—
Madame Crozy	2	1 3	8
" Oscar Meuricoffre Dam.	2	8	4
Marquise Arthur de l'Aigle	2	8	4
Maurice Grand	2	1 3	—
Maurice Musy	2	10	7 3
Otto Froebel	2	1 3	—
Papillon	4	2 10	—
Princesse de Brancovan	2	6	—
Professeur Changuerand	1	9	4
Souvenir d'Antonin Crozy	8	5 3	—
The Garden	2	1 3	4

e. Red-leaved and red-flowered.

Admiral Avellan	3	2	—
B. de Jussieu	2	10	6
Ch. Souchet	2	10	6
Doyen Jean Sisley	1	8	4
Emile Thomas	3	2	—
E. Renan	3	2	—
F. Neuwesel	2	10	6
Gloire d'Emple	4	2 10	—
Godefroy-Lebœuf	4	2 10	—
Henry A. Dreer	3	2	—
Karl Kölle	7	4 6	—
Laforcade	1	6	4
Légionnaire	2	8	4 10
Louis de Mérode	2	8	4
M. J. Goss	2	8	4
Maurice Rivoire	2	8	4
Nardy père	2	8	4
Paul Lorenz	2	10	—
Président Carnot	2	8	4 10
Simon Maupin	4	2 10	—
Th. S. Ware	4	2 10	—
Victor Gaulin	1	8	4

	1 piece s. d.	10 pieces s. d.	100 pieces s. d.		1 piece s. d.	10 pieces s. d.	100 pieces s. d.
f. Yellow-flowered dwarf.							
Hugo Fuchs	— 2	1 3	8 —		— 2	— 10	4 10
Mad. A. Blanc	— 4	2 10	— —		— 2	— 10	4 10
					— 1	— 9	4 10
						4	2 5
g. The above Gladioli-flowered Cannas mixed.							
Crozy's mixed	— —	— 4	2 —		— —	— 3	1 8
„ yellow-flowered, mixed	— 4	2 4	20 —		— —	— 5	3 3
„ red-flowered, mixed	— 6	4 —	32 —		— —	— 4	1 8
„ red-leaved mixed	— 6	4 —	32 —		— —	— 3	1 8
„ all sorts mixed	— 5	2 9	24 —		— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8
					— —	— 3	1 8

XVII. Bulbs and Roots.

Almost all of them can be joined in dry state to any other orders for seeds.

			10 pieces s. d.	100 pieces s. d.				10 pieces s. d.	100 pieces s. d.
Achimenes, small bulbs best mixed	per 1000	14 6	— 3	1 8	Begonia hybrida gigantea, single, all colours mixed	—	1 3	10 —	
Agapanthus umbellatus	—	—	1 4	12 9	 double	—	2 3	20 —	
Amaryllis formosissima (Sprekelia)	per 1000	88	1 3	10 —	Calla aethiopica	—	1 6	12 10	
.. Graveana (Hypeastrum)	—	—	6 6	52 —	 compacta	—	1 6	12 10	
.. Veitch's Hybrids	—	—	20 —	—	 gigantea	—	3 —	24 —	
Amorphophallus Rivieri	—	—	6 6	—	 Little Gem	—	1 —	8 —	
Anemone japonica Honorine Joubert	—	—	6	3 7	Chlidanthus Ehrenbergii	—	8	4 —	
Anthericum Bernayi	—	—	1 —	8 —	Colocasia antiquorum	—	5 7	48 —	
Asclepias tuberosa	—	—	1 7	—	 Dussii	—	5 7	48 —	
					Cooperia Drummondii	—	1 2	11 —	

	10 pieces s. d.	100 pieces s. d.		10 pieces s. d.	100 pieces s. d.
Cooperia pedunculata per 1000 80/—	1 —	9 —	Iris germanica, mixed per 1000 10/—	— 2	1 3
Crinum abyssanicum, 1 st size	3 3	28 —	„ olbiensis mixed	— 6	3 8
„ „ 11 nd „	3 —	22 5	„ spuria	— 8	6 6
„ capense (Amaryllis longifolia) per 1000 56/—	1 —	8 —	„ stylosa (unguicularis) per 1000 16/—	— 3	2 —
„ „ fl. albo	1 8	12 10	„ „ alba	— 8	5 —
„ erubescens	5 —	44 —	Kniphofia (Tritoma) best sorts mixed .	— 10	6 6
„ hybr. Todorac	5 —	44 —	Lilium auratum	6 6	— —
„ lineare . . per 1000 72 —	1 —	8 —	„ speciosum album	3 3	28 —
„ Mac Owani, very fine	10 —	— —	„ „ roseum	3 3	28 —
„ Moorei	3 —	22 5	„ „ rubrum	3 3	28 —
„ pedunculatum	1 8	12 10	„ tigrinum	1 5	11 6
„ pratense per 1000 72 —	1 —	8 —	„ „ fl. pl.	1 5	12 —
„ Yemense, 1 st size	2 —	18 —	Lycoris aurea	5 —	40 —
„ „ 11 nd „	1 10	16 —	„ radiata	4 6	36 —
Cyclamen neapolitanum per 1000 28 —	— 5	3 3	„ Terracciani	5 —	40 —
„ repandum per 1000 24 —	— 5	3 —	Moraea (Iris) Robinsoniana	11 3	— —
Cyrtanthus Mc. Kenny	5 —	40 —	Nerine undulata	4 —	— —
Eucomis punctata	1 8	15 —	Ophiopogon Jaburan	2 6	— —
Galtonia (Hyacinthus) candicans	— 5	3 8	Pancratium maritimum	— 5	3 3
Gladiolus brenchleyensis	— —	3 11	Pardanthus chinensis	— 8	5 7
„ per 1000 36 —	— —	6 6	Phaedranassa chloracea	1 2	10 —
„ gandavensis per 1000 60 —	— —	10 —	Ranunculus asiaticus superbissimus fl. pleno per 1000 7 3	— —	— 10
„ Lemoinei, splendid mixed p. 1000 80 —	— —	17 8	Rhodea japonica	1 2	10 —
Gloxinia, mixed . . per 1000 160 —	2 —	16 —	„ „ fol. var.	3 3	28 —
Habranthus roseus	2 —	— —	Ruscus Hippoglossum	— 3	1 3
Haemanthus coccineus	5 8	— —	Richardia albo-maculata	— 6	5 —
„ natalensis	12 —	— —	Veltheimia (Alettris) capensis	7 8	— —
Hedychium coronarium	3 3	24 —	Zephyranthes Atamasco per 1000 8/—	— 3	2 —
Hemerocallis fulva . per 1000 56 —	— 8	6 6	„ candida	— 3	2 —
„ „ fl. pl.	1 —	8 —	„ carinata	— 10	7 3
Hymenocallis Harrisiana	2 —	16 —	„ tubispatha	— 4	2 6
„ undulata per 1000 64/—	— 10	6 6	„ verecunda	— 4	2 6

XVIII. Asparagus-Plants.

	10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.		10 pieces s. d.	100 pieces s. d.	1000 pieces s. d.
Acutifolius, evergreen, slightly climbing very suitable for decorative purposes	— 7	4 —	32 —	Plumosus superbus, a new kind of quick growth . . 1 piece — 8	4 9	45 —	— —
Albanensis	2 5	— —	— —	Sprengeri Rgl. Dam. (Electro) plants from the open ground of 1 year .	— 5	2 9	24 —
Lucidus, a fine kind, standing the winter well with us; resembles somewhat the A. Sprengeri	1 3	— —	— —	„ „ „ „ 2 years .	3 3	24 —	— —
Plumosus	2 6	20 —	— —	Verticillatus	3 8	— —	— —

XIX. Aspidistra.



Aspidistra.
Electro 33.

We can furnish sound and well-rooted plants from October to April; they are grown in the open ground and will be furnished without soil; they must, however, be sent by the quickest way possible. The plants will be packed very carefully in moss and cases, in order to prevent the leaves from getting damaged; they will, however, not all be ready for sale and part of them must be grown again in pots. The plants are undivided. Of course the plants with striped or spotted leaves produce sometimes also some leaves that are only slightly variegated or even green, which, as they belong to the plant, cannot be taken off and must consequently be charged as variegated ones. The plants are sent of course at buyer's risk, they are, however, packed so carefully that in our opinion they will stand well, even a prolonged journey. By parcel post we can forward baskets of 11 Lb. weight containing about 80 to 100 leaves for trial, but they will not give an exact idea of the quality, as large plants cannot for their size be sent as parcels.

	100 leaves		1000 leaves	
	s.	d.	s.	d.
Aspidistra elatior, green	8	6	76	
" " fol. var.	19	3	180	—
" " fol. punct.	16	—	—	—

XX. Fruits of Lagenaria vulgaris.

These highly interesting fruits of many interesting shapes are not yet sufficiently known, although they are a most attractive object for show-windows, and at the same time a very salable article. The very often really gigantic fruits, for instance those of the Hercules club, are so decorative that they sell very readily, and there is no kind that is not highly decorative.

Assortment of 12 sorts 6 6.



Fruits of Lagenaria.
Electro 36.



Small trunk (Bulb) of Cycas revoluta.
Electro 33.

XXI. *Cycas revoluta*.

Small sound and good trunks (bulbs detached from the mother plant) grown here and therefore much better adapted to grow freely than those imported from warmer countries.

12 to 14 in. circumference	10 ^d each
8 " 10 " " " " " " " " " " " "	8 ^d " "
6 " 8 " " " " " " " " " " " "	6 ^d " "

XXII. *Raphia*.

Best quality, very long, in original bales of about 2 cwt., per cwt. 54/—; smaller quantities —/7 per lb. Prices variable.

For larger quantities special prices will be quoted on application.

XXIII. Novelties for the season 1900 to 1901.

1. Vegetable Seeds.

The price per lb. will be applied for orders of at least $\frac{1}{4}$ lb.

Dwarf Lima Bean "Nero".

We have succeeded in raising a new sort of these greatly appreciated Beans producing reddish brown, almost black beans and not inferior in any way to the other varieties already known.
per lb. 1/—.

Brown Laibach Ice Lettuce (see colored plate).

We have succeeded in the course of many years to obtain from the well known Laibach Ice Lettuce a new variety with bronzed leaves which is in every way up to the old yellow kind, and will hold a prominent place among the best Cabbage Lettuces. The heads are of enormous size, very firm, standing

the heat extremely well, a feature which makes this Lettuce particularly adapted to warmer countries.

per oz 2/—.

Improved Tyrolese Cabbage Lettuce (Electro).

This Lettuce resembles somewhat in form the Ice Lettuce of Laibach; the heads are of enormous size and firm as a stone, leaves same as the ribs very tender. A special characteristic of this beautiful new sort are its leaves, the borders of which are fringed or serrated quite peculiarly. Our cut gives a pretty accurate idea of it.

per oz 2/—.

2. Newly Introduced or New Flower Seeds.

⊙ = Annuals. — 4 = Perennials.

The price for 100 packets will be applied for orders of at least 25 packets.

We beg to inform our patrons that, in order to spare unnecessary labour, orders for seeds in packets will not be filled in as many single packets, but the corresponding weight or number will be sent in one lot.

Dwarf Giant Comet Aster Snowwhite. ⊙

While all the Giant Comet Asters hitherto offered are of tall habit, we herewith introduce an absolutely dwarf form hardly 16 inches high, the flowers of which are quite as large again as those of the original kind. They are of a dazzling white, very double and of a perfect shape. The effect produced by such a dwarf plant with so large flowers is a striking one.

1 packet 8d; 10 packets 5/7; 100 packets 48/—.

Giant Comet Aster Lilac rose. ⊙

A lovely new color not yet offered.

1 packet 8d; 10 packets 5/9; 100 packets 48/—.

Comet Aster dark rose. ⊙

With beautiful bright rose flowers.

1 packet 8d; 10 packets 5/9; 100 packets 48/—.

Celosia pyramidalis plumosa "Preziosa" ⊙

(see colored plate).

This striking new kind grows only about 20 inches high and its flower spikes are of a brilliant carmine red while its leaves, contrary to the original sort are dark red. It is extremely floriferous and for all these qualities highly adapted for groups.

1 packet 8d; 10 packets 5/3; 100 packets 44/—.

Erysimum cheiranthoides. ♂


Highly adapted for groups; the plant grows about 24 inches high, producing a large number of dark orange flowers on long panicles, continuously from May to July.

1 packet 5d; 10 packets 3/3; 100 packets 28/—.

Gazania pygmaea lutea. 4 (See colored plate.)

A new form with very large chrome yellow flowers, the petals of which bear on their basis a light yellow spot forming together a circle which produces a striking effect. The petals are at their lower part crossed by a broad grey-line. The yellow color of the flowers is not only quite new among Gazanias but also extremely handsome. It is a charming novelty which will soon become very popular.

1 packet 10d; 10 packets 7/3; 100 packets 64/—.



Improved Tyrolese Cabbage Lettuce.
Electro 3/—.

Godetia Triumph. ♂

Of absolutely dwarf habit, this new sort grows only about 8 inches high resembling in this way the G. Gloriosa. The flowers are of a bright dark crimson with a broad satin white edge. Unequalled for dwarf groups and borders.

1 packet 10d; 10 packets 7/3; 100 packets 64/—.

Ipomœa imperialis satin-rose. ♂§

We are offering this year another new and quite distinct color; the flowers are of a lovely satiny rose with a bright throat which will soon become quite popular. The foliage is of a bright green splashed with silvery white.

1 packet 8d; 10 packets 5/3; 100 packets 44/—.

Linaria concolor. ♂

Very ramified bushy plant with a graceful foliage entirely covered with bright purple flowers.

1 packet 8d; 10 packets 5/3; 100 packets 44/—.

Matricaria glauca ♂ (Electro).

Highly suited to borders and dwarf groups; the plant grows hardly 6 inches high, covering in a very short time the

ground with handsome creeping branches. The flowers are not very showy; they are white with a yellow centre and emerge over a very fine pinnate silver-grey foliage. In order to render the fine foliage more effective for groups it will be advisable to take off the flowers.

1 packet 6d; 10 packets 4/—; 100 packets 32/—.

Oenothera Berteriana. ♂

The plant grows from about 20 to 24 inches high bearing a very great number of lovely long-tubed chrome yellow flowers. The downy leaves are very narrow. Highly adapted for groups.

1 packet 6d; 10 packets 4/—; 100 packets 32/—.



Matricaria glauca.
Electro 3/3.

Oenothera Lamarckiana sulphurea. ♂

The plant grows about 3 feet high and produces very large sulphur yellow flowers in great abundance.

1 packet 6d; 10 packets 4/—; 100 packets 32/—.

Victoria Winter Stock pale rose.

This is a new color of the Victoria Winter Stocks which became so quickly general favorites. It is equally a very profuse flowering sort and on account of its large spikes of flowers on long stems it is extremely adapted for cutting purposes.

1 packet 10d; 10 packets 7/3; 100 packets 64/—.

Zinnia elegans fl. pl. "Iris". ♂ (See colored plate.)

Contrary to the well known striata form from which our splendid new introduction is absolutely different, the ground color of the flowers is of a pale yellow, while the petals are striped, spotted and speckled in various shades of carmine, crimson, pink and minium red, which gives them a most graceful appearance, a feature of which in general the Zinnias do not abound. The plants grow to a medium height and the flowers measure about 2½ inches across.

1 packet 10d; 10 packets 7/3; 100 packets 64/—.

XXIV. Fruit Trees and Cuttings.

	per 10 s. d.	per 100 s. d.		per 10 s. d.	per 100 s. d.
Oranges (Citrus Aurantium) grafted, from the open ground, about 4 to 6 years old	8 —	70 —	Olives, best varieties both for oil and eating, grafted, from the open ground, 1 year old	8 —	65 —
Oranges (Citrus Aurantium) grafted, grown in pots, best varieties, about 4 to 4½ feet high.	25 —	220 —	Olives, best varieties, grafted, grown in pots about 3 to 4 years old	14 —	120 —
Lemons (Citrus Limonum)			Chestnut (Castanea vesca) about 3 years old	10 —	80 —
Mandarines (Citrus nobilis)			Medlar of Japan (Eriobotrya japonica) about 3 to 4 feet and ½ high, grown in pots.	15 —	140 —
Cedro (Citrus medica)			Walnuts (Juglans regia), best sorts, grafted, 1 to 2 years old, about 6 feet high	14 —	125 —
Bergamot (Citrus Bergamium)			Hazel-Nuts (Corylus Avellana) best sorts about 3 to 4 feet and ½ high	6 —	48 —
Shaddock (Citrus Decumana)	30 —	— —	Figs (Ficus Carica) about 15 of the best sorts; about 2 to 3 feet high	7 —	55 —
Mellarosa (Citrus Limonum Mellarosa)			Carobs (Ceratonia Siliqua) grown in pots, about 3 to 5 feet high	28 —	— —
Lemon sweet (Citrus Limetta)					

We can also supply **Cuttings** of

Figs, about 14 in. long, both table varieties and for drying, about 12 sorts of each at from **30 to 40 Shillings per 1000 Cuttings**, according to the sort.

Olives, about 12 in. long, 12 sorts at from **16 to 24 Shillings per 1000 Cuttings**, according to the variety.

These Cuttings will be packed in bundles of 100 each and not less than 500 of one kind will be supplied. They are packed in moist musk and shipped in strong cases, without tin. Orders for Cuttings cannot be accepted later than the end of December or the beginning of January. All Fruit-Trees will be sound, strong and of good general condition. Considering the duration of the voyage, which is often very long the packing of the Trees etc. is done most carefully in order to secure their arrival in the best possible condition. It must, however, be understood, that our responsibility ceases as soon as the goods have left our warehouses; they travel entirely at the cost and risk of the purchaser. Shipments can be effected from the end of October to the end of April. Prices are to be understood for cash payment without any reduction or discount. All orders must be accompanied by the respective amount or the greater part of the same and in the latter case the remainder will be charged forward on the B/L. As we cannot in any case deviate from these rules, we shall thank our patrons for complying with them, else to our regret their orders cannot be executed. Packing is charged at first cost. Although we do our best to get all Trees and Cuttings under their right names, yet we cannot assume any responsibility to that effect. Most satisfactory reports have been received even from the most distant localities, that our shipments of Trees and Cuttings have arrived in first rate condition.

XXV. Pictorial Seed Pockets.

All drawn from nature and artistically executed.—Empty.

A. Vegetable Seeds, abt 4 × 2½ in.

Orders for at least 1000 per sort will be forwarded direct by our German Printer at 7/6 per 1000. Smaller quantities per sort will be sent by ourselves at 1/2 per 100. Less than 10 per sort will not be sold.

1	Basil, sweet green.	68	Lettuce, Cabbage, Nonpareil.
79	Beans, dwarf wax flagolet.	65	" " Rudolp's Favourite.
46	Beet, Egyptian turnip, red.	69	" " spotted (Trout).
22	Cabbage, Brunswick, large Drumhead.	15	" " Stubborn-headed, large yellow.
30	Carrot, french early forcing.	71	" " " " new brown.
3	" Nantes, early half-long scarlet.	70	" " Winter, Silverball.
6	Cauliflower, Erfurt earliest dwarf.	72	" " for picking, American brown curled.
7	Celeriac, apple-shaped.	25	Onion, Zittau, giant yellow.
40	Cucumber, long green of Erfurt.	23	Parsley, moss curled.
41	" very " " " "	29	" turnip rooted, short.
17	Endive, moss curled.	57	Radish, early scarlet white tipped.
44	Kohl-Rabi, purple very early Vienna.	33	" Winter, black round.
49	" " white " " "	56	Scorzonera, common.
67	Lettuce, Cabbage, All the year round.	11	Swede, white fleshed.
12	" " early green stone-head.	10	" yellow green top.
66	" " Emperor forcing.	90	" " purple top.
13	" " large Mogul.	19	Tomato, large red.
301	" " brown Laibach Ice		

B. Flower Seeds, abt 3 × 2 in.

Orders for at least 1000 per sort will be forwarded direct by our German Printer at 6/— per 1000. Smaller quantities per sort will be sent by ourselves at 1/— per 100.

Less than 10 per sort will not be sold.

1	Acroclinium roseum.	30	Aster, Liliput, mixed.
6	Ageratum mexicanum, blue.	24	" Paeony Perfection, mixed.
7	" " album, white.	26	" Quilled, mixed.
9	Agrostemma, coeli-rosa.	33	" Victoria, mixed.
11	Alyssum, sweet.	133	Balsam, double mixed.
12	" saxatile.	134	" rose-flowered double, mixed.
13	Amaranthus caudatus, fox-tail.	39	Begonia, tuberous-rooted single, mixed.
6a	" ruber, red.	56	Blue-Bottle, mixed.
14	" tricolor.	184a	Calampelis scabra.
17	Antirrhinum majus, Snapdragon, mixed.	45	Calendula Meteor.
18	" " nanum, " dwarf mixed.	50	Campanula Medium, single mixed (Canterbury Bell).
20	Aquilegia vulgaris fl. pl., mixed (Columbine).	130	Candytuft, white rocket.
29	Aster, Annuth, mixed.	131	" large-flowering (Iberis coronaria).
32	" Comet, mixed.	132	" (Iberis umbellata purpurea).
23	" Crown, mixed.	52	Canna, mixed.
34	" Dwarf, mixed.	94	Carnation, extra double Border.
35	" " Bouquet (Boltze), mixed.	95	" double dwarf Vienna.

- 93 Carnation, Margaret, mixed.
 119a Centaurea moschata.
 67 Chrysanthemum tricolor, mixed.
 68 " " atrococcineum.
 72 Cineraria hybrida, large-flowering, mixed.
 73 Clarkia elegans, double mixed.
 76 Cobaea scandens.
 53 Cocks-comb, dwarf, mixed.
 54 " feathered, mixed.
 302 " " "Preziosa".
 77 Coleus, best mixed.
 186a " Verschaffeltii var.
 78 Collinsia bicolor.
 79 " mixed.
 136 Convolvulus major, mixed.
 80 " minor, mixed.
 47 Coreopsis Drummondii.
 46 " tinctoria.
 82 Cyclamen persicum giganteum, mixed.
 85 Dahlia variabilis, single mixed.
 40 Daisy, double mixed.
 97 Dianthus chinensis fl. pl., Indian Pink.
 101 " Hedderigi, mixed.
 104 " plumarius, common Pink.
 106 Eschscholtzia californica, yellow.
 107 " " alba, white.
 161 Forget me-not, blue (Myosotis alpestris).
 110 Gaillardia picta Lorenziana, double.
 303 Gazania pygmaea lutea.
 112 Godetia, Duchess of Albany.
 114 " Lady Albemarle.
 49a " The Bride.
 113 " Whitney.
 115 Gomphrena globosa, Globe Amaranth mixed.
 121 Helichrysum monstrosum, double mixed.
 125 Heliotropium, mixed.
 10 Hollyhocks, double mixed.
 128 Humulus japonicus, Japanese Hop.
 211 Jacobaea, double mixed.
 86 Larkspur, dwarf rocket.
 141 Linum grandiflorum rubrum, scarlet flax.
 143 Lobelia cardinalis.
 145 " Erinus speciosa Crystal Palace.
 146 " " Emperor William.
 151 Lupinus, annual mixed.
 152 Lychnis chalcidonica, scarlet.
 153 Malope grandiflora alba.
 154 " " purpurea.
 160 Marvel of Peru, mixed.
 176a Maurandia, mixed.
 196 Mignonette, common.
 197 " large-flow ring, Golden Queen.
 159 Mimulus moschatus (Musk).
 229 Nasturtium, climbing mixed.
 228 " dwarf mixed.
 226 " King of Tom Thumb.
 165 Nemophila insignis.
 168 Nicotiana affinis.
 171 Oenothera Lamarckiana.
 238 Pansies, best mixed.
 239 " best English, mixed.
 240 " large-flowering French, mixed.
 246 " Emperor William.
 247 " Lord Beaconsfield.
 249 " Odier.
 242 " Schneewittchen (snow-white).
 241 " Trimardeau.
 174 Perilla nankinensis.
 175 Petunia hybrida, mixed.
 176 " " grandiflora, best mixed.
 181 Phlox Drummondii, mixed.
 183 " " grandiflora, best mixed.
 172 Poppy (Papaver Rhoeas), ranunculus, double, mixed.
 173 " " somniferum fl. pl., double mixed.
 188 Portulaca grandiflora, mixed.
 189 " " fl. pl., double mixed.
 191 Primula auricula, mixed.
 193 " veris (elatior).
 194 " chinensis fimbriata, fringed mixed.
 195 Pyrethrum parthenifolium aureum, Golden Feather.
 202 Ricinus sanguineus.
 203 Salpiglossis variabilis, mixed.
 205 Sanvitalia procumbens, double.
 209 Scabious atropurpurea, double dwarf mixed.
 212 Silene pendula, rose.
 214 " " ruberrima, red.
 215 " " mixed.
 143a " " compacta.
 58 Stocks, ten week, mixed.
 59 " ten week, large-flowering, mixed.
 60 " Winter or Brompton, mixed.
 63 " Virginian, mixed.
 137 Sweet Peas, mixed.
 88 " William, single mixed.
 89 " double mixed.
 75a Tagetes patula fl. pl., double French, Marigold, mixed.
 220 " " nana fl. pl., double dwarf French Marigold mixed.
 221 " " striata fl. pl. double striped French Marigold.
 222 " signata pumila.
 231 Verbena hybrida, mixed.
 256 Zinnia elegans fl. pl., mixed.
 304 " " " " "Iris".

XXVI. Pure South-Italian wines.

We have supplied for many years to our Continental friends different qualities of our fine Italian wines which have been very much appreciated owing to their excellent qualities and cheap prices. In order to meet the increasing demands we have made arrangements with several important wine growers, and are therefore in a position to offer the following qualities at moderate prices viz.

Red wines:	Shillings Per 22 Gallons	All pure and natural wines
Vesuvio, a mild Claret	44	ready to be bot- tled. The prices are for 100 Litres or Kilosnet, equal to about 22 Eng- lish Gallons f. o. b.
Syracusa, fiery, for medical purposes	50	Naples — Casks extra. We do not accept orders for less than 50 Litres or about 11 Eng- lish Gallons per sort.
Calabria, dry and strong	44	
Capri, dry	56	
White wines:		
Ischia, much like moselle	40	
Stromboli, very fiery	44	
Vesuvio, a favorite but strong wine	44	
Capri, dry, very fine, like Chablis	56	
Lunch- and Dinner-wines:		Per 100 Litres
Malvasia, white, strong and sweet, greatly appreciated	124	or Kilosnet, equal to about 22 Eng- lish Gallons f. o. b.
Marsala, white, brand „England“, dry and much like Sherry	104	Naples, casks included. We do not supply any quantity under 25 Litres or about 5 English Gallons and a half of each kind.
Marsala, white, „Italy“, strong very fine	88	
Porto, red, much like Portwine	116	

Price are understood for Cash with order, without any discount. The wines travel at buyer's risk and we do not answer for leakage, evaporation &c. Our responsibility ceases once the goods are on board.

Casks:

are charged at first cost as follows:

of about 400 Litres (about 88 English Gallons)	21/6
“ “ 300 “ “ 66 “ “	18/6
“ “ 200 “ “ 44 “ “	13/6
“ “ 100 “ “ 22 “ “	9/6
“ “ 50 “ “ 11 “ “	5/3

Double-casks:

These are added only when expressly ordered at following prices:

for 400 Litres (about 88 English Gallons)	12/9
“ 300 “ “ 66 “ “	9/6
“ 200 “ “ 44 “ “	7/3
“ 100 “ “ 22 “ “	5/6
“ 50 “ “ 11 “ “	3/3

Steamers to all parts of the world.

Samples of the different qualities are at the disposal of correspondents at a trifling cost. We respectfully invite our Patrons to give us a trial order with which they will be fully satisfied.

Dammann & Co.

San Giovanni a Teduccio (Prov. of Naples).

A List of all Electros published will be forwarded to our customers on application. It contains about 500 cuts. We shall charge for it 6d which will however be deducted from the first invoice of electros.

Our Bulb Catalogue

is published in May every year and will be sent free of charge to all our correspondents.

Contents.

	page		page
I. Vegetable Seeds	1	XIII. Seeds of Bulbs and Roots	62
II. Swede, Turnip and Mangel Wurzel	15	XIV. Seeds of Cannas	63
III. Sweet Herbs &c.	15	XV. Stapelia and Huernia	64
IV. Clovers, Lucerne &c.	16	XVI. Canna Roots	65
V. Grasses	17	XVII. Bulbs and Roots	70
VI. Sundry Agricultural Seeds, and Seeds of Economical, Official Plants &c.	18	XVIII. Asparagus-Plants	71
VII. Fruit Trees	19	XIX. Aspidistra	72
VIII. Seeds of Trees, Shrubs &c.	20	XX. Fruits of Lagenaria vulgaris	72
IX. Conifer Seeds	23	XXI. Cycas revoluta	73
X. Palm Seeds	25	XXII. Raphia	73
XI. Seeds of Annual, Perennial, Climbing, Hot and Green- House Plant	26	XXIII. Novelties of Vegetable and Flower Seeds	73
XII. Seeds of Ornamental Grasses	61	XXIV. Fruit Trees and Cuttings	75
		XXV. Pictorial Seed Pockets	76
		XXVI. Pure Italian Wines	78

DAMMANN & Co.



Offices.



Entrance to the Trial Grounds (15 acres.)

1897.

Haupt-Verzeichniss über Samen und Pflanzen

VON

HAAGE & SCHMIDT

Kunst- und Handelsgärtner

ERFURT.

CATALOGUE GÉNÉRAL

DE

GRAINES ET DE PLANTES

DE

HAAGE & SCHMIDT

HORTICULTEURS &
MARCHANDS GRAINIERS

à ERFURT

(ALLEMAGNE).

Preis des Verzeichnisses 50 Pf. — Prix de ce catalogue M. 0.50.

Bemerkungen und Verkaufsbedingungen.

Alle Verkäufe nach diesem Katalog verstehen sich per Casse und ab hier. Die Preise sind in der deutschen Reichswährung in Mark und Pfennigen ausgedrückt. 1 Mark (M.) = 100 Pfennige (Pf.) = 1 Shilling Englisch = 1 Franc 25 Cms. Für kleinere Rechnungsbeträge oder zur Ausgleichung von Bruchtheilen nehmen wir Briefmarken eines beliebigen Landes zum vollen Werth in Zahlung. Ausländische Geldsorten werden zum Tagescours angenommen.

Beträge unter 20 Mark, sofern wir mit dem Herrn Besteller nicht in laufender Rechnung stehen, nehmen wir, wenn Nachnahme überhaupt zulässig ist, den Sendungen nach, da dies mindestens keine höheren Unkosten als die nachher nöthige Einsendung des entsprechenden Betrages verursacht, und gegenseitig Zeitersparniss eintritt. Nachnahme auf Postsendungen ist im deutschen Reichsgebiet und nach folgenden Ländern zulässig: Oesterreich-Ungarn — Dänemark — Schweden — Norwegen — Holland — Frankreich — Belgien — Luxemburg — Grossbritannien und Irland — Schweiz — Italien — Ver. Staaten von Nord-Amerika.

Im deutschen Postbezirk ist die Uebermittlung durch Postanweisung im Allgemeinen der gebräuchlichste Weg der Baarsendung; auch besteht ein Postanweisungsverkehr mit allen oben genannten Ländern, welche Ausnahme zulassen, sowie mit vielen anderen europäischen und ausser-europäischen Ländern.

Für Verpackung berechnen wir nur den Selbstkostenpreis. Bei aussereuropäischen Sendungen, welche frankirt werden müssen, bitten wir für ausreichende Deckung der dadurch erwachsenden Kosten Sorge zu tragen.

Zur Erleichterung unserer Arbeit und zur Vermeidung allen Aufenthaltes bei der Absendung können wir unseren geschätzten Auftraggebern nicht dringend genug folgende Punkte ans Herz legen:

1. Deutlich geschriebene und genaue Angabe ihres Namens und Wohnortes, auch bei jeder wiederholten Bestellung.
2. Angabe der nächsten Post-, sowie der nächsten Eisenbahnstation.
3. Die Beförderungsweise vorzuschreiben.
4. Die Aufträge auf beigefügten Bestellzettel zu vermerken, welcher zum Beweis der richtigen Ausführung zurückgeschickt wird; Pflanzenbestellungen bitten wir auf ein gesondertes Blatt schreiben zu wollen.

Samenbestellungen werden so schnell wie möglich nach Eingang ausgeführt; Pflanzenaufträge, sobald es die Jahreszeit und die Witterung gestatten.

Es ist jederzeit unser eifrigstes Bestreben, unseren Kunden nur vorzüglich keimende und sortenechte Sämereien bester Beschaffenheit zu liefern; das zu erzielende Resultat hängt indessen nicht allein von der Güte der Aussaat ab, sondern ist so vielen Zufälligkeiten unterworfen, welche sich der Controle des Samenlieferanten gänzlich entziehen, dass wir jede Verantwortung oder Garantie für den Ausfall der Ernte aus den von uns gelieferten Samen ausdrücklich ablehnen müssen. Ebenso wenig haften wir für Abweichungen in Benennungen und Beschreibungen oder für irgend welchen bei der Ausführung von Bestellungen vorkommenden Irrthum. Zur gütlichen Beilegung von Differenzen werden wir stets das grösste Entgegenkommen zeigen; wir machen jedoch besonders darauf aufmerksam, dass ein etwa von uns zu leistender Ersatz unter keinen Umständen die Höhe desjenigen Betrages überschreiten kann, welcher für den betreffenden Samen in Rechnung gestellt wurde.

Alle Bestellungen, welche nach diesem Kataloge geschehen, sehen wir als in Anerkennung obiger Bemerkungen und Verkaufsbedingungen ertheilt an.

Wir wiederholen, dass wir es uns, wie hither, in hohem Grade angelegen sein lassen werden, unsere geschätzten Abnehmer stets aufs Sorgfältigste zu bedienen.

Post-Packet-Verkehr nach dem Auslande.

Es kann in Nachstehendem nur eine beschränkte Anzahl der in Betracht kommenden Länder Raum finden.

1. Pakete im Gewicht bis 5 kg kosten nach:

Argentinien M. 3,80; Azoren M. 2,60; Belgien M. — 80; Chile M. 3,20; Dänemark M. — 80; dänische Antillen M. 2,40; Egypten M. 2,20; Frankreich M. — 80; Corsica, Algier M. 1,20; Guadeloupe, Martinique M. 2,80; Gibraltar M. 4 —; Griechenland M. 2 —; Grossbritannien und Irland M. 1,70; Italien M. 1,40; Luxemburg M. — 70; Holland M. — 80; Madeira M. 1,80; Malta M. 2 —; Norwegen M. 1,60; Oesterreich-Ungarn M. — 50; Portugal über Hamburg M. 1,80; Rumänien M. 1,40; Serbien M. 1,20; Schweden M. 1,60; Schweiz M. — 80; Tripolis M. 1,60; Tunis M. 1,80; Türkei M. 2 —.

2. Pakete im Gewicht bis 3 kg kosten nach:

Bulgarien M. 1,80; Gibraltar M. 2,80; Portugal über Frankreich und Spanien M. 1,80; Spanien M. 1,40.

Zusendung von Katalogen.

Unsere Kataloge versenden wir regelmässig gratis und franco an unsere sämmtlichen Kunden. Wer sonst die Kataloge wünscht, wird gebeten, für vorliegendes Hauptverzeichnis über Samen und Pflanzen 50 Pf. und für das Anfang August erscheinende Blumenzwiebel-Verzeichnis 20 Pf. in Briefmarken einzusenden, welche Verläge indessen von einem uns ertheilt werdenden Auftrage in Abrechnung gebracht werden.

Ankauf von Neuheiten.

Wir sind stets bereit, neue Species, Varietäten oder Hybriden von wirklich blumistischem Werth käuflich oder durch Tausch an uns zu bringen und ersuchen Besitzer von dergleichen, welche geneigt sind, solche abzutreten, sich an uns zu wenden.

Telegramm-Adresse: Hagesmit Erfurt.

I. Gemüse-Samen.

Graines potagères.

Die feinen Gemüse-Sorten sind ohne Rücksicht auf Kosten von den verschiedenen Züchtern, welche in der Cultur der einen oder andern Sorte sich besonders auszeichnen, gebaut, und diejenigen, welche für gewisse Gegenden des In- und Auslandes eigenthümlich sind, direct aus den zuverlässigsten Quellen bezogen. Zur Erleichterung der Auswahl sind die wesentlichsten Sorten für allgemeinen Küchenbedarf mit Fettschrift gedruckt.

Zu gefälliger Berücksichtigung

empfehlen wir die am Ende der Section III Seite 51 aufgeführte Auswahl von gemischten Collectionen für kleinere und grössere Hausgärten, welche nicht nur unsere geehrten Abnehmer der Mühe der speciellen Auswahl entheben, sondern auch eine zweckentsprechende Wahl sichern.

Die 100 Kilo-Preise finden abwärts bis zu 10 Kilo Anwendung, während der Berechnung von weniger als 10 Kilo bis hinab zu einschliesslich 200 Gramm der Kilo-Preis zu Grunde gelegt, und im Uebrigen der 20 Gramm-Preis oder ein entsprechender Aufschlag auf den Kilo-Preis berechnet wird. Bestimmungen auf die geringsten abgebbaren Mengen bitten wir nach dem Grundsatz zu regeln, dass wir weniger als 10 Pfennig für einen Gewichtstheil überhaupt nicht in Ansatz bringen können. — Von landwirthschaftlichen oder Waldsamen, deren Preise sich im Laufe der Saison ändern können, stehen besondere Offerten zu Marktpreisen zu Diensten.

I. Kohl-Arten. Choux.

Blumenkohl oder Carviol.

No.		kg 20g	
		M. Pf.	Pf.
	Brassica oleracea botrytis cauliflora. — Cauliflower.		
	Choufleur. — Cavol Fiore.		
1	Algier, sehr grosse Sorte, direct importirte Saat	32	— 80
2	Asiatischer, grosser, später	13	50 40
3	Berlinerfrüher, ganz vorzügliche, hier gezogene Qualität	40	— 100
4	Cyprischer, früher	13	50 40
5	Dean's früher Schneeball	—	400
6	Englischer, mittelfrüher	13	50 40
7	Erfurter, grosser frühester	52	— 130
8	Erfurter Zwerg-, nicht ganz so früh und höher im Wuchs als Haage's Zwerg-, vorzüglich. 200 S. — 25, 100 — 250	32	— 80
9	Französischer Imperial	36	— 90
10	» Lenormand, niedriger		



14. Haage'scher Treib-Blumenkohl.

Blumenkohl:

No.		kg 20g	
		M. Pf.	Pf.
11	Französischer Pariser oder Salomon's früher	32	— 80
12	» Pariser halbharter	32	— 80
13	Haage'scher kleinblättriger frühester Zwerg-, niedrigste Sorte, mit sehr grossen, festen, blendend weissen Köpfen. Ganz vorzügliche Qualität. 100 S. — 25, 1000 S. 2 —, — — 420		
14	Haage'scher allerfrühester Zwerg-, eigene Zucht, echt, mit sehr kurzem Strunk, ganz egal in Höhe u. Qualität. Nicht über 40 cm h. werdend, sehr feste blendend weisse Köpfe. Ganz ausgezeichnet zum Treiben, jedoch ebenso vorzüglich für das freie Land. 100 S. — 40, 1000 S. 3,50, — — 880		
15	Haage'scher allerfrüh. Treib-, überwinterte Pflanzen zum Treiben. 100 Stück 4 —, — — —		
16	Holländischer Zwerg-	27	— 70
17	Italienischer früher Riesen- (Veitch's autumn giant), auch Frankfurter Riesen- genannt, von riesig. Dimensionen in Pflanze und Köpfen und anerkannt ganz vorzüglicher Qualität. Diese Sorte verlangt den fettesten Boden, reiche Bewässerung und mindestens 1 Meter entfernt gepflanzt zu werden	16	— 50
18	Italienischer später Riesen-, dieselbe grosse Sorte, nur später, extra	16	— 50
19	Italienischer non plus ultra, extra grosse frühe Sorte, sehr empfohlen	18	50 50
20	Standholder später, distincte Sorte, von sehr robustem Wuchs, grosse feste weisse Köpfe bringend	14	50 40
21	Walcheren, sehr grosser	14	50 40



47. Kraut, Braunschweiger.



85. Kraut, Schweinfurter.

Brockoli.

Brassica oleracea botrytis cymosa. — Broccoli.
Chou Brocoli. — Cavol Brocoli.

No.		kg	20 g
		M. Pf.	Pf.
22	Violetter italienischer	8	— 30
23	» früher capischer	32	— 80
24	» » englischer	—	60
25	» später dänischer Zwerg-	18	— 50
26	» Sprossen- früher	8	— 30
27	Gelblichweisser Portsmouth	16	— 50
28	» Chappel's	16	— 50
29	Rosenrother, früh	27	— 70
30	Weisser italienischer	8	— 30
31	» grosser später	16	— 50
32	» Knight's zarter	16	— 50
33	» Frühlings-, frühestes	16	— 50
34	» » Mammuth	16	— 50
35	» » Elletson's Kaiser-	16	— 50
36	» Snow's Winter-	40	— 100
37	» Monk's Hall Mammuth, späte	—	—
38	» Perkin's Leamington, als der	20	— 60
	beste späte empfohlen	16	— 50
	Folgende 6 ital. Sorten sind als		
	etwas ganz Ausgezeichnetes in		
	Qualität und Sorte zu empfehlen.		
	Die ital. Namen derselben, welche		
	wir hier wiedergeben, bezeichnen		
	den Monat, für welchen die be-		
	treffende Sorte im heimatischen		
	Clima für den Markt gebaut wird.		
39	San Martinari, November, niedrig,	—	—
	früh, violett	—	40
40	Nataleschi, December, gross, früh,	—	—
	violett	—	40
41	Gennajuoli, Jannar, gross, granvio-	—	—
	lett, mittelfrüh	—	40
42	Febbrajuoli, Februar, gross, violett,	—	—
	mittelfrüh	—	40
43	Marzuoli, März, spät, violett	—	—
		—	40
44	Apriloti, April, sehr gross und spät	—	—
		—	40

Kraut oder Kopfkohl.

Brassica oleracea capitata — Cabbage. —
Chou pommé. — Cavolo Cappuccio.

Weisskraut:

No.		kg	20 g
		M. Pf.	Pf.
45	Amager, dänisches Winter-, sehr fest	5	20 20
46	Berliner grosses weisses ver-	—	—
	bessertes Markthallen-, ganz	—	—
	vorzügliche Sorte, mittelfrüh, da-	—	—
	bei sehr gross und fest	4	— 20
47	Braunschweiger, sehr grosses	—	—
	weisses plattes, extra, echt	4	40 20
48	» im Ausland gezogen, gut	3	20 15
49	Budericher, feines niedriges frühes	3	— 15
50	Casseler, kegelförmiges grosses	—	—
	frühes stumpfspitzes, ausgezeich-	—	—
	nete, sehr zu empfehlende Sorte	4	60 20
51	Colomenskisches Riesen-	4	60 20
52	Eifeler oder Nürburger, grosses,	—	—
	weisses, festes, auch Steinkraut	—	—
	genannt, für rauhe Gegenden	4	40 20

Kraut:

No.		kg	20 g
		M. Pf.	Pf.
53	Englisches, Battersea, grosses plattes	4	20 20
54	» Cocosnuss (Wheeler's), extra	—	—
	schön	10	— 40
55	» Drumhead, grosses rundes weisses	—	—
	spätes	3	20 15
56	» Drumhead, niedriges rundes	—	—
	weisses	3	80 15
57	» Enfield Market, grosses weisses	4	20 20
58	» Wheeler's Imperial	4	80 20
59	» York'sches, frühestes weisses	—	—
	stumpfspitzes	3	20 15
60	» » grosses weisses stumpfspitzes	3	50 15
61	» Zuckerhut-, frühestes stumpf-	—	—
	spitzes	4	40 20
62	Erfurter, grösstes weisses, sehr	—	—
	festes, extra	4	20 20
63	» kleines frühestes festes	4	40 20
64	» rundes Zucker-, beim Ein-	—	—
	machen goldgelb, siehe	—	—
	Neuheiten	Pf. — 40,	—
65	Express, frühestes weisses	5	50 20
66	Filder, spitzköpfiges, sehr festes,	—	—
	grosses, echt	7	80 30
67	Französisches Auvergnier Centner,	—	—
	sehr gross, distinct	5	80 20
68	» Baecalan, frühes, extra	5	80 20
69	» Etampes, frühes spitzes	5	— 20
70	» Joanel oder Nantais (Johannis-	—	—
	tag's), frühestes	4	20 20
71	» » od. Nantais, spätes, mittelgross.	4	20 20
72	» de Noël (ardoisé d'hiver), blau-	—	—
	grün, sehr festes Winterkraut	6	— 20
73	» Ochsenherz, grosses, sehr schön,	—	—
	fest	4	— 20
74	» » kleines, sehr schön fest	4	20 20



46. Kraut, Berliner grosses.



107. Wirsing, Aubervilliers.



126. Wirsing, Kitzinger.

No.	Kraut:	kg 20 g	
		M.Pf.	Pf.
75	Französisches St. Denis, schön . .	4 —	20
76	Gratscheff's plattes weisses Riesen-, vorzügliche russische Sorte	6 —	20
77	Griechisches Centner-	3 80	15
78	Henderson's frühes Sommer-, mittelhoch, fest, gute Marktsorte	4 20	20
79	Holländisches weisses niedriges frühes, sehr schön, fest	2 60	15
80	» grosses weisses spätes	3 50	15
81	Jersey Wakefield, mittelhoch, oval, festköpfig	5 20	20
82	Lübecker, plattrundes mittelhoch festes weisses	3 20	15
83	Magdeburger, grosses weisses festes, extra	3 50	15
84	Nürnberg, grosses weisses Herbst-	6 60	20
85	Pommersches, spitzes, sehr fest, extra	7 80	30
86	Schweinfurter, allergrösstes weisses, extra	5 20	20
87	Strassburger Centner-	4 —	20
88	Strunkkraut, echtes Altenburger	7 60	25
89	» Egerländer, neu, einen starken Strunk mit festem Kopf bildend	22 —	60
90	» verbessertes rothes, gleichzeitig auch Köpfe bildend	— —	80
91	Tacoroner Riesen-, muss vor Winter gesät werden, um die riesigen Köpfe auszubilden	16 —	50
92	Ulmer, grosses spätes Centner-, extra	4 20	20
93	Utrecht, weisses mit blauem Rand	8 —	30
94	Winnigstädter, weisses spitzes extra, sehr fest	4 80	20
95	Zucker- od. Maispitz-, allerfrühestes	4 80	20
96	Zuckerhut, sehr festes, spitzes, extra	5 20	20

Rothkraut:

97	Berliner dunkelrothes grosses mittelfrühes	5 80	20
98	Erfurter blutrothes frühes Salat-, die beste Sorte	8 —	30
99	» » Riesen-	7 —	25
100	» spitzes dunkelrothes	10 —	40
101	Holländisches blutrothes grosses spätes	5 20	20
102	» blutrothes grosses frühes	5 20	20
103	Präsident Garfield, früh, spitz, blutroth	8 —	30
104	Ulmer spätes blutrothes	6 —	20
105	Utrecht schwarzrothes kleines	5 20	20
106	Zittauer schwarzrothes Riesen-, siehe Neuh.	Pt. — 60	—

Wirsing, Savoyer- oder Börskohl.

Brassica oleracea capitata bullata. — Savoy. —
Chou de Milan. — Cavolo de Milano.

No.		kg 20 g	
		M. Pf.	Pf.
107	Aubervilliers, grosser früher grüner niedriger, ähnlich Vertus, vorzüglich	5 20	20
108	Berliner, grünlichgelb mittelfrüher	5 20	20
109	Blumenthaler, gelber Savoyer	3 80	15
110	Capuziner, früher niedriger	4 50	20
111	Chou Marcelin, niedr., ausdauernd	3 80	15
112	Engl. Drumhead oder Trommelkopf	3 20	15
113	» feingearbter grüner, extra	5 20	20
114	» » Waterloo, vorzüglicher	5 20	20
115	» Victoria, sehr fein gekraut	4 20	20
116	» little Pixie, fein gekrauter grüner, niedrig	4 80	20
117	» Dublin Prize, sehr gross und extra fein	5 20	20
118	» Sutton's Tom Thumb, klein, früh, dunkelgrün, sehr feingearbt, extra	5 —	20
119	Erfurter, grosser gelber Winter-	4 20	20
120	» kleiner früher fester Winter-	7 —	25
121	» Zuckerhut, sehr festköpfig	6 —	20
122	Frankfurter (Strassburger) langköpfiger grosser früher	4 20	20
123	Groot's Liebling, extra feingekrauter früher	3 50	15



135. Rosenkohl, Brüsseler.



151. Blätterkohl, Mosbacher.

Wirsing:

No.	kg	20g
	M.Pf.	Pf.
124 Holländischer grosser gelber . . .	3 20	15
125 Johannistag's, sehr frühe, festköpfige Sorte . . .	4 20	20
126 Kitzinger, allerfrühester, spitzer, festköpfig . . .	5 —	20
127 Norwegischer grosser später . . .	4 50	20
128 Oberrader, gelbgrüner, grossköpfig, sehr früh, extra . . .	7 —	25
129 Pancalier de Joulin, kleiner früher fester . . .	5 —	20
130 Später grüner krauser . . .	3 60	15
131 Ulmer, niedriger früher, extra . . .	3 60	15
132 » grösster später . . .	4 20	20
133 Vertus, allergrösster krauser später, ganz vorzügl. Sorte . . .	4 80	20
134 Wiener, niedr. Treib- . . .	4 20	20

Sprossen- oder Rosenkohl.


Brassica oleracea bullata gemmifera. — Brussels Sprouts. — Chou à jets de Bruxelles. — Cavolo di Brusselles a getti.

No.	kg	20g
	M.Pf.	Pf.
135 Brüsseler Sprossen-, hoher, extra . . .	3 60	15
136 Brüsseler Aigburth, mit grossen festen Rosen . . .	5 80	20
137 » englischer Rosebery . . .	6 —	20
138 » Erfurter halbhoher, extra . . .	4 80	20
139 » kugelförmiger halbhoher, extra, sehr feste, runde Rosen bringend . . .	7 —	25
140 » Perkins' verbess. Zwerg- . . .	4 80	20
141 » Scrymger's Riesen-, mittelhoch, vorzüglich . . .	5 20	20

Blätter-Kohl.

Brassica oleracea acephala. — Borecole, Greens or Kale. — Chou vert ou non pommé. — Cavolo arricciato.

No.	kg	20g
	M.Pf.	Pf.
142 Plumagen-, bunter . . .	11 50	40
143 » weissgescheckter, sehr zierend . . .	11 50	40
144 » rothgescheckter, sehr zierend . . .	11 50	40
145 » prolifirender bunter, sehr zierend . . .	16 —	50
146 » krauser geschlitzter rothbunter . . .	16 —	50
147 Winter-, hoher brauner krauser . . .	4 —	20
148 » hoher grüner . . .	3 20	15
149 » » feinstgekrauter . . .	3 80	15
150 » halbhoher grüner moosartig gekrauter . . .	4 —	20
151 » » Mosbacher. hellgrüner, sehr krauser . . .	4 80	20
152 » niedriger brauner kraus-, extra . . .	3 20	15



153. Blätterkohl, niedr. grüner feingekr.

Blätterkohl:

No.	kg	20g
	M.Pf.	Pf.
153 Winter-, niedriger grüner feingekrauter, feinste Qual., extra . . .	2 40	15
154 » niedriger gelbgrüner Dreienbrunnen, extra . . .	3 50	15
155 » Pfück-, mehrjähriger, halbhoher, dunkelgrüner Kohl, viele Seitentriebe bildend, die im Winter und zeitigen Frühjahr ein vortreffliches Gemüse abgeben Pt. — 40	— —	—
156 Krausgerandeter neapolitan. schliessender, sehr schön . . .	7 —	25
157 Schnitt-, brauner . . .	1 60	10
158 » gelber . . .	1 30	10
159 » grüner . . .	1 30	10
160 » gelber zarter Butter-selbst-schliessender . . .	3 60	15
161 » dickrippiger, krausgerandeter Baum- oder Kuh-, grüner . . .	10 80	40
162 » » » blauer . . .	2 40	15
163 » » » blauer . . .	7 —	25
164 Grosser blauer Mark- . . .	5 20	20
165 » grüner . . .	5 20	20
166 Grüner verzweigter Poitou . . .	1 80	10
167 Tausendköpfiger (Polo) . . .	2 20	15
168 Tronchuda, dickrippiger grüner . . .	4 —	20
169 Palmbaum, echt . . .	5 20	20
170 Pe-tsai, chinesisches . . .	— —	50

171 Meer- od. Seekohl, Crambe marit. 9 — 30

Kohlrabi.

Brassica oleracea conglodes (caulo-rapa). — Kohlrabi. — Chou rave. — Cavol rapa.

No.	kg	20g
	M.Pf.	Pf.
172 Wiener, allerfrüheste weisse Treib-, ganz extra . . .	10 80	40
173 » allerfrüheste blaue Treib-, ganz extra . . .	10 80	40
174 » kleinlaubige niedrige frühe weisse, extra . . .	6 60	20
175 » kleinlaubige niedrige frühe blaue, extra . . .	8 —	30
176 » kleinlaubige weisse Non plus ultra . . .	13 50	40
177 Englische frühe weisse, extra . . .	3 —	15
178 » » blaue . . .	4 80	20
179 Erfurter früheste weisse Dreienbrunnen-, extra . . .	8 —	30
180 Grosse weisse späte Feld- . . .	3 20	15
181 » blaue . . .	5 —	20
182 Sehr grosse blaue Riesen-, extra . . .	6 —	20
183 » » weisse . . .	5 —	20
184 Goliath, verbesserte blaue Riesen-, oft über 10 kg schwer, ohne holzig zu sein . . .	7 —	25
185 » verbesserte weisse Riesen- . . .	7 —	25


Kohlrüben oder Erdkohlrabi.

Brassica Napus rapifera. — Swedish Turnips. Chou navet. — Cavolo navone.

No.	kg	20g
	M.Pf.	Pf.
186 Grosse weisse runde, extra . . .	1 —	10
187 » gelbe . . .	1 10	10



172. Kohlrabi, Wiener allerfrüh. weisse Treib-

195. Kohlräbe,
Schmerfelder.196. Kohlräbe, gelbe
rothgrauhäutige Riesen-

Kohlrüben:		kg	20 g
No.		M.Pf.	Pf.
188	Grosse gelbe verbess. zarte, extra (gelbe Schmalz-)	1 20	10
189	» weisse verbess. zarte (weisse Schmalz-)	1 10	10
190	Hoffmann's Riesen-, gelbe	1 30	10
191	» » weisse	1 20	10
192	Krasne Selskoe, glatte plattköpfige gelbe hochfeine Sorte	2 40	15
193	Non plus ultra, grosse weisse grünköpfige, ganz ausgezeichnete Sorte	2 60	15
194	Plattrunde gelbe Apfel-	1 50	10
195	Schmerfelder, sehr grosse zarteste weisse	2 60	15

Kohlrüben:		kg	20 g
No.		M.Pf.	Pf.
196	Gelbe rothgrauhäutige Riesen-	1 10	10
197	Weisse rothköpfige »	1 10	10
198	» grünköpfige »	1 10	10
199	Gelbe rothköpfige Riesen-	1 10	10
200	Lange weisse Kannen-, sehr schön	1 20	10

Obige Kohlrüben-Sorten sind von feinsten Qualität zum Verspeisen. Zu ökonomischen Zwecken siehe landwirthschaftliche Samen.


2. Wurzel- und Rüben-Samen.

Carotten, Mohrrüben oder Möhren.

Danens Carota sativus. — Carrot. — Carotte. — Carota.		kg	20 g
No.		M.Pf.	Pf.
201	Altringham, rothe süsse grosse	1 10	10
202	» verbesserte grünköpfige	1 50	10
203	Amsterdamer, halblange rothe stumpfe Treib-, ohne Herz, sehr fein	5 80	20
204	Bellot (verbesserte Duwicker), sehr früh, zum Treiben vorzüglich	2 20	15
205	Braunschweiger, lange rothe (4.)	1 —	10
206	» halblange rothe	1 —	10
207	Carentan, scharlachrothe Treib-, ohne Herz, cylinderförmig, stumpfspitz, extra (7.)	2 20	10
208	» abgeriebener Same	3 —	15
209	Chantenay, halblange frühe rothe	2 60	15
210	Durchsichtige feine weisse	1 20	10
211	Duwicker, holländische kurze frühe, zum Treiben, extra (1.)	1 80	10
212	» abgeriebener Same	2 60	15
213	Erfurter, lange rothgelbe feinkrantige (3.)	1 10	10
214	Frankfurter, dunkelrothe frühe mittellange, extra	1 10	10
215	Guérande, kurze dicke, ausgezeichnete Sorte, weit dicker als Duwicker	2 60	15
216	Halblange holl. spitze Treib-, extra	1 80	10
217	» » abgeriebener Same	2 60	15
218	Hamburger, lange dunkelrothe stumpfspitze	1 50	10
219	Horn'sche, frühe lange rothe kurzlaubige	1 20	10
220	James, halblange hochrothe	1 80	10
221	Lange scharlachrothe ohne Herz, egal cylinderförmig, länger als die Nantaise, extra schön in Form, früh	1 50	10
222	Dieselbe, abgeriebener Same	2 40	15
223	Lobber, lange grosse dicke goldgelbe süsse	1 20	10

Carotten oder Möhren:

No.		kg	20 g
		M.Pf.	Pf.
224	Luc, halblange, länger als die Nantaise, oben dicker als unten, stumpfspitz, früh und ertragreich, extra (6.)	1 80	10
225	Luc, halblange, abgeriebener Same	2 60	15
226	Nantaise, verbesserte cylinderförmig, halblange stumpfspitze Treib-, extra (2.)	1 70	10
227	Nantaise, abgeriebener Same	2 60	15



Carotten oder Möhren.

Carotten oder Möhren:

No.		kg	20 g
		M. Pf.	Pf.
228	Pariser Markt-, allerfrüheste Treib-, kleine runde, extra . . .	2 40	15
229	Pariser Treib-, sehr kurze stumpfe frühe, extra (5.) . . .	2 20	15
230	» abgeriebener Same . . .	3 —	15
231	St. Valery, lange rothe glatte, extra . . .	2 —	10
232	Violette grosse lange feine . . .	3 —	15
233	Vogesische halblange dicke weisse, abgeriebener Same . . .	1 70	10
234	Riesen-, sehr grosse weisse grünköpfige Futter- 100 kg 80 —	1 20	10
235	» dieselben, abgeriebener Same 100 kg 125 —	1 60	10
236	» verbesserte weisse grünköpfige, sehr ertragreich, von vorzüglicher Güte. 100 kg 94 —	1 30	10
237	» dieselben, abgeriebener Same 100 kg 136 —	1 80	10
238	» sehr grosse rothe grünköpfige Futter- 100 kg 62 —	1 —	10
239	» dieselben, abgeriebener Same 100 kg 105 —	1 50	10
240	Saalfolder, blassgelbe kurze 100 kg 56 —	— 80	10

Cichorien-Wurzel.

Cichorium Intybus. — Large-rooted Chicory.
Chicorée sauvage. — Cichoria selvetica.

No.		kg	20 g
		M. Pf.	Pf.
241	Halblange dicke schlesische . . .	1 60	10
242	Magdeburger, lange glatte . . .	1 10	10
243	» lange verbesserte spitzköpfige . . .	1 30	10
244	Riesen-, cylinderförmige (Badenser walzenförmige) . . .	1 30	10



Pastinake, grosse lange.



Schwarzwurzel.



Haferwurzel.

Goldwurzel.

Golden Thistle. — Scolyme d'Espagne. — Escolimo.

No.		kg	20 g
		M. Pf.	Pf.
245	Scolymus hispanicus . . .	5 20	20

Hafer-Wurzel.

Tragopogon porrifolius. — Salsify. — Salsifis blanco.
Scorzonera bianca.

No.		kg	20 g
		M. Pf.	Pf.
246	Gewöhnliche . . .	4 40	20

Meer-Rettig.

Cochlearia Armoracia L. — Horse Radish. — Raifort sauvage. — Rafano, Ramolaccio.

No.		M. Pf.	Pf.
247	100 extra starke Wurzeln . . .	27 50	
248	12 starke Wurzeln . . .	4 20	
249	100 kleine Setzwurzeln . . .	3 80	
250	12 » » . . .	— 60	



264. Sellerie, Erfurter Knoll.



Bleichsellerie.

Pastinaken.

Pastinaca sativa. — Parsnip. — Panais.

No.		kg	20 g
		M. Pf.	Pf.
251	Grosse lange . . . 100 kg 64 —	1 —	10
252	Runde, extra . . . 100 » 75 —	1 10	10
253	Professor Buckmaun's Studenten-, sehr empfohlen . . . 100 kg 70 —	1 10	10



257. Petersilienwurzel, Ruhm von Erfurt.

Petersilien-Wurzel.

Petroselinum sativum. — Large rooted Parsley.
Persil à grosse racine. — Prezzemolo a grosse radici.

No.		kg	20 g
		M. Pf.	Pf.
254	Lange dicke späte . . . 100 kg 42 —	— 70	10
255	Frühe dicke kurze . . . 100 » 44 —	— 70	10
256	» » » verbesserte . . .	— 80	10
257	Ruhm von Erfurt, glatte Wurzeln mit feingekrauten Blättern . . .	2 40	15

Rapontica.

Oenothera biennis. — Broadleaved Oenothera.
Jambon des Jardiniers.

No.		kg	20 g
		M. Pf.	Pf.
258	Grosse gelbe . . .	2 40	15

Rapunzel.


Campanula Rapuncululus. — Rampion. — Raiponce.

No.		kg	20 g
		M. Pf.	Pf.
259	Kleine feine weisse, delicat . . .	20 —	50

Scorzonner oder Schwarz-Wurzel.

Scorzonera hispanica. — Scorzonère. — Scorzonera.

No.		kg	20 g
		M. Pf.	Pf.
260	Gewöhnliche . . .	3 20	15
261	Russische Riesen- . . .	5 20	20



Speiserüben, verschiedene.



Salatrüben, verschiedene.

Zucker-Wurzel.

No.		kg	20g
		M. Pf.	Pf.
262	Sium Sisarum. — Skirret. — Chervis. — Sisaro	5	20 20

Sellerie.

No.	Apium graveolens. — Celery. — Celeri. — Sedano.	kg	20g
		M. Pf.	Pf.

263	Knoll-, Apfel-, kurzlaubiger, extra	5	— 20
264	» Erfurter, sehr grosser	4	20 20
265	» » Haage's kurzlaubi- ger, extra fein	4	80 20
266	» » frühester Markt, s. Neuheiten. . Pt. — 50, ...	—	— —
267	» grosser krausblättriger	6	— 20
268	» » holländischer	4	20 20
269	» Hamburger, feiner weisser Markt.	5	20 20
270	» Leipziger glatter	4	80 20
271	» Naumburger Riesen-	5	— 20
272	» Non plus ultra	5	50 20
273	» Prager Riesen-, grosser glatter, sehr zartfleischiger	5	80 20
274	Bleich-, Bailie's rother Riesen-	6	40 20
275	» Boston Market	7	— 25
276	» Cole's Krystall-, weisser	4	20 20
277	» » superb, rother	6	40 20
278	» de Candolle, neu, mit sehr dicken, fleischigen Blatt- stielen	—	— 80
279	» farnblättriger, sehr decorativ	7	— 25
280	» Golden-Heart	6	— 20
281	» Golden self-blanching, Herz goldgelb, selbstbleichend	10	80 40
282	» Henderson's White Plume, besitzt die wertvolle Eigen- schaft, dass die Blätter und Blattstiele, sowie das Herz von Natur weiss sind	20	— 60
283	» Pascal giant, mit sehr starken Blattrippen	5	20 20
284	» Perfection Heartwell, beste amerikanische Marktsorte	22	— 60
285	» Prince of Wales (Sanding- bam Dwarf White)	5	20 20
286	» rosenrother, ähnlich White Plume, aber im Innern mit rosenrothem Schein	7	— 25
287	» Seymour's Champion, weisser	4	— 20
288	» Sly's hybrid pink, hellrother	70	— 20
289	» französischer weisser	2	20 10
290	» violetter von Tours	3	60 15
291	Schnitt-, gewöhnlicher	2	— 15
292	» krausblättriger	5	50 20

Kerbel-Rübe.

No.		kg	20g
		M. Pf.	Pf.
293	Scandix (Chaerophyllum) bulbosa — Turnip-rooted Chervil — Cerfeuil tubéreux	4	— 20
294	Chaerophyllum Prescottii, sibirische Kerbel-Rübe, verbesserte, extra	6	60 20

Speise-Rüben.

No.	Brassica rapa hortensis. — Garden Turnips. — Navet turnep ou Rabioule. — Navone et Rapa.	kg	20g
		M. Pf.	Pf.
295	Altringbam, gelbe frühe	1	80 10
296	Amerikanische, früheste weisse roth- köpfige	2	40 15
297	Bortfelder, gelbe lange	1	10 10
298	Croissy, mittelfrühe runde weisse	2	60 15
299	Finnländische, gelbe glatte	2	60 15
300	Fürst Engaltscheff, neu, gelb, roth gestreift, plattrund	4	— 20
301	Ganzblättrige platte rothe sehr frühe	2	40 15
302	» » weisse	2	40 15
303	Gelée, orangegelbe, sehr schön	1	80 10
304	Goldball, goldgelbe runde (2)	2	40 15
305	Gratscheff's scharlachrothe	3	60 15
306	Herbst-, weisse runde	1	— 10
307	» goldgelbe runde	1	20 10
308	Lawson's frühe Silberball	2	50 15
309	Mai-, runde, frühesteweisse (5)	1	10 10
310	» » gelbe	1	10 10
311	Mailänder, runde weisse roth- köpfige, sehr fein, noch früher als die Münchener, extra (1)	13	50 40
312	Mailänder, weisse ganzblät- trige, sehr fein, extra	10	80 40
313	Maltesser, früheste kleine gelbe platte	2	40 15
314	Montmagny, goldgelbe rothköpfige glatte feine	3	— 15
315	Morigny, lange graue feine	4	— 20
316	Münchener Treib-, plattrunde weisse violettköpfige, frühe kurz- laubige, extra	2	60 15
317	Ottersberger, gelbe sehr lange dünne	1	60 10
318	Petrowski'sche goldgelbe kleine plattrunde, eine der fein- sten Rüben, extra	3	40 15
319	Schneeball, sehr frühe weisse (7)	1	80 10
320	Schwarze lange, feine	3	50 15
321	» runde, sehr delicat (4)	1	60 10
322	Stein, weisse runde	2	20 15
323	Teltower oder Märkische (6)	1	30 10
324	Velbus, halblange weisse (3)	1	80 10
325	Wilhelmsburger, gelbe runde	1	20 10

Für Stoppel- oder Herbst-Rüben siehe ökonomische Samen.

Beete oder Salatrüben.

Beta vulgaris hortensis. — Beet-Root. — Betterave
& Salade. — Barbabietola.

No.		kg	20g
		M. Pf.	Pf.
326	Amerikanische runde dunkelrothe, sehr empfohlen	1 10	10
327	Athener, auch aegyptische genannt, plattrunde, dunkelrothe, glatte, fein, extra (6)	1 50	10
328	Bassano, glatte, rothgeringelte, süsse	1 20	10
329	Birnförm., glatte, schwarzrothe, extra	1 30	10
330	Castelnaudary, rothe, halblange, süsse	1 50	10
331	Chelsea, schwarzrothe kurze Belaubung, halblange Rübe mit schwarzrothem Fleisch	2 20	15
332	Crapaudine, dunkelrothe, rauhhaütige (4)	1 30	10
333	Dell's superb black, kleiue schwarzrothe Rübe mit schwarzrothem Fleisch; Blätter schmal, sehr zierend als Einfassung	2 20	15
334	Dracaenablättrige, Rübe lang, schwarzroth, Belaubung sehr zierend (1)	7 —	25
335	Eclipse, rund, kupferroth	1 30	10
336	Erfurter lange feine schwarzrothe, kurzlaubige, extra (3)	1 —	10

Beete oder Salatrüben:

No.		kg	20g
		M. Pf.	Pf.
337	Erfurter feine lange schwarzrothe dunkellaubige	2 30	15
338	Kronprinz, halblange glatte Rübe mit blutrothem Fleisch	1 50	10
339	Lange blutrothe	1 —	10
340	Lawson's kurzlaubige blutrothe, Rübe halblang mit blutrothem Fleisch	1 50	10
341	Non plus ultra, halblange Rübe und leuchtend purpurcarmoisinrothe Belaubung, sehr fein	1 70	10
342	Nutting's selected dwarf, feinste dunkelrothe	2 20	15
343	Reine des noirs, neu, Rübe birnförmig, schwarzroth, Belaubung klein, schwarzroth	3 80	15
344	Runde frühe dunkelrothe (5)	1 20	10
345	Schwarzrothe halblange dunkellaubige, extra	2 40	15
346	Victoria, prächtig zur Einzelpflanzung od. in Gruppen auf Rasen od. zwischen anderen Pflanzen mit contrastirend. Farben. Rübe birnförmig, Fleisch dunkelblutroth, carmoinscharlachgeringelt, sehr wohlsohmekend und von leckerem Aussehen auf der Tafel, extra (2) Für Futter-Runkel-Rüben siehe ökonomische Samen.	1 60	10

3. Salat-Arten. Laitues.



371 Kopfsalat, Erfurter gr. gelber Dickkopf.

Kopf-Salat.

Lactuca sativa capitata. — Cabbage Lettuces. — Laitues pommées. — Lattuga a cappuccio.

Die mit * bezeichneten sind die besten zu Frühbeeten unter Glas.

No.		kg	20g
		M. Pf.	Pf.
347	All the year round, gelber zarter, andauernd, schw. K.	7 —	25
348	Amerikanischer krauser Riesen-, grünlich-weiss, sehr gross, w. K.	7 50	25
349	Asiatischer, grosser gelber, w. K.	5 —	20
350	» rothkantiger, vorzüglicher, w. K.	6 —	20
351	Bellegarde, gelber, vorzüglich, w. K.	8 —	30
352	Berliner, grosser gelber, br. K.	5 —	20
353	Big Boston, gelbgrüner mit röhlichen Kanten, festköpfig, w. K.	8 —	30
354	Bismarck, gelbgrüner rothkantiger, w. K.	7 —	25
355	Bossin's Riesen-, von enormer Grösse, spät, schw. K.	8 —	30

Kopf-Salat:

No.		kg	20g
		M. Pf.	Pf.
356	*Boston, moosartig gekrauster, frühestor gelber, extra, schw. K.	8 —	30
357	*Bruine geel, frühestor gelber runder fester, w. K.	5 50	20
358	Chavigné, früher gelber, festköpfiger zarter, lang andauernd, w. K.	6 —	20
359	Chou de Naples, grosser fester, w. K.	7 60	25
360	*Conqueror oder Eroberer, gelblichweiss, frühe aber sehr lange andauernde, feinste Sorte, w. K.	10 —	40
361	Cyrus-, allergrösster gelber, w. K.	5 50	20
362	Deutscher Unvergleichlicher, gelb mit rothen Kanten, sehr gross, schw. K.	9 —	30
363	Dippe's gelber festköpfig., g. K.	5 —	20
364	» grosser gelber zartester, spät aufschliessender, vorzügliche Sorte für Freilandcult., w. K.	8 —	30
365	Doppelkopf-, Lactuca dicephala, schw. K.	6 —	20
366	*Dreienbrunnen-, sehr zarter gelber festköpfiger, extra, w. K.	7 —	25
367	Dresdner Dauer-, blassgelber, w. K.	5 20	20
368	Drumhead od. Trommelkopf, grosser, w. K., extra	3 60	15
369	*Eier-, ganz früher gelber, w. K.	8 —	30
370	* » » » sch. K.	7 —	25
371	Erfurter grosser gelber Dickkopf, mit grossen, sehr festen, grünlichgelben Köpfen, extra.	10 —	40
372	Erstling, brauner, sehr früh, w. K.	12 —	40
373	Eureka, sehr zart, mit grossen festen braunroth. Köpfen, g. K.	10 —	40
374	Faulenzer, brauner grosser, schw. K.	5 50	20
375	» gelber, sehr zart, w. K., extra	6 40	20
376	Forellen-, engl. kl. blutrother, extra, schw. K.	7 50	25
377	» grosser bunter, w. K.	4 80	20
378	» grosser bunter, schw. K., extra	6 —	20
379	» Vollblut, dunkelrother, w. K.	7 —	25
380	» » » schw. K.	7 —	25
381	Fürchte Nichts oder Fearnought, grosser gelber, schw. K., schön	8 —	30
382	Goldforellen, zarte, lang andauernde Sorte, feste Köpfe bildend; Deckblätter goldgelb mit braunroth gesprenkelt, w. K.	8 60	30

No.	Kopf-Salat:	kg 20 g	
		M.Pf.	Pf.
383	Haarlemer (Coblenzer) grosser brauner, br. K., extra	5 20	20
384	» grosser gelber, w. K.	5 50	20
385	Hanson, sehr gross, krausblättrig, w. K.	8 —	30
386	*Juwel, ähnlich dem braunen Troztkopf, gleich gut zum Treiben, wie für Freilandcultur	— —	100
387	*Kaiser-Treib-, gelber, sehr früh, nur zum Treiben, vorzüglich, w. K.	6 40	20
388	Laibacher Eissalat, mit sehr grossen festen Köpfen, lang andauernd, Blätter gelblichgrün, am Rande etwas gekraust, w. K.	16 —	50
389	Lorhois (Trocadero), Blätter wellenförmig, glänzend grün mit braunem Anflug, w. K.	6 —	20
390	Maelländer, brauner, gelb K.	7 —	25
391	Merveille, dunkelgrün mit roth gesprenkelt, guter Wintersalat, schw. K.	7 —	25
392	Milland, gross, festköpfig, gelbgrün, w. K.	— —	60
393	*Montré, früher gelber, w. K.	6 —	20
394	Non plus ultra (Pariser Zucker-), sehr grosser zarter gelber, ganz extra, w. K.	7 —	25
395	Paron, gelbgrüner, feste gelblichgrüne Köpfe, w. K.	7 —	25
396	Pelletier, feste hellgrüne Köpfe mit fein gezackten und gefransten endviertartigen Blättern, w. K.	7 50	25
397	Perpignaner, grosser gelber, w. K.	5 20	20
398	Perpignaner Dauerkopf, die echte Sorte, sich am längsten in Köpfen haltend, w. K.	13 50	40
399	Prahl, grosser gelber, schw. K.	5 20	20
400	Prinzenkopf, gelber, w. K.	5 —	15
401	» » rothkantiger, w. K.	6 —	20
402	*Roquette, klein, grün, festköpfig, zum Treiben, w. K.	9 —	30
403	*Rudolph's Liebling, feine citrongelbe, sehr zarte Sorte, wesentlich verschieden von allen anderen Sorten, w. K.	10 —	40
404	Salamander, mittelgross, fest, gelbgrün, schw. K.	7 50	25
405	Schwedenkopf, röthlicher, sehr zart, br. K.	6 —	20
406	» röthlicher, extra, w. K.	6 —	20
407	Schweizer, grösster, w. K., hält sich sehr lange, ohne zu schiessen	6 60	20
408	Silberkopf, ganz extra feine, silberweiss glänzende, lange andauernde, fest- und grossköpfige Sorte, sehr zart n. feinschmeckend, w. K.	8 60	30
409	*Steinkopf-, Forellen-, fest und zart, schw. K.	8 40	30
410	* » gelber früher, w. K.	8 40	30
411	* » grüner früher, schw. K.	8 80	30
412	* » früher, w. K., extra	8 80	30
413	* » goldgelber frühester Treib-, ganz extra, w. K.	8 80	30
414	Sunset, amerikanischer, mit grossen festen, silberweiss glänzenden Köpfen, extra, w. K.	— —	60
415	Troztkopf, gelber, grossköpfig, sehr zart, gelblichgrün, sehr fest in Köpfen, w. K.	6 60	20
416	» brauner, extra, w. K.	7 —	25
417	Turnauer Hartkopf, schöner, sehr fester gelber, w. K.	7 —	25
418	Vilmorin's grüner Fett-, glänzend dunkelgrün, schw. K.	9 —	30
419	Westindischer, echter grosser gelber, fest, zart, sehr lang andauernd, ganz extra, w. K.	9 —	30
420	*Wheeler's Tom Thumb, kleiner sehr fester, vorzüglich zum Treiben, lange andauernd, extra, schw. K.	8 60	30
421	Winter-, bester dauernd. gelb., w. K.	4 80	20
422	» brauner, w. K.	4 40	20



448. Bind-Salat, Pariser gelber.

No.	Kopf-Salat:	kg 20 g	
		M.Pf.	Pf.
423	Winter-, Butterkopf, hellgrün, innen goldgelb, gross, zart, schw. K.	7 60	30
424	» Silberball, vorzüglich, w. K.	7 —	25
425	» Trémont, gross, festköpfig, gelbgrün mit röthlichen Kanten, extra, w. K.	8 —	30
426	Mischung der besten Sorten	4 40	20
427	Alter Salatsamen für Vogelfutter, w. K.	2 60	15
428	» » » schw. K.	1 10	10
429	Pfück-Salat, amerikanischer mit krausen braunkantigen Blättern, grosse dichte Stauden bildend. Die mürben Blätter gepflückt, in der Weise wie Blattkohl, liefern den zartesten Salat fast während des ganzen Sommers, da die Pflanzen schwer in Samen schiessen und selbst dann noch einander bis zum letzten Blatt benutzt werden können, w. K.	8 50	30
430	Pfück-Salat, australischer gelber, w. K.	8 50	30
431	Pfück-Salat, californischer, gelbgrüne Blätter, an den Rändern sehr fein gekraust und gezähnt. Grosse späte gute Sorte, sehr zierend, w. K.	12 50	40

Stech-Salat.

No.	Lactuca sativa foliosa praecox. — Early forcing Lettuces. — Laitues à couper.	kg 20 g	
		M.Pf.	Pf.
432	Eichenblättriger vollherziger, w. K.	5 50	20
433	Früher gelber runder, w. K.	3 20	15
434	Französischer grüner, w. K.	2 60	15
435	Gelber krausblättriger, w. K.	3 80	15
436	» » schw. K.	3 60	15
437	Sehr fein moosartig gekrauster gelber, schw. K.	5 —	20
438	Zartester hohlblättr. Butter-, w. K.	4 80	20

Spargel-Salat.

No.	Lactuca augustana.	kg 20 g	
		M.Pf.	Pf.
439	Die Stengel werden von dieser Sorte benutzt und so wie Spargel zubereitet, schw. K.	7 50	25

Bind-Salat oder Sommer-Endivien.

No.	Lactuca sativa romana. — Cos Lettuces. — Laitues romaines. — Lattuga romana.	kg 20 g	
		M.Pf.	Pf.
440	Blutrother, schw. K.	5 50	20
441	Brown Bath, braun, w. K., extra	5 50	20
442	» » » schw. K.	5 50	20
443	Eichenblättriger gelber, schw. K.	7 —	25
444	Florence Cos, gelb, schw. K., extra	5 20	20
445	Forellen-, bunter, w. K.	5 50	20
446	London white, gelb, w. K., extra	6 —	20
447	Magnum Bonum, w. K.	6 —	20
448	Pariser gelber selbstschliess., w. K.	5 —	20
449	» grüner » » »	5 —	20



461. Winter-Endivien, krause grüne.

Bind-Salat oder Sommer- Endivien:		kg	20 g
No.		M.Pf.	Pf.
450	Riesen-, weisser, selbstschliessend, w. K.	6	— 20
451	Sachsenhäuser, selbstschliessender, w. K.	5	— 20
452	Trianon, distincte, selbstschlies- sende Sorte mit sehr grossen, festen Köpfen	7	— 25
453	Victoria white, schw. K.	5	20 20
454	Zuckerhut, englischer, schw. K.	6	— 20
455	Zwerg-Schluss-, gelber, w. K.	5	50 20
456	beste Mischung	4	80 20

Perennirender Salat.

457	Lactuca perennis, L. — Laitue vi- vace. — Perennial Lettuce Pt. — 15	—	— 80
-----	---	---	------

Winter-Endivien.Cichorium Endivia. — Endive. — Chicorées
frisées et scarolles. — Endivia.

No.		kg	20 g
		M.Pf.	Pf.
458	Fein gekrauste grüne Moos-, extra	7	— 25
459	» goldgelbe Moos-, neu	7	— 25
460	Von Natur gelbe feingekrauste	7	— 25
461	Fein gekrauste grüne	3	60 15
462	Grosse hreithlättr. vollherzige gelbe Escariol-	4	40 20
463	» » grüne »	4	40 20
464	» weissgelbe Batavier Winter-	4	— 20
465	Breite grüne krause Casseler	3	60 15
466	Gefüllte Ruffec, extra	5	20 20
467	Feine Hirschhorn	5	20 20
468	Feingekrauste italienische, früheste	4	20 20
469	Feingekrauste von Meaux	4	20 20
470	Königin des Winters, neu	7	— 25
471	Pancalière, grosse hreithlättrige, krauserandete grüne	5	20 20
472	Louvier, extra fein geschlitzte	7	— 25
473	spätaufschliessende grüne krause, neu, sehr empfehlens- werth	13	50 40

Löwenzahn.Taraxacum hortense. — Pissenlit. — Culti-
vated Dandelion.

No.		kg	20 g
		M.Pf.	Pf.
474	cultivirter	7	— 25
475	breitblättriger, veroessert, sehr grosser	27	— 70

4. Zwiebel- und Porree-Samen. Oignons et Poireaux.**Zwiebeln oder Zipollen.**

Allium Cepa. — Onion. — Oignon. — Cipolla.

No.		kg	20 g
		M.Pf.	Pf.
496	Bellegarde, extra Qualität, Zwie- beln von 1-1½ kg Schwere, über 50 cm im Umfang liefernd. Oval in Form, feinste Sorte zu Gemüse	10	80 40
497	Birn-, längliche gelbe süsse	3	— 15
498	» silberweisse	14	— 40
499	Bornaer Riesen-, gelbe kugel- förmige (Emperor Globe)	3	80 15
500	Braunschweiger, dunkelrothe plattrunde, festeste, die schärfste im Geschmack	6	40 20

Löwenzahn:

No.		kg	20 g
		M.Pf.	Pf.
476	grüner von Montmagny, uen, distinct	27	— 70
477	mooskrauser verbesserter, mit krausen, fein geschlitzten Blättern	27	— 70

Cichorie.Cichorium lutybus foliosum. — Salad Chicory. —
Chicorée sauvage améliorée.

No.		kg	20 g
		M.Pf.	Pf.
478	Wilde oder hittere	3	40 15
479	Buntblättrige Forellen-, verbesserte	3	40 15
480	Verbesserte grossblättrige	3	80 15
481	Whitloef, Brüsseler	2	60 15

Rabinschen oder Feld-Salat.

Valerianella olitoria. — Mache. — Corn-Salat.

No.		kg	20 g
		M.Pf.	Pf.
482	Gewöhnl. (Feldrop, Schlafmälchen)	1	20 10
483	Holländische, grosse breite	1	50 10
484	Italienische, grosse (V. coronata)	2	20 15
485	dunkelgrüne, breitblättrige, voll- herzige	2	20 15

Garten-Kresse.Lepidium sativum. — Cress. — Cresson alénois.
Crescione alénois.

No.		kg	20 g
		M.Pf.	Pf.
486	Einfache gewöhnliche 100 kg 32 —, — 60	10	
487	Gefüllte oder krause 100 » 38 —, — 70	10	
488	Englische goldgelbe	—	80 10

Amerikanische Winter-Kresse.

No.		kg	20 g
		M.Pf.	Pf.
489	Barbarea praecox. — American Winter Cress. — Cresson de jar- din vivace	2	20 15
490	buntblättrige (Barbarea vulg. fol. var.)	4	— 20
491	verbesserte (Upland)	5	20 20

Wasser- oder Brunnen-Kresse.Nasturtium officinale. — Water Cress. —
Cresson de fontaine.

No.		kg	20 g
		M.Pf.	Pf.
492	Erfurter, cultivirte (Dreien- brunnen)	36	— 90
493	Gewöhnliche hittere	12	50 40

Indianische oder Kapuziner-Kresse.


No.		kg	20 g
		M.Pf.	Pf.
494	Tropaeolum majus. — Capucine grande. — Indian Cress	3	80 15

Algier-Salat.

No.		kg	20 g
		M.Pf.	Pf.
495	Fedia scorpioides. — Valeriane d'Algier	5	20 20

Zwiebeln:

No.		kg	20 g
		M. Pf.	Pf.
509	Italienische Königin (Queen Onion), silberweisse kleinste allerfrüheste plattrunde, sehr fein, bereits im Juli reifend	7 50	25
510	» gelbe Königin (Golden Queen), sehr feine kleine harte späte, besonders gut zum Einmachen	12 50	40
511	James-Dauer- (grosse gelbe Jahr-), extra	4 40	20
512	Lissaboner, weisse grosse runde	3 —	15
513	Madeira, grösste platte Riesen-	4 40	20
514	Madeira, grösste platte runde Riesen-	4 —	20
515	Magnum Bonum, grosse rothgelbe länglichrunde, sehr haltbar	6 40	20
516	Nocera, silberweisse frühste, echt	6 —	20
517	Pariser, silberweisse plattrunde, frühe	6 —	20
518	Sallon, grosse rothe späte	5 20	20
519	Schwefelgelbe, plattrunde harte	4 40	20
520	Spanische, blassrothe Pflanz-, grosse späte	3 80	15
521	» weisse Pflanz-, grosse späte	3 —	15
522	Strohgelbe oder hellgelbe plattrunde harte	3 60	15
523	Teneriffa, sehr frühe rothe, vorzüglich als Gemüse	12 50	40
524	» sehr frühe weisse, sehr fein	12 50	40
525	Tripoli, sehr frühe rothe platte, Riesen-	4 80	20
526	Riesen- della Rocca, braunrothe Kugel-	3 80	15
527	» blutrothe kugelförmige Riesen-	4 20	20
528	» silberweisse runde frühe Riesen-	5 80	20
529	Wethersfield, blutrothe, plattrunde, frühe, sehr gut	6 —	20
530	Wundervoll, gelbe verbesserte haltbare Birn-	3 —	15
531	Wunder von Lyon, etwas grösser und haltbarer als „weisse Königin“	13 50	40
532	Zittauer Riesen-, runde gelbe grosse haltbare, extra	4 —	20
533	» » blutrothe runde	9 —	30
534	» » schwefelgelbe runde, neu	13 50	40
535	» » silberweisse runde, siehe Neuheiten	Pt. — 60	—
536	beste haltbare Sorten gemischt	3 —	15



532. Zwiebel, Zittauer Riesen-, gelbe.

Kartoffel-Zwiebel-Samen.

Allium ascalonicum var. — Ognon sous terre ou patate. — Potato Onion.	kg	20 g
No.	M. Pf.	Pf.
541 Grosse gelbe, sehr haltbar	7 50	25
542 » rothe »	8 60	30
543 » russische, hellgelbe	8 60	30

Winter-Zwiebel.

Allium fistulosum. — Ciboule blanche hâtive. — Welsh Onion.	kg	20 g
No.	M. Pf.	Pf.
544 Gewöhnliche bohe Winterheck-	2 20	15

Schnittlauch.

Allium Schoenoprasum. — Ciboulette ou Civette. — Chives.	
No.	
545 Schnitt- oder Graslach	20 g 1.60, Pt. — 20
546	100 Pflanzen 6 M., & Dutzend 1 M.

Porree oder Lauch.

Allium Porrum. — Leek. — Poireau. — Porro.	kg	20 g
No.	M. Pf.	Pf.
547 Bulgarischer langschafftiger Winter-, siehe Neuheiten	Pt. — 60	—
548 Französischer Sommer-	2 40	15
549 Italienischer Riesen-, sehr gross und zartfleischig	4 —	20
550 Sehr grosser gelber Poitou	4 60	20



Porree.

Schalotten-Samen.

Allium ascalonicum. — Échalotte. — Shallot. — Scalogno.	kg	20 g
No.	M. Pf.	Pf.
537 Grosse von Jersey	8 60	30
538 Dänische	Pt. — 40,	— 320

Knoblauch.

No.	M. Pf.
539 Goldgelber (Allium Moly), genau wie der gewöhnliche Knoblauch zu verwenden, aber von milderem Geschmack, beispielsweise die feinsten Würze an Hammelbraten	20 g 1.10, Pt. — 20, —
540 Knollen	100 St. 4 —, 10 St. — 50

551 Erfurter dicker Winter-, extra	2 50	15
552 Grosser dicker Brabanter, extra	2 80	15
553 Sehr grosser Musselburger, extra	3 80	15
554 » » von Rouen	3 80	15

Porree oder Lauch:

No.		kg	20 g	No.
		M. Pf.	Pf.	
555	Monströser von Carentan, sehr grosser, extra	3	80 15	
556	Remontant, treibt an der Knolle zahlreiche Sprossen aus, welche man fortpflanzt	7	— 25	
557	The Lyon, neue englische Sorte, sehr gross	8	— 30	

Steck-Zwiebeln.

No.		M. Pf.
558	Gewöhnliche Zwiebel-Sorten (A. Cepa), verschiedene Sorten gemischt, getrocknet 100 kg 56 —, kg — 80, 100 St. — 50	

Steck-Zwiebeln:

No.		M. Pf.
559	Gelbe lange Birn-, getrocknet. Als Steck-zwiebel gepflanzt, erreicht dieselbe enorme Grösse	kg 1 50, 100 St. — 75
560	Knoblauch (A. sativum)	kg 1 80
561	Rookambol oder Schlangen-Knoblauch (A. Scorodoprasum), Luftzwiebeln	kg 2 40
562	Aegyptische (All. proliferum), Luftzwiebeln	kg 3 60
563	Schalotten (All. ascalonicum), grosse dänische	kg 1 20
564	Kartoffel-Zwiebel (All. ascal. var.), grosse gelbe	kg 1 10
565	» » » rotbe	kg 1 40
566	Perlzwiebelu (All. Ampeloprasum) (Nur im August versendbar!)	kg 4 —

5. Radies- und Rettig-Samen. Radis.



Radies.

Monats-Radies.

Raphanus sativus praecox minor. — Small early Radishes. — Radis hâtif et Rave. — Radici primaticcie.

No.		kg	20 g	No.
		M. Pf.	Pf.	
567	plattrundes allerfrühestes kurzlaubiges weisses, ganz extra (2)	1	80 10	
568	rundes weisses (1)	1	50 10	
569	» violett	1	60 10	
570	» mit weisser Spitze	5	— 20	
571	» rosenrothes	1	30 10	
572	» scharlachrothes	1	30 10	
573	» Berliner Treib-	1	60 10	
574	» scharlachrothes mit weissem Wurzelende	2	30 15	
575	» Wiener gelbes Treib- (11)	1	30 10	
576	» rosenrothes mit weisser Spitze, sehr fein (3)	1	50 10	
577	» Erfurter frühestes rosenrothes Treib-, kurzlaubig, extra	1	70 10	
578	» frühestes scharlachrothes Treib- (auch Dreienbrunnen), Qual. extra (4)	1	70 10	
579	» carminrothes Treib-, sehr schön	1	70 10	
580	» dunkelblutrothes, sehr dunkle Farbe, extra (12)	4	20 20	
581	» Non plus ultra, leuchtend scharlachroth, sehr kurzlaubig, extra fein, die allerbeste Sorte zum Treiben	2	60 15	
582	kegelförm. scharlachrothes, kurzlaubig, tief scharlachroth, feine Treibsorte	2	20 15	

Monats-Radies:

No.		kg	20 g	No.
		M. Pf.	Pf.	
583	ovales rosenrothes, extra	1	70 10	
584	» mit weissem Wurzelende, sehr schön (9)	1	60 10	
585	» scharlachrothes, extra (5)	1	70 10	
586	» Treib-, neu, sehr fein	2	60 15	
587	» mit weissem Wurzelende	1	80 10	
588	» weisses, extra	2	40 10	
589	» Treib-, neu, sehr fein	3	80 15	
590	» violettes mit weisser Spitze (8)	2	40 15	
591	» runde und ovale Sorten gemischt	1	50 10	
592	» langes weisses (7)	1	70 10	
593	» violettes (10)	4	— 20	
594	» rosenrothes	1	70 10	
595	» mit weissem Wurzelende (6)	2	20 15	
596	» Beck's scharlachrothes kurzlaubiges	2	— 10	
597	» Wood's vorzügliches Treib-	2	— 10	
598	» alle Farben gemischt	1	60 10	

Radies von Madras.

Raphanus caudatus. — Spottiswood rat-tail Radish. Radis à silique comestible. kg 20 g M. Pf. Pf.

No.		kg	20 g
		M. Pf.	Pf.
599	Das echte Mongri-Radies von Java, mit Schoten bis zu 1 m Länge, fantastisch gewunden u. gedreht	13	50 40

Rettige.

Raphanus sativus major. — Spanish Radish sorts. Radis d'été et d'hiver. — Radici d'inverno e d'estate. kg 20 g M. Pf. Pf.

No.		kg	20 g	No.
		M. Pf.	Pf.	
600	Winter-, Erfurter, lang. schwarzer	1	10 10	
601	» Erfurter, runder schwarzer	1	10 10	
602	» » schwarzer kurzlaubiger, extra	1	20 10	
603	» » weisser langer	1	10 10	
604	» » runder	1	10 10	
605	» » » Münchener Bier-	1	30 10	
606	» Pariser, langer kohlschwarzer cylinderförmiger, Fleisch rein weiss	1	50 10	
607	» rothgrauhäutiger, rund, sehr fein	4	— 20	
608	» grauer Riesen-	1	50 10	
609	» chinesis. rosenrother, feinste Qualität	3	— 15	
610	» » scharlachrother runder	—	— 80	
611	Mai-, gelber runder Wiener	1	60 10	
612	» runder goldgelber Dresdner Bündel-	1	60 10	
613	» weisser runder Stuttgarter	1	70 10	
614	» » halblanger stumpf-spitzer Treib-	1	30 10	
615	» ovalrunder goldgelber Wiener, ausgezeichnet	1	70 10	
616	» weisser Delicatess-, halblang, mit sehr dünner, schnee-weisser Schale, sehr früh	1	60 10	

Rettige:		kg	20 g
No.		M. Pf.	Pf.
617	Sommer-, schwarzer runder . . .	1 60	10
618	» weisser runder . . .	1 60	10
619	» » verbesserter . . .	1 70	10
620	Herbst-, rothsohaliger . . .	1 30	10
621	» Münchener lerchenfarbi-		

Rettige:		kg	20 g
No.		M. Pf.	Pf.
	ger, halblanger mit weisser, braun		
	genetzter Haut, sehr zart . . .	4 —	20
622	langer rother von Gournay, mit		
	festem, weissem Fleisch, feine Sorte	1 30	10
623	russischer weisser langer Treib-	3 60	15

6. Küchen-Kräuter. Herbes potagères diverses.



623. Artischoke.

641. Cardy.

		kg	20 g
No.		M. Pf.	Pf.
624	Alant (Inula Helenium) . . .	18 50	50
625	Angelika (Angelica Archangelica) . . .	5 20	20
626	Artischocken (Cynara Scolymus),		
	grosse grüne Provencer . . .	18 50	50
627	» » grosse violette . . .	13 50	40
628	» » grüne von Laon . . .	24 —	60
629	Basilicum (Ocimum Basil.), grosses		
	grünes . . .	3 20	15
630	» kleines grünes feingekrautes . . .	4 —	20
631	» » krauses Zwerg-,		
	sehr zierend . . .	8 —	30
632	» kleines krauses violettes . . .	5 50	20
633	» » » niedriges . . .	16 —	50
634	» grosses violettes . . .	5 20	20
635	» » Löffel- oder Schiffs- . . .	5 60	20
636	Bohnen- oder Pfefferkraut (Sat-		
	ureja hortensis) . . .	1 10	10
637	» Winter- (Satureja montana) . . .	2 60	15
638	Boretsch oder Gurkenkraut		
	(Borago officinalis) . . .	2 60	15
639	» weissblühender . . .	10 —	40
640	Cardobenedikten (Cnicus bene-		
	dictus) . . .	1 30	10
641	Cardy (Cynara Cardunculus),		
	spanische ohne Stacheln . . .	5 —	20
642	» grosse v. Tours, vollripp., stach.	5 50	20
643	» vollrippige, ohne Stacheln . . .	6 —	20
644	» rothrippige, ohne Stacheln . . .	6 —	20
645	» Pnvis, breitrippige . . .	6 —	20



646. Champignon.

646	Champignonbrut (Agaricus campestris) in Backsteinform — (Mushroom Spawn. — Blanc de Champignon) . . .	1 20	—
647	» in loser Form . . .	2 60	—

		kg	20 g
No.		M. Pf.	Pf.
648	Citronenmelisse (Melissa offici-		
	nalis) . . .	7 —	25
649	Dill (Anethum graveolens) . . .	1 —	10
650	Eierfrucht (Solanum Melongena),		
	lange weisse . . .	8 —	30
651	» lange violette (4) . . .	4 20	20
652	» halblange weisse . . .	8 —	30
653	» » weisse verbesserte, sehr		
	dickfleischig, neu . . .	40 —	110
654	» runde weisse (2) . . .	8 —	30
655	» » violette . . .	9 —	30



Eierfrucht, verschiedene.

656	Eierfrucht, gestreiffrüchtige . . .	10 80	40
657	» mit scharlachrothen Früchten . . .	9 —	30
658	» Leibesapfelförmige rothe . . .	8 60	30
659	» schwarze frühe lange . . .	8 60	30
660	» » Riesen- von Peking (1) . . .	13 50	40
661	» » niedrige Nagasaki . . .	16 —	50
662	» grüne Riesen- von Rhinet (3) . . .	16 —	50
663	» violette New-Yorker		
	Riesen- . . .	20 —	60
664	» violette Zwerg-, früh . . .	10 —	30
665	Erdbeere (Fragaria vesca etc.),		
	beste grossfrüchtige Sorten		
	gemischt . . .	32 —	80
666	» Ein Sortiment von 10 besten		
	grossfrüchtigen Sorten		
	à 1 Pt. 1 50 . . .	— —	—
667	» Monats-, immertragende rothe		
	Pt. — 10, 18 50 . . .	50	
668	» » weisse . . .	— 30,	— 320
669	» » rothe ohne Ranken		
	Pt. — 20, . . .	— 200	
670	» » weisse ohne Ranken		
	Pt. — 20, . . .	— 180	
671	» » Belle Lyonnaise Pt. — 30, . . .	— 300	
672	» » Belle de Montrouge		
	Pt. — 20, . . .	— 260	
673	» » Die Freiebigie (La gé-		
	néreuse) . . .	Pt. — 40,	— 500
674	» » Non plus ultra, sehr		
	grossfrüchtig, dunkel		
	roth . . .	Pt. — 20,	— 130



735. Liebesapfel, König Humbert.



Liebesapfel, verschiedene.

No.		kg	20g		No.		kg	20g
		M.	Pf.	Pf.			M.	Pf.
675	Erdbeere, Monats-, Schöne Meissnerin . . . Pt. — 20,	—	—	130	707	Liebesapfel, Canada Victor, sehr glatt, schön, früh	22	— 60
676	» Wald-Erdbeere . . . » — 20,	—	—	110	708	» Cardinal, rund, glatt, scharlachroth, früh	24	— 60
677	Erdmandeln (Cyperus esculentus)	3	20	15	709	» Carter's Green Gage, citronengelb, sehr fein	16	— 50
678	Erdnuss (Arachis hypogaea)	2	20	15	710	» Cedar Hill, fein	15	— 40
679	Esdragon (Artemisia Dracunculus) . . . Pt. — 20,	—	—	110	711	» Champion, früh und reichtragend	24	— 60
680	» Pflanzen, echte deutsche Sorte 12 Stück 3 —,	—	—	—	712	» Chemin, roth, früh	20	— 60
681	Fenchel, gewöhnlicher (Foeniculum vulgare) . 100 kg 92 —,	1	30	10	713	» Conqueror, gross, roth, glatt, früh	16	— 50
682	» grosser süsser Bologneser Anis-	1	70	10	714	» Cook's Favourite, sehr gute Marktsorte	24	— 60
683	Gemsenhörner (Martynia proboscidea), die jungen Früchte zum Einmachen	9	—	30	715	» Courtet, sehr frühe, niedrige Sorte, ungemein reichtragend, Früchte leihhaft roth, in Büscheln, Blätter ungetheilt, ausgezeichnet!	22	— 60
684	Hibiscus esculentus (Gombo oder Okra), amerikan. langer grüner	5	80	20	716	» Crimson Cushion, neu	—	160
685	» esculentus, amerikan. niedriger grüner	6	—	20	717	» Dauer, eiförmiger	—	80
686	» » amerikan. sammetartiger weisser (white velvet)	7	—	25	718	» Democrat, neu, sehr gross, reichtragend, dunkelviolet-roth	50	— 130
687	Igel (Medicago echinata — Hérison)	12	50	40	719	» Erdbeer- oder peruan. Ananaskirsche (Physalis peruviana), deren süss-säuerl. Früchte, roh oder in Zucker einge-macht, im Vaterlande beliebt sind	20	— 60
688	Isop (Hyssopus officinalis)	3	20	15	720	» Fejee Island, hellroth, gross	22	— 60
689	Kerbel (Anthriscus Cerefolium), gewöhnlicher	—	60	10	721	» Ficarazzi, scharlachroth, eine der allerfrühesten Sorten	18	50 50
690	» kraushlättriger	—	70	10	722	» Fulton Market, früh, mittel-gross, glatt	16	— 50
691	» grosser spanisch. wohlriech.	7	50	25	723	» gestreiffruchtiger japanischer	20	— 60
692	Krausemünze (Mentha crispa) 1000 S. 1,50, 100 S. — 20,	—	—	—	724	» Golden Nugget, leuchtend gold-gelb	20	— 60
693	Lavendel oder Spike (Lavandula Spica)	3	80	15	725	» » Queen, gross, glatt, gold-gelb	32	— 80
694	Liebesapfel (Solan. Lycopersicum), grossfruchtiger rother	2	20	15	726	» Grenier's à tige raide, mit aufrechtstem Stamm u. grossen Früchten	32	— 80
695	» grosser gelber	8	—	30	727	» Hathaway's Excelsior, früh, mittelgross, glatt	24	— 60
696	» Acme, glatt, dunkelroth mit violettem Schein	20	—	60	728	» Hubbard's kraushlättriger, sehr frühe Sorte	20	— 60
697	» Ananas, gross, gelb, spät	24	—	60	729	» hunderttägiger, früh	32	— 80
698	» Apfel, weissfruchtiger	13	50	40	730	» Ignout, früh, glatt, carmoisinroth	27	— 70
699	» apfelförmiger kleiner gelber	20	—	60	731	» johannisbeerfruchtiger rother Trauben- (3)	11	— 40
700	» » rother	13	50	40				
701	» Atlantic Prize, gross	20	—	60				
702	» Autocrat, neu, sehr gross, mittelfrüh, violettroth	40	—	100				
703	» baumartiger glatter rother, neu	40	—	100				
704	» hirnformiger rother (1)	8	—	30				
705	» Blount's Champion, Früchte mittelgross, in Trauben	—	—	50				
706	» Blue Plum (Blauer Pflaumen), eine grossfruchtige Sorte Nachtschatten	—	—	60				



796. Petersilie, krause.

No.		kg	20 g
		M. Pf.	Pf.
732	Liebesapfel, Keye's early prolific, sehr früh	—	60
733	» kirschförmiger gelber	8	30
734	» » rother (2)	8	30
735	» König Humbert, sehr früh, ertragreich, grosse leuchtend scharlachrothe pflaumenförmige Früchte	8	30
736	» König Humbert, gelb	—	60
737	» » weiss	—	60
738	» Laxton's Freiland-, sehr früh und reichtragend	20	60
739	» Lemon Blush, citrongelb mit blassrosa Anflug	32	80
740	» Little Gem, sehr früh, klein	20	60
741	» Livingstone's Favourite, rund, hlutroth	24	60
742	» Long-keeper, gross, rund, sich sehr lange haltend	24	60
743	» Mayflower, gross, rund, glatt, hochroth	27	70
744	» Mikado, sehr grosse rothe, his 3/4 Kilo schwere Früchte	20	60
745	» Optimus, sehr früh, carmoisinroth, glatt	18 50	50
746	» Paragon, Frucht gross, leuchtend carmoisin, früh	16	50
747	» Perfection, rund, roth, festfleischig	13 50	40
748	» Pfirsich (Peach), runde Früchte, in Form und Farbe einer Pfirsich täuschend ähnlich	13 50	40
749	» pflaumenförmiger gelber	8	30
750	» » rother (4)	10 80	30
751	» Ponderosa, neuer grösster amerikanischer, carmoisinroth, sehr festfleischig	52	130
752	» Präsident Garfield, mit riesigen Früchten, oft 1 Kilo und mehr wiegend	22	60
753	» Prelude, früh, glänzend carmoinscharlach, glatt	16	50
754	» Prinz von Neapel, scharlach, gross, spät	—	80
755	» Riesen-mit rosa Früchten, monströser	—	80
756	» rother, goldgelb gestreifter	24	60
757	» » niedrig, krausblättrig	9	30
758	» Ruby, rother früher	—	80
759	» Saint Fiacre, leuchtend roth, sehr grossfruchtig	—	140
760	» Santa Catarina, gross, rund, scharlachroth	22	60
761	» Scoville's Hybrid, gross, mittelfrüh, glatte Früchte	24	60
762	» stachelbeerfruchtiger, S. L. grossularioides	—	80
763	» Terra Cotta, neu, gross, apfelförmig, pfirsichroth	32	80
764	» Tilden, gross, glatt	22	60
765	» Tom Thumb, grosser rother niedrig, sehr früh	—	60
766	» Trophy, von enormer Grösse, sehr schöne runde Frucht	22	60
767	» » goldgelbe	—	110
768	» Türkenhund, scharlachroth	—	110
769	» violette belle de Leuville	24	60
770	» weissfruchtiger grosser	—	80
771	» Zwerg-, Vilmorin's rother früher, sehr ertragreich, Früchte mittelfrüh	13 50	40
772	» heste Sorten gemischt	5	20



Pfeffer, verschiedene.

No.		kg	20 g
		M. Pf.	Pf.
773	Liebstock (Levisticum officinale)	8	30
774	Löffelkraut (Cochlearia officinalis)	4	20
775	Mais, Adam's, extra früher	1 50	10
776	» Blount's prolific	1 50	10
777	» Country Gentleman, sehr früher Zucker-	1 50	10
778	» Crosby's, extra früher Zucker-	1 50	10
779	» Early Minnesota	1 50	10
780	» goldgelber Zucker-	1 50	10
781	» Mammoth Sweet	1 50	10
782	» Manhattan, neu, der früheste von allen	2	10
783	» Moore's early Concord	1 50	10
784	» Narragansett Zucker-	1 50	10
785	» schwarzer Zucker-	1 50	10
786	» Stowell's, immergrün	1 50	10
787	» Triumph-Zucker-	1 50	10
788	» Tuscarora	1 50	10
Diese genannten sind die vorzüglichsten Sorten, deren junge Kolben gekocht u. geschmort Lieblingengerichte der Amerikaner sind.			
789	Majoran (Maj. bort.), franz. bester	3 80	15
790	» perennirender (Origanum vulg.)	13 50	40
791	Malve, krausblättrige, die jungen Blätter liefern ein wohl- schmeckendes Gemüse und sind auch zur Verzierung sehr geeignet	1 60	10
792	Mariendistel (Silybum Marianum - Chardon-Marie)	1 30	10
793	Nusskraut (Cochlorus olitorius, L. - Corète potagère)	10 80	40
794	Petersilie (Petroselinum sativum), einfache	— 70	10
795	» verhees. dichtlaubige Schnitt-	— 80	10
796	» gefüllte oder krause	1 10	10
797	» span. sehr fein gekr. Zwerg-	1 10	10
798	» englische Myatt's Zier-	1 10	10
799	» moosartig gekrauste Champion	1 10	10
800	» Non plus ultra, sehr fein gekraust, zierend	3	15
801	» italienische Riesen-, sehr grossblättrig	4	20
802	» farnblättrige, extra	1 10	10
803	Pfeffer, spanischer (Capsicum annum), Cardinal, mit sehr langen Früchten	8	30
804	» spanischer, Cayenne, langer dünner rother	7 50	25
805	» » Cayenne, langer dünner gelber	9	30
806	» » Celestial, sehr früh, Früchte bei der Reife zuerst weisslichgelb, später scharlachroth, sehr zierend (11)	10 80	40

No.		kg	20 g	No.		kg	20 g
		M. Pf.	Pf.			M. Pf.	Pf.
807	Pfeffer, spanischer, chilenischer scharfer	7	50	25	836	Physalis edulis (peruviana), Ananaskirsche oder Bossin's Erdbeer-Tomate, in Peru roh oder in Zucker eingemacht sehr beliebt	20 — 60
808	» span. Columbus, goldgelber monströser Riesen-	32	—	80	837	» edulis macrocarpa, sehr grossfrüchtig	24 — 60
809	» » rother monströser Riesen-	27	—	70	838	» Franchetti, siehe Neuheiten Pt. — 60 — — —	
810	» » eckiger dicker kurzer rother süsser	5	20	20	839	Pimpinell, Garten- (Poterium Sanguisorba hortense)	2 — 10
811	» » Elefanten-Rüssel, mit sehr langen, rüsselähnlich., fleischigen Früchten (S.)	20	—	60	840	Portulak (Portulaca oleracea), gelb	3 60 15
812	» » Golden Dawn, mit grossen goldgelben hängenden Früchten	10	80	40	841	» grüner	3 — 15
813	» » Golden Upright, Früchte gross, goldgelb, aufrechtstehend	—	—	80	842	» grossblättriger goldgelber	4 — 20
814	» » Kaleidoscop, neu, Früchte zuerst weiss, später in roth übergehend	10	80	40	843	Raupen (Scorpiurus sulcata), grosse	12 — 40
815	» » kirschförmiger gelber	7	—	25	844	» kleine	12 — 40
816	» » rother	7	—	25	845	» gestreifte	12 — 40
817	» » langer gelber	7	—	25	846	» rauhe	12 — 40
818	» » rother	3	20	15	847	Rosmarin (Rosmarinus offic.)	9 — 30
819	» » liebesapfelrüchtiger, gelber	7	—	25	848	Salbei (Salvia officinalis)	5 20 20
820	» » rother	7	—	25	849	» Muscateller (Salvia Sclarea)	8 — 30
821	» » Mammoth, grosser rother monströser rother, sehr gross. cylinderförmiger Riesen-	10	80	40	850	Schnecken (Medicago turbinata)	12 — 40
822	» » Prinz von Wales, gelb, zierend (12)	10	80	40	851	Senf (Sinapis alba), gelber	— 70 10
823	» » Procopp's Riesen-, sehr empfehlenswerthe Sorte mit aussergewöhnlich grossen, scharlachrothen, sehr fleischigen Früchten, 15—20 cm lang bei 10—12 cm Breite	12	50	40	852	» brauner (S. nigra)	1 — 10
824	» » Ruby King, Früchte gross, carminroth, fast rund (10)	10	80	40	853	» kohlblättriger von China (S. chinensis)	5 20 20
825	» » runzliger gelber Pt. — 20, — 100	13	50	40	854	» schlitzblättriger, S. dissecta	2 — 10
826	» » schwarzer nubischer	13	50	40	855	Spargel (Asparagus officinalis), Erfurter bester	1 80 10
827	» » Sirius, neu, sehr zierend, Früchte lang, bei der Reife milchweiss, später in scharlachroth übergehend Pt. — 30 — — —	—	—	260	856	» Erfurter Riesen-, extra	2 — 10
828	» » Trauben-, orangeroth	—	—	100	857	» Ulmer	2 — 10
829	» » gelber	—	—	100	858	» Argenteuil, früher	2 60 15
830	» » rother	—	—	100	859	Columbian white, neue amerikanische Sorte	16 — 50
831	» » japanischer scharlachrother (9)	16	—	50	860	» Conover's Colossal, sehr stark und schnellwachsende amerikanische Sorte	2 60 15
832	» » violetter	8	—	30	861	» Palmetto, amerikanischer mit erbsengrünen Köpfen	6 — 20
833	Pfeffermünze (Mentha piperita), 1000 S. 2 —, 100 S. — 25, — — —	—	—	—	862	Thymian (Th. vulg.), franz. Sommer-	9 — 30
834	Physalis Alkekengi	13	50	40	863	» deutscher Winter-	6 40 20
835					864	Tripdam (Sedum reflexum) Pt. — 20, — — —	80

7. Spinat-Arten.



Spinat.

No.		kg	20 g
		M. Pf.	Pf.
872	Eiskraut (Mesembrianthemum crystallinum), Glaciale	6	60 20
873	Erdbeerspinat (Blitum capitatum)	6	— 20
874	Gartenmelde (Atriplex hort.), gelbe	1	10 10
875	Gartenmelde, blutrothe	1	10 10
876	» Lee's Riesen-	1	10 10
877	Mangold oder Beisskohl (Beta Cicla), grosser	1	10 10
878	» sehr zarter Schweizer	1	20 10
879	» Silber-	1	20 10
880	» krausblättriger	1	30 10
881	» brasilianischer, bunter	1	30 10
882	» chilen. gelber, auffallend schön	2	60 15
883	» chilen. rother, ...	2	60 15
884	» Lyoner blonder, weissrippiger	1	60 10
885	Nachtschatten (Solanum nigrum), cultivirter, Morelle cultivée	10	— 40
886	Reisgewächs, Chenopod. Quinoa	1	60 10
887	Rhabarber (Rheum, Linnaeus)	10	— 40
888	» Paragon, m. starken, sehr fleischigen Blattstielen Pt. — 30 — — —	—	250
889	» Prinz Albert	3	60 15
890	» Victoria	3	20 15
891	» beste engl. Sorten für Compots, gemischt	2	60 15

No.		kg	20 g
		M. Pf.	Pf.
892	Sauerampfer (Rumex acetosa), gewöhnlicher	2 20	15
893	» grossblättriger	2 20	15
894	» » Lyoner Riesen-, hellgrün, löfelfblättrig	5 20	20
895	» » französ. grosser Belleville	2 30	15
896	Spinat (Spinacea oleracea), rundblättriger Winter-	100 kg 32 —	— 60 10
897	» » rundblättriger spitzkörniger	— 70	10
898	» » langblättriger Winter-, spitzkörnig. 100 kg 34 —	— 60	10
899	» » sehr grosser gelber Schweizer, gross, spitzsamig, sehr zart, extra 100 kg 44 —	— 70	10
900	» » Catillon, monstros, dunkelgrün, sehr grossblättrig, lang dauernd	— 70	10
901	» » Gaudry, sehr grosser rundblättriger	100 kg 34 —	— 60 10
902	» » salatblättriger, rundsamig. 100 kg 40 —	— 60	10

No.		kg	20 g
		M. Pf.	Pf.
903	Spinat, grossblättriger flämischer, gross, rundsamig	— 70	10
904	» » monstros von Viroflay, enorm grosse, dicke, dunkelgrüne Blätter	— 70	10
905	» » spät aufschliessender dunkelgrüner	— 70	10
906	» » Victoria Riesen-, allergrösster breitblättriger, rundsamig	— 70	10
907	» » engl. immerwährender Winter-, (Rumex patientia) (Sauerampfer)	1 60	10
908	» » neuseeländischer (Tetragonia expansa)	2 —	10
909	» » von Cuba, Claytonia cubensis	— —	60
910	» » Malabar, weisser, Basella alba	7 —	25
911	» » chines., Amarantus oleraceus	— —	70
912	» » Kermesbeer-, südamerikan. (Phytolacca esculenta)	4 60	20
913	» » brasil. (Talinum paniculatum), sehr feiner Samen . Pt. —	— —	220

8. Gurken und Kürbisse.

Gurken.

(Cucumis sativus — Cucumber — Concombre — Cetriuolo.)

No.		kg	20 g
		M. Pf.	Pf.
914	Erfurter mittellange grüne volltragende	7 40	25
915	» » lange grüne volltragende	8 60	30
916	» » lange grüne Schlangen-, extra	11 50	40
917	» » grüne Goliath, allerlängste verbesserte grüne Schlangen-	32 —	80
918	» » lange weisse Schlangen-	10 80	40
919	Bismarck, lange grünbleibende, sehr reichtragend	10 —	40
920	Fürsten-, hellgrün, cylindrisch, 15–20 cm lang, sehr fleischig	20 —	60
921	» » holländ. lange weisse, extra	9 —	30
922	frühe grüne Trauben-, sehr feine Einmach-	4 —	20
923	» » weisse Trauben-	8 60	30
924	» » grünbleibende Trauben-	8 60	30
925	» » grüne dicke von Colmar, sehr fleischig	10 —	40
926	Haargurke von Egypten, Früchte gurkenartig, milchweiss und seidenhaarig, die im unreifen Zustande als Salat, und wenn reif als Obst benutzt werden können	12 —	40
927	japanische Kletter-, sehr reichtragende, widerstandsfähige, äusserst wohlchmeckende Freilandsorte; hat sich ausgezeichnet bewährt und ist auch zum Treiben für das Mistbeet sehr zu empfehlen. Frucht sehr dickfleischig, anfangs dunkelgrün, später braungelb genetzt; liefert sehr feine Senfgurkenshalen	13 50	40
928	japanische Kletter-, weisse	20 —	60
929	Kaiser Alexander, braungenetzte Trauben- (Chiwa-Walzen-, auch Lucas'sche genetzte Trauben-)	6 —	20
930	chinesische grüne längste Schlangen-, extra	11 50	40
931	» » längste grünbleibende Schlangen-	11 50	40
932	allerfrüheste Murom'sche, kleinste Trauben-, echt	3 60	15
933	sehr frühe Borowski'sche, grössere Trauben-	2 40	15

Die beiden vorstehenden sind die frühesten und reichtragendsten Freilandgurken, in ungünstigen Jahren oft die einzigen Sorten, welche überhaupt Früchte bringen.



955. Treibgurke, Hampel's Juwel von Koppitz, im Mistbeet gezogen.

Gurken:

No.		kg	20 g
		M. Pf.	Pf.
935	Sikkim, lange bräunlich grüne genetzte, sehr fleischig	— —	100
936	von Turkestan, mittellange grüne, selbst in ganz ungünstigen Jahren im Freien reichtragende Sorte	20 —	60
937	französische Trauben-	2 60	15
938	» » echte Pariser Trauben- oder Cornihon	4 —	20
939	» » mittellange grüne	3 40	15
940	» » lange grüne Schlangen-	5 20	20
941	» » » weisse	5 50	20
942	» » grosse dicke weisse von Bon-neuil	7 —	25
943	beste deutsche Sorten gemischt	7 —	25

Treib-Gurken.

Concombres à forcer. — Frame Cucumbers.

No.		Pt.	20 g
		Pt.	M. Pf.
944	Aal-, weisse grüngestreifte, vorzügl.	30	4 —
945	» » Berliner, sehr volltragend, auch fürs freie Land	30	2 60

Treibgurken:		Pt.	20 g
No.		Pf.	M. Pf.
946	Arnstädter grüne Riesen- Sohlängen-, oft über 60 cm, extra	30	3 —
947	» schneeweiße Riesen- Schlangen-, sehr feine . . .	30	3 —
948	Astro, dunkelgrüne, fein genetzte Schlangen-, gross . . .	30	2 60
949	Brödel's grüubleibende lange Delicatess-, nen, sehr frühtragend, hellgrün, glatt, 30—40 cm lang . . .	30	3 20
950	» Delicatess-, nen, sehr frühtragend, hellgrün, glatt, 30—40 cm lang . . .	40	— —
951	» Erfurter dicke blassgrüne . . .	20	1 60
952	» lange gelbe . . .	20	1 30
953	Fournier, lange grüne frühe . . .	20	1 20
954	früheste kleinlaubige weiss- stachelige, grüne mittel- lange, vorzügliche, volltragende Treibsorte . . .	20	1 30
955	Hampel's „Juwel von Kop- pitz“, neue, sehr werthvolle Ein- führung. Jede Pflanze dieser Treib- gurke bringt mit dem ersten natür- lichen Blatt Fruchtansatz, aus welchem sich Früchte entwickeln, an deren Stelle bei anderen Sorten ein Blüten und Abwelken tritt. Entschieden die dankbarste und dazu die feinstschmeckende Treib- gurke. Originalsaat 100 S. 2 —, 10 S. . .	30	— —
956	Hampel's neueste Treibhaus- sehr reichtragend . . . 10 S. . .	40	— —
957	» verbesserte Treibhaus- mit ungewöhnlich frühem Frucht- ansatz. Frucht blassgrün, weiss- stachlig, 50—60 cm lang, extra. Originalsaat 100 S. 3, 50, 10 S. . .	40	— —
958	Hampel's verbesserte Mist- beet-, von unschätzbarem Werthe für den Gemüsegärtner. Bei sehr kräftigem Wuchs entwickelt diese Gurke eine ausserordentliche Fruchtbarkeit und besitzt grosse Widerstandsfähigkeit gegen un- günstige climatische und andere Einflüsse. Auch für Freiland-Cul- tur sehr zu empfehlen 1000 S. 8 —; 20 S. . .	25	— —
959	Himalaya, grüne, sehr lange, sohlauke Sorte . . .	30	2 60
960	» weisse, extra . . .	30	2 60
961	Ideal, neu . . .	50	— —
962	Immer's verbesserte Treib- sehr reichtragend . . .	20	1 60
963	immertragende, Cucumis semper- fructiferus . . .	20	1 20
964	» weisse, extra . . .	20	1 60
965	Königsdorffer's Unermüd- liche, sehr schöne reichtragende Sorte mit 50 cm langen hellgrünen, weissstacheligen Früchten, extra . . .	30	2 60
966	monströse, weisse, sehr dickfleischig Noa's Treib-, so lang wie Schwänen- hals-, aber mehr gerade, blassgrün, eine der besten und reichtra- gendsten Treibsorten . . .	15	— 80
967	» Pariser lange weisse, sehr dick- fleischig, ertragreich . . .	15	— 80
968	» Pera, grüne Riesen-, sehr reich- tragend, 35—40 cm lang . . .	15	— 80
970	Preis von Arnstadt, 60 cm, grü- bleibend . . .	20	1 80
971	Ruhm von Erfurt, längste grüne 972 » » längste weisse, ganz extra feine . . .	30	2 60
973	Schwanenhals, eine der besten Sorten, dabei hart und ertrag- reich, selbst im Freien . . .	30	2 60
974	Walzen-, glatte dicke grüubleibende 975 » Sillig's weisse . . .	20	1 40
976	Wundervoll, sehr reichtragend. Vorstehende Treib-Gurken sind die besten Sorten einer strengen Wahl.	30	3 20


Treibgurken:		Pt.	20 g
No.	Folgende vorzüglichste englische Treib-Sorten, ganz extra:	Pf.	M. Pf.
977	Albion, 60—75 cm, cylinderförmig, dunkelgrün, weissstachlig . . .	20	2 60
978	Beaconsfield, 50—70 cm, cylinder- förmig, hellgrün, weissstachlig . . .	30	4 —
979	Blue Gown, ganz extra, dunkel- grün, weissstachlig, 50—60 cm . . .	30	2 60
980	Carter's Champion, 45—60 cm, matt- dunkelgrün, cylinderförmig, glatt . . .	20	2 60
981	Climax, 60—75 cm, dunkelgrün, weissstachlig . . .	20	2 60
982	Conqueror, 60—75 cm, dunkelgras- grün, cylinderförmig, glatt . . .	20	2 60
983	Cuthill's black spine, 45—60 cm, schwarzstachlig . . .	20	2 20
984	Cuthill's Highland Mary, 60 cm, grasgrün, glatt . . .	20	2 40
985	Cuthill's Prince Albert, 45—60 cm, dunkelgrün, glatt . . .	20	2 40
986	Duke of Edinburgh, 70—80 cm lang, von egal cylindrischer Form, weissstachlig . . .	40	4 80
987	Duke of Edinburgh, weiss . . .	30	4 —
988	Hamilton's improved black spine, 45 cm, dick, dunkelgrün, weiss- stachlig . . .	20	2 60
989	Ipswich Standard, 60 cm, grün, voll- tragend . . .	30	2 60
990	Kirkstall Abbey, 45—50 cm lang . . .	30	2 60
991	Lynch's star of the west, 60 cm, grün, schwarzstachlig . . .	20	2 60
992	Man of Kent, 45—60 cm, grün, reichtr. 993 Marquis of Lorne, 45—60 cm, dunkelgrün, extra . . .	15	1 10
994	Master's prolific, 45—60 cm, volltr. 995 Mill's Jewess, 45—60 cm, dunkel- grün, schwarzstachlig . . .	40	5 20
996	Modell, 45—60 cm lang, hellgrün 997 Non plus ultra, 60 cm, grün, schlank, extra . . .	20	2 60
998	Paragon, 45—60 cm, hellgrün, bei- nahe ganz glatt . . .	20	1 10
999	Prescot Wonder, 45—60 cm lang, dunkelgrün, sehr reichtragend . . .	30	2 60
1000	Prescot Wonder, verbessert, neu . . .	40	5 —
1001	Prize of London, 45—60 cm, grün, reichtragend . . .	50	— —
1002	Queen, 45—60 cm, dunkelgrün, schwarzstachlig, dick, volltragend . . .	20	2 —
1003	Roman Emperor, 45 cm, grün, voll- tragend, auch fürs freie Land . . .	20	2 —
1004	Telegraph (Rollison's), 60—75 cm, schwarzgrün, weissstachlig, egal dick, ganz extra, Originalsaat 100 S. 3, 50, 10 S. . .	40	— —
1005	Telegraph, nachgeb. gute Qualität 1006 Telegraph, weisse . . .	30	3 20
1007	Victory of Bath, 45 cm, grün, auch fürs freie Land . . .	30	2 60
1008	Walker's Rambler, 60 cm, dunkel- grasgrün, weissstachlig, schlank . . .	15	— 80
1009	Veitch's Sooly Qua, Gurke von China (eine Luffa-Species mit grossem Korn) . . .	20	1 60
1010	Beste Sorten Treibgurken gemischt 1011 Gurken-Melone . . .	10	— 40
		15	— 70

Melonen.

Cucumis Melo. — Melons.		Pt.	20 g
No.		Pf.	M. Pf.
1012	Amerikanische, reift im August im Freien . . .	10	— 70
1013	Ananas-od. Carolina-, grünlischig 1014 » rothfischig . . .	10	— 60
1015	Anna, länglich, Fleisch dunkel- grün, sehr saftig und süss . . .	10	— 60
		20	2 —

Melonen:

No.		Pt. 20 g	Pf. M. Pf.
1016	Aprikosen-Tafel-, neu, sehr früh, reichtragend, mittelgross, dünnschalig, Fleisch aprikosenfarbig, sehr süss	30	— —
1017	Argos Dauer-, gross, fein, haltbar	20	1 40
1018	Arlington green citron, gelblichgrün, genetzt, sehr fein	20	1 40
1019	Baltimore Musk, länglich oval, gross, früh	10	— 60
1020	Banana Citron, lange, gnckenähnliche weisse Sorte von sehr feinem Geschmack	10	— 60
1021	Bay View, lang, hellgrün, fein	10	— 60
1022	Bijon von Mans, sehr feine Sorte	20	1 20
1023	Burpee's green gem, bellgrün, dunkelgrün marmor., sehr früh	20	1 30
1024	» orange cream, rothfleischig	20	1 30
1025	Cantaloupe, Alger., rothfleischig, fein	20	1 20
1026	» Apfel-, nen, früh, rund, Fleisch dunkelorange, sehr aromatisch	30	2 50
1027	» Consul Schiller, sehr grosse, genetzte, gelbe	20	1 80
1028	» des Carmes, schwarze rothfleischig	20	1 20
1029	» gelbe, grosse Land-	10	— 40
1030	» holländische, schwarze	20	1 20
1031	» Orangen-	15	— 80
1032	» Pariser Glocke (Prescott de P.)	15	— 80
1033	» Presoot, engl. rothfleischig	15	— 80
1034	» frühe	15	— 80
1035	» silberweisse	15	— 80
1036	» portugiesische schwarze	20	1 60
1037	» römische	20	1 60
1038	» Victoria	20	1 —
1039	» weissfleischig	15	— 80
1040	» weissgrundige, sehr grosse	10	— 30
1041	Cavaillon, gelbe	10	— 40
1042	» rothfleischig	15	— 60
1043	Champion Market, sehr gross, reichtragend, grünfleischig	15	— 80
1044	Chito, grosse	15	— 80
1045	Composité (Hérault), dunkelgrüne rothfleischig ovale, fein	15	— 80
1046	Delmonico, grosse ovale, feingenetzte mit orangerotha Fleisch	15	— 80
1047	Delmonico perfected, neu	20	2 —
1048	d'Esclavonie, lange ovale weisslichgrünfleischig, fein	15	— 80
1049	De Pierre-Bénite, sehr feine, platte kleine rothfleischig	15	— 80
1050	De Saint-Jean-des-Vignes, feine kleine runde rothfleischig	20	50
1051	Dolo-, weisse	15	— 80
1052	Dominion Musk, sehr gross, rund, genetzt, extra	20	1 30
1053	Dr. Carneiro, länglichrund, klein, Fleisch weisslichgrün, süss	20	1 20
1054	» Gonsalves, klein, gelblichgrün, gefurcht und genetzt, Fleisch röhlich	20	1 20
1055	Duarte Silva, lang, gross, dunkelgrün mit gelb, weissfleischig	20	1 50
1056	Early Hackensack, gross, rund, grün, stark genetzt, grünfleischig	15	— 70
1057	Emerald Gem, sehr fein	15	— 70
1058	Engl. Allen's anperb, grünfleischig	15	— 80
1059	» Bellamore Hybrid	20	1 40
1060	» Blenheim Orange, rothfleischig, genetzt, sehr fein	20	1 80
1061	Carter's Princess Alexandra, kleine runde bellgrüne weissfleischig, sehr fein	20	1 40
1062	» Colston Bassett Seedling	20	1 60
1063	» Cox' Golden Gem	20	1 60
1064	» Eastnor Castle, grünfleischig	20	1 60
1065	» Gilbert's Victory of Bath	20	1 60
1066	» Lady Sefton, sehr fein	20	1 30
1067	» Monroe's Little Heath	30	2 20
1068	» Queen Emma, weissfleischig	20	1 60
1069	» Turner's Scarlet Gem	20	1 60
1070	Erfurter Preis	20	1 60
1071	Evans' superb, gross, oval, stark genetzt, grünfleischig, sehr fein	20	1 10
1072	Gewürz- (Muscatoello)	10	— 80
1073	Golden Orange	20	1 —



Netzmelone.

Melonen:

No.		Pt. 20 g	Pf. M. Pf.
1074	Granatapfel, aromatisch und zierend	20	1 —
1075	Hamburger Markt-, genetzt, oval	20	2 —
1076	Hanbury netted, feingenetzt, oval, grünfleischig	20	1 10
1077	Honfleur, sehr grosse rothfleischig	20	1 20
1078	japanische weisse, früh, vorzüglich	10	— 50
1079	» weisse Freiland-, sehr früh, länglich, weisschalig	40	— —
1080	Jenny Lind, kleine frühe grünfleischig	10	— 50
1081	Khiwa, verschiedene feine Sorten gemischt	30	2 80
1082	Kletter-, zur Cultur an Spalieren geeignet, Früchte dünnschalig, mit grünem, gewürzhaftem Fleisch	10	— 50
1083	» rothfleischig, sehr fein	20	1 —
1084	Land-Melone, franz. gelbe kg 7 —	10	— 25
1085	» » weisse » 7 —	10	— 25
1086	Madeira, längliche gelbe	20	1 60
1087	Malta, grünfleischig Winter-	10	— 50
1088	» rothfleischig »	10	— 50
1089	Mandarin, klein, grün mit gelben Streifen	30	3 —
1090	Melrose, früh, rund, grünfleischig, sehr aromatisch	30	2 40
1091	Montreal green Nutmeg, sehr gross, grünfleischig, extra	10	— 60
1092	Muscat-, echt	10	— 50
1093	Netz-, Berliner, gross, rund, stark genetzt	20	1 80
1094	» Golden Gem, gelb, oval, rund, sehr süss	10	— 70
1095	» runde Skillman's	10	— 40
1096	» runde grosse	15	— 80
1097	Nutmeg, reichtragend u. schmackh.	10	— 50
1098	Orange Christina	10	— 60
1099	Orangine de M. Hérault, silberweiss, rund, Fleisch orange	20	2 —
1100	Pfirsich- (Vegetable Peach), kleine süsse	20	1 80
1101	Preis von Nizza, grünfleischig, sehr fein	20	1 80
1102	rothfleischig von Trévoux, neu, sehr dünnschalig, länglichrund, Fleisch aromatisch und schmelzend süss	30	3 60
1103	russische ovale braunrothe, m. fest. Fleisch, sehr haltb.	20	2 —
1104	Surprise, sehr frühreifend, genetzt, rund, fein	10	— 60
1105	Toscana	20	1 80
1106	Turkestaner, kl. grünfleischig, sehr fein	20	1 40
1107	» Roic's verbesserte, sehr haltbar	20	1 60
1108	Wiener Mai-, extra	30	1 80
1109	Winter-, rosafleischig	30	— —
1110	» spanische	10	— 40
1111	Zucker-, rothfleischig von Tours	10	— 60
1112	» von Palermo, grünfleischig, sehr haltbar	20	2 —
1113	Melonen, viele schöne Sorten gemischt . . . kg 13,50	10	— 40
1114	Melonen, 1 Sortiment von 12 Sorten & 1 Pt. für 1 —	—	— —
1115	12 feine Sorten Zuckermelonen aus Süd-Russland von jeder 5 S. zusammen für . . . 2 —	—	— —



1137. Speisekürbiss, Black Negro.

Melonen:		Pt.	20 g
No.		Pf.	M. Pf.
1116	Wassermelone (C. Citrullus, Pastèque), amerikanische Citron-Confituren- . . .	10	— 40
1117	» amerikanische Cuban Queen, rothfl. gestr.	10	— 40
1118	» » Dark Icing, rothfleischig	10	— 50
1119	» » early mountain sprout	10	— 50
1120	» » Eis-Gelée	10	— 40
1121	» » Godwin's improved	10	— 40
1122	» » Green and Gold	10	— 50
1123	» » Honig-	10	— 50
1124	» » Klapperschlange	10	— 50
1125	» » Mammoth Iron Clad, sehr gross	10	— 50
1126	» » Mountain Sweet	10	— 50
1127	» » Phiney's früh., rothfl., fein	10	— 50
1128	» » Pride of Georgia	10	— 50
1129	» » The Boss, feinste rothfl.	10	— 50
1130	» griechische Riesen-	15	1 —
1131	» italienische schwarze	10	— 40
1132	» Riesen-, Citrullus Helopa	10	— 40
1133	» schwarz kernige kg 7 —,	10	— 25
1134	» roth kern. (Confituren-) » 4,60,	10	— 20
1135	» weiss kernige	10	— 60
1136	» gemischt kg 10 —,	10	— 30

Kürbiss-Arten zum Verspeisen.

Cucurbita pepo etc. — Culinary Gourds. — Courges à manger.		Pt.	20 g
No.		Pf.	M. Pf.
1137	Black negro, schwarzgrüner, sehr fein und haltbar	10	— 40
1138	blutrother asiatischer, siehe Neuheiten	70	— —
1139	Cardinal	15	— 80
1140	Cashaw kg 8 —,	10	— 30
1141	Centner-, gelber » 2 40,	10	— 15
1142	» grüner » 2 40,	10	— 15
1143	Cococelle, langer ital. ohne Ranken kg 7 —,	10	— 30
1144	Cocosnuss » 10 80,	10	— 40
1145	Connecticut Field » 4 —,	10	— 15
1146	Courge gaufree, ausgezeichnet schöne Sorte sowohl als Zierpflanze als für die Küche	10	— 50
1147	Courge patate, klein, länglich, gelb, hält sich sehr lange	10	— 50


Kürbisse:		Pt.	20 g
No.		M. Pf.	Pf. M. Pf.
1148	Courgeron de Genève, nicht rankend, sehr fein kg	13 50	10 — 40
1149	Crookneck, Winter- . . . »	12 50	10 — 40
1150	Elsässer (Wintergurke) »	16 —	10 — 50
1151	Feld-, gewöhnlicher . . . »	1 60	10 — 15
1152	» grosser gelber . . . »	2 40	10 — 15
1153	» » grüner »	2 40	10 — 15
1154	Mammoth, chilenischer	10	— 60
1155	Mammuth	10	— 60
1156	Mantelsack, neapolitan. . . kg 7 —	10	— 25
1157	Marblehead, amerikan. . . »	10 80	10 — 40
1158	Mark-(Marrow), Autumnal »	8 —	10 — 40
1159	» Boston »	15 —	10 — 40
1160	» early Orange »	10 80	10 — 40
1161	» engl. Custard »	10 80	10 — 40
1162	» gestreifter Cluster . . . »	13 50	10 — 40
1163	» lauer grüner gelb gestreifter »	— —	10 — 50
1164	» lauer weisser »	8 —	10 — 30
1165	» Vegetable, der echte engl. Schmeer- kg 7 —	10	— 25
1166	Melonen-, allgrösster gelber genetzer Riesen-75—100kg schwer, echt kg 32 —	15	— 80
1167	» grosser bunter »	27 —	15 — 70
1168	» » gelber »	24 —	15 — 60
1169	» » grüner »	32 —	15 — 80
1170	» » scharlachrother »	24 —	15 — 60
1171	» » silbergrauer »	27 —	15 — 70
1172	» » weisser »	27 —	15 — 70
1173	» » gemischt »	22 —	15 — 60
1174	Moore's Vegetable Cream »	8 —	10 — 30
1175	Ohio, runder gelber . . . »	11 —	10 — 40
1176	Potiron, hochrother . . . »	12 —	10 — 40
1177	» sehr früher gelber, neu »	— —	15 — 80
1178	» von Corfu »	— —	20 2 —
1179	Riesen- von Connecticut »	4 20	10 — 20
1180	Squash, Butman »	10 80	10 — 40
1181	» Egg Plant, langer weisser »	10 80	10 — 40
1182	» Hubbard, Fleisch hellorange gelb, bester für Winter kg 11 —	10	— 40
1183	» goldgelber Busch- . . . »	11 —	10 — 40
1184	» grüngestr. Busch- . . . »	13 50	10 — 40
1185	» Perfect Gem »	13 50	10 — 40
1186	» red China »	10 80	10 — 40
1187	» weisser Busch- »	11 —	10 — 40
1188	» Woodbury, länglich rund, zugespitzt, bronzegrün mit weissen Streifen, Fleisch orange gelb, hält sich sehr lange	20	1 20
1189	» white Chestnut . . . kg	10 80	10 — 40
1190	Touraine-, grosser . . . »	8 —	10 — 30
1191	Valparaiso, gross, festfleischig »	16 —	10 — 50
1192	Virginischer weisser halblanger »	7 —	10 — 25
1193	Wallfisch, neu, sehr langer grosser grüner, extra »	20	1 20
1194	Weisser ohne Ranken . . . kg	12 —	10 — 40
1195	Zucker-, brasilianischer »	11 —	10 — 40
1196	Cucumis Anguria (Aradae), mit nussgrossen deliziösen Früchten	10	— 40
1197	Cyclanthera pedata, die Früchtchen im grünen Zustande wie Gurken eingemacht, schön	10	— 30
1198	Luffa spec., Veitch's Sooly Qnaa	10	— 40
1199	» acutangula »	10	— 40
1200	Momordica Charantia »	10	— 40
1201	Poppia Fabiana »	15	— 80

Die Früchte der letzten 3 Species werden im jungen Zustande vielseitig zu Küchenzwecken benutzt, namentlich eingemacht, und sind auch als Zierpflanzen höchst interessant.

1202 Speisekürbisse gemischt . kg 6 60 10 — 20

9. Erbsen-Sorten. Pois.

Bei Entnahme von mehr als 10 kg tritt eine wesentliche Preis-Ermässigung der kg-Preise ein.




1233. Kneifelerbse, Early Wonder.

Zucker-Erbsen,

die mit Schoten gespeist werden.

Pisum sativum sine cortice durior. — Sugar Peas. —
Pois sans parchemin.

No.		Höhe kg m M.Pf.
1203	Brethon, extra frühe niedrige, die früheste aller Zucker-Erbsen, sehr ertragreich	0,45 2 40
1204	einblütige, allerfrüheste, sehr zart	0,40 1 80
1205	Erfurter allerfrüheste, neu, sehr früh, Schoten dickfleischig	Pt. — 50 0,80 — —
1206	Florentiner, blaublühende graue breitschotige	1,20 1 10
1207	Fürst Bismarck, früheste	0,45 1 10
1208	de Grâce oder Buchsbaum	0,15 3 20
1209	dickschotige Butter-, neu, sehr fleischige, reichtragende Sorte	0,75 1 20
1210	Goliath Mark-, buntblühende, neu, sehr breitschotig, Erbsen runzlig	1,50 4 —
1211	graue niedrige frühe Zucker-, violetblühend, volltragend	0,60 1 10
1212	» Riesen-Schnabel-, mit ungewöhnlich grossen Schoten	1,20 1 20
1213	» Riesen-Schwert-, grosse	1,50 1 10
1214	Heinrichs frühe, sehr volltragende	0,90 1 20
1215	holländische grünbleibende späte	2,00 1 80
1216	» » frühe	0,90 1 60
1217	Kron-, rothblühende	1,20 1 20
1218	Mammuth, siehe Neuheiten	Pt. — 60 1 20 — —
1219	Moerheim's Riesen-, neu, Schoten bis 16 cm lang, sehr dickfleischig, extra	1,50 2 60
1220	niedrige frühe	0,60 — 70
1221	runzlige Mark-Zucker-, sehr zart, süss, volltragend	0,75 1 —



1249. Bohnen-Erbse.

Zucker-Erbsen:


No.		Höhe kg m M.Pf.
1222	Säbel-, grosse weisse frühe englische breit- u. krummschot.	1,50 1 —
1223	» » weisse späte engl. breit- und krummschot.	1,50 1 —
1224	Schwert-, frühe weissblüh. holländ.	1,20 — 80
1225	» » späte »	1,50 — 30
1226	Wachs-Schwert-, grosse gelbschot.	1,50 1 30

Kneifel-, Pahl- oder Ausläufer-Erbsen.

Pisum sativum hortense. — Early and late Garden Peas. — Pois nains et à rames.

Frühe und früheste Sorten.

No.		Höhe kg m M.Pf.
1227	Beck's Gem oder Tom Thumb	0,30 — 60
1228	Bishop's langschotige, früheste	0,45 — 60



1273. Runzlig. Mark-Erbse, Admiral Greigh.



1293. Runzl. Mark-Erbse, Telephon.

Kneifel-, Pahl- oder Ausläufer-Erbsen:

No.		Höhe kg m M.Pf.
1229	Blue Beauty, sehr früh, Schoten dicht gefüllt, ertragreich . . .	0,50 — 70
1230	Carter's first crop (Sutton's Bingleader), die allerfrüheste . . .	0,60 — 60
1231	Daniel O'Rourke, sehr früh, extra . . .	0,75 — 60
1232	Dickson's früheste und beste, sehr früh, niedrig, sehr reichtragend, extra . . .	0,50 — 70
1233	Early Wonder, sehr früh, reichtragend, extra . . .	0,50 — 60
1234	East's Kentish Invicta, grünschotig, ausserordentlich ertragreich, selbst früher als Daniel O'Rourke . . .	0,90 — 60
1235	Emerald Gem, sehr früh, smaragdgrün, langschotig . . .	0,80 — 80
1235a	Express, sehr früh, reichtragend, grün . . .	0,60 — 60
1236	Gold vom Blocksberg, mit wachseln Schoten, früh, sehr reichtragend, extra . . .	0,80 — 70
1237	de Grâce oder Buchsbaum-, zum Treiben, No. I . . .	0,20 — 60
1238	Henderson's first of all, sehr frühreifend . . .	0,75 — 80
1239	Laxton's Harbinger (Vorbote), sehr früh und reichtragend . . .	0,60 — 60
1240	» Korbfüller, früh, sehr grossschotig, extra . . .	0,90 — 80
1241	» prolific longpod, ausgezeichnet langschotige Sorte . . .	0,90 — 60
1242	» Supreme, lange, grüne, gebogene Schoten . . .	0,90 — 60
1243	Mai-, allerfrüheste verbesserte, wohl die früheste u. zugleich ertragreichste . . .	0,60 — 70
1244	» frühe niedrige . . .	0,60 — 60
1245	Prince Albert, sehr früh . . .	0,75 — 60
1246	Remontant, frühe grüne . . .	1,20 1 —
1247	» » weisse . . .	1,20 — 80
	Beide Sorten liefern früh und lange Zeit andauernd Schoten.	
1248	Rnhm von Cassel, grossschotig, früh, ertragreich . . .	0,90 — 60

Mittelfrühe und späte Sorten.

1249	Bohnen-Erbse, neu, sehr reichtragend, Schoten gross, dichtgefüllt, Samenkörner einer Bohne ähnlich; zum Einmachen sehr zu empfehlen . . .	1,00 1 20
------	---	-----------

Kneifel-, Pahl- oder Ausläufer-Erbsen:

No.		Höhe kg m M.Pf.
1250	Braunschweiger grünbleibende Folger-, sehr ertragreich . . .	0,80 — 60
1251	Capuziner, graue, volltragende, vorzüglich . . .	0,60 1 —
1252	» » » . . .	1,20 1 —
1253	Erfurter mittelfrühe gelbe Folger-, extra 100 kg 36 — . . .	0,90 — 60
1254	» späte grüne Folger-, extra 100 kg 36 — . . .	0,90 — 60
1255	Kaper-, niedrige grünbleibende, gut zum Einmachen . . .	0,75 — 60
1256	Moerheim's Duplex, siehe Neuheiten . . .	1,50 — —
1257	Purpurviolett-schotige, sehr ertragreich . . .	0,90 1 50
1258	Schnabel- oder Säbel-, grossschotig, vorzüglich . . .	1,00 — 60
1259	» oder Säbel-, grünbleibende, sehr grossschotig . . .	1,20 — 80
1260	» » » Riesen-, mit 12—15 cm langen Schoten . . .	1,20 — 80

Mark-Erbsen.

1261	Elephanten-, sehr grossschotig und reichtragend . . .	0,90 1 —
1262	Harrison's Glory, früh, sehr gut . . .	0,75 — 80
1263	Peabody, späte Zwergsorte, sehr ertragreich, fein . . .	0,30 — 80
1264	Pride of the Market, grüne langschotige, vorzüglich . . .	0,60 — 80
1265	Sunrise (Sonnenaufgang), sehr frühe, weisse . . .	0,45 — 80
1266	Superlative, Laxton's, grösstschotige Sorte, sehr reichtragend, von ausgezeichnetem Geschmack . . .	1,80 — 80
1267	Supplanter, grossschotig, sehr ertragreich und von feinem Geschmack . . .	0,90 1 10
1268	Telegraph, Cuilverwell's, sehr gut, grossschotig, reichtragend . . .	1,00 — 80
1269	Victoria (Waterloo), grosse engl. Sorte, für Garten und Feld gleich empfehlenswerth . 100 kg 36 — . . .	1,20 — 60
1270	Wilhelm I., früh, mit langen, vollen, dunkelgrünen Schoten . . .	1,00 — 70
1271	Young's Nonsuch, sehr volltragend, spät . . .	1,20 1 —

Runzlige Mark-Erbsen.

1272	Abundance, halbhoch, sehr reichtragende Sorte mit langen vollen Schoten . . .	0,50 1 10
1273	Admiral Greigh, sehr reichtragende, mittelfrühe Sorte mit 7—8 cm langen Schoten, dicht gefüllt mit grossen, sehr süssen Erbsen . . .	0,50 — 80
1274	Alliance (Eugenie), weisse Zwerg- . . .	0,75 — 80
1275	Champion of England, hohe grünweisse, äusserst volltragende . . .	1,20 — 70
1276	Climax (Napoleon), grüne . . .	0,75 — 90
1277	Daisy, neu, niedrig, grossschotig, sehr früh und reichtragend . . .	50 g — 30 0,40 5 —
1278	Duke of Albany, sehr grosse, dunkelgrüne Schoten . . .	1,40 1 10
1279	Duke of York, neu, niedrig, sehr früh, Schoten so gross, als die der Telephon-Erbse, extra . . .	0,50 2 —
1280	Knight's niedrige weisse . . .	0,75 1 —
1281	» » grüne . . .	0,75 1 —
1282	» hohe weisse . . .	1,50 1 —
1283	» » grüne . . .	1,50 — 80
1284	Laxton's Alpha, früh, grün, langschotig . . .	0,75 — 80
1285	» Omega, frühe niedrige, sehr ergiebig, dunkelgrün, extra . . .	0,75 1 20
1286	Laxton's Popular, grossschotige grüne frühe, extra . . .	1,20 1 20



1298.	Runzl. Mark-Erbse, Wunder von Amerika.		
Runzlige Mark-Erbsen:			
No.		Höhe kg	m M.Pf.
1287	Mac Lean's Little Gem, grüne niedrige, sehr ertragreiche und süsse, extra	0,30	1 10
1288	» » Advancer, grüne mittelhoch sehr volltragende	0,75	1 10
1289	Nec plus ultra, hohe grünlichweisse	1,20	1 10
1290	Prince of Wales	1,20	1 —
1291	Queen, neu, sehr grosschotig	0,80	1 30
1292	Stratagem, mittelfrüh, sehr grosschotig	0,60	1 30
1293	Telephon, grosschotig, sehr reichtragend und von feinsten Qualität	1,00	1 —

Runzlige Mark-Erbsen:		Höhe kg	m M.Pf.
No.			
1294	Triumph, mit sehr langen und vollen Schoten, extra	0,60	1 —
1295	Turner's Dr. Mac Lean, feine, ertragreiche, grüne Sorte	0,90	— 80
1296	William Hurst, sehr früh und ausserordentlich reichtragend	0,35	1 —
1297	William's Emperor of the Marrows	1,20	1 —
1298	Wunder von Amerika, ganz niedrige und sehr frühe Sorte, sehr reichtragend	0,20	— 80
1299	grüne Imperial	0,90	— 80
1300	späte Gold- oder Wachs-, sehr ertragreich, trägt bei später Aussaat bis spät im October junge Schoten, eine der besten zum Trockenkochen	100 kg 54 —	1,20 — 80
1301	kleine grüne späte volltragende, sehr gut zum Trockenkochen	100 kg 32 —	1,00 — 60 1,20 — 80
1302	Kron- oder Büschel-		
1303	Spanische Kicher- oder Malaga- (Cicer arietinum)	0,30	1 10
1304	» » oder Malaga-, rothe	0,30	1 40
1305	» » » schwarze Malabar	0,20	1 20
1306	Spargel-Erbsen, rothblühende (Lotus tetragonolobus)	0,40	1 50
1307	» » gelbblühende	0,40	2 —

10. Bohnen-Sorten. Haricots.

Stangenbohnen.

Phaseolus vulgaris. — Runner Kidney Beans. —
Haricots à rames. — Fagiolo rampiante.

No.		kg	M.Pf.
1308	Arabische rothblühende oder Fener- 100 kg 62 —	1 —	
1309	» weisse 100 » 70 —	1 10	
1310	» zweifarbige oder buntblühende	1 10	
1311	» Czar, sehr gross- und dickschotig	1 80	
1312	Blasen-Zucker-Brech-, sehr fleischig, lang und breitschotig, neu 100 g — 60	5 —	
1313	breitschotige, glatte grünlichweisse, von Lima (Phaseolus lunatus)	2 60	
1314	Coco bicolore, grünschotig, sehr reichtragend	1 80	
1315	Dreer's verbesserte	3 40	
1316	» gelblichweisse von Sieva	3 —	
1317	» marbrirte v. Cap (Phaseolus inamoenus)	5 20	
1318	Don Carlos, mittelfrüh, äusserst ergiebig	2 —	
1319	d'Englefontaine, sehr früh und reichtragend	2 40	
1320	Erfurter Rubin, sehr früh, mit rubinrothen Schoten, zart	2 20	
1321	Flageolet-Wachs-, sehr feine Sorte, ebenso ertragreich als die Bohnen gleichen Namens	1 60	
1322	Flageolet-Wachs- mit weissen Bohnen	1 80	
1323	Forellen-Wachs-, sehr früh, Schoten goldgelb, carmin gestreift und gestrichelt, fein	1 60	
1324	Fürst Bismarck, neu, langschotige Zucker-Brech-, ohne Fäden, früh, sehr dickfleischig	3 —	
1325	gelbgestreifte französische (jaune d'or à rames), langschotig, volltragend, ohne Fäden	2 40	
1326	Göttinger verbesserte, weisschalig, sehr dickfleischig	1 80	
1327	Haage's Zucker-Schwert-, neu, Schoten sehr lang und breit, fast ohne Fäden, früh, sehr reichtragend 50 g — 50	8 —	

Stangenbohnen:

No.		kg	M.Pf.
1328	Juli-, neu, sehr früh und ungemein reichtragend	100 g — 60	5 50
1329	Kaiser Friedrich, sehr dickfleischig und zart, volltragend		2 30 2 20
1330	Kirsch-, rothe runde, früh		
1331	Königin-Wachs-, gelbschotig mit schwarzen Bohnen, sehr früh und ausserordentlich reichtragend		1 80
1332	Korbfüller, allerlängste früheste volltragende, extra		2 20
1333	Mont d'or, goldgelbe Wachs-, sehr fein		1 60
1334	Reine de France, mittelfrühe Sorte mit 25 cm langen und 2 cm breiten, weissen Schoten		2 60 2 60
1335	Reis-Perl-, kleinste weisse		
1336	Riesen-Butter-, leberfarbige von Japan, sehr ertragreich, delicat		2 —
1337	Riesen-Spargel-, südamerikanische, Dolichos ensiformis gigas (Hort.), Schoten 60—75 cm lang		3 80
1338	Riesen-Spargel-, cubanische, Dolichos cubensis, sehr üppig rankend, Schoten 60—70 cm lang		4 — 2 60
1339	» ostindische, Dol. unguiculatus		
Alle diese Riesen-Spargel-Bohnen sind sehr fein, gedeihen aber nur in ganz warmen Lagen.			
1340	Riesen-Wachs-Schwert- von Algier, mit schwarzen Bohnen, sehr grossen gelben Schalen, sehr ertragreich		1 60
1341	Riesen-Wachsschwert- von Algier, mit weissen Bohnen		2 20
1342	Riesen-, weisse, weisschalige, sehr früh und reichtragend, extra		2 20
1343	Riesen-Zucker-Brech-, mit extra langen Schoten		2 20
1344	Riesen-Zucker-Brech-, mit wachsgelben Schoten und weissen Bohnen, extra		2 30
1345	Riesen-Zucker-Butter-, Grand Vainqueur, extra		1 80

Stangenbohnen:			Buschbohnen:		
No.		kg M. Pf.	No.		100 kg kg M. M. Pf.
1346	Roncera, grüne, sehr reichtragend . . .	2 60	1378	Caluire, graue, sehr früh, lang und dünnshotig, reichtragend . . .	— 1 —
1347	Rubm von Thüringen, mittelfrüh, sehr reichtragend . . .	2 40	1379	Canadian Wonder, extra . . .	68 1 10
1348	Russische weisse Riesen-, mit sehr grossen weissen nierenförmigen Bohnen, sehr langen Schoten, wohl verwandt mit den arabischen Feuerbohnen, aber noch härter. Für rauhe Gegenden unschätzbar und umso mehr zu allgemeinsten Verbreitung zu empfehlen, als sie ausserordentlich ertragreich ist und droh Zartheit, sowie Feinheit des Geschmacks die Feuerbohnen übertrifft . . .	1 50	1380	Chinesische, hellgelbe . . .	58 — 90
1349	Schlachtschwert-, sehr lange breite weisse Riesen- . . .	2 20	1381	Chocolade, violettbraune nierenförmige, sehr gut . . .	58 — 90
1350	Schwert-, weisse . . .	1 70	1382	Dattel- oder Nieren-, gelbe sehr frühe . . .	58 — 90
1351	Siebenbürgener Speck-, sehr breite, fleischige Schoten . . .	1 80	1383	» » weisse . . .	62 1 —
1352	Spargel- oder Zucker-, kl. feine weisse . . .	1 70	1384	du bon jardinier, sehr empfohlene französische Sorte . . .	— 1 40
1353	» » kleine feine graue . . .	1 80	1385	Dun, early dark, mit leberfarbigen Bohnen, früh, langshotig . . .	— 1 10
1354	Speck-, weisse allerfrüheste dickfleischige, sehr frühreifend, von ungewöhnlicher Ertragsfähigkeit, Schoten grün, sehr dickfleischig . . .	2 —	1386	Emil, niedrige, violett-grauhunte ohne Fäden . . .	— 1 20
1355	Speck-, violettshotige, mit gelblichen Bohnen, sehr zart . . .	1 60	1387	Empereur de Russie (Kaiser von Russland), reichtragend . . .	— 1 20
1356	» buntkörnige . . .	1 —	1388	Fejee, early, violettgrauhunte . . .	— 1 40
1357	Triumph-Zucker-Wachs-, gelbshotige, mittelfrüh, Schoten gelb, lang, zart, sehr reichtragend . . .	2 60	1389	Flageolet-, blaue, langshotig, ergiebig, extra . . .	— 1 30
1358	Victoria-Wachs-, neu, Schoten 25—30 cm lang, wachsgelb, später in Rosa übergehend . . .	4 —	1390	» blutrothe, extra . . .	68 1 10
1359	Wachs-, goldgelbe, früh, reichtragend, langshotig . . .	2 40	1391	» Chevrier grüne, Bohnen auch gekocht grünleibend . . .	90 1 30
1360	» amerikanische, sehr langshotig und zart . . .	2 40	1392	» Etampes, extra frühe weisse Treib-, sehr ergiebig . . .	80 1 20
1361	» schwarze, mit gelben Schoten . . .	2 30	1393	» Victoria, mit 20 cm langen, dickfleischigen Schoten, sehr reichtragend, Saatbohne, aussergewöhnlich gross, weisse mit rothen Streifen . . .	— 2 60
1362	» weisse, mit gelben Schoten, echt . . .	2 40	1394	» weisse, sehr zart . . .	62 1 —
1363	Wachsbwert-, weisse gelbshotige, sehr tragbar und schön . . .	2 —	1395	» Wachs-, gelbshotige früh reichtragende . . .	108 1 50
1364	Zucker-Brech-, rheinische dicke oder Speck-, vorzüglich, frühreifend und zart, extra . . .	2 20	1396	» Wachs-, verbesserte, mit bunten Bohnen, sehr fein . . .	116 1 60
1365	Zucker-Brech-, früheste, die früheste aller Stangenbohnen, bereits im August reifend . . .	1 80	1397	» Wachs-, mit weissen Bohnen, s. Neuh., Pt. — 50 . . .	— — —
1366	Zucker-Brech- von Bulgarien, Schoten grün, schwarzbraun getigert, sehr fleischig . . .	2 40	1398	fleischfarbige (rosa) niedrige, ohne Fäden, ertragreiche . . .	62 1 —
1367	Zucker- oder Butter-, grosse feine weisse . . .	1 60	1399	Fürstin Bismarck, reichtragende gelbe Wachs- . . .	— 1 80
1368	» von Java, leberfarbige, mit dicken runden langen Schoten, reichtragend . . .	2 40	1400	holländische, frühe gelbe lange Treib- . . .	58 — 90
1369	Zucker-Perl-, feine weisse, ohne Fäden (Princess-) . . .	2 30	1401	» früheste weisse Schwert-Treib- . . .	— 1 50
1370	» » Wachs-, weisse mit wachsgelben Schalen und weissen Bohnen . . .	2 40	1402	» kaffeebraune, volltragend . . .	58 — 90
Buschbohnen.			1403	Hundert für eine, frühe gelbe, extra zum Treihen . . .	68 1 10
Phaseolus erectus. — Dwarf Kidney Beans. —			1404	Isenburger früheste hunte lange . . .	62 1 —
Haricots nains. — Fagiolo nano.			1405	» weisse . . .	82 1 20
No.		100 kg kg M. M. Pf.	1406	Kaiser Wilhelm, allerfrüheste weisse . . .	116 1 60
1371	Adler-, allerfrüh. lange schwarz-rothbunte . . .	62 1 —	1407	Kaiserin Augusta, gelbschotige, frühe . . .	— 1 80
1372	» Nieren- (Berliner hunte), rothbunte . . .	68 1 10	1408	Kirsch-, rothe . . .	— 1 40
1373	allerfrüheste weisse langshotige Treib-, sehr feine und ergiebige Treibsorte . . .	96 1 30	1409	Krummschnabel, dickfleischige Brech- . . .	85 1 20
1374	Bagnolet vert, langshotig, ertragreich . . .	— 1 40	1410	Lima, niedrige, von welchen nur die jungen Bohnen, aber nicht die Schoten gegessen werden; sehr beliebt in Nordamerika . . .	— 1 40
1375	Barbès nain amélioré, französische, langshotige Sorte . . .	— 1 —	1411	Mexikanische, lachsrothe, sehr früh . . .	— 1 20
1376	blauschotige Butter-, frühe, sehr reichtragende Sorte mit blauen Schoten . . .	68 1 10	1412	Mont d'or, sehr frühe und reichtragende Sorte . . .	116 1 60
1377	Brech-, allerfrüheste zarte braune, neu . . .	72 1 10	1413	Neger-, frühestes schwarze, z. Treihen . . .	50 — 80
			1414	» » langshotige . . .	54 — 80
			1415	Neger-Wachs-, früheste mit wachsgelben Schoten . . .	82 1 20
			1416	Nieren-, weisse nesselblättrige . . .	68 1 —
			1417	Nonpareil, gelbschotige . . .	— 2 30
			1418	Non plus ultra, sehr früh, hellgrüne zarte Schoten . . .	72 1 10
			1419	Osborn's Treib-, sehr früh, extra . . .	68 1 10
			1420	Pariser, gelbe runde, extra . . .	62 1 —
			1421	Prinzess, gelbe runde . . .	56 — 90
			1422	Rachel, mittelgrosse lange chocoladenbraune, früh . . .	— 20
			1423	Reis-Perl-, ganz kleine weisse, kleiner als Zucker-Perl- . . .	116 1 60
			1424	Rillieux, langshotige, sehr zart und dickfleischig . . .	86 1 20
			1425	Roh Roy, gelb, länglicheval . . .	— 1 20
			1426	Roi des verts, sehr zart und ausserordentlich volltragend . . .	— 2 40

Buschbohnen:		100 kg	kg
No.		M.	M.Pf.
1427	Santa Catarina, Schoten violett gesprenkelt	—	2 —
1428	Schlachtschwert-, allergrösste weisse	124	1 70
1429	Schwert-, sehr grosse weisse, hochstaudig	116	1 60
1430	» weisse, extra	74	1 10
1431	» mittelbreite bunte	—	1 20
1432	» buntkörnige	—	1 —
1433	Schwanecke's dickfleischige Zucker-Brech-, sehr zart, früh, reichtragend	136	1 80
1434	Sion House, lange frühe	—	1 40
1435	Sir Joseph Paxton, eine der frühesten und besten, sehr reichtragend	62	1 —
1436	Speck-, verbesserte weisse dickfleischige, neu	90	1 20
1437	Speck-, weisse, dickfleischig, zart, ertragreich	76	1 10
1438	Tausend für eine, weiss	93	1 30
1439	Unerschöpfliche, neu, früh, trägt ununterbrochen bis zum Herbst	—	— 50
1440	Valentine, rothscheckige, mittelfrühe dickfleischige, sehr reichtragend	68	1 10
1441	Vierzigtägige kleine bunte, sehr ertragreich	68	1 10
1442	Wachs-Dattel-, sehr langschotig und früher, als die Flageolet Wachs-, ausserordentlich reichtragend	82	1 20
1443	Wachs-, Korbfüller, neu, früh und reichtragend, Schoten lang, dickfleischig, wachsgelb	—	6 —
1444	» weisse gelbschotige, echt, ohne Ranken	—	2 40
1445	» schwarze gelbschotige, echt, ohne Ranken	80	1 20
1446	» rostfreie verbesserte, sehr widerstandsfähig gegen nasskalte Witterung, empfehlenswerth	80	1 20
1447	» rothbunte gelbschotige, extra	85	1 20
1448	Schirmer's Casseler Wachs-, mit violetten Bohnen, fein, dickfleischig, früh, reichtragend	68	1 10
1449	Wachsschwert-, gelbschotige, mit weissen Bohnen	90	1 30
1450	weichselfarbige, reichtragend, früh	—	1 20
1451	Williams' early prolifc, sehr früh und reichtragend	—	1 30
1452	Willmot's Zwerg-, vorzügliche Treib-	90	1 30
1453	Zucker-Brech-, Hinrich's Riesen-, ausserordentlich ergiebig, sehr langschotig	56	— 80
1454	» Hinrich's Riesen-, verbesserte, mit weissgrundigen Bohnen, beste Sorte zum Einmachen	72	1 20
1455	Zucker- oder Butter-, grosse weisse	85	1 20
1456	» oder Speck- (Krebs-, Mailänder auch Adler-), runde, weisse, rothgefleckte, früh	62	1 —
1457	» von Bagnolet, bunte	—	1 20
1458	Zucker-Perl-, feine weisse	96	1 30
1459	» » feine ganz kleine weisse	—	2 40
1460	» » Wachs-, gelbschotig, sehr zart	—	3 —
1461	Zucker-Spargel-, frühe graue weisschalige, ohne Fäden, extra, beste zum Treiben	72	1 10



1445. Buschbohne, schwarze Wachs-

Sojabohnen.

Dolichos Soja, L. — Soja hispida, Münch. — Soja Beans. — Soja hispide. — Fagiolo del Giappone.

No.	100 kg	kg
	M.	M.Pf.
1462 Gelbe	64	1 —
1463 Braune	—	1 60
1464 Grüne von Samarow 100 g — 20	—	1 80
1465 Schwarze	—	2 20
1466 von Etampes	—	1 80

Puffbohnen

(dicke oder Gartenbohnen).

Vicia Faba. — Garden Beans. — Fève de marais. — Fava.

No.	100 kg	kg
	M.	M.Pf.
1467 Agua dulce, Riesen-, allergrösste und breitschotige, Schoten bis 32 cm lang	75	1 10
1468 Amerikanische rothblühende	48	— 70
1469 Englische lange hängschotige	48	— 70
1470 » Monarchen-, lange	48	— 70
1471 » Beck's Gem, volltragende grüne niedrige	62	— 90
1472 » Carter's Mammoth, langschotige	60	— 80
1473 » Hardy's Pedigree Windsor-, extra	58	— 80
1474 » Johnson's Wonderful	48	— 70
1475 » purpurrothe	62	— 90
1476 » Windsor-, grösste weisse breite, extra	52	— 80
1477 » Windsor-, grosse grüne	58	— 80
1478 » » rothe	58	— 80
1479 Erfurter, grosse weisse	34	— 50
1480 Fächer- oder Büschel-, niedrige	68	1 10
1481 frühe extra grosse breite weisskeimige	68	1 10
1482 Haarlemer, sehr breite, ganz extra	58	— 80
1483 Julienne, weisse	68	1 10
1484 Mazagan, niedrige	44	— 70
1485 Mailänder, grüne	46	— 70
1486 Neger-, grosse schwarze	90	1 30
1487 Schwert-, langschotige	50	— 80
1488 » » grüne	56	— 80
1489 Sevilla, sehr langschotige	72	1 10
1490 Violette siciliane	72	1 10
1491 » grosse	—	1 30

II. Landwirthschaftliche Samen.

Graines de Plantes économiques.

I. Futter-Gräser. Graminées fourragères.

Man säet per Heotar					Man säet per Hectar				
No.	kg		100 kg	kg	No.	kg		100 kg	kg
			M.	M.Pf.				M.	M.Pf.
1492	10	Agrostis alba, weisses Strauss-			1524	40	Festuca heterophylla, Wald-	115	1 60
1493	10	» oapillaris, Haar- oder		1 80	1525	40	» ovina, Schafschwingel,	102	1 50
1494	12	Rasenstraussgras	140	1 80	1526	40	» ovina angustifolia, feib-	142	2 —
1495	10	» stolonifera, Fioringras,	150	2 —	1527	50	» pratensis, Wiesen-	68	1 —
1496	40	» vulgaris, gemeines Strauss-	154	2 —	1528	40	» rubra, rother Schwingel	96	1 30
1497	40	Aira oespitosa, Rasen-	68	1 —	1529	40	» sylvatica, Waldschwingel	—	5 50
1498	40	» flexuosa, gebogene, ge-	50	— 80	1530	40	» tenuifolia, feinblättriger	—	2 60
1499	40	wöhnlich Goldhafer ge-	236	3 —	1531	50	Schwingel	—	2 60
1500	40	nannt	—	3 40	1532	20	Glyceria fluitans (Festua),	136	1 80
1501	50	Alopecurus pratensis, Wie-	46	— 80	1533	20	Manna-Gras	186	2 40
1502	110	sen-Fuchsschwanz	—	3 80	1534	20	» spectabilis (Poa aqua-	54	— 80
1503	40	Anthoxanthum odoratum, Ge-	—	—	1535	60	tica), grosses Süßgras	105	1 50
1504	—	ruohgras	—	3 80	1536	60	» mollis, weiches	—	—
1505	60	» odor. Puelli	—	4 —	1537	100	Lolium italicum, italienisches	36	— 60
1506	60	Arundo arenaria (Ammophila	—	—	1538	100	Raigras, eobt, ganz	38	— 60
1507	—	arundinacea), Sandrohr, be-	—	—	1539	50	vorzügliches Futter-	—	—
1508	60	sonders zum Befestigen der	—	—	1540	30	gras, vom Vieh dem	—	—
1509	50	Seedünen	—	3 80	1541	—	engl. Raigras vorge-	—	—
1510	60	Avena elatior, französ. Rai-	136	1 80	1542	10	zogen	46	— 70
1511	60	gras	50	— 80	1543	40	» italicum, allerfeinste	85	1 20
1512	60	» flavescens, fälschlich als	58	— 90	1544	30	Qualität	126	1 70
1513	50	Goldhafer im Handel,	60	— 90	1545	10	» perenne, engl. Raigras,	58	— 90
1514	25	ist Aira flexuosa	—	4 —	1546	20	erste Qualität, ganz	170	2 30
1515	40	» pubescens, weichhaari-	—	—	1547	20	rein, sehr schwere	148	2 —
1516	10	ges Hafergras	136	1 80	1548	20	Saat	180	2 40
1517	50	Brachypodium sylvaticum,	284	3 60	1549	—	» tenue, engl. schweres	—	—
1518	—	schlanke Wald-Trespe, für	136	1 80	1550	60	ausdauerndes Pa-	—	—
1519	—	feuchten Boden	—	—	1551	50	coey's Raigras	—	—
1520	—	Briza media, Zittergras.	60	— 90	1552	50	» Luzula albida, Aftersimse,	68	1 —
1521	40	20 g — 40, ...	—	13 50			gutes Futtergras	—	—
1522	30	Bromus giganteus, Futtertrespe	180	2 20			Milium effusum, Waldhirs-	—	—
1523	50	» inermis, gemein. Trespen-	90	1 30			gras	—	—
		schwingel für trockene	160	2 20			» Molinia coerulea, blaue	—	—
		und sandige Lagen	—	—			Schmiele	—	—
		» mollis, weiche Trespe	—	—			» Paspalum stoloniferum, spross.	—	—
		» pratensis	—	—			Pfannengras, sehr ergiebig.	—	—
		» secalinus, Roggontrespe	—	—			20 g — 40, ...	—	—
		Ceratochloa australis, ein-	—	—			» Penicillaria spicata, Perl-	—	—
		jähriges, sehr ergiebiges	—	—			hirse, ergiebiges Grünfütter	—	—
		Futtergras	—	—			» Phalaris arundinacea, rohr-	—	—
		Cynosurus cristatus, Kamm-	—	—			artiges Glanzgras	—	—
		gras	—	—			» Phleum pratense, Timotheus-	—	—
		Dactylis glomerata, Knau-	—	—			gras, erste Qualität, ganz	—	—
		gras, feinste Qualität	—	—			extra	—	—
		» pratensis	—	—			» Poa nemoralis (angustif.),	—	—
		» secalinus, Roggontrespe	—	—			Hainrispengras	—	—
		Ceratochloa australis, ein-	—	—			» pratensis, Wiesenrispen-	—	—
		jähriges, sehr ergiebiges	—	—			gras, allerfeinste	—	—
		Futtergras	—	—			Qualität	—	—
		Cynosurus cristatus, Kamm-	—	—			» trivialis, gewöhnliches	—	—
		gras	—	—			Rispengras	—	—
		Dactylis glomerata, Knau-	—	—			» Stipa tenacissima, Esparto-	—	—
		gras, feinste Qualität	—	—			Gras . 20 g 3,20, Pt. — 30.	—	—
		» pratensis	—	—			» Triticum repens, Quecke	—	—
		» secalinus, Roggontrespe	—	—			1551 50 Mischung der nützlichsten	—	—
		Ceratochloa australis, ein-	—	—			Futter-Gräser für Hornvieh,	—	—
		jähriges, sehr ergiebiges	—	—			Schafe und Pferde, je nach	—	—
		Futtergras	—	—			Wunsch für trockene oder	—	—
		Cynosurus cristatus, Kamm-	—	—			nasse Wiesen, schweren oder	—	—
		gras	—	—			leichten Boden, extra Wahl	—	—
		Dactylis glomerata, Knau-	—	—			der besten Sorten	—	—
		gras, feinste Qualität	—	—			1552 50 Mischung der nützlichsten	—	—
		» pratensis	—	—			Futtergräser, zweite Quali-	—	—
		» secalinus, Roggontrespe	—	—			tät, gute Mischung	—	—
		Ceratochloa australis, ein-	—	—				60	— 90
		jähriges, sehr ergiebiges	—	—					
		Futtergras	—	—					
		Cynosurus cristatus, Kamm-	—	—					
		gras	—	—					
		Dactylis glomerata, Knau-	—	—					
		gras, feinste Qualität	—	—					
		» pratensis	—	—					
		» secalinus, Roggontrespe	—	—					
		Ceratochloa australis, ein-	—	—					
		jähriges, sehr ergiebiges	—	—					
		Futtergras	—	—					
		Cynosurus cristatus, Kamm-	—	—					
		gras	—	—					
		Dactylis glomerata, Knau-	—	—					
		gras, feinste Qualität	—	—					
		» pratensis	—	—					
		» secalinus, Roggontrespe	—	—					
		Ceratochloa australis, ein-	—	—					
		jähriges, sehr ergiebiges	—	—					
		Futtergras	—	—					
		Cynosurus cristatus, Kamm-	—	—					
		gras	—	—					
		Dactylis glomerata, Knau-	—	—					
		gras, feinste Qualität	—	—					
		» pratensis	—	—					
		» secalinus, Roggontrespe	—	—					
		Ceratochloa australis, ein-	—	—					
		jähriges, sehr ergiebiges	—	—					
		Futtergras	—	—					
		Cynosurus cristatus, Kamm-	—	—					
		gras	—	—					
		Dactylis glomerata, Knau-	—	—					
		gras, feinste Qualität	—	—					
		» pratensis	—	—					
		» secalinus, Roggontrespe	—	—					
		Ceratochloa australis, ein-	—	—					
		jähriges, sehr ergiebiges	—	—					
		Futtergras	—	—					
		Cynosurus cristatus, Kamm-	—	—					
		gras	—	—					
		Dactylis glomerata, Knau-	—	—					
		gras, feinste Qualität	—	—					
		» pratensis	—	—					
		» secalinus, Roggontrespe	—	—					
		Ceratochloa australis, ein-	—	—					
		jähriges, sehr ergiebiges	—	—					
		Futtergras	—	—					
		Cynosurus cristatus, Kamm-	—	—					
		gras	—	—					
		Dactylis glomerata, Knau-	—	—					
		gras, feinste Qualität	—	—					
		» pratensis	—	—					
		» secalinus, Roggontrespe	—	—					
		Ceratochloa australis, ein-	—	—					
		jähriges, sehr ergiebiges	—	—					
		Futtergras	—	—					
		Cynosurus cristatus, Kamm-	—	—					
		gras	—	—					
		Dactylis glomerata, Knau-	—	—					
		gras, feinste Qualität	—	—					
		» pratensis	—	—					
		» secalinus, Roggontrespe	—	—					
		Ceratochloa australis, ein-	—	—					
		jähriges, sehr ergiebiges	—	—					
		Futtergras	—	—					
		Cynosurus cristatus, Kamm-	—	—					
		gras	—	—					
		Dactylis glomerata, Knau-	—	—					
		gras, feinste Qualität	—	—					
		» pratensis	—	—					
		» secalinus, Roggontrespe	—	—					
		Ceratochloa australis, ein-	—	—					
		jähriges, sehr ergiebiges	—	—					
		Futtergras	—	—					
		Cynosurus cristatus, Kamm-	—	—					
		gras	—	—					
		Dactylis glomerata, Knau-	—	—					
		gras, feinste Qualität	—	—					
		» pratensis	—	—					
		» secalinus, Roggontrespe	—	—					
		Ceratochloa australis, ein-	—	—					
		jähriges, sehr ergiebiges	—	—					
		Futtergras	—	—					
		Cynosurus cristatus, Kamm-	—	—					
		gras	—	—					
		Dactylis glomerata, Knau-	—	—					
		gras, feinste Qualität	—	—					
		» pratensis	—	—					
		» secalinus, Roggontrespe	—	—					
		Ceratochloa australis, ein-	—	—					
		jähriges, sehr ergiebiges	—	—					
		Futtergras	—	—					
		Cynosurus cristatus, Kamm-	—	—					
		gras	—	—					
		Dactylis glomerata, Knau-	—	—					
		gras, feinste Qualität	—	—					
		» pratensis	—	—					
		» secalinus, Roggontrespe	—	—					
		Ceratochloa australis, ein-	—	—					
		jähriges, sehr ergiebiges	—	—					
		Futtergras	—	—					
		Cynosurus cristatus, Kamm-	—	—					
		gras	—	—					
		Dactylis glomerata, Knau-	—	—					
		gras, feinste Qualität	—	—					
		» pratensis	—	—					
		» secalinus, Roggontrespe	—	—					
		Ceratochloa australis, ein-	—	—					
		jähriges, sehr ergiebiges	—						

Man sät per Heotar			100 kg kg M. M.Pf.			Man sät per Hectar			100 kg kg M. M.Pf.		
No.	kg					No.	kg				
1553	125	Mischung feiner niedriger Gräser zur Anlegung von Rasenplätzen, feinste Qualität, aus den geeigneten Sorten besonders dazu gemischt, ganz unkraut-reine Saat, von bewährter Güte und Zweckmässigkeit	82	1	10	1555	50	Mischung von starkwurzigen Gräsern zum Festhalten des Bodens an Rändern etc.	72	1	—
1554	125	Zweite Qualität, gute Mischung	62	—	90	1556	50	Gewöhnliche Mischung für Böschungen	56	—	80
						1557	50	Gewöhnliche Mischung für Böschungen mit Klee	68	1	—
						1558	—	Ein Sortiment Futtergräser von 30 Sorten	à 1 Pt. für 2,50,	—	—

2. Klee-Arten. Trèfles, Luzernes etc.

Der Preis von den gewöhnlichen Klee-Sorten ist veränderlich, und stehen specielle Offerten zu Marktpreisen zu Diensten.)

Man sät per Heotar			100 kg kg M. M.Pf.			Man sät per Hectar			100 kg kg M. M.Pf.		
No.	kg					No.	kg				
1559	15	Anthyllus Vulneraria, Tannen-klee	90	—	110	1573	—	Melilotus gracilis, schlanker neapolitanischer	—	5	20
1560	140	Hedysarum Onobrychis, Esparsette	42	—	50	1574	25	» officinalis, echter gelber Steinklee, Riesen-Melilotenklee	—	1	30
1561	140	» Onobrychis biferum, doppelt tragender	50	—	60	1575	—	» parviflora, kleinblumiger	—	1	60
1562	—	Lespedeza striata, japanesischer Klee	20	g	—	1576	—	» segetalis, portugiesischer Anaphe, für warme Länder empfohlen	20	g	—
1563	10	Lotus corniculatus, gehörnter Schotenklee	148	2	—	1577	—	» sulcata, algerischer	20	g	—
1564	10	» nigrescens	20	g	—	1578	20	Trifolium Alexandrinum, für warme Länder empfohlen	20	g	—
1565	10	» villosus, wollig behaarter (Beide vorzügl. zur Mischung unter Futter.)	170	2	30	1579	20	» filiforme, gelber fadenförmiger	20	g	—
1566	20	Medicago lappacea, einjähriger	—	—	—	1580	—	» fragiferum, Erdbeerklee, in Schoten 20 g	—	—	—
1567	20	» lupulina, gelber oder Hopfenklee	62	—	63	1581	10	» hybridum, weisser schwedischer	136	—	150
1568	25	» media, Sand-Luzerne	180	—	200	1582	25	» incarnatum, Inkarnatklee	54	—	80
1569	25	» sativa, blauer ewiger oder Luzerne, deutsche Saat	136	—	150	1583	25	» später rotter	—	1	80
1570	25	» sativa, französische Saat	145	—	170	1584	25	» später weissblühender	—	2	—
1571	20	Melilotus alba altissima, sibirica, weisser Bokbara-od. sibirischer Riesenklee	116	1	60	1585	—	» medium	20	g	—
1572	25	» oerules, blauer Steinklee, auch Balsam-, Honig-, Bienen-, Käseklee	—	2	20	1586	20	» pratense, rother Kopfklee	118	—	136
						1587	12	» repens, weisser niedriger Wiesenklee	140	—	160

3. Verschiedene Futter-Pflanzen. Plantes fourragères diverses.

100 kg kg M. M.Pf.			100 kg kg M. M.Pf.		
No.			No.		
1588	Achillea Millefolium, Schafgarbe, sehr reiner Same . . . 20 g — 30	— 8 —	1601	Myosotis arvensis . . . 20 g — 50,	— 20 —
	Brassica oleracea foliosa: Futter- kohlsorten siehe Seite 4.		1602	Ornithopus sativus, Serradella, früh- zeitiges wickenartiges Futterkraut für sterilen Boden, ergiebig	28—36 — 50
1589	Centaurea jacea, Wiesenflockenblume	— 3 60	1603	Pisum arvense vernalis, graue Früh- jahrs - Futtererbse . . . 34—38	— 60
1590	Ervum Ervilia, Ervenwicke	80 1 20	1604	» bibernicum, grüne Winter- Futtererbse	— — 80
1591	» » abyssinica, abyssinische, 100 g — 80, — —	— —	1605	» » punctatum, Rebhuhn-Fut- tererbse	— — 80
1592	» monanthos, Wicklinse . . . 34—40	— 70	1606	Plantago lanceolata, spitz. Wegerich	54 — 80
1593	» tetraspermum, viersamige 20 g — 30 — —	— —	1607	» Psyllium, Flossame	— 2 60
1594	Galega officinalis, Geissraute, viel- seitig als ergiebiges, gutes Grün- futter empfohlen	136 1 80	1608	Polygonum lapathifolium, einjähriger japanischer Knö- terich, 2 - 3 m hoch werdend und hohe Erträge an Grün- futter liefernd . . . 20 g — 60	— 24 —
1595	Lathyrus Cicera, rothe Platterbse	70 1 10	1609	» sachalinense, Sachalin- Knöterich, wird neuerdings als ertragreichste Futter- pflanze empfohlen 20 g 1 50	— 50 —
1596	» heterophyllus, verschie- denblättrige . . . 20 g 1 20,	— 48 —	1610	Poterium Sanguisorba, Pimpinell 64—72	1 —
1597	» hirsutus, behaarte	— 2 60	1611	Sorghum cernuum, weisse Durra- Hirse oder Kaffir-Korn . . . 80	1 20
1598	» pratensis, Wiesen-, 20 g — 80,	— 32 —			
1599	» sativus, spanische oder weisse Platterbse	54 — 80			
1600	» sylvestris Wagneri, ver- besserte Waldplatterbse, viel- gerühmt und ertragreiche Futterpflanze . . . 20 g — 20,	— 4 60			

No.	100 kg kg M. M. Pf.	No.	100 kg kg M. M. Pf.
1612 <i>Sorghum halepense</i> , ergiebige Grünfütter	115 1 60	1652 <i>Vicia Michauxii</i> , Willd., kauka- sische Futterwicke 20 g — 20	— 4 —
1613 » (<i>Holcus</i>) <i>saccharatum</i> , chines. Zuckerrohr, äusserst zuckerstoffhaltiges, nahrhaf- tes Futter, übertrifft den Mais durch schnelleres Wachsthum. Sehr ergiebig, durchaus empfehlenswerth	72 1 —	1653 » <i>multiflora</i> 20 g — 50	— — —
1614 » <i>saccharatum</i> , Early Amber , sehr gerühmte, äusserst frühe Sorte	85 1 20	1654 » <i>narbonensis</i> , echt, grosse Sommerwicke von Narbonne	82 1 20
1615 » <i>saccharatum</i> , Early Orange , sehr ergiebig u. zuckerreich	85 1 20	1655 » <i>onobrychioides</i> . . . 20 g — 20	— 5 20
1616 » <i>vulgare</i> (<i>Holcus Sorghum</i>), amerikanisches Besenkorn, werthvoller als <i>Sorghum</i> <i>saccharatum</i> als Grünfütter, gleichzeitig sehr ergiebig im Samenertrag, ebenfalls werth- voll zur Fütterung. Die Aehren liefern das Material zu den berühmten ameri- kanischen Besen. Von gröss- ter Wichtigkeit für Land- wirth. Sehr gut in Nord- deutschland gedeihend	38 — 60	1656 » <i>annonica</i> , ungarische Futter- wicke 20 g — 30,	— — —
1617 <i>Spartium scoparium</i> , Besenstrauch	82 1 20	1657 » <i>peregrina</i> , fremde Wicke . .	— 3 —
1618 <i>Spergula arvensis</i> , kleiner Spörgel oder Ackerspörk	38 — 70	1658 » <i>picta</i> , armenische Futterwicke	— 3 —
1619 » <i>maxima</i> , grosser	44 — 70	1659 » <i>polyphylla</i> , vielblättrige 20 g — 20	— 5 —
1620 <i>Symphytum asperum</i> , scharf- borstiger Beinwell 20 g 1,80, Pt. — 20, — — —	— — —	1660 » <i>Pseudo-Cracca</i> , ☉ Büschel- wicke 20 g — 20	— 5 20
1621 » Pflanzen (Setzwurzeln) 1000 St. 25 —, 100 St. 3 —, — — —	— — —	1661 » <i>sativa</i> , gewöhnl. Futterwicke 28 — 34	— 50
1622 <i>Trigonella foenum graecum</i> , griech. Heu oder Siebenzeiten	36—42 — 70	1662 » » <i>dura</i> , Winterwicke	68 1 —
1623 <i>Ulex europaeus</i> , Stechginster . . .	205 2 60	1663 » » <i>Bernayer</i> , Winterwicke	— 1 30
1624 <i>Vicia agrigentina</i> , sicilische Wicke	— 3 —	1664 » » <i>fl. albo</i> , weissbl. Hope- town	72 1 —
1625 » <i>ambigua</i> 20 g — 30,	— 8 —	1665 » <i>segetalis</i> , kleine schwarze Futterwicke	— 4 —
1626 » <i>angustifolia</i> , grausamige Futterwicke 20 g — 40,	— 10 —	1666 » <i>Sepium</i> , Zaun- oder Hecken- wicke . . . 20 g 2 —, Pt. — 20,	— — —
1627 » <i>atropurpurea</i> , purpurrothe 20 g — 20, — 5 20	— 5 20	1667 » <i>silvatica</i> , Waldwicke 20 g — 50,	— 16 —
1628 » <i>bengalensis</i> , L., ostindische Futterwicke 20 g — 30,	— 9 —	1668 » <i>spuria</i> , falsche Wicke	— 3 —
1629 » <i>biennis</i> , bunte sibirische Fut- terwicke 20 g — 40,	— 15 —	1669 » <i>striata</i> , gestreifte . . . 20 g — 30,	— — —
1630 » <i>bithynica</i> 20 — 20,	— 4 —	1670 » <i>tricolor</i> , dreifarbige 20 — 30,	— 8 —
1631 » <i>calcarata</i> , algerische Wicke . .	— 5 20	1671 » <i>villosa</i> , behaarte od. Sand- wicke 38 — 46	— 70
1632 » <i>canadensis</i> , canadische Fut- terwicke 20 g — 20	— 4 —	1672 » 12 andere Sorten jede Pt. — 30,	— — —
1633 » <i>cordata</i> , italienische Futter- wicke 20 g — 20	— 4 —	1673 » Ein Sortiment von 30 Sorten à 1 Pt. 2 —, — — —	— — —
1634 » <i>cornigera</i> , hörnertragende . .	— 3 —	1674 » » » von 12 besten Futtersorten à 1 Pt. — 75,	— — —
1635 » <i>Cracca</i> , echte Vogelwicke, pe- rennierend 20 g 1 —, Pt. — 20,	— 40 —		
1636 » <i>cuspidata</i> , feingespitzte Wicke	— 4 —		
1637 » <i>disperma</i> , zweisamige 20 g — 20,	— 5 —		
1638 » <i>dumetorum</i> , grosse perenni- rende rotbe Waldwicke 20 g — 70	— 27 —		
1639 » <i>Faba arvensis</i> , Puffbohne . . .	34 — 60		
1640 » » <i>equina</i> , kleine Pferdebohne	30 — 50		
1641 » » <i>nigra</i> , schwarze spani- sche Pferdebohne	— 1 20		
1642 » » <i>dura</i> , Winter-	62 1 —		
1643 » » <i>vernalis</i> , Frühjahrs- oder Lothringer	62 1 —		
1644 » <i>ferruginea</i> , rostfarb. 20 g — 20,	— 5 —		
1645 » <i>Gerardi</i> 20 g — 30,	— 8 —		
1646 » <i>globosa</i> , Kugelwicke 20 — 30,	— 5 20		
1647 » <i>grandiflora</i> , grossblüthige Wicke 20 g — 20,	— 6 —		
1648 » <i>hirsuta</i> (<i>Ervum hirsutum</i>), Vogelwicke	38 — 60		
1649 » <i>hybrida</i> , Bastard-Wicke . . .	— 4 —		
1650 » <i>Ludoviciana</i> , Texas 20 g — 20	— 6 —		
1651 » <i>lutea</i> L. var. <i>pallidiflora</i> , gelbe behaarte Wicke 20 g — 30,	— 7 50		

Zea Mays.

1675 Mais, Ambra, sehr früh	— 1 —
1676 » Cuzko, weisser, sehr gross, nur für warme Länder	— 3 50
1677 » gelber kleiner 40tägiger . . .	68 1 —
1678 » » » tyroler Cinquan- tino	42 — 60
1679 » » runder	36 — 60
1680 » Harlekin, buntkörnig	— 1 20
1681 » Hülsen-, rother, sehr inter- essant	— 2 50
1682 » » weisser, sehr interessant . .	— 1 80
1683 » König Philipp's brauner ver- besselter	68 1 —
1684 » » » weisser früher	68 1 —
1685 » Las Palmas, dunkelrother 20 g — 20	— 4 —
1686 » Miniatur-Zea <i>gracillima</i> . . .	— 1 60
1687 » <i>Motteaux</i> , frühester gelber . .	68 1 —
1688 » <i>Nanerottolo</i> , niedrigster, frühester goldgelber, nur 60—80 cm hoch. Die kleinen Kolben sitzen büschelartig um den Stengel herum und sind im August reif	85 1 20
1689 » Papageien-, später, hochwach- send, Samen bunt	— 1 20
1690 » Perl-	96 1 20
1691 » <i>Pferdezahn</i> , grösster weisser, amerikanische Saat	30—36 — 50
1692 » Reis-, liefert, wenn geröstet, das Popcorn der Amerikaner	— 1 80
1693 » Riesen-, Zea <i>Caragua</i>	68 1 10
1694 » röhlicher runder	56 — 80
1695 » September-, sehr frühreifend	62 — 90
1696 » Székler, allerfrühester	50 — 70
1697 » virginischer Riesen-	70 1 10
1698 » weisser runder früher	64 — 90
1699 » Zucker-, runziger weisser	85 1 10
1700 » 12 amerikanische Sorten von jeder 1 Kolben für 6 —	— — —
1701 » 24 amerikanische Sorten von jeder 1 Kolben für 15 —	— — —

4. Getreide. Céréales.

Gerste.

Hordeum vulgare. — Barley — Orges.

No.	100 kg kg	M. M.Pf.
1702 Australische weisse, ausgez. Qualität	30	— 50
1703 Besteborn's, sehr ergiebig	—	— 50
1704 Chevalier, sehr ertragreich	30	— 50
1705 Cheyney, sehr ergiebig	—	— 60
1706 Crimée, nackte zweireihige	—	— 60
1707 Diamant-, Besteborn's neueste	32	— 50
1708 Erfurter weisse, sehr ergiebig, feinste Braugerste	30	— 50
1709 Frühlings-, ungleichzeitige, sehr ergiebig	40	— 60
1710 Golden Drop (Goldene Melonen-), feine englische	30	— 50
1711 Griechische sechszeilige, beim Reifen bläulich, ausgezeichnete, sehr ertragreiche Sorte	—	— 70
1712 Gnymalaye- oder nackte Nampoto-	—	— 60
1713 Hallett's pedigree Chevalier-	—	— 60
1714 Holländische, ertragreich	40	— 60
1715 Imperial-, lockere, sehr ertragreiche, feine Malzgerste	35	— 50
1716 Imperial-, verbesserte ungleichzeitige amerikanische	42	— 60
1717 Italienische, mit gedungenen Aehren, langes Stroh liefernd, sehr früh	42	— 60
1718 Juwel-, zweizeilig, die Grannen abwerfend	32	— 50
1719 Kaiser-, Besteborn's verbesserte	42	— 60
1720 Kalina-, sehr schwere hochf. Sorte	36	— 50
1721 Mährische, zweireihige, sehr ergiebig	40	— 60
1722 Mandschurei-, sechszeilige, grosse starkwüchsig ertragreiche (Hordeum mandschuricum) (3)	32	— 50
1723 Nackte grosse zweireihige	50	— 70
1724 » kleine blaue	50	— 70
1725 » dreigabelige von Nepal, sechsreihige (H. aegyptiacum)	—	— 60
1726 » dreigabelige zweireihige	—	— 70
1727 Oderbrucher, kleine	36	— 50
1728 Pfaun-, ähnlich der Reisgerste, aber mit längeren Aehren (5)	36	— 50
1729 Phoenix- von Thielau	36	— 50
1730 Probsteier	32	— 50
1731 Reis- oder Fächer-, breitährig	40	— 60
1732 Schooley's warp grown Chevalier-, sehr lange Aehren, extra	42	— 60
1733 Schottische Annat-, extra	42	— 60
1734 Schwarze, frübeste zweireihige	32	— 50
1735 Victoria, zweizeilige, extra	40	— 60
1736 Weizen- oder Edel-, sechszeilig, sehr ertragreich	—	— 60
1737 Winter-, sechszeilige	40	— 60
1738 » » schwarze	40	— 60
1739 Obige 37 Sorten à 1½ kg für 5 —		
1740 » 37 » à 20 g » 2 —		
1741 Die 12 besten Sorten à 20 g » 75.		

Hafer.

Avena sativa. — Oats. — Avoines.

No.	100 kg kg	M. M.Pf.
1742 Anderbecker, ergiebig	28	— 40
1743 August, früher gelber	34	— 50
1744 Australischer weisser, schwer	28	— 40
1745 » Port Adelaide, extra schön	34	— 50
1746 Barbachlaver	36	— 50
1747 Bayerischer verbesserter Gebirgs-, neu, mittelfrüh, sehr ertragreich	30	— 50
1748 Besteborn's verbesserter	34	— 50
1749 Brie, schwarzer ergiebig	36	— 50
1750 Canadischer, weisser, sehr ertragreich	32	— 50
1751 Clydesdale, sehr früh	32	— 50
1752 Columbus, früher ertragreicher gelber	23	— 40



Getreide.

Hafer:

No.	100 kg kg	M. M.Pf.
1753 Coulommiers, schwarzer	36	— 50
1754 Etampes, schwarzer früher	36	— 50
1755 Flandrischer gelber	36	— 50
1756 Georgien, früher weisser	36	— 50
1757 Golden Giant, neuer amerikanischer	40	— 60
1758 Hallett's Pedigree, weisser canadischer	30	— 50
1759 » » schwarzer tartarischer	36	— 50
1760 Houdan, grauer hoher	40	— 60
1761 Joannette (de Chenailles)	40	— 60
1762 Leutewitzer, ergiebig	28	— 40
1763 Ligow, weisser Riesen-, früh und sehr ergiebig	28	— 40
1764 Longfellow, vorzügliche schottische Sorte	36	— 50
1765 Mesdag, schwarzer holländischer, sehr früh, neu	—	1 20
1766 Milton, ertragreich (2)	28	— 40
1767 Nackter grosser aus China	—	2 40
1768 » kleiner, niedriger Fahren-	—	4 —
1769 Nubischer schwarzer, Fahren-	36	— 50
1770 Oderbrucher	36	— 50
1771 Pewsumer Hammerich, sehr ertragreich und widerstandsfähig	40	— 60
1772 Pfäfelbacher ertragreichster	35	— 50
1773 » gelber, sehr ergiebig	35	— 50
1774 Pied de mouche, courte	40	— 60
1775 Podolischer	40	— 60
1776 Polnischer weisser, ertragreich	36	— 50
1777 Pringle's Progress	40	— 60
1778 Probsteier	36	— 50
1779 Prolifique de Californie, schwarzer Fahren-, sehr ertragreich (4)	36	— 50
1780 Prolifique de Californie, weisser	36	— 50
1781 Providence, schottischer, extra	36	— 50
1782 Riesen-Fahren-, gelber, äusserst ergiebig (10)	30	— 50
1783 Rousse couronnée, sehr ergiebig	40	— 60
1784 Rügenschner, sehr ertragreich	40	— 60
1785 Schottischer Angus, früher	36	— 50
1786 » Berwick, extra	36	— 50
1787 » Dun	36	— 50
1788 » Hopetown, extra	36	— 50
1789 » Potato, extra	40	— 60
1790 » Sherriff's früher	40	— 60
1791 Schwedischer weisser	28	— 40
1792 Sibirischer früher, sehr ergiebig	—	— 50
1793 Tartarischer schwarzer	36	— 50
1794 » weisser	26	— 40
1795 Thüringer grosser gelber, extra	26	— 40

Hafer:			Weizen:		
No.		100 kg kg M. M.Pf.	No.		100 kg kg M. M.Pf.
1796	Triumph-, amerikanischer, sehr starkwüchsig, mit $1\frac{1}{2}$ m hohen Halmen	30 — 50	1853	Chiddam, weisser Herbst-	— 80
1797	Ueberfluss-, sehr ertragreich	28 — 40	1854	* » März-	— 80
1798	Ungarischer schwarzer, sehr ergiebig	36 — 50	1855	Clover's red	— 80
1799	» weisser, langstrohig	36 — 50	1856	Crépi, de	— 80
1800	Victoria	28 — 40	1857	Cujavischer weisser Kolben-, sehr ertragreich	— 80
1801	Waterloo, ganz vorzügliche ertragreiche Sorte	36 — 50	1858	Dattel-	— 1
1802	Welcome, frühe, sehr ertragreiche amerikanische Sorte	26 — 40	1859	Dividenden-, ertragreich	48 — 70
1803	Wide-Awake, neuer amerikanischer	36 — 50	1860	Eley's Riesen-	— 70
1804	Winter-, grauer, sehr schwer	40 — 60	1861	Penton	— 80
1805	Obige 64 Sorten à $\frac{1}{5}$ kg für 7 50.		1862	* Fern- oder April-	48 — 70
1806	» 64 » à 20 g für 3 —.		1863	Flandrischer weisser	— 80
1807	Die 12 besten Sorten à 20 g — 75.		1864	Fraukensteiner	— 80
			1865	* Gallizischer Sommer-	48 — 70
			1866	Galland, dickhädrig	— 1
			1867	Géant du Milanais	— 1
			1868	Goldene Aue-, hochfeine thüringische Sorte	38 — 60
			1869	Golden Cross or Volunteer	— 1 20
			1870	Golden Drop, sehr vorzüglich	— 80
			1871	Graf Waldersdorfscher regenerirter	— 80
			1872	* granniger Sommer-, sehr ertragreich	48 — 70
			1873	* Griechischer Sommer-von Andros	48 — 70
			1874	* » » » » Atalanti	— 80
			1875	* » » » » Misscojen	48 — 70
			1876	* » » » » Paros	— 80
			1877	* » » » » Russia.	— 80
			1878	* » » » » Volo	— 80
			1879	* Grossblättriger vom Cap, ohne Grannen	— 1
			1880	de Haie ou Tnnstall	— 80
			1881	Hallett's genealogischer Nursery	— 80
			1882	» pedigree white Victoria	— 80
			1883	» » rother (I)	— 80
			1884	Hickling, gelbkörniger	— 80
			1885	Hopetown	— 80
			1886	Horsford's Winter-Perl-, sehr hoch	— 1 60
			1887	Hunter's white	— 1
			1888	Japanischer, früher	2 50
			1889	* Japhet, Aehre weiss, Korn roth	— 1
			1890	* Igelweizen (Hérissen barbu)	— 1
			1891	* » ohne Grannen (Hérissen sans barbe)	— 1
			1892	Johnson, amerikanischer	— 1 50
			1893	John's Winter Five, neuer amerik.	— 1 50
			1894	* Italienischer granniger Sommer-, mit schilffartigen Blättern	— 80
			1895	Kaiser-, schwere ertragreiche Sorte	— 80
			1896	* Kolben-, verbesserter Sommer-, eine ausgezeichnete Sorte	— 70
			1897	* Kubanka, russischer	— 80
			1898	Lamas, lange lockere Aehre	— 80
			1899	* Madona, schwarzähdrig	— 80
			1900	Manchester	— 80
			1901	* März-, ohne Bart	— 80
			1902	Marcell, weisser von	— 80
			1903	* Médea, harter	— 80
			1904	Miracle (12)	— 1 60
			1905	* Neapel	— 80
			1906	Noe, früher gelber sehr ergiebiger	32 — 50
			1907	Nonette de Lausanne	— 80
			1908	North Allerton	32 — 50
			1909	Paine's Defiance	36 — 50
			1910	* Persischer schwarzer	— 80
			1911	Pétanielle noire de Nice	— 80
			1912	* Polnischer (Triticum polonium)	36 — 50
			1913	Peulard blanc lisse ou Taganrog	— 80
			1914	Preis von Oxford	— 80
			1915	* Pringle's Champlain	— 80
			1916	* » Défiance	— 80
			1917	Red Chaff Dantzick	— 80
			1918	Richelle blanche de Naples	— 1
			1919	Rivett's Grannen-	— 1
			1920	Roberts	2 50
			1921	Roggen-	— 1
			1922	Romanella	— 80
			1923	Ronge de St. Laud	— 1 20
			1924	» inversable	— 80
			1925	Rousselin, weisser rothähdrig	— 80
			1926	Russischer	— 1
			1927	Sandomir, gelblicher, schwere Sorte	— 80
			1928	* Saumur de Mars, rothlicher Sommer-	— 80

Roggen.

Secale cereale. — Rye. — Seigles.

No.		100 kg kg M. M.Pf.
1808	Alpen- oder Montagner, sehr ergiebig	40 — 60
1809	Banater	40 — 60
1810	Brie	36 — 50
1811	Champagner Stauden-, sehr ergiebig	32 — 50
1812	Corren's Stauden-	32 — 50
1813	Hessischer Garde du corps, extra	28 — 40
1814	Johannistags vielstenglicher, äusserst ertragreich	36 — 50
1815	Märkischer Sommer-	40 — 60
1816	» Stauden-	36 — 50
1817	März-	40 — 60
1818	Montagner regenerirter Riesen-, für rauhe und Gebirgsgegenden, extra	60 — 80
1819	Mumien-, Winter-	40 — 60
1820	Nyland's, finnischer	40 — 60
1821	Probsteier (9)	36 — 50
	Riesen- (Triticum polonium), siehe Weizen, polnischer	
1822	Riesen-Winter-, sehr ertragreich	50 — 70
1823	Riesen-Winter-, langähdrig verbesserter	60 — 80
1824	Römischer grosser	— 70
1825	Rügensch	40 — 60
1826	Russischer grosser	40 — 60
1827	Schlanstedter Riesen-, sehr gut (6)	34 — 50
1828	Schwedischer Sand-, sehr ertragr.	40 — 60
1829	Sommer-, gewöhnlicher	46 — 60
1830	Spanischer doppeltragender Winter-	38 — 50
1831	Seeländer grosser, feine Qualität	40 — 60
1832	Ungarischer Frühjahrs-	40 — 60
1833	Wasa, schwedischer	40 — 60
1834	Obige 26 Sorten à $\frac{1}{5}$ kg 4 —.	
1835	» 26 » à 20 g 1 50.	
1836	Die 12 besten Sorten à 20 g — 75.	

Weizen.

Triticum sativum. — Wheat. — Froments.

Die mit * bezeichneten werden im Frühjahr gesät, alle übrigen im Herbst.

No.		100 kg kg M. M.Pf.
1837	Aegyptischer, granniger	— 80
1838	Aleph	— 1 20
1839	* Algier, Sommer, Grannen-	— 1
1840	* Banater Frühjahrs-	— 70
1841	* Bart-, März	— 80
1842	* » dünnähdrig	— 1 20
1843	* » grosskörniger	— 80
1844	* » weisser Sommer-	— 80
1845	* » rother	— 80
1846	* » Trimenia, sicilischer	— 80
1847	Bastard	— 80
1848	Beal, amerikanischer	— 1 20
1849	Blanc à duvet velouté	— 80
1850	Buca nera, langgrannig, sehr hoch	— 1 20
1851	* Californischer März-	— 1 20
1852	* Carman No. 1, amerikanischer neuer	— 1 60

Weizen:		100 kg	kg
No.		M.	M. Pf.
1929	Schilf, weiskörnig, sehr schwer, macht mässige Bodenansprüche	60	1 —
1930	Schottischer blutrother	—	1 20
1931	» Raub-Winter- (8)	—	80
1932*	Sleaford, dickähriger Grannen-	—	80
1933	Seeländer, weisser	—	80
1934	Shiriff's Square head, sehr ertragreich (7)	32	— 50
1935*	Sicilianischer, viereckiger rother	—	80
1936	Smogger, ertragreiche ungar. Sorte	—	80
1937*	Sorentino	—	80
1938	Spalding, prolific	—	80
1939*	Spelz. En grain double	—	80
1940*	» Amidonnier, weisser	—	1 20
1941	» » schwarzer	—	1 50
1942	» blauer Winter-Kolben-	—	1 —
1943*	» dichter röthlicher	—	1 20
1944*	» schwarzer Bart-	—	80
1945*	» kleiner oder Einkorn-	—	80
1946*	» März-	—	70
1947	» rother (Tyroler Dinkel)	—	80
1948*	» Sommer-Emmer	—	80
1949*	» » Kolben	—	80
1950*	» weisser »	—	80
1951*	» Triticum Spelta aestivum, glatt	—	70
1952*	» » amyleum, langgrannig	—	70
1953*	» » » dasyanthum, langgrannig	—	80
Drei schöne sehr auffällige Sorten.			
1954	Stewart, neuer amerikanischer	—	1 60

Weizen:		100 kg	kg
No.		M.	M. Pf.
1955	Talavera, extra fein	—	80
1956	» de Bellevue	—	80
1957*	Touzelles, rother Provence	—	80
1958	Trump, amerikanischer	—	1 —
1959*	Ungarischer Gebirgs-	—	70
1960	» rother	—	80
1961*	» weisser	—	70
1962	Urtoba, wachsgelber, sehr genügsame Sorte für rauhes Klima	—	80
1963*	Victoria de Mars, rother langgranniger	—	80
1964	Victoria d'autonne	—	80
1965	Willits, neuer amerikanischer	—	2 —
1966	Obige 129 Sorten von jeder $\frac{1}{5}$ kg zusammen für 20	—	—
1967	» 129 » » 20 g für 9	—	—
1968	1 Sortiment von 25 Sorten à 20 g für 2	—	—
1969	1 » » 12 » » 1	—	—
1970	1 Sortiment Getreide von 100 distincten Sorten, enthaltend Weizen, Roggen, Gerste und Hafer in vollständig ausgebildeten Ähren	—	12 —

Reis.

Oriza sativa. — Rice. — Riz.		kg
No.		M. Pf.
1971	Piemontesischer	2 30
1972	Pugliese	2 60
1973	Novarese	2 60

5. Verschiedene Körner und Feldfrüchte.

Plantes économiques diverses. Oléagineuses.


		100 kg	kg
No.		M.	M. Pf.
1974	Anis, grosser Erfurter, reine Saat, Pimpinella Anisum	116—136	1 80
1975	Bohnen, kleine weisse Feld-	40	60
1976	» grosse »	50	70
1977	Buchweizen, gewöhnlicher, Polygonum Fagopyrum	32	— 50
1978	» Silber-, Polygonum Fagopyrum argenteum	35	— 60
1979	» tatarischer, Polygonum tataricum, Sarrazin de Tatarie	46	— 70
1980	» Roggen-Buchweizen	62	1 —
1981	» japanischer Riesen-, P. Fag. elatum, sehr ertragreich	62	1 —
1982	Canariensamen, Phalaris canariensis, Alpispe	38—42	— 70
1983	Coriander, Coriandrum sativum	54—62	— 80
1984	Fenchel, Foeniculum vulgare	90	1 30
1985	Hauf, gewöhnlicher, Cannabissativa	32—40	— 60
1986	» echter thüringer	42—48	— 60
1987	» piemontesischer Riesen-, Cannabissativa var.	—	1 30
1988	» chinesischer Riesen-, echt, Cannabiss gigantea . 20 g — 20,	—	4 20
1989	» indischer Tekhrouri, in Afrika und Asien cultivirt, dessen Blätter im trockenen Zustande geraucht, und aus dessen Blüthenstengelspitzen das Haschisch bereitet wird . 20 g — 40,	—	—
1990	Hirse, gelbe, Panicum miliaceum Inteum	38	— 60
1991	» Gold- oder Blut-, Panicum miliaceum sanguineum	38—42	— 60
1992	» reinweisse, Panicum miliaceum album	48	— 70
1993	» italienische gelbe Kolben-Hirse, Panicum italicum	54	— 70
1994	» Mohar, Panicum germanicum	42	— 60
1995	» californische Kolben-, Panicum spec., sehr ergiebiges Futter	75	1 10
1996	» gemischt für Vogelfutter	38	— 60

		100 kg	kg
No.		M.	M. Pf.
1997	Kümmel, Carum Carvi, Cumin . 68—80	1 10	
1998	Lallemantia iberica, ölgebende Pflanze . 20 g — 15,	—	3 40
1999	Lein, Linum usitatissimum, Erfurter	33—44	— 60
2000	» Rigaer	—	44 — 70
2001	» weissblühender, L. usit. album, Lin à fleur blanche	82	1 20
2002	» Königs- (lin royal), Linum usitatissimum var.	108	1 60
2003	» gelbbaumiger, Lin. usitatiss. var.	—	3 40
2004	» Winter-	142	2 —
2005	Leindotter, Myagrum sativum, Cameline	36—40	— 70
2006	Linsen, gewöhnliche, Erv. Lens . 36—42	—	70
2007	» grosse Heller-, Ervum Lens maximum	50—56	— 80
2008	» rothe kleine Winter-	—	1 60
2009	» grüne von Puy	—	1 80
2010	Lupine, blaue, Lupin. angustifol.	24—28	— 40
2011	» gelbe » luteus	28—34	— 50
2012	» schwarze » niger	68	1 —
2013	» weisse » albus	45	— 70
2014	» perennirende » perenniss	—	3 20
2015	Madia sativa, Oelmad	—	1 60
2016	Malve, schwarze, Althaea rosea v. nigra	205	2 60
2017	Mohn, weissblühender mit hochblauem Samen und geschlossenen Köpfen, Papaver somniferum oleiferum fl. albo	58—64	— 90
2018	» rothblühender mit weissem Samen und geschlossenen Köpfen, Papaver somnif. flore rubro	98—115	1 40
2019	» grauer	—	1 50
2020	» grauer m. geschlossenen Köpfen 20 g — 15,	—	2 60
2021	» weisssamiger Riesen-, mit offenen Köpfen, Papaver somniferum giganteum	—	2 60

No.		100 kg	kg
		M.	M. Pf.
2023	Mohn, weisser Opium-, Papaver somniferum opififerum . . .	—	2 —
2023	Oelrettig, Raphanus oleiferus . .	68	— 90
2024	Perlhirse oder Steinhirse, Lithospermum officinale	—	4 —
2025	Raps, Winter-, Brassica Napus oleifera, navette d'hiver . 42—46	—	70
2026	» Sommer- (Awehl), Brassica Napus oleifera annua	90	1 20
2027	» Schirm-, Brassica Napus oleifera var.	—	1 60
2028	» weissblühend, Brassica Napus oleifera fl. albo	—	1 60
2029	» russischer Kuhja, sehr ergiebig .	—	1 60
2030	Rübsen, Sommer-, Brassica Rapa oleifera, navette d'été . 46—54	—	70
2031	» Winter- (Biwitz), sehr ertragr., Brassica Rapa oleif. hyemalis . 90	1 30	
2032	Schwarzkümmel, Nigella damascena L., Nigelle 95—108	1 50	

No.		100 kg	kg
		M.	M. Pf.
2033	Schwarzkümmel, mit gelbem Samen, echter, Nigella sativa L., Nigelle à graine jaune .	—	4 —
2034	» orientalischer, N. orientalis .	—	2 40
2035	Senf, gelber, Sinap. alba, moutarde blanche	36—40	— 70
2036	» brauner, Sinap. nigra, moutarde noire	66—74	1 —
2037	» geschlitzblättriger, Sinapis dissecta	—	2 —
2038	» kohlblättriger chinesischer .	20 g — 20,	— 5 20
2039	» morgenländischer, Sinapis orientalis 20 g — 20,	—	6 —
2040	Sonnenblume, Helianthus annuus	46	— 70
2041	» Riesen- » uniflorus, höchste unverzweigte	—	1 30
2042	» grosskörnige, H. annuus macrosepalum praecox	58	— 80
	Für Krapp, Tabak, Waid, Wau, Weherkarden etc., vide Rubrik 7, S. 33 und folgende		

6. Futter-Rüben. Racines fourragères.



Runkel-Rüben.

Runkel-Rüben.

Beta vulgaris. — Mangold-Wurzel. — Betterave champêtre. — Barbabietola.

No.		100 kg	kg
		M.	M. Pf.
2043	Dobito's verbesserte Kugel-, grosse gelbe glatte (6)	42	— 70
2044	Eckendorfer gelbe Walzen- (2)	44	— 70
2045	» rothe Walzen-	42	— 70
2046	» weisse Walzen-	52	— 80
2047	Erfurter Flaschen-, lange dicke gelbe, extra (3)	36	— 60
2048	» Flaschen-, lange dicke rothe, extra	36	— 60
2049	» » lange dicke weisse feinblättrige, extra	—	1 —
2050	» » lange glatte gelbe, extra	36	— 60
2051	» » » rothe, extra	36	— 60
2052	Modell, cylinderförmige röhlichgelbe Walzen-, sehr haltbar (1)	56	— 80
2053	Klumpen-, gelbe	34	— 50
2054	» rothe	34	— 50
2055	Kuhhorn-, lange grosse rothe	38	— 60
2056	lange gelbe aus der Erde wachsende	34	— 60
2057	» rothe » » » » (4)	34	— 60

Runkel-Rüben:

No.		100 kg	kg
		M.	M. Pf.
2058	Leutewitzer gelbe, sehr grosse	38	— 60
2059	Mammuth-, goldgelbe, extra	58	— 90
2060	» rothe lange (Elvetbam Riesen-)	40	— 70
2061	Neger-, halblange dicke schwarze, gross und sehr haltbar	68	1 10
2062	Oberndorfer, rundegrosse gelbe	38	— 80
2063	» runde grosse rothe (5)	40	— 70
2064	olivenförmige orangegelbe Riesen- (ovale flaschenförmige), extra	38	— 60
2065	» rothe Riesen-, sehr schwer, ganz glatt, extra	36	— 60
2066	Oxböller halblange feine rothe, extra	60	— 80
2067	Riesen-Pfahl-, lange gelbe, halh aus der Erde wachsende	38	— 60
2068	» Pfahl-, lange rothe, halh aus der Erde wachsende	38	— 60
2069	schwarzgraue Riesen-, sehr haltbar	70	1 —
2070	Vauriac, gelbe Riesen-	42	— 70
2071	Vollendung, heilgelbe walzenförmige	42	— 70
2072	Walzen-, goldgelbe (verbesserte Golden Tankard), von hohem Futterwerth und grossem Ertrag	42	— 70
2073	Wroxton Goldkugel, orange-farbig, gelbfleischig, kleinlaubig, ausgezeichnet	42	— 70
2074	Zucker-, weisse, zur Zuckerfabrikation	44	— 70
2075	» weisse, Imperial, liefert ungleich mehr Ertrag; echt	46	— 70
2076	» » Vilmorin's verbesserte	56	— 80
2077	» » Wanzlebener, zuckerstoffreichste, beste, lediglich durch sorgfältige Auswahl erzielte	52	— 80

Stoppel- oder Herbstrüben.

Brassica Rapa rapifera. — Common Stubble Turnips. — Navet turnep. — Navone.

No.		100 kg	kg
		M.	M. Pf.
2078	weisse runde Herbst-	64	1 —
2079	» grünköpfige	66	1 —
2080	» rothköpfige	82	1 20
2081	» lange rothköpfige	74	1 10
2082	» » Herbst-	74	1 10
2083	» rothköpfige Bamberger	74	1 10
2084	» » Ulmer, extra	82	1 20
2085	» » grünköpfige	82	1 20

Stoppel- od. Herbstrüben:			
No.		100 kg	M. M.Pf.
2086	gelbe runde Herbstrüben	82	1 20
2087	engl. grosse weisse Kugel- (White Globe)	102	1 50
2088	» grosse weisse Kugel- (Pomeranian Globe)	108	1 60
2089	» » » » grünköpfige	98	1 30
2090	» » » » rothköpfige	108	1 60
2091	» » » » violettköpfige gelbe Bullock	108	1 60
2092	» » » » violettköpfige gelbe Skirving's	108	1 60
2093	» » » » grünköpfige gelbe Bullock	108	1 60
2094	» » » » » » Aberdeen	108	1 60
2095	» » » » » » gelbe Dale's Hybrid	108	1 60
2096	» » » » » » Tankard lange	116	1 60
2097	» » » » » » Fosterston Hybrid, sehr gross	116	1 60
2098	» graue Stein-, sehr gross und haltbar	116	1 60
2099	» orange gelbe (Orange Jelly)	136	1 80

Steck- oder Kohlrüben.

Brassica Napus rapifera. — Swedish Turnips. —
Chou Rutabaga.

No.		100 kg	M. M.Pf.
2100	grosse gelbe rothgrauhäutige Riesen-, extra	68	1 10
2101	» gelbe rothköpfige Riesen-	74	1 10
2102	» weisse rothköpfige »	68	1 10
2103	» » grünköpfige »	70	1 10
2104	» gelbe, extra »	70	1 10
2105	» weisse, extra »	68	1 10
2106	lange weisse Kannen-, sehr empfehlenswerth	85	1 20
2107	engl. violettköpfige gelbe Swede	90	1 30
2108	» » gelbe Skirving's	98	1 40
2109	» » » » Bangholm	100	1 50

Steck- oder Kohlrüben:			
No.		100 kg	M. M.Pf.
2110	engl. violettköpfige gelbe Champion	100	1 50
2111	» » » » gelbe Laing's	108	1 60
2112	» » » » East Lothian	98	1 40
2113	» » » » Waite's Shamrock, kleinblättrig, oval, sehr zart	136	1 80
2114	» » » » bronzeköpfige gelbe	108	1 60
2115	» » » » grünköpfige gelbe Swede	100	1 50

Die englischen Futterrüben-Sorten sind wegen ihrer Grösse und Ertragsfähigkeit zu empfehlen; wir liefern den Samen von den zuverlässigsten Züchtern Grossbritanniens direct importirt.

Futter-Möhren.

Daucus Carota arvensis. — Feeding Carrots. —
Carotte champêtre. — Carota.

No.		100 kg	M. M.Pf.
2116	sehr grosse weisse grünköpfige Riesen-	80	1 20
2117	abgeriebener Same, extra Qual.	125	1 60
2118	verbesserte weisse grünköpfige Riesen-, von vorzüglicher Güte, sehr ertragreich	94	1 30
2119	verb. weisse grünköpfige Riesen-, abgeriebener Same	136	1 80
2120	rothe grünköpfige Riesen-	62	1 —
2121	abgeriebener Same	105	1 50
2122	lange dicke rothe Feld-	—	1 10
2123	grosse lange dicke gelbe Lobber	—	1 20
2124	Altringham, lange grosse rothe	—	1 10
2125	» rothe grünköpfige sehr grosse verbesserte	—	1 50

7. Diverse technische Samen.

Plantes officinales et industrielles.

No.		20 g	kg
		Pf.	M. Pf.
2126	Aethusa Cynapium, Hundegleisse	80	—
2127	Agrimonia Eupatorium, Odermennig	40	10 80
2128	» odorata, Odermennig, wohlriechender	20	5 20
2129	Agrostemma Githago, Kornrade	30	8 —
2130	Althaea narbonensis, Eibisch, südfranzösischer	40	10 80
2131	» officinalis, Eibisch, gemeiner	70	27 —
2132	» rosea var. nigra, Malve, schwarze	15	2 60
2133	Anacyclus Pyrethrum, römischer Bertram	40	13 50
2134	Anagallis arvensis, Gauchheil	40	16 —
2135	Anchusa officinalis, Ochsenzunge	40	10 —
2136	Anthemis arvensis, Acker-Kamille	60	—
2137	» nobilis, Edle Kamille	130	—
2138	» tinctoria, Färber-Rindsauge	50	16 —
2139	Arnica montana, Wohlverlei	Pt. — 20,	100 40 —
2140	Artemisia vulgaris, Beifuss	25	7 —
2141	Asperula odorata, Waldmeister	60	20 —
2142	Astragalus baeiticus, Kaffee, schwed. oder Stragel-	15	3 40
2143	Atropa Belladonna, Tollkirsche, reiner Same	40	10 —
2144	» physaloides, scabattenartige Nicandra	20	5 20
2145	Bellis perennis, Gänseblümchen	80	32 —
2146	Betonica officinalis, Zehrkraut	Pt. — 20,	130 —
2147	Blitum Bonus Henricus, Guter Heinrich	40	10 80
2148	Bonaveria Securidaca, Beilkronwicke	20	4 —

No.		20 g	kg
		Pf.	M. Pf.
2149	Brassica Eruca, Rauke	15	3 80
2150	Bryonia alba, Gichtrübe, schwarzbeurig	30	9 —
2151	» dioica, Zaurübe, rothbeurig	50	16 —
2152	Bupleurum rotundifolium, Hasenöhrrchen	50	16 —
2153	Calendula officinalis, Ringelblume	20	4 —
2154	Cannabis gigantea, Hanf, chinesischer Riesen-	20	4 —
2155	» indica, Hanf, indischer Tekhrouri	40	—
2156	» sativa, Hanf, gewöhnlicher	—	60 —
2157	» var., piemontesischer Riesen-	10	1 30
2158	Capsella bursa pastoris, Hirtentäschel	30	8 —
2159	Carduus Marianus, Mariendistel	10	1 30
2160	Carthamus tinctorius, Saflor	10	1 30
2161	Chelidonium majus, Schöllkraut	60	20 —
2162	Chrysanth. Leucanthemum, Wucherblume, weisse	40	15 —
2163	Cichorium Intybus sylv., Cichorie, sicilianische	15	3 40
2164	Cicuta virosa, Wasserschierling	150	—
2165	Cnicus benedictus, Cardobenedict	10	1 30
2166	Colchicum autumnale, Herbstzeitlose	40	10 80
2167	Conium maculatum, Schierling	40	10 80
2168	Corchorus textilis, die Yute-Pflanze	25	7 —
2169	Cucubalus baccifer, Hühnerbiss	110	—
2170	Cuminum Cuminum, Pfefferkummel	20	3 20
2171	Cynanchum Vincetoxicum, Schwalbenwurz	40	—
2172	Cynoglossum officinale, Hundszunge	15	2 60
2173	Datura Stramonium, Stechapfel	20	4 —

No.	20 g kg Pf. M. Pf.	No.	Nicotiana Tabacum, Tabak:	20 g kg Pf. M. Pf.
2174	Daucus Carota, Möhre, wilde . . .	2236	Connecticut seed-leaf	100 —
2175	Delphinium Consolida, Feld-Ritter- sporn	2237	Cuba	40 11 —
2176	» Staphysagria, Staphysagria . . .	2238	Florida	100 —
2177	Digitalis purpurea, Fingerhut . . .	2239	Gundi	40 11 —
2178	Dipsacus Fullonum, Weberkarden, französische	2240	Havanna	100 —
2179	Echium vulgare, Natterkopf, gemeiner	2241	Honduras	100 —
2180	Epilobium angustifolium, Weiden- röschen	2242	James River	100 —
2181	Eriophorum alpinum, Wollgras Pt. — 20, ...	2243	Latakia, feiner türk.	60 —
2182	Eryngium campestre, Männertreu . . .	2244	Maryland	100 —
2183	Erysimum officinale, Hederich . . .	2245	Ohio	100 —
2184	Erythraea Centaurium, Tausend- güldenkrant. Pt. — 40, ...	2246	Pennsylvania	100 —
2185	Eupatorium cannabinum, Kuni- gundenkrant	2247	Portorico	40 11 —
2186	Fumaria officinalis, Erdrauch . . .	2248	Virginia seed leaf	100 —
2187	Galeobdolon luteum, gelbe Wald- nessel Pt. — 30	2249	Virginia yellow Prior	100 —
2188	Galium Aparine, Klebkraut	2250	White Burley	100 —
2189	» Mollugo, Labkraut, weisses . . .	2251	Yellow Prior	40 11 —
2190	» verum, Labkraut, gelbes	2252	südrußsioher bessarab. früher . . .	40 13 50
2191	Genista tinctoria, Färberginster . . .	2253	ungar. Csetneker, duftend	40 13 50
2192	Geum rivale, Bach-Nelkenwurz . . .	2254	» Debröer	50 —
2193	» urbanum, Nelkenwurz	2255	» Muskateller, duftend	80 —
2194	Glycyrrhiza glabra, Süßholz	2256	» Veilchen	60 20 —
2195	Gossypium herbaceum, Baumwolle Sea Island	2257	» Verpeléter	60 20 —
2196	» » Baumwolle Ten- nessee Upland	2258	Onopordon Acanthium, Eselsdistel . .	70 —
2197	Gratiola officinalis, Gnadenkraut . . .	2259	Origanum vulgare, Dost	50 16 —
2198	Helianthus annuus, Sonnenblume . . .	2260	Paeonia officinalis, Pfingstrose . . .	20 4 —
2199	» an. macrosperrnus, » gross- körnige frühe niedr.	2261	Papaver Rhoeas, Wilder Mohn . . .	30 8 —
2200	» uniflorus, Riesen-Sonnenblume . .	2262	Parietaria officinalis, Peterskraut Pt. — 40, ...	— — —
2201	Helleborus foetidus, Nieswurz . . .	2263	Paris quadrifolia, Einbeere, vier- blättrige Pt. — 20, ...	130 — —
2202	Heracleum Spondylium, Bärenklau . .	2264	Plantago major, Wegebreit, gross- blättriger	20 4 60
2203	Hmulus Lupulus, Hopfen	2265	» Psyllium, Flobkraut	15 2 60
2204	Hyoscyamus niger, Bilsenkraut . . .	2266	Primula officinalis, Schlüsselblume, hochgelbe wohlriechende	80 32 —
2205	Hypericum perforatum, Johanniskraut	2267	Prunella grandiflora, Brunelle, grossblumige	30 9 —
2206	Indigofera tinctoria, Indigo	2268	Pyrethrum cinerariaefolium, Insec- tenpulverpflanze, dalmatische . . .	60 22 —
2207	Isatis tinctoria, Waid	2269	Ranunculus acris, Habnenfuss, scharfer	40 15 —
2208	Laetuca perennis, Salat, peren- nirender Pt. — 15, ...	2270	Reseda luteola, Wau	30 8 —
2209	» virosa, Gifflattich	2271	Rhamnus infectorius, Färberdorn . .	50 2 20
2210	Lallemantia iberica, Oelpflanze . . .	2272	Rubia tinctorum, Krapp	20 4 —
2211	Lamium album, weisse Taubnessel . .	2273	Rubia pratensis, Wiesen-Salbei . .	40 11 —
2212	Lappa tomentosa, Klette	2274	» Solarea, Muscateller Salbei . . .	30 8 —
2213	Leontodon Taraxacum, Kuhblume, Löwenzahn	2275	Sambucus Ebulus, Zwerg-Hollun- der, Attich	20 5 20
2214	Leonurus Cardiaea, Herzgespann . .	2276	Sanicula europaea, Sanikel	50 16 —
2215	Levistium officinale, Liebstock . . .	2277	Saponaria officinalis, Seifenkraut . .	15 3 20
2216	Linaria vulgaris, Leinkraut	2278	Sorophularia nodosa, Braunwurz . .	40 — —
2217	Lithospermum officinale, gebräuch- licher Steinsame	2279	Senecio vulgaris, Kreuzkraut . . .	50 —
2218	Lysimachia vulgaris, Gelbweiderich . .	2280	Sesamum orientale, Sesam, ind. . .	15 3 80
2219	Lythrum Salicaria, Weiderich	2281	Solanum Dulcamara, Bittersüss . .	60 20 —
2220	Malva rotundifolia, Käsepappel . . .	2282	» miniatum, Rother Nacht- schatten	60 — —
2221	» sylvestris, Rosspappel	2283	» nigrum, Nachtschatten	30 8 —
2222	Marrubium vulgare, Andorn	2284	» tuberosum, Kartoffel-Samen . .	80 32 —
2223	Matricaria Chamomilla, Kamille, echte	2285	Solidago Virgaurea, Goldrute . . .	30 10 —
2224	» inodora, Mntterkraut, geruch- loses	2286	Spilanthes oleracea, Husarenknopf .	70 27 —
2225	Mentha crispa, Krauseminze 1000 S. 1, 50, ...	2287	Spirea Ulmaria, Geisbart	60 20 —
2226	» piperita, Pfefferminze 1000 S. 2 —, ...	2288	Stellaria media, Vogelkraut, Mäuse- darm	40 — —
2227	Myosotis arvensis, Acker-Vergiss- meinnicht	2289	Succisa pratensis, Wiesenabbis . .	100 — —
2228	Nepeta Cataria, gemeines Katzen- kraut	2290	Symphytum asperinum, Beinwell, scharborstiger Pt. — 20, ...	180 — —
2229	Nicotiana Tabacum, Tabak: grossblühender dunkelrother . . .	2291	Tanacetum vulgare, Rainfarn	50 16 —
2230	» langblättriger deutscher	2292	Teucrium Botrys, Trauben-Gaman- der Pt. — 20, ...	200 — —
2231	» virginischer	2293	» Chamaedrys, edler Gamander Pt. — 30, ...	— — —
2232	» grossblättriger Salonichi	2294	Thymus Serpyllum, Quendel	110 — —
2233	Amersforter rundblättriger	2295	Tragopogon pratensis, Haferwurz, wilde	80 — —
2234	» brasilianischer	2296	Tussilago Farfara, Huflattich Pt. — 30, ...	280 — —
2235	Chiras	2297	Urtica cannabina, Nessel, hanflie- fernde	100 — —
		2298	» dioica, Nessel, grosse Brenn- 2299 » (Boehmeria) nivea, die be- rühmte China-Gras-Pflanze, das feine chinesische Papier liefernd	20 6 —
		2300	» pilulifera, Nessel, römische . . .	160 — —

No.	20 g Pf.	kg M.Pf.
2301 <i>Urtica</i> (<i>Boehmeria</i>) <i>tenacissima</i> , Ramee, die werthvollste dieser Gespinnstpflanzen Pt.—30, 460 — —		
2302 <i>Valeriana montana</i> , Bergbaldrian Pt.—30, 400 — —		
2303 » <i>officinalis</i> , Baldrian 120 48 —		
2304 <i>Verbascum Thapsus</i> , Königskerze 30 8 —		
2305 » <i>nigrum</i> , Schwarzes Wollkraut 30 8 —		
2306 <i>Verbena officinalis</i> , Eisenbart Pt.—20, 200 — —		
2307 <i>Veronica Beccabunga</i> , Bachbungen Pt.—30, 320 — —		

No.	20 g Pf.	kg M.Pf.
2308 <i>Veronica Chamaedrys</i> , Wiesen-Ehrenpreis Pt.—20, 160 — —		
2309 » <i>officinalis</i> , Ehrenpreis — 20, 100 40 —		
2310 <i>Viola tricolor</i> , Stiefmütterchen 60 24 —		
2311 <i>Xanthium spinosum</i> , Spitzklette, als ein Mittel gegen Wechsel- fieber und auch gegen Wasser- scheu aufgestellt 40 10 —		
Auch unter den anderen Rubriken, sowie unter den Sommergewächsen, Stauden, Topfge- wächsen und Gehölzen sind noch verschiedene officinelle Species zu finden.		

8. Knollen. Tubercules alimentaires.

Kartoffeln. Pommes de terre.

Der ansehnliche hohe Preis ist durch die Reinheit und Echtheit des von uns versandten Saatgutes bedingt.

Von den Zahlen am Ende der einzelnen Sorten geben die erste den diesjährigen Ertrag per qm Fläche in kg an, die zweite das Verhältniss der Ernte zur Aussaat, letztere zu 1,00 angenommen. Dieselben haben natürlich nur als relative Zahlen Werth und auch so nur mit Einschränkung, denn der Ertrag der verschiedenen Sorten ist nicht in allen Jahren und in allen Gegenden ein gleichmässiger.

No.	100 kg M. Pf.
2312 <i>Adirondack</i> , mittelfrüh, rund, röth- schalig, Fleisch weiss (1,0)–(4,0) 20 60	
2313 <i>Agnelli</i> , neu, länglich, sehr gross, Haut und Fleisch weiss, ertragreich 24 80	
2314 <i>Alabaster</i> , länglich, weisschalig, sehr früh (0,6)–(9,0) 20 60	
2315 <i>Alpha</i> , rund, weiss, sehr früh (0,9)–(7,0) 22 60	
2316 <i>Amor</i> , spät, ovalrund, rauhschalig, blossrosa, weissfleischig (1,0)–(5,5) 20 60	
2317 <i>Ananas</i> , lang, weiss, flachhängig (0,7)–(3,1) 60	
2318 <i>Anderssen</i> , rund, rauhschalig, Fleisch gelblich (1,0)–(5,2) 50	
2319 <i>Antenore</i> , ovalrund, weiss, flach- äugig, Tafelsorte (1,0)–(6,8) 60	
2320 <i>Aradaras</i> , fast rund, hellroth, weiss- fleischig (0,9)–(2,6) 20 60	
2321 <i>Ashtop Fluke</i> (eschenblättrige Nieren), früh (0,4)–(5,0) 20 60	
2322 <i>Aspasia</i> , gross, blossroth, mit flachen dunkelrothen Augen, Fleisch gelblichweiss, stärkereich (1,4)–(6,0) 18 50	
2323 <i>Athene</i> , gross, Haut und Fleisch weiss, Augen flach, spät (1,3)–(6,5) . 18 50	
2324 <i>Aulnay</i> , neu, gelblichweiss, platt- rund, rauhschalig, Fleisch gelb, mittelfrüh (0,6)–(3,4) 60	
2325 <i>Auvergner</i> schwarze, neu, schwarzblau, rauhschalig, Fleisch blau geringelt, spät (0,5)–(2,5) . . . 24 80	
2326 <i>Bedford Rose</i> , neu, rund, röthlich- weiss mit rothen Augen, Fleisch gelblichweiss, spät (0,8)–(4,3) 18 50	
2327 <i>Bisquit</i> , sehr früh (0,5)–(4,0) 16 50	
2328 » blaueimige (0,9)–(6,4) 50	
2329 <i>Bonne des bonnes</i> , neu, lang, röthlichweiss, Fleisch weiss 100	
2330 <i>Borussia</i> , dunkelroth, rauhschalig, Fleisch gelblichweiss, ovalrund (1,2)–(7,7) 22 60	
2331 <i>Bovina</i> , flach, weiss mit röthlichem Auge (0,8)–(3,7) 50	
2332 <i>Brisson</i> , neu, fast rund, weiss, Fleisch gelb, spät 80	
2333 <i>Brownell's Multiplier</i> , oval, gelb- bräunlich, tiefläugig (1,1)–(5,8) . . . 50	
2334 <i>Bruce</i> , länglichrund, weiss, Fleisch gelblich, spät (1,5)–(5,0) 18 50	
2335 <i>Brühild</i> , rund, weiss, Fleisch hell- gelb (1,7)–(7,0) 50	

Kartoffeln:

No.	100 kg M. Pf.
2336 <i>Caesar</i> , gelblichweiss, länglichrund, weissfleischig, gross, spät (1,9)–(9,5) 22 60	
2337 <i>Callao</i> , frühe (Kopsel's weisse Ro- sen), Tafelsorte (0,8)–(8,0) 50	
2338 <i>Callico</i> , frühe (Hundredfold Fluke), rothbunt, mittelfrüh (0,9)–(4,5) . . . 18 50	
2339 <i>Canada</i> , mittelfrüh, gelb, rund, gross, sehr ertragreich (1,4)–(4,8) . . 20 60	
2340 <i>Canada rothe</i> , bläulichroth, läng- lich, weissfleischig, spät (1,3)–(5,4) 18 50	
2341 <i>Cetawayo</i> (Zulu), lang, schwarz, Fleisch schwarzblau . . . (0,6)–(5,0) 22 60	
2342 <i>Challenger</i> , röthlichgelb, flach, zugespitzt, Fl. gelblich (1,3)–(5,4) 22 60	
2343 <i>Chamaeleon</i> , gross, blauviolett mit gel- ben Augen (1,3)–(10,5) 50	
2344 <i>Champion</i> , schottische, gross, rund, weiss, ertragreich (1,0)–(5,5) 15 50	
2345 <i>Charles Downing</i> , weiss, ovalrund, flachhängig, Fleisch reinweiss, früh (0,8)–(7,6) 80	
2346 <i>Charlotte</i> , weiss mit röthlichen Augen, Fleisch weiss (1,5)–(8,3) . . 60	
2347 <i>Chataigne</i> , hellroth, lang, Fleisch weiss, mittelfrüh (0,9)–(6,0) 60	
2348 <i>Cherub</i> (H. & S.), neu, nierenförmig, rauhschalig, Haut weiss, Fleisch gelb, flachhängig, extra (0,6)–(4,9) . 22 60	
2349 <i>Cherusker</i> , gelb, flachhängig, rauhschalig, Fleisch gelblichweiss, spät (1,0)–(8,3) 60	
2350 <i>Cimbal's Zwiebel</i> , neu, hellrosa, rund, Fleisch gelblichweiss, spät (1,7)–(13,0) 80	
2351 <i>Circassienne</i> , sehr ertragreich, lang, vorzügliche Tafelsorte (0,8)–(4,0) . . 15 40	
2352 <i>Clarence</i> , neu, lang, röthlichweiss, weissfleischig, mittelspät (1,3)–(4,9) 22 60	
2353 <i>Compton's Surprise</i> , rothviolett, weiss- fleischig, extra (0,3)–(2,7) 60	
2354 <i>Comte</i> , rund, rauhschalig, weiss, mittelfrüh (1,0)–(5,2) 60	
2355 <i>Comtesse</i> , violett, gross, spät (0,5)–(4,0) 60	
2356 <i>Conqueror</i> , rund, Haut etwas rauh, Fleisch weiss, früh (0,7)–(5,8) . . . 22 60	
2357 <i>Cook's Favourite</i> , länglich, weiss, rauhschalig, weissfleischig, gross, spät (1,3)–(7,7) 18 50	
2358 <i>Cora</i> , länglichrund, sehr gross, weiss, spät (0,8)–(4,1) 60	
2359 <i>Corne de chèvre</i> , hellroth, 12–15 cm lang, dünn, zugespitzt, mittelfrüh, feine Salatsorte (1,0)–(7,0) 20 60	
2360 <i>Cupido</i> , neu, rund, rauhschalig, Haut gelblichweiss, Fleisch weiss, mittelspät 80	
2361 <i>Daber'sche</i> , mittलगross, röthlich, sehr beliebt in Pommern (1,1)–(7,0) . . . 50	
2362 <i>Dakota Red</i> , länglich, Haut röth- lich, Fleisch schneeweiss (1,5)–(8,5) 18 50	
2363 <i>Darwin</i> , lang, weiss, sehr gross, mittelfrüh, Tafelsorte (1,2)–(8,0) . . 60	
2364 <i>Deutscher Reichskanzler</i> , dunkelroth, mittलगross, rauhschalig, fast rund, Fleisch weiss (1,7)–(9,4) . . 18 50	

No.	Kartoffeln :	100 kg kg M. Pf.
2365	Dorf-Grobschmied , mittelgross, Haut von rostartiger Farbe und sehr stark geteilt, Fleisch weiss, mehlig (0,5)–(3,1)	20 60
2366	Dr. von Eckenbrecher , oval- rund, gelblichweiss, Fleisch weiss, flächig, spät (1,9)–(5,9)	20 60
2367	Early Household , Haut und Fleisch weiss, cylindrisch, früh (1,2)–(5,4)	20 60
2368	Early Michel , gross, lang, rötlich- weiss	— 80
2369	Edelstein (Richter), länglich, weiss, extra (1,2)–(8,0)	18 50
2370	Edelweiss , lang, flach, weiss (1,0) –(5,0)	20 60
2371	Edison , weiss, niereuförmig, fläch- ig, spät (0,7)–(4,9)	— 60
2372	Eiffel , neu, blassgelb, flach, früh, sehr gross (1,2)–(5,4)	22 60
2373	Eiffel tardive , neu, oval, gelblich- weiss, spät, gross	— 80
2374	Élégante , Richter's, lang, hellroth, weissfleischig, Salat (1,6)–(6,8)	— 50
2375	Elephanteu , weisse, gross, langge- streckt, rötlichgelb (1,5)–(6,5)	20 60
2376	Elfrida (H. & S.), neu, länglichoval, Haut und Fleisch weiss, flach, rauh- schalig, extra (0,6)–(5,0)	22 60
2377	Emperor Frederic , neu, dunkel- blau, niereuförmig, gelbfleischig, mittelfrüh (0,9)–(4,6)	30 80
2378	Empress of India , Haut dunkel- blau mit gelb gefleckt, Fleisch gold- gelb, mehlig, länglichrund, spät (1,2)–(5,2)	22 60
2379	Enat , neu, rund, flächig, weiss, Fleisch gelblich, mittelfrüh	— 80
2380	Erfurter frühe runde , sehr er- tragreich, früh (0,7)–(6,0)	15 40
2381	» rötliche , fein (0,9)–(6,6)	15 40
2382	» unvergleichliche , gross, glatt, oval (0,8)–(5,2)	— 40
2383	Erste von Frömsdorf , neu, platt- rund, Haut und Fleisch weiss, spät (2,1)–(6,6)	20 60
2384	Erste von Nassengrund , gelb, rauh- schalig, spät (0,6)–(6,5)	— 50
2385	Euphyllus , gross, weiss mit rosa An- flug, sehr ertragreich (1,9)–(7,2)	— 50
2386	Farmer's Blush , feine Tafelsorte, gelblich, sehr gross (1,4)–(5,0)	15 40
2387	Flourball , Sutton's rothscha- lige, sehr gross (1,5)–(13,0)	— 50
2388	Fortuna , weiss, länglichrund, weiss- fleischig (1,9)–(12,8)	20 60
2389	Frigga , gross, oval, gelbschalig, flächig, Fleisch gelblich, sehr stärkerich (1,1)–(10,0)	20 60
2390	Fürst Bismarck , gross, gelb, tief- ig (1,2)–(6,0)	— 50
2391	Fürst von Lippe , rund, weiss, Augen flach, Fleisch weiss, spät und stärkerich (1,7)–(8,9)	20 60
2392	Garnet , oarmoisinrothe (1,0)–(4,3)	— 50
2393	» Chili , roth, gross, weissfleischig (1,3)–(5,0)	— 50
2394	Gelbe Rose , früh, gross, rund, für Brennereien (1,1)–(6,5)	— 60
2395	General Gordon , gross, länglich- rund, Augen flach, Haut und Fleisch weiss, extra (1,8)–(9,9)	20 60
2396	Germania , plattrund, gelb, rauh- häutig, Fleisch hellgelb (1,3)–(8,0)	22 60
2397	Gleason late , blau, weissfleischig, spät, extra (0,6)–(3,1)	— 50
2398	Goldball (H. & S.), gross, fast rund, dicht um den Stengel sitzend, Haut rauh, von gelblicher Farbe, Fleisch gelb, mehlig, feine mittelspäte Ta- felsorte (1,2)–(7,4)	20 60
2399	Graf Pückler , neu, rund, rötlich, weissfleischig, spät (1,5)–(7,1)	20 60
2400	Gravenstein , flach, zugespitzt, rauh- schalig, Fleisch weiss, spät (0,6) –(5,0)	— 60

No.	Kartoffeln :	100 kg kg M. Pf.
2401	Grosser Kurfürst , weiss mit rötlichem Anflug, Fleisch weiss, (1,5)–(5,9)	— 60
2402	Haage & Schmidt's blaue späte Rosen , violett-schlag, weissfleischig, länglichoval, flach (1,0)–(4,3)	22 60
2403	Hannibal , rund, rötlichweiss, flache rothe Augen, Fleisch gelb- lich, mittelgross, spät (1,7)–(9,0)	20 60
2404	Harbinger , neu, rund, weisschalig, Fleisch reinweiss, sehr früh (0,6) –(5,3)	22 60
2405	Harlequin , silberbuntblätt- rige Sorte, Knollen mittelgross, flach, oval, rötlichweiss, fläch- ig, gute Tafelsorte; sehr deco- rative Blattpflanze (0,3)–(1,2)	— 200
2406	Harvester , weiss, länglichrund, feine Tafelsorte (1,0)–(4,7)	20 60
2407	Hebe , roth, lang, flächig, weiss- fleischig, mittelfrüh (1,1)–(3,6)	— 60
2408	Helios , neu, ovalrund, weiss, rauh- schalig, Fleisch schneeweiss, mittel- spät (1,2)–(5,8)	18 50
2409	Hermann , rund, weiss, Fleisch gelb- lichweiss, ertragreich und von hohem Stärkegehalt (1,0)–(7,0)	— 60
2410	Hertha , weiss, spät, ertragreich (1,8) –(6,0)	— 50
2411	Hillner's frühe , gelblich, oval, weissfleischig, sehr früh (0,9)–(4,8)	22 60
2412	Himbeerblättrige , spät, rothschalig (0,3)–(2,5)	— 120
2413	Holländische blaublühende , sehr gut (0,5)–(3,2)	— 50
2414	Hortense , mittelfrüh, roth, fläch- ig, Fleisch gelblichweiss, er- tragreich (1,5)–(7,1)	— 50
2415	Hummelshainer , blauschalig, weiss- fleischig, ovalrund, fein (0,6)–(3,0)	— 60
2416	Idaho , Schale und Fleisch reinweiss, ertragreich, extra (1,5)–(6,2)	— 50
2417	Imperator , Richter's, sehr gross und ertragreich, extra (1,3)–(5,9)	15 40
2418	Internationale , länglich, Haut gelb, Fleisch weiss (0,6)–(3,2)	25 80
2419	Joseph Rigault , weiss, mittelgross, länglich abgeplattet, Fleisch gelb, sehr früh (0,6)–(5,0)	— 80
2420	Jumbo , fast rund, Haut und Fleisch weiss, mittelfrüh (0,7)–(5,3)	20 60
2421	Juno , Haut weissgelblich mit rötli- chem Anflug, plattoval, flache rothe Augen, Fleisch weiss (1,1)–(6,8)	18 50
2422	Juwel , Haut weiss, halb glatt, halb rauh, rund, gross, ertragreich (1,8) –(6,0)	18 50
2423	Kaiserin Augusta , neu, blau und weiss, rund, weissfleischig, mittel- spät (1,2)–(6,2)	24 80
2424	Kaiser Treib -, allerfrüheste Nieren- noch früher als die lange weisse 6 Wochen (0,6)–(5,0)	— 80
2425	Kaiser Wilhelm , braungelb, Fleisch weiss (0,9)–(4,0)	— 50
2426	Karl der Grosse , neu, gross, rund, weiss, weissfleischig, Wirthschafts- sorte (1,3)–(4,3)	20 60
2427	Khédive , lang, sehr gross, weiss, mittelfrüh (0,9)–(4,5)	— 60
2428	Kleopatra , neu, niereuförmig, rötli- chweiss, flächig, weissfleischig, mittelfrüh, feine Speisekartoffel (0,9)–(4,6)	20 60
2429	König der Frühen (King of the Earlies) (0,9)–(4,8)	18 50
2430	Krupp , fast rund, Haut rauh, gelblich, ertrags, spät (1,7)–(7,3)	— 50
2431	La Czarine , neu, gelb, roth gefleckt, Fleisch blassgelb, sehr mehreich	— 80
2432	Lady Truscott , neu, ovalrund, Haut und Fleisch weiss, flächig, früh, extra (1,3)–(7,2)	22 60

Kartoffeln:		100 kg	kg	Kartoffeln:		100 kg	kg
No.		M.	Pf.	No.		M.	Pf.
2433	La Meilleure de Bellevue, länglich, roth, Fleisch gelb, mittel-spät (0,8) - (5,1)	25	80	2468	Paragon, früh, reinweiss, ertragreich, extra (0,9) - (8,0)	20	60
2434	Large Callao, spät, gross, sehr ertragreich, feine (1,2) - (6,6)	—	60	2469	Pasteur, lang, Haut röthlichgelb, Fleisch gelb (0,6) - (3,6)	—	60
2435	Le Doyen, neu, ovalrund, dunkelblau, flachhängig, Fleisch weiss	—	80	2470	Peachblow, weiss mit rothen Augen (0,4) - (2,7)	—	60
2436	Le roi (Der König), neu, lang, weiss, sehr gross, spät (1,2) - (4,6)	20	60	2471	» Fosters early, sehr früh, gross, röthlich, fein (0,6) - (4,4)	—	60
2437	Lesseppe, rund, rauhschalig, gelb mit rothen Augen, spät (1,2) - (4,2)	20	60	2472	Pearl of Savoy, neu, länglich oval, hellrosa, flachhängig, Fleisch weiss, mehlig, eine der allerfrühesten, extra (0,9) - (5,7)	25	80
2438	Lippiche Rose, länglich, roth, mittelfrüh (1,2) - (3,6)	—	50	2473	Peerless, früh, extra fein (1,1) - (5,5)	—	50
2439	Lord Beaconsfield, länglich oval, zugespitzt, Haut und Fleisch weiss, rauhschalig, spät (1,4) - (6,0)	22	60	2474	Perfect Peachblow, rund, Haut weiss-röthlich, Augen flach, Fleisch weiss (1,3) - (4,3)	20	60
2440	Lord Mayor, weiss, flach, länglich, feine Tafelsorte (0,5) - (3,4)	20	60	2475	Perle, rund, weiss, ertragreich (1,4) - (8,0)	—	60
2441	Lord Tennyson, neu, länglichrund, Haut gelb, Fleisch gelblichweiss (1,1) - (5,0)	25	80	2476	Perle von Erfurt, neu, nierenförmig, flachhängig, gelblichweiss, Fleisch gelb, früh, sehr ertragreich und krankheitsfrei	—	80
2442	Lydia, mittelfrüh, weiss, feine Speisekartoffel mit weissem Fleisch (1,1) - (4,4)	20	50	2477	Phoebe, ovalrund, Haut gelblichweiss, weissfleischig, spät (1,4) - (7,0)	20	60
2443	Magnum Bonum, Sutton's, weiss, nierenförmig, weissfleischig, spät, sehr ertragreich (1,2) - (8,0)	12	40	2478	Polaris, früh, lang, Haut halb glatt, halb rau, röthlichweiss, Augen flach (1,3) - (5,2)	20	60
2444	Magnum Bonum amerikani-sche, früh, rund, Haut weiss-rothbräunlich, Fleisch weiss, feine Tafelsorte (0,8) - (6,2)	—	60	2479	Pourpre d'Edgecotte, neu, lang, dunkelblau, flachhängig, Fleisch gelblich, früh	—	80
2445	Major Wissmann, weiss, länglichoval, weissfleischig, mittelgross (1,4) - (7,0)	20	60	2480	Präsident Junker, neu, länglichoval, hellroth, weissfleischig, spät (1,5) - (6,0)	20	60
2446	Mammoth prolific, Haut gelblichweiss, rau, Fleisch reinweiss und mehlig (0,8) - (4,2)	20	60	2481	Präsident Cardinau, rund, hellroth, sehr früh (0,6) - (3,4)	20	60
2447	Mammoth rosee, rund, Haut röthlichweiss, ertragreich (1,0) - (4,5)	20	60	2482	Pretiosa, weiss, sehr gross, glatt, oval, weissfleischig (1,4) - (8,7)	—	60
2448	Mandel, blaue, allerkleinste Salat- (5,0)	—	200	2483	Pride of America, mittelgrosse, schneeweisse Fleisch, feinste Speiesorte, extra (0,7) - (4,3)	20	60
2449	Martinshorn, weiss, glatt, bis 25 cm lang, 4—4½ cm stark, von gehogener gleichmässiger Form, Fleisch weiss, extra (0,6) - (4,8)	30	100	2484	Prime Minister, sehr schön, mittelfrüh, gross, weiss, länglich rund, feine Tafelsorte (1,3) - (4,6)	20	60
2450	Mstador, grosse, länglich, Haut und Fleisch weiss, früh, Wirtschaftskartoffel (0,8) - (6,0)	—	60	2485	Prof. Dr. Märker, grosse, platt-rund, weissfleischig, mittelfrüh, sehr reichtr., gute Tafelsorte (0,6) - (4,6)	20	60
2451	Mayflower early, sehr früh, Haut weiss, Form oval, abgeplattet, ganz flache Augen (0,5) - (4,2)	—	60	2486	Prof. Dr. Orth, weiss, plattoval, weissfleischig, mittelspät (1,2) - (4,6)	20	60
2452	Mayqueen, early (Malkönigin), länglichrund, Haut röthlichweiss, früh, feine Tafelsorte (1,1) - (5,4)	20	60	2487	Prof. Dr. Wittmack, weiss, länglichrund, weissfleischig (1,1) - (8,0)	20	60
2453	Mäuschen, rothe, Salatsorte (0,5) - (4,5)	22	60	2488	Prof. Jul. Kühn, länglichoval, Haut gelblichweiss, netzartig, Fleisch weiss, sehr mehlig, feine Tafelsorte, spät (1,1) - (5,2)	18	50
2454	Member of Parliament, rund, weisschalig, ertragreich (0,9) - (6,3)	—	50	2489	Prof. Liebscher, rothhant, flach, gross, gelbfleischig (0,6) - (5,2)	22	60
2455	Montblanc, neu, ovalrund, weiss, tiefliegend, spät (1,6) - (7,0)	25	80	2490	Prof. Oemichen, rund, blasseröth mit dunkelrothen Augen, weissfleischig, mittelfrüh (1,3) - (4,7)	20	60
2456	Morning Star, hellroth, flachoval, rauhschalig, weissfleischig, mittelfrüh (1,5) - (6,5)	22	60	2491	Prolific, weiss, sehr früh, extra (0,9) - (8,0)	20	60
2457	Morton, neu, oval, gelblichweiss, Fl. weiss, spät	—	80	2492	Prolific tardive, länglich oval, gelblichweiss, spät	—	60
2458	Mühlhauer, rund, weiss, mittelfrüh, extra (0,8) - (5,7)	15	40	2493	Puritan, early, neu, lang, Haut und Fleisch weiss, sehr früh, extra (1,4) - (6,8)	22	60
2459	Nassengrunder, frühe, länglichrund, Haut und Fleisch weiss, sehr mehlig (1,0) - (6,0)	—	50	2494	Purple and Gold, Nieren- mit dunkelblauer Haut, Fleisch goldgelb, mehlig mittelfrüh (0,6) - (6,0)	—	60
2460	Nesselblättrige (à feuilles d'ortie), äusserst frühe Treibsorte (0,3) - (3,6)	—	80	2495	Purple Prince, neu, rund, purpurviolett, weissfleischig (0,7) - (4,0)	22	60
2461	Nieren-, blaue (0,4) - (3,0)	—	60	2496	Quarantaine de la Halle, weisse frühe Nieren- (0,7) - (4,4)	22	60
2462	» Marjolin, gelblichweiss (0,8) - (5,4)	20	60	2497	Queen, neu, cylinderförmig, weiss, flachhängig, sehr früh (1,2) - (5,4)	—	100
2463	» röthliche, feine Salat- (0,5) - (5,0)	—	60	2498	Queen of the Valley (Thalkönigin), gross, blasseröth (0,6) - (4,9)	22	60
2464	Ninon, länglich, hellroth, weissfleischig, flachhängig, mittelfrüh, extra (1,1) - (5,5)	20	60	2499	Reading giant, neu, ovalrund, gelblich, flachhängig, Fleisch gelb, mittelfrüh, extra	—	80
2465	North Pole, sehr früh, länglichrund, Haut weiss, rau, weissfleischig (0,7) - (5,6)	22	60	2500	Reading Hero, weiss, mittelgross, glatt, zugespitzt, weissfleischig, spät (0,8) - (3,1)	—	80
2466	Nudel, rothe, Salatsorte (0,9) - (4,6)	—	60				
2467	Omega, ovalrund, weiss, Fleisch gelblichweiss, rauhschalig (1,3) - (4,6)	20	60				

Kartoffeln:		100 kg kg	
No.		M. Pf.	
2501	Reine des Polders, neu, glatt, nierenförmig, gelblichweiss, Fleisch weiss, mittelfrüh (0,7)–(5,0)	25	80
2502	Remarkable, neu, länglichrund, weiss, weissfleischig (1,5)–(6,4)	25	80
2503	Rheinische Pfäuck-Möle, frühe, nierenförmige Sorte, von ausgezeichnetem Gechmack (0,6)–(6,3)	—	80
2504	Richmaker, sehr grosse, weiss, glatt, länglich rund, Fleisch gelblich, spät (0,8)–(5,6)	—	60
2505	Richter's ovale frühe blaue, Fleisch gelblich, sehr gut (1,0)–(5,0)	20	60
2506	Riesen-, blaue, für Brennerien (1,4)–(8,0)	15	40
2507	Rosalie, länglich, hlasserth, Fleisch weiss, mittelfrüh, sehr stärkereich (1,1)–(4,2)	—	60
2508	Rose Lyonnaise, länglichoval, Haut rau, röthlichweiss, Fleisch weiss, früh (1,0)–(4,0)	22	60
2509	Rosen-, frühe, flach, oval, sehr fein (0,8)–(4,5)	18	50
2510	» Thorburn's späte, sehr ertragreich, feine Tafelsorte (1,2)–(5,0)	—	60
2511	Rosy Morn, röthlich, sehr früh, Fleisch weiss, mehlig (1,0)–(6,7)	22	60
2512	Rothhaut, neu, ovalrund, röthlich, flachhäugig, Fleisch gelb, früh	—	80
2513	Rot Kimer, lang, rothhant, sehr gross, spät (1,3)–(7,3)	—	50
2514	Roussette, länglichrund, rothgrau, Fl. hellgelb (0,8)–(4,3)	—	60
2515	Royal Norfolk Russett, mittelgross, fast rund, Haut rothfarbig, sehr stark geuetzt, Augen flach, Fleisch weiss, mehlig, extra (0,6)–(7,3)	—	80
2516	Rubin, fast rund, bläulichroth, gelbfleischig, mittelfrüh (1,3)–(7,2)	18	50
2517	Rural New Yorker No. 2, neu, mittelfrüh, sehr gross, länglichrund, Haut glatt, weiss, Fleisch weiss (0,9)–(5,1)	22	60
2518	Sächsaiche Zwiebel, gelbfleischige, rund, dunkelroth (0,9)–(3,2)	—	50
2519	» Zwiebel, weissfleischige, hellroth, mittelgross (0,9)–(4,1)	—	50
2520	Sago, schwarze, tiefblaues Fleisch, schwarze Schale (0,6)–(3,2)	22	60
2521	Satisfaction, plattrund, weisslichgrau, rauhhäutig, Fleisch schneeweiss (1,4)–(4,2)	22	60
2522	Saxonia, ovalrund, gelblichweiss, flachhäugig, Fleisch weiss (1,0)–(6,0)	—	60
2523	Schneeflocke (Snowflake), weisschalig, weissfleischig, sehr früh, extra (0,6)–(3,2)	18	50
2524	Schneerose, lang, gross, weiss, ertragreich, extra (1,8)–(6,0)	18	50
2525	Schulmeister, weiss, raushchalig, ertragreich, extra (1,2)–(5,0)	15	40
2526	Schwarze lange, neu, lang, sehr gross, schwarzblau, Fleisch weiss, spät (1,2)–(5,4)	22	60
2527	Sechs Wochen, blaue runde, extra (0,8)–(4,6)	15	40
2528	» » lange gelbe, Haut gelb, sehr früh (0,6)–(3,7)	—	80
2529	» » lange weisse, echt (0,5)–(4,7)	25	80
2530	» » runde weisse (1,0)–(6,2)	22	60
2531	Sénateur, gross, rund, weiss, raushchalig, spät (0,6)–(3,3)	—	60
2532	Siegfried, platt, oval, weiss, flache Augen (1,0)–(4,0)	—	60
2533	Silverskin, gross, glatt, weiss, extra (1,0)–(5,0)	18	50
2534	Simson, rund, gross, weiss, Fleisch gelblich (1,5)–(3,2)	18	50
2535	Sirius, ovalrund, gross, Haut und Fleisch weiss, spät (1,7)–(10,6)	20	60
2536	Spargel- (weisse Tannenzapfen), feine Salat- (0,6)–(11,2)	—	150

Kartoffeln:		100 kg kg	
No.		M. Pf.	
2537	St. Patrick, länglich, Haut und Fleisch weiss, mit flachen Augen (1,0)–(3,5)	20	50
2538	Stenaphone, weiss, länglichrund, flachhäugig, gross, spät (1,0)–(3,6)	—	60
2539	Sukreta, nierenförmig, raushchalig, Haut grau, Fleisch weiss, feine Tafelsorte, früh (0,5)–(5,1)	22	60
2540	Sunrise, early, länglich abgeplattet, rosa, Fleisch weiss, früh (1,0)–(5,0)	22	60
2541	Superior, länglich, weiss, flachhäugig, weissfleischig (1,1)–(6,1)	22	60
2542	Surpasse Marjolin, neu, nierenförmig, Fleisch gelb, sehr früh	—	80
2543	Tannenzapfen, rothe, sehr feine Salat- (0,7)–(5,0)	22	60
2544	Telephone, mittelfrüh, länglichrund, Augen flach, Haut hräunlich weiss, Fleisch weiss, vorzügliche Tafelsorte (0,7)–(3,6)	—	60
2545	The Doctor, weiss, länglich rund, spät, Augen flach, sehr feine Tafelsorte (0,9)–(4,0)	22	60
2546	Triumph Pommerns, gross, roth, erziehgige Futter- (0,9)–(3,0)	—	60
2547	Trophime, Haut und Fleisch schneeweiss, spät, extra (0,9)–(6,0)	—	50
2548	Trüffel, feine mehreiche Sorte mit rauher Schale (0,6)–(3,2)	—	60
2549	Unicum, gross, weiss, flach, oval, früh (1,7)–(5,2)	—	60
2550	Urania, neu, länglich, Haut und Fleisch weiss, spät	—	80
2551	Vanguard, sehr früh, oval, Haut rosa, Fleisch weiss, mehlig, feine Tafelsorte (1,1)–(4,6)	18	50
2552	Vermont, sehr früh, mittelgross, weissfleischig, extra (0,7)–(3,3)	—	50
2553	Victor, sehr früh, länglich, weiss, vorzüglich zum Treiben (0,9)–(7,6)	—	80
2554	Victoria, hlasserth (1,1)–(4,5)	—	50
2555	» Paterson's, weiss mit gellichem Fleisch, sehr ergiebig (1,2)–(5,7)	—	60
2556	Vineuse, neu, flachrund, Haut hellroth, rau, Fleisch weiss, mittelfrüh (0,4)–(3,2)	—	80
2557	Viola, violett, flachhäugig, weissfleischig, mittelfrüh (1,0)–(5,5)	22	60
2558	von Seydewitz, hellroth, länglich, raushchalig, Fleisch weiss, spät (1,3)–(4,2)	22	60
2559	White Star, länglich, Fleisch fest, weiss, Tafelsorte (1,2)–(4,5)	—	50
2560	Wilhelm Korn, weiss, raushchalig, plattrund, flachhäugig, Fleisch weiss, gross, extra (2,1)–(7,5)	22	60
2561	Wonder of the world (Weltwunder), länglich rund, Haut carminrosa, Fleisch weiss (1,7)–(5,6)	18	50
2562	Woodbury's white, neueste amerikanische, länglichoval, flachhäugig, Haut und Fleisch weiss, extra	—	100
2563	Wood's scarlet prolific, dunkelroth, länglichoval, rau, weissfleischig (0,3)–(2,0)	20	60
2564	Zehra, Paterson's, brangeln mit röthlichen Streifen (0,4)–(3,0)	—	60
2565	Zweigroschen, Pommer'sche rothe, gross, gute Futter- (1,1)–(7,2)	—	60
2566	Zwickauer vierzicknollige, carmoisinroth, länglich, ergiebig (1,7)–(5,4)	18	50
2567	Zwiebel, röthliche, extra (0,9)–(5,6)	15	40

Chilenische Kartoffeln.

2568	Americana, oval, schwarzviolett (1,0)–(6,4)	—	60
2569	Araucana blanca, rund, gelb mit hlau marmorirt (0,5)–(6,4)	—	120
2570	» musca, veilchenhlau, spät (0,7)–(4,3)	—	60
2571	Bolera, rund, gelb mit hlau marmorirt (0,7)–(5,5)	—	80

Kartoffeln:		100 kg kg	Kartoffeln:		100 kg kg
No.		M. Pf.	No.		M. Pf.
2572	Caballera, rundlich, spät, hellgelb (0,5)–(9,0)	160	2598	25 Sorten Speisekartoffeln, bewährteste . . . à 1 kg 8 —	—
2573	Cabritas oder Michunnes, spät, lang, schwarzblau (0,7)–(4,4)	80	2599	12 » Speisekartoffeln, bewährteste . . . à 1 kg 4 —	—
2574	Cauchan, spät, rötlichblau mit dunkleren Augen, länglich (0,8)–(4,6)	80	2600	25 » Futter- und Wirthschaftskartoffeln . . . à 1 kg 8 —	—
2575	Cauqui, gelb, rund, spät (0,9)–(6,0)	60	2601	12 » Futter- und Wirthschaftskartoffeln . . . à 1 kg 4 —	—
2576	Doyes, rund, gelblichweiss (0,7)–(3,6)	60	2602	100 » aller Classen à 1 Stück 12 —	—
2577	Francesca colorada, früh, rothbunt auf gelbem Grund (0,5)–(2,8)	80	2603	100 » » . . . à 1 kg 36 —	—
2578	» negra, früh, rund, schwarzblau mit gelben Augen (0,5)–(3,6)	80	2604	200 » mit Einschluss der neuesten in den letzten Jahren erschienenen Sorten . . . à 1 Stück 30 —	—
2579	Huachal, oval, flach, rosagelb (0,5)–(4,5)	80	2605	Solanum Ohrondi . . . à Stück — 40, —	—
2580	Inegu, spät, länglich oval, flach, hellroth (0,5)–(3,7)	80	2606	Solanum spec. Mexico (ob stoloniferum?). Interessante Kartoffelart, die in Mexico wild vorkommt. Die Knollen wachsen an Stolonen und sind verhältnissmässig klein, weiss, flach, 3–5 cm lang und 3–4 cm breit.	—
2581	Mangu blanca, spät, gelb (0,7)–(4,4)	80	2607	12 Stück (Knollen) 1 —, à Stück — 10, —	—
2582	» negra, spät, rund, schwarzblau mit weissen Augen (0,5)–(4,5)	100	2608	Stachys tuberifera (affinis) Chorogi, aus Japan eingeführte Pflanze, deren knollenartige Wurzeln ein feines Gemüse liefern. Sie gedeiht gut im Freien in guter Gartenerde und ist dabei sehr ertragreich. Um die Knollen stets schön weiss zu erhalten, müssen sie bis zum jedesmaligen Gebrauche in der Erde bleiben, da sie an der Luft leicht schwarz werden. Wurzeln (frisch aus der Erde) . . . per kg — 200	—
2583	Mnrtta, länglich, flach, gelb mit violettem Anflug (0,5)–(3,0)	80		Topinambour (Erdäpfel) . . . 15 40	—
2584	Pastanesa, spät, rund, tiefäugig, hellroth mit gelb (0,3)–(2,0)	120		Yams oder Bataten.	—
2585	Pillipicum, länglich, spät, hellroth (0,4)–(2,4)	150		2609 Japanesische Kartoffeln oder Yams, Dioscorea japonica, Thunberg, kleine Blattknöllchen . . . 100 St. 3 —	—
2586	vom See Llangulhue, gross, spät, gelb (0,7)–(4,4)	60			—
2587	Yacuyes, spät, lang, violettblau (1,6)	120			—

Kartoffelsortimente.

2588	20 chilenische Sorten von jeder	1 Stück 150, —
2589	20 » » » à 1½ kg 6 —, —	—
2590	25 allerneueste » » » à 1 Stück 5 —, —	—
2591	25 » » » à 1½ kg 18 —, —	—
2592	12 » » » à 1 Stück 2 50, —	—
2593	12 » » » à 1½ kg 9 —, —	—
2594	25 neue » » » à 1 Stück 2 50, —	—
2595	25 » » » à 1½ kg 8 —, —	—
2596	12 » » » à 1 Stück 1 25, —	—
2597	12 » » » à 1½ kg 4 —, —	—

III. Blumen-Samen.

Graines de Fleurs.

I. Haupt-Florblumen und Sortimente.

Die Sorten nachstehender Sortimente sind zu den angegebenen Preisen nach unserer unbeschränkten Wahl, aber so getroffen, dass auch die kleinsten die schönsten Hauptfarben und grösste Verschiedenheit der Species in sich begreifen, hinreichend zum vollständigen Flor kleinerer Gärten. Die Sortimente sind vorrätig gepackt, und können deshalb halbe Portionen nicht abgegeben werden.

Aster. Reine Marguerite.

Wir ziehen Aster im grössten Maaßstabe und mit der grössten Sorgfalt. Besondere Aufmerksamkeit verwenden wir darauf, die Gattungen in Bezug auf Habitus der Pflanze, Bau der Blumen, Lebhaftigkeit der Farben zu vervollkommen. Die von uns offerirten Sorten können wir als unübertroffen in allen diesen Eigenschaften empfehlen.

I. Hohe Classe.

No.		M.Pf.	No.		M.Pf.
2610	Cocardeau-Imbriquée-Pompon-Aster (Pompon-Kronen-), reizend schön mit weisser Mitte. 1. blutroth, 2. carmin, 3. carmoisin, 4. dunkelviolet, 5. hellblau, 6. lila, 7. rosa, 8. rothviolet, separat jede	20 g 4 —, 100 S. — 15	2614	Ein Sortiment von 5 Sorten . . . à 100 S. — 40	—
2611	Ein Sortiment von 6 Sorten . . . à 100 » — 50	—	2615	Dieselben gemischt . . . 20 g 2,20, 1000 » — 60	—
2612	Dieselben gemischt	20 g 3,20, 1000 S. — 60, 200 » — 15	2616	Goliath-Nadel-Aster, rosa	20 g 3,20, 100 » — 15
2613	Goliath-Aster, sehr grossblumige hohe verzweigte Gattung. 1. carmoisin, 2. dunkelblau, 3. hellblau, 4. pürsichblüthe, 5. weiss (Mont-blanc), separat jede	20 g 3 —, 100 S. — 10	2617	Goliath-Nadel-Aster, hellrosa	20 g 3,20, 100 » — 15
			2618	Harlekin-Aster, in Form der Imbriquée-Pompon-Aster mit weiss gescheckten Blumen. 1. carmoisin, 2. dunkelviolet, 3. hellblau, 4. purpur, 5. rosa, 6. schwarzblau, separat jede	20 g 3,20, 100 S. — 15
			2619	Ein Sortiment von 6 Sorten . . . à 100 » — 60	—
			2620	Dieselben gemischt . . . 20 g 2,60, 200 » — 15	—



2633. Juwel-Aster.

- | No. | M. Pf. |
|---|--------|
| 2621 Japanesische Astern, mit grossen, nadelförmigen Blumen, 1. fleischfarbe, 2. rosa, separat jeds 5 g 2,60, 100 S. — 25 | |
| 2622 Igel - Pyramiden - Astern, grosse Blumen, schöner Habitus, 1. carmin mit weisser Mitte, 2. dunkelviolet, 3. dunkelviolet mit weisser Mitte, 4. hellviolet, 5. hochrosa, 6. indigo, 7. kupferbraun, 8. kupfercarmin, 9. lilla, 10. purpurroth, 11. schwarzblau, 12. weiss, separat jede 20 g 4,—, 100 S. — 15 | |
| 2623 Ein Sortiment von 12 Sorten . à 100 » 1 — | |
| 2624 » » » 6 » à 100 » — 60 | |
| 2625 Dieselben gemischt 20 g 3,20, 1000 S. —, 75, 200 » — 20 | |
| 2626 Imbriquée-Pompon-Astern, eine reizende, reichblühende Gattung mit zierlichen dichtgefüllten kurzpetaligen Blumen, zum Trocknen besonders geeignet: 1. blutroth, 2. braunviolet, 3. carmin mit weiss, 4. carmoisin, 5. dunkelrosa, 6. dunkelschwarzbraun, 7. dunkelviolet, 8. feurigscharlach, 9. hellviolet, 10. hortensienroth mit weiss, 11. kupferscharlach, 12. kupferscharlach mit weiss, 13. kupfrigrosa, 14. purpurbraun, 15. purpurlilla, 16. purpurlilla mit weiss, 17. rosa, 18. scharlach, 19. schwarzblau, 20. weiss, 21. weiss mit violett, 22. weiss, später lasurblau, 23. weiss, später rosa, 24. ziegelrosa, 25. zinnobercarmin mit weiss, separat jede 20 g 4,—, 100 S. — 15 | |
| 2627 Ein Sortiment von 18 Sorten . à 100 » 1 50 | |
| 2628 » » » 12 » à 100 » 1 — | |
| 2629 » » » 6 » à 100 » — 50 | |
| 2630 Dieselben gemischt 20 g 3,20, 1000 S. —, 60, 200 » — 15 | |
| 2631 Juwel- oder Ball-Astern (Haage & Schmidt), neue, prachtvolle Gattung mit dichtgefüllten, ballartig runden Blumen, eine der schönsten und auffallendsten Classen: 1. apfelblüthe, 2. aschgrau, 3. carmoisin, 4. dunkelblau, 5. dunkelrosa, 6. hellblau, 7. kupferrosa, 8. purpurviolet, 9. purpurviolet mit weiss, separat jede 20 g 4,—, 100 S. — 15 | |
| 2632 Ein Sortiment von 8 Sorten à 100 » — 70 | |
| 2633 Dieselben gemischt 20 g 3,20, 500 S. — 40, 200 » — 20 | |
| 2634 lasurblau, siehe Neuheiten . . . Pt. — 60 | |
| 2635 reinweiss, » . . . » — 60 | |
| 2636 rothviolet, » . . . » — 60 | |
| No. M. Pf. | |
| 2637 Kranz-, Kronen- oder Ringel- (Cocardeau-) Astern, soböne Gattung mit päonienförmigen Blumen und weisser Mitte: 1. carmin, 2. dunkelcarmoisin, 3. dunkelrosa, 4. dunkelviolet, 5. hellblau, 6. hellviolet, 7. rothlilla, 8. rothviolet, separat jede 20 g 3,20, 100 S. — 15 | |
| 2638 Ein Sortiment von 6 Sorten . à 100 » — 50 | |
| 2639 Dieselben gemischt 20 g 2,60, 1000 S. —, 50, 500 S. —, 30, 200 » — 15 | |
| 2640 Kugel - Perfection - Astern, mit grossen gewölbten Blumen, dichtstehenden schmaleu Blumenblättern. 1. blutroth, 2. carmoisin, 3. carmoisin mit weiss, 4. dunkelrosa, 5. dunkelviolet, 6. fleischfarbe, 7. hortensienroth, weissbandirt, 8. rosa mit weiss, 9. violet, 10. violet m. weiss, 11. weiss, 12. weiss mit dunkelviolet, separat jede 20 g 3,20, 100 S. — 15 | |
| 2641 Ein Sortiment von 12 Praachtsorten à 100 » 1 — | |
| 2642 » » » 6 » à 100 » — 50 | |
| 2643 Dieselben gemischt 20 g 2,60, 500 S. —, 30, 200 » — 15 | |
| 2644 Kugel-Pyramiden-Astern, Blumeu geröbrt. 1. apfelblüthe, 2. blassschwefelgelb, 3. braunviolet, 4. dunkelblutroth, 5. dunkelcarmoisin, 6. hellasurblau, 7. indigo, 8. kupferrosa mit weiss umflort, 9. leuchtend lachrosa, 10. leuchtend scharlach, 11. pfirsichblüthe, 12. rothbraun, 13. weiss, separat jede 20 g 1,80, 100 S. — 10 | |
| 2645 Ein Sortiment von 12 Sorten . à 100 » — 80 | |
| 2646 » » » 6 » à 100 » — 40 | |
| 2647 Dieselben gemischt 20 g 1,30, 1000 S. —, 40, 200 » — 10 | |
| 2648 carmoisin mit weiss, mosaikartig, interessant und schön 20 g 8,—, 100 S. — 25 | |
| 2649 violett mit weiss, mosaikartig 20 g 5,20, 100 S. — 20 | |
| 2650 Päonien-Astern, von echtem Päonienbau, sehr gefüllt, mit grossen Blumen, Blumenblätter einwärts gebogen, prachtvoll. 1. carminrosa mit weiss, 2. carmoisin, 3. dunkelblau, 4. dunkelblutroth (Gravelotte), 5. dunkelcarmoisin mit weiss, 6. dunkelviolet mit weiss, 7. feurigscharlach, 8. feurigscharlach mit weiss, 9. hellblau mit weiss, 10. hellsoharlach, 11. leuchtend schwarzblau, 12. purpurlilla mit weiss, 13. rosa mit weiss, 14. rothviolet mit weiss, 15. weiss, 16. weiss mit carmin, 17. weiss mit dunkelviolet, separat jede 20 g 3,20, 100 S. — 15 | |
| 2651 Ein Sortiment von 12 Sorten . à 100 » 1 — | |
| 2652 » » » 6 » à 100 » — 50 | |
| 2653 Dieselben gemischt 20 g 2,60, 1000 S. — 60, 200 » — 15 | |
| 2654 La superbe rosa, auffallend schön 20 g 3,20, 100 S. — 15 | |
| 2655 » » himmelblau mit weiss 20 g 3,20, 100 S. — 15 | |
| 2656 Päonien-Perfection-Astern. Diese Abtheilung vertritt die görsste Vollkommenheit d. Päonien-Astern, mit etwas niedrigerem Habitus, sehr robustem Wuchs und Blumen bis 10 cm im Durchmesser. 1. apfelblüthe, 2. blutroth, 3. brillantrosa, 4. carmoisin, 5. carmoisin m. weiss, 6. dunkelblau, 7. dunkelblutroth mit weiss, 8. dunkelcarmoisin, 9. dunkelcarmoisin mit weiss, 10. dunkelpurpur, 11. dunkelscharlach mit weiss, 12. feurigrosa, 13. feurigscharlach, 14. fleischfarbe, 15. hellblau, 16. hellblau mit weiss, 17. hellcarmin mit weiss, 18. hellviolet, 19. lasurblau, 20. lilla mit weiss, 21. lillarothe mit weiss, 22. purpur, 23. purpurviolet, 24. purpurvio- | |

- No. **Päonien-Perfection-Astern:** M. Pf.
 lett mit weiss, 25. rosa, 26. rosa mit weiss, 27. schwarzblau, 28. schwarzblau mit weiss, 29. schwarzviolett, 30. victoriaroth, 31. victoriaroth mit weiss, 32. violett mit weiss, 33. weiss, 34. zartrosa, separat jede 20 g 4 —, 100 S. — 15
- 2657 Ein Sortiment von 18 Sorten . . . a 100 » 1 50
 2658 » » 12 » . . . » 100 » 1 —
 2659 » » 6 » . . . » 100 » — 50
- 2660 Dieselben gemischt
 20 g 3,20, 500 S. — 40, 200 » — 20
- 2661 zinnoberscharlach, neu
 5 g 4 —, 100 » — 30
- 2662 Paeonien Perfection Nadel-Aster, pfirsichblüthe, prachtvoll
 20 g 7 —, 100 S. — 25
- 2663 Paeonien Perfection Nadel-Aster, carmoisin . . . 20 g 7 —, 100 S. — 25
- 2664 Reid's kugelblüthige Röhr-Astern. Die kugelige Form der Blume ist auffallend schön.
 1. blassrosa, 2. blassrosa, 3. carmoisin, 4. dunkelblau mit weiss, 5. dunkelcarmoisin mit weisser Mitte, 6. dunkelviolett mit weisser Mitte, 7. hellblau mit weisser Mitte, 8. indigo, 9. lachsrosa schattirt, 10. lilla, 11. lilla mit weiss, 12. pfirsichblüthe, 13. rosa mit weiss, 14. rosa mit weisser Mitte, 15. violett, 16. violett mit weiss, 17. weiss, 18. weiss mit carmoisin, 19. weiss mit roth gesprenkelt, separat jede 20 g — 80, 100 S. — 10
- 2665 Ein Sortiment von 12 Sorten . . . a 100 » — 70
 2666 » » 6 » . . . » 100 » — 40
- 2667 Dieselben gemischt . 20 g — 60, 200 » — 10
- 2668 schwefelgelb, neu, sehr auffallende Farbe, schönste gelbe Aster
 20 g 1 —, 100 S. — 15
- 2669 Rosen-Astern. Blumen gross, dichtgefüllt, nach aussen mit regelmässig dachziegelförmig gelegten Petalen, innen päonienartig einwärts gebogen.
 1. blassrosa, 2. carmoisin mit weiss, 3. dunkelblutroth, 4. dunkelcarmoisin, 5. dunkelpurpur, 6. dunkelscharlach, 7. dunkelviolett, 8. feurigcarmoisin, 9. fleischfarbe, 10. hellviolett, 11. hochrosa, weiss umflort, 12. lasurblau, 13. leuchtend kupferrosa, 14. purpur mit weiss, 15. rosa mit weiss, 16. scharlach, 17. violettroth, 18. weiss, 19. weiss mit chamois, 20. weiss mit rosa Schein, separat jede 20 g 3,80, 100 S. — 15
- 2670 Ein Sortiment von 12 Sorten . . . a 100 » 1 —
 2671 » » 6 » . . . » 100 » — 50
- 2672 Dieselben gem. 20 g 3, —, 500 S. — 30, 200 » — 15
- 2673 leuchtend carmin, herrliche neue Farbe . . . 5 g 2 —, 100 S. — 25
- 2674 Strahlen-Astern, 1. leuchtend rosa, 2. weiss, siehe Neuheiten, separat jede Pt. — 60
- 2675 Washington-Astern. Prachtvolle Gattung von schönem pyramidentalem Wuchs. Die Blumen sind dichtgefüllt und sehr gross, mindestens 10—12 cm im Durchmesser.
 1. carmin, 2. carminrosa, 3. carmoisin, 4. dunkelblau, 5. feurigcharlach, 6. gelblichweiss, 7. hellblau, 8. lasurblau, 9. lillarothe, 10. pfirsichblüthe, 11. purpurviolett, 12. rosa, 13. silbergran, 14. weiss, 15. weiss mit rosa Schein, separat jede 20 g 4 —, 100 S. — 15
- 2676 Ein Sortiment von 12 Sorten . . . a 100 » 1 —
 2677 » » 6 » . . . » 100 » — 50
- 2678 Dieselben gemischt 20 g 3,20, 200 » — 15
- 2679 Washington-Nadel-Astern, sehr hübsche Classe von pyramidenförmigem Bau und 10—12 cm grossen, nadelförmigen, dichtgefüllten Blumen, die sich auffallend lange in Blüthe halten. Grösstblumige Nadel-Aster des ganzen Sortiments.
 1. carmoisin, 2. dunkelviolett, 3. hellviolett, 4. kupferrosa, 5. lilla, 6. pfir-



2667. Reid's kugelbl. Röhr-Aster.

- No. **Washington-Nadel-Astern:** M. Pf.
 sichblüthe, 7. rosa, 8. röthlichweiss, 9. silbergrau, 10. weiss, separat jede 20 g 8 —, 100 S. — 20
- 2680 Ein Sortiment von 10 Sorten . . . a 100 » 1 —
 2681 » » 6 » . . . » 100 » — 60
- 2682 Dieselben gemischt
 20 g 7 —, 500 S. — 60, 100 » — 15
- 2683 Weisse amerikanische Busch-Aster, sehr spätblühende, grossblum. Sorte, werthvoll z. Schneiden, 20 g 4 —, 100 S. — 15

II. Halbhohe Classe.

- 2684 Comet-Astern (Haage & Schmidt), sehr schöne neue Classe mit grossen, dichtgefüllten, lockeren Blumen, ähnlich denen des Japanesischen Chrysanthem.:
 1. carmin, 2. hellblau, 3. hellblau mit weiss, 4. lillarothe, 5. pfirsichblüthe, 6. rosa, 7. rosa mit weiss, 8. weiss mit lilla, 9. weiss mit rosa Schein, separat jede 20 g 5 —, 100 S. — 20
- 2685 Ein Sortiment von 10 Sorten . . . a 100 » 1 20
 2686 » » 6 » . . . » 100 » — 60
- 2687 Dieselben gemischt
 20 g 4,40, 1000 S. — 80, 200 » — 20
- 2688 dunkelblau . . . 5 g 2 —, 100 » — 25
 2689 reinweiss . . . 5 g 2 —, 100 » — 20
 2690 zartrosa, neu . . . 100 » — 30
- 2691 Riesen-Comet-Astern, neue Gattung von 40 cm Höhe und sehr grossen, langpetaligen Blumen, 1. carmoisin, 2. dunkelblau, 3. hellblau, 4. lilla, 5. rosa, 6. weiss mit rosa Schein, siehe Neuheiten . . . separat jede Pt. — 60
- 2692 reinweiss . . . 20 g 3,20, 100 S. — 20
- 2693 „die Braut“, weiss in rosa übergehend
 5 g 5 —, 100 S. — 30
- 2694 Riesen-Comet-Astern in bester Mischung . . . 20 g 4,80, 100 S. — 20
- 2695 Diamant-Astern, Haage & Schmidt. (Verbesserte grossblumige niedrige übrüque-Pompon-Astern), ausserordentlich schön, ungefähr 35 cm hoch, mit grossen imbruierten Blumen, constant im Habitus und Höhe.
 1. dunkelcarmin, 2. dunkelcarmoisin, 3. dunkelrosa, weiss umflort, 4. dunkelviolett, 5. dunkelviolett mit weiss, 6. hellviolett, 7. kupferroth mit weiss, 8. purpurilla, 9. rosa, 10. rothviolett, 11. weiss, separat jede 20 g 4,20, 100 S. — 15
- 2696 Ein Sortiment von 10 Sorten . . . a 100 » — 80
 2697 » » 6 » . . . » 100 » — 50
- 2698 Dieselben gemischt
 20 g 3,50, 1000 S. — 80, 200 » — 20



2724. Mignon-Aster.



2729. Niedr. Paeon.-Perfection-Aster.

- | No. | M. Pf. | No. | M. Pf. |
|------|---|------|--|
| 2699 | Ideal-Aster, schneeweiss, siehe Neuheiten . . . Pt. — 60 | 2717 | Meteor-Astern, eine prachtvolle Aster. Die reiche, reizend ausgelegte Verzweigung bildet eine regelmässige Kugel von 40 cm im Durchmesser, dichtbesetzt mit kugelförmigen, starkgefüllten, dachziegelförmig gebauten, reizend schönen Blumen; ganz constant in Bau und Habitus der Pflanze. 1. dunkelcarmoisin, 2. leuchtend kupferroth mit weiss, 3. scharlach, 4. scharlach mit weiss, 5. weiss, separat jede . . . 20 g 2,60, 100 S. — 15 |
| 2700 | Königin der Hallen (Reine des Halles), die frühestblühende Aster-Gattung mit kugelförmig verzweigtem Bau und langstengeligen Blumen; als Schnittblume sehr werthvoll. 1. carmoisin, 2. dunkelblau, 3. fleischfarbe, 4. hellblau, 5. lasurblau, 6. purpurilla, 7. rosa, 8. röthlichlila, 9. weiss, separat jede . . . 20 g 1,20, 100 S. — 10 | 2718 | Ein Sortiment von 5 Sorten . . . 20 g 2,20, 500 » — 30 |
| 2701 | Ein Sortiment von 8 Sorten . . . 20 g 1,20, 100 S. — 10 | 2719 | Dieselben gemischt . . . 20 g 2,20, 500 » — 30 |
| 2702 | Dieselben gemischt . . . 20 g 1,20, 100 S. — 10 | 2720 | Mignon-Astern, neue, äusserst dankbar blühende Classe von pyramidenförmigen Bau und prachtvollen hochgewölbten, dicht imbricirten Blumen, eine der feinsten Astern für Bindezwecke: 1. carmoisin, 2. hellblau, 3. lillarothe, 4. rein weiss, 5. rosa, 6. rosa mit weiss umflozt, separat jede . . . 20 g 2,60, 100 S. — 15 |
| 2703 | früheste weisse Markt-, noch frühblühender als Königin der Hallen . . . 20 g 1,60, 200 S. — 15 | 2721 | weiss, später lilla 20 » 5,20, 100 » — 20 |
| 2704 | früheste Markt-, rosa, siehe Neuheiten . . . Pt. — 60 | 2722 | weiss, später rosa 20 » 5,20, 100 » — 20 |
| 2705 | Kugel-Astern. 1. apfelblüthe, 2. aschgrau, 3. blassrosa, 4. carmin, 5. carmin mit weiss, 6. carmoisin, 7. dunkelblau, 8. dunkelcarmoisin (Riesen-Kugel-), 9. dunkelrosa, 10. dunkelscharlach, 11. dunkelviolet, 12. hellblau mit weiss, 13. leuchtend ziegelrosa mit weiss, 14. lillarothe, 15. röthlichweiss, 16. violettbraun, 17. violett mit weiss, 18. violettroth, 19. weiss, 20. weiss mit blutrother Mitte, 21. weiss mit carmoisin separat jede 20 g — 80, 100 S. — 10 | 2723 | Ein Sortiment von 6 Sorten . . . 20 g 2,20, 200 » — 20 |
| 2706 | Ein Sortiment von 12 Sorten . . . 20 g — 80, 100 S. — 10 | 2724 | Dieselben gemischt . . . 20 g 2,20, 200 » — 20 |
| 2707 | » » » 6 » . . . 20 g — 70, 200 » — 10 | 2725 | lilla, siehe Neuheiten . . . Pt. — 60 |
| 2708 | Dieselben gemischt . . . 20 g — 70, 200 » — 10 | 2726 | Niedrige Paeonien-Perfection-Astern, sehr empfehlenswerthe Classe mit prachtvollen grossen Blumen von echtem Paeonienbau. 1. carmoisin, 2. carmoisin mit weiss, 3. dunkelscharlach, 4. fleischfarbe, 5. weisse, 6. hellblau mit weiss, 7. hellcarmin, 8. hell-scharlach, 9. hell-scharlach mit weiss, 10. lasurblau, 11. leuchtend scharlach, 12. lilla mit weiss, 13. purpurscharlach, 14. purpurscharlach mit weiss, 15. rein weiss, 16. rosa, 17. rosa mit weiss, 18. schwarzblau, 19. schwarzblau mit weiss, separat jede . . . 20 g 4,20, 100 S. — 15 |
| 2709 | Liliput-Astern, sehr kleinblumige, aber äusserst reichblühende Gattung von pyramidenförmigem Wuchs, werthvoll für Bouquets. 1. carmoisin, 2. dunkelblau, 3. dunkelcarmoisin, 4. feurigscharlach, 5. hellblau, 6. rein weiss, 7. rosa, 8. weiss mit carmoisinrother Mitte, 9. weiss mit dunkelblauer Mitte, 10. weiss mit hellblauer Mitte, 11. weiss mit rosa Mitte . separat jede 20 g 2,20, 100 S. — 15 | | |
| 2710 | Ein Sortiment von 10 Sorten . . . 20 g — 80, 100 S. — 10 | | |
| 2711 | » » » 6 » . . . 20 g — 80, 100 S. — 10 | | |
| 2712 | Dieselben gemischt . . . 20 g 1,60, 100 » — 50 | | |
| 2713 | Mandarin-Astern (Zwerg Pyramiden Astern.) Schöne halbhohle Gattung von 30 cm Höhe, reichverzweigt, mit stark gefüllten Blumen von mittlerer Grösse. 1. blassrosa, 2. carmoisin, 3. dunkelscharlach mit weiss, 4. dun- | | |

Niedrige Päonien-Perfection-

No.	Astern:	M.Pf.
2727	Ein Sortiment von 12 Sorten . . .	100 S. 1
2728	» » 6 » . . .	100 » 50
2729	Dieselben gemischt . . .	20 g 3,50, 200 » 20
2730	dunkelpurpur, neu 5 »	4,60, 100 » 30
2731	schwarzviolett, » 5 »	4,60, 100 » 30

2732 **Päonienblüthige Kugel-** (Uhländ-) **Astern**, sehr reichblühend und effectvoll. 1. blutroth, 2. brillantilla, 3. carmoisin, 4. dunkelblau, 5. dunkelblutroth, schwarzsamig, 6. dunkelindigo, 7. dunkelrosa, weiss umflort, 8. kupferkirschbroth, 9. lillalosa, 10. porzellanblau, 11. violett purpur, 12. weiss, 13. weiss mit zartrosa Anflug, 14. zinnobercarmin mit weiss umflort, separat jede 20 g 3,20, 100 S. — 15

2733 Ein Sortiment von 12 Sorten . . . 100 S. 1

2734 » » 6 » . . . 100 » 50

2735 Dieselben gemischt . . . 20 g 2,60, 1000 S. — 15

2736 feurigscharlach . . . 20 g 4,80, 100 S. — 15

2737 **Perl-Astern** (Haage & Schmidt.) (Verbesserte Kugelblüth. Zwerg-Imbriqué-Pompon-Astern.) Sehr frühblühend. 1. carmoisin, 2. carmoisin mit weiss, 3. dunkelblau, 4. dunkelblau mit weiss, 5. hellblau, 6. hellblau mit weiss, 7. rosa mit weiss, 8. weiss, 9. weiss mit carmin, 10. weiss mit hellblau, separat jede 20 g 2,20, 100 S. — 10

2738 Ein Sortiment von 10 Sorten . . . 100 S. — 75

2739 » » 6 » . . . 100 » 40

2740 Dieselben gemischt . . . 20 g 1,60, 1000 S. — 50, 200 » 15

2741 **Pompon-Nadel-Astern**, sehr schöne pyramidenförmige Classe mit kleinen, dichtgefüllten Blumen; werthvoll zum Schneiden. 1. dunkelcarmoisin, 2. dunkelrosa, 3. bellindigo, 4. schwarzviolett, separat jede 20 g 4, —, 100 S. — 15

2742 Ein Sortiment von 4 Sorten . . . 100 S. — 40

2743 Dieselben gemischt . . . 20 g 3,20, 200 » — 20

2744 **Prinzess-Aster**, Schneeball, neu, prachtl. reinweisse Blumen bringend. In Höhe und im Bau der Pflanzen der Mignon-Aster nahe stehend. 20 g 4, —, 100 S. — 20

2745 **Prinzess-Aster**, rosa, neu . . . 20 g 5, —, 100 » — 25

2746 » » weiss, später rosa, neu . . . 5 g 3, —, 100 S. — 30

2747 **Prinz von Wales-Astern**, frühblühende Sorte von kugeligem Bau, mit grossen dachziegelförmig gebauten Blumen, schön. 1. carmin, 2. dunkelblau, 3. dunkelcarmoisin, 4. lilla, 5. lillalosa, 6. purpurviolett, 7. weiss, separat jede 20 g 4, —, 100 S. — 15

2748 Ein Sortiment von 6 Sorten . . . 100 » — 50

2749 Dieselben gemischt . . . 20 g 3,20, 1000 » — 70

2750 **Riesen-Kaiser-Astern**, wenig verzweigte Astern mit enorm grossen Blumen. 1. apfelblüthe, 2. cacao Braun, 3. dunkelrosa mit weiss umflort, 4. hellpurpur, 5. hochrosa, 6. lachsroth, 7. pfirsichblüthe, 8. purpurilla, 9. violett, 10. violett mit weiss, 11. weiss, 12. weiss, später lasurblau, separat jede 100 S. — 40

2751 Ein Sortiment von 6 Sorten . . . 100 » 1 20

2752 Dieselben gemischt . . . 5 g 3, —, 100 S. — 30

2753 **Röhr- oder Feder-Astern**: 1. aschblau, 2. blutbraun, 3. carmoisin, 4. carmoisin mit weiss, 5. dunkelblau, 6. dunkelscharlach mit weiss, 7. dunkelviolett mit weiss, 8. gelblichweiss, 9. hellblau, 10. hellblau mit weiss, 11. hellviolett mit weiss, 12. lilla, 13. pfirsichblüthe, 14. rosa, 15. violett, 16. weiss, 17. weiss mit rothem Herz, separat jede 20 g —, 80, 100 S. — 10

2754 Ein Sortiment von 12 Sorten . . . 100 » — 60

2755 » » 6 » . . . 100 » — 35

2756 Dieselben gemischt . . . 20 g —, 60, 200 » — 10



2767. Victoria-Aster.

No.	Astern:	M.Pf.
-----	---------	-------

2757 **Schiller-Astern**, äusserst reichblühende Classe, Bau bouquetförmig.

1. brillantrosa, 2. carmoisin, 3. dunkelblau, 4. fleischfarbe, 5. hellblau, 6. kupferrosa, 7. lebhaft rosa, 8. weiss, separat jede 20 g 1,80, 100 S. — 10

2758 Ein Sortiment von 6 Sorten . . . 100 » — 40

2759 Dieselben gemischt . . . 20 g 1,30, 200 » — 15

2760 **Trophäe-Astern**, reichblühende Gattung von verzweigtem kugelförmigem Bau. Blumen kugelförmig, geröhrt. 1. carmoisin, 2. carmoisin mit weiss, 3. dunkelcarmoisin, 4. dunkelviolett, 5. dunkelviolett mit weiss, 6. rosa, 7. weiss, separat jede 20 g —, 90, 100 S. — 10

2761 Ein Sortiment von 6 Sorten . . . 100 » — 10

2762 Dieselben gemischt . . . 20 g —, 70, 200 » — 10

2763 **Victoria-Astern**. Sehr robust im Wuchs, 40 cm hoch, mit Blumen oft über 10 cm im Durchmesser, mit äusserst regelmässig dachziegelförmig gelegten Blumenblättern.

1. carminrosa, 2. carmoisin, 3. carmoisin mit weiss, 4. dunkelblau, 5. dunkelcarmoisin, 6. dunkelindigo, 7. dunkelscharlach, 8. dunkelviolett mit weiss, 9. feurigscharlach, 10. feurigscharlach mit weiss, 11. hellviolett, 12. hortensienroth, 13. hortensienroth mit weiss, 14. indigo auf weissem Grund, 15. indigo mit weiss, 16. kupferscharlach (bordeauxroth), 17. lasurblau, 18. lilla auf weissem Grund, 19. lilla mit weiss, 20. lillaloth, 21. pfirsichblüthe, 22. purpur, 23. purpur mit weiss, 24. purpurrosa auf weissem Grund, 25. reinweiss, 26. rosa, 27. rosallila, 28. rosa mit weiss, 29. rosa mit weissen Spitzen, 30. rothlilla mit weiss, 31. schwefelgelb, 32. violett purpur, 33. weiss, 34. weiss mit rosa Schein, 35. weiss, später lasurblau, 36. weiss, später rosa, separat jede . . . 20 g 4,80, 100 S. — 20

2764 Ein Sortiment von 13 Sorten . . . 100 » 1 75

2765 » » 12 » . . . 100 » 1 20

2766 » » 6 » . . . 100 » — 60

2767 Dieselben gemischt . . . 20 g 4, —, 1000 S. 1, —, 200 » — 25

2768 **zinnoberroth mit weiss umflort** . . . 20 g 5,20, 100 S. — 20

2769 **Victoria-Kugel-Astern**, spätblühende Gattung, mit kugelförmig verzweigtem Bau; werthvoll zum Schneiden.

No.	Victoria-Kugel-Astern:	M. Pf.
	1. carmoisin, 2. fleischfarbe, 3. hellblau, 4. pfirsichblüte, 5. silbergrau, 6. weiss, sep. jede 20 g 4,—, 100 S. — 15	
2770	Ein Sortiment von 6 Sorten . . . à 100 » — 60	
2771	Dieselben gemischt . . . 20 g 3,20, 200 » — 15	
2772	Victoria-Nadel-Aster , auffallend schön. 1. carminrosa, 2. dunkelcarmoisin, 3. dunkelviolett, 4. hellblau, 5. hortensienroth, 6. kupferscharlach, 7. leuchtend zinnober, 8. lillaroosa, 9. weiss, separat jede 20 g 8,—, 100 S. — 20	
2773	Ein Sortiment von 6 Sorten . . . à 100 » — 70	
2774	Dieselben gemischt . . . 20 g 7,—, 200 » — 20	
2775	Victoria-Zellen-Aster , lillaroosa, 20 g 6,—, 100 S. — 20	
2776	Vollendung- oder Baum-Astern, 1. hellblau, 2. weiss, siehe Neuheiten separat jede Pt. — 60	
2777	Weisse Dame , neue, schmalblättrige Sorte mit dichtgefüllten, reinweissen Blumen . . . 20 g 5,—, 100 S. — 20	
2778	Weisse von Boston , sehr schöne, grossblumige weisse Schnitt-Aster 20 g 4,—, 100 S. — 15	

III. Niedrige (Zwerg-) Classe.

2779	Boltze's Miniatur-Bouquet-Pyramiden-Astern . Ganz constant, niedrig, sehr reichblühend. 1. carmin, 2. carmin mit weiss, 3. carminrosa, 4. dunkelblau, 5. dunkelcarmin mit weiss, 6. bellrosa, 7. kupferrosa, 8. kupferrosa mit weiss, 9. reinweiss, 10. rosa mit weiss, 11. violett m. weiss, 12. weiss m. carmin, 13. weiss mit dunkelblau, 14. weiss mit carmoisin, 15. weiss mit rosa, 16. weiss mit rothem Herz, separat jede 20 g 3,80, 100 S. — 15	
2780	Ein Sortiment von 12 Sorten à 100 » 1 —	
2781	» » » 6 » » 100 » — 50	
2782	Dieselben gemischt 20 g 2,60, 1000 S. — 60, 200 » — 15	
2783	Deutsche Kaiser-Astern , prachtvolle Classe mit grossen dichtgefüllten Blumen. 1. carminrosa, 2. carminrosa mit weiss, 3. carmoisin, 4. lilla, 5. lillaroth mit weiss, 6. rothlilla, 7. rothviolett, 8. violett mit weiss, 9. weiss, separat jede 20 g 4,—, 100 S. — 15	
2784	Ein Sortiment von 6 Sorten à 100 » — 50	
2785	Dieselben gemischt 20 g 3,20, 200 » — 20	
2786	Grossblumige Zwerg-Chrysanthemum-Astern , sehr effectvoll für niedrige Gruppen, von robustem Wuchs, mit sehr grossen Blumen in den brillantesten Farben: 1. braunviolett, 2. brillantrosa, 3. carmin, 4. carmoisin, 5. carmoisin mit weiss, 6. dunkelblau, 7. dunkelblau mit weiss, 8. dunkelbraunroth mit weiss, 9. dunkelcarmoisin, 10. dunkelrosa, 11. dunkelscharlach, 12. dunkelviolett, 13. feurigscharlach, 14. fleischfarbe, 15. hellblau, 16. hellblau mit weiss, 17. hellsebscharlach, 18. hellviolett, 19. indigo auf weissem Grund, 20. kupfrigpurpur, 21. kupferscharlach, 22. kupferscharlach mit weiss, 23. leuchtend kupferroth, 24. leuchtend purpurroth, 25. leuchtend ziegelrosa, 26. leuchtend ziegelrosa mit weiss, 27. lilla, 28. lilla mit weiss, 29. lillaroth, 30. mohngrau, 31. purpur, 32. purpurviolett mit weiss, 33. reinweiss, 34. rosa, 35. rosa mit weiss, 36. rothviolett, 37. scharlach, 38. weiss, 39. weiss mit carmin, 40. weiss mit carmoisin, 41. weiss, im Verblühen lasurblau, 42. weiss mit violett, 43. weiss, später rosa, 44. zartrosa, weiss umflort, 45. zinnober-scharlach mit weiss, separat jede 20 g 3,20, 100 S. — 15	

No.	Grossblumige Zwerg-Chrysanthemum-Astern:	M. Pf.
2787	Ein Sort. von 24 Sorten . . . à 100 S. 2 —	
2788	» » » 15 » . . . » 100 » 1 50	
2789	» » » 12 » . . . » 100 » 1 —	
2790	» » » 6 » . . . » 100 » — 50	
2791	Dieselb. gem. 20 g 2,60, 1000 S. — 80, 200 » — 20	
2792	Bismarckbraun , neu . . . » 100 » — 30	
2793	hortensienrosa , . . . » 100 » — 30	
2794	purpurviolett , » . . . » 100 » — 30	
2795	silbergrau , » . . . » 100 » — 30	
2796	Zwerg-Chrysanthemum-Perfection-Astern , neue, grossblumige Gattung von grösster Vollkommenheit. 1. carmiu, 2. feurigscharlach, 3. lilla mit weissen Spitzen, 4. rosa mit weissen Spitzen, separat jede 20 g 7,60, 100 S. — 25	
2797	Ein Sortiment von 4 Sorten à 100 » — 60	
2798	Dieselben gemischt . . . 20 g 7,—, 100 » — 20	
2799	Zwerg-Chrysanthemum-Nadel-Aster , bordeauxroth , sehr soböne leuchtende Sorte, 20 g 3,20, 200 S. — 20	
2800	Humboldt-Astern (Päonienblüthige robuste Zwerg-) prachtvolle Gattung, von robustem Wuchs, reizendem Habitus und sehr grossen päonienförmigen Blumen: 1. brillantscharlach, 2. carmin, 3. dunkelblutroth, 4. dunkelcarmin, 5. dunkelpurpur, 6. feurigcarmoisin, 7. hellblau, 8. hochrosa, 9. leuchtend dunkelblutroth, 10. lillaroth, 11. purpurcarmoisin mit weiss, 12. rosa, 13. reinweiss, 14. schwarzblau, separat jede 20 g 4,80, 100 S. — 15	
2801	Ein Sortiment von 12 Sorten à 100 » 1 —	
2802	» » » 6 » » 100 » — 50	
2803	Dieselben gemischt 20 g 4,—, 1000 S. — 80, 200 » — 20	
2804	Johannistag-Aster , carmoisin, neu . . . Pt. — 40	
2805	» dunkelblau, neu . . . » — 40	
2806	» » mit weiss, s. Neuh. . . — 60	
2807	» dunkelroth, s. Neuh. . . — 60	
2808	Non plus ultra-Astern , grossblumige Classe, Blumen ähnlich der Victoria-Aster. 1. carmin, 2. carmoisin, 3. dunkelblau, 4. fleischfarbe, 5. hellblau, 6. rosa, 7. weiss, separat jede 20 g 7,—, 100 S. — 20	
2809	Ein Sortiment von 6 Sorten à 100 » — 70	
2810	Dieselben gemischt . . . 20 g 5,80, 100 » — 15	
2811	Shakespeare-Astern . Von schönem Habitus und Blütenreichthum, mit kleinen imbrikirnten kugelligen Blumen, reizend schön. 1. blutroth, 2. carmoisin, 3. carmoisin mit weiss, 4. dunkelblau, 5. leuchtend dunkelblutroth mit weissem Herz, 6. purpur, 7. rosa, 8. schwarzblau, 9. schwarzblau mit weiss, 10. weiss, 11. weiss mit hellblau, 12. weiss mit carmoisin, 13. weiss mit dunkelviolett, separat jede 20 g 4,80, 100 S. — 15	
2812	Ein Sortiment von 12 Sorten à 100 » 1 —	
2813	» » » 6 » » 100 » — 50	
2814	Dieselben gem. 20 g 4,—, 1000 S. 1,—, 200 » — 25	
2815	Triumph-Aster , dunkelscharlach , neu, 20—25 cm hoch, Blumen von tadelloser Päonienform, schönsten Zwerg-Aster für Teppichbeete oder zur Topfcultur . . . 5 g 5,—, 100 S. — 30	
2816	Triumph-Aster , dunkelscharlach mit weiss, neu, sehr hübsch und regelmässig bandirt . . . 5 g 2,50, 100 S. — 20	
2817	Zwerg-Astern , in folgenden distinctesten dichtgefüllten Sorten: 1. blasslilla, 2. blassroth, 3. blassroth mit weiss, 4. brillantrosa, 5. carmoisin, 6. carmoisin mit weiss, 7. dunkelblau, 8. dunkelblutroth, 9. dunkellilla, 10. dunkelpurpur, 11. dunkelroth, 12. dunkelroth mit weiss, 13. dunkelviolett, 14. fleischfarbe, 15. hellblau, 16. lillaroth, 17. rötlich-	



2820. Zwerg-Aster.



2827. Zwerg-Königin-Aster.

- | | |
|---|--|
| <p>No. Zwerg-Astern: M. Pf.</p> <p>weiss, 18. schwarzblau, 19. violett, 20. violett mit weiss, 21. weiss, 22. weiss mit carmin, 23. weiss mit carmoisin, 24. zinnobercarmin, separat jede 20 g 1 60
 100 S. — 10
 2818 Ein Sortiment von 12 Sorten à 100 » — 75
 2819 » » 6 » à 100 » — 40
 2820 Dieselben gemischt . 20 g 1,10, 200 » — 10
 2821 Zwerg-Bouquet-Pyramiden-Astern, verbesserte. Prächtige Gattung mit verhältnissmässig grossen Blumen. Der Effect einer einzelnen Pflanze ist reizend schön, und eignen sie sich vorzüglich zu Einfassungen.
 1. blutroth, 2. carmin, 3. carmin mit weiss, 4. carminrosa, 5. dunkelblau, 6. dunkelrosa, 7. dunkelblutroth, 8. pfirsichblüthe, 9. purpurviolett mit weiss, 10. scharlach, 11. scharlach mit weiss, 12. weiss, 13. weiss mit carmin, separat jede 20 g 4,30, 100 S. — 15
 2822 Ein Sortiment von 12 Sorten . à 100 » — 1
 2823 » » 6 » . » 100 » — 50
 2824 Dieselben gemischt 20 g 4,—, 1000 S. — 80, 200 » — 20
 2825 Zwerg-Königin-Astern, äusserst frühlühende Classe mit grossen dichtgefüllten, dachziegelförmigen Blumen. 1. carmoisin, 2. dunkelblau, 3. hellblau, 4. lilla, 5. reinweiss, 6. rosa, separat jede 20 g 6,—, 100 S. — 20
 2826 Ein Sortiment von 5 Sorten . à 100 » — 60
 2827 Dieselben gemischt . 20 g 5,—, 200 » — 20
 2828 hortensienroth, siehe Neuheiten Pt. — 50
 2829 Zwerg-Kronen-Astern, prächtige niedrige Gattung, Blumen sämmtlich mit weisser Mitte. 1. carmoisin, 2. lilla, 3. rosa, 4. violett, separat jede 20 g 5,30, 100 S. — 15
 2830 Ein Sortiment von 4 Sorten . à 100 » — 40
 2831 Dieselben gemischt . . 20 g 4,30, 200 » — 20
 2832 Zwerg-Victoria-Astern, von circa 20 cm Höhe mit sehr grossen Blumen. 1. carmin, 2. carmin mit weiss, 3. carminrosa, 4. carmoisin, 5. dunkelblau</p> | <p>No. Zwerg Victoria-Astern: M. Pf.</p> <p>(indigo), 6. dunkelrosa, 7. dunkelscharlach, 8. feurigscharlach, 9. fleischfarbe, 10. hellblau, 11. hortensienroth, 12. lillalosa, 13. rosa mit weiss, 14. scharlach mit weiss, 15. schwefelgelb, 16. weiss, 17. weiss verbessert, 18. weiss mit dunkelblau separat jede 20 g 7,—, 100 S. — 20
 2833 Ein Sortiment von 12 Sorten . à 100 » 1 20
 2834 » » 6 » . » 100 » — 60
 2835 Dieselben gemischt . 20 g 5,20, 200 » — 20
 2836 Zwerg-Bouquet-Victoria-Astern, schöne Gattung von 30 cm Höhe. Jede Pflanze bildet mit ihren grossen, schön imbricirten, wirklich prachtvollen Blumen ein grosses Bouquet. 1. apfelblüthe, 2. braunviolett, 3. carmoisin, 4. dunkelblau, 5. scharlach, 6. weiss, separat jede . . . 20 g 7,—, 100 S. — 20
 2837 Ein Sortiment von 4 Sorten . à 100 » — 50
 2838 Dieselben gemischt . . 20 g 5,20, 200 » — 25
 2839 Zwerg-Turban-Aster, weiss 20 g 2,60, 200 » — 15
 2840 » » dunkelcarmoisin mit weiss . 20 g 3,—, 200 S. — 15
 2841 Zwerg - Pyramiden - Turban-Astern, schöne niedrige Gattung zu Einfassungen, 1. aschblau, 2. carmoisin, 3. carmoisin mit weiss, 4. dunkelrosa, 5. hellblau mit weiss, 6. hellviolett, 7. purpurviolett, 8. purpurviolett mit weiss, 9. weiss, separat jede 20 g 3,—, 100 S. — 10
 2842 Ein Sortiment von 6 Sorten . à 100 » — 40
 2843 Dieselben gemischt . . 20 g 2,60, 200 » — 15
 2844 Einfachblühende Astern, 1. blau getreift, 2. dunkelblau, 3. dunkelroth, 4. dunkelviolett, 5. hellblau, 6. hellrosa, 7. hellviolett, 8. leuchtend rosa, 9. roth getreift, 10. weiss, separat jede 20 g 3,20, 100 S. — 15
 2845 Ein Sortiment von 8 Sorten . à 100 » — 40
 2846 Dieselben gemischt . . 20 g 2,60, 100 » — 10</p> |
|---|--|

Levkoyen. Giroflée.

(Feinste Qualität in Töpfen gezogen.)

- | | |
|--|---|
| <p>No. Beste engl. Sommer-Levkoyen,</p> <p>2847 1. apfelblüthe, 2. aschgrau, 3. aurora, 4. blutroth, 5. canariengelb, 6. carmin, 7. carmoisin, 8. chamoisrosa, 9. dunkel-</p> | <p>No. Beste engl. Sommer-Levkoyen: M. Pf.</p> <p>blutroth, 10. dunkelcarmin, 11. dunkelviolett, 12. fleischfarbe, 13. hellblau, 14. kupferroth, 15. laurblau, 16. leuchtend purpur, 17. rosa, 18. rothgrau,</p> |
|--|---|

No.	Beste engl. Sommer-Levkoyen: M.Pf.	No.	Dresdener immerblühende Sommer-Levkoyen, grossbl. Classe, die besonders als Schnittblume sehr zu empfehlen ist: 1. apfelblüthe, 2. canariengelb, 3. carmoisin, 4. dunkelblau, 5. dunkelcarmin, 6. fleischfarbe, 7. hellblau, 8. rosa, separat jede	M.Pf.
19.	schwarzbraun, 20. victoriaroth, 21. weiss, 22. zimmetbraun, separat jede 20 g 4,40, 100 S. — 15	2879	schneeweiss, sehr schön mit grossen Rispen, vorzüglich zum Schneiden 20 g 7,50, 100 S. — 20	
2848	Ein Sortiment von 18 Sorten . . . 100 » 1 60	2880	schneeweiss, sehr schön mit grossen Rispen, vorzüglich zum Schneiden 20 g 7,50, 100 S. — 20	
2849	» » 12 » . . . 100 » 1 —	2881	Ein Sortiment von 6 Sorten . . . 100 » — 60	
2850	» » 6 » . . . 100 » — 50	2882	Dieselben gemischt . . . 20 g 6,50, 100 » — 15	
2851	Dieselben gemischt 20 g 3,60, 1000 S. — 75, 500 S. — 40, 200 » — 20	2883	Riesen-Stangen-Remontant-schneeweiss (Dresdener weiss verbessert), einstänglig, 60–70 cm hoch, sehr grossbl. . . 20 g 8,—, 100 S. — 20	
2852	Weisse Perle-Sommer-Levkoye, siehe Neuheiten Pt. 1 —	2884	Grossblumige Pyramiden-Sommer-Levkoyen. 1. carmin, 2. carmoisin mit Lackblatt, 3. chamois, 4. chamoisrosa, 5. dunkelascbgrau, 6. dunkelblau, 7. fleischfarbe, 8. rosa, 9. rosallila, 10. reinweiss, 11. schwarzbraun, 12. schwefelgelb mit Lackblatt, 13. weiss mit Lackblatt, separat jede 20 g 7,50, 100 S. — 20	
2853	Grossblumige Sommer-Levkoyen, zeichnen sich durch grössere Blumen und Blumenkolben, kräftigeren Wuchs und längere Blüthezeit aus. 1. aurora, 2. aschgrau, 3. blassbraun, 4. braunviolett, 5. brillantrosa, 6. canariengelb, 7. carmin, 8. carminrosa, 9. carmoisin, 10. chamois, 11. dunkelblau, 12. dunkelcarmin, 13. dunkelkupferroth, 14. feurigpurpur, 15. fleischfarbe, 16. hellblau, 17. isabellenfarbe, 18. kastanienbraun, 19. kupfercarmin, 20. päfischblüthe, 21. purpurcarmin, 22. purpurviolett, 23. rosa, 24. rosallila, 25. rothbraun, 26. schwarzbraun, 27. schwefelgelb, 28. weiss, separat jede 20 g 5,80, 100 S. — 15	2885	Ein Sortiment von 12 Prachtsort. . . 100 » 1 20	
2854	dunkelblutroth . . . 20 g 6,—, 100 » — 15	2886	» » 6 » . . . 100 » — 60	
2855	leuchtend purpurbraun 20 g 6,—, 100 » — 15	2887	Dieselben gemischt 20 g 6,60, 1000 S. 1,—, 500 S. — 50, 100 » — 15	
2856	Morgenröthe, gelb mit rosa Schein 20 g 6,—, 100 S. — 15	2888	dunkelblutroth, siehe Neuheiten Pt. — 60	
2857	Ein Sortiment von 24 Sorten . . . 100 » 2 50	2889	feurig carmoisinpurpur (Triumph) . . . 20 g 8,—, 100 S. — 20	
2858	» » 18 » . . . 100 » 2 —	2890	feurigrosa, siehe Neuheiten . . . Pt. — 60	
2859	» » 12 » . . . 100 » 1 20	2891	Prinzess May, zartgelb mit Lackblatt, sehr frühblühend 5 g 3,—, 100 S. — 20	
2860	» » 6 » . . . 100 » — 60	2892	Grossbl. Zwerg-Pyramiden-Sommer-Levkoyen. 1. apfelblüthe, 2. aschgrau, 3. brillantrosa, 4. carmoisin, 5. chamois, 6. citronengelb mit Lackblatt, 7. dunkelblau, 8. graurosa, 9. hellblau, 10. kupferroth, 11. lachsrosa, 12. rothbraun, 13. schwarzbraun, 14. weiss, separat jede 20 g 9,—, 100 S. — 25	
2861	Dieselben gemischt 20 g 4,40, 1000 S. 1,—, 500 S. — 50, 200 » — 25	2893	Ein Sortiment von 12 Sorten . . . 100 » 1 40	
2862	Grossblumige Sommer-Levkoyen mit Lackblatt, sehr schöne Classe. 1. carminrosa, 2. dunkelblutroth, 3. dunkelblau, 4. dunkelcarmin, 5. kupferroth, 6. porzellanblau, 7. rothgrau, 8. weiss, separat jede 20 g 6,—, 100 S. — 20	2894	» » 6 » . . . 100 » — 70	
2863	Ein Sortiment von 6 Sorten . . . 100 » — 60	2895	Dieselben gemischt 20 g 8,—, 1000 S. 1,25, 500 S. — 65, 200 » — 30	
2864	Dieselben gemischt . . . 20 g 4,80, 200 » — 20	2896	dunkelblutroth (Zwerg-Königin) 5 g 2,50, 100 S. — 30	
2865	Englische Sommer-Levkoyen mit Lackblatt. 1. brennend carmoisin, 2. carmin, 3. carmoisin, 4. dunkelblau, 5. fleischfarbe, 6. hellblau, 7. kupferroth, 8. lasurblau, 9. mohngrau, 10. schwarzbraun, 11. schwefelgelb, 12. weiss, separat jede 20 g 5,20, 100 S. — 15	2897	Riesen- oder Baum-Sommer-Levkoyen. 1. apfelblüthe, 2. aschgrau, 3. canariengelb, 4. dunkelblau, 5. fleischfarbe, 6. feurigcarmin, 7. hellblau, 8. lasurblau, 9. lillarosa, 10. reinweiss, 11. violett, separat jede 20 g 7,50, 100 S. — 20	
2866	Ein Sortiment von 12 Sorten . . . 100 » 1 20	2898	Ein Sortiment von 10 Sorten . . . 100 » 1 40	
2867	» » 6 » . . . 100 » — 60	2899	» » 6 » . . . 100 » — 70	
2868	Dieselben gemischt 20 g 4,40, 1000 S. 1,—, 500 S. — 50, 200 S. — 25	2900	Dieselben gem. 20 g 6,20, 500 S. — 60, 200 » — 30	
2869	Zwerg-Sommer-Levkoye mit Lackblatt, Schneeflocke, sehr frühblühend . . . 5 g 6,—, 100 S. — 30	2901	Grossblumige Riesen-Bomben-Sommer-Levkoyen. 1. apfelblüthe, 2. canariengelb, 3. carmoisin, 4. dunkelchamois, 5. fleischfarbe, 6. hellblau, 7. kupferroth, 8. rosa, 9. rothbraun, 10. veilchenblau, 11. weiss, separat jede 20 g 7,—, 100 S. — 20	
2870	Zwerg-Bouquet-Sommer-Levkoyen. 1. blutroth, 2. blasslila, 3. carmoisin, 4. fleischfarbe, 5. hellblau, 6. kastanienbraun, 7. kupferroth, 8. lasurblau, 9. rosa, 10. schwefelgelb, 11. violett, 12. weiss, separat jede . . . 20 g 6,—, 100 S. — 20	2902	Ein Sortiment von 6 Prachtsorten . . . 100 » — 70	
2871	Ein Sortiment von 12 Sorten . . . 100 » 1 20	2903	Dieselben gem. 20 g 6,—, 500 S. — 60, 100 » — 15	
2872	» » 6 » . . . 100 » — 60	2904	purpurcarmin, neu 20 g 11,—, 100 » — 25	
2873	Dieselben gemischt 20 g 4,60, 1000 S. 1,—, 500 S. — 50, 200 » — 25	2905	Victoria-Bouquet-Sommer-Levkoye, prachtvolle neue Classe, regelmässige Bouquets von schönster Pyramidenform bildend. Zur Topfcultur und zu Marktzwecken sehr empfehlenswerth: 1. canariengelb, 2. dunkelblutroth, 3. hellblau, 4. purpurcarmin, 5. rosa, 6. weiss, separat jede 20 g 7,—, 100 S. — 20	
2874	brillantrosa, grossblumig 20 g 6,—, 100 » — 20	2906	Ein Sortiment von 6 Sorten . . . 100 » — 75	
2875	purpurcarmin, grossbl. 20 g 6,—, 100 » — 20	2907	Dieselben gemischt . . . 20 g 5,50, 100 » — 15	
2876	Immerblühende Sommer-Levkoyen, blühen bis zum Herbst, wenn mehrmals geschnitten, und sind von durchaus schönem Habitus: 1. carmoisin, 2. dunkelblau, 3. dunkelblutroth, 4. fleischfarbe, 5. schwarzbraun, 6. weiss, separat jede 20 g 7,—, 100 S. — 20	2908	Cheiranthus annuus, Sommer-Levkoyen in vielen Farben gemischt, Landsamen 20 g 1,50, Pt. — 10	
2877	Ein Sortiment von 6 Sorten . . . 100 » — 60			
2878	Dieselben gemischt 20 g 5,20, 1000 S. 1,—, 500 S. — 50, 200 » — 25			



2931. Grossbl. Kaiser-Levkoye.

No. Grossblumige Kaiser-Levkoyen: M. Pf.

7. dunkelcarmin, 8. dunkelpurpur,
9. dunkelrosa, 10. fleischfarbe, 11. hell-
blau, 12. kupferroth, 13. mordorée,
14. rosa, 15. schwarzbraun, 16. weiss,
separat jede 20 g 13,50, 100 S. — 20
2929 Ein Sortiment von 12 Sorten . . . 100 » — 80
2930 » » » 6 » . . . 100 » — 80
2931 Dieselbengem. 20 g 12,50, 500 S. — 75, 100 » — 20
2932 Cocardeau-, Stangen- oder Baum-
Winter-Levkoyen, sehr effectvoll.
1. apfelblütte, 2. carmin, 3. dunkel-
violett, 4. lasurblau, 5. weiss,
separat jede . . . 20 g 9,—, 100 S. — 20
2933 Ein Sortiment von 5 Sorten . . . 100 » — 60
2934 Dieselben gemischt . . . 20 g 7,50, 200 » — 25
2935 Riesen-Stangen-Winter-Levkoye, weiss,
20 g 7,—, 100 S. — 20

Cheiranthus Cheiri fl. pl.

I. Extra gefüllter Stangen-Lack.

- 2936 dunkelbrauner . . . 20 g 4,—, 100 S. — 15
2937 hellbrauner . . . 20 » 4,—, 100 » — 15
2938 schwarzbrauner . . . 20 » 7,—, 100 » — 20
2939 dunkelblauer . . . 20 » 4,80, 100 » — 15
2940 bronzefarbiger . . . 20 » 4,—, 100 » — 15
2941 canariengelber . . . 20 » 4,—, 100 » — 15
2942 gelblichweisser . . . 20 » 4,—, 100 » — 15

II. Extra gefüllter Zwerg-
Stangen-Lack.

- 2943 bronzefarbiger . . . 20 g 5,50, 100 S. — 20
2944 dunkelbrauner . . . 20 » 5,20, 100 » — 20
2945 hellbrauner . . . 20 » 5,20, 100 » — 20
2946 dunkelblauer . . . 20 » 5,20, 100 » — 20
2947 goldgelber . . . 20 » 5,20, 100 » — 20

III. Extra gefüllter Busch-Lack.

- 2948 dunkelbrauner . . . 20 g 4,—, 100 S. — 15
2949 dunkelblauer . . . 20 » 4,—, 100 » — 15
2950 bronzefarbiger . . . 20 » 4,—, 100 » — 15
2951 hellbrauner . . . 20 » 4,—, 100 » — 15
2952 canariengelber . . . 20 » 4,—, 100 » — 15
2953 gelblichweisser . . . 20 » 4,—, 100 » — 15

IV. Extra gefüllter Zwerg-
Busch-Lack.

- 2954 dunkelbrauner . . . 20 g 5,20, 100 S. — 20
2955 hellbrauner . . . 20 » 5,20, 100 » — 20
2956 dunkelblauer . . . 20 » 5,20, 100 » — 20
2957 bronzefarbiger . . . 20 » 5,20, 100 » — 20
2958 goldgelber . . . 20 » 5,20, 100 » — 20

Obige Lack-Sorten sind durchaus prachtvoll.
2959 Ein Sort. v. 18 vorzüglichsten Sorten . . . 100 S. 1 50

- 2960 » » » 12 » Sorten . . . 100 » 1 —
2961 » » » 6 » . . . 100 » — 50

M. Pf.

- 2962 Gefüllter Stan-
gen-Lack
gemischt,
extra . . . 20 g 3 80
1000 S. — 80
200 » — 20

- 2963 » Zwerg-Stan-
gen-Lack,
gemischt 20 g 4 80
100 S. — 15

- 2964 » Busch-Lack,
gemischt, ex-
tra . . . 20 g 3 80
1000 S. — 80
200 » — 20

- 2965 » Zwerg-Busch-
Lack, gem.
20 g 4 80
100 S. — 15

- 2966 » Goldlack,
alle Gat-
tungen ge-
mischt 20 g 3 —
1000 S. — 75
500 » — 40
200 » — 20



2962. Gef. Stangen-Lack.

No.

M. Pf.

- 2909 Herbst-Levkoyen,
1. blassbraun, 2. carmin mit Lack-
blatt, 3. carmoisin, 4. dunkelblau,
5. dunkelcarmin, 6. dunkelrosa,
7. dunkelviolett mit Lackblatt,
8. fleischfarbe, 9. fleischfarbe mit Lack-
blatt, 10. kupferroth, 11. mordorée,
12. rosa, 13. rosa mit Lackblatt,
14. weiss, 15. weiss mit Lackblatt,
separat jede . . . 20 g 10,50, 100 S. — 20
2910 Ein Sortiment von 12 Sorten . . . 100 » — 60
2911 » » » 6 » . . . 100 » — 60
2912 Dieselben gemischt
20 g 9,—, 1000 S. 1,40, 500 S. — 75, 100 » — 20
2913 Schottische Herbst-Levkoyen,
1. scharlach, 2. violett, 3. weiss, se-
parat jede . . . 5 g 4,50, 100 S. — 25
2914 brillantrosa, neu . . . Pt. — 40
2915 Winter-Levkoyen, Cheiranthus in-
canus, die echte Sorte. 1. car-
min, 2. carmoisin, 3. dunkelblau, 4. dun-
kelblau mit Lackblatt, 5. dunkel-
carmin, 6. dunkelschwarzbraun, 7. hell-
violett, 8. kastanienbraun, 9. kupfer-
roth, 10. schwarzbraun, 11. weiss,
12. weiss mit Lackblatt,
separat jede 20 g 9,—, 100 S. — 20
2916 Ein Sortiment von 12 Sorten . . . 100 » 1 20
2917 » » » 6 » . . . 100 » — 60
2918 Dieselbengem. 20 g 8,—, 500 S. — 50, 200 » — 25
2919 Zwerg-Bouquet-Winter-Lev-
koyen. 1. blassbraun, 2. carmoisin,
3. hellblau, 4. kupferroth, 5. rosa, 6. vio-
lett, 7. weiss,
separat jede 20 g 10,50, 100 S. — 20
2920 Ein Sortiment von 6 Sorten . . . 100 » — 75
2921 Dieselben gemischt 20 g 10,—, 200 » — 25
2922 brillantrosa, grossblumig, neu Pt. — 40
2923 feurigcarmin . . . 5 g 3,50, 100 S. — 25
2924 Perpetuelle oder Kaiser-Lev-
koyen, prachtvolle Gattung. 1. blass-
braun, 2. carmin, 3. carmoisin, 4. dun-
kelpurpur, 5. dunkelviolett, 6. dunkel-
schwarzbraun, 7. feuerroth mit Lack-
blatt, 8. fleischfarbe, 9. kupferroth,
10. pfirsichblütte, 11. pfirsichblütte
mit Lackblatt, 12. reinweiss, 13. rosa,
14. rothbraun,
separat jede 20 g 10,80, 100 S. — 20
2925 Ein Sortiment von 12 Sorten . . . 100 » 1 50
2926 » » » 6 » . . . 100 » — 80
2927 Dieselben gemischt
20 g 9,—, 500 S. — 60, 100 » — 15
2928 Grossblumige Kaiser-Levkoyen,
sehr zu empfehlen. 1. carmin, 2. car-
minrosa, 3. carmoisin, 4. dunkelach-
grau, 5. dunkelblau, 6. dunkelblutroth,

No.	Einfacher Lack.	20 g	Pt.
		M.Pf.	Pf.
2967	Pariser frühblühender hellbrauner, blüht, weu im Frühjahr mit den Sommerkoyen ausgesät, schon von Juli an ununterbrochen bis zum Eintritt der Fröste	— 40	10
2968	aurorafarbiger	1 40	20
2969	dunkelbrauner	— 30	10
2970	hellbrauner	— 30	10
2971	goldgelber	— 30	10
2972	Harbinger, leuchtend braunroth	— 30	10

No.	Einfacher Lack:	20 g	Pt.
		M.Pf.	Pf.
2973	schwarzbrauner frühblüh. Dresdner	— 30	10
2974	» Tom Thumb	— 60	15
2975	carmoisinrother grossblumiger	— 30	10
2976	violettrother grossblumiger	— 30	10
2977	Zwerg-, goldgelber	— 40	10
2978	Ruby Gem, neu	—	50
2979	leuchtend purpur (Pourpre Royale), siehe Neuheiten	—	60
2980	Ein Sortiment von 6 Sorten	à 1 Pt.	— 40, — —
2981	grossblumiger gemischt	— 30	10

Balsaminen. Balsamine.

Impatiens Balsamina fl. pl.



3000. Rosen-Balsamine.

No.		M.Pf.
		Pf.
2982	Gefüllte gewöhnliche hohe Balsaminen, in 6 Sorten, separat jede 20 g 1,80, 100 S.	— 20
2983	Ein Sortiment von 6 Sorten	à 25 » — 40
2984	Dieselben gemischt	20 g — 50, 100 » — 10
2985	Gefüllte hohe Camellien-(weissgefleckte) Balsaminen, in 6 Sorten, separat jede	20 g 1,60, 100 S. — 20
2986	Ein Sortiment von 6 Sorten	à 25 » — 40
2987	Dieselben gem. 20 g 1,20, 500 S.	— 80, 100 » — 15
2988	aurorafarbige gefüllte hohe Balsamine, auffallende, leuchtende Farbe	20 g 3 —, 50 S. — 20
2989	aurorafarbige Camellien-(weissgefleckte) Balsamine 20 g 3 —, 50 S.	— 20
2990	atrosanguinea plenissima, dichtgefüllte grossblumige purpurcarmoisinrothe	20 g 1,20, 50 S. — 15
2991	Gefüllte Zwerg-Balsaminen, 1. blasseischarbe, 2. carmoisin, 3. dunkelblau, 4. granatroth, 5. kupferroth, 6. lilla, 7. rosa, 8. scharlach, 9. weiss, separat jede	20 g 1 —, 100 S. — 15
2992	Ein Sortiment von 8 Sorten	à 25 » — 40
2993	Dieselben gemischt	20 g — 80, 100 » — 10
2994	Zwerg - Camellien - Balsaminen, in 6 Sorten, sep. jede 20 g 1,20, 100 S.	— 20

No.	Zwerg-Camellien-Balsaminen:	M.Pf.
		Pf.
2995	Ein Sortiment von 6 Sorten	à 25 S. — 40
2996	Dieselben gemischt	20 g 1 —, 100 » — 15
2997	Dichtgefüllte Rosen-Balsaminen, 1. blasseisgelb, 2. blasseisla, 3. blasseisrosa, 4. carmoisin, 5. chamois, 6. dunkelblau, 7. feurigrosa, 8. fleischfarbe, 9. granatroth, 10. hellscharlach, 11. lilla, 12. purpur, 13. reinweiss, 14. rosa, 15. scharlach, 16. violett, 17. violettcarmin, separat jede 20 g 1,20, 100 S.	— 30
2998	Ein Sortiment von 12 Sorten	à 25 S. 1 —
2999	» » 6 » » 25 »	— 50
3000	Dieselben gemischt	20 g — 90, 100 » — 20
3001	Dichtgefüllte Camellien-(weissgefleckte) Rosen-Balsaminen. 1. carmiurosa, 2. carmoisin, 3. dunkelblau, 4. dunkellilla, 5. fleischfarbe, 6. granatroth, 7. kupferroth, 8. lilla, 9. purpurcarmoisin, 10. scharlachkupferroth, separat jede 20 g 5,20, 100 S.	— 40
3002	Ein Sortiment von 6 Sorten	à 25 » — 80
3003	Dieselben gemischt	20 g 4 —, 100 » — 30
3004	Niedrige dichtgefüllte Rosen-Balsaminen, 1. blasseisgelb, 2. carmoisin, 3. chamoisrosa, 4. feurigrosa, 5. granatroth, 6. kupferroth, 7. lilla, 8. rosa, 9. scharlach, 10. violett, 11. weiss, separat jede 20 g 1,60, 100 S.	— 25
3005	Ein Sortiment von 6 Sorten	à 25 » — 40
3006	Dieselben gemischt	20 g 1,20, 100 » — 15
3007	Nelkenartig gestreifte niedrige Rosen-Balsaminen, 6 Farben, separat jede 20 g 2,40, 100 S.	— 25
3008	Ein Sortiment von 6 Sorten	à 25 » — 40
3009	Dieselben gemischt	20 g 1,60, 100 » — 20
3010	Nelkenartig gestreifte grossbl. hohe Rosen-Balsaminen, 6 Farben, separat jede 20 g 1,30, 100 S.	— 25
3011	Ein Sortiment von 6 Sorten	à 25 » — 40
3012	Dieselben gemischt	20 g 1 —, 100 » — 20
3013	Solferino-Balsaminen, 6 Farben, separat jede	20 g 1,60, 100 S. — 25
3014	Ein Sortiment von 6 Sorten	à 25 S. — 40
3015	Dieselben gemischt	20 g 1,10, 100 » — 20
3016	Victoria-Balsaminen, 6 Farben, jede 20 g 1,60, 100 S.	— 25
3017	Ein Sortiment von 6 Sorten	à 25 » — 40
3018	Dieselben gemischt	20 g 1,10, 100 » — 20
3019	Königs-Balsamine, Impat. Balsamina regalis: Der König, leuchtend scharlach, imposant in Farbe und Grösse der Blumen	20 g 1,60, 50 S. — 20
3020	Die Königin, atlasrosa, prachtvoll gebaute Blumen	20 g 1,60, 50 S. — 20

Rittersporn. Pied d'alouette.

No.		20 g	Pt.
		M.Pf.	Pf.
3021	Hoher gefüllter Rittersporn. Delphinium Ajacis elatior fl. pl., 1. dunkelblau, 2. fleischfarbe, 3. laurblau, 4. leberfarbe, 5. lilla, 6. lilla-rosa, 7. rosa, 8. violett, 9. weiss, 10. ziegelroth, separat jede kg 4,80,	— 20	10

No.	Hoher gefüllter Rittersporn:	20 g	Pt.
		M.Pf.	Pf.
3022	Ein Sortiment von 10 Sorten à 1 Pt.	—	70
3023	» » 6 » » 1 »	—	40
3024	Dieselben gemischt	kg 3,80,	— 20 10
3025	Niedriger gefüllter Rittersporn. Delphinium Ajacis naum fl. pl., 1. aschrosa, 2. bläulichweiss,		

No.	Niedr. gefüllter Rittersporn:	20 g. Pt.		No.	Hoher ranunkelblüthiger Rittersporn:	20 g. Pt.	
		M. Pf.	Pf.			M. Pf.	Pf.
3026	3. dunkelblau, 4. hellblau, 5. hellviolett, 6. lillarothe, 7. porzellanblau, 8. purpurviolett, 9. rahmweiss, 10. rein weiss, 11. rothviolett, 12. ziegelroth, separat jede	kg 5,—	— 20 10	3037	8. violett, 9. weiss, 10. ziegelroth, separat jede	kg 7,—	— 30 10
3027	Ein Sortiment von 12 Sorten à 1 Pt.	—	70	3038	Ein Sortiment von 9 Sorten à 1 Pt.	—	50
3028	» » » 6 » » 1 » »	—	40	3039	Dieselben gemischt	kg 5,20,	— 20 10
3029	Dieselben gemischt	kg 4,—	— 20 10	3039	Gefüllter Levkoyen-Rittersporn. Delphinium Consolida fl. pleno, 1. bläulichcarmoisin, 2. hläulichweiss, 3. dreifarbig, 4. dunkelblau, 5. lasurblau, 6. lilla, 7. rosa, 8. rosa, violett gestreift, 9. violett, 10. weiss mit rosa Schein, separat jede	kg 8,—	— 25 10
3030	Hyacinthenblüthiger gefüllter Rittersporn. Delphinium Ajacis hyacinthiflorum pl. 1. apfelblüthe, 2. chamois, 3. dunkelblau, 4. lilla, 5. porzellanblau, 6. rosa, 7. rosallila, 8. schwarzblau, 9. violett, 10. weiss, 11. ziegelroth, separat jede	kg 5,20,	— 20 10	3040	leuchtend carmin	—	60 15
3031	Ein Sortiment von 10 Sorten à 1 Pt.	—	70	3041	scharlachrosa	—	60 15
3032	» » » 6 » » 1 » »	—	40	3042	Ein Sortiment von 10 Sorten à 1 Pt.	—	70
3033	Dieselben gemischt	kg 4,—	— 20 10	3043	» » » 6 » » 1 » »	—	40
3033	Niedriger ranunkelblüthiger Rittersporn. Delphinium Ajacis ranunculif. fl. pl. 1. aschgrau, 2. dunkelhl., 3. fleischfarbe, 4. rosa, 5. röthlichlilla, 6. violett, 7. weiss, 8. ziegelroth, separat jede	kg 7,—	— 30 10	3044	Dieselben gemischt	kg 7,—	— 25 10
3034	Ein Sortiment von 8 Sorten à 1 Pt.	—	50	3045	Candelaber-Rittersporn. Delphinium Consolida pumilum (candelabrum) fl. pl., 1. dreifarbig, 2. dunkelblau, 3. hellblau, 4. rosa, 5. schwarzblau, 6. weiss, separat jede	1 60 25	— 70
3035	Dieselben gemischt	kg 5,20,	— 20 10	3046	Ein Sortiment von 6 Sorten à 1 Pt.	—	70
3036	Hoher ranunkelblüthiger Rittersporn. Delphinium Ajacis ranunculiflorum elatior fl. pl. 1. apfelblüthe, 2. aschblau, 3. aschgrau, 4. dunkelblau, 5. fleischfarbe, 6. hellblau, 7. rothlilla,	—	50	3047	Dieselhen gemischt	1 10 20	— 50

Sortimente von Sommerblumen.

Die Sorten nachstehender Sortimente sind nach unserer unbeschränkten Wahl so ausgewählt, dass auch die kleinsten die schönsten Hauptfarben und grösste Verschiedenheit der Species in sich hegreifen. Wo keine Kornzahl angegeben ist, enthalten die Packete je eine Portion. Die Sortimente sind vorrätzig gepackt, und können deshalb halbe Portionen nicht abgegeben werden.

No.		M. Pf.		No.		M. Pf.	
		M. Pf.	Pf.			M. Pf.	Pf.
3052	Ageratum 6 Sorten	—	40	3093	Helichrysum composit. . 12 Sorten	—	80
3053	Amarantus 12 »	—	70	3094	» composit. 6 »	—	40
3054	» » 6 »	—	40	3095	» comp. nanum 10 »	—	80
3055	Antirrhinum majus . . . 12 »	—	80	3096	» » 6 »	—	40
3056	» majus (Löwenmaul) . 6 »	—	40	3097	» » minimum 6 »	—	40
3057	» nanum 12 »	—	80	3098	Iberis 10 »	—	80
3058	» » 6 »	—	40	3099	» » 6 »	—	50
3059	» » picturatum 6 »	—	40	3100	Ipomoea purpurea . . . 10 »	—	60
3060	» » pumilum 10 »	1 —	—	3101	» » 6 »	—	30
3061	» » 6 »	—	60	3102	» einjährige Sorten 10 »	—	70
3062	Calliopsis 12 »	—	70	3103	» » 6 »	—	40
3063	» » 6 »	—	40	3104	Lathyrus odoratus . . . 12 »	—	60
3064	Capsicum annuum 12 »	—	60	3105	» odoratus 6 »	—	30
3065	» annuum, span. Pfeffer 6 »	—	30	3106	» » neue englische . 12 »	—	80
3066	Celosia cristata 10 hohe	—	80	3107	» » » 6 »	—	40
3067	» cristata 6 »	—	40	3108	Linaria 6 »	—	40
3068	» » nana 10 niedrige	—	90	3109	Lobelia Erinus 12 »	1 —	—
3069	» » 6 »	—	50	3110	» » 6 »	—	50
3070	Centaurea Cyanus 6 »	—	40	3111	Lupinus 12 »	—	70
3071	Chrysanthemum 10 »	—	70	3112	» » 6 »	—	40
3072	» » 6 »	—	40	3113	Maurandia 6 »	1 —	—
3073	Clarkia 10 »	—	75	3114	Mimulus 6 »	—	60
3074	» » 6 »	—	40	3115	» cardinalis 6 »	—	70
3075	Collinsia 10 »	—	60	3116	Mirabilis Jalapa . . . 10 »	—	60
3076	» » 6 »	—	30	3117	» Jalapa 6 »	—	30
3077	Convolvulus tricolor . . 8 »	—	50	3118	» foliis variegatis 6 »	—	50
3078	Dahlia, einfache Georginen 24 »	2 —	—	3119	» Tom Thumb. 6 »	—	50
3079	» » » 12 »	1 —	—	3120	Nemophila 12 »	—	60
3080	» » » 6 »	—	50	3121	» » 6 »	—	30
3081	Datura 6 »	—	50	3122	Oenothera, Nachtkerze 12 »	—	75
3082	Dianthus, einjährige . . 24 »	2 —	—	3123	» » 6 »	—	40
3083	» » 12 »	—	90	3124	Papaver, einfachblühende 6 »	—	50
3084	» » 6 »	—	50	3125	» paeoniflorum fl. pl. 12 »	—	60
3085	» Heddwigi 12 »	1 —	—	3126	» » 6 »	—	30
3086	» » 6 »	—	50	3127	» paeonif. nanum fl. pl. 6 »	—	30
3087	Gaillardia picta 6 »	—	40	3128	» somniferum fl. pl. 12 »	—	60
3088	Gilia 10 »	—	60	3129	» » 6 »	—	30
3089	» » 6 »	—	30	3130	» » nanum fl. pl. 6 »	—	30
3090	Godetia 12 »	—	80	3131	» Rhoëas fl. pl. . . . 6 »	—	40
3091	» » 6 »	—	40	3132	Petunia hybrida 12 »	1 —	—
3092	Gomphrena 6 »	—	40	3133	» hybrida 6 »	—	50

No.		M. Pf.	No.		M. Pf.
3134	<i>Petunia hybrida grandiflora</i> 12 Sorten	2 —	3195	<i>Verbena hybrida</i> 6 Sorten	— 90
3135	» <i>hybr. grandiflora</i> . . . 6 »	1 —	3196	» <i>hybrida compacta</i> . . . 6 »	1 20
3136	» » <i>fimbriata</i> . . . 6 »	1 —	3197	<i>Viola tricolor maxima</i> . . . 24 »	2 25
3137	» » <i>f. pl.</i> 10 Sorten & 50 S.	2 —	3198	» <i>tric. max.</i> , <i>Pensees</i> 12 »	1 —
3138	» » » 6 » » 50 »	1 25	3199	» » » . . . 6 »	— 60
3139	» » <i>fimbriata fl. pleno</i> 5 Sorten & 50 S.	1 25	3200	» » <i>Trimardeau</i> 6 »	1 —
3140	<i>Phlox Drummondii</i> . . . 18 Sorten	1 60	3201	<i>Viscaria</i> 6 »	— 50
3141	» <i>Drummondii</i> . . . 12 »	1 —	3202	<i>Xeranthemum</i> 6 »	— 40
3142	» » . . . 6 »	— 50	3203	<i>Zinnia Darw. nana comp.</i> 6 »	— 75
3143	» » <i>cuspidata</i> . . . 6 »	— 60	3204	» <i>pyramidalis</i> 6 »	— 75
3144	» » <i>grandiflora</i> . . . 18 »	1 80	3205	» <i>elegans</i> 6 »	— 40
3145	» » » . . . 12 »	1 20	3206	» <i>plenissima</i> . . . 10 »	1 —
3146	» » » . . . 6 »	— 60	3207	» » . . . 6 »	— 60
3147	» » <i>hortensiaeflora</i> . . . 6 »	— 70	3208	» » <i>grandif. fl. pl.</i> 8 »	1 50
3148	» » <i>nana compacta</i> 12 »	1 50	3209	» » <i>nana plenissima</i> 6 »	— 60
3149	» » » . . . 6 »	— 70	3210	<i>Sommerblumen</i> 200 »	15 —
3150	<i>Portulaca grandiflora</i> 10 einf.	— 75	3211	» 100 »	6 50
3151	» <i>grandiflora</i> . . . 6 »	— 40	3212	» 50 »	3 20
3152	» <i>f. pleno</i> . . . 6 »	— 75	3213	» 25 »	1 75
3153	» » . . . 6 »	— 40	3214	» 12 »	— 70
3154	<i>Reseda odorata</i> 6 »	1 25	3215	<i>Niedrige Sommerblumen für Einfassungen</i> 25 Sorten	2 —
3155	<i>Ricinus</i> 12 »	— 40	3216	» 12 »	1 —
3156	» » . . . 6 »	— 80	3217	» 6 »	— 50
3157	<i>Salpiglossis variabilis</i> . . . 10 »	— 80	3218	<i>Immortellen</i> 24 »	2 —
3158	» <i>variabilis</i> 6 »	— 80	3219	» 12 »	— 90
3159	» » <i>grandiflora</i> . . . 6 »	— 40	3220	» 6 »	— 50
3160	» » <i>nana</i> 6 »	— 50	3221	<i>Einjähr. Blattpflanzen</i> 12 »	1 20
3161	» » <i>pumila</i> 6 »	— 50	3222	» 6 »	— 60
3162	<i>Salvia</i> 6 »	— 40	3223	<i>Frühjahrsblumen (zur Herbstausaat)</i> 12 Sorten	1 —
3163	<i>Saponaria</i> 6 »	— 40	3224	» 6 »	— 50
3164	<i>Scabiosa atrop. major</i> 12 »	— 75	3225	<i>Wohrliehende Sommerblumen</i> 12 Sorten	1 —
3165	» <i>atropurpurea major</i> 6 »	— 40	3226	» » » . . . 6 »	— 50
3166	» » <i>grand. comp. fl. pl.</i> 6 »	— 50	3227	<i>Sommerblumen zum Schneiden für frische Bouquets</i> 12 Sorten	1 —
3167	» » <i>maxima plena</i> . . . 10 »	— 75	3228	» 6 »	— 60
3168	» » » . . . 6 »	— 40	3229	<i>Feine Topf-Sommerblumen</i> 25 Sorten	2 50
3169	» » <i>nana fl. pl.</i> . . . 12 »	— 75	3230	» » » . . . 12 »	1 —
3170	» » » . . . 6 »	— 40	3231	» » » . . . 6 »	— 60
3171	» » <i>pumila fl. pl.</i> . . . 6 »	— 40	3232	<i>Bienenfutterpflanzen</i> 24 Sorten für Freiland-Aussaat	1 80
3172	<i>Schizanthus</i> 10 »	— 60	3233	» 12 » » » 100 Sorten	8 —
3173	» » . . . 6 »	— 30	3234	<i>Einjährige Ziergräser</i> 50 »	3 50
3174	<i>Senecio elegans fl. pl.</i> . . . 6 »	— 60	3235	» 25 »	1 50
3175	» » <i>nanus fl. pl.</i> . . . 6 »	— 60	3236	» 12 »	— 80
3176	<i>Silene</i> 12 »	— 30	3237	» 6 »	— 40
3177	» » . . . 6 »	— 40	3238	<i>Einjährige Schlingpflanzen</i> 24 »	2 50
3178	» <i>pendula</i> 6 »	— 60	3239	» 12 »	1 —
3179	<i>Solanum, Blattpflanzen</i> 12 Species	1 20	3240	» 6 »	— 50
3180	» » . . . 6 »	— 60	3241	<i>Zier-Kürbisse</i> 100 »	12 —
3181	» <i>Lycopersicum</i> . . . 12 Sorten	— 60	3242	» 50 »	4 50
3182	» » . . . 6 »	— 30	3243	» 25 »	1 60
3183	» <i>Melongena (Eierfrucht)</i> 12 »	— 60	3244	» 12 »	— 80
3184	» » . . . 6 »	— 40	3245	» 6 »	— 40
3185	<i>Tagetes erecta fl. pl.</i> . . . 6 »	— 40	3246	» 6 »	— 40
3186	» <i>patula fl. pleno</i> . . . 6 »	— 40	3247	<i>Ampelpflanzen</i> 6 »	1 —
3187	» » <i>nana fl. pleno</i> . . . 6 »	— 40	3248	<i>Teppichbeetpflanzen</i> . . . 12 »	1 —
3188	<i>Thunbergia alata</i> . . . 5 »	— 50	3249	» 6 »	— 60
3189	<i>Tropaeolum Lobbianum</i> 12 »	1 —			
3190	» » . . . 6 »	— 50			
3191	» <i>majus</i> 12 »	1 —			
3192	» » . . . 6 »	— 50			
3193	» » <i>nanum</i> 12 »	1 —			
3194	» » . . . 6 »	— 50			

Sortimente von perennirenden Stauden für's Freie.

No.		M. Pf.	No.		M. Pf.
3250	<i>Englische Preismalven</i> 12 Sorten	1 —	3264	<i>Perennirende Blumen oder Stauden</i> 100 Sorten	10 —
3251	» 6 »	— 50	3265	» 50 »	4 —
3252	<i>Chater's Prachtmalven</i> 12 »	1 50	3266	» 25 »	1 60
3253	» 6 »	— 75	3267	» 12 »	— 70
3254	<i>Gefüllte Topfmelken mit Namen.</i> 100 Sorten & 5 S.	12 —	3268	<i>Stauden zu Einfassungen</i> 12 »	1 —
3255	» 50 »	5 »	3269	» 6 »	— 50
3256	» 25 »	5 »	3270	<i>Perennirende officinelle Pflanzen</i> 24 »	2 —
3257	» 12 »	5 »	3271	» 12 »	1 —
3258	» 6 »	5 »	3272	» 6 »	— 50
3259	<i>Grossbl. gefüllte Bartnelken</i> 12 Sorten	1 25	3273	<i>Aushaltende Blattpflanz.</i> 12 »	1 50
3260	» 6 »	— 70	3274	» <i>Blattpflanzen</i> 6 »	— 75
3261	<i>Aurikelblüthige Bartnelken</i> 12 »	— 90	3275	<i>Alpenpflanzen</i> 6 »	1 25
3262	» 6 »	— 50	3276	» 6 »	— 70
3263	<i>Perennirende Blumen oder Stauden</i> 200 Sorten	25 —	3277	<i>Aquilegia</i> 6 »	— 90
			3278	» 6 »	— 50
			3279	<i>Campanula</i> 12 »	— 90

No.		M.Pf.	No.		M.Pf.
3280	Campanula	6 Sorten	3300	Pentstemon (species)	12 Sorten 1
3281	» Medium	12 »	3301	» » » » »	6 » — 60
3282	» » » » »	6 »	3302	» » » » »	12 » 1 50
3283	Delphinium, perennirende	12 »	3303	» » » » »	6 » — 75
3284	» perennirende	6 »	3304	Phlox, perennirende	24 » 2 40
3285	» perenne hybridum	6 »	3305	» » » » »	12 » 1 20
	» fl. pleno	6 »	3306	» » » » »	6 » — 70
3286	Digitalis	12 »	3307	Potentilla, einfache	6 » — 50
3287	» » » » »	6 »	3308	» » » » »	6 » — 50
3288	Gladiolus gandavensis hybridus	6 Sorten	3309	Primula Auricula	12 » 50 S. 1
	» » » » »	6 Sorten	3310	» » » » »	6 » 50 S. 1
3289	» gandavensis hybr. 12 »	1 —	3311	» » » » »	12 » 25 » 1 50
3290	» » » » »	25 »	3312	» » » » »	6 » 25 » — 75
3291	» » » » »	50 »	3313	Saxifraga	12 Sorten 1 20
3292	» » » » »	100 »	3314	» » » » »	6 » — 60
3293	» Lemoinei hybridus 12 »	1 20	3315	Sedum	12 » 1 20
3294	» » » » »	6 »	3316	» » » » »	6 » — 60
3295	Lupinen, perennirende	6 »	3317	Sempervivum	12 » 1 20
3296	Lychnis	6 »	3318	» » » » »	6 » — 60
3297	Myosotis alpestris	10 »	3319	Statice, aushaltende	12 » — 90
3298	» » » » »	6 »	3320	» » » » »	6 » — 50
3299	Papaver	6 »	3321	Veronica	6 » — 40

Topf-Gewächse. — Sortimente.

No.		M. Pf.	No.		M. Pf.
3322	Abutilon	12 Sorten 2	3362	Scarlet Pelargonium 6 Sorten & 5 S.	— 60
3323	» » » » »	6 »	3363	» Pelargon. 12 buntblättr. & 5 »	2 —
3324	Acacia	100 »	3364	» » » » »	6 » 5 » 1 —
3325	» » » » »	50 »	3365	» » » » »	6 » 5 » 1 50
3326	» » » » »	25 »	3366	Primulachin. ambr. 12 » & 50 »	2 50
3327	» » » » »	12 »	3367	» chin. ambrata 6 » & 50 »	1 20
3328	» » » » »	6 »	3368	» » » » »	6 » 25 » 2 —
3329	Agave	12 »	3369	Solanum	12 Species 1 50
3330	» » » » »	6 »	3370	» » » » »	6 » — 70
3331	Begonia, knollenartige	12 »	3371	Warmhaus- oder Zimmerpflanzen	50 Sorten 8 —
3332	» knollenartige	6 »	3372	» » » » »	25 » 3 50
3333	» hybrida gigantea	6 »	3373	» » » » »	12 » 1 50
3334	» » fl. pleno	12 »	3374	» » » » »	6 » — 80
3335	» » » » »	6 »	3375	Kalthauspflanzen	50 » 8 —
3336	Cactus	100 »	3376	» » » » »	25 » 3 50
3337	» » » » »	50 »	3377	» » » » »	12 » 1 50
3338	» » » » »	25 »	3378	» » » » »	6 » — 80
3339	» » » » »	12 »	3379	Schlingpflanzen für Gewächshäuser	6 Sorten 1 —
3340	» » » » »	6 »			
3341	Caladium, buntbl. 12 Sorten & 5 S.	2 —	3380	Wasserpflanzen, für Aquarien im Zimmer 12 Sorten	2 —
3342	» buntblättrige	6 » 5 » 1 —	3381	» » » » »	6 » 1 —
3343	Canna	50 Sorten 4 —	3382	» » » » »	12 » 2 —
3344	» » » » »	25 »	3383	» » » » »	6 » 1 —
3345	» » » » »	12 »	3384	Gewächshaus-Farne	100 Sorten 25 —
3346	» » » » »	6 »	3385	» » » » »	50 » 12 —
3347	» neue frühbl. grossbl. 12 »	1 20	3386	» » » » »	25 » 5 —
3348	» » » » »	6 »	3387	» » » » »	12 » 2 —
3349	Coleus, grossblättrige	6 »	3388	» » » » »	6 » 1 —
3350	Cordylone	6 »	3389	Baumfarne	12 » 3 50
3351	Cyclamen	6 »	3390	» » » » »	6 » 1 50
3352	» persicum grandiflor. 6 »	1 50	3391	Freiland-Farne	25 » 4 —
3353	Eucalyptus	12 »	3392	» » » » »	12 » 1 50
3354	» » » » »	6 »	3393	» » » » »	6 » — 75
3355	Heliotropium	12 »			
3356	» » » » »	6 »			
3357	Pelargonium, engl. grossblum. u. Odier'sche 12 Sorten & 5 S.	2 —	3394	Coniferen, 25 Species, für Freiland	2 50
3358	» » » » »	6 Sorten	3395	» » » » »	12 Species, im Freien ausdauernd 1 25
3359	» » » » »	6 Sorten	3396	» » » » »	25 » für Topfcultur
3360	Scarlet Pelargonium 24 Sorten & 5 »	2 50	3397	» » » » »	12 » 1 25
3361	» Pelargonium	12 » & 5 » 1 —			

Gemischte Sortimente für Hausgärten.
Gemüse.

3398	1 Sortiment von 25 Sorten der Hauptgattungen	& 1 Portion 2 50
3399	1 » » » » »	in stärkeren Portionen 5 —
3400	1 » » » » »	» » » » » & 1 Portion 6 —
3401	1 » » » » »	» » » » » in stärkeren Portionen 12 —
3402	1 » » » » »	» » » » » & 1 Portion 15 —
3403	1 » » » » »	» » » » » in stärkeren Portionen 30 —

Die Stärke der Portion ist den im Katalog ausgeworfenen Preisen entsprechend gerechnet.

Blumen.

3404	1 Sortiment von 25 Sorten der Haupt-Florblumen	2 50
3405	1 » » » » »	extra Auswahl 4 50
3406	1 » » » » »	» » » » » 4 50
3407	1 » » » » »	extra Auswahl 9 —
3408	1 » » » » »	» » » » » für Topfcultur 12 50
3409	1 » » » » »	extra Auswahl 20 —

3427. *Ageratum mex. Imperial Dwarf.*3460. *Alyssum Benth. comp. erectum.*

2. Sommergewächse. Plantes annuelles.

Die mit einem * dienen zu Einfassungen, mit § bezeichnete Sorten sind Schlingpflanzen. Die mit † bezeichneten müssen ins Mistbeet oder in Töpfe gesät und Mitte bis Ende Mai ins Freie gepflanzt werden, die mit Δ sind meist solche, die ins warme Mistbeet oder in Töpfe gesät werden und während des Sommers einen warmen Standort benöthigen. Wo diese Zeichen dicht hinter dem Gattungsnamen stehen, gelten sie für alle Species oder Varietäten dieser Gattung. Die mit keinem dieser beiden Zeichen versehenen Sorten können gleich ins freie Land an Ort und Stelle gesät werden. — Les espèces précédées d'un * sont propres à former des bordures, celles marquées § sont des plantes grimpantes. Celles marquées † devront être semées sur couche ou en pots pour être mises à demeure en mai quand le temps le permet; celles marquées Δ devront être semées sur couche chaude ou en pots et réclament une exposition chaude. Les signes placés après les noms du genre ont rapport à toutes les espèces et variétés de celui-ci. Les sortes non pas suivies d'un de ces deux derniers signes se sèment sur place en pleine terre.

Wie bei den Gemüsesamen sind auch hier zur Erleichterung der Auswahl die wesentlichsten und für allgemeine Zwecke dankbarsten Sorten mit Fettschrift gedruckt. — Pour faciliter le choix, nous avons fait imprimer en caractères gras les espèces les plus désirables pour l'emploi général.

S=Samenkorn (Korn); lat. semen; engl. seed; franz. graine (semence); ital. semente; span. semilla. Pt.=(Packet, Portion); engl. packet, paper; franz. paquet; ital. pacco, cartoccio; span. paquete.

Halbe Portionen, sowie Gewichtstheile im Werthe unter 10 Pf. können nicht abgegeben werden.

Les paquets, que nous faisons préparer à l'avance, sont indivisibles, de même nous ne fournirons pas des quantités plus petites que de 10 Pfennige de valeur.

No.	20 g Pt. M.Pf. Pf.	No.	20 g Pt. M.Pf. Pf.
3410 * <i>Abronia Δ arenaria</i> , mit wachsgelben Blumen — à fleurs jaune de cire	1 — 20	3421 * <i>Aethionema Buxbaumii</i> †	— 50 15
3411 * » <i>umbellata</i> , reizende kriechende Pflanze mit zart lilla-rosa Blumen in grossen Dol- den — plante rampante à fleurs roses en larges ombelles	— 50 15	3422 * <i>Agathaea spathulata</i> †	— 50 15
3412 * » <i>umbellata grandiflora</i>	— 60 15	3423 <i>Ageratum Δ conspicuum</i> , weiss, schöne Schnittblume — blanc, pour bouquets	1 10 20
3413 * » <i>villosa</i>	— 80 15	3424 » <i>Lasseauxi</i> , rosa — rose	1 — 20
3414 <i>Acroclinium</i> † roseum, schöne rosenrothe Strohblume — belle immortelle à fl. rose	— 30 10	3425 » <i>mexicanum</i> , blau — bleu	— 40 10
3415 » <i>ros. grandif. atroroseum</i>	— 40 10	3426 » » fl. albo	— 40 10
3416 » <i>roseum fl. albo</i>	— 30 10	3427 * » » <i>Imperial dwarf</i> , dunkelblau — bleu foncé	— 60 15
3417 » » <i>flore pleno</i> , einen guten Procentsatz gefüllter Blumen bringend — produisant environ de 40 à 50 $\frac{0}{10}$ de plantes à fleurs doubles	— 50 15	3428 * » » <i>dwarf</i> , hellblau — bleu clair	— 60 15
3418 » » fl. albo pleno	— 50 15	3429 * » » » weiss — blanc	— 60 15
3419 <i>Adonis aestivalis</i> , Adonisröschen	— 20 10	3430 * » » <i>Little Dorrit</i> , niedrig, kleinbl., dunkelblau — nain à petites fl. bleues	— 70 15
3420 » <i>autumnalis</i>	— 20 10	3431 * » » <i>nanum album</i>	— 40 10
		3432 * » » » <i>multiflorum</i>	2 40 20
		3433 * » » » <i>coeruleum</i>	— 40 10
		3434 * » » » <i>luteum</i> , hellgelb — jaune clair	1 20 20
		3435 * » » <i>Swanley Blue</i> , niedrig, grossblumig — nain, à gr. fl.	— 80 15


3469. *Amarantus caudatus*.

3572. *Antirrhinum maj. nan. picturatum*.

No.		20 g	Pt.
		M.Pf.	Pf.
3436 *	<i>Agrostemma coeli-rosa</i>	— 20	10
3437 *	» <i>coeli-rosa alba</i>	— 30	10
3438 *	» » <i>fimbriata</i> , hellrosagefranst — frangé, rose clair	— 30	10
3439 *	» » » <i>lilacina</i>	— 40	10
3440 *	» » » <i>nana</i>	— 50	15
3441 *	» » » <i>purpurea</i>	— 50	15
3442 *	» » » <i>gemischt</i> — mélange	— 30	10
3443	<i>Alonsoa</i> Δ <i>albiflora</i> , weiss—blanc	— 30	10
3444	» <i>canli alata</i>	— 30	10
3445	» <i>grandiflora</i>	— 30	10
3446	» <i>chamois</i>	— 50	15
3447	» » » <i>innen kupferrosa</i> — cha- mois à centre cuivré	— 50	15
3448	» <i>hybrida magnifica</i>	— 60	15
3449	» <i>incisa</i>	— 30	10
3450	» <i>linifolia</i> , scharlach, sehr reichblühend, schön — beau, écarlate, très florifère	— 50	15
3451 *	» <i>linifolia gracilis</i> , niedrig, schöne Topfpflanze — nain compacte	— 60	15
3452	» <i>Mutisi</i>	— 60	15
3453	» <i>myrtifolia</i>	— 30	10
3454	» <i>patagonica</i>	— 40	10
3455	» <i>urticaefolia</i>	— 30	10
3456	» <i>Wallisi</i>	— 30	10
3457	» <i>Warscewiczii</i>	— 50	10
3458	» » <i>compacta</i>	— 60	15
3459 *	<i>Alyssum</i> $\dagger$ <i>Benthami</i> (calyci- num), weiss, wohlriechend, schöne Einfassungspflanze — blanc, odorant, belle plante pour bordures	— 40	10
3460 *	» <i>Benthami compactum</i> <i>erectum</i> , ganz niedrig mit aufrechten Blütenstengeln — tout nain à fl. érigées	— 50	15
3461 *	» <i>Benthami compactum</i> <i>procumbens</i>	— 50	15
Amarante crête-de-coq, vide <i>Celosia</i> . Amarantoide, vide <i>Gomphrena</i> .			
3462	<i>Amarantus abyssinicus</i> Δ	— 40	10
3463	» <i>amabilis tricolor</i> Δ	— 80	15
3464	» <i>atropurpureus</i> $\dagger$	— 20	10
3465	» » <i>nanus</i>	— 40	10
3466	» <i>aznreus</i>	— 20	10
3467	» <i>bicolor</i> $\dagger$	— 30	10
3468	» » <i>ruber</i> Δ	— 30	10
3469	» <i>caudatus</i> , Love-lies-bleeding der Engländer, hellrother, hängender — queue de renard rouge clair à fl. pend.	— 20	10

No.		20 g	Pt.
		M.Pf.	Pf.
3470	<i>Amarantus caudatus gibbosus</i>	— 30	10
3471	» <i>caudatus viridia</i> (albiflorus), mit weisslichgrünen hängenden Blütenähren — à fleurs pen- dantes d'un blanc verdâtre	— 20	10
3472	» <i>cruentus</i> , kupfrighlutroth — rouge sang cuivré	— 20	10
3473	» <i>Dussii</i> , dunkle Belaubung — feuillage rouge foncé $\dagger$	— 30	10
3474	» <i>elegantissimus</i> $\dagger$	— 20	10
3475	» <i>Henderi</i> , Belaubung schwarz- blutroth mit carmoisin, prächt- tig — rouge sang noir et cramoisi, beau Δ	— 60	15
3476	» <i>hybridus Princess of Wales</i> , schön bunt — feuillage magnifique Δ	— 80	15
3477	» » <i>Queen Victoria</i> Δ	— 80	15
3478	» <i>hypochondriacus</i> , Prince's feather der Engländer, dunkel- rother — rouge foncé	— 20	10
3479	» <i>Margaritae</i> , niedrig — nain $\dagger$	— 20	10
3480 *	» <i>melancholicus ruber</i> , von schöner, blutrother Färbung — rouge sang intense Δ	— 30	10
3481	» <i>monstrosus</i> , mit dicken Blü- tenähren — à épis très gros	— 20	10
3482	» » <i>nanus</i> , niedrig, effectvoll — nain, d'un grand effet	— 30	10
3483	» <i>nobilis pyramidalis</i> , Belaubung und Blütenstand weinroth — feuillage et inflorescence rouge de vin $\dagger$	— 40	10
3484	» <i>olbiensis multicolor</i> Δ , prächt- ige Färbungen — nuances magnifiques	— 80	15
3485	» <i>salicifolius</i> , Blätter grün mit orange, bronzefarbe und car- min Schattirung, sehr effect- voll — feuilles vertes nuancées de bronze, orange et carmin, d'un grand effet Δ	— 80	15
3486	» <i>sanguineus</i> , blutroth, hoch- wachsend — rouge sang	— 20	10
3487	» » <i>elati</i>	— 30	10
3488	» » <i>nanus</i> , sehr hübsch — très beau	— 20	10
3489	» <i>speciosus</i> , grünblättrig, mit hellrothen Rispen — à feuil- lage vert, fleur rouge clair	— 20	10
3490	» <i>speciosus aureus</i>	— 20	10
3491	» <i>spinosus</i>	— 20	10
3492	» <i>superbus</i> (coleifolius), neu, Blätter länglichrund, blut-		

3591. *Antirrhinum maj. pumilum*.3612. *Bartonion aurea*.

No.	<i>Amarantus</i>	20 g M.Pf.	Pt. Pf.
	<i>superbus</i> : roth mit hellgelbem Rand, sehr schön — nouv., à feuilles rondes, allongées, rouge sang à bords jaune clair, beau Δ	— 80	15
3493	» <i>tricolor</i> Δ	— 40	10
3494	» » <i>giganteus</i> , Blätter gelb, grün und roth ge- deckt — à feuille maculée jaune, verte et rouge Δ	— 50	10
3495	» » <i>magnificus</i>	— 60	15
3496	» » <i>roseus</i> , schön — beau	— 80	15
3497	» viele Sort. gem. — beau mélange	— 20	10
3498	<i>Amblyopsis setigera</i>	— 40	10
3499	<i>Ambrosia mexicana</i> †, wohlriechend — odorant	— 80	15
3500	<i>Amellus annuus</i> †	— 50	10
3501	<i>Ammobium</i> † <i>alatum</i> , gef. <i>Ammobium</i>	— 30	10
3502	» <i>alatum grandiflorum</i> , gross- blumig — à grandes fleurs	— 40	10
3503	<i>Anacyclus radiatus</i> †	— 50	15
3504	* <i>Anagallis</i> Δ <i>grandiflora carnea</i>	1	— 20
3505	* » <i>grandifl. coerulesa</i>	1	— 20
3506	* » <i>Eugénie</i> , blau mit hellem Rand — blen marginé	1	— 20
3507	* » » <i>lilacina</i>	1	— 20
3508	* » » <i>Napoléon</i> , purpurcarmoi- sin — cramoisi pourpre	1	— 20
3509	* » » <i>sanguinea</i>	1	— 20
3510	* » » gemischt — mélange	— 60	15
3511	<i>Anarrhinum bellidifolium</i> , schön, hellblau — bleu clair Δ	5	— 30
3512	<i>Anastatica hierochuntica</i> , Jerichorose †	—	— 30
3513	<i>Anchusa capensis</i> , grossbl. azur- blaues Vergissmännicht, s. reichbl. — à gr. fl. bleu d'outremer, tr. florifère	— 40	10
3514	<i>Anoda Dilleniana</i>	— 50	10
3515	» <i>triangularis</i>	— 50	10
3516	» <i>Wrighti</i>	— 50	10
3517	<i>Anthemis arabica</i>	— 30	10
3518	» <i>Chia</i>	— 40	10
3519	» <i>purpurascens</i>	— 20	10
3520	<i>Antirrhinum</i> † <i>assurgens</i>	— 40	10
3521	» <i>numidicum lilacinum</i>	— 40	10
3522	» » <i>luteum</i>	— 40	10

Antirrhinum † majus.**Hohes Löwenmaul — Muffler grand:**

3523	<i>album</i>	— 50	10
3524	<i>album rubro-striatum</i>	— 50	10
3525	Brillant, scharlach, gelb und weiss, — écarlate, jaune et blanc	— 50	10

No.	<i>Antirrhinum majus</i> :	20 g M.Pf.	Pt. Pf.
3526	<i>coccineum</i> , rein scharlach, neu — écarlate vif, nouv.	— 2	40 30
3527	<i>Crescia</i> , dunkelscharlach — écarlate foncé	— 50	10
3528	<i>Delila</i> , carmin, gelb und weiss — carmin, jaune et blanc	— 50	10
3529	<i>Firefly</i> , orangescharlach, gelb und weiss — orange écarlate, jaune et blanc	— 50	10
3530	<i>Galathée</i> , carmoisin und weiss — cramoisi et blanc	— 50	10
3531	<i>Ghestia</i> , purpurscharlach — écarlate pourpre	— 50	10
3532	<i>grandiflorum</i> , gelb m. orange — jaune et orange	1	80 20
3533	» <i>luteum rubro-striatum</i> , 1	80	20
3534	» gemischt, siehe Neuheiten — mélange, voy. nouv.	—	— 50
3535	<i>Henry IV.</i> , zinnober — vermillon écarlate	— 50	10
3536	<i>insigne</i> , vermillon	— 50	10
3537	<i>kermesinum</i>	— 50	10
3538	<i>luteum</i> , reingelb — jaune pur	— 50	10
3539	» <i>rubro-striatum</i>	— 50	10
3540	<i>nigricans</i> , schwarz - blutroth mit weissem Schlund — rouge sang noirâtre à gorge blanche	— 50	10
3541	<i>nigro-purpureum</i> , schwarzblut- roth, einfarbig — rouge sang noir	— 60	15
3542	<i>roseum</i> , rosa — rose	— 50	10
3543	<i>sulphureum rubro-venosum</i>	— 60	15
3544	in dem reichsten Farbenspiel ge- mischt — très-beau mélange	— 40	10

Antirrhinum majus nanum:**Niedriges Löwenmaul — Muffler nain.**

3545	<i>album</i>	— 50	10
3546	» <i>rubro-striatum</i>	— 60	10
3547	Brillant	— 50	10
3548	<i>chamoisrosa</i>	— 50	10
3549	<i>Crescia</i>	— 50	10
3550	<i>cupreatum</i>	— 50	10
3551	<i>Delila</i>	— 50	10
3552	<i>Firefly</i>	— 50	10
3553	<i>Galathée</i>	— 50	10
3554	<i>kermesinum splendens</i>	— 50	10
3555	<i>Königin des Nordens</i> , rein- weiss, schmalblättrig — Reine du Nord, blanc pur	1	80 20
3556	<i>luteum</i>	— 50	10
3557	<i>Napoléon III.</i>	— 50	10
3558	<i>nigricans</i>	— 50	10
3559	<i>nigro-purpureum</i>	— 50	10



3644. *Browallia elata coerulea*.



3651. *Cacia coccinea*.



No.	Antirrhinum majus nanum:	20 g	Pt.
	M. Pf. Pf.		
3560	Niobe, schwarzpurpur mit weissem Sohlund — pourpre noir à gorge blanche	1 40	20
3561	papilionaceum	50	10
3562	roseum	60	10
3563	salmonium	50	10
3564	sulphureum rubro-venosum	50	10
3565	in prachtvollen Farben gemischt — en beau mélange	40	10

**Antirrhinum majus nanum
picturatum:**

3566	ignescens, goldgelb mit aurora ge- tuscht — jaune d'or lavé aurore	60	15
3567	Inimitable, kupferrosa getuscht auf hellrosa Grund mit orange- rothem Auge — rose cuivré lavé sur fond rose clair, à oeil rouge orange	60	15
3568	Kaiser Wilhelm, orangeschar- lach, purpur getuscht — orange écarlate lavé pourpre	60	15
3569	Mirabundum, weiss, purpurrosa getuscht mit hellgelbem Auge — blanc lavé rose pourpre, à oeil jaune clair	60	15
3570	Non plus ultra, rosa getuscht auf weisslichem Grund, leuchtendpur- pur Auge — rose lavé sur fond blanchâtre, à oeil pourpre brillant	60	15
3571	Victoria, reinweiss, violettrosa ge- tuscht, hellgelbes Auge — blanc pur lavé rose violacé, à oeil jaune clair	60	15
3572	prachtige getuschte Schattirungen gemischt — mélange de nuances superbes	50	10

*** Antirrhinum majus pumilum.
(Tom Thumb)**

Ganz niedriges oder Zwerg-Löwenmaul
— Muffier Tom Pouce ou très-nain:

3573	album	1 20	20
3574	» rubro-striatum	1	20
3575	Brillant	1 20	20
3576	carneum	1	20
3577	cinnabarinum	1	20
3578	cupreatum, leuchtend kupferroth — rouge cuivré brillant	1	20
3579	Delila	1	20
3580	dunkelgelb mit anrore — jaune foncé et aurore	1	20
3581	Firefly	1	20

No.	Antirrhinum majus pumilum:	20 g	Pt.
	M. Pf. Pf.		
3582	Galathée	1	20
3583	Henry IV	1	20
3584	kermesinum	1	20
3585	luteum rubro-striatum	1	20
3586	orange	1	20
3587	rosenm	1	20
3588	» rubro-striatum	1	20
3589	sanguineum	1	20
3590	sulphureum	1	20
3591	gemischt — mélange	80	15

3592	* Aphanostephus ramosissimus † . .	30	10
3593	* Arctotis breviscapa Δ	1 60	20
3594	Argemone grandiflora, grossbl. rein- weiss — à gr. fl. blanc pur	40	10
3595	» hispida	60	15
3596	» Hunnemanni, weiss — blanc	40	10
3597	» mexicana (speciosa)	30	10
3598	» platyceras, weiss — blanc	40	10
3599	Arnebia cornuta, reichblühend, leuchtendgelb, schwarz gefleckt, Samen in Hülsen — jaune brillant à taches noires, graines en calices	5	40
3600	Artemisia † annua, feinlaubige, raschwachsende Decorations- pflanze — feuilles finement décou- pées, d'une croissance robuste, très- décorative	30	10
3601	Artemisia gracilis (scoparia), rei- zende Belaubung, schöner Bau der Pflanze — feuillage oharmant, d'n'n beau port	30	10
3602	Artemisia gracilis fol. var., silber- weiss panaschirt — à feuilles pa- nachées de blanc	50	10
3603	* Asperula azurea setosa, rei- zende, blaue, anhaltend blühende Gruppenpflanze — jolie plante naine; fleurs bleues	20	10
3604	* Aster † tenellus	50	10
3605	Athanasia annua, Immortelle †	40	10
3606	Atriplex halimoides	80	15
3607	» hortensis purpurea	20	10
3608	» » cupreato-rosea, schöne Blattpflanze — à feuillage ornemental	30	10
3609	* Baeria † chrysostoma	1	20
3610	* » coronaria	2	20
3611	* » gracilis	1 20	20

Balsamine vide pag. 48.

3612	Bartonia aurea, goldgelb, schön — jaune d'or, beau	30	10
3613	* » » nana	70	15
	Belle-de-jour, vide Convolvulus. » » nuit » Mirabilis.		

3661. *Calandrinia umbellata*.3669. *Calendula* off. *grandiflora* fl. pl.

No.		20 g	Pt.
		M.Pf.	Pf.
3614	<i>Beta brasiliensis</i> , weiss — blanc	kg 1,30, —	20 10
3615	» » scharlach — écarlate » 1,30, —	20 10	
3616	» » carmoisin — cramoiisi » 1,30, —	20 10	
3617	» » goldgelb — jaune d'or » 1,30, —	20 10	
3618	» » gemischt — en mélange	kg 1,30, —	20 10
3619	» <i>chilensis</i> , goldgelb — jaune d'or	kg 2,60, —	20 10
3620	» » carmoisin — cramoiisi » 2,60, —	20 10	
3621	» <i>hortensis</i> , <i>Dracaena</i> -blättrige, mit sehr schöner, dunkelblutrother, <i>Dracaena</i> -ähnlicher Belaubung — à feuilles de <i>Dracaena</i> , feuillage rouge-noir brillant, très ornementale	— 40	10
3622	» » <i>metallica</i> <i>Victoria</i> , prachtvoll — splendide kg 1,80, —	20 10	
3623	<i>Bidens</i> Δ <i>andicola</i> , weiss, sehr hoch werdend — blanc, très haut	2 40	30
3624	» <i>atrosanguinea</i> (<i>Dahlia</i> <i>Zimapani</i>), dunkelblutroth, fast schwarz — rouge sang foncé, presque noir	2 40	20
3625	» <i>ferulaefolia</i>	— 70	15
3626	» <i>foeniculifolia</i>	— 70	15
3627	» <i>grandiflora</i> , sehr reichblühend, grossbl., gelb — très florifère, à gr. fl. jaunes . .	1 20	20
3628	» <i>humilis</i> (<i>Cosmos</i> <i>sulphureus</i>), gelb — jaune	— 80	15
	Bleuet, vide <i>Centaurea Cyanus</i> .		
3629	<i>Blitum</i> $\dagger$ <i>capitatum</i> , kopfförmiger Erdbeerspinat, sehr interessant und schön — Epinard Fraise, très bean	— 40	10
3630	» <i>virgatum</i>	— 20	10
3631	<i>Blumenbachia Hieronymi</i> Δ	— 70	15
3632	» <i>insignis</i>	— 70	15
3633	<i>Boisduvallia Douglasi</i> $\dagger$	— 30	10
3634	* <i>Brachycome</i> $\dagger$ <i>iberidifolia</i> , blau — bleu	1 60	20
3635	* » <i>iberidifolia</i> alba	1 60	20
3636	* » » <i>bicolor</i>	1 60	20
3637	* » » <i>rosea</i>	1 60	20
3638	* » » gemischt — mélange	1 20	20
3639	<i>Browallia</i> Δ <i>Czerwiakowski</i>	— 70	15
3640	» <i>Czerwiakowski flore albo</i>	— 70	15
3641	» <i>demissa</i>	1 —	20
3642	» <i>elata</i> alba	— 70	15
3643	» » <i>coerulea</i>	— 70	15
3644	» » » <i>grandiflora</i>	— 80	15


No.		20 g	Pt.
		M. Pf.	Pf.
3645	* <i>Browallia elata</i> <i>coerulea nana</i> , niedrig, schöne Topf- u. Gruppenpflanze — nain, pour la culture en pots ainsi que pour massifs	1 —	20
3646	» <i>elata purpurea</i> , dunkelpurpur, niedrig — pourpre foncé, nain	1 80	20
3647	» <i>Roetzli</i> , grossbl., bläulich weiss — blanc bleuâtre, à gr. fl.	8 —	30
3648	» <i>speciosa</i> major, neu, sehr grossblumig, dunkelblau, in Töpfen zu cultiviren, guter Winterblüher — nouv., à grandes fleurs bleu foncé, à cultiver en pots 100 S. 1,20, 20 S. —	—	30
3649	» <i>viscosa</i> alba	— 50	10
3650	» » <i>coerulea</i>	— 50	10
3651	<i>Cacalia</i> $\dagger$ (<i>Emilia</i>) <i>coccinea</i>	— 40	10
3652	» » fl. luteo	— 40	10
3653	$\S$ <i>Cajophora lateritia</i> , Δ ziegelroth — rouge brique	— 60	15
	<i>Calampelis</i> , vide <i>Ecremocarpus</i> .		
3654	<i>Calandrinia amoena</i>	— 30	10
3655	» <i>Burridgei</i> (<i>rosea</i>)	— 20	10
3656	» <i>discolor</i> (<i>elegans</i>)	— 40	10
3657	» <i>grandiflora</i> (<i>glanca</i>)	— 60	15
3658	» <i>pilosiuscula</i>	— 30	10
3659	* » <i>speciosa</i> (<i>Lindleyana</i>)	— 25	10
3660	* » » alba	— 25	10
3661	* » <i>umbellata</i> , leuchtend roth, reizend für Töpfe — rouge brillant, splendide pour la culture en pots Δ	1 —	20
3662	<i>Calceolaria</i> Δ <i>pinnata</i>	2 60	20
3663	» » <i>scabiosaefolia</i> , gelb — jaune	— 60	15
3664	<i>Calendula eriocarpa</i> , orange	— 20	10
3665	» <i>hybrida</i> , weiss — blanc	— 20	10
3666	» <i>maritima</i> fl. pleno	— 30	10
3667	» <i>maritima</i> fl. pleno	— 30	10
3668	» <i>officinalis</i> fl. pl. <i>Meteor</i> (H. & S.), orangegelb gestreift, constant — régulièrement strié de jaune orange	— 20	10
3669	» » <i>grandiflora</i> fl. pl., dunkelorange, sehr grossbl., dicht gefüllt — orange foncé, fl. très grandes	— 30	10
3670	» » <i>grandifl. sulphurea</i> fl. pl., hellgelb, sehr grossblumig und dicht gefüllt — jaune soufre, à gr. fl. très doubles	— 40	10
3671	» » <i>isabellina</i> (<i>LeProust</i>)	— 20	10


3687. *Calliopsis bicolor hybrida* fl. pl.

3716. *Calliopsis Drummondii*.

No.		20g	Pt.
		M. Pf.	Pf.
3672	<i>Calendula officinalis</i> Prinz von Oranien, dunkelorange-gelb gestr. — à fl. striées de jaune orange foncé	— 40	10
3673	» <i>officinalis</i> regalis fl. pl.	— 30	10
3674	» » <i>sulphurea</i> pl.	— 20	10
3675	» » <i>superba</i> pl.	— 20	10
3676	» » <i>gemischt</i> — mélange	— 20	10
3677	» <i>pluvialis</i> , Regen anzeigende — indiquant la pluie	— 20	10
3678 *	» <i>Pongei</i> fl. pleno, gefüllt weiss — à fl. blanche double	— 40	10
3679	» <i>sicula</i> fl. pleno	— 30	10
3680	» <i>stellata</i>	— 40	10
3681	» <i>suffruticosa</i> , kleinblumig, hellgelb — jaune vif	— 40	10
3682 *	» <i>Callichroa</i> † <i>Douglasi</i> , leuchtend gelb — jaune brillant	— 60	15
3683	» <i>platyglossa</i>	— 50	10
3684	<i>Calliopsis</i> † <i>bicolor</i> (tinctoria), Schöngesicht, gelb mit braun — jaune et brun	— 30	10
3685	» <i>bicolor</i> <i>brunea</i>	— 30	10
3686	» » <i>fiatulusa</i>	— 40	10
3687	» » <i>hybrida</i> fl. pleno, gefüllt blühende gemischt — à fl. double en mélange	— 50	15
3688	» » <i>lutea</i>	— 40	10
3689	» » <i>semplena</i>	— 40	10
3690	» » <i>marmorata</i>	— 30	10
3691	» » <i>fiatulusa</i>	— 30	10
3692	» » <i>semplena</i>	— 30	10
3693 *	» » <i>nana</i> , Zwerg — nain	— 30	10
3694 *	» » <i>brunea</i>	— 30	10
3695 *	» » <i>semplena</i>	— 30	10
3696 *	» » <i>fiatulusa</i>	— 30	10
3697 *	» » <i>marmorata</i>	— 30	10
3698 *	» » <i>semplena</i>	— 60	15
3699	» » <i>nigra</i> <i>speciosa</i>	— 30	10
3700	» » <i>semplena</i>	— 30	10
3701	» » <i>hohe</i> Sorten gemischt — grands en mélange	— 30	10
3702	» » <i>niedrige</i> Sorten — nains en mélange	— 30	10
3703	» <i>cardaminifolia</i> , gemischt — mélange	— 30	10
3704	» » <i>hybrida</i>	— 30	10
3705	» » <i>atrosanguinea</i>	— 30	10
3706	» » <i>lutea</i>	— 30	10
3707 *	» » <i>nana compacta</i> <i>atrosanguinea</i>	— 50	10
3708 *	» » <i>compacta</i> <i>bicolor</i>	— 50	10
3709 *	» » » <i>lutea</i>	— 60	15
3710 *	» » » <i>marmorata</i>	— 60	15
3711 *	» » » <i>gem.</i> — mélange	— 40	10

No.		20g	Pt.
		M. Pf.	Pf.
3712	<i>Calliopsis</i> <i>Ackermanni</i>	— 30	10
3713	» <i>Atkinsoni</i>	— 30	10
3714	» <i>coronata</i>	— 40	10
3715	» » <i>maxima</i> , neu, grossbl. — nouv., à gr. fl.	1 40	20
3716	» <i>Drummondii</i> (basalis), grossbl., hellgelb, sehr reichblühend — jaune clair, à gr. fl., très florifère	— 30	10
3717	<i>Callirrhoe</i> † <i>lineariloba</i> , purpurilla — lilas-pourpre	— 80	15
3718	» <i>pedata</i> , leuchtend roth — rouge brillant	— 50	10
3719	» » <i>nana compacta</i>	— 60	15
3720	» <i>verticillata</i> (involucrata), grossbl., leuchtend roth — à gr. fl., rouge brillant	— 70	15
3721	<i>Callistemma</i> <i>brachiatum</i> , hellblau, ähnlich <i>Scabiosa caucasica</i> , sehr schön — bleu clair, ressemblant <i>Scabiosa caucasica</i> , beau	— 60	15
3722 §	<i>Calonyction</i> <i>speciosum</i> Δ	— 80	15
3723	<i>Calyxymenia</i> <i>chilensis</i> †	— 80	15
3724 *	<i>Campanula</i> <i>attica</i>	1 40	20
3725 *	» <i>attica</i> fl. albo	1 40	20
3726 *	» <i>dichotoma</i>	— 80	15
3727 *	» <i>Loreyi</i> fl. albo	1 60	20
3728 *	» fl. coerulesco	1 60	20
3729	» <i>macrostyla</i> , mit grossen becherförmigen, violett auf weissem Grund gestreiften Blumen — à très gr. fl. réticulées et veinées violet sur fond blanc Δ	2 20	30
3730	» <i>macrostyla</i> <i>rosaeflora</i> Δ	3 20	40
3731 *	» <i>Pentagonia</i>	— 30	10
3732 *	» fl. albo	— 30	10
3733 *	» <i>retroscia</i>	— 80	15
3734 *	» <i>specularioides</i>	— 80	15
3735 *	» <i>Speculum</i> , blau — bleu	— 30	10
3736 *	» <i>fiore</i> albo	— 30	10
3737 *	» fl. pl., blaue gefüllt blühende — bleu à fleurs doubles	1 20	20
3738 *	» fl. albo pleno	1 80	20
3739 *	» fl. lilacino pleno	— 70	15
3740 *	» <i>grandiflora</i>	— 30	10
3741 *	» <i>alba</i>	— 30	10
3742 *	» <i>lilacina</i>	— 40	10
3743 *	» <i>gemischt</i> — mélange	— 30	10
3744 *	» <i>procumbens</i> <i>alba</i>	— 80	15
3745 *	» <i>coerulea</i>	— 70	15
3746 *	» <i>lilacina</i>	— 70	15
3747 *	» <i>gemischt</i> — mélange	— 60	15
3748 *	» <i>strigosa</i>	1 80	20

3737. *Campanula Speculum fl. pl.*

No.		20 g	Pt.
		M.Pf.	Pf.
3749	<i>Cannabis gigantea</i> , cochter ohine- sischer Riesenhanf — Chanvre géant de la Chine, † kg 4, —	30	10
3750	» <i>pyramidalis compacta</i>	30	10
3751	» <i>sativa atropurpurea</i> , Blät- ter im Herbst braunroth — feuil- lage rouge brunâtre en automne —	40	10

Capsicum Δ annum:

3752	<i>Celestial</i> , Früchte conisch, weiss- lichgelb in Scharlach übergehend — fruits passant de jaune clair à l'écarlate	40	10
3753	<i>Chamaecerasus</i>	25	10
3754	<i>fulgens nanum</i>	50	10
3755	Golden Dawn , Früchte gross, leuchtend goldgelb — fruit gros, jaune d'or	40	10
3756	Kaleidoscop , Früchte bei der Reife von weiss in dunkelroth übergehend — fruits changeant de blanc au rouge en mûrissant	40	10
3757	Little Gem , mit zahlreichen kleinen, scharlachrothen, auf- rechtstehenden Früchten, reizend zur Topfcultur — fruits écarlates, ronds, petits et très nombreux	60	15
3758	Little Gem orange	1	20
3759	Prince of Wales , Früchte oitron- gelb — à fruits jaune citron	40	10
3760	proboscideum , mit langen rüssel- ähnlichen Früchten — à fruits longs en forme d'une trompe	60	15

3796. *Celosia crist. pumila kermesina.*3802. *Celosia plumosa.*

No.		20 g	Pt.
		M.Pf.	Pf.
3761	<i>Capsicum annum</i> : <i>racemigerum</i> , orangefrüchtig — à fruits oranges	1	20
3762	<i>racemigerum</i> , gelbfrüchtig — à fruits jaunes	1	20
3763	<i>racemigerum</i> , rothfrücht. — à fruits rouges	1	20
3764	Tom Thumb	50	15
	Capuine vide <i>Tropaeolum</i> .		
3765	§ <i>Cardiospermum Halicaca-</i> <i>bum</i> , hübsche Schlingpflanze mit ballonartigen Früchten — belle plante grimpante à fruits en forme de ballon †	40	10
3766	§ <i>Cardiospermum hirsutum</i> Δ, hochrankend, mit weissen, trauben- förmigen Blumen u. blasen- artigen dreieckigen Früchten — pl. grimpante à fleurs blanches et à fruits en forme de ballon	4	40
3767	<i>Cardus arabicus</i>	20	10
3768	» <i>benedictus</i> kg 1,60,	20	10
3769	» <i>Marianus</i> , Mariendistel » 1,30,	20	10
3770	<i>Carthamus leucocaulis</i>	2,50,	20
3771	» <i>tinctorius</i>	1,30,	20
3772	<i>Castilleia</i> Δ indivisa, reizend, mit scharlachrothen Bracteen — fleurs enveloppées de brac- tées écarlates 1000 S. 4,50, 100 S.	—	50
3773	» <i>integra</i>	50	—
3774	» <i>miniata</i>	100	—
3775	» <i>tenuiflora</i> , Bracteen dunkel- oarmin — bractées carmin foncé	200 S.	—
3776	» <i>tolucensis</i> , Bracteen hell- orange — bractées orange clair	200 S.	—

***Celosia* Δ cristata, Hahnen-
kamm. — Crête de coq.**

3777	In vielen Farben gemischt — en heau mélange	80	15
3778	10 Farben separat — 10 couleurs séparées	1 80	20
3779	<i>muscosa alba</i>	1 80	20
3780	» <i>kermesina</i>	1 80	20
3781	<i>variegata</i>	2 20	30
3782	<i>nana argentea</i> (alba)	2 50	30
3783	» <i>atropurpurea</i>	2 50	30
3784	» <i>atrorosea</i>	2 50	30
3785	» <i>anrea</i>	2 50	30
3786	» <i>coccinea</i>	2 50	30


3824. *Centaurea Cyanus* fl. pl.

3844. *Centaurea Margaritae*.

No.		20 g	Pt.	No.		20 g	Pt.
		M. Pf.	Pf.			M. Pf.	Pf.
3787	<i>Celosia cristata</i> :			3822	<i>Centaurea Crocodylium</i>	—	60 15
3788	» <i>Empress</i>	2 50	30	3823	» <i>Crupina</i> , Samen interessant —		
3789	» <i>kermesina</i>	5 —	40		graines intéressantes	—	30 10
3790	» <i>rosea</i>	2 50	30	3824	» <i>Cyanus</i> fl. pl., gefüllte und		
3791	» <i>sulphurea</i>	2 50	30		halbgefüllte Kornblu-		
3792	» <i>variegata</i>	2 50	30		men in reizenden neuen		
3793	» <i>Vesuv</i> , feuerroth — rouge feu	2 50	30		Färbungen gemischt —		
	5 g 1,80				Bleuet à fl. double, en		
3794	» <i>violacea</i>	—	40		mélange	—	50 15
3795	» gemischte Zwerg- — naine en	2 50	30	3825	» » Kornblume, gemischt —		
	mélange	1 80	20		Bleuet en mélange	—	30 10
3796*	<i>pumila kermesina</i> (Präsident			3826	» » <i>alba</i>	—	30 10
	Thiers, Glasgow Prize), leuch-			3827	» » <i>pura</i>	—	40 10
	tend dunkelcarmoisinrothe Zwerg-			3828	» » <i>atropurpurea</i>	—	30 10
	sorte mit sehr grossem Kamm,			3829	» » <i>coelestina</i> (Kaiser Wil-		
	extra schön — nain, cramoisi bril-				helm), dunkelblau — bleu		
	lant foncé, extra	4 —	40		foncé	—	40 10
3797	<i>Celosia</i> Δ <i>argentea</i>	—	50 10	3830	» » <i>lilacina</i>	—	40 10
3798	» <i>cardinalis</i>	—	80 15	3831	» » <i>miniata</i>	—	40 10
3799	» <i>Huttonii</i>	2 50	30	3832	» » <i>nana</i> comp. <i>Victoria</i> ,		
3800	» <i>japonica</i>	—	70 15		niedlich, nur 15 cm hoch,		
3801	» » <i>coccinea</i> , japanische				schön zu Einfassungen		
	scharlachrothe	2 60	30		— très nain, beau pour		
3802	» <i>plumosa</i> , federbuschartiger				bordures	1 40	30
	Hahnenkamm, gemischt			3833	» » <i>nana compacta</i> ge-		
	— Célosie à panaches,				mischt — mélange	3 20	30
	en mélange	—	40 10	3834	» » <i>Victoria</i> , braunroth,		
3803	» » <i>alba</i>	—	80 15		neu — rouge		
3804	» » <i>aurantiaca</i>	—	80 15		brun, nouv.	—	70
3805	» » <i>carminea</i>	—	80 15	3835	» » » weiss mit lilla,		
3806	» » <i>kermesina</i>	—	80 15		neu — blanc et		
3807	» » » <i>nana</i>	1 —	20		lilas, nouv.	—	60
3808	» » <i>rosea</i>	—	80 15	3836	» » » weiss mit rosa,		
3809	» » <i>violacea</i>	—	80 15		neu — blanc et		
3810	» » <i>Thompsoni</i> (Triomphe				rose, nouv.	—	70
	de l'exposition), mit leuch-			3837	» » <i>rosea</i>	—	40 10
	tend carmoisinrothen Blüten			3838	» » <i>striata</i>	—	40 10
	und purpurrother Belaubung;			3839	» » <i>halbhohe</i> gemischt —		
	prachtvolle Gruppenpflanze —				Bleuet demi-nain varié	—	40 10
	à panaches cramoisis, feuillage			3840*	» <i>depressa</i>	—	40 10
	rouge pourpre, beau	1 20	20	3841*	» » <i>rosea</i>	—	40 10
3811	» <i>pyramidalis alba</i>	—	50 10	3842	» <i>involutata</i>	—	30 10
3812	» » <i>atroviolacea</i>	—	50 10	3843	» <i>laxiseta</i>	—	30 10
3813	» » <i>aurea</i>	—	50 10	3844	» <i>Margaritae</i> , neu, grossblu-		
3814	» » <i>coccinea</i>	—	50 10		mig, rein weiss, wohlriechend,		
3815	» » <i>pendula Reid's Per-</i>				prachtvolle Schnittblume —		
	<i>fection</i>	—	60 15		nouv., magnifique, blanc pur,		
3816	» » » <i>pumila kermesina</i>	2 20	20		odorant	7 20	40
3817	» » <i>purpurea</i>	—	50 10	3845	» » <i>moschata alba</i>	—	40 10
3818	» » <i>sanguinea</i>	—	50 10	3846	» » <i>atropurpurea</i>	—	40 10
3819	» » gemischt — mélange	—	40 10	3847	» » <i>coerulea</i>	—	40 10
3820	<i>Centaurea americana</i> , sehr gross-			3848	» » <i>odorata</i> , neu, purpur. gross-		
	blumig, lilla — lilas à très				blumig, wohlriechend, sehr		
	grande fleur + ...	—	80 15		schön für Bouquets — nouv.		
3821	» <i>americana</i> var. <i>Hallii</i> + ...	1 —	20		pourpre à gr. fl., odorante	4 —	40

3897. *Chrysanthemum carin.* Golden Feather.3935. *Clarkia elegans fl. pl.*

No.		20 g Pt.
		M. Pf. Pf.
3849	<i>Centaurea odorata</i> Chamaeleon, neu, grossbl., blassschwefelgelb in rosa übergehend — nouv., à gr. fl., jaune soufre pâle passant au rose 5 g 2,—	— 50
3850	» <i>Pseudo-depressa</i>	— 30 10
3851	» <i>suaveolens</i> , gelb, wohlriech., feine Bouquet-Blume — Barbean jaune odorant	1 20 20
3852	<i>Centaureidium Drummondii</i> , citronengelb — jaune de citron †	— 50 10
3853	<i>Centranthus macrosiphon</i>	— 30 10
3854	» <i>macrosiphon albus</i>	— 30 10
3855	» » <i>carneus</i>	— 30 10
3856	» » <i>mutabilis</i> (bicolor)	— 40 10
3857 *	» » <i>nanus</i>	— 30 10
3858 *	» » <i>albus</i>	— 30 10
3859 *	» » <i>bicolor</i>	— 40 10
3860 *	» » <i>carneus</i>	— 30 10
3861	<i>Cerastium perfoliatum</i>	— 30 10
3862	<i>Cerinthe aspera</i> , gelb mit schwarz—jaune et noir	— 30 10
3863	» <i>auriculata</i>	— 30 10
3864	» <i>bicolor</i>	— 30 10
3865	» <i>gymnandra</i>	— 30 10
3866	» <i>major fl. luteo</i>	— 40 10
3867	» <i>nigricans</i>	— 40 10
3868	» <i>retorta</i>	— 30 10
3869	» <i>gemischt — mélange</i>	— 30 10
3870 *	<i>Chaenostoma</i> Δ <i>fastigiatum</i>	— 60 15
3871 *	» <i>fastigiatum fl. albo</i>	— 60 15
3872 *	» <i>polyanthum</i>	— 60 15
3873 *	» <i>viscosum</i>	— 50 10
3874	<i>Chamissoa pyramidalis</i> Δ	1 — 20
3875	<i>Chardinia xeranthemoides</i> , interess. Samen — à graines intéressantes Δ	— 60 15
	Chardon vide <i>Carduus</i> .	
3876 *	<i>Cheiranthus maritimus</i> , rothe Meer-Levkoje — Julienne de Mahon rouge	— 30 10
3877 *	» <i>maritimus albus</i>	— 30 10
3878 *	» <i>carmineus splendens</i>	— 30 10
3879 *	» <i>compactus</i>	— 30 10
3880 *	» <i>albus</i>	— 30 10
3881 *	» <i>kermesinus</i> (Crimson King)	— 30 10
3882 *	» <i>luteus</i>	— 30 10
3883	<i>Chenopodium</i> † <i>ambrosioides</i>	— 40 10
3884	» <i>Atriplicis</i>	— 60 15
3885	» <i>Botrys</i>	— 40 10
3886	» <i>scoparium</i> , von pyramidenförmigem Wuchs, prächtige Einzelpflanze — d'un port pyramidal, magnifique comme plante solitaire	— 30 10

No.		20 g Pt.
		M. Pf. Pf.
3887	<i>Chrysanthemum</i> † <i>carinatum</i> (tricolor) album	— 30 10
3888	» <i>carinatum annulatum</i>	— 30 10
3889	» » <i>atrococcineum</i>	— 30 10
3890	» » » <i>foliis aureis</i> , neu — nouv.	— 60
3891	» » <i>Burridgeanum</i>	— 50 10
3892	» » <i>Dunnetti album pl.</i>	1 — 20
3893	» » » <i>aureum plenum</i>	1 — 20
3894	» » » <i>purpureum fl. pl.</i>	3 50 40
3895	» » » <i>versicolor fl. pl.</i> , Mischung gefülltblühender Varietäten — mélange de variétés doubles	1 — 20
3896	» » <i>Eclipse</i> , goldgelb mit purpurscharlach Ring — jaune d'or à couronne écarlate pourpre	— 50 15
3897	» » <i>Golden Feather</i> , mit goldgelben Blättern — à feuillage doré, beau	— 50 15
3898	» » <i>hybr. fimbriatum fl. pl.</i>	4 — 40
3899	» » <i>luteum</i>	— 30 10
3900	» » <i>nanum coccineum</i>	1 80 20
3901	» » <i>coccineum fl. pleno</i>	8 — 40
3902	» » <i>purpureum</i>	1 80 20
3903	» » <i>plenisimum foliis aureis</i> , siehe Neuheiten — voy. nouv.	— 80
3904	» » <i>purpureum</i>	— 30 10
3905	» » <i>venustum</i>	— 30 10
3906	» » <i>gemischt — mélange</i>	— 30 10
3907	» <i>coronarium album pl.</i>	— 30 10
3908	» » <i>imbricatum fl. pl.</i>	— 40 10
3909	» » <i>luteum pl.</i>	— 30 10
3910	» » <i>sulphureum pl.</i>	— 30 10
3911	» » <i>nanum luteum plenum</i>	— 30 10
3912	» » <i>album plenum</i>	— 30 10
3913	» » <i>sulphureum pl.</i>	— 30 10
3914	» » <i>pomponicum album pl.</i>	— 30 10
3915	» » <i>luteum pl.</i>	— 30 10
3916	» » <i>sulphureum pl.</i>	— 30 10
3917	» » <i>fl. pl. gemischt — mélange</i>	— 30 10
3918	» » <i>einfachblühende — à fl. simple</i>	— 30 10
3919	» <i>inodorum plenisimum</i> , mit dichtgefüllten reinweissen Blumen, ausserordentlich werthvoll für Bouquets — à fl. très doubles d'un blanc pur, d'un grand mérite pour bouquets	1 20 20
3920 *	» <i>multicaule</i> , gelb, schöne Einfassungspflanze — jaune, belle plante pour bordures	— 50 15
3921	» <i>Myconis</i>	— 30 10



3972. Clanthus Dampieri.

No.		20 g	Pt.
		M.Pf.	Pf.
3922	Chrysanthemum panormitanum, weiss, reichblühend — blanc, florifère	— 30	10
3923	» segetum grandiflorum, reichblühend, gelb, grossbl. — jaune à gr. fl., très florifère	— 30	10
3924	» Sibthorpi	— 30	10
3925	Cineraria † geifolia	1 25	20
3926 *	» lobata (Senecio anaveolens), niedrig, goldgelb, wohlriechend — main, à fl. jaunes odoriférantes	— 30	10
3927	Clarkia elegans alba pura	— 30	10
3928	» elegans alba pura plena	— 30	10
3929	» » carminea plena	— 30	10
3930	» » nana rosea, niedrig, von nur 25–30 cm Höhe, sehr empfehlenswerth f. Gruppen — de 25 à 30 cm de hauteur, très propre pour massifs	— 60	15
3931	» elegans Purple King	— 30	10
3932	» » rosea plena	— 30	10
3933	» » Salmon Queen	— 30	10
3934	» » violacea plena	— 30	10
3935	» gefüllte gemischt — à fl. doubles en mélange	— 30	10
3936	» pulchella, roth — rouge	— 30	10
3937	» » carnea	— 30	10
3938	» » fimbriata alba	— 30	10
3939	» » fl. albo	— 30	10
3940	» » fl. pleno	— 40	10
3941	» » fl. albo pleno	— 40	10
3942	» » grandiflora alba	— 30	10
3943	» » integrifolia, roth — rouge	— 30	10
3944	» » » alba pl.	— 40	10
3945 *	» » compacta	— 30	10
3946 *	» » » fl. albo	— 40	10
3947	» » kermesina plena	— 40	10
3948 *	» » limbata	— 40	10
3949	» » rubra plena	— 40	10
3950	» » marginata	— 30	10
3951	» » Mrs. Langtry	— 40	10
3952 *	» » nana (Tom Thumb)	— 40	10
3953 *	» » » alba	— 40	10
3954 *	» » » fl. pleno, dichtgefüllt — fl. très double	— 40	10
3955 *	» » » carnea	— 40	10
3956	» » » marginata	— 30	10
3957	» » » fl. pleno	— 40	10
3958 *	» » nana (Tom Thumb) roth — rouge	— 40	10
3959 *	» » » alba	— 40	10
3960 *	» » pulcherrima, carmoisin — cramoisi	— 30	10



3981. Clitoria ternatea.

No.		20 g	Pt.
		M.Pf.	Pf.
3961 *	Clarkia pulchella pulcherrima fimbriata	— 40	10
3962	» pulchella pulcherrima fl. pleno	— 40	10
3963 *	» » pulcherrima integrifolia	— 40	10
3964	» » gemischt — mélange	— 30	10
3965	Claytonia perfoliata	— 60	15
3966	Cleome △ elegantissima	— 80	15
3967	» heterophylla	— 60	15
3968	» pungens	3	— 30
3969	» sesquiorgialis, sehr decorativ — ornamental	1	— 20
3970	» speciosissima	— 60	15
3971	Clanthus † Dampieri, leuchtend scharlach m. schwarzem Auge, prachtvolle Schmetterlingsblume, importirter Samen — papilionacée magnifique, fl. écarlate brillant à oeil noir, gr. importées . 20 g 4, 20, 50 S.	—	— 20
3972	» Dampieri, in unserm Etablissement geerntet, leicht und sicher keimend — récolté chez nous, d'une germination facile et certaine	100 S. 2, 60, 10 S.	— 30
3973	» » Deutsche Flagge, scharlach, schwarz und weiss — écarlate, noir et blanc	5 S.	— 40
3974 *	Clintonia △ elegans	3	— 30
3975 *	» pulchella	8	— 40
3976 *	» » alba	8	— 40
3977 *	» » atrocineura (rubra)	2 60	30
3978 *	» » atropurpurea	2 20	30
3979 §	Clitoria △ coelestis	— 80	15
3980 §	» heterophylla . 100 S. 1, 20, 20 S.	— 30	15
3981 §	» ternatea	— 60	15
3982 §	» » alba	1	— 20
3983 §	» » » grandiflora	1 20	20
3984 §	» » flore pleno	1 20	20
3985 §	» » lilacina	1	— 20
3986 §	» » gemischt — mélange	1 20	20
Die Clitorien sind sehr schön u. reichblühende Schlingpflanzen für warme Lagen. — Belles plantes grimpantes très-florifères pour les pays chauds.			
3987 §	Cobaea △ macrostemma, neu, mit sehr langen Staubfäden, interessant-nouv. à étamines très longues 100 S. 2, 60, 10 S.	—	— 30
3988 §	» scandens, prächt. Schlingpflanze mit grossen blauen Blumen — plante grimpante magnifique à grandes fleurs bleues	— 70	15
3989 §	» » scandens fl. albo	1 40	20

4092. *Datura fastuosa* fl. pl.4078. *Dahlia*, einfache gerandete — à fl. simple bordée.

No.		20 g	Pt.
		M. Pf.	Pf.
3990 *	<i>Collinsia bartsiaefolia</i>	— 40	10
3991 *	» » fl. albo	— 60	15
3992 *	» » bicolor, lilla mit weiss — lilas et blanc	— 20	10
3993 *	» » » alba	— 30	10
3994 *	» » candidissima	— 30	10
3995 *	» » carnea	— 30	10
3996 *	» » major	— 30	10
3997 *	» » grandiflora	— 30	10
3998 *	» » heterophylla, violettroth — rouge violacé	— 30	10
3999 *	» » multicolor	— 30	10
4000 *	» » marmorata	— 30	10
4001 *	» » verna, himmelblau mit weiss — bleu ciel et blanc	— 60	15
4002 *	» » violacea	— 40	10
4003 *	» » gemischt — mélange	— 20	10
4004	<i>Collomia coccinea</i>	— 20	10
4005	» » grandiflora	— 20	10
4006	<i>Commelina</i> † <i>coelestis</i> , schön, himmelblau — bleu de ciel	— 40	10
4007	» » <i>coelestis</i> alba	— 50	10
4008	» » <i>variegata</i>	— 40	10
4009 *	<i>Convolvulus Cupanians</i>	— 20	10
4010 *	» » tricolor, niedrige Winde — Belle-de-jour. kg 1,60, ...	— 20	10
4011 *	» » albus	— 20	10
4012 *	» » » fl. pleno	— 30	10
4013 *	» » » oculatus, weiss mit schwarzem Auge — blanco à oeil noir	— 20	10
4014 *	» » azureus	— 20	10
4015 *	» » coeruleus fl. pleno	— 30	10
4016 *	» » <i>kermesinus</i> violaceus	— 30	10
4017 *	» » monstrosus	— 20	10
4018 *	» » quadricolor	— 20	10
4019 *	» » roseus, zart rosenroth — rose tendre	— 30	10
4020 *	» » speciosus atropurpureus	— 20	10
4021 *	» » striatus	— 20	10
4022 *	» » subcoeruleus	— 20	10
4023 *	» » splendens	— 20	10
4024 *	» » unicaulis, grossbl., dun- kelblau — bleu foncé	— 40	10
4025 *	» » violaceus	— 20	10
4026 *	» » » fl. pleno	— 30	10
4027 *	» » gem. — mélange	— 20	10
	Coquelicot, vide Papaver.		
	Coquelourde, vide Agrostemma.		
	Corbeille d'argent, vide Alyssum.		
4028	<i>Coronilla Securidaca</i>	— 30	10
4029	<i>Cosmanthus fimbriatus</i> †	— 1	80
4030	<i>Cosmea</i> † bipinnata	— 60	15
4031	» » bipinnata albiflora, rein- weiss, gute Schnittblume — blanc		

No.		20 g	Pt.
		M. Pf.	Pf.
	<i>Cosmea bipinnata albiflora</i> : pur, à recommander pour la fleur coupée	— 70	15
4032	<i>Cosmea bipinnata</i> Mammuth, neu, sehr grossbl. — nouv., à gr. fl.	— 2	— 30
4033	» » bipinnata purpurea	— 60	15
4034	<i>Cosmidium</i> † <i>Burridgeanum</i> , dunkelbraun, goldgelb ge- säumt — brun foncé bordé jaune d'or	— 40	10
4035 *	» » <i>Engelmanni</i> , leuchtend gelb, reichblühend — jaune bril- lant, florifère	— 40	10
4036	» » filiforme	— 40	10
4037 *	<i>Cotula aurea</i>	— 40	10
4038	<i>Crambe hispanica</i>	— 40	10
4039	<i>Crepis barbata</i>	— 30	10
4040	» » alba	— 30	10
4041	» » » nana compacta	— 30	10
4042	» » <i>Dioscoridis</i> (Drummondii)	— 30	10
4043	» » rubra	— 30	10
4044	» » fl. albo	— 30	10
4045	<i>Cryptostemma calendulaceum</i> †	— 40	10
	<i>Cucumis</i> , vide <i>Cucurbitaceae</i> .		
4046	<i>Cuphea aequipetala</i> , lilla — lilas †	— 80	15
4047	» » <i>Balsamora</i> , schwarz-purpur mit dunkelcarmoisin Rand — pourpre noir à bord cra- moisi foncé. †	1 10	20
4048	» » <i>cinnabarina</i> †	2 40	30
4049	» » <i>eminens</i> Δ	7	— 40
4050	» » <i>Galeottiana</i> Δ	7	— 40
4051	» » <i>lanceolata</i> fl. albo †, siehe Neuh. — voy. nouv.	—	60
4052	» » miniata, hochroth — rouge foncé †	— 80	15
4053 *	» » <i>platycentra</i> , soharlachroth — écarlate Δ	5 g 3	— 40
4054	» » purpurea †	— 60	10
4055	» » rosea †	— 50	10
4056	» » <i>Roezli</i> Δ	5 g 3,50	— 30
4057	» » » <i>grandiflora superba</i> , Δ 5 g 3,50, ...	—	30
4058	» » <i>silenoidea</i> †	— 70	15
4059	» » <i>strigulosa</i> , orange Δ	7 50	40
4060	» » <i>Zimapani</i> †	— 50	10
4061	<i>Cynoglossum oecostinum</i>	— 30	10
4062 *	» » <i>linifolium</i> , weisses Vergisa- meinnicht — Souvenez-vous de moi, blanco	— 30	10
4063	<i>Dahlia coccinea</i>	— 80	15
4064	» » <i>gracilis</i>	— 80	15
4065	» » <i>imperialis</i>	5 g 2	— 40
4066	» » <i>scapigera</i> (Merkii, gla- brata), rosallila — rose lilacé	— 60	15
4067	» » <i>Zimapani</i> (<i>Bidens atrosan-</i> <i>guinea</i>)	2 60	20



4112. *Dianthus imperialis* fl. pl.



4147. *Dianthus Heddewigi* „die Braut“.

No.		20 g	Pt.
		M.Pf.	Pf.
Dahlia variabilis , einfachblüh.			
Georginen — Dahlias à fleurs simples:			
4068	beste Sorten gemischt — beau mélange	— 50	15
4069	grandiflora, neue einfache Riesen-Georginen in prachtvollster Mischung — nouv. Dahlias simples à fl. géantes en mélange	2 60	30
4070	Juarezzi, einfachblühende Cactus-, neu — Dahlias Cactus à fl. simple, nouv. . . . 5 g 3.50	— —	50
4071	nana, Jules Chretien, einfachblühende Zwerg- mit leuchtend scharlachrothen Blumen — var. naine à fl. écarlate brillant . . .	1 80	20
4072	nana, Président Carnot, dunkle Belaubung, dunkelrothe Blumen — feuillage foncé, fl. rouge foncé	2 20	30
4073	nana, niedrige einfachblühende gemischt — nains à fl. simples en mélange . . .	1 60	20
4074	Paragon Varietäten — variétés Paragon . . .	1 40	20
4075	White Queen . . .	2 60	30
4076	striata, gestreifte in reichem Farbenspiel — à fl. simple striée	— 80	15
4077	striata nana, niedr. gestreifte — nain à fl. striées . . .	1 20	20
4078	einfache gerandete, prachtvollste Classe — simple bordé et pointé, la plus belle classe	2 60	30
Dahlia variabilis fl. pl., Georginen, gefülltblühende — Dahlias à fl. doubles:			
4079	gefüllte grossblumige, in vielen Sorten gemischt — variétés doubles à gr. fl. en mélange . . .	2 50	30
4080	grossblumige gefüllte, von den besten Sortimentsblumen I. Ranges — doubles à grande fleur, choix extra . . .	11 —	50
4081	Juarezzi, gefüllte Cactus-Georginen gemischt — Dahlias Cactus à fl. double, en mélange . . .	5 —	40
4082	„ alba, weisse Cactus- — à fl. blanche . . .	9 —	50
4083	Kaiserin Augusta Victoria, neu — nouv. . . .	— —	50
4084	niedrige Cactus-Georginen — var. naines des Dahlias Cactus . . .	5 —	40

No.		20 g	Pt.
		M.Pf.	Pf.
Dahlia var. fl. pl.:			
4085	Liliput, gefüllte, in allen Farben gemischt — variétés doubles liliputiennes en mélange	4 —	40
4086	gefüllte Liliput, beste Sortimentsblumen — choix extra . . .	11 —	50
4087	gefüllte Zwerg- (Tom Thumb) Sorten gemischt — nain à gr. fl.	7 —	40
4088	gefüllte Zwerg-, extra Auswahl — nains à fl. double, choix extra	16 —	40
4089	Datura Δ atroviolacea plenissima . . .	— 80	15
4090	„ ceratocaula . . .	— 50	10
4091	„ fastuosa alba plena . . .	— 50	10
4092	„ „ coerulea plena . . .	— 50	10
4093	„ Huberiana alba plena, grossblumig, gefüllt — à gr. fl. doubles . . .	— 80	15
4094	„ „ gemischt — mélange . . .	— 50	10
4095	„ ferox, Blattpflanze — feuillage ornamental . . .	— 30	10
4096	„ gigantea . . .	— 30	10
4097	„ humilis flava (chlorantha fl. pl.), mit gelben gefüllt. Blumen — à fleurs jaunes doubles	— 60	15
4098	„ laevis, niedrig mit glatten Früchten — nain à fruits lisses . . .	— 30	10
4099	„ Metel (carthaginiensis) . . .	— 40	10
4100	„ Stramonium . . .	— 20	10
4101	„ Wrightii (meteloides) . . .	— 40	10
Delphinium Ajacis , vide Ritter-sporn, Seite 48—49.			
4102*	„ cardiopetalum, niedrig, blau, sehr reichblühend — nain, blen, très florifère . . .	— 30	10
4103*	„ cardiopetalum roseum, hellrosenroth — rose clair . . .	— 40	10
Dianthus† chinensis fl. pleno.			
Chineser-Nelke. — Œillet de Chine.			
4104	Gefüllte in reichem Farbenspiel, gemischt — double varié . . .	— 60	15
4105	plenissimus, dichtgefüllte in dem prachtvollsten Farbenspiel gemischt — qualité supérieure, mélange bien varié . . .	— 90	20
4106	„ albus, reinweiss — blanc pur . . .	— 70	15
4107*	„ nanus, niedrige Chineser-Nelke — Œillet de Chine nain . . .	— 70	15
4108*	„ nanus roseus splendens, leucht. rosa — rose vif.	— 60	15
4109	„ pictus	— 80	15
4110	Dianthus Gardnerianus	— 40	10

4172. *Dianthus laciniatus* Lachskönigin.4189. *Ecremocarpus scaber*.**Dianthus† imperialis fl. pleno.**

Kaiser-Nelke. — Œillet de Chine impérial.

No.		20 g	Pt.
		M.Pf.	Pf.
4111	Gefüllte in vielen Farbegemisch — à fl. doubles varié	— 60	15
4112	plenissimus, dichtgefüllt in dem prachtvollsten Farbenspiel — qualité supérieure en beau mélange	— 90	20
4113	albus plenus	— 70	15
4114	» violaceo-striatus plenus	— 70	15
4115	atrosanguineus plenus	— 70	15
4116	carmineus rubro-striatus plenus	— 70	15
4117	fl. albe rubro-striate pl.	— 70	15
4118	lilacinus atropurpureus striatus fl. pl.	— 70	15
4119	nigro-purpureus plenus	— 70	15
4120	ochroleucus plenus	— 80	15
4121	pictus plenus	— 70	15
4122	*pumilus miniatus plenus	— 70	15
4123	rubro-violaceus plenus	— 70	15
4124	striatus atropurpureus pl.	— 70	15
4125	tricolor striatus fl. pl.	— 80	15
4126	*nanus albus plenus	— 60	15
4127	* » atrosanguineus plenus	— 60	15
4128	* » carmineus striatus plenus	— 60	15
4129	* » capreus plenus	— 80	15
4130	* » miniatus plenus	— 60	15
4131	* » ochroleucus pl.	— 70	15
4132	* » roseus plenus	— 60	15
4133	* » striatus plenus	— 60	15
4134	* » gemischt — mélange	— 60	15

Dianthus† Heddwigi:

Heddwigs-Nelke — Œillets de Heddwig.

4135	* (giganteus), in den prachtvollsten Nüancen — en mélange superbe	— 70	15
4136	* (giganteus) extra Qualität — qualité supérieure	1 — 20	
4137	* albus plenus	1 20	20
4138	* » nanus plenus, besonders schön zu Einfassungen — très-beau pour bordures	1 60	20
4139	* atropurpureus plenus	1 40	20
4140	* » albo-marginatus plenus, (Trauermantel), schwarz-purpur, weiss gerandet — manteau de deuil, pour-pre noir à bord blanc	1 60	20
4141	atrosanguineus, neu — nouv.	5 —	40
4142	* plenus	1 40	20
4143	Brillant	1 20	20
4144	* Crimson Belle, dunkelcarmoisin — cramoisi foncé	— 80	15

Dianthus Heddwigi:

No.		20 g	Pt.
		M.Pf.	Pf.
4145	* diadematus plenissimus, dichtgefüllt in prächtig gezeichneten Nüancen — var. superbes à pétales maculés et bords de blanc	1 60	20
4146	* diadematus nanus fl. pleno, Zwerg-Varietät — variété naine	1 80	20
4147	die Braut, reinweiss mit dunkel-purpurrother Mitte, sehr schön — la fiancée, blanc pur à centre rouge pourpre foncé, très beau	1 40	20
4148	* Eastern Queen, prächtig gezeichnet — en nuances magnifiques	1 20	20
4149	* fl. pleno, gef. in reichem Farbenspiel gem. — à fl. doubles en beau mél.	1 20	20
4150	fl. pleno, feinste Qualität — qualité extra	1 60	25
4151	* grandiflorus albus plenus	1 20	20
4152	* » striatus plenus	1 40	20
4153	* hybridus fl. pl. in prächtigem Farbenspiel, dicht gefüllt — bien varié et à coloris superbe, très-double	1 60	25
4154	* nanus atropurpureus pl.	1 40	20
4155	* » » striatus pl.	1 40	20
4156	* » cupreo-coccineus fl. pl.	1 40	20
4157	* » roseus plenus	1 40	20
4158	* nigricans plenissimus	1 40	20
4159	Souvenir de la Malmaison, hellrosa — rose clair	1 60	20

Dianthus† hybridus (latifolius):

4160	atrococcineus fl. pl.	— 60	15
4161	atropurpureus fl. pl.	— 60	15
4162	atroroseus fl. pl.	— 60	15
4163	atroviolaceus fl. pl.	— 60	15
4164	gemischt — mélange	— 50	10

Dianthus† laciniatus:

4165	* Einfache gefranste in dem herrlichsten Farbenspiel — à fl. simples frangées, les plus belles variétés	— 60	15
4166	albus, grossblumig, einfach, reinweiss — blanc pur à gr. fl. simple	— 70	15
4167	albus fl. pl.	1 10	20
4168	atropurpureus fl. pl., schön — beau	— 80	15
4169	atrosanguineus, dunkelscharlach, einfach — écarlate foncé, à gr. fl. simple	— 70	15
4170	atroviolaceus fl. pl.	— 80	15


4222. *Eschscholtzia maritima*.

4225. *Eucharidium Brewerii*.

No.	<i>Dianthus laciniatus</i> :	20 g	Pt.
		M.Pf.	Pf.
4171	fl. pleno, gefüllte Varietäten in bestem Farbenspiel — à fl. doubles, en mélange superbe	1 60	20
4172	Lachskönigin (Salmon Queen), neu, feurig lachsroth in lachsrosa übergehend, seltene, einzig schöne Färbung — nouv., rouge saumoné brillant passant au rose saumoné, coloris unique et tout nouveau	3 20	40
4173	nanus, neue Hybriden, siehe Neuheiten — hybrides nains nouveaux, voy. nouv.	—	60
4174	* striatus plenus	1 40	20
4175	Dianthus†dentosus hybridus, gemischt — en beau mélange	—	60 15
4176	» dentos. hybr. fl. pleno, gefüllte gemischt — à fl. double varié	—	80 15
4177	» superbus hybridus grandiflorus, mit gross. Blumen und tief eingeschnittenen Petalen in reizendem Farbenspiel — à grandes fleurs et à pétales finement découpés, bien varié	1	— 20
4178	» superbus hybr. grandiflorus fl. pl., gefülltblühende — à fleurs doubles	1 60	20
4179	Didiscus (Trachymene) coerules, blaublühende Umbellifere, sehr schön — très belle Umbellifère à fl. bleue †	—	80 15
4180	§ Dolichos Δ atrosanguineus	—	40 10
4181	§ bicontortus	—	40 10
4182	§ cultratus japonicus	—	80 15
4183	§ giganteus, raschwachsende Schlingpflanze mit rothviolettten Blüten — pl. grimpante d'une croissance vigoureuse, fleurs rouge violacé	—	40 10
4184	§ Lablab albus	—	50 10
4185	§ elegans	—	40 10
4186	§ purpureus	—	40 10
4187	Dracoccephalum Moldavicum fl. albo	—	20 10
4188	» fl. coerulesc.	—	20 10
4189	§ Eccremocarpus (Calampelis) scaber, Δ, sehr schöne Schlingpflanze m. orangeroth. Blumenbüscheln — très belle plante grimpante à fleurs en grappe rouge orange	1	— 20
4190	§ scaber roseus, lachsrosa blühende Varietät — à fl. saumonées	1	— 20

No.		20 g	Pt.
		M.Pf.	Pf.
4191	Echium † creticum, scharlachroth — écarlate	—	70 15
4192	» plantagineum, violett — violet	—	50 10
4193	» violaceum	—	40 10
	Die Echium liefern ein sehr ergieb. Bienenfutter — bon pour abeilles.		
4194	Elsholtzia cristata, wohlriechend — odorant	—	30 10
4195	» » alba	—	60 15
4196	Emmenanthe penduliflora Δ	—	— 40
	Enothera vide Oenothera.		
4197	Eritrichium barbigerum	1	— 20
4198	» nothofulvum	5 g 3	— 40
4199	» strictum	—	60 15
4200	Erodium gruinum, Reiherschnabel, wovon der Same zu Hygrometern verwendet wird — Bec de héron, on se sert des graines pour en faire des hygromètres	—	40 10
4201	Erodium moschatum	1 20	20
4202	Erysimum arkansanum	—	40 10
4203	» Perowskianum, orange	—	30 10
4204	* Erythraea Δ linarifolia 1 g 1	—	— 40
4205	* Mühlenbergi 1 g 5, —, 500 S.	—	— 40
	Erythrolaena conspicua, siehe u. Stauden — voy. Plantes vivaces.		
4206	* Eschscholtzia aurantiaca, dunkelorange — orange foncé	—	30 10
4207	* californica	—	30 10
4208	* » alba	—	30 10
4209	* » plena	—	60 15
4210	* » ochroleuca	—	40 10
4211	* » rosea	—	40 10
4212	* » fl. pleno	—	70 15
4213	* » grandiflora (cardaminea)	—	70 15
4214	* » Rose Cardinal	—	80 15
4215	* crocea	—	30 10
4216	* » fl. pleno	—	80 15
4217	* » striata	—	40 10
4218	* » dentata alba	—	40 10
4219	* » aurea	—	40 10
4220	* » sulphurea	—	40 10
4221	* hybrida Mandarin, tief orange — orange foncé	—	60 15
4222	* maritima, neu, leuchtend hellgelb mit scharf markirten orangeFlecken — nouv., jaune clair à taches orange foncé	—	70 15
4223	* tenuifolia	—	40 10
4224	* gemischt — mélange	—	30 10
4225	* Eucharidium Brewerii, grossblum., purpurrosa, sehr distinct — rose pourpur à gr. fl., très distinct. Δ	2 60	30
4226	* concinnum	—	40 10
4227	* grandiflorum	—	40 10
4228	* » fl. albo	—	80 15
4229	* » fl. roseo	—	50 15
4230	* » gemischt — mélange	—	30 10
4231	Eucnide bartonioides Δ 1 g 1,50	—	40
4232	Eupatorium Fraseri, weiss — blanc †	—	70 15


4238. *Eutoca viscida*.4300. *Godetia* Duchess of Albany.

No.		20g M.Pf.	Pt. Pf.
4233	<i>Euphorbia heterophylla</i> , mit carminrothen Bracteen — à bractées rouge carmin Δ	2 60	30
4234	» <i>heterophylla cyathophora</i>	1 20	20
4235	» <i>variegata</i> (marginata), Blätter weissbunt — à feuilles panachées de blanc Δ	— 40	10
4236	* <i>Eutoca multiflora</i>	— 40	10
4237	» » <i>albida</i>	— 40	10
4238	» <i>viscida</i> , enzianblau — bleu foncé	— 30	10
4239	» » <i>albida</i>	— 30	10
4240	» » <i>lilacina</i>	— 30	10
4241	* » <i>Wrangeliana</i>	— 30	10
4242	* <i>Fedia Cornucopiae</i>	— 40	10
4243	* » » <i>floribunda</i>	— 40	10
4244	» » <i>scorpioides</i>	— 40	10
4245	* <i>Fenzlia</i> Δ <i>dianthoides</i>	5 80	40
4246	» » » <i>alba</i>	5 80	40
4247	» » » <i>rosea</i>	5 80	40
Fioofide, vide <i>Mesembrianthemum</i> .			
4248	<i>Gaillardia</i> † <i>Amblyodon</i>	— 40	10
4249	» <i>Amblyodon atrosanguinea</i>	— 80	15
4250	» <i>picta</i> , purpur mit gelb — pourpre à bord jaune	— 30	10
4251	» » <i>alba</i>	— 30	10
4252	» » <i>anrea</i>	— 30	10
4253	» » <i>coccinea</i>	— 30	10
4254	» » <i>grandiflora</i>	— 30	10
4255	» » <i>Josephus</i>	— 30	10
4256	» » <i>Lorenziana</i> , gelb — jaune	— 60	15
4257	» » » <i>Spitzen</i> — rouge pointé jaune	— 60	15
4258	» » » <i>weinroth</i> — rouge vineux	— 60	15
4259	» » » in allen Farben gemischt, nur von den gefülltesten Blum. gesammelt — mélange, qualité extra, à fl. très doubles	— 50	15
4260	» » » <i>marginata alba</i>	— 30	10
4261	» » » <i>ornata</i>	— 30	10
4262	» » » <i>salmones</i>	— 30	10
4263	» » » <i>semplena</i>	— 40	10
4264	» » » <i>feine Mischung</i> — beau mélange	— 30	10
4265	<i>Galactites tomentosa</i> , schöne distelartige Pflanze mit silberweiss gederten Blättern — joli petit ocharon à feuilles veinées de blanc	1 20	20
4266	* <i>Gamolepis Tagetes</i>	— 50	15
4267	<i>Gardoquia betonicoides</i> †	— 50	10
4268	<i>Gaura</i> † <i>Lindheimeri</i> , weiss, sehr reichblühend — blanc, très florifère	— 40	10

No.		20g M.Pf.	Pt. Pf.
4269	* <i>Gazaniopsis stenophylla</i> Δ , uedrig, goldgelb — nain, à fl. dorée	4 —	40
	<i>Georgina variabilis</i> , vide <i>Dahlia</i> . Gesse odorante, vide <i>Lathyrus odor.</i>		
4270	* <i>Gilia achilleaeifolia</i>	— 20	10
4271	* » » <i>fl. albo</i>	— 20	10
4272	* » » <i>major</i>	— 30	10
4273	* » » <i>rosea</i>	— 20	10
4274	* » <i>capitata</i> , blau — bleu	— 20	10
4275	* » » <i>alba</i>	— 20	10
4276	* » <i>laciniata</i>	— 20	10
4277	* » <i>liniflora</i> , grossbl., weiss — blanc, à gr. fl.	— 60	15
4278	* » <i>minima coerules</i>	— 20	10
4279	* » <i>nivalis</i> , weiss — blanc	— 20	10
4280	* » » <i>nana compacta</i>	— 40	10
4281	* » <i>rigidula</i>	— 30	10
4282	* » <i>tricolor</i> , violett, gelb und weiss — violet, jaune et blanc	— 20	10
4283	* » » <i>fl. albo</i>	— 20	10
4284	* » » <i>fl. roseo</i>	— 20	10
4285	* » » <i>nana compacta</i>	— 40	10
4286	* » » <i>rubro-violacea</i> , braunviolett — violet brun	— 30	10
4287	* » <i>species Californien</i>	— 20	10
4288	* » <i>gemischt</i> — mélange	— 20	10
Girofée, vide pag. 45–47.			
Glaciale, vide <i>Mesembrianthemum crystallinum</i> .			
4289	<i>Glaucium corniculatum</i>	— 60	15
4290	» <i>luteum</i>	— 30	10
4291	» <i>phoeniceum</i>	— 30	10
4292	» <i>tricolor</i> , scharlachroth mit schwarzen, gelb gerandeten Flecken — écarlate à taches noires bordées jaunes	— 60	15
4293	<i>Gnaphalium foetidum</i> †	— 50	10
4294	<i>Godetia amoena</i>	— 30	10
4295	» <i>amoena alba</i>	— 30	10
4296	» <i>bifrons</i>	— 30	10
4297	* » <i>Bijou</i> , niedlich, mit kleinen weissen, rotgefleckten Blumen — var. <i>mignonne</i> à fl. blanche maculée de rouge	— 50	15
4298	» <i>Bridesmaid</i> , <i>atlasrosa</i> gestreift auf weissem Grund — rose satiné strié sur fond blanc	— 60	15
4299	» <i>Cavanillesi</i>	— 50	15
4300	» <i>Duchess of Albany</i> , grossbl., atlasweiss — à fl. grandes blanches satinées	— 60	15
4301	» <i>Duchess of Albany nana</i>	— 60	15
4302	» <i>Duchess of Fife</i>	— 60	15
4303	» <i>Duke of Fife</i>	— 60	15
4304	» <i>Dunnetti</i>	— 30	10



4305. Godetia Feenkönigin.



4312. Godetia Lady Satin Rose.

No.		20 g	Pt.	No.		20 g	Pt.
		M.Pf.	Pf.			M.Pf.	Pf.
	4305. Godetia Feenkönigin.			4333	Godetia The Bride maculata . . .	40	10
				4334	» vinosa . . .	30	10
				4335	» weisse Perle — Perle blanche, niedrig, atlasweiss, sehr schön — nain, blanc satiné, beau . . .	50	15
4306	» General Gordon, leuchtend dunkelcarmoisin — cramoisi foncé brillant	80	15	4336	» Whitney . . .	30	10
4307	» Gloriosa, siehe Neuheiten — voy. nouveautés	—	60	4337	» » atrosanguinea . . .	50	10
4308	» grandifloramaculata, perl- weiss mit carm. Flecken — blanc de perle à taches cra- moises	60	15	4338	» » Brillant, leuchtend car- moisin — cramoisi brillant	80	15
4309	» grandifl. maculata nana	80	15	4339	» » concolor . . .	30	10
4310*	» Lady Albemarle, leucht. carmoisinroth, grossblumig, prachtvoll — ronge cramoisi brillant, à gr. fleurs, magnifique	60	15	4340	» » corymbosa . . .	40	10
4311	» Lady Albemarle compacta	60	15	4341	» » flammea . . .	40	10
4312	» Lady Satin Rose, gross- blumig, leuchtend atlasrosa, sehr schön — à gr. fleurs d'un rose brillant satiné, très beau	80	20	4342	» » » striata . . .	40	10
4313	» Lindleyana	30	10	4343	» » hybrida fl. pleno . . .	80	15
4314	» » flore pleno	40	10	4344	» » » splendens . . .	60	15
4315*	» » nana (T. Thumb)	30	10	4345	» » pyramidalis, carmin	60	15
4316	» Mandarin, neu, zartgelb — nouv., jaune tendre	4	40	4346	» » » fl. pleno . . .	1	20
4317*	» Perle, niedrig, helllila mit carmin Flecken — nain, lilas clair maculé carmin	60	15	4347	» » beste Mischung — beau mélange	30	10
4318	» Prinzess Heinrich, atlas- rosa, mit grossen carminroth. Flecken — rose satiné à gran- des macules carmines	60	15	4348	Gomprena Δ globosa alba . . .	30	10
4319	» Princess of Wales	50	10	4349	» » globosa carnea . . .	30	10
4320*	» pumila hybrida, ebenso nie- drig als G. Bijou, viele Far- ben gemischt — de la même taille naine que G. Bijou, beau mélange	80	15	4350	» » nana compacta . . .	40	10
4321*	» reptans alba	40	10	4351	» » » alba . . .	40	10
4322*	» » compacta purpurea	40	10	4352	» » » carnea . . .	40	10
4323*	» » insignis	40	10	4353	» » rosea . . .	40	10
4324	» » purpurea	40	10	4354	» » rubra . . .	30	10
4325	» roseo-alba	40	10	4355	» » variegata . . .	30	10
4326*	» » Tom Thumb	40	10	4356	» » Haageana (aurea superba)	40	10
4327	» rubicunda	30	10	4357	» » gemischt — mélange	30	10
4328	» » splendens	40	10	4358	Grahamia aromatica † . . .	40	10
4329	» Schamini	30	10	4359*	Grammanthes Δ gentianoides . . .	12	50
4330	» » Nivertiana	30	10	4360	Gypsophila elegans, zierlich, für Bouquets — pour bouquets	20	10
4331	» tenella	60	15	4361	» elegans fl. roseo	20	10
4332	» The Bride, milchweiss mit hochrother Zeichnung — blanc de lait maculé rouge foncé	40	10	4362*	» muralis, niedrig, rosa, reich- blühend — nain, rose, très florifère † . . .	40	10
				4363	Hebenstreitia † dentata . . .	60	15
				4364	» » integrifolia . . .	60	15
				4365	Hedysarum † flexuosum . . .	40	10
				4366	» » humile . . .	80	15
				4367	Helenium † Donglasi . . .	40	10
				4368	» tenuifolium . . .	60	15
				4369	Hellanthus annuus, gefüllte Sonnen- blume — Soleil double kg 2,40, hellgelb, distinct — jaune clair . . .	20	10
				4370	» annuus Primrose-coloured, hellgelb, distinct — jaune clair . . .	20	10
				4371	» argophyllus . . .	30	10
				4372	» californicus plenissimus . . .	30	10
				4373	» » cucumerifolius, kleinblu- mige, sehr reichblühend — très florifère à petites fleurs . . .	40	10
				4374	» » cucumerifolius „Stella“, neu, Blumen rein goldgelb, 7–9 cm im Durchmesser, schönste Sorte zum Schneiden — nouv., fleurs jaune d'or, de 7 à 9 centim. de diamètre, très belle variété pour la fleur coupée . . .	2	30

4374. *Helianthus cucum.* „Stella“.4431. *Humulus japonicus fol. var.*

No.		20 g	Pt.
		M.Pf.	Pf.
4375	<i>Helianthus globosus fistulosus</i>	— 40	10
4376	» <i>Henry Wilde</i>	— 40	10
4377	» <i>lenticularis</i> , sehr hoch — très haut	— 60	15
4378	» <i>macrophyllus giganteus</i> , er- reicht eine Höhe von über 5 m — atteignant une hau- teur de plus de 5 m	— 30	10
4379	» <i>multiflorus fl. pl.</i> , sehr reichblühend — très florifère	— 60	15
4380	» <i>nanus</i> , einfach — à fl. simple	— 20	10
4381	» » gefüllte Zwerg- — nain à fl. double	— 30	10
4382	» » <i>fol. var.</i> , niedrig, bunt- blättrig — nain, à feuilles panachées	— 50	15
4383	» <i>oculatus viridis</i> , dunkel- gelb mit grüner Mitte, dicht- gefüllt — jaune foncé à centre vert, très-double	— 30	10
4384	» <i>peruvianus</i>	— 50	15
4385	» <i>uniflorus giganteus</i>	— 30	10
4386	<i>Helichrysum</i> † <i>brachyrhynchum</i> (Waitzia), leuchtend gelb — jaune luisant	— 80	15
4387	» <i>bracteatum aureum</i>	— 30	10
4388	» » <i>fl. albo</i>	— 30	10
4389	» » <i>nanum album</i>	— 40	10
4390	» » <i>atrococcineum</i>	— 40	10
4391	» » <i>atrosanguineum</i>	— 40	10
4392	» » <i>luteum</i>	— 40	10
4393	» » <i>roseum</i>	— 40	10
4394	» <i>capitatum</i>	— 70	15
4395	» <i>compositum (monstrosum)</i> aeneum coccineum	— 70	15
4396	» » <i>album</i>	— 70	15
4397	» » <i>atropurpureum</i>	— 70	15
4398	» » <i>atroroseum</i>	— 70	15
4399	» » <i>atrosanguineum</i>	— 70	15
4400	» » <i>aureum</i>	— 70	15
4401	» » <i>Borussorum Rex</i> , weiss — blanc	— 70	15
4402	» » <i>bruneum</i>	— 70	15
4403	» » <i>coccineum</i>	— 70	15
4404	» » <i>cupreatum</i>	— 70	15
4405	» » <i>ferrugineum</i>	— 70	15
4406	» » <i>fusum</i>	— 70	15
4407	» » <i>isabellino-roseum</i>	— 70	15
No.		20 g	Pt.
		M.Pf.	Pf.
4408	<i>Helichrysum compositum purpureum</i>	— 70	15
4409	» <i>compositum sulphureum</i>	— 70	15
4410	» » <i>violaceum</i>	— 70	15
4411	<i>Helichrysum compositum</i> , ge- füllte Strohblumen in dem praechtvollsten Farbenspiel ge- mischt — coloris les plus vifs en mélange	— 50	10
4412	<i>Helichrysum compositum nanum</i> <i>plenissimum</i> , niedrig, gefüllt, grossblumig — nain à grandes fl. doubles:		
	1. album, 2. coccineum, 3. ferru- gineum, 4. fuscum, 5. isabellinum, 6. luteum, 7. purpureum, 8. ro- seum, 9. rubrum, 10. sulphureum, separat jede — séparées, chacune	— 80	15
4413	gemischt — mélange	— 60	15
4414	<i>Helichrysum compositum mi- nimum plenissimum</i> , klein- blumig, gefüllt, in 6 Farben, se- parat jede — à petites fleurs, doub- les, 6 couleurs séparées, chacune	1 — 20	
4415	gemischt — mélange	— 70	15
4416	<i>Helichrysum elegans (Morna)</i>	— 70	15
4417	» <i>setosum</i> , grossbl., goldgelb — jaune d'or à gr. fl.	3 — 30	
4418	» <i>strictum</i>	— 60	15
4419	* <i>Heliophila araboides</i> , azurblau, schön — beau, bleu azuré †	— 50	10
4420	<i>Helipterum</i> † <i>anthemoides</i> , weiss — blanc	— 50	10
4421	* » <i>corymbiflorum</i>	— 50	10
4422	» <i>Sanfordi</i> , zierliche Immortelle mit glänzend goldgelben Blumen — charmante Immortelle à fl. d'un beau jaune d'or	— 50	10
4423	<i>Herniaria</i> † <i>cinerea</i>	— 30	10
4424	» <i>hirsuta</i>	— 30	10
	Zwei hübsche rasenbildende Pflanzen — belles plantes for- mant un gazon vert.		
4425	<i>Hibiscus africanus (calisureus)</i> , Kétmie	— 30	10
4426	» <i>longiflorus</i>	— 30	10
4427	<i>Humea</i> △ <i>elegans</i>	1 g 2 — 40	
4428	» <i>elegans flore albo</i>	1 » 4 — 40	
4429	» <i>purpurea</i>	1 » 2 — 40	
4430	§ <i>Humulus japonicus</i> , einjähri- ger japanischer Hopfen, schöne und äusserst rasch- wachsende Schlingpflanze — houblon annuel du Japon, belle plante grimpante d'une végétation rapide	— 50	15



446t. *Ipomoea heder. marm. coelestina.*



4485. *Ipomoea purpurea fl. pl.*

No.		20 g Pt.	M.Pf. Pf.
4431 §	<i>Humulus japonicus fol. variegatis, weissbuntblättriger japanischer Hopfen</i> — Houbion du Japon à feuilles panachées de blanc	— 70	15
4432 §	» <i>japonicus lutescens</i> , mit gelblicher Belaubung — à feuillage jaunâtre	1 60	20
4433	<i>Hunnemannia fumariaefolia</i>	80	15
4434 *	<i>Hymenostemma Fontanesii</i> †	80	15
4435 *	<i>Hymenoxis californica</i>	70	15
4436	<i>Hyoscyamus albus</i>	30	10
4437	» <i>pictus</i>	30	10
4438	<i>Hypericum grandiflorum</i>	70	15
4439 *	<i>Iberia affinis</i> , Schleifenblume — <i>Thlaspi</i> , très-nain blanc	30	10
4440 *	» <i>amara</i> (lusitanica)	30	10
4441 *	» <i>coronaria Empress</i> , sehr grossdoldig, reinweiss — blanc pur, à gr. fl.	60	15
4442 *	» <i>pumila</i> , Zwergsorte, weissblühend — nain, blanc	50	10
4443 *	» <i>regia</i> (hesperidifolia)	30	10
4444 *	» <i>hybrida nana carnea</i>	1 30	20
4445 *	» <i>nana lilacina</i>	1	20
4446 *	» <i>gemischt</i> — mélange	70	15
4447 *	<i>Lagascæ</i>	50	15
4448 *	<i>odorata</i> (pectinata, pinnata)	30	10
4449 *	» <i>umbellata</i> , lila — <i>Thlaspi ordinare</i> , lilas	40	10
4450 *	» <i>carnea</i>	50	10
4451 *	» <i>carnea</i>	40	10
4452 *	» <i>purpurea</i>	40	10
4453 *	» <i>gemischt</i> — mélange	40	10
Immortelle, vide <i>Helichrysum</i> , <i>Xeranthemum</i> .			
Impatiens† Balsamina, vide pag. 48			
4454	» <i>bicornuta</i> Δ	2 60	30
4455	» <i>fulva</i> Δ	2 40	30
4456	» <i>glanduligera</i> , roth — rouge	80	15
4457	» <i>Sultani</i> , mit glänzend carminrothen Blumen — à fl. rouge carmin luisant Δ	1000 S. 2, 20, 100 S.	— 30
4458	» <i>Sultani hybrida</i> , verschiedene Farben gemischt — hybrides en mélange	1000 S. 2, 20, 100 S.	— 30
4459 §	<i>Ipomoea bona nox</i> Δ	50	10
4460 §	» <i>coccinea</i> , kleinblumig, scharlach — écarlate Δ	30	10
4461 §	» <i>luteola</i>	40	10
4462 §	» <i>grandiflora alba</i> (mexicana) Δ	70	15

No.		20 g Pt.	M.Pf. Pf.
4463 §	<i>Ipomoea grandiflora alba</i> , weiss-samig — à graine blanche	1 20	20
4464 §	» <i>hederacea marmorata coelestina</i> , neu — nouv.	2 60	30
4465 §	» <i>marmorata rosea</i> , neu — nouv.	1 40	20
4466	» <i>superba</i> Δ	40	10
4467	» <i>alba</i>	40	10
4468	» <i>atroviolacea</i>	40	10
4469	» <i>lilacea</i>	40	10
4470	» <i>Huberi</i> (<i>hederacea japon. viridifolia</i>) gemischt — mélange	40	10
<i>Ipomoea Huberi variegata</i> (<i>hederacea japonica foliis variegata</i>). Japanische buntblättrige — <i>Ipomoees</i> du Japon à feuilles de <i>Lierre</i> panachées:			
4471 §	<i>alba intus rosea</i> Δ	1	20
4472 §	<i>atrocarminea intus alba</i>	1	20
4473 §	<i>atroviolacea marginata azurea</i>	1	20
4474	» <i>Carmen Sylva</i> , zart rosa mit weissem Schlund — rose tendre à gorge blanche	1	20
4475 §	<i>Ipomoea Huberi variegata</i> , buntblättrige Winden gemischt — à feuilles panachées en mélange Δ	50	10
4476 §	» <i>imperialis</i> , neu — nouv. Δ	1 40	20
4477 §	» <i>aurata</i> Δ	5	40
4478	» <i>limbata</i> , dunkelblau mit weissem Rand — bleu foncé marginé blanc Δ	30	10
4479	» <i>elegantissima</i>	40	10
4480	» <i>grandiflora</i>	40	10
4481	» <i>hybrida</i>	30	10
4482	» <i>Nil</i> (<i>hederacea</i>) Δ	30	10
4483	» <i>grandiflora</i>	30	10
4484	» <i>oculata</i> Δ	40	10
4485	» <i>purpurea fl. pleno</i> , neue gefülltblühende Trichterwinde, reinweiss, an der Basis blau oder roth punktiert — nouv. var. de Belle de jour, à fleur double blanche, ponctuée de bleu ou rouge	80	15
4486 §	» <i>Trichterwinde</i> , alle Farben gemischt — Belle de jour, Liseron, mélange kg 2, —	20	10
4487 §	» <i>alba</i>	40	10
4488 §	» <i>alba intus rosea</i>	40	10
4489 §	» <i>atrocerulea</i>	30	10
4490 §	» <i>atrosanguinea</i>	30	10
4491 §	» <i>carnea</i>	30	10

4558. *Lathyrus od. Bronzekönig.*4646. *Leptosyne gigantea.*

No.		20 g	Pt.	No.		20 g	Pt.
		M.Pf.	Pf.			M.Pf.	Pf.
4492 §	<i>Ipomoea purpurea kermesina</i>	—	30 10	4521	<i>Ismelia Broussoneti</i>	1	50 20
4493 §	» <i>purpurea lilacina</i>	—	30 10	4522	» <i>coronopifolia</i> , sehr reich- blühend, weiss, ähnlich <i>Chrysanthemum frutescens</i> — blanc, très florifère, ressemblant au <i>Chry-</i> <i>santhemum frutescens</i>	—	50 10
4494 §	» <i>rosea</i>	—	30 10	4523 *	<i>Isotoma Δ axillaris</i>	3	— 30
4495 §	» <i>striata coerulea</i>	—	40 10	4524 *	» <i>Petraea alba</i>	1	60 20
4496 §	» <i>rosea (Michauxi)</i>	—	40 10	4525 *	» <i>coerulea</i>	2	— 20
4497 §	» <i>tricolor</i>	—	40 10	4526 *	<i>Jonopsidium Δ acaule</i> , Miniatur- pflanze — plante miniature	2	60 30
4498 §	» <i>Quamoclit</i> , scharlach, mit fein gefiedertem Blatt — écarlate, Jasmin rouge de l'Inde Δ	—	40 10		<i>Julienne de Mahon</i> , vide <i>Cheiran-</i> <i>thus maritimus</i>		
4499 §	» <i>alba</i>	—	50 15	4527 *	<i>Kaulfussia amelloides</i>	—	70 15
4500 §	» <i>hederacea</i> , epheublättrig, scharlach — à feuilles de lierre, écarlate	—	30 10	4528 *	» <i>amelloides alba</i>	1	— 20
4501 §	» <i>Kerberi</i> , neu, leucht. scharlach, grossbl. — nouv., écarlate brillant à gr. fl.	—	1 40 30	4529 *	» <i>atroviolacea</i>	—	70 15
4502 §	» <i>rosea</i>	—	60 15	4530 *	» <i>kermesina</i>	—	70 15
4503 §	» gemischt — mélange	—	40 10	4531 *	» <i>rosea</i>	—	70 15
4504 §	<i>Roxburghii</i> , reinweiss — blanc pur	—	40 10	4532 *	» gemischt — mélange	—	60 15
4505 §	» <i>rubro-coerulea (violacea vera)</i> , die prächtige mexik. grosshlm. himmelblau — espèce magnifique du Mexique, à grandes fleurs bleu azuré Δ	—	70 15		<i>Kétmie</i> , vide <i>Hibiscus</i>		
4506 §	» <i>rubro-coerulea fl. albo</i> Δ	—	1 20 20	4533	<i>Kochia arenaria</i>	—	30 10
4507 §	» <i>sanguinea (Mina)</i> , schnell- wachsende, reichblühende Species mit kleinen, leuch- tend hlutrothen Blumen — d'une croissance rapide à fl. petites rouge sang	—	70 15	4534	» <i>scoparia</i> , sehr hübsche Einzel- pflanze — helle plante solitaire <i>Lagenaria</i> , s. <i>Zier-Kürhisse</i> — voy. <i>Courges ornamentales</i>	—	30 10
4508 §	» <i>setosa</i> Δ	—	80 15	4535	<i>Lallemautia canescens</i> , hübsch — joli	—	30 10
4509 §	» <i>triloba</i> Δ, neue japanische Winden in den prachtvollsten Farben gemischt — Belles de jour du Japon en mélange magnifique	—	3 60 40	4536	» <i>pulchella</i> , Bienenfutter — pour les abeilles	—	30 10
4510	<i>Ipomopsis Δ Beyrichi</i>	—	70 15	4537 *	<i>Lasthenia californica</i>	—	40 10
4511	» <i>coronopifolia</i>	—	70 15	4538	<i>Lathyrus articulatus</i>	kg 1,40,	— 20 10
4512	» <i>elegans</i>	—	70 15	4539 §	» <i>azureus (magellanicus)</i> »	1,40,	— 20 10
4513	» <i>aurantiaca</i>	—	70 15	4540 §	» <i>fl. albo</i>	—	20 10
4514	» <i>tigrina</i>	—	70 15	4541 §	» <i>roseo</i>	—	20 10
4515	» <i>cnpreata</i>	—	70 15	4542	» <i>Clymenum (striatus)</i>	kg 2 —,	— 20 10
4516	» <i>rosea</i>	—	70 15	4543	» <i>Gorgoni</i>	» 1,40,	— 20 10
4517	» <i>sanguinea</i>	—	70 15	4544	» <i>hirsutus</i>	» 2,60,	— 20 10
4518	» <i>sulphurea</i>	—	70 15	4545	» <i>luteus</i>	» 2,50,	— 20 10
4519	» <i>superba</i>	—	70 15	4546 §	» <i>mauritanicus (spec. nova)</i> , dunkelroth, schön — rouge foncé	kg 1,60,	— 20 10
4520	» gemischt — mélange	—	50 10				

Dankbar blühende und sehr
schöne Pflanzen für hohe Gruppen —
Plantes très florifères à tiges
hautes.

§ *Lathyrus odoratus*:

Wohlriechende oder spanische
Wicke — Pois à odeur (Gesse
odorante):

4547	viele Farben gemischt — en beau mélange	kg 1,10,	— 20 10
4548	<i>Eckford's neue Sorten gemischt</i> — variétés nouvelles de M. Eckford en mélange	kg 1,30,	— 20 10
4549	<i>Adonis</i> , hellcarmin — carmin clair	—	20 10
4550	<i>American Belle</i> , rosa mit weiss — rose et blanc	—	20 10
4551	<i>Apple Blossom</i> , apfelblüte — à fl. de pommier	—	20 10



4702. Lobelia Er. Kaiser Wilhelm.



4711. Lobelia Er. speciosa Crystal Palace.

No.	Lathyrus odoratus:	20 g Pt.	M.Pf. Pf.
4552	Aurora, siehe Neuh. — voy. nouv.	—	60
4553	Blanche Burpee, reinweiss, grossblumig — blanc pur, à gr. fl.	— 60	15
4554	» Ferry frühblühend, neu — extra häuf., nouv.	— 60	15
4555	Blushing Beauty, blassrosa, grossbl. — rose pâle à gr. fl.	— 50	10
4556	Boreaton, dunkelkastanienbraun, grossbl. — marron foncé, à gr. fl.	— 20	10
4557	Brillant, siehe Neuh. — voy. nouv.	—	60
4558	Bronzekönig, neu, kupferbrunze mit weiss — nouv., bronze cuivré et blanc.	— 40	10
4559	Butterfly (Mauve), weiss mit lilla Anflug — blanc teinté de lilas	— 20	10
4560	Captain Clarke, weiss mit rosa n. lilla — blanc et rose et lilas	— 20	10
4561	Carmen Sylva, purpurcarmin mit heliotropblauen Flügeln — carmin pourpré et bleu de Heliotrope	— 40	10
4562	Celestial, neu, zart lichtblau — nouv., bleu clair tendre	1 20	20
4563	Countess, siehe Neuh. — voy. nouv.	—	60
4564	» of Radnor, helllilla, grossbl. — lilas clair, à gr. fl.	— 50	15
4565	Creole, siehe Neuh. — voy. nouv.	—	60
4566	Cupido, neue niedrige, ganz constante Varietät, nur 15 cm hohe, dichte Büsche bildend; Blumen reinweiss — nouv. var. naïve, bien fixée, n'atteignant que 15 cm de hauteur; fleurs blanc pur	1 20	20
4567	Daybreak, neu, hellroth gestreift — nouv., strié rouge clair	1 20	20
4568	Delight, weiss, rosa schattirt — blanc teinté rose	— 30	10
4569	Dorothy Tennant, rosig lilla — lilas rosé	— 30	10
4570	Duchess of Edinburgh, hellroth, grossbl. — rouge clair à gr. fl.	— 20	10
4571	Duke of Clarence, rein dunkel-purpur, grossbl. — pourpre foncé à gr. fl.	— 50	15
4572	dunkelroth — rouge foncé	— 20	10
4573	Emily Eckford, dunkellilla, grossblumig — lilas foncé, à gr. fl.	— 60	15
4574	Emily Henderson, grossblumig, reinweiss — blanc pur à gr. fl.	— 40	10
4575	Empress of India, carminroth mit weiss — rouge carminé et blanc	— 30	10
4576	Feenkönigin, weiss mit zartlilla und rosa Rand — blanc et lilas tendre marginé rose	— 30	10
4577	Gaiety, weiss, roth gestreift — blanc strié rouge	— 50	15

No.	Lathyrus odoratus:	20 g Pt.	M.Pf. Pf.
4578	gefülltblühende gemischt — à fl. doubles en mélange	1	20
4579	Golden Gate, siehe Neubeiten — voy. nouv.	—	60
4580	Grand Blue, schön, rein hellblau mit violett Flügeln — beau, bleu clair à étendard violet	— 20	10
4581	Gray Friar, neu, weiss, grau blau gestreift — nouv., blanc strié bleu grisâtre	1 20	20
4582	Her Majesty, zartrosenroth, grossbl. — rose tendre, à gr. fl.	— 20	10
4583	Imperial Blue, violett-purpur mit hellviolett — pourpre violacé et violet clair	— 20	10
4584	Indigo King, schwarzpurpur mit schwarzblauen Flügeln — pourpre noirâtre et indigo foncé	— 20	10
4585	Invincible carmine (Cardinal), intensiv carmoisin-carminroth — cramoisi carminé luisant	— 20	10
4586	Invincible scarlet, brillantscharlach — écarlate brillant	— 20	10
4587	Invincible striped, brillantscharlach mit weiss gestreift — écarlate brillant strié de blanc	— 20	10
4588	Isa Eckford, zart fleischfarbe mit chamois — carné tendre et chamois	— 30	10
4589	Juanita, neu, weiss, lilla gestreift — nouv., blanc strié lilas	1 20	20
4590	Katherine Tracy, neu, grossbl., schönste rosenrothe — nouv., rose très vif, à gr. fl.	1 20	20
4591	Kronprinzessin v. Preussen, zart fleischfarbe — carné tendre	— 30	10
4592	Lady Beaconsfield, chamoisrosa mit blassgelben Flügeln, grossbl. — chamois rose et jaune pâle, à gr. fl.	— 50	15
4593	» Penzance, lachscarmin, grossblumig — carmin saumoné, à gr. fl.	— 50	15
4594	Lemon Queen, weiss mit gelblichem Anflug — blanc teinté jaunâtre	— 40	10
4595	lilacinus splendens	— 20	10
4596	Lottie Eckford, weiss mit lilla, grossbl. — blanc et lilas, à gr. fl.	— 20	10
4597	Maid of Honour, siehe Neuh. — voy. nouv.	—	60
4598	Miss Ferry, roth mit weiss, sehr frühblühend — rouge et blanc, à floraison précoce	— 20	10
4599	Mrs. Eckford, gelblich, grossbl. — jaunâtre	— 40	10

4748. *Lophospermum scandens*.4754. *Lupinus albo-coccineus nanus*.

No.	<i>Lathyrus odoratus</i> :	20 g.	Pt.
		M.Pf.	Pf.
4600	Mrs. Sankey, reinweiss, grossbl. — blanc pur, à gr. fl. . . .	— 40	10
4601	Orange Prince, orangerosa mit hellcarmin — rose orangé et carmin clair . . .	— 30	10
4602	Primrose, gelblichweiss — blanc jaunâtre . . .	— 20	10
4603	Princess Beatrice, leuchtend carminrosa — rose carminé brillant . . .	— 20	10
4604	Princess Louise, rothlila mit weiss — rouge lilacé et blanc . .	— 50	15
4605	Princess May, heliotropblau — bleu de Heliotrope . . .	— 40	10
4606	Princess of Wales, hellblau und purpur gestreift auf weiss — strié bleu clair et pourpre sur fond blanc . . .	1 20	20
4607	Princess Victoria, dunkelkirschroth mit helllila — rouge cerise et lilas clair . . .	— 20	10
4608	Queen of the Isles, braunroth und grau auf weiss gestreift — rouge brunâtre et gris strié sur fond blanc . . .	— 20	10
4609	Queen of England, reinweiss, grossbl. — blanc pur à gr. fl. . .	— 30	10
4610	Ramona, neu, weiss, purpurrosa gestreift — blanc, strié rose pourpre . . .	1 20	20
4611	Red Riding Hood, siehe Neu. — voy. nouv. . . .	— 70	
4612	Rising Sun, orange mit rosa verwaschen, blasserose Flügel — orange lavé de rose, ailes rose pâle . . .	— 40	10
4613	roth gestreift — strié rouge . . .	— 20	10
4614	roth mit weiss — rouge et blanc . .	— 20	10
4615	schwarzpurpur mit dunkelblau — pourpre noirâtre et bleu foncé . . .	— 20	10
4616	schwarzpurpur m. hellblau — pourpre noirâtre et bleu clair . . .	— 20	10
4617	» weiss gestreift — pourpre noirâtre strié de blanc . . .	— 20	10
4618	Senator, braunpurpur gestreift — brun, pourpre strié . . .	— 30	10
4619	Splendour, dunkelrosa, carmoisin schattirt, grossbl. — rose foncé, teinté cramoisi, à gr. fl. . . .	— 30	10
4620	Stanley, schwarzpurpur, grossbl. — pourpre noir à gr. fl. . . .	— 50	15
4621	the Queen, lillarosa mit helllila — rose lilacé et lilas clair . . .	— 40	10
4622	Venus, chamoisrosa — chamois rosé . . .	— 40	10
4623	Vesuv, lillarosa mit carmoisin — rose lilacé et cramoisi . . .	— 20	10
4624	Violet Queen, violettlila — lilas violacé . . .	— 30	10
No.	<i>Lathyrus odoratus</i> :	20 g.	Pt.
		M.Pf.	Pf.
4625	Waverley, carminrosa mit hellrosa — rose carminé et rose clair . . .	— 50	15
4626	weiss — blanc . . . kg 1,30,	— 20	10
4627	White Eagle, weiss, grossbl. — blanco à gr. fl. . . .	— 30	10
4628	Lathyrus tingitanus, dunkelroth — rouge foncé . . .	— 20	10
4629	Lavatera trimestris fl. albo . . .	— 40	10
4630	» fl. rubro . . .	— 30	10
4631	Layia † elegans, goldgelb mit weissem Rand — jaune d'or à bord blanc . . .	— 50	10
4632	» glandulosa, reinweiss — blanc pur . . .	— 70	15
4633	» heterotricha . . .	— 40	10
4634	Leonurus sibiricus, ergiebiges Bienenfutter — bon pour abeilles . .	— 30	10
4635	* Leptosiphon androsaceus . . .	— 40	10
4636	* » androsaceus fl. albo . . .	— 40	10
4637	* » lilacinus . . .	— 30	10
4638	* » aureus . . .	— 60	15
4639	* » densiflorus . . .	— 50	10
4640	* » fl. albo . . .	— 50	10
4641	* » hybridus, in dem reizendsten metallglänzenden Farbenspiel — coloris les plus jolis d'un lustre métallique . . .	— 70	15
4642	* » hybridus carmineus . . .	— 80	20
4643	* » orange-scharlach — orange écarlate . . .	1 —	20
4644	* » luteus . . .	— 50	10
4645	* » roseus, rosenroth, für Einfassungen — rose, pour bordures . . .	— 70	15
4646	Leptosyne † gigantea, neue Decorationspflanze mit feingeschlitzten Belaubung u. langgestielten goldgelben Blumen, sehr schön — nouv. plante ornementale à feuillage lacinié et à fleurs jaune d'or, très beau . . . 100 S. 1 —, 25 S. . .	—	30
4647	» maritima (grandiflora), schön, grossbl., goldgelb — à gr. fl. jaune d'or . . .	— 80	15
4648	Leucanthemum grandiflorum, weiss, werthvoll zur Binderei — grande Marguerite blanche, très florifère † . . .	— 50	15
4649	» setabense . . .	— 40	10
4650	» uliginosum, grossblumig, weiss — blanc à gr. fl. . . .	2 60	30
4651	* Leuchanthera senecioides † . . .	1 20	20
4652	* Limnanthus Douglasi . . .	— 60	15



4816. Martynia proboscidea.



4838. Maurandia Barclayana.

No.		20 g	Pt.
		M. Pf.	Pf.
4653 *	Linaria alpina , blau, reizend für Einfassungen und Felsenpartien — à fl. bleue, très propre pour bordures	†	6 — 30
4654 *	» aparinoides splendens †	—	60 15
4655	» aquilensis †	—	60 15
4656	» bipartita (elegans)	—	25 10
4657	» » alba	—	30 10
4658	» » Intea	—	30 10
4659	» » splendida	—	30 10
4660	» » striata	—	40 10
4661	» delphinoides	—	30 10
4662	» Hendersoni	—	40 10
4663	» » ericoides , niedrig, purpurviolett — nain, violet pourpré	1	40 20
4664 *	» macroura	—	70 15
4665 *	» maroccana , purpurviolett, — violet pourpré	—	50 15
4666 *	» » carminea , prächtige Farbe — couleur brillante	—	50 15
4667 *	» » hybrida , schöne Spielarten gem. — mélange	—	60 15
4668 *	» melanantha , bronze mit dunkelbraun marmorirt — bronze marbré brun foncé	†	60 15
4669 *	» mltipunctata †	—	50 10
4670 *	» Perezi	—	40 10
4671	» purpurea	—	50 10
4672 *	» reticulata aureo-purpurea , mit halb braun, halb gelben Blumen — fl. mi-partie brunes, mi-partie jaunes	—	60 15
4673 *	» reticulata aureo-purpurea violacea	—	70 15
4674 *	» » purpurea , purpurbrann — brun pourpré	—	70 15
4675 *	» spartea	—	40 10
4676 *	» speciosa	—	30 10
4677	» striata	—	40 10
4678	» snpina	—	50 10
4679	» triornithophora †	2	40 20
4680	» » carnea †	1	40 20
4681	» triphylia	—	80 15
4682 *	» tristis	—	40 10
4683	» gemischt — mélange	—	40 10
4684	Lindenbergia urticifolia . 5 g 3,50,	—	30
4685 *	Linum flavum †	1	40 20
4686 *	» grandiflorum , prachtvoll dunkelroth — rouge foncé, très-beau kg 4,20,	—	30 10
4687 *	» » roseum	—	40 10
4688	» Inteum (corymbiflorum) †	1	10 20
4689	» nsitatissimum grandifl. , blan — bleu	—	20 10

No.		20 g	Pt.
		M. Pf.	Pf.
4690	Linum usitatissimum grandifl. , weiss — blanc	—	20 10
4691	Loasa Δ hispida , goldgelb — jaune d'or 5 g 3,50	—	40
4692	» tricolor	—	50 10
4693	» Wallisii (vulcanica), weiss, mit rother Zone — blanc à centre rouge	1	30 20

Lobelia † Erinus:

4694 *	Erinus (erinoides vel gracilis), blau — bleu	—	80 15
4695 *	alba	—	80 15
4696 *	Barnard's Perpetual , leuchtend ultramarinblau mit grossem weissem Auge — bleu d'outremer brillant à large oeil blanc	5	— 40
4697 *	Cobalt-blue	1	10 20
4698 *	delicata , neu — nouv.	5	— 40
4699 *	erecta , blau mit weissem Auge — bleu azuré à oeil blanc	1	20 20
4700 *	grandiflora flore duplici	—	80 15
4701 *	» superba , dunkelblau — bleu-foncé	—	80 15
4702 *	Kaiser Wilhelm , dunkelblau, gedrungen, schön — bleu foncé, compacte	4	— 30
4703 *	kermesina	—	80 15
4704 *	Lindleyana , hellroth — rouge clair	—	80 15
4705 *	Mazarine Gem	—	80 15
4706 *	Paxtoniana , blau mit weiss — bleu et blanc	—	80 15
4707 *	Pearl , milchweiss mit blauem Rand — blanc de lait à bord bleu	—	80 15
4708 *	Prima Donna , braunroth, die dunkelste rothe — rouge brunâtre foncé	4	50 30
4709 *	Royal Purple , grossbl., violett-purpur m. grossem weissem Auge — à gr. fl., violet pourpré à large oeil blanc	3	— 30
4710 *	» speciosa alba maxima , mit weissem Samen — à graines blanches	1	20 20
4711 *	» Crystal Palace , grossblumig, intensiv dunkelblau mit reinweissem Auge — à gr. fl. bleu foncé intense à oeil blanc pur	1	60 20
4712 *	» Crystal Palace erecta	3	20 30
4713 *	White Lady , reinweiss, grossbl. — blanc pur, à grande fl.	4	— 40
4714 *	gemischt in den verschiedensten Schattirungen — en beau mélange	—	60 10

4856. *Mesembrianthemum cordifolium* fol. var.4863. *Mimosa pudica*.

No.	20 g Pt. M.Pf. Pf.
Lobelia † Erinus compacta:	
4715 * alba	1 20 20
4716 * caesia, porzellanblau — bleu porcelaine	— 80 15
4717 * coelestina	— 80 15
4718 * coerulea oculata	— 80 15
4719 * Crystal-Palace compacta, grossbl., ultramarinblau, prach- t-voll zu Einfassungen — à gr. fl., bleu d'outremer, très belle variété pour bordures	4 — 40
4720 * Goldelse, gelbblättrig mit azur- blauen Blumen — à feuillage jaune, fl. bleu de ciel 1 g —, 80, — — 30	
4721 * Schöne von Moray, niedrig, dunkelblau mit weissem Auge — nain, bleu foncé à oeil blanc 5 g 3,50, — — 40	
4722 speciosa duplex, siehe Neu- voy. nouv. — — — 60	
4723 * » superba, grossblumig, tief- blau, weiss geaugelt — bleu foncé à oeil blanc, à gr. fl.	5 — 40

Lobelia † Erinus pumila:

4724 * alba (White Gem), die beste weisse, ganz niedrig und constant — le meilleur des blancs, tout nain et bien fixé	2 40 30
4725 * Distinction, rötlichweiss — blanc rougeâtre	1 80 20
4726 * duplex atrocoerulea	2 60 30
4727 * elegans, leuchtend blau — bleu brillant	1 80 20
4728 * insignis (coerulea)	1 25 20
4729 * magnifica, tief dunkelblau — bleu très foncé	1 60 20
4730 * Nelly	1 20 20
4731 * rosea	1 20 20
4732 * Stern von Ischl, dunkelazur- blau — bleu azuré foncé	1 10 20
4733 gemischt — mélange	— 70 15
4734 Lobelia † heterophylla major	1 10 20
4735 » heterophylla major alba	1 30 20
4736 » » major atroviolacea	1 20 20
4737 * » » » nana compacta	1 20 20
4738 » » » » » fl. roseo	1 80 20
4739 * Mitchelli, Miniatur-Species 1 g 2 —, — — 30	
4740 » picta, Miniaturpflanze — plante miniature 1 g 2 —, — — 30	
4741 » ramosa	1 — 20
4742 » » alba	1 — 20
4743 * » » nana compacta	1 — 20

No.	20 g Pt. M.Pf. Pf.
4744 Lobelia ramosa rosea (rubra)	1 20 20
Lobelia, andere, siehe Stauden — pour les autres voy. Plantes vi- vaces.	
4745 Lonsa (Athanasia) inodora †	— 40 10
4746 Lopezia coronata †	— 40 10
4747 § Lophospermum Δ coccineum	8 — 40
4748 § » scandens	3 20 30
Sehr dankbar blühende Schling- pflanzen — plantes grimpantes très florifères.	
4749 Lotus Δ Jacobaeus	— 50 10
4750 » » fl. luteo	— 60 15
Luffa, siehe Zierkürbisse. — voy. Courges ornementales.	
	kg 20 g Pt. M.Pf. Pf. Pf.
4751 * Lupinus affinis, blau — bleu 4 20 20 10	
4752 » » albus	1 20 20 10
4753 » » albo-coccineus	3 — 20 10
4754 * » » » nanus, nie- drige Spielart, reizend zu Gruppen — var. naine, très belle	— — 50 10
4755 * » » albo-violaceus nanus, niedrig, violettrot mit reinweissen Flügeln — nain, rouge violacé à ailes blanches	— — 80 15
4756 » » californicus	2 40 20 10
4757 » » coeruleus	— 70 20 10
4758 » » Consentini	1 60 20 10
4759 » » Cruikshanksi, dunkelblau — bleu foncé	— 1 80 20 10
4760 » » » hybridus	2 60 20 10
4761 » » densiflorus	— — 60 15
4762 » » Dunnettii atroviolaceus	3 20 20 10
4763 » » » major	3 20 20 10
4764 » » » superbus	3 — 20 10
4765 » » guatemalensis	2 50 20 10
4766 » » Hartwegi	3 80 30 10
4767 » » » fl. albo	3 80 30 10
4768 » » » fl. roseo	3 80 30 10
4769 » » » coelestinus	3 80 30 10
4770 » » » ruber	3 80 30 10
4771 » » hirsutus (pilosus) albus	1 40 20 10
4772 » » » carneus (ruber)	1 40 20 10
4773 » » » coeruleus	1 40 20 10
4774 » » » hybr. atrococcineus	3 50 20 10
4775 » » » fl. pl. Präsident Cleveland, drei- farbig, gefülltblüh.— tricolore, à fl. double 10 — 40 10	
4776 » » » insignis	3 — 20 10
4777 » » » nigrescens	3 — 20 10
4778 » » » roseus	4 50 30 10
4779 » » » superbus	3 20 20 10
4780 » » » » fl. pleno	10 50 40 10


4869. *Mimulus cardinalis pictus*.

4904. *Mina lobata*.

No.	kg	20 g	Pt.	No.	20 g	Pt.
	M.Pf.	Pf.	Pf.		M.Pf.	Pf.
4781 <i>Lupinus linifolius</i>	1 40	20	10	4821 * <i>Matricaria eximia corymbosa</i> fl. pl.	1 10	20
4782 » <i>luteus Romulus</i> , niedrig, gelb — jaune, nain	10 —	40	10	4822 » <i>eximia crispa</i> fl. pl.	1 20	20
4783 » <i>Moritzianus</i>	2 60	20	10	4823 » » <i>nana</i> fl. pl.	1 40	20
4784 » <i>mutabilis</i>	1 60	20	10	4824 » » <i>Goldball</i> , neu, pyramidenförmig, leuchtend goldgelb — Bouled'or, nouv., jaune d'or, à port pyramidal	—	40
4785 » » <i>roseus splendens</i>	1 80	20	10	4825 » » <i>grandiflora</i> fl. pl.	—	60
4786 » » <i>versicolor</i>	1 80	20	10	4826 » » » <i>aurea Tom Thumb</i> , gelb — jaune	1 40	20
4787 * » <i>nanus</i> , blau — bleu	4 50	20	10	4827 * » » <i>nana compacta</i> fl. pl. foliis aureis	—	80
4788 * » » fl. albo	4 50	20	10	4828 * » » » <i>erecta</i> fl. pl. foliis aureis	—	80
4789 » <i>pantelericus</i>	2 50	20	10	4829 » » » <i>plena</i>	—	80
4790 » <i>pubescens</i>	2 50	20	10	4830 » » » <i>lutescens</i> pl.	—	70
4791 » » <i>elegans</i> (tricolor)	2 50	20	10	4831 * » » <i>Tom Thumb</i>	1 —	20
4792 * » <i>pulcherrimus</i>	2 50	20	10	4832 * » » <i>pyramidalis</i>	1 20	20
4793 » <i>subcarnosus</i> (texanus)	10 80	40	10	4833 » <i>Parthenium alba pleoa</i>	—	40
4794 » <i>succulentus</i> (bicolor)	1 80	20	10	4834 * <i>Matthiola bicornis</i> , so angenehm wohlriechend wie <i>Reseda</i> , hauptsächlich des Abends — à odeur de <i>Reseda</i> , sentant plus fort le soir	—	40
4795 » » <i>sulphureus</i> (Menziesi), schön gelb, von grossem Effect — beau, jaune brillant	10 —	40	10	4835 * » » <i>tricuspidata</i> , echt, grossblumig, dunkellilla — vrai, lilas foncé, à gr. fl.	1 10	20
4796 » <i>tricolor mutabilis</i>	2 40	20	10	4836 § <i>Maurandia</i> Δ <i>antirrhiniflora</i>	1 10	20
4797 » <i>venustus</i>	2 —	20	10	4837 § » <i>antirrhiniflora alba</i>	8 —	40
4798 » » <i>tricolor</i>	2 60	20	10	4838 § » <i>Barclayana</i>	3 —	30
4799 » hohe Sorten gemischt — grandes sortes en mélange	2 50	20	10	4839 § » » fl. alba (albiflora), rein- weiss — blanc pur	7 —	40
4800 » niedrige Sorten gemischt — sortes naines en mélange	4 50	20	10	4840 » <i>Emeryana rosea</i>	4 20	40
<i>Lycbnis</i> , siebe Stauden — voy. M.Pf. Pf.	20 g	Pt.		4841 » <i>Laceyana</i> , rosa	4 20	40
4801 <i>Lythrum Graefferi</i> (flexuosum), niedrig, purpurrosa, reichbl. — nain, rose pourpré, florifère †	1 10	20		4842 » <i>purpurea grandiflora</i>	3 20	30
4802 <i>Madia</i> † <i>corymbosa</i>	—	30	10	4843 » <i>semperflorens</i>	3 80	40
4803 » <i>elegans</i>	—	30	10	4844 » » fl. violaceo	4 20	40
4804 <i>Malope grandiflora</i>	—	20	10	4845 § » gemischt — mélange	2 40	30
4805 » » fl. albo	—	20	10	Alle <i>Maurandia</i> sind äusserst zierliche Stöckpflanzen und eignen sich vortrefflich zur Bekleidung von Wänden etc.; in Töpfen cultivirt, sind es prächtige Zimmerpflanzen. — Les <i>Maurandia</i> sont des plantes grimpantes rustiques du premier mérite, particulièrement recommandables pour former des guirlandes et des arceaux de feuillage et de fleurs.		
4806 » » <i>roseo</i>	—	30	10			
4807 <i>Malva borealis</i>	—	40	10			
4808 » <i>crispa</i>	—	20	10			
4809 » <i>Duriaei</i>	—	20	10			
4810 » <i>mauritanica</i> , rotte — rouge	—	30	10			
4811 * » <i>miniata</i> †	—	50	10			
4812 * <i>Manulea violacea</i> †	1 —	20				
4813 <i>Martynia</i> Δ <i>Craniolaria</i> (fallax)	—	50	10			
4814 » <i>formosa</i>	—	40	10			
4815 » <i>lutea</i>	—	50	10	4846 <i>Meconopsis</i> † <i>cambrica</i>	5 g	2,60, — — 40
4816 » <i>proboscidea</i> , Gamsenborn — Cornaret	—	40	10	4847 <i>Medicago Decandolleana</i>	—	50
4817 » <i>tricolor</i>	100 S. 1,20, 10 S.	—	20	4848 » <i>denticulata</i>	—	50
4818 <i>Matricaria</i> † <i>alba plenissima</i> , rein- weiss, äusserordentlich gefüllt — blanc, très-double	—	60	15	4849 » <i>intertexta</i> (Ecbinus)	—	50
4819 » <i>capensis</i> fl. pleno	—	40	10	4850 » <i>turbinata</i>	—	50
4820 » <i>eximia</i> , gefüllt, weiss geröhrt — double blanc tuyauté	—	40	10			

4919. *Moluccella laevis*.*Nemophila*.

No.	20 g. Pt. M.Pf. Pf.	No.	20 g. Pt. M.Pf. Pf.
4851 <i>Medicago</i> , 20 andere Species mit interessanten Samenkapseln, jede — 20 autres espèces à gousses curieuses, séparées, chacune	— 60 15	4881 <i>Mimulus duplex</i> : duplex albus pardinus, getigerte weissgrundige — ponctué sur fond blanc	5 — 40 7 — 40
4852 » viele Sorten gemischt — mélange	— 40 10	4882 » <i>cupreatus</i>	— 40 10
4853 <i>Melampodium ovalifolium</i>	— 40 10	4883 » <i>quinquevulnerus</i> , grossblumig, gelb mit braun gefleckt — à gr. fl. jaune maculé brun	2 60 30
4854 <i>Melilotus graecialis</i>	— 60 15	4884 » <i>tigrinus</i> (pardinus), getigerte in vielen Nüancen — nuances tigrées	7 — 40 2 60 30
4855 <i>Mentzelia ornata</i> Δ	— 40	4885 » gemischt — mélange	— 40 10
4856 * <i>Mesembrianthemum</i> Δ <i>cordifolium variegatum</i> , weissbunt, reizend — panaché de blanc, très-joli	5 — 40	4886 <i>Mimulus hybridus diadematus</i> , neu, grossbl., niedrig, in den schönsten Nüancen — nouv., var. naine à fl. gr. richement colorées	— — 60
4857 * » <i>crystallinum</i> , Eiskraut — Glaciale	— 40 10	4887 » <i>hybr. grandiflorus imperialis</i> , grossblumig, doppeltkorollig — à gr. fl., à double corolle	5 g 2,50 — — 40
4858 * » <i>pomeridianum</i> , goldgelb — jaune d'or	— 50 10	4888 » <i>hybr. grandiflorus Feuerkönig</i> , feurigroth, Schlundgelb, purpur punktiert — rouge feu, gorge jaune ponctuée pourpre	1 g 1,50, — — 40 6 — 30
4859 * » <i>tricolor</i>	— 60 15	4890 » <i>Lewisi</i>	1 20 20
4860 * » » <i>fl. albo</i>	— 60 15	4891 * » <i>moschatus</i> , Moschuspflanze — Herbe au musc	3 20 30
4861 <i>Microlonchus Clusii</i>	— 50 10	4892 * » » <i>compactus</i> , ganz niedr. runde Büsche bildend — nain, compacte	1 g 2,50, — — 40
4862 » <i>Delileanus</i>	— 50 10	4893 * » <i>pardinus</i> (<i>tigrinus</i>), getigerte Varietäten — à fl. ponctuées	4 — 30 2 60 30
4863 <i>Mimosapudica</i> , schamhafte Sinnpflanze — Sensitive pudique Δ	— 60 15	4894 * » <i>pardinus albus</i>	— 40 10
4864 <i>Mimulus</i> Δ <i>cardinalis</i>	3 50 30	4895 * » <i>pard. grandiflorus Queen's Prize</i> , prachtvolle grossblumige Varietäten — var. naines magnifiques à très grandes fleurs	5 80 40
4865 » <i>cardinalis aureus</i>	5 20 40	4896 * » <i>pardinus grandif. purpurcarmin</i> — carmin pourpre	10 — 40 4 — 30
4866 » » <i>carneus</i>	7 — 40	4897 * » <i>pardinus nanus</i>	— 40 10
4867 » » <i>grandiflorus</i>	5 — 30	4898 * » <i>quinquevulnerus</i> , fünffleckige, in vielen Nüancen — à 5 macules, en mélange	1 25 20
4868 » » <i>Orange Perfection</i>	4 80 30	4899 * » <i>quinquevulnerus maximus</i>	1 50 20
4869 » » <i>pictus</i> , neu, goldgelb mit purpurscharlach Auge — nouv., jaune d'or à oeil écarlate pourpre	10 — 40	4900 * » <i>repens</i>	— — 40
4870 » » <i>roseus pallidus</i>	2 60 30	4901 * » <i>Roetzli</i> , Miniatur-Species, gelb — espèce miniature, jaune	1 g 1,25, — — 40
4871 » » <i>roseus superbus</i>	2 60 30	4902 » <i>Tilingii</i> , goldgelb — jaune d'or	1 30 15
4872 » » <i>Rose Queen</i>	3 20 30	4903 » gemischt — mélange	1 — 20
4873 » » <i>Sultan</i>	5 — 30		
4874 » » <i>tricolor</i>	4 — 30		
4875 » » Varietäten gemischt — variétés en mélange	3 — 30		
4876 * » <i>cupreus</i> , kupfrig orange-scharlach — orange écarlate cuivré	3 20 30		
4877 * » » <i>Brillant</i>	4 — 30		
4878 * » <i>Fürst Bismarck</i> , niedrig, mit feurigpurpurcarmin Blumen — carmin pourpre brillant, nain	7 — 40		
4879 * » » <i>tigrinoides</i>	3 — 30		
4880 * » » <i>nanus</i>	5 — 40		

* *Mimulus duplex* (buntkelchige = hosc in hosc = Varietäten — variétés à double corolle):



4965. *Nicotiana colossea*.



4972. *Nierembergia frutescens*.

No.		20 g Pt.	
		M.Pf.	Pf.
4904 §	Mina lobata , prachtv. Schlingpflanze. Blütenstand in gabelförmigen, nach aufwärts strebenden Rispen, Blumen hochroth als Knospe, orangegebl vor dem Aufblühen und gelblichweiss, wenn in voller Blüthe — plante grimpante magnifique. Les fleurs, disposées en grappes bifurquées, sont d'un rouge vif en bouton, d'un jaune orange, quand elles s'épanouissent et d'un blanc jaunâtre en pleine floraison Δ	1000 S. 5 —	25 S. — — 20
	<i>Mina sanguinea</i> vide <i>Ipomoea</i> .		
4905	Mirabilis Δ Jalapa , Wunderblume, in vielen Farben — Belle de nuit, en mélange	kg 2,40,	— 20 19
4906	» Jalapa , 6 Farben separat jede — 6 couleurs sép. chacune	—	30 10
4907	» » <i>foliis variegatis</i> , gem. — mélange	—	20 10
4908	» » » <i>variegatis</i> , 5 Farben separat jede — 5 couleurs séparées, chac.	—	30 10
	*Mirabilis Jalapa Tom Thumb , Zwerg-Wunderblume—Belle de nuit Tom Pouce:		
4909	carmin	—	40 10
4910	dreifarbig — tricolore	—	40 10
4911	dunkelcarmoisin — cramoisi foncé	—	40 10
4912	gelb mit roth — jaune strié rouge	—	40 10
4913	weiss — blanc	—	40 10
4914	weiss, roth gestreift — blanc strié rouge	—	40 10
4915	niedrige Sorten gemischt — Tom Pouce en mélange	—	30 10
4916	<i>Mirabilis longiflora</i> , weiss, wohlriechend — blanc odorant	—	30 10
4917	» <i>longifl. violacea</i>	—	30 10
4918	» multiflora , dunkellilla, grossdoldig — lilas foncé	—	80 15
4919	Molucella laevis , merkwürdige und sehr interessante Pflanze mit grossen becherförmigen grünen Blumenkelchen — plante curieuse et très intéressante à large calice vert en forme de coupe †	—	70 15
4920	» spinosa , interessante und schöne Blattpflanze — belle plante ornementale, très intéressante	1 20	20
No.	Morelle, vide <i>Solanum</i> . Mouron, » <i>Anagallis</i> . Müßler, » <i>Antirrhinum</i> .		
4921 *	Myosotis Δ azorica , dunkelviolette Vergissmeinnicht — Souvenez-vous de-moi, violet foncé	5 g 5 —	— 40
4922 *	» <i>azorica alba</i>	5 —	— 40
4923 *	» <i>coelestina</i>	5 » 6 —	— 40
4924 *	<i>Nemesia † compacta bicolor</i>	—	1 — 20
4925 *	» <i>coerulea</i>	—	70 15
4926 *	» <i>fl. albo</i>	—	1 — 20
4927 *	<i>floribunda</i>	—	80 15
4928 *	strumosa Suttoni , Δ, neue, halbharte afrikanische Species mit 3—4 cm grossen Blumen in allen Färbungen von rahmweiss u. gelb bis orange und carmin — espèce nouvelle de l'Afrique à fl. grandes de 3 à 4 centim., variant du blanc crème et jaune au carmin et orange	100 S. —	— 30
4929 *	» <i>versicolor</i>	—	80 15
4930 *	<i>Nemophila atomaria</i> , weiss, schwarzblau punkirt—blanc, ponctné bleu foncé (5)	—	20 10
4931 *	» <i>atomaria atrocerulea</i> , ultramarinblau — bleu d'outremer	—	50 15
4932 *	» Holborn Bluebell	—	70 15
4933 *	» <i>aurita</i>	—	30 10
4934 *	» <i>crambeoides</i> (<i>coelestis</i>), blauschwarz — bleu pâle (10)	—	20 10
4935 *	» <i>alba</i>	—	30 10
4936 *	» <i>albo-nigra</i> (4)	—	40 10
4937 *	» <i>oculata</i>	—	20 10
4938 *	» <i>discoidalis</i> , schwarzbraun, weiss gerandet—brun noirâtre, marginé blanc. kg 3,20,	—	20 10
4939 *	» <i>argentea</i>	—	30 10
4940 *	» <i>auriculata</i>	—	30 10
4941 *	» <i>elegans</i>	—	30 10
4942 *	» <i>marmorata</i> (6)	—	30 10
4943 *	» <i>nigra</i> (2)	—	30 10
4944 *	» <i>picta</i>	—	30 10
4945 *	» <i>vittata</i>	—	30 10
4946 *	» gemischt	—	20 10
4947 *	» insignis , himmelblau — bleu ciel (3)	—	kg 2,40, — 20 10
4948 *	» <i>alba</i>	—	3 —, — 20 10
4949 *	» <i>lilacina</i>	—	— 30 10
4950 *	» <i>marginata</i> (7)	—	— 30 10
4951 *	» <i>minor</i> , kornblumenblau, kleinblumig — bleu d'outremer	—	30 10

5027. *Orobanche speciosa*.5035. *Oxalis tropaeoloides*.

No.		20 g	Pt.
		M.Pf.	Pf.
4952 *	<i>Nemophila insignis</i> purpurea . . .	— 30	10
4953 *	» <i>insignis</i> striata . . .	— 30	10
4954 *	» gemischt — mélange . . .	— 20	10
4955 *	» <i>maculata</i> (speciosa), weiss mit dunkelvioletten Flecken — blanc à macules violet foncé (1) . . .	kg 1,80,	— 20 10
4956 *	» » <i>albida</i> . . .	— 30	10
4957 *	» » <i>grandiflora</i> . . .	— 30	10
4958 *	» » <i>marginata</i> . . .	— 30	10
4959 *	» » <i>purpurea</i> . . .	— 30	10
4960 *	» alle Sorten gemischt — en mélange . . .	kg 2,20,	— 20 10
4961	<i>Nicandra</i> † <i>physaloides</i> . . .	— 40	10
4962	» <i>violacea</i> . . .	— 30	10
4963	<i>Nicotiana</i> Δ <i>acutifolia</i> . . .	— 50	10
4964	» <i>affinis</i> , mit grossen weissen, wohlriechenden Blumen — à gr. fl. blanches odorantes . . .	— 60	15
4965	» <i>colossea</i> , neu, Blattpflanze ersten Ranges; Blätter dunkelgrün mit rötlichen Rippen, von riesigen Dimensionen — nouv. plante à feuillage ornemental hors ligne; feuilles de grandes dimensions d'un vert foncé à côtes rougeâtres . . .	1 g 3,50,	— 40
4966	» <i>grandiflora</i> purpurea, sehr schöne Dekorationspflanze — très-belle plante ornementale . . .	— 40	10
4967	» <i>Langsdorffii</i> . . .	— 40	10
4968	» <i>macroph. gigantea</i> , schön in Blatt und Blüte — feuillage et fleurs très-jolies . . .	— 30	10
4969	» <i>macrophylla</i> fol. varieg. . .	1 g 1,20,	— 40
4970	» <i>suaveolens</i> , weiss, wohlriechend — blanc, odoriférant . . .	8 —	40 10
4971	» <i>vincaeflora</i> . . .	— 40	10
4972 *	<i>Nierembergia frutescens</i> Δ, lila, reichblühend, schön für Gruppen — lilas, très florifère . . .	— 70	15
4973 *	» <i>gracilis</i> Δ (calycina, filiculis) . . .	— 60	15
4974	<i>Nigella damascena</i> fl. pl. Jungfer im Grünen — <i>Nigella</i> bleue . . .	— 20	10
4975	» <i>damascena</i> alba fl. pl. . . .	— 20	10
4976	» » <i>coelestina</i> . . .	— 20	10
4977 *	» » <i>nana</i> fl. pl. . . .	— 20	10
4978 *	» » <i>alba</i> fl. pl. . . .	— 30	10
4979	» <i>hispanica</i> . . .	— 30	10
4980	» <i>alba</i> . . .	— 30	10
4981	» » <i>atropurpurea</i> . . .	— 30	10
4982 *	<i>Nolana atriplicifolia</i> . . .	— 20	10
4983 *	» <i>grandiflora</i> . . .	— 20	10

No.		20 g	Pt.
		M.Pf.	Pf.
4984 *	<i>Nolana grandiflora</i> alba . . .	— 20	10
4985 *	» <i>lanceolata</i> . . .	— 20	10
4986 *	» <i>paradoxa</i> violacea . . .	— 20	10
4987 *	» gemischt — mélange . . .	— 20	10
4988	<i>Notabasis syriaca</i> . . .	— 60	15
4989	<i>Nycterinia</i> Δ <i>capensis</i> , weiss, wohlriechend — blanc, odorant . . .	— 80	15
4990 *	» <i>selaginoides</i> , weiss mit lila Anflug — blanc lilacé . . .	— 60	15
4991 *	» <i>selaginoides</i> fl. albo . . .	— 70	15
4992 *	» <i>rosso-violacea</i> . . .	— 70	15
4993	<i>Obeliscaria pulcherrima</i> †, braun mit gelb — brun et jaune . . .	1 —	20
4994	<i>Ocimum</i> Δ <i>Basilicum bullatum</i> . . .	— 30	10
4995	» <i>crispum</i> . . .	— 30	10
4996	» <i>suave</i> , neu — nouv. 1 g 1 60, Gillet de Chine, vide <i>Dianthus</i> . . .	— 40	
	» d'Inde . . .	» <i>Tagetes patula</i> .	
4997	<i>Oenothera</i> † <i>acaulis</i> vera, die echte weisse, <i>O. taraxacifolia</i> alba — la véritable espèce à fl. blanche . . .	1 40	20
4998	» <i>albicaulis</i> . . .	1 80	20
4999	» <i>bistorta</i> Veitchi . . .	— 40	10
5000	» <i>campylocarpa</i> (versicolor) . . .	— 30	10
5001	» <i>grandiflora</i> . . .	— 30	10
5002	» <i>cinnabarina</i> . . .	— 20	10
5003	» <i>coccinea</i> . . .	— 20	10
5004	» <i>Consolida</i> . . .	— 30	10
5005	» <i>cuprea</i> . . .	— 80	15
5006 *	» <i>dentata</i> . . .	— 60	15
5007	» <i>Drummondii</i> , blassgelb — jaune pâle . . .	— 60	15
5008	» » <i>nana</i> . . .	— 60	15
5009	» » <i>alba</i> . . .	— 60	15
5010	» <i>Lamarckiana</i> , gros-bl., gelb — jaune à gr. fl. . .	— 20	10
5011	» <i>longiflora</i> . . .	— 20	10
5012	» <i>macrantha</i> , weiss . . .	— 30	10
5013	» <i>micans</i> . . .	— 30	10
5014	» <i>mollissima</i> . . .	— 30	10
5015	» <i>odorata</i> . . .	— 30	10
5016	» <i>prostrata</i> . . .	— 30	10
5017	» <i>rhizocarpa</i> (<i>taraxacifolia</i> lutea) . . .	— 60	15
5018 *	» <i>rosea mexicana</i> , reizende, ganz niedrige Spec., Blumen carminrosa — espèce naine à fleurs rose-carmin Δ . . .	— 80	15
5019	» <i>Sellowi</i> . . .	— 30	10
5020	» <i>sinuata maxima</i> . . .	— 40	10
5021	» <i>taraxacifolia</i> alba (acaulis) Δ . . .	1 40	20
5022	» <i>tetraptera</i> (Sarrazini) . . .	— 30	10
5023	» <i>undulata</i> . . .	— 30	10
5024	» <i>villosa</i> . . .	— 30	10
5025	» gemischt — varié . . .	— 20	10
	» andere siehe Stauden — pour les autres voy. Pl. vivaces.		
5026	<i>Omphalodes amplexicaulis</i> . . .	— 80	15
	<i>Onopordon</i> , siehe Stauden — voy. Pl. vivaces.		



5045. Papaver Danebrog.



5067. Papaver pavoninum.

No.		20 g. Pt.
5027	<i>Orobanche speciosa</i> , höchst interessante n. schöne Schmarotzerpflanze. Ansaat an Ort und Stelle ins freie Land Anfang Mai auf und neben Puffbohnenkernen und dann 3 cm hoch mit Erde bedecken — plante parasite fort interessante et belle; semer sur place au commencement de mai sur et à côté de Fèves et couvrir en suite de 3 centimètres de terre	4 — 40
5028	» <i>ramosa</i> , interessant, braucht als Nährpflanze <i>Cannabis sativa</i> (Hanf) — doit être semée sur et à côté de graines de <i>Cannabis sativa</i>	3 — 40
5029	<i>Orobis atropurpureus</i>	— 30 10
5030	» <i>coccineus</i>	— 40 10
5031	» <i>Fischeri</i>	— 40 10
5032 *	» <i>Oxalis</i> Δ <i>rosea</i>	3 — 30
5033 *	» <i>rosea</i> <i>delicata</i>	3 — 30
5034 *	» » <i>fl. albo</i>	3 — 30
5035 *	» <i>tropaeoloides</i> (<i>corniculata foliis atropurpureis</i>), Blätter dunkelbraun, Blüthen gelb, schön zu Teppichbeeten und Einfassungen — à feuilles brun foncé et à fl. jaunes, belle plante pour bordures etc.	1 80 20
5036	» » <i>Aurora</i> , neu, buntblättrig, lachsrosa gefleckt — nouv., à feuilles panachées de rose saumoné	50 S. — — 30
5037	» » <i>Brillant</i> , neu, rosa und carmoisin gefleckt, sehr schön buntblättrig — nouv., feuilles panachées de rose et carmoisi 50 S.	— — 30
5038 *	» <i>Valdiviana</i> , niedrig, goldgelb — jaune d'or	— 30 15
5039	<i>Oxybaphus viscosus</i>	1 20 20
5040	<i>Oxyra chrysanthemoides</i> †	— 50 10
5041	<i>Palafoxia</i> † <i>Hookeriana</i> , rosa carmin — rose carmin	— 40 10
5042	» <i>texana</i>	— 30 10
5043	<i>Palava flexuosa</i> †	3 60 30
	<i>Palma Christi</i> , vide <i>Ricinus</i> .	
5044	<i>Papaver arenarium</i> , siehe <i>Neuh.</i> — voy. nouv.	— — 60
5045	» <i>Danebrog</i> , scharlachroth mit grossen, silberweissen Flecken — écarlate à grandes macules blanc argenté	— 30 10

No.		20 g. Pt.
5046	<i>Papaver Danebrog fl. pleno</i>	— 30 10
5047	» <i>gariepinum</i>	— — 40
5048	» <i>giganteum</i>	— 20 10
5049	» <i>glaucum</i> , Tulpenmohn, mit grossen, feurigscharlachrothen Blumen — Pavot Tulipe, à gr. fl. écarlate feu	1 20 20
5050	» <i>Hookeri</i> , einfachblühende gemischt — à fl. simple en mélange	— 50 10
5051	» » <i>fl. pleno</i> , gefülltblühende Varietäten gemischt — à fl. double en mélange	— 60 15
5052	» <i>hybridum splendens</i> , neue Hybride zwischen perennirendem u. einjährigem Mohn, ponceauroth mit schwarzen Flecken — hybride annuel nouveau, rouge ponceau maculé de noir à la base des pétales	1 g 1 — — 40
5053	» <i>laevigatum</i> , feurig dunkelscharlach mit schwarzen, silberweiss umsäumten Flecken, schön — écarlate foncé à taches noires marginées de blanc, très beau	1 40 20
5054	» <i>Mephisto</i> , dunkelscharlach mit schwarzviolett. Flecken — écarlate feu à taches violet noir	— 30 10
5055	» » <i>rose</i> , carmoisin rosa mit weissen Flecken — rose carmoisi à croix blanche	— 30 10
5056	» <i>monstrosum</i>	kg 3,40, — 20 10
5057	» <i>Murselli fl. pl.</i> (<i>lilacinum</i>)	— 20 10
5058	» » <i>splendens</i>	— 30 10
5059	» <i>The Mikado</i> , weiss, carmoisingestreift — blano, strié carmoisi	— 40 10
5060	» » <i>weiss</i> , roth gesprenkelt — blanc strié rouge	— 30 10
5061	» <i>paeoniflorum fl. pl.</i> , gemischt — mélange	— 20 10
5062	» » 12 Farben, separat jede — 12 coul., sép. chacune	— 30 10
5063	» <i>fl. pl.</i> , weiss mitscharlachgestreift — blanc strié écarlate	— 50 15
5064	» » <i>nanum fl. pl.</i> , Zwerg-Päonien-Mohn, 6 Var. — Pavot nain à fl. de Pivoine, 6 var. chao. — jede	— 30 10
5065	» » <i>nanum fl. pl.</i> , gemischt — mélange	— 20 10

5080. *Papaver somnif. nanum fl. pl. chamoisrosa.*5146. *Petunia hybr. grandifl. fimbriata.*

No.		20 g	Pt.
		M.Pf.	Pf.
5066	<i>Papaver paeoniflorum nanum fl. pl. lachsrosa, neu — rose saumoné, nouv.</i>	4	— 30
5067	» <i>pavoninum, leuchtendscharlach, Mitte kirschcarmin mit schwarzem Ring—écarlate brillant, centre carmin cou-ronné noir</i>	1	20 20
5068	» <i>Rhoeas coccineum aureum</i>	—	40 10
5069	» » <i>fl. pl., Ranunkelmohn, gemischt — Pavot à fl. de Renoncule en mél.</i>	—	30 10
5070	» » <i>fl. pl. in separaten Farben — couleurs séparées:</i> 1. rosa — rose, 2. scharlach — écarlate, 3. scharlach, weiss gerändert — écarlate, marginé blanc, 4. purpurscharlach — pourpre écarlate, 5. weiss — blanc, 6. zinnober — vermillon, sep. jede	—	40 10
5071	» » <i>fl. pl. japonicum, japan. Pompon-Mohn — Coquelicot Pompon</i>	2	40 20
5072	» » „The Shirley“, einfache und halbgefüllte Blumen in reizenden Färbungen — à fl. simple et semidouble d'une diversité extraordinaire	—	80 15

Papaver somniferum fl. pl.:

5073	Gefüllter Gartenmohn gemischt — Pavot double, en mélange kg 3,40,	—	20 10
5074	12 Farben, separat jede — 12 coul. sép. chac.	—	30 10
5075	„The Bride“, einfach weiss — blanc à fl. simple	—	30 10

Papaver somniferum nanum fl. pl.:

5076	dichtgef. Zwergmohn, 6 Var. jede — Pavot double nain, 6 var. chac.	—	30 10
5077	brillantrosa — rose brillant	—	50 10
5078	cardinale, eine der schönsten und leuchtendsten Sorten — très brillant	—	40 10
5079	cardinale hybridum, siehe Neuh. — voy. nouv.	—	— 60
5080	chamoisrosa, neu — chamois-rose, nouv.	1	80 20
5081	White Swan, rein weiss, dichtgefüllt — blanc double	—	40 10
5082	gemischt — mélange	—	30 10

No.		20 g	Pt.
		M.Pf.	Pf.
5083	<i>Papaver umbrosum, scharlach- roth, schwarz gefleckt — écarlate brillant à grandes taches noires</i>	—	40 10
5084	» <i>umbrosum flore pleno, 50 — 60 % halbgefüllte und gefüllte Blumen hervorbringend — prodnisant de 50 à 60 % de fleurs semidoubles et doubles</i>	2	60 25
5085	» <i>Passiflora Δ foetida</i>	—	1 30 20
5086	» <i>gracilis</i>	—	80 15
	Pavot, vide Papaver.		
	Pensée, vide Viola tric. maxima.		
5087*	<i>Pentachaeta aurea, Δ</i>	1	50 20
5088	<i>Perilla Δ nankinensis, mit dunkelrothen Blättern, ausgezeichnet für Gruppen — à feuillage rouge foncé, excellent pour massifs</i>	—	25 10
5089	» <i>nankinensis foliis atropurpureis lacinia- tis, geschlitzte Blätter, intensiver in Farbe — feuilles lacinées, d'une couleur plus intense</i>	—	30 10
5090	» » <i>fol. var.</i>	—	50 S. — 30
5091	» » <i>macrophylla crispa compacta, Blätterwellenförm. gekraust, sehr gross — feuilles grandes crispées et ondulées</i>	—	30 10
5092	» » <i>macrophylla crispa var. elatior</i>	—	40 10
5093	» » <i>microphylla nigricans, Belaubung schwarzroth — feuillage pourpre noir</i>	—	60 15
	Persicaire, vide Polygonum.		
5094	<i>Petunia Δ argentea (Atkinsii), weisslich rosa — rose blanche</i>	—	30 10
5095	» <i>nyctaginiflora, weiss — blanc</i>	—	40 10
5096	» <i>phoenicea (mirabilis), dunkelroth — rouge foncé</i>	—	30 10

Petunia Δ hybrida:

5097	alba	1	20 20
5098	atropurpurea	—	70 15
5099	Belle Etoile, reizend, mit ganz regelmässigen, sternartigen, weissen Streifen auf purpurcarmoisin Grund, ziemlich grossbl. — astri- res blanches très régulières sur fond cramoisi pourpré	1	40 20

5154. *Petunia hybr. grandifl. superbissima.*5169. *Petunia hybr. grandiflora fl. pl.*

No.	<i>Petunia hybrida:</i>	20 g. Pt.
	M. Pf. Pf.	
5100	<i>Carmen Sylva</i> , hellviolett mit weissem Schlund, kleinblumig — violet clair à gorge blanche . . .	— 80 15
5101	<i>carminea intus alba</i> . . .	— 80 15
5102	<i>comp. nana multiflora</i> , von ganz uiedrigem Habitus, Blumen purpurcarmoisin mit regelmässiger sternartiger weisser Zeichnung; beste Sorte zur Topfcultur, extra — nain compacte, fleurs cramoiisi pourpre régulièrement rayés de blanc; insurpassable pour la culture en pots . . .	2 60 30
5103	<i>comp. nana rosea</i> , niedrig, brillant-rosa — nain, rosebrillant . . .	7 — 40
5104	» » <i>stellaris</i> , niedrig, rosa, sternartig weiss gestreift — rose viv régulièrement strié de blanc 5 g 2,60, . . .	— — 40
5105	» <i>sessiliflora</i> , carmoisin — cramoiisi . . .	3 — 30
5106	<i>Countess of Ellesmere</i> , rosa mit weissem Schlund — rose à gorge blanche . . .	— 60 10
5107	<i>illustris</i> , blendend rosacarmoisiu, schön — rose carmin brillant, beau . . .	1 20 20
5108	<i>Inimitable</i> , roth mit weiss gerändert und gefleckt — rouge, marginé et maculé de blanc . . .	1 40 20
5109	<i>intus aurea</i> , kleinblumige gelbschlundige — à gorge jaune . . .	6 50 40
5110	<i>kermesina splendens</i> . . .	— 70 15
5111	<i>marginata</i> . . .	1 — 20
5112	<i>reticulata</i> , gemischt — mélange . . .	1 20 20
5113	<i>Schneeball</i> , siehe Neuh. — Boule de neige, voy. nouv. . . .	— — 50
5114	<i>venosa</i> , bläulichhilla, geadert und genetzt — lilas bleuâtre veiné et réticulé . . .	1 10 20
5115	<i>violacea</i> , violett . . .	1 20 20
5116	beste Sorten gemischt, extra — mélange, extra . . .	1 10 20
5117	gute Mischung — bon mélange . . .	— 60 15

Petunia Δ hybrida grandiflora:

Die grösstblumige Classe in folgenden Varietäten — classe à très grandes fleurs:

5118	<i>Admiration</i> , siehe Neuh. — voy. nouv. . . .	— — 60
5119	<i>alba</i> , extra . . . 1 g 3 —, 500 S. . . .	— — 30
5120	<i>brillantrosa</i> , prachtvolle leuchtende Farbe — couleur brillante superbe 1 g 2,60, 500 S. . . .	— — 30
5121	» mit weiss — rose brillant et blanc . . . 1 g 2,60, 500 S. . . .	— — 30

No.	<i>Petunia hybr. grandifl.:</i>	20 g. Pt.
	M. Pf. Pf.	
5122	<i>carminea intus alba</i> . . . 10,000 S. 5 —, 500 S. . . .	— — 30
5123	<i>conspicua</i> , weiss mit carminrothen Flecken — blanc à taches rouge carmin . . . 1 g 3 —, 500 S. . . .	— — 40
5124	<i>dunkelblutroth mit weissem Schlund</i> — rouge sang foncé à gorge blanche . . . 1 g 3 —, 500 S. . . .	— — 30
5125	<i>hellviolett (hellblau) — violet clair</i> . . . 1 g 2,40, 500 S. . . .	— — 30
5126	<i>kermesina</i> , extra 1 » 2,40, 500 » . . .	— — 30
5127	<i>maculata</i> , weiss mit roth gefleckt — blanc, maculé de rouge . . . 1 g 2,60, 500 S. . . .	— — 30
5128	<i>marginata</i> , grüngeränderte — bordé de vert 1000 S. 1 —, 200 S. . . .	— — 30
5129	<i>nigro-kermesina</i> , siehe Neuh. — voy. nouv. . . . 50 S. . . .	— — 60
5130	<i>Purpurkönig</i> , neu — Roi des pourpres, nouv. . . . 50 S. . . .	— — 40
5131	<i>robusta</i> , compact . . . 500 S. . . .	— — 30
5132	<i>rosea, zartrosa</i> — rose tendre 500 » . . .	— — 30
5133	<i>stahlblau geadert — bleu d'acier veiné</i> 1 g 3,50, 500 S. . . .	— — 30
5134	<i>venosa</i> . . . 1 » 2,60, 500 » . . .	— — 30
5135	<i>violacea</i> . . . 1 » 2,60, 500 » . . .	— — 30
5136	<i>grossblumige</i> , in allen Varietäten gemischt — var. à très grandes fleurs en mélange 1 g 2 —, 500 S. . . .	— — 30
	<i>Petunia Δ hybr. grandifl. fimbriata</i> , einfache grossblumige gefranste — frangé à gr. fl.: . . .	
5137	<i>fimbriata alba</i> . . . 1 g 4 —, 300 S. . . .	— — 30
5138	» <i>brillantrosa</i> — rose brillant 1 g 4 —, 300 S. . . .	— — 30
5139	» » mit weiss — rose brillant et blanc . . . 1 g 4 —, 300 S. . . .	— — 30
5140	» <i>delicata</i> . . . 1 » 4 —, 300 » . . .	— — 30
5141	» <i>kermesina</i> . . . 1 » 3,50, 500 » . . .	— — 30
5142	» <i>maculata</i> . . . 1 » 3,50, 500 » . . .	— — 30
5143	» <i>robusta</i> , compact . . . 500 » . . .	— — 30
5144	» <i>Titania</i> . . . 1 g 3,50, 500 » . . .	— — 30
5145	» <i>venosa</i> . . . 1 » 3,50, 500 » . . .	— — 30
5146	» gefranste grösstblumige gemischt — frangés à gr. fl. en mélange 1 g 2,60, 500 S. . . .	— — 30
	<i>Petunia Δ hybr. grdf. superbissima</i> , grossblum. Classe mit auffallend gross. Schlunde — classe à gr. fl. et à gorge très large: . . .	
5147	<i>superbissima</i> 1000 S. 1 —, 200 S. . . .	— — 30
5148	» <i>alba</i> , reinweiss — blanc pur 1000 S. 1 —, 200 S. . . .	— — 30



5205. Phlox Drumm. cuspidata et fimbriata.



5241. Phlox Drumm. hortensiaeflora.

No.	Petunia hybr. grandifl. superbissima:	20 g Pt. M.Pf. Pf.
5149	superbissima gigantea, carmoisinpurpur — cramoisipourpré 1000 S. 1 —, 200 S.	— — 30
5150	» gigantea, carmoisinpurpur mit weiss — cramoisipourpré et blanc 1000 S. 1 —, 200 S.	— — 30
5151	» Prinz von Württemberg, sehr grossblumig, purpur — à très gr. fleurs pourpres 1000 S. 1,20, 200 S.	— — 30
5152	» Prinzessin von Württemberg, rosa, extra — rose 1000 S. 1,20, 200 S.	— — 30
5153	» quadricolor (intus aurea), prachtvolle Varietät mit gelbem Schlund — variété superbe à gorge jaune 1000 S. 1,50, 200 S.	— — 40
5154	» gemischt — mél. 1 g 3 —, 500 »	— — 30

Petunia Δ hybrida fl. pleno:

Gefüllt blühende, sorgfältig befruchtet — à fleurs doubles, soigneusement fécondées.

5155	compacta nana multiflora fl. pl., gefüllte Liliput-Petunie, sehr schön — Liliput-Petunia à fl. double 1000 S. 2,50, 100 S.	— — 30
5156	illustris fl. pl. 1000 S. 2,50, 100 »	— — 30
5157	kleinblumige gefüllte gemischt — hybrides doubles en mélange 1 g 8 —, 200 S.	— — 25

Petunia Δ hybrida grandiflora fl. pl.:

Die feinsten Sorten sorgfältig mit den schönsten gefüllten Blumen befruchtet, 25 Procent gefüllter Blumen bringend — les plus belles variétés fécondées soigneusement avec des fleurs doubles les plus parfaites, produisant 25 par cent de plantes à fl. doubles:

5158	alba plena . . . 1000 S. 4,50, 100 S.	— — 50
5159	aurora, gefüllt — aurore, double 1000 S. 6 —, 50 S.	— — 40
5160	brillantrosa, gefüllt — rose brillant double . . . 1000 S. 3,80, 100 S.	— — 40
5161	kermesina pl. 1000 » 3,50, 100 »	— — 40
5162	maculata pl. . 1000 » 3,50, 100 »	— — 40

No.	Petunia hybr. grdf. fl. pl.:	20 g Pt. M.Pf. Pf.
5163	marginata plena, grossbl. grün-gerandete gefüllte — à gr. fl. double marginée verte 100 S. 1,20, 25 S.	— — 30
5164	robusta fl. pl. 1000 » 3,80, 100 »	— — 40
5165	rosea fl. pl., zartrosa — rosetendre 1000 S. 3,50, 100 »	— — 40
5166	venosa pl. . . 1000 S. 3,80, 100 S.	— — 40
5167	violacea fl. pleno, neu — nouv. 1000 S. 3,80, 100 S.	— — 40
5168	» albo-maculata fl. pl., siehe Neuheiten — voy. nouv. . 50 S.	— — 80
5169	gefüllte grossblumige Varietäten gemischt — variétés doubles à grandes fl. en mélange. 10,000 S. 30 —, 1000 S. 3,50, 100 S.	— — 40

Petunia Δ hybr. grandifl. fimbriata fl. pleno:

5170	fimbriata alba fl. pl. (Lady of the Lake) 1000 S. 4,50, 50 S.	— — 30
5171	» brillantrosa, gefüllt, gefranst — rose brillant, frangé double 1000 S. 4 —, 50 S.	— — 30
5172	» brillantrosa mit weiss, gefüllt — rose brillant et blanc, double 1000 S. 4 —, 50 S.	— — 30
5173	» kermesina pl. 1000 » 4 —, 50 »	— — 30
5174	» maculata pl. 1000 » 4 —, 50 »	— — 30
5175	» robusta fl. » 1000 » 4 —, 50 »	— — 30
5176	» venosa pl. . 1000 » 4 —, 50 »	— — 30
5177	» gefüllte gefranstegemischt — frangé double en mélange . . . 1000 S. 3,50, 50 S.	— — 25
5178	Phacelia campanularia, prachtvoll, leuchtend enzianblau, grossbl. — magnifique, bleu foncé luisant, à gr. fl. kg 2,40, ... 20 10	— — 15
5179	» congesta kg 2,40, ... 20 10	— — 15
5180	» albida, neu — nouv. 50 15	— — 10
5181	» loasaefolia 40 10	— — 15
5182	» Parryi, purpurviolett mit fünf reinweissen Punkten — pourpre violacé à cinq macules blanc pur. 50 15	— — 10
5183	» tanacetifolia kg 2,40, ... 20 10	— — 10
5184	» texana » 2,40, ... 20 10	— — 10

(Die Phacelia liefern sehr ergiebige Bienenfutter. — Les fleurs des Phacelia contiennent beaucoup de miel pour les abeilles.)

5185	§ Phaseolus ensiformis gigas	— 20 10
------	--	---------

Phlox Δ Drummondii, Flammenblume.

5186	gemischt — varié, extra	1 10 20
5187	alba pura	1 40 20



Phlox Drummondii grandiflora.



5345. Physalis Alkekengi.

No.	Phlox Drummondii:	20 g	Pt.
5188	alba flore pleno	1 80	20
5189	» oculata	1 40	20
5190	» » superba	1 40	20
5191	amabilis, dunkelrosa mit dunklem Auge — rose foncé à oeil foncé	1 40	20
5192	annulata purpurea	1 40	20
5193	» rosea	1 40	20
5194	atrococcinea, scharlach mit gross. Auge — écarlate à large centre	1 40	20
5195	atropurpurea	1 40	20
5196	» fl. semipleno	4 —	30
5197	» striata	1 40	20
5198	Brillant, hellrosa mit dunkelrothem Auge — rose clair à oeil rouge foncé	1 50	20
5199	carminea semiplena	4 —	30
5200	chamoisrosa (roseo-lutea)	1 30	20
5201	cinnabarina, feurig zinnoberroth — vermillon brillant	1 80	20
5202	coccinea	1 40	20
5203	» fl. semipleno	8 —	40
5204	» striata	1 40	20
5205	cuspidata, mit langgezaekten u. gezähnten Petalen, alle Farben gemischt — à pétales dentelés, en mélange (1)	1 80	20
5206	» alba	2 40	20
5207	» marmorata violacea	2 40	20
5208	» purpurea	2 40	20
5209	» rubra	2 40	20
5210	» salmonea	2 40	20
5211	» violacea	2 40	20
5212	delicata, zartrosa mit weissem Auge — rose tendre à oeil blanc	1 40	20
5213	Eclipse, dunkelviolet, die schönste blane Sorte — violet foncé, la plus belle des variétés blanes	1 40	20
5214	fimbriata, mit gefransten Petalen, gemischte Farben — à pétales frangés, en mélange (2)	1 80	20
5215	fl. semipleno, gemischt — mélange	3 20	30
5216	formosa, purpurscharlach mit schwarzem Auge und weissem Schlund, extra — écarlate pourpre à oeil noir et à gorge blanche	1 60	20
5217	Fürst Bismarck, purpur, weiss gerandet — pourpre hordé blanc	1 40	20
5218	* Graf Gero	5 —	40
5219	» » alba	5 —	40
5220	» » carminea	5 —	40
5221	» » marmorata violacea	5 —	40
5222	» » gemischt — mélange	3 20	30

No.	Phlox Drummondii:	20 g	Pt.
5223	* hortensiaeflora, niedrig, grossblumig, leuchtend rosenroth, extra — nain, rose foncé brillant, à gr. fl.	3 —	20
5224	» alba, niedrig, mit grossen reinweissen Blumen — variété naine magnifique à grandes fleurs blanches	2 40	20
5225	» » oculata	2 40	20
5226	» » » superba	2 40	20
5227	» atropurpurea	3 —	30
5228	» Brillant	2 40	20
5229	» carnea, sehr zarte Farbe — très délicat	2 40	20
5230	» cinnabarina	4 —	30
5231	» coccinea	2 60	30
5232	» delicata	4 —	40
5233	» lilacina	2 40	20
5234	» purpurea, neu — nouv.	10 —	40
5235	» rosea stellata	2 60	30
5236	» roseo-marmorata	2 40	20
5237	» Triumph	4 80	40
5238	» violacea	2 20	20
5239	» » marmorata	2 20	20
5240	» zinnoberscharlach, neu — vermillon écarlate, nouv.	5 g 3,50	— — 40
5241	» » in vielen Farben gemischt — mélange	1 80	20
5242	Kronprinz, dunkelchamoisrosa, sehr leuchtend — chamoisrose foncé, très beau	1 40	20
5243	Leopoldi, roth mit weissem Stern — rose étoilé blanc	1 40	20
5244	lutea (isabellina), nankinggelb — jaune nankin	1 40	20
5245	» (isabellina) fl. semipleno	4 —	40
5246	Meteor, feurig scharlach — écarlate éclatant	1 40	20
5247	Princess Royal, weiss, violett gestreift — blanc strié violet	1 40	20
5248	pulchella, rosafilla mit dunklem Auge — lilas rosé à oeil foncé	1 40	20
5249	purpurea marmorata	1 40	20
5250	purpureo-marmorata fl. semipleno	4 —	30
5251	Queen Victoria, violett mit weissem Auge — violet à oeil blanc	1 40	20
5252	Radowitz, rosa, weiss gestreift — rose strié blanc	1 40	20
5253	» rosea	1 40	20
5254	» marmorata	1 40	20
5255	» oculata, rosa mit dunklem Auge — rose à oeil foncé	1 40	20
5256	» semiplena	7 —	40

5368. *Polygonum orientale pumilum album*.5386. *Portulaca grandiflora fl. pl.*

No.	Phlox Drummondii:	20 g	Pt.
		M.Pf.	Pf.
5257	Stern von Thüringen, chamoisrosa gestreift — chamoisrose strié	1 40	20
5258	variabilis, blau, dunkelviolettmarmoriert — bleu marbré violet foncé	1 40	20
5259	violacea pura, rein dunkelviolet — violet foncé pur	1 40	20
5260	» striata	1 40	20
5261	Washington, violett-purpur mit schwarzbraun u. weissem Schlund — pourpre-violet et brun noirâtre, à gorge blanche	1 40	20
5262	Wilhelm I., carmoisin, weiss gestreift — cramoiisi strié blanc	1 40	20
5263	zinnobercarmine — vermillon carmine	5 —	40
5264	zinnoberscharl. — vermillon écarlate	4 80	40

Phlox Δ Drummondii grandiflora:

prächtige Classe — classe magnifique:

5265	alba pura	1 60	20
5266	» oculata coerulea (2)	1 60	20
5267	atropurpurea	1 60	20
5268	» alba oculata	1 60	20
5269	» striata (1)	2 20	20
5270	Brillant	2 40	20
5271	carminea, carminrosa — rose carminé	1 60	20
5272	carnea	1 60	20
5273	chamoisrosa mit weissem Auge — à œil blanc	1 80	20
5274	coccinea	1 60	20
5275	» striata	2 20	20
5276	discoidalis elegans	2 20	20
5277	» lilacina	2 20	20
5278	isabellina, gelb, sehr schön, grossblumig — jaune, très beau	1 60	20
5279	kermesina albo-oculata	1 60	20
5280	lilacina striata	1 60	20
5281	marmorata rosea	1 80	20
5282	» violacea	1 80	20
5283	orbicularis atrorosea	1 80	20
5284	» carminea	1 80	20
5285	» violacea (4)	1 60	20
5286	purpurea	1 60	20
5287	purpureo-violacea albo-oculata	1 60	20
5288	quadricolor (picta) rosea	2 —	20
5289	» violacea	2 —	20
5290	rosea	1 60	20
5291	» alba oculata	1 60	20
5292	» aureo-stellata	2 —	20
5293	» striata	2 20	20
5294	speciosa	2 20	20

No.	Phlox Drumm. grandiflora:	20 g	Pt.
		M.Pf.	Pf.
5295	splendens (coccinea alba oculata), leuchtend scharlach mit grossem rein weissem Auge, sehr schön — écarlate éclatant à œil blanc pur (3)	1 60	20
5296	stellata atrovioacea	1 60	20
5297	» atrorosea	1 60	20
5298	» lilacea	1 60	20
5299	» rosea	1 60	20
5300	» » striata	1 80	20
5301	splendens, carminscharlach mit reinweissem Stern — écarlate carminé étoilé blanc pur	1 60	20
5302	striata coerulea	2 —	20
5303	violacea albo-oculata	1 60	20
5304	zonalis	1 60	20
5305	grossblumige Sorten gemischt — à grandes fl. en mélange	1 10	20

Phlox Δ Drummondii Heynholdi:

5306	Heynholdi, zinnoberroth, compact — compacte, vermillon	6 —	40
5307	» alba — 1000 S. 4,50, 50 S.	— —	30
5308	» cardinalis	1 g 2,50,	— —
5309	Kaiserin Augusta I	1,50,	— —
5310	» robusta	4 80	30
5311	» striata	4 —	30
5312	» » rosea	3 20	30
5313	» gemischt — mélange	4 —	40

Phlox Δ Drummondii nana compacta:

Prachtvolle Gattung von niedrigem Wuchs und grossem Blütenreichtum, reizend für Gruppen — classe magnifique d'un port compact, extrêmement florifère, très avantageux pour massifs nains.

5314	* alba grandiflora	5 —	40
5315	* » oculata	3 20	40
5316	* » » superba	3 20	40
5317	* » rubro-maculata	3 20	40
5318	* atrocarminea	4 80	40
5319	* atropurpurea	4 80	40
5320	* atrovioacea	8 —	40
5321	* carminea	5 —	40
5322	* chamoisrosa	8 —	40
5323	* coccinea, scharlachroth, reichblühend — écarlate, florifère	4 20	40
5324	* » floribunda (Leuchtkugel) — (Boule de feu)	5 —	40
5325	* » striata	4 —	40



5415. Reseda odorata pumila erecta.



5457. Ricinus zanzibariensis.

No.	Phlox Drummondii nana compacta:	20 g	Pt.
		M.Pf.	Pf.
5326 *	coerulea stellata, siehe Neuh.	—	—
	— voy. nouv.	—	60
5327 *	cuspidata	3	20 40
5328 *	Defiance	—	40
5329 *	delicata	5 g 2,50,	—
5330 *	hortensiaeflora	7	40
5331 *	Leopoldi	4	80 40
5332 *	marmorata violacea	5	40
5333 *	nivea (Schneeball) — Boule de neige	4	— 40
5334 *	punicea (cinnabarina)	8	40
5335 *	» striata	8	40
5336 *	purpurea	4	40
5337 *	» striata	4	40
5338 *	rosea stellata	3	20 40
5339 *	splendens	3	20 40
5340 *	variabilis	3	20 40
5341 *	Victoria, scharlach, grossbl. — écarlate à gr. fl.	4	— 40
5342 *	violacea	3	20 40
5343 *	» stellata	5	— 40
5344 *	niedrige Varietäten in bester Mischung — var. naines en beau mélange	3	— 30
5345	Physalis Δ Alkekengi fructu rubro	40	10
5346 *	» capsicifolia	—	60 15
5347 *	» curassavica	—	50 15
5348 *	» edulis (peruviana)	—	60 15
5349 *	» macrocarpa	—	70 15
5350 *	Franchetti, siehe Neuh. — voy. nouv.	—	— 60
5351 *	» mexicana	—	70 15
5352 *	» violacea	—	40 10
	Pied d'Alouette vide pag. 48.		
5353 *	Pistorinia, gemischt, niedliche Crassulacee, in allen Färbungen von weiss, rosa und gelb blühend — petite Crassulacée de coloris très variés de blanc, rose et jaune	1 g 1,50	— — 40
5354 *	Platystemon californicus	1	80 20
5355	Podolepis † affinis, gelb — jaune	—	30 10
5356 *	» chrysantha	—	40 10
5357 *	» gracilis	—	50 10
5358 *	» alba	—	50 10
5359 *	» » nana alba	—	60 15
5360 *	» » superba	—	60 15
5361 *	» gemischt — mélange	—	50 10
	Pois à odeur, vide Lathyrus odoratus.		
5362	Polycolymna Stuarti, weisse Strohlblume — Immortelle à fl. blanche †	—	50 10
5363	Polygonum † capitatum	2	60 20
5364 *	» elegans	—	20 10
5365 *	» orientale, schöne Decorationspflanze — belle plante ornementale	—	30 10
5366 *	» » fol. var.	—	50 15
5367 *	» » pumilum	—	30 10

No.	Polygonum orientale pumilum album, neu, 60—70 cm hoch, sehr hübsch u. reichblühend — nouv., 60 à 70 cent. de hauteur, très beau et très florifère	20 g	Pt.
		M.Pf.	Pf.
5368	Polygonum orientale pumilum album, neu, 60—70 cm hoch, sehr hübsch u. reichblühend — nouv., 60 à 70 cent. de hauteur, très beau et très florifère	3	— 30
5369 *	» pilosum, siehe Neuh. — voy. nouv.	—	— 60
5370 *	Portulaca † grandiflora alba	—	70 15
5371 *	» grandiflora alba rubro-striata	—	70 15
5372 *	» » aurea	—	70 15
5373 *	» » striata	—	70 15
5374 *	» » Bedmanni, reinweiss mit purpur Flecken — blanc pur à macules pourpres	—	80 15
5375 *	» » bronzefarbe — bronce	—	70 15
5376 *	» » carminea striata (caryophylloides)	—	70 15
5377 *	» » carnea	—	70 15
5378 *	» » coccinea	—	70 15
5379 *	» » isabellina, chamois	—	70 15
5380 *	» » rosea	—	70 15
5381 *	» » rubra purpurea striata	—	70 15
5382 *	» » splendens (Gillesi)	—	70 15
5383 *	» » sulphurea (Thorburni)	—	70 15
5384 *	» » Thellusoni, orange	—	70 15
5385 *	» » gemischt — varié	—	50 10

Portulaca † grandiflora plenissima:

— Pourpier à gr. fl. double.

5386 *	dichtgefüllte, extra Qualität, unserer eigenen Ernte, in dem prächtigsten Farbenspiel — qualité extra de nos cultures soignées	8	— 30
5387	alba	11	— 40
5388 *	» aureo-striata	11	— 40
5389	» atrorosea striata kermesina	11	— 40
5390	» aurea	11	— 40
5391	» carminea	11	— 40
5392	» citrina	11	— 40
5393	» coccinea	11	— 40
5394	» isabellino-rosea	11	— 40
5395	» kermesina	11	— 40
5396	» rosea	11	— 40
5397	» sulphurea	11	— 40
5398	» Thellusoni	11	— 40
	Pourpier, vide Portulaca.		
	Pyrethrum partheniifol. aureum: siehe Stauden — voy. Plantes vivaces.		
	Reine-Marguerite, vide pag. 39—45.		
5399	Reseda alba	—	40 10
5400 *	» odorata	kg 2,60,	— 20 10
5401 *	» » grandiflora	2,60,	— 20 10

5465. *Salpiglossis variabilis*.5518. *Salvia occinea*.

No.	20 g M.Pf.	Pt. Pf.		No.	20 g M. Pf.	Pt. Pf.	
Reseda odorata grandiflora:				5430	Ricinus cambodgensis, sehr dun-		
5402	arborea, Parson's tree	— 40	10		kellaubig, Blätter u. Stengel		
5403	aurea (Golden Queen), goldgelb,			5431	» coerulescens	— 40	10
	sehr schön — jaune d'or, très beau	— 60	15	5432	» communis major . . . kg 2,50,	— 20	10
5404	compacta nana aurea . . .	2 60	30	5433	» minor . . . » 2,20,	— 20	10
5405	» multiflora . . .	— 60	15	5434	» Duchess of Edinburgh	— 30	10
5406	» Victoria . . .	— 80	15	5435	» elegantissimus	— 30	10
5407	Crimson Queen, grossblumig,			5436	» Gibsoni, dunkelrote Blätter		
	roth — rouge, à gr. fl.	— 50	15		mit Metallglanz — feuillage		
5408	eximia, Parson's weissblü-			5437	» Gibsoni atrosanguineus	— 30	10
	hende, mit weissen Blüten			5438	» » coccineus	— 50	10
	und starkem Wohlgeruch — à fl.			5439	» » mirabilis, mit dunkler		
	blanche, très-odorante — à fl.	— 80	15		Belaubung u. carminrothen		
5409	Gabriele (imperialis), grossblumig,				Früchten — à feuillage sombre		
	dunkelroth — à gr. fleur	— 80	15		et à fruit rouge carmin	— 50	10
5410	gigantea pyramidalis, sehr ro-			5440	» giganteus . . .	— 30	10
	bust, mit langen Rispen — à épis	— 50	10	5441	» kermesino-violaceus . . .	— 50	10
	longs . . .			5442	» macrophyllus purpureus . . .	— 30	10
5411	Machet, niedrig, compact, mit brei-			5443	» philippinicus purpureus . . .	— 30	10
	ten röthlichen Blütenrispen, aus-			5444	» purpureus . . . kg 3,20,	— 20	10
	gezeichnet zur Topfcultur — nain			5445	» major . . . » 3,80,	— 20	10
	compacte, à épis larges rougeâtres;			5446	» sanguineus, schön, mit blut-		
	belle variété pour la culture en pots	1 20	20		rothen Früchten — beau à		
5412	Machet goldgelb, neu — Machet				fruit rouge sang . kg 1,40,	— 20	10
	jaune d'or, nouv.	6 —	40	5447	» » crispus	— 30	10
5413	meliorata . . . kg 3,80,	— 30	10	5448	» spec. Santa Rosa, Blätter		
5414	Mile's hybrid spiral . . .	— 40	10		dunkelkupferroth, Blüten-		
5415	pumila erecta, niedrig, compact				rispen dunkelblutroth —		
	— nain, compacte . . .	— 80	15		feuilles rouge cuivré foncé,		
5416	robusta, sehr grossblumig — à				panicules rouge sang foncé	— 40	10
	très gr. fleur . . .	— 80	15	5449	» spectabilis . . .	— 30	10
5417	thyrsoides, Pyramiden-Bouquet-			5450	» tricolor . . .	— 30	10
	Reseda — d'un port serré pyra-			5451	» zanzibariensis, neu, prach-		
	midal . . .	— 50	15		volle Blattpflanze, Blätter		
5418	Victoria, dunkelbraunroth, auf-				70—80 cm breit, bellgrün mit		
	fallend schön — rouge brunâtre				weisslichen Rippen, Samen		
	foncé . . .	— 80	15		carminroth — nouv., magui-		
5419	Rhodanthe † atrosanguinea . . .	5 —	40		fique, feuilles de 70 à 80 cm		
5420	» maculata, die schöne grossbl.				de diamètre, d'un vert clair		
	— à grandes fleurs, belle	1 40	20		à nervures blanchâtres; graine		
5421	» » alba, reinweiss mit gold-				rouge carminé . . .	— 40	10
	gelber Scheibe — blanc			5452	» zanzibariensis cinerascens	— 40	10
	pur à disque jaune . . .	1 80	20	5453	» » enormis, neu — nouv.	— 50	15
5422	» » alba fl. pleno 5 g 3,—	— 40		5454	» » maculatus . . .	— 30	10
5423	» Manglesi . . .	1 40	20	5455	» » niger . . .	— 30	10
5424	» » flore pleno . . .	9 —	40	5456	» » picturatus . . .	— 40	10
5425	Ricinus Δ africanus . . .	— 30	10	5457	» » gemischt in den präch-		
5426	» altissimus . . .	— 30	10		tigsten und neuesten Va-		
5427	» Belot Defougères . . .	— 30	10		rietäten — mélange de		
5428	» borboniensis arboreus,				variétés les plus belles	— 30	10
	riesige Species — espèce			5458	» beste Mischung der älteren		
	très-grande . . . kg 3,75,	— 20	10		Sorten — mélange des meil-		
5429	» » rubricaulis . . .	— 40	10		leures variétés . . kg —,70,	— 20	10


5538. *Saponaria multiflora*.

5570. *Scabiosa atropurpurea nana* fl. pl.

No.	20 g Pt.	M.Pf. Pf.
5459 <i>Roemeria hybrida</i> , violett — violett	3	— 30
5460 <i>Romneya Coulteri</i> , prachtvolle Papaveracee mit grossen weissen Blumen — Papaveracée magnifique à grandes fleurs blanches. Rose d'Inde, vide <i>Tagetes erecta</i> . Rose-tremière, vide <i>Althaea</i> .	4	— 40
5461 <i>Rudbeckia</i> † <i>amplexicanlis</i>	— 30	10
5462 » <i>bicolor</i> , gelb mit schwarzem Auge — jaune à oeil noir	— 40	10
5463 <i>Rumex rosens</i> , ornamentale Pflanze, auch für Topfcultur — plante ornementale, aussi pour la culture en pots †	— 40	10
5464 <i>Sabbatia campestris</i> , reizende rosa blühende Gentianee für Topfcultur — belle <i>Gentianée</i> à fl. rose, pour la culture en pots Δ 1 g 4,80,	—	— 40

Salpiglossis † variabilis:

5465 gemischt — varié, extra	— 50	10
5466 <i>atrococcinea</i>	— 70	15
5467 <i>atrocerulea</i>	— 70	15
5468 <i>aurea</i>	— 70	15
5469 <i>azureo-alba</i>	— 70	15
5470 <i>brunea</i>	— 70	15
5471 <i>coccinea</i>	— 70	15
5472 » <i>aureo-venosa</i>	— 70	15
5473 <i>fusca</i>	— 70	15
5474 <i>lilacina</i>	— 70	15
5475 <i>purpurea</i>	— 70	15
5476 <i>striata</i>	— 70	15
5477 <i>violacea</i>	— 70	15

Salpiglossis † variabilis grandiflora, grossblumige Spielarten — variétés à grandes fleurs:

5478 <i>albo-lutea</i>	1 20	20
5479 <i>brunea</i>	1 20	20
5480 <i>coccinea aureo-venosa</i>	1 20	20
5481 <i>kermesina</i>	1 20	20
5482 <i>purpurea</i>	1 20	20
5483 » <i>aureo-venosa</i>	1 20	20
5484 <i>rosea</i> »	1 20	20
5485 <i>sulphurea</i>	1 20	20
5486 <i>violacea</i>	1 20	20
5487 gemischt — mélange	1	— 20

Salpiglossis † variabilis nana:

5488 <i>aenea</i> , bronce	— 80	15
5489 <i>albo-lutea</i>	— 80	15
5490 <i>atrobrunea</i>	— 80	15
5491 <i>atrosanguinea</i>	— 80	15
5492 <i>atroviolacea</i>	— 80	15
5493 <i>aurea</i>	— 80	15
5494 <i>azurea</i>	— 80	15
5495 <i>brunea</i>	— 80	15

No.	20 g Ft.	M.Pf. Pf.
5496 <i>coccinea</i>	— 80	15
5497 <i>lilacina</i>	— 80	15
5498 <i>lilaeo-rosea</i>	— 80	15
5499 <i>nigra</i>	— 80	15
5500 <i>Papageno</i> , grünlichgelb — vert-jaunâtre	— 80	15
5501 <i>purpurea</i>	— 80	15
5502 <i>rosea</i>	— 80	15
5503 <i>sulphurea</i>	— 80	15
5504 <i>venosa</i>	— 80	15
5505 <i>violacea</i>	— 80	15
5506 Mischung — mélange	— 50	10

Salpiglossis † variabilis pumila:

5507 <i>albo-lutea</i>	— 80	15
5508 <i>atrobrunea</i>	— 80	15
5509 <i>coccinea</i>	— 80	15
5510 <i>fusca</i>	— 80	15
5511 <i>lilacina</i>	— 80	15
5512 <i>nigra</i>	— 80	15
5513 <i>purpurea</i>	— 80	15
5514 <i>sulphurea</i>	— 80	15
5515 gemischt — mélange	— 60	15
5516 <i>Salsola</i> † <i>Soda</i>	— 40	10

5517 *Salvia carduacea*, grossbl., hellblau — à gr. fl. bleu clair

5518 » <i>coccinea</i> †, scharlach — écarlate	— 60	15
5519 » » <i>hybrida</i>	— 80	15
5520 » » <i>lactea</i> , reinw. — blanc pur	1 20	20
5521 » » <i>nana compacta</i>	— 70	15
5522 » » <i>punicea nana</i>	1	— 20
5523 » » <i>rosea nana</i>	— 80	15
5524 » » <i>splendens</i>	1 30	20

5525 » *farinacea*, mit langen Blütenähren vom schönsten Hellblau, blüht ununterbrochen — à épis de fleurs d'un beau bleu clair, fleurissant abondamment Δ

5526 » <i>farinacea alba</i>	6	— 40
5527 » <i>Horminum alba</i>	— 20	10
5528 » » <i>rubra</i>	— 20	10
5529 » » <i>violacea</i> (Williams' <i>Salvia</i> <i>Blancbart</i>)	— 20	10
5530 » <i>nilotica</i>	— 30	10

5531 » *prunelloides* †, mit enziablauen Blumen, sehr reichblühend — à fl. bleu foncé, très florifère

5532 » » <i>purpurea</i>	1 60	20
5533* » <i>Roemeriana</i> , niedrig, scharlachroth — écarlate, nain †	1 30	30
5534 » <i>sanguinea grandiflora</i> †	— 80	15
5535* <i>Sanvitalia</i> † <i>procumbens</i>	— 40	10
5536* » <i>procumbens</i> fl. pleno	— 70	15
5537* » » <i>plenissima compacta</i>	2 40	30

5585. *Schizanthus grandifl. oculatus*.5636. *Senecio elegans pomponicus*.

No.	20 g	Pt.
	M.Pf.	Pf.
5538 * <i>Saponaria multiflora</i> (calabrica), roth, schön zu Einfassungen — rouge, pour bordures	— 20	10
5539 * » <i>multiflora alba</i>	— 20	10
5540 * » » <i>delicata</i>	— 40	10
5541 * » » <i>marginata</i>	— 40	10
5542 * » » <i>rosea</i>	— 40	10
5543 » » Scarlet Queen , sehr dunkel — rouge très foncé	— 40	10
5544 * » » <i>splendens</i> , leuchtendroth — rouge brillant	— 30	10
5545 * » » <i>compacta</i> , roth — rouge	— 30	10
5546 * » » » <i>alba</i>	— 30	10
5547 * » » » <i>rosea</i>	— 30	10
5548 * » » <i>gemischt</i> — mélange	— 20	10
5549 * <i>Saxifraga Cymbalaria</i> (Huetti), reizende Miniaturpflanze, mit glän- zend grüner Belaubung und leuch- tend gelben Blumen — oharmante petite plante à feuillage vert lui- sant et à fleurs jaune brillant Δ	1 g 1,50,	— 40
Sauge, vide <i>Salvia</i> .		
Scabiosa † atropurpurea:		
5550 <i>candidissima plena</i> , beste Sorte zu Bindezwecken — la meilleure pour la confection des bouquets	— 30	10
5551 Schneeball — boule de neige	— 50	10
5552 <i>major</i> , 10 Farben, sep. jede — 10 cou- leurs séparées chacune	— 30	10
5553 » <i>in allen Farben gemischt</i> — beau mél.	— 20	10
5554 » <i>aurantiaca</i>	— 50	10
5555 » Riesen - Mohrenkönig — roi des noirs geant	— 50	10
5556 » <i>sulphurea</i>	— 40	10
5557 » <i>compacta atropurpurea</i>	— 40	10
5558 <i>grandiflora compacta fl. pl.</i> , 6 Farben, separat jede — 6 coul., sép. chacune	— 60	15
5559 » <i>compacta fl. pl.</i> , <i>gemischt</i> — mélange	— 50	10
5560 <i>maxima</i> (<i>grandiflora</i>) <i>plena</i> , die grösstblum., sehr gefüllt, 10 Farben, separat jede — à fleurs grandes, très-doubles, 10 couleurs séparées chacune	— 50	10
5561 » <i>fl. pl. gemischt</i> — varié kg 10 —, ...	— 40	10
5562 » » » feurigscharlach — <i>écarlate feu</i>	1 20	20
5563 » » » <i>rosacarmin</i> — rose <i>carminé</i>	— 80	15
5564 » » » Pompadour , neu — nouv.	— 40	

No.	20 g	Pt.
	M.Pf.	Pf.
5565 <i>minor fl. pl. kitschroth</i> — rouge cerise	— 40	10
5566 » <i>aurea fl. pl.</i> , die beste gelbe, werthvoll als Schnittblume — à fl. jaune pur, d'une grande valeur pour la coupe	1 20	20
5567 <i>nana fol. aureis</i> , goldgelbblättrig — à feuillage jaune d'or	— 50	15
5568 » <i>plena</i> , gefüllte niedrige in 8 Farben, separat jede — naines à fl. doubles, 8 coul. sép. chacune	— 40	10
5569 » <i>fl. pl.</i> , schwarzbraun, beste dunkle Sorte für Bindezwecke — brun noirâtre, la meil- leure variété pour la con- fection de bouquets	— 60	15
5570 » <i>plena</i> , <i>gemischt</i> — varié	— 30	10
5571 » <i>striata plena</i>	— 30	10
5572 <i>pumila flore pleno</i> , Tom Thumb Classe, 5 Farben, separat jede — Tom Pouce, 5 couleurs sép. chacune	— 60	15
5573 » <i>gemischt</i> — varié	— 40	10
5574 <i>Scabiosa calyptrocarpa</i>	— 40	10
5575 » <i>prolifera</i> , ähnlich <i>stellata</i> — semblable à <i>stellata</i>	— 30	10
5576 » <i>stellata</i> , interessant	— 40	10
5577 » <i>tenuis</i>	— 80	15
5578 <i>Schistanthe peduncularis</i> , orange- ziegelroth — rouge orange †	— 40	10

Schizanthus:

5579 <i>gracilis</i>	— 30	10
5580 » <i>purpureus</i>	— 30	10
5581 Grahami †	— 40	10
5582 » <i>carmineus</i> , neu — nouv.	1 40	20
5583 » <i>carneus</i>	— 40	10
5584 » <i>lilacinus</i>	— 40	10
5585 <i>grandiflorus oculatus</i>	— 30	10
5586 » <i>albus</i>	— 30	10
5587 » <i>maculatus</i>	— 30	10
5588 <i>hybridus comp. pyramidalis</i>	— 40	10
5589 <i>oculatus atropurpureus</i>	— 30	10
5590 <i>papilionaceus</i>	— 30	10
5591 » <i>pyramidalis</i>	— 40	10
5592 <i>pinnatus</i>	— 30	10
5593 » <i>albus</i>	— 30	10
5594 » <i>compactus albus</i> , siebe Neuh. — voy. nouv. —	— 50	
5595 » » <i>albus oculatus</i> , siebe Neuh. — voy. nouv. —	— 50	
5596 » <i>niveus</i>	— 40	10
5597 » <i>roseus</i> , zartrosa mit blut- rothen Flecken — rose tendre à taches rouge sang	— 40	10



5634. *Silene pendula compacta*.



5636. *Solanum laciniatum*.

No.	Schizanthus:	20 g Pt.	No.	Silene:	20 g Pt.	No.	Silene:	20 g Pt.
		M.Pf. Pf.			M.Pf. Pf.			M.Pf. Pf.
5598	pinnatus tigridioides	— 30 10	5637	Armeria	kg 3,50, — 20 10			
5599	» Tom Thumb lilacinus	— 60 15	5638	» fl. albo	» 3,50, — 20 10			
5600	» » » purpureo-oculatus	— 60 15	5639	» fl. roseo	» 3,50, — 20 10			
5601	» » » purpureus	— 60 15	5640	* Atocion	» 2,50, — 20 10			
5602	» » » gemischt — mélange	— 40 10	5641	* Bergeri (regia)	» 2,50, — 20 10			
5603	porrigens	— 30 10	5642	* integripetala	— 30 10			
5604	refusus, roth — rouge †	— 40 10	5643	* maritima	— 40 10			
5605	» fl. albo	— 40 10	5644	orientalis	— 40 10			
5606	» nanus	— 40 10	5645	» alba	— 40 10			
5607	» » fl. albo	— 80 15	5646	» compacta	— 30 10			
5608	» mit weisslichen Flecken — à macules blanchâtres	1 40 20	5647	* pendula (rosea graeca)	kg 1,80, — 20 10			
5609	venustus	— 30 10	5648	» alba	» 2,40, — 20 10			
5610	violaceus	— 30 10	5649	» » fl. pl.	— 30 10			
5611	gemischt	— 20 10	5650	* Bonnetti, dunkelpurpur — pourpre foncé	— 20 10			
5612	Schizopetalum Walkeri Δ	1 — 20	5651	» » carnea fl. pleno	— 30 10			
5613	§ Scyphanthus elegans Δ, gelb — jaune	— 40	5652	» » flore pleno	— 30 10			
5614	* Sedum coeruleum, ganz niedrig, blau — tout nain, bleu clair Δ	3 80 40	5653	» » carnea plena	— 30 10			
Senecio † elegans plenissimus: (Senecion des Indes).			5654	» » compacta, rosa — rose	— 30 10			
5615	albus, weiss — blanc	2 40 20	5655	» » alba	— 30 10			
5616	atropurpureus	2 40 20	5656	» » fl. pleno	— 50 10			
5617	carneus	2 40 20	5657	» » Bonnetti	— 40 10			
5618	coeruleus	2 40 20	5658	» » Empress of India	1 20 20			
5619	cupreatus	2 40 20	5659	» » foliis aureis	— 50 10			
5620	ruber	2 40 20	5660	» » rosea flore pleno, niedrige dichtgefüllte rosenrothe — variété naine à fl. rose très double	— 50 15			
5621	violaceus	2 40 20	5661	» » ruberrima	— 40 10			
5622	gemischt — varié	1 80 20	5662	» » Snow King, reinweiss — blanc pur	— 80 15			
* Senecio † elegans nanus plenissimus:			5663	» » delicata fl. pleno	— 40 10			
5623	albus	2 40 20	5664	» » rosea plena	— 30 10			
5624	atroroseus (ruber)	2 40 20	5665	» » ruberrima	— 20 10			
5625	coeruleus	2 40 20	5666	» » plena	— 40 10			
5626	cupreus	2 40 20	5667	* procumbens	— 20 10			
5627	isabellinus, chamois	2 40 20	5668	* pseudo-Atocion	— 20 10			
5628	purpureus	2 40 20	5669	* pulchella	— 30 10			
5629	violaceus	2 40 20	5670	* reticulata	— 20 10			
5630	gemischt — varié	1 80 20	5671	rubella	— 20 10			
Senecio † elegans pomponicus:			5672	Saponaria	— 30 10			
5631	purpureus, allerliebste pomponblüthige Classe, mit dichtgefüllten, kleinen, runden Blumen. Bau der Pflanzen sehr regelmässig — classe très belle à port régulier et à fleurs rondes, très doubles	2 40 20	5673	gemischt — mélange	kg 1,80, — 20 10			
5632	crème-farbe — crème	2 40 20	5674	Silybum eburneum	— 40 10			
5633	cupreus	2 40 20	5675	Solanum Δ aculeatissimum	— 70 15			
5634	rubus (atroroseus)	2 40 20	5676	* atropurpureum, Stengeldunkelpurpur, Blätter schwarzgrün — feuilles vert noirâtre, tiges pourpre foncé	— 50 10			
5635	roseus, neu — nouv.	4 — 40	5677	» Balbisi	— 50 10			
5636	pomponblüthige, gemischt — mélange	1 80 20	5678	» ciliatum	— 60 15			
Sensitive, vide Mimosa pudica.			5679	» citrullifolium	— 40 10			
			5680	» erythrocarpum	— 70 15			
			5681	» Fontanesianum	— 70 15			
			5682	» Gilo, mit runden grossen scharlachrothen Früchten — à fruits ronds écarlates	— 50 10			

5749. *Tagetes patula nana* Goldrand.5757. *Tagetes patula nana* fl. pl.

No.		20 g	Pt.
		M.Pf.	Pf.
5683	<i>Solanum guineense</i>	— 40	10
5684	» <i>haematocarpum</i>	— 50	10
5685	» <i>Jacquinii</i>	1 10	20
5686	» <i>laciniatum</i> , prächtige Blatt- pflanze für Rasenplätze — belle plante ornementale pour les gazons	— 50	10
5687	» <i>Lobeli</i>	— 50	10
	» <i>Lycopersium</i> , Liebesapfel, v. p. g. 14 — 15.		
	» <i>Melongena</i> , Eierfrucht, vide pag. 13.		
5688	» <i>ochroleucum</i>	— 40	10
5689	» <i>racemigerum</i>	— 40	10
5690	» <i>reclinatum</i>	— 40	10
5691	» <i>rosarigerum</i>	— 40	10
5692	» <i>rostratum</i>	— 40	10
5693	» <i>slaymbriifolium</i>	— 40	10
5694	» <i>sodomacum</i>	— 40	10
5695	» <i>texanum</i>	— 50	10
5696	» <i>vescum</i>	— 50	10
5697	» <i>Zuccagnianum</i> , reizend — joli » andere s. Topfgewächse — pour autres voy. Plantes de serre.	— 80	15
	Soleil, vide <i>Helianthus</i> .		
	Souci » <i>Calendula</i> .		
5698*	<i>Spergularia azoroides</i>	1 —	20
5699*	<i>Sphenogyne</i> † <i>anthemoides</i>	— 30	10
5700*	» <i>speciosa</i>	— 30	10
5701*	» » <i>aurea</i>	— 30	10
5702*	» » <i>sulphurea</i>	— 30	10
5703*	<i>Spilanthes</i> † <i>alba</i> , weisser Husaren- knopf — bouton de hussard, blanc	— 70	15
5704*	» <i>oleracea</i>	— 70	15
5705*	<i>Spraguea umbellata</i> , mit zar- ten, durchsichtigen rosa Blumen in Verbenen ähnlichen Dolden — à fleurs rose tendre en ombelles semblables aux Verveines	8 —	40
5706	<i>Stachys coccinea</i> , hellscarlach — écarlate clair †	— 60	15
5707	<i>Statice</i> † <i>Bondueili</i> , gelb — jaune kg 4 —	— 20	10
5708	» <i>leptostachya</i> , schön — beau kg 4 —	— 20	10
5709	» <i>sinuata</i> , blau — bleu kg 4 —	— 20	10
5710	» <i>candidissima</i>	— 30	10
5711	» <i>hybrida</i>	— 30	10
5712*	» <i>spicata</i>	— 50	10
5713	» <i>superba</i>	— 80	15
5714	» <i>fl. albo</i> , siehe Neuh. — voy. nouv.	— —	60
5715	» <i>Suworowi</i> , mit langen hell- rosa Blütenrispen — à épis de fleurs d'un rose brillant	— 70	15

No.		20 g	Pt.
		M.Pf.	Pf.
5716	<i>Statice Thouini</i> kg 4 —	— 20	10
5717	<i>Stevia</i> † <i>Eupatorium</i> , weiss — blanc	— 80	15
5718	» <i>Lindleyana</i>	— 80	15
5719	» <i>purpurea</i>	— 70	15
5720	» » <i>flore albo</i>	— 70	15
5721	» <i>serrata</i> , weiss, werthvoll für Bouquets — blanc, d'un grand mérite pour la confection des bouquets	1 20	30
5722	<i>Suaeda deudroides</i> , Pall. (<i>Salsola eri-</i> <i>coides</i> , Bieb.) †	— 40	10
	Tabao, vide <i>Nicotiana</i> .		

Tagetes † *erecta* fl. pl.:

5723	<i>aurantiaca plena</i>	— 50	10
5724	<i>Eldorado</i>	— 60	15
5725	<i>fistulosa aurantiaca</i> pl.	— 50	10
5726	» <i>sulphurea</i> pl.	— 50	10
5727	<i>nana aurantiaca</i> pl.	— 50	10
5728	» <i>pallida</i> fl. pl.	— 50	10
5729	» <i>sulphurea</i> pl.	— 50	10
5730	<i>pallida plenissima</i>	— 50	10
5731	» <i>fistulosa</i> pl.	— 50	10
5732	<i>sulphurea</i> pl.	— 50	10
5733	<i>gemischt</i>	— 40	10
5734	<i>Tagetes lucida</i> , gelb, in Büscheln blühend, wohlriechend — jaune, odorant	— 60	15

Tagetes *patula* fl. pl.:

5735	<i>elatior brunea</i> fl. pl.	— 50	10
5736	» <i>aurantiaca</i> pl.	— 50	10
5737	» <i>fistulosa brunea plena</i> (<i>favi-</i> <i>flora</i>)	— 50	10
5738	» » <i>aurea</i> pl.	— 50	10
5739	» <i>lutea</i> fl. pl.	— 50	10
5740	» <i>punctata</i> fl. pl. (<i>pulchra</i>)	— 50	10
5741	» <i>striata</i> pl.	— 50	10
5742*	<i>nana aurea globosa</i> , reizende kleine goldgelbe Blumen — à pe- tites fleurs jaune d'or	— 50	10
5743*	» <i>aurea fistulosa plena</i>	— 40	10
5744*	» <i>brunea</i> fl. pl.	— 50	10
5745*	» <i>brunea fistulosa</i> pl.	— 50	10
5746*	» <i>compacta</i> , goldgestreifte — jaune d'or strié	— 60	15
5747*	» <i>Cloth of Gold</i>	— 60	15
5748*	» <i>Ehrenkreuz</i> — <i>Légion</i> <i>d'honneur</i> , einfachblüh., gelb, braun gefleckt — à fl. simple jaune maculé brun	— 50	10
5749*	» <i>Goldrand</i> , neu — à bord dore, nouv.	1 —	20
5750*	» <i>lutea</i> pl.	— 50	10


5769. *Thunbergia alata*.

5777. *Torenia Fournieri* White Wings.

No.	<i>Tagetes patula</i> fl. pl.:	20g	Pt.
		M.Pf.	Pf.
5751*	<i>nana fistulosa lutea</i> pl.	— 50	10
5752*	» <i>Liliput</i>	— 60	15
5753*	» <i>pulchra plena</i> , goldgelb mit dunkelbraun gefleckt — jaune d'or maculé brun foncé	— 50	10
5754*	» <i>Reginae</i>	— 50	10
5755*	» <i>striata plena</i>	— 50	10
5756	hohe Sorten gemischt — variétés grandes, mélange	— 40	10
5757	niedrige Sort. gemischt — variétés naines en mélange	— 40	10
5758	<i>Tagetes signata</i>	— 50	10
5759	» <i>signata maculata</i>	— 50	10
5760*	» » <i>pumila</i> , niedlich, reichblühend, für niedrige Gruppen u. Einfassungen — espèce naine florifère, précieuse pour bordures et massifs	— 50	10
5761*	» » <i>pumila</i> Golden Ring, rein goldgelb, sehr niedrig — jaune d'or pur, très nain	— 60	15
5762	<i>Talinum patens</i> Δ	2 50	20
	<i>Thlaspi</i> , vide <i>Iberis</i> .		
5763 §	<i>Thunbergia</i> Δ <i>alata</i> , nanking mit schwarzem Auge — nanking à œil noir	1 20	20
5764 §	» <i>alata alba</i> , weiss mit schwarzem Auge — blanc à œil noir	1 20	20
5765 §	» <i>alata intus alba</i> , nanking mit weissem Auge — nanking à œil blanc	1 20	20
5766 §	» » <i>aurantiaca</i> , goldgelb mit schwarzem Auge — jaune d'or à œil noir	1 20	20
5767 §	» » <i>Bakeri</i> , rein weiss — blanc	1 20	20
5768 §	» » <i>sulphurea</i> , schwefelgelb — jaune soufre	1 20	20
5769 §	» » gemischt — mélange	1 —	20
	<i>Tolpis</i> , vide <i>Crepis</i> .		
5770	<i>Torenia Bailloni</i> , leuchtend goldgelbe, im Schlunde braun gefleckte Blumen — à fleurs jaunes d'or brillant tachées de brun noir dans la gorge Δ	8 —	30
5771	» <i>Fournieri</i> (edentula), grosse himmelblau Blumen mit dunkel indigo Flecken — fleurs grandes, bleu-ciel à taches indigo foncé Δ	7 —	30
5772	» <i>Fournieri compacta</i> Δ	14 —	40
5773	» » <i>compacta alba</i> 1 g 3, —	—	40
5774	» » <i>grandiflora</i> , grossblum. — gr. fl. Δ	8 —	30

No.		20g	Pt.
		M.Pf.	Pf.
5775	<i>Torenia Fournieri grandif. coelestina</i>	g 3,50,	— 40
5776	» <i>Fournieri speciosa</i> , siehe Neuheiten — voy. nouv.	—	80
5777	» » <i>White Wings</i> , weiss, schön — blanc, beau	8 —	30
5778	<i>Trachelium</i> Δ <i>coeruleum</i>	1 20	20
5779	» <i>coeruleum</i> fl. albo	1 20	20
5780	» » fl. carneo	1 20	20
5781	» » lilacino	1 50	20
5782	<i>Trachymene</i> (Didiscus) <i>coerulea</i>	— 80	15
5783	<i>Tridax bicolor rosea</i> , reichblühende, rosenrothe Composite — Composée très florifère à fleurs rose délicat à disque jaune Δ	— 80	15
5784	<i>Trifolium arvense</i>	— 50	10
5785	» <i>suaveolens</i> , wohlriechend — odorant	— 30	10

§ *Tropaeolum majus*:

5786	gemischt — mélange	kg 3,30,	— 20	10
5787	<i>atropurpureum</i>	» 4 —,	— 30	10
5788	» <i>foliis aureis</i> , mit goldgelben Blättern — à feuilles dorées	— 60	15	
5789	<i>coccineum</i>	kg 4 —,	— 30	10
5790	» <i>foliis aureis</i> , neu — nouv.	1 —	20	
5791	<i>Dunnett's Orange</i>	kg 4,30,	— 30	10
5792	<i>Eduard Otto</i> , sammtig broncefarbig — bronzé velouté	kg 4,30,	— 30	10
5793	<i>flammeum</i> , scharlach mit purpur geflammt — écarlate rayé pourpre	— 40	10	
5794	<i>hemisphaericum</i> , gelblich orange — orange jaunâtre	kg 6 —,	— 40	10
5795	<i>Hunneimanni</i> , ledergelb — jaune cuir	— 40	10	
5796	<i>luteum</i> , gelb — jaune	kg 4,30,	— 30	10
5797	<i>nigro-purpureum</i> (King Theodore, rankend), fast schwarz — presque noir	kg 13,50,	— 50	15
5798	<i>Pearl</i> , gelblich weiss — blanc jaunâtre	kg 7 —,	— 40	10
5799	<i>Prinz Heinrich</i> — Prince Henri	— 60	15	
5800	<i>Regelianum</i> (purpureum)	kg 4,30,	— 30	10
5801	<i>Sebeuermannii</i> , strohgelb braungest. — jaune paille strié brun	— 30	10	
5802	<i>coccineum</i> , strohgelb, scharlach gestreift — jaune de paille strié écarlate kg 4 80, ...	— 30	10	
5803	<i>Schillingii</i> , gestreift — strié	» 4 —,	— 30	10
5804	<i>Vesuvius</i> , s. Neuh. — voy. nouv.	— 60		
5805	von Moltke, bläulichrosa — rose bleuâtre	kg 6 —,	— 30	10

5876. *Verbena hybrida auriculaeiflora*.

No.	20 g M.Pf.	Pf.
<i>Tropaeolum majus nanum</i> (Tom Thumb):		
5806 * <i>atrococcineum</i>	kg 8,—	— 40 10
5807 * <i>aurora</i> , dunkelchromgelb, purpurcarmin gefleckt und carminroth geadert — jaune rougeâtre, maculé et veiné de carmin pourpré	kg 9,—	— 40 10
5808 * <i>Beauty</i> , scharlach geflammt — flamme écarlate	kg 8,—	— 40 10
5809 * <i>bronzefarben</i> — bronze	—	— 60 15
5810 * <i>Chamaeleon</i> , strohgelb, roth gefleckt und geadert — jaune paille, maculé et veiné de rouge	—	— 60 15
5811 * <i>coccineum</i>	kg 8,—	— 40 10
5812 * » <i>foliis aureis</i> , scharlachroth mit goldgelben Blättern — écarlate à feuilles dorées	—	— 60 15
5813 * <i>coeruleo-roseum</i>	kg 8,60,	— 40 10
5814 * <i>Crystal Palace</i> Gem, strohgelb, roth und braun marmorirt — jaune paille marbré rouge et brun kg 8,—	—	— 40 10
5815 * <i>Empress of India</i> , dunkellaubig, dunkelscharlachrothe Blumen — à feuillage sombre, à fl. écarlate foncé	kg 20,—	— 80 15
5816 * <i>Golden King</i>	—	— 50 15
5817 * <i>King of Tom Thumbs</i> , scharlach mit dunkler Belaubung — écarlate à feuillage foncé kg 16,—	—	— 60 15
5818 * <i>King Theodore</i> , mit schwarzrothen Blumen — à fleurs rougeonâtre	kg 24,—	— 60 15
5819 * <i>Ladybird</i> , gelb, roth gefleckt — jaune, maculé rouge	1 20 20	
5820 * <i>Lilli Schmidt</i> , hell-scharlach — écarlate clair	kg 8,—	— 40 10
5821 * <i>luteum</i> (yellow)	» 8,—	— 40 10
5822 * <i>Pearl</i> , gelblichweiss — blanc jaunâtre	kg 8,60,	— 40 10
5823 * <i>Prinz Heinrich</i>	» 10,50,	— 40 10
5824 * <i>punctatum</i> (spotted)	» 8,—	— 40 10
5825 * <i>purpureum</i> (crimson)	» 8,—	— 40 10
5826 * <i>roseum</i>	» 10,—	— 40 10
5827 * <i>Rubin-König</i>	» 13,50,	— 50 15
5828 * <i>Schenermanni coccineum</i>	» 8,—	— 40 10
5829 * <i>gemischte Zwerg</i> — nain en mélange	kg 6,50,	— 30 10

§ *Tropaeolum Lobbianum*:

580 <i>Asa Gray</i> , gelblichweiss — blanc jaunâtre	2 — 20
5831 <i>atropurpureum</i>	— 50 10
5832 <i>Brillant</i>	— 50 10

No.	20 g M.Pf.	Pf.
<i>Tropaeolum Lobbianum</i>:		
5833 <i>cardinale</i>	—	50 10
5834 <i>Caroline Schmidt</i>	—	50 10
5835 <i>coccineum multiflorum</i>	—	50 10
5836 <i>Crystal Palace scarlet</i>	—	50 10
5837 <i>Duc de Vicence</i>	—	50 10
5838 <i>Firefly</i>	—	50 10
5839 <i>flammulum grandiflorum</i>	—	50 10
5840 <i>fulgens</i>	—	50 10
5841 <i>Géant des batailles</i>	—	50 10
5842 <i>Hookeri</i>	—	40 10
5843 <i>hybridum Mme. Gunter</i> , neue Hybriden in reizenden Färbungen — hybrides nouveaux en variétés très diverses	1 —	20
5844 <i>Kotschianum multiflorum</i>	—	50 10
5845 <i>Kronprinz von Preussen</i>	—	50 10
5846 <i>Liliput (compactum)</i> , neueniedrige kleinblumige Varietäten in feinsten Mischung — var. nouvelles naines à petites fleurs en beau mélange	2 60 30	
5847 <i>Lilli Schmidt</i>	—	50 10
5848 <i>Lucifer</i>	—	60 15
5849 <i>Napoleon III.</i>	—	50 10
5850 <i>Queen Victoria</i>	—	50 10
5851 <i>Roi des noirs</i>	—	60 15
5852 <i>Spitfire</i>	—	50 10
5853 <i>Triomphe d'Hyères</i>	—	50 10
5854 » <i>du Prado</i>	—	50 10
5855 viele Sorten gemischt	kg 5,20,	— 30 10
5856 <i>Tropaeolum minus (trimaculatum)</i>	—	50 10
5857 » <i>minus coccineum</i>	—	60 15
5858 § » <i>Moritzianum</i> Δ	5 S.	— 30
5859 § » <i>peregrinum (canariense)</i> , Blumen gelb, gefranst, sehr schöne Schlingpflanze — fleurs jaunes frangées, très belle plante grimpante †	1 —	20
5860 <i>Valeriana</i> † <i>rubra</i>	—	30 10
5861 » <i>rubra alba</i>	—	30 10
5862 » » <i>coccinea</i>	—	30 10
5863 * <i>Venidium</i> † <i>calenduloides</i> , goldgelb, sehr reichblühend — jaune d'or, très florifère	—	50 10
5864 * » <i>calenduloides sulphureum</i>	—	50 10
5865 <i>Verbena</i> † <i>Aubletia grandiflora</i>	—	50 10
5866 » <i>Aubl. nana candelabra</i>	—	50 10
5867 » <i>Drummondii (montana)</i>	—	40 10
5869 » <i>erinoides</i> , neu, purpurviolett, sehr reichblühend — nouv., pourpre violacé, très florifère	3 60 40	
5870 » <i>pulchella</i>	—	40 10
5871 » <i>pulcherrima (geraniifolia)</i>	—	40 10
5872 * » <i>teucrioides (Niveni)</i> , weis, wohlriechend — blanc, odorant	—	40 10
5873 * » <i>venosa</i> , reizend, für Rabatten und Einfassungen — très propre pour massifs ou bordures Δ	—	50 15


***Verbena* Δ *hybrida*:**

5874 schöner Rommel — beau mélange	—	80 15
5875 grossblumige in reichem Farbenspiel, sehr schöne Qualität — premier choix à gr. fl. en mélange	1 60 20	
5876 extra von den schönsten und grossblumigsten aurikelblumigen Varietäten gesammelt — extra à fleurs d'Auricules à large oeil blanc, graines récoltées sur les meilleures variétés	2 40 30	
5877 extra ausgewählte Rangblumen, im brillantesten Farbenspiel, ganz extra — à fleurs et à corymbes très-larges de tout premier choix, extra	2 60 30	
5878 <i>alba</i> , reinweiss — blanc pur	—	80 15
5879 <i>atroviolacea</i> , rein dunkelviolett — violet foncé pur	1 40 20	
5880 <i>candidissima</i> , sehr grossblumig, reinstes Weiss — blanc très pur, à très grandes fleurs, nouv.	2 —	20
5881 » <i>fol. aureis</i>	3 —	30

No.	Verbena hybrida:	20 g	Pt.
	M.Pf.	Pf.	
5882	carminea foliis aureis	4	40
5883	cinnabarina oculata	5	40
5884	coccinea, rein scharlach — écarlate pur	2	20
5885	» fol. aureis, goldgelbblättrig — à feuillage doré 1 g 1,25, ...	—	40
5886	» oculata, rein scharlach mit weissem Auge — écarlate pur à oeil blanc	2	40 30
5887	coerulea, rein dunkelblau — bleu foncé pur	1	40 20
5886	» oculata, dunkelblau mit weissem Auge — bleu foncé à oeil blanc	2	— 20
5889	Défiance, feurig scharlach — écarlate feu	3	20 30
5890	Défiance purpurea, purpurroth — pourpre	4	— 40
5891	foliis aureis, gemischte Farben — en mélange	2	60 30
5892	lutea	2	— 20
5893	Mammuth (grandiflora), Mischung der grossblumigen Varietäten, bringt einen guten Procentsatz echter Pflanzen — mélange de variétés à très grandes fleurs	3	20 30
5894	nigro-violacea albo-oculata, schwarzblau mit weissem Auge — bleu noirâtre à oeil blanc	2	40 30
5895	Purpurmantel — Manteau pourpre	3	20 40
5896	purpurviolett mit weisser Mitte — violet pourpre à centre blanc	3	20 30
5897	striata, italienische gestreifte Hybriden in allen Farben gemischt — Hybrides striés, toutes les couleurs en mélange	2	— 20
5898	» grandiflora, grossblumige gestreifte, extra — var. à grandes fleurs striées	3	60 40

Verbena Δ hybrida compacta:

5899	cupreata, kupferscharlach — écarlate cuivré	4	— 30
5900	Défiance, neu — nouv. 5 g 3,50, ...	—	40
5901	erecta atrosanguinea 5 » 2,50, ...	—	40
5902	» candidissima	5	— 40
5903	» carminea	8	— 40
5904	» coccinea	7	— 40
5905	» oculata	5	— 40
5906	» Deutscher Kronprinz, neu — nouv. 5 g 2,50, ...	—	40
5907	» violacea	5	— 40
5908	rosea	2	60 30
5909	violacea oculata	2	60 30
5910	Niedr. Sort. in Prachtmischung — mélange de var. naines, extra — Einfassungen — bleu foncé, pour bordures	4	— 30
5911	* Veronica $\dagger$ glauca, dunkelblau, zu Einfassungen — bleu foncé, pour bordures	—	60 15
5912	* » syriaca, reizend — joli	—	70 15
5913	* » fl. albo	1	— 20
5914	Vicia atropurpurea	—	30 10
5915	» calcarata, roth u. blau — rouge et bleu	—	30 10
5916	» fulgens, dunkelroth — rouge foncé	—	40 10
5917	» Gerardi	—	40 10
5918	» globosa	—	30 10
5919	» onobrychioides, blan — bleu	—	30 10
5920	» pseudocracca	—	40 10
5921	» tricolor, sehr hübsch — très-beau	—	50 10
5922	* Viola $\dagger$ cornuta alba	1	60 20
5923	* » cornuta Admiration	3	20 30
5924	* » » Blue perfection	2	60 30
5925	* » » Lothringen, s. Neuh. — LaLorraine, voy. nouv.	—	60
5926	* » Mauve Queen, lilablau — bleu lilacé	2	50 30
5927	* » » Purple Queen, blauviolett — violet bleuâtre	1	80 20
5928	* » » magnifica, dunkelviolet — violet foncé	2	60 30



5940. Viola tric. max. Cassier.

No.	20 g	Pt.
	M.Pf.	Pf.
5929	* Viola cornuta Sensation	2 60 30
5930	* » » White Perfection	2 20 30
5931	* » » gemischt — mélange	1 40 20
5932	* » lutea, reingelb — jaune pur	— 60 15
5933	* » splendens	— 80 15

Obige Sorten sind sehr schön für Frühjahrs-Gruppen. — Les variétés précédentes sont très-belles pour massifs et bordures.

*** Viola $\dagger$ tricolor maxima.**

Pensées:

5934	alle Farben gemischt, sehr schön — toutes les couleurs en beau mélange	— 90 15
5935	echte englische Pensées 1. Ranges — qualité supérieure de Pensées anglaises, 1 ^{er} rang	1 40 20
5936	grossblum. französische gemischt, meist purpur und violette Schattirungen mit schönen Zeichnungen, extra — à très grandes fleurs, les nuances pourpre et violet prédominantes, choix extra	1 40 20
5937	Mischung der schönsten Sorten in unübertrefflicher Qualität — mélange des plus belles variétés, choix extra	1 60 20
5938	Elite-Mischung der grössblumigen Cassier und Trimardeau Pensées — mélange d'élite de Pensées Cassier et Trimardeau à très grandes fl.	6 — 40
5939	Bugnot's grossfleckige extra — à très grandes macules de Bugnot	10 80 40
5940	Cassier, drei- und fünfleckige Riesen- — Pensée géante à trois et à cinq macules	7 — 40
5941	» fünfleckige Riesen- — Pensée géante à grandes macules, choix extra	10 80 40
5942	» » goldgelbe riesenblumige — jaunée géante à cinq macules	13 50 50
5943	» hortensienroth — rouge d'Hortense	12 — 40
5944	» weissgrundige — à fond blanc	7 — 40
5945	Pariser grossfleckige, neu — Parisienne à très grandes macules	7 — 40
5946	Adonis, siehe Neuh. — voy. nouv.	— 60



Viola tric. maxima. (1/2 nat. Gr.)

No.	Viola tricolor maxima:	20 g. Pt. M.Pf. Pf.	No.	Viola tricolor maxima:	20 g. Pt. M.Pf. Pf.
5947	alba pura (candidissima), Schneewittchen, reinweiss ohne Auge — blanc pur sans oeil (2)	1 80 20	5968	gelb mit Auge — jaune à oeil foncé	1 20 20
5948	atropurpurea, sammtig purpur- carmoisin — cramoisi pourpre velouté	1 20 20	5969	gloriosa, sammtig purpurviolett — violet pourpre velouté	1 40 20
5949	» marginata alba, purpur mit weissen Saum und Grund — pourpre à fond et bord blanc	1 40 20	5970	havanabrun — brun marron	1 40 20
5950	» marginata aurea, purpur, leuchteud goldgelb gerändert — pourpre à margine jaune	1 40 20	5971	hellblau (himmelblau) — bleu ciel	1 40 20
5951	» pelargoniflora, purpurcar- moisin mit weissen Saum — cramoisi pourpre à bord blanc	1 40 20	5972	imperialis, drei- und fünf- fleckige Odier-Preis-Pen- sées, von brilliantester Nüanci- rung, auffallend grotesker Zeich- nung, extra — Odier ou à cinq macules, coloris des plus riches et plus brillants, remarquablement marqués, extra	4 60 40
5952	aurea pura (Goldelse), rein dunkelgoldgelb ohne Auge — jaune d'or foncé pur	1 60 20	5973	Kaiser Friedrich — Empereur Frederic, purpurroth mit gold- brunze Centrum und scharlach- rothem, in gelb übergehendem Rand — rouge pourpre à centre bronze doré et à bord écarlate changeant au jaune	1 60 20
5953	auriculæiflora, bronze, rosa mar- morirt — bronzé marginé de rose	1 20 20	5974	Kaiser Wilhelm, ultramarinblau mit purpurvioletttem Auge — bleu d'outremer à oeil violet pourpre	1 60 20
5954	braunroth — rouge brunâtre	1 20 20	5975	Lord Beaconsfield, tief purpur- violett, obere Petalen in weiss übergehend — violet pourpre foncé, pétales supérieurs passant au blanc (6)	1 60 20
5955	bronzefarben, dunkle Varietäten — bronze foncé	1 20 20	5976	Meteor, feurig braunroth — rouge brun brillant	1 80 20
5956	» belle Varietäten — bronze clair	1 20 20	5977	Negerfürst, schwarz, grossblumig, extra — noir, à gr. fl., extra	1 80 20
5957	Cardinal, leuchtend roth — rouge luisant	3 20 40	5978	nigra, Mohrenköulig (Dr. Faust), ganz schwarz — noir pur, extra	1 60 20
5958	Oliveden, blau — bleu	1 50 20	5979	oculata argentea, mit ungewöhn- lich grossen Augen, weiss gerändert — à larges mar- gines blanches et à oeil d'une largeur peu commune	1 20 20
5959	» gelb — jaune	1 50 20	5980	» aurea, purpurbraun, die drei unteren Petalen leuchtend gold- gelb mit schwarzbraunem Auge — brun-pourpre vif, les trois pétales inférieurs jaune d'or à oeil brun noir (5)	1 20 20
5960	» weiss — blanc	1 50 20	5981	Pfau (Peacock), Zeichnung ab- lich quadricolor, grossbl. — fleur plus grande que quadricolor	5 — 40
	Englische Sorten, zur Teppich- gärtnerei zu empfehlen — var. anglaises pour la mosaiculture.		5982	Präsident Carnot, neues Odier- Pensée, reinweiss mit tiefviolettten Flecken — nouv. Pensée Odier blanc pur maculé de violet foncé	13 50 50
5961	Coquette de Poissy, neu, rosig hellblau — nouv. mauve	9 — 40			
5962	delicata, porzellanblau mit weisser Mitte und dunklem Auge — bleu porcelaine à centre blanc (4)	1 20 20			
5963	dunkelschieferblau — bleu ardoisé foncé	1 40 20			
5964	Feuerkönig, leuchtend purpur, untere Petalen feurig goldgelb mit dunkelbraunem Auge — pourpre foncé, pét. inf. doré à oeil brun foncé	1 80 20			
5965	Fire Dragon, feurig orange mit purpur Auge u. bronzegelbem Rand — orange feu à centre pourpre, marginé bronze-jaunâtre (3)	1 40 20			
5966	Freja, siehe Neuh. — voy. nouv.	— 65			
5967	Fürst Bismarck, bronze und hellbraun marmorirt — marbré bronze-doré et brun clair	1 40 20			

No.	Viola tricolor maxima:	20 g Pt. M.Pf. Pf.
5983	purpureo-violacea, rein purpurviolett — pourpre violacé	1 20 20
5984	purpur mit Goldsaum — pourpre à bord doré	1 50 20
5985	quadricolor, violett und himmelblau mit purpur auf weissem oder gelbem Grund — violet et bleu ciel, maculé de pourpre sur fond blanc ou jaune	1 60 20
5986	Rex, sammtig braunpur- pur — brun pourpré ve- louté	1 40 20
5987	rubra, rothe Nüancen — à fond rouge	1 50 20
5988	schwarz mit goldbron- ze, extra — noir à cen- tre bronzé doré (1)	1 60 20
5989	Silbersaum — bordé ar- genté	1 60 20
5990	striata, grossblumige ge- streifte — striées à gran- des fl.	1 60 20
5991	Victoria, weinroth — rouge vif.	4 — 40
5992	violett, weiss gerändert — violet bordé blanc	1 20 20
5993	weiss mit Auge — blanc à œil foncé	1 20 20



Viola tr. m. Trimar- deau, Riesen-Pen- sees — Pensée géante:

20 g Pt.
M.Pf. Pf.

Neue Classe von compactem Bau; die enorm grossen Blumen sind mit 3 grossen Flecken ge- zeichnet, die grösstblumigen Pensées aller bis jetzt bekannten Sorten — nouvelle classe d'un port compacte; les fleurs sur- passent toutes les variétés con- nues par leur grandeur énorme; à grandes macules sur les péta- les latéraux et sur l'inférieur.		
5994	atropurpurea	2 60 30
5995	auriculæiflora	3 20 30
5996	Feuerkönig, neu — Roi de feu, nouv.	— 60
5997	gelb — jaune, extra	4 — 40
5998	gelbgründig marmorirt — marbré sur fond jaune	2 60 30
5999	gestreifte — strie	3 20 40
6000	Goldseide	10 50 40
6001	Kaiser Wilhelm	3 20 40
6002	Lord Beaconsfield	3 20 40
6003	Mohrenkönig — Roi des noirs	3 20 40
6004	veilchenblau — bleu de vio- lette	3 20 40
6005	weiss mit Auge — blanc à œil foncé	6 — 40
6006	weissgründig marmorirt — marbre sur fond blanc	2 60 30
6007	Prachtmischung der grösst- blumigen (Trimardeau) Stief- mütterchen — mélange superbe de la Pensée géante	3 — 30
6008	Viscaria oculata	— 30 10
6009	» » oculata Burridgei, weiss — blanc	— 30 10
6010	» » cardinalis, brillant ma- gentaroth — rouge magenta brillant	— 30 10
6011	» » coerulea, blau — bleu	— 30 10
6012	» » Dunnetti, blasslila — lilas pâle	— 30 10
6013	» » elegans picta	— 30 10
6014 *	» » nana alba	1 60 20
6015 *	» » cardinalis	— 80 15
6016 *	» » carnea	— 60 15
6017 *	» » coerulea	— 50 10
6018 *	» » picta	— 40 10
6018a *	» » rosea	— 40 10
6019 *	» » violacea	— 40 10
6020	» » rosea	— 30 10
6021	» » gemischt — mélange	— 30 10

6007. Viola tric. max. Trimardeau.

No.		20 g Pt. M.Pf. Pf.
6022 *	Vittadenia triloba †	— 80 15
	Volubilis, vide Ipomoea.	
6023	Waitzia Δ aurea	1 60 20
6024	» grandiflora	1 60 20
6025	Whitlavia grandiflora	— 40 10
6026	» grandiflora alba	— 40 10
6027	» » gloxinifolides	— 40 10
6028	» » gemischt — mélange	— 30 10
6029	Xanthium brevirostre	— 40 10
6030	» spinosum	— 40 10
6031	Xeranthemum † annuum fl. albo pl.	— 40 10
6032	» annuum fl. rubro pl.	— 40 10
6033	» » imperiale plenissimum	— 60 15
6034	» » plenissimum album	— 60 15
6035	» » pumilum album	— 60 15
6036	» » » rubrum	— 60 15
6037	» » roseum pl.	— 60 15
6038	» » superbissimum, pompon- blüthig — à fl. en globe	— 60 15
6039	» » » fl. albo	— 60 15
6040	» » » imperiale	— 60 15
6041	» » » roseum	— 60 15
6042	Ximenesia encelloides †	— 40 10
	Zea japonica fol. var., s. Zier- gräser — voy. Graminées orne- mentales.	
6043	Zinnia † elegans alba	— 40 10
6044	» » aurea	— 40 10
6045	» » coccinea	— 40 10
6046	» » purpurea	— 40 10
6047	» » sulphurea	— 40 10
6048	» » violacea	— 40 10
6049	» » gemischt — mélange	— 30 10

Zinnia † elegans plenissima:

6050	alba, reinweiss — blanc pur	— 60 15
6051	aurea	— 60 15
6052	aurantiaca	— 60 15
6053	carminea	— 60 15
6054	carnea	— 60 15
6055	coccinea	— 60 15
6056	crispa	— 80 15
6057	kermesina	— 60 15
6058	lilacina	— 60 15
6059	lutea	— 60 15
6060	purpurea	— 60 15
6061	Reginae, siehe Neuh. — voy. nouv.	— 100
6062	rosea	— 60 15

6078. *Zinnia eleg. pomponica* fl. pl.

No.	<i>Zinnia elegans pleniss.:</i>	20 g	Pt.
6063	striata	1	— 20
6064	violacea	— 60	15
	Gefüllte, gemischt, extra Aus-		
6065	wahl — double, choix extra	— 60	15
6066	<i>Zinnia elegans grandiflora</i>		
	<i>plenissima atropurpurea</i>	1	30 20
6067	» <i>elegans grandifl. plenissima,</i>		
	<i>in bester Mischung</i> — mé-		
	<i>lange superbe</i>	1	— 20
6068	» » <i>grandifl. robusta striata</i>	1	60 20
	<i>Zinnia</i> † <i>elegans nana</i> (pumila)		
	fl. pl.:		
6069	<i>alba</i>	— 70	15
6070	<i>atrococcinea</i>	— 70	15
6071	<i>aurea</i>	— 70	15
6072	<i>carminea</i>	— 70	15
6073	<i>coccinea</i>	— 70	15
6074	<i>purpurea</i>	— 70	15
6075	<i>salmonoe-rosea</i>	— 70	15
6076	<i>salpheurea</i>	— 70	15
6077	Gemischt — mélange	— 60	15

No.	<i>Zinnia elegans pomponica</i>	20 g	Pt.
	fl. pl.:		
6078	Gemischt — mélange	— 80	15
6079	Liliput, gemischt, reizende		
	Gattung mit kleinen, hochgewöl-		
	ten Blumen, extra — Liliput,		
	à fl. petites très doubles	1	20 20
6080	Liliput goldgelb, siehe Neuh. —		
	jaune d'or, voy. nouv.	— —	60
6081	Liliput scharlach (Rothkäpp-		
	chen) — ecarlate, neu — nouv.	2	60 30
6082	Liliput weiss, neu — Liliput		
	blanc, nouv.	2	60 30
6083	Liliput Tom Thumb	2	— 30
6084	<i>Zinnia elegans Tom Thumb,</i>		
	<i>gefüllte gemischt</i> — Tom		
	<i>Pouce double varié</i>	1	40 20
6085	<i>Zinnia Darwiniana compacta,</i>		
	<i>6 Farben, separat jede</i> — <i>6 oou-</i>		
	<i>leurs séparées chacune</i>	2	50 30
6086	<i>Zinnia Darwiniana compacta, ge-</i>		
	<i>mischt</i> — en mélange	1	80 20
6087	<i>Zinnia Darwiniana pyramidalis,</i>		
	<i>6 Farben, separat jede</i> — <i>6 oou-</i>		
	<i>leurs séparées, chacune</i>	2	50 30
6088	Alle Farben gemischt — en mélange	1	80 20
6089	<i>Zinnia Darwini, alle Gattungen</i>		
	<i>gemischt</i> — toutes les classes et		
	<i>variétés en mélange</i>	— 80	15
6090	<i>Zinnia</i> † <i>Haageana</i> (spec. Mexico)	— 60	15
6091	» <i>Haageana flore pleno</i>	1	60 20
6092	» » <i>plenissima imbricata,</i>		
	<i>dicht gefüllte Varietät</i> — <i>va-</i>		
	<i>riété très-doble</i>	3	20 30
6093	» <i>hybrida, siehe Neuheiten</i> —		
	<i>voy. nouv.</i>	— —	120
6094	» <i>linearis, leuchtend goldgelb</i>		
	<i>mit hellorange Rand</i> — <i>jaune</i>		
	<i>doré brillant à bord orange</i>		
	<i>clair</i> Δ	5 g	2,50, — — 40
6095	» <i>lutea</i>	— 50	15
6096	» <i>multiflora</i>	— 60	15
6097	» <i>tagetiflora</i>	— 60	15
6098	» <i>tenuiflora</i>	— 60	15
6099	Sommerblumen gemischt —		
	Plantes annuelles en mélange kg 2,60, — 20	10	
6100	Bienenfutterpflanzen, ein-		
	jährige gemischt — Plantes an-		
	nelles pour les abeilles kg 5 —, — 20	10	

3. Zier-Kürbisse

und andere ornamentale Cucurbitaceen.

Courges et Cucurbitacées ornementales.

Ornamental Gourds. — Gourdes.

No.		20 g	Pt.	No.		20 g	Pt.
		M.Pf.	Pf.			M.Pf.	Pf.
6101	Apfel-, kleiner, gelber — pomme			6114	Citronen- — Citron	— 40	10
	<i>petite jaune</i>	— 40	10	6115	Cocosnuss-, kleiner — Cocoonut	— 40	10
6102	» gestreifter — triée	— 40	10	6116	Crook-neck, dunkelorange gewarzte		
6103	» weisser — blanche	— 40	10		Flaschen-Kürbiss — orange		
6104	» gemischt — mélange	— 40	10		<i>foncé</i>	— 40	10
6105	Apfelsinen-, kleiner — orange			6117	Crook-neck, Winter- — d'hiver	— 40	10
	<i>petite</i>	— 40	10	6118	Eier-, kleiner — Oeuf petit	— 50	10
6106	Birn-, gelber — poire jaune	— 40	10	6119	Flaschen-, weissbl. — bouteille	— 30	10
6107	» grün und weiss gestreifter —			6120	Glooken- — Cloche	— 40	10
	<i>poire bicolore</i>	— 40	10	6121	Gurken- — ooncomb	— 40	10
6108	» grüner — poire verte	— 40	10	6122	Herkuleskeulen- — massue d'Hercule	— 30	10
6109	» halb grün, halb gelber (geringel-			6123	Passions- oder Kaisermütze — de la		
	<i>ter)</i> — poire à anneau vert	— 50	10		<i>Passion ou Bonnet de l'Empereur</i>	— 40	10
6110	» weisser — blanche	— 40	10	6124	platter grüner, weiss gestreifter —		
6111	Bischofsmütze, gelbe — bonnet				<i>plate verte striée de blanc</i>	— 40	10
	<i>d'électeur jaune</i>	— 40	10	6125	Regenschirm- — parapluie	— 40	10
6112	» grün gestreifte — bonnet d'élec-			6126	Türkenbund-, grosser rother — Tur-		
	<i>teur strié</i>	— 40	10		<i>ban grand rouge</i>	— 40	10
6113	» weisse — bonnet d'électeur			6127	» rother japanischer — Turban		
	<i>blanc</i>	— 50	10		<i>rouge du Japon</i>	— 50	10

No.	Zier-Kürbisse:	20 g	Pt.
		M.Pf.	Pf.
6128	Türkenbund-, gelb mit weiss gestreift — Turban jaune strié de blanc	— 60	15
6129	» weiss mit roth gestreift — Turban blanc strié de rouge	— 50	10
6130	» grün mit roth — vert et rouge	— 40	10
6131	Warzen-, apfelförmiger — pomme à verrues	— 40	10
6132	» birnförmiger — poire à verrues	— 40	10
6133	» gelber — jaune à verrues	— 40	10
6134	» gemischt — à verrues, varié	— 40	10
6135	Zwiebel-, gelber — Oignon jaune	— 50	10
6136	» weisser — oignon blanc	— 50	10
6137	amerikanische Sorten ohne Ranken, gemischt — variétés américaines non coureuses en mélange	— 80	15
6138	<i>Abobra viridiflora</i>	1 20	20
6139	<i>Benincasa cerifera</i> , Wachs-Kürbiss — Courge à cire	— 60	15
6140	» <i>sinensis</i>	— 60	15
6141	<i>Bryonia alba</i> , schwarzfrüchtig — fruits noirs	— 40	10
6142	» <i>dioica</i> , rothfr. — fruits rouges	— 50	15
6143	<i>Bryonopsis laciniosa erythrocarpa</i> , mitscharlachrothen, weiss gestreiften Früchten — à fruit écarlate strié blanc	— 60	15
6144	<i>Cephalandra palmata</i>	100 S. 2,50, 10 S.	— 30
6145	<i>Coccinia indica</i> , mit weissen glockenförmigen Blumen und carminrothen Früchten — à fleurs blanches en forme de cloche et à fruits carmins	— 80	15
	<i>Cucumis anguinus</i> , v. <i>Trichosanthes</i> .		
6146	» <i>Anguria</i> (Aradae)	— 40	10
6147	» <i>dipsaceus</i> , Weberkarden-Kürbiss — courge ohardon	— 40	10
6148	» <i>echinophorns</i>	— 70	15
6149	» <i>erinacens</i> , Igel-Kürbiss — courge hérissée	— 40	10
6150	» <i>flexuosus</i> , Schlangen-Melone, sehr interessant — Melon serpent	— 30	10
6151	» <i>Grossularia</i> , Stachelbeer-Kürbiss — courge grosseille	— 50	10
6152	» <i>Hookeri</i>	— 70	15
6153	» <i>metuliferus</i>	— 70	15
6154	» <i>minutissimus</i> , kleine Melonenart, im Freien reifend, gestreift — petit melon, mûrissant en plein air	— 60	15
6155	» <i>odoratissimus</i> (Dndaim)	— 50	10
6156	» <i>prophetarum</i> von Zanzibar	— 60	15
6157	» <i>Vilmoreanus</i>	— 80	15
6158	<i>Cucurbita argyrosperma</i> , mit grossen, silberweiss geränderten Samen — graines grosses bordées de blanc	— 50	15
6159	» <i>farinosa</i>	— 75	15
6160	» <i>melanosperma</i> , buntfrücht. Angurien-Kürbiss mit glänzend grünen, weiss marmorirten Früchten, schöner Belaubung, ausgezeichnet zur Bekleidung von Länben — <i>Anguria</i> à fruits luisant vert marbré de blanc, très-beau feuillage; pour garnir des treillis etc.	— 40	10
6161	» <i>ovifera</i> , Strassenei — conf d'autruche	— 70	15
6162	» <i>palmata</i>	10 S.	— 25
6163	» <i>perennis</i> , mit knolliger Wurzel, bei uns im Freien aushaltend — à racines tubéreuses, résistante en plein air	1 20 20	
6164	» <i>pyxidaris</i>	— 50	15
6165	» <i>radicans</i>	— 50	15
6166	<i>Cyclanthera edulis</i>	— 60	15
6167	» <i>explosens</i>	— 60	15
6168	» <i>pedata</i>	— 30	10
	Werthvolle Schlingpflanzen — Belles plantes grimpantes.		



6169. *Echinocystis lobata*.

No.		20 g	Pt.
		M.Pf.	Pf.
6169	<i>Echinocystis lobata</i> , sehr rasch wachsende Schlingpflanze. An Ort und Stelle im Herbst ins Freie zu säen — plante grimpante vigoureuse; semer sur place en plein air	— 70	15
6170	<i>Echinocystis Wrightii</i> , Cogn., sehr zierlich — très décoratif	3 — 30	
6171	<i>Eopepon vitifolius</i>	3 20 30	
6172	<i>Gronovia scandens</i>	5 g 2 —	40
6173	<i>Lagenaria arabica</i>	— 50	10
6174	» <i>clavata</i> , Herkuleskeulen — massue d'Hercule	— 30	10
6175	» <i>corsica</i> , platter corsischer — plat de Corse	— 30	10
6176	» <i>depressa</i> , gedrückter Flaschen — bouteille compressée	— 30	10
6177	» <i>enormis</i> , von enormer Grösse — de dimensions immenses	— 30	10
6178	» <i>gigantea</i> , grösster Flaschen-Kürbiss — la plus grande des Congres-bouteille	— 40	10
6179	» <i>kabylensis</i> , Kabülen-Mantel — manteau de Kabyle	— 70	15
6180	» <i>leucantha longissima</i> , von 1,50 m Länge und 30 cm Dicke — de 1,50 m de longueur et 30 cm d'épaisseur	— 40	10
6181	» <i>maxima</i> , Jerusalemflasche — bouteille de Jerusalem	— 40	10
6182	» <i>minima</i> , kleinster chinesischer Flaschen — la plus petite des congres-bouteille	— 50	10
6183	» <i>pelerina</i>	— 30	10
6184	» <i>pyrotheca</i> , Pulverhorn — poire à poudre	— 30	10
6185	» <i>rotunda</i> , Kanonenkugel — boulet de canon	— 40	10
6186	» <i>sphaerica</i> , sehr grossfrüchtig — à très-gros fruits	— 40	10
6187	» <i>Syphon</i>	— 30	10
6188	» <i>verrucosa</i>	— 60	15
6189	» <i>virginialis</i>	— 60	15
6190	<i>Luffa acutangula</i>	— 40	10
6191	» <i>cylindrica</i>	— 40	10
6192	» <i>Forskalii</i>	1 20 20	
6193	» <i>Jacquini</i>	1 20 20	
6194	» <i>macrocarpa</i>	1 40 20	
6195	» <i>marylandica</i>	— 60	15
6196	» <i>maxima</i>	— 50	15
6197	» <i>Sooly Qua</i>	— 40	15
6198	» <i>striata</i>	— 60	15
6199	» <i>subangulata</i>	— 60	15
6200	<i>Megarrhiza californica</i>	2 S.	— 30
6201	<i>Melothria abyssinica</i>	5 g 1,60	— 40
6202	» <i>cucumerina</i>	— 80	15

No.	20 g	Pt.	No.	20 g	Pt.
	M.Pf.	Pf.		M.Pf.	Pf.
6203 <i>Melothria indica</i>	—	50 15	6222 <i>Sicydium Lindheimeri</i>	—	60 15
6204 » <i>pendula</i>	—	50 15	6223 <i>Sicyos angulata</i> , Haargurke	—	40 10
6205 » <i>punctata</i> , ähnlich <i>Pilogyne</i> suavis, stark rankend — pflanzengrimpante, ressemblant à <i>Pilogyne suavis</i> . . 10 S.	—	40	6224 » <i>bryoniaefolia</i>	—	60 15
6206 » <i>Regelii</i>	3	20 30	6225 <i>Sloyosperma gracile</i> , Schlingpflanze mit frischer grüner Belaubung — pflanze grimpante à joli feuillage	1	60 20
6207 » <i>scabra</i>	—	70 15	6226 <i>Thladiantha dubia</i> 100 S. 1, 20, 10 S.	—	20
6208 <i>Momordica Balsamina</i> , Balsam-Apfel — <i>Pomme de Merveille</i>	—	40 10	6227 <i>Trichosanthes Anguina vera</i> , höchst interessant — très-intéres- sant	—	50 10
6209 » <i>Charantia</i> , gurkenartiger — <i>Margose</i>	—	40 10	6228 » <i>coccinea</i> , mit scharlachrother Früchten — à fruits écarlates	—	50 10
6210 » <i>echinata</i>	—	80 15	6229 » <i>colubrina</i>	—	50 10
6211 » <i>Elaterium</i> , Spritzgurke — con- combre sauvage	—	40 10	6230 » <i>cucumina</i>	—	50 10
6212 » <i>Huberi</i>	—	70 15	6231 » <i>palmata</i>	—	70 15
6213 » <i>involucrata</i> , hochrankend, reichblühend — pflanze grim- pante très florifère . 10 S.	—	25	6232 Ein Sort. Zier-Kürbisse von 100 Sorten — Collection de Courges orne- mentales de 100 espèces . 12 —	—	—
6214 » <i>martinicensis</i>	—	80 15	6233 Zierkürbisse, kleine Sorten in niedl. Formen, gemischt — Courges ornementales, pe- tites formes en mélange	—	40 10
6215 » <i>spec. Guadeloupe</i>	5	20	6234 Zierkürbisse, grosse Sorten in vielen Formen, gem. — Courges ornementales, formes grosses en mélange	—	30 10
6216 <i>Mukia maderaspatana</i>	—	70 15			
6217 » <i>scabrella</i>	1	80 20			
6218 <i>Platygonia Kaempferi</i> , Naud. 2	3	20 30			
6219 <i>Poppia Fabiana</i>	—	80 15			
6220 <i>Rhynocarpa dissecta</i>	10	30			
6221 <i>Sootanthus tubiflorus</i>	2	60 30			

4. Zier-Gräser.

Graminées ornementales.

Die mit 2 bezeichneten sind perennirend.
Les espèces précédées de 2 sont vivaces.

No.	20 g	Pt.	No.	20 g	Pt.
	M.Pf.	Pf.		M.Pf.	Pf.
6235 <i>Aegilops cylindrica</i>	—	30 10	6269 <i>Avena sterilis</i> , weissamig — à gr. blanche	—	20 10
6236 2 <i>Agropyrum cristatum</i>	—	30 10	6270 2 <i>Bambusa arundinacea</i>	1	60 20
6237 » <i>glaucum</i>	—	15	6271 2 » <i>gracilis</i>	2	60 30
6238 2 <i>Agrostis alba gigantea</i>	—	60 15	6272 <i>Brachypodium distachyum</i>	—	30 10
6239 » <i>algeriensis</i>	—	40 10	6273 » <i>platystachyum</i>	—	30 10
6240 » <i>dulcis</i>	—	30 10	6275 <i>Briza geniculata</i> (1)	—	60 15
6241 » <i>Fontanesi</i>	—	60 15	6276 2 » <i>lutescens</i>	1	60 20
6242 » <i>frondosa</i>	—	40 10	6277 » <i>maxima</i> , schön — beau (12) kg 6,50	—	30 10
6243 » <i>laxiflora</i>	—	40 10	6278 » <i>maxima compacta</i>	—	40 10
6244 » <i>mexicana</i>	—	50 10	6279 2 » <i>media</i>	—	50 10
6245 » <i>minutiflora</i>	2	20 30	6280 » <i>minima</i> (<i>gracilis</i>)	—	30 10
6246 » <i>nebulosa</i> , reizend — char- mant	—	70 15	6281 » <i>rotundata</i> , mit aufrechten Blüthenrispen, sehr schön — à épis érigés	—	80 15
6247 » <i>pulchella</i> , sehr niedlich — charmant	—	40 10	6282 <i>Brizopyrum siculum</i> (14)	—	40 10
6248 2 » <i>spicata</i>	—	40 10	6283 <i>Bromus altissimus</i>	—	60 15
6249 » <i>Stevani</i>	—	50 10	6284 » <i>arduenensis</i>	—	40 10
6250 2 » <i>verticillata</i>	—	40 10	6285 2 » <i>asper</i>	—	40 10
6251 <i>Aira capillaris</i>	—	40 10	6286 » <i>brevistatus</i>	—	40 10
6252 2 » <i>junccea</i>	—	40 10	6287 2 » <i>brizaeformis</i> , unentbehr- lich für trockene Bouquets — beau, pour bouquets secs kg 1, —	—	20 10
6253 2 <i>Andropogon argenteus</i>	—	80 15	6288 » <i>ciliatus</i>	—	40 10
6254 2 » <i>formosus</i> 1 g 1, —	—	40	6289 » <i>cristatus</i>	—	40 10
6255 » <i>Sorghum</i>	—	20 10	6290 » <i>fimbriatus violaceus</i>	—	40 10
6256 <i>Anthoxanthum gracile</i>	—	20 10	6291 » <i>grossus</i>	—	30 10
6257 <i>Aristida coerulescens</i>	—	40 10	6292 2 » <i>Gussoni</i>	—	30 10
6258 2 <i>Arrhenatherum bulbosum</i>	—	40 10	6293 2 » <i>intermedium</i>	—	40 10
6259 2 <i>Arundo conspicua</i>	4	40	6294 » <i>lanuginosus</i>	—	20 10
6260 2 » <i>Donax</i> , schön für Gruppen — belle plante ornementale	—	70 15	6295 » <i>macrostachys</i>	—	20 10
6261 2 » <i>Donax fol. variegatis</i>	1	60 20	6296 » <i>madritensis</i>	—	20 10
6262 2 » <i>gynerioides</i>	—	80 15	6297 » <i>patulus</i>	—	30 10
6263 2 » <i>mauritanica Pliniana</i>	—	60 15	6298 » <i>nanus</i>	—	30 10
6264 2 » <i>tenax (festucoides)</i>	—	70 15	6299 2 » <i>pendulinus</i>	—	30 10
6265 2 <i>Asprella Hystrix</i>	—	60 15	6300 » <i>purpureus</i>	—	20 10
6266 <i>Avena nuda elegantissima</i> , werthvoll zur Binderei — indispensable pour la con- fection des bouquets	—	30 10	6301 2 » <i>secalinus giganteus</i>	—	20 10
6267 2 » <i>sempervirens</i>	—	30 10	6302 » <i>serotinus</i>	—	20 10
6268 » <i>sterilis</i> , sehr gesucht für grosse Bouquets — très re- cherché par les marchands de fleurs sèches (3)	—	30 10	6303 » <i>nnioloideus</i>	—	30 10
			6304 » <i>valdivianus</i>	—	40 10
			6305 » <i>vestitus</i>	—	30 10



No.		20 g.	Pt.
		M.Pf.	Pf.
6306	<i>Bromus virens</i>	—	40 10
	Carex, siehe Wasserpflanzen — voy.		
	Plantae aquatiques.		
6307	<i>Cenchrus echinatus</i>	—	40 10
6308	» <i>pungens</i>	—	40 10
6309	<i>Ceratocloa exaltata</i>	—	30 10
6310	» <i>pendula</i>	—	20 10
6311	<i>Chloris barbata vera</i>	—	40 10
6312	» <i>ciliata</i>	—	60 15
6313	» <i>dolichostachya</i>	—	60 15
6314	» <i>elegans</i>	—	80 15
6315	» <i>gracilis (polydactyla)</i>	—	50 15
6316	» <i>latifolia</i>	1	10 20
6317	» <i>submtica</i>	—	70 15
	Alle sehr merkwürdig. Sie verlangen		
	znm Aufgehen viel Feuchtigkeit.		
	— Classe très-intéressante. Il leur		
	fant beaucoup d'humidité pour les		
	faire germer.		
6318	<i>Chloropsis Blanchardiana (2)</i>	2	60 30
6319	<i>Chrysurus cynosuroides (La-</i>		
	<i>markia)</i> , sehr zierlich — orne-		
	mental	—	30 10
6320	<i>Coix agrestis</i>	kg 2,	— 20 10
6321	» <i>chinensis</i>	—	30 10
6322	» <i>exaltata</i>	—	30 10
6323	» <i>Lacrymae</i> , Thranengras —		
	larmes de Job. kg 1,6,	—	20 10
6324	» <i>aurea zebrina</i>	—	30 10
6325	» <i>Colobachne vaginata</i>	—	60 15
6326	<i>Cryptopyrum (Dactylocten-</i>		
	<i>ium) Richardsoni</i>	—	60 15
6327	<i>Cyperus Paramatta</i>	—	50 10
	Für andere siehe Wasserpflanzen.		
	— Pour autres voy. Plantae aqua-		
	tiques.		
6328	<i>Dendrocalamus membranaceus</i>	—	— 40
6329	<i>Deschampsia caespitosa</i>	—	40 10
6330	<i>Deyeuxia neglecta</i>	—	60 15
6331	<i>Digitaria ciliaris</i>	—	40 10
6332	» <i>sanguinalis</i>	—	40 10
6333	<i>Diplachne fascicularis</i>	—	40 10
6334	<i>Echinochloa colona</i>	—	30 10
6335	<i>Eleusine barcinonensis</i>	—	30 10
6336	» <i>coracana</i>	—	40 10
6337	» <i>indica (spec. Chinae)</i>	—	30 10
6338	» <i>oligostachya</i>	—	30 10
6339	» <i>rigida</i>	—	40 10
6340	» <i>Tocussa</i>	—	30 10
6341	<i>Elymus arenarin</i>	—	20 10
6342	» <i>Caput Medusae</i>	—	40 10
6343	» <i>condensatus</i>	1	60 20
6344	» <i>dasytachys</i>	—	40 10
6345	» <i>giganteus</i>	—	30 10
6346	» <i>Hystrix</i>	—	40 10
6347	» <i>maximus</i>	—	40 10
6348	» <i>sibiricus</i>	—	40 10
6349	» <i>strictus</i>	—	60 15

No.		20 g.	Pt.
		M.Pf.	Pf.
6350	<i>Elymus tener</i>	—	30 10
6351	» <i>villosus</i>	—	40 10
6352	<i>Eragrostis abyssinica</i>	—	50 10
6353	» <i>aegyptiaca</i>	—	80 15
6354	» <i>amabilis</i>	—	40 10
6355	» <i>capillaris</i>	—	40 10
6356	» <i>cylindriflora</i>	1	20 20
6357	» <i>elegans, hübsch — beau</i>	—	30 10
6358	» <i>maxima</i>	—	50 10
6359	» <i>namaquensis</i>	—	40 10
6360	» <i>nigra</i>	—	40 10
6361	» <i>papposa</i>	—	40 10
6362	» <i>pulchra</i>	—	50 10
6363	» <i>purpurascens</i>	—	40 10
6364	» <i>Purshi, hübsch — beau</i>	—	40 10
6365	<i>Erianthus (Saccharum) Rav-</i>		
	<i>ennae, grosses imposantes</i>		
	Ziergras — très décoratif	—	60 15
6366	» <i>Ravennae fol. variegat.</i>	1	— 20
6367	» <i>violascens</i>	—	80 15
6368	<i>Euchlaena (Reana) luxurians,</i>		
	<i>Teosinte, sehr decorativ —</i>		
	<i>ornamental</i>	—	40 10
6369	<i>Eulalia japonica</i>	—	80 15
6370	» <i>fol. argent. vit-</i>		
	<i>tatis</i>	1	80 20
6371	» <i>zebrina, sehr deco-</i>		
	<i>rativ — très décorative</i>	1	40 20
6372	<i>Festuca alpina</i>	—	50 10
6373	» <i>altissima, All.</i>	—	50 10
6374	» <i>elegans</i>	—	40 10
6375	» <i>glauca</i>	1	80 20
6376	» <i>heterophylla, sehr feinblättrig</i>		
	<i>— feillage très-fin kg 2,50,</i>	—	20 10
6377	» <i>pectinella, niedlich — beau</i>		
6378	» <i>punctaria, mit grau-grü-</i>		
	<i>nen Blättern — à feillage</i>		
	<i>glaucue</i>	3	— 30
6379	» <i>rigida</i>	—	30 10
6380	» <i>spectabilis</i>	—	30 10
6381	» <i>stipoides</i>	—	40 10
6382	» <i>viridis, reizend zn Einfas-</i>		
	<i>sungen — charmant pour</i>		
	<i>bordures</i>	—	30 10
6383	<i>Gymnotheris caudata</i>	—	70 15
6384	» <i>japonica</i>	—	70 15
6385	» <i>latifolia, imposant</i>	—	80 15
6386	<i>Gynierum argenteum, Pam-</i>		
	<i>pasgras, von grossem Effect</i>		
	<i>für Gruppen oder als Ein-</i>		
	<i>zelpflanze — Herbe géante</i>		
	<i>des pampas, de grand effc.</i>		
	<i>pour massifs ou comme</i>		
	<i>plante solitaire.</i>	—	70 15
6387	» <i>argenteum Bertini</i>	1	— 20
6388	» <i>carminatum</i>	—	1 — 20
6389	» <i>foliis variegatis</i>	1	80 30

No.		20 g	Pt.	No.		20 g	Pt.
		M.Pf.	Pf.			M.Pf.	Pf.
6390	2 <i>Gynerium argenteum jubatum</i>	—	80 15	6454	<i>Poa salina</i>	—	40 10
6391	2 <i>argenteum kermesinum</i>	—	80 15	6455	» <i>senegalensis</i>	—	50 10
6392	2 <i>» » roseum</i>	—	70 15	6456	<i>Polypogon orinatus</i>	—	40 10
6393	2 <i>» » superblissimum</i>	1	— 20	6457	» <i>monspeliensis</i>	—	40 10
6394	2 <i>» » gemischt — mélange</i>	—	70 15		Reana, siehe — voy. Euohlaena.		
6395	<i>Hordeum jubatum</i> , sehr schön			6458	2 <i>Reboulia gracilis</i>	—	40 10
	— très joli	—	40 10	6459	<i>Rhombocytrum rhomboideum</i>	1	— 20
6396	2 <i>Imperata sacchariflora</i>	2	40 30	6460	2 <i>Saccharum Maddeni</i> , prächtige Gruppenpflanze — plante ornementale ausporbe	—	80 15
6397	2 <i>Isoplepis gracilis (tenella)</i> 2 g 1,80	—	— 30	6461	<i>Schedonorus longiflorus</i>	—	60 15
6398	<i>Koeleria Berghthaea</i>	—	40 10	6462	<i>Serrafalcus Hughii</i>	—	30 10
6399	» <i>brachystachya</i>	—	40 10	6463	<i>Setaria alopecuroides</i>	—	30 10
6400	<i>Lagurus ovatus</i> (4)	—	30 10	6464	» <i>nigra</i>	—	30 10
6401	<i>Lappago racemosa</i>	—	40 10	6465	» <i>glauca</i>	—	30 10
6402	2 <i>Lasiagrostis argentea</i> , sehr schön, mit silberweißen Rispen — très-belle à épis blanc d'argent	—	40 10	6466	» <i>macrochaeta</i>	—	30 10
6403	<i>Leptochloa arabica</i>	—	30 10	6467	» <i>nubica</i>	—	40 10
6404	2 <i>Luzula maxima</i>	1	40 20	6468	» <i>persica</i> , schön — beau	—	30 10
6405	2 <i>Melica altissima</i> , schön — beau	—	40 10	6469	» <i>versicolor</i>	—	30 10
6406	2 <i>» » atropurpurea</i>	—	40 10	6470	<i>Sorghum aegyptiacum</i>	—	40 10
6407	2 <i>» ciliata</i> kg 4,—	—	30 10	6471	2 <i>» halepense</i>	—	30 10
6408	2 <i>» nutans</i>	—	60 15	6472	2 <i>» nigrum</i>	—	20 10
6409	2 <i>» papilionacea</i> , niedrig, kleine, glänzend silberweiße Rispen — nain, à petits épis argentés	—	80 15	6473	2 <i>Stipa capillata</i>	—	80 15
6410	<i>Millium nigricans</i>	—	30 10	6474	2 <i>» elegantissima</i> , sehr feines und elegante Gras — espèce très élégante	1	80 20
6411	2 <i>Panicum altissimum</i>	1	— 20	6475	2 <i>» gigantea</i>	2	20 30
6412	» <i>capillare</i> , schön, für Bouquets — beau (13)	—	40 10	6476	2 <i>» Lagascae</i>	2	20 30
6413	» <i>» violaceum</i>	—	50 15	6477	2 <i>» papposa</i>	—	60 15
6414	» <i>» colonum</i>	—	30 10	6478	2 <i>» pennata</i> , Federgras — plumeuse	—	40 10
6415	» <i>» coloratum</i>	—	30 10	6479	2 <i>» splendens</i>	2	— 20
6416	» <i>» compressum</i>	1	25 20	6480	2 <i>» tenacissima</i>	3	20 30
6417	» <i>» ornis corvi</i>	—	30 10	6481	2 <i>» tortilis</i>	1	— 20
6418	» <i>» » galli</i>	—	30 10	6482	<i>Tricholaena atropurpurea</i>	—	50 10
6419	» <i>» » americanum</i>	—	40 10	6483	» <i>» rosea</i> , reizend — charmant	—	50 10
6420	» <i>ambriatum</i> , zierlich — charmant	—	30 10	6484	2 <i>Tripsacum daotyloides</i>	—	70 15
6421	» <i>frumentaceum</i>	—	30 10	6485	2 <i>Trisetum alopecuroides</i>	—	50 10
6422	» <i>invenitum</i>	—	30 10	6486	<i>Triticum ciliatum</i>	—	30 10
6423	2 <i>» latifolium</i>	—	40 10	6487	2 <i>Uniola latifolia</i> , schön — beau	—	80 15
6424	» <i>millaceum contractum</i>	—	30 10	6488	2 <i>Urolepis ouprea</i>	—	50 10
6425	» <i>» mollissimum</i>	—	60 15	6489	<i>Vulpia bromoides</i>	—	40 10
6426	» <i>» oryzinum</i>	—	60 15	6490	» <i>geniculata</i>	—	30 10
6427	2 <i>» palmifolium</i>	2	20 20	6491	<i>Zea Caragua</i> , Elesen — géant kg 1,10,	—	20 10
6428	2 <i>» plicatum</i> , prachtvoll — superbe	1	— 20	6492	» <i>gigantea</i>	» 1,10,	— 20 10
6429	2 <i>» » fol. varieg.</i>	4	60 40	6493	» <i>gracillima (minima)</i>	» 1,60,	— 20 10
6430	2 <i>» » maximum</i>	1	40 20	6494	» <i>» fol. var.</i> , sehr schön, bunt — à feuilles panachées,	—	40 10
6431	» <i>» sanguinale</i>	—	20 10		— très beau	—	40 10
6432	» <i>» spectabile</i>	—	80 15	6495	» <i>» pumila zebrina</i> , reizend — très joli	—	30 10
6433	2 <i>» sulcatum</i> , prachtvoll — splendide	1	20 20	6496	» <i>» zebrina aurea</i> , gelbbunt — à feuilles panachées de jaune	—	40 10
6434	» <i>» tonsum</i>	2	60 30	6497	» <i>japonica foliis variegatis</i> , buntblättriger Mais, prächtige Gruppenpflanze — Mais à feuilles panachées, belle plante ornementale . kg 1,25,	—	20 10
6435	» <i>» violaceum</i>	—	30 10	6498	» <i>japonica gigantea quadricolor</i> , s. Neuh. — voy. nouv.	—	60 15
6436	2 <i>» virgatum</i>	1	20 20	6499	» <i>tunicata fol. var.</i> , neu-nouv.	—	60 15
6437	<i>Paspalum elegans</i>	—	40 10	6500	» 12 amerikanische Varietäten für Ausstellungen geeignet, von jeder 1 Kolben zusammen für — 12 variétés américaines, propres pour expositions, un épi de chaque pour 6,—	—	—
6438	<i>Penicillaria spicata</i> , Perlhirse — Sorgho à épi, Millet Perle kg 1,30	—	20 10	6501	» 24 amerikanische Varietäten à 1 Kolben für — 24 variétés américaines 1 épi de chaque pour 15,—	—	—
6439	<i>Pennisetum ambriatum</i>	—	70 15	6502	Mischung von Ziergräsern, die sich für Blumensträuße eignen; — mélange de Graminées ornementales propres pour la confection des bouquets . kg 5,—	—	20 10
6440	» <i>longistylum (villosum)</i> , reizend — très-beau	—	40 10				
6441	» <i>» violaceum</i>	—	50 10				
6442	» <i>Rüppelianum</i> , neu-nouv.	1	80 20				
6443	» <i>triflorum</i>	—	70 15				
6444	<i>Phalaris coerulescens</i>	—	30 10				
6445	<i>Phleum Boehmeri</i>	—	40 10				
6446	<i>Piptatherum multiflorum</i>	—	40 10				
6447	» <i>Thomasi</i>	—	50 10				
6448	<i>Pleuroplitis Langsdorffi</i>	—	60 15				
6449	2 <i>Poa alpina</i>	—	80 15				
6450	» <i>» amabilis</i>	—	40 10				
6451	» <i>» capillaris</i>	—	40 10				
6452	» <i>Eragrostis</i>	—	40 10				
6453	» <i>pilosa</i>	—	40 10				

5. Samen von perennirenden Pflanzen oder Stauden.

Graines de plantes vivaces de pleine terre.

No.		20 g	Pt.
		M. Pf.	Pf.
6503	<i>Acanthus candelabrum</i>	— 60	15
6504	» <i>latifolius</i>	— 30	10
6505	» <i>longifolius</i>	— 50	10
6506	» <i>lusitanicus</i>	— 40	10
6507	» <i>mollis</i> , schöne Blattpflanze — helle plante ornamentale	— 40	10
6508	» <i>niger</i>	— 30	15
6509	» <i>spinosus</i>	— 50	15
6510	<i>Achillea aegyptiaca</i>	— 20	
6511	» <i>Clavennae</i>	— 20	
6512	» <i>filipendula</i>	— 30	15
6513	» <i>Gerberi</i>	1 40	20
6514	» <i>hybrida</i>	— 30	15
6515	» <i>lanata</i>	— 30	15
6516	» <i>magna</i>	— 60	15
6517	» <i>Millefolium purpurea</i>	— 15	
6518	» <i>rosea</i>	1 60	20
6519	» <i>nana</i> , Alpine 1 g 4,—	— 20	
6520	» <i>nobilis</i> , echt — vrai	1 —	20
6521	» <i>Parmica fl. pl.</i>	4 50	30
6522	» » <i>fl. pl. Perle</i> , wesentliche Verhesserung der vorher- gehenden Sorte, feine Schnitt- blume — race améliorée, belle fleur pour la coupe . 5 g 2,60,	— —	40
6523	» <i>pubescens</i>	— 60	15
6524	<i>Aconitum ferox</i> , selten — rare 1000 S. 8,—, 25 S.	— —	30
6525	» <i>Lycocotnum</i>	1 10	20
6526	» <i>Napellus</i>	1 50	20
6527	» <i>fl. albo</i>	2 60	20
6528	» <i>pyrenaicum</i>	3 40	30
6529	» <i>Vulparia</i>	1 20	20
6530	<i>Aconitum</i> 1. <i>Camarum</i> , 2. <i>cernuum</i> , 3. <i>Columbianum</i> , 4. <i>delicatis-</i> <i>simum</i> , 5. <i>Kuznezoffi</i> , 6. <i>orientale</i> , 7. <i>pallidum</i> , 8. <i>paniculatum</i> , 9. <i>pyra-</i> <i>midale</i> , 10. <i>Stoerkianum</i> , 11. <i>tau-</i> <i>riticum</i> , separat jede — sép. chacune	— —	20
6531	<i>Aconitum</i> , gemischt — mélange . .	1 80	20
6532	<i>Actaea racemosa</i>	— 20	
6533	» <i>spicata</i> , schön — beau	2 —	20
6534	<i>Actinella acaulis</i> , siehe Neu- voy. nouv.	— —	70
6535	<i>Actinomeris squarrosa</i>	3 —	30
6536	<i>Adenophora denticulata</i>	1 —	20
6537	» <i>Lamarcki</i>	3 60	40
6538	» <i>lilifolia</i>	1 20	20
6539	» <i>verticillata</i>	1 80	20
6540	» gemischt — mélange	2 —	20
6541	<i>Adenostylis alpina</i>	— —	20
6542	§ <i>Adlumia cirrhosa</i> , sehr schöne harte, dankbar blühende Schlingpflanze — très belle plante grimpante rustique	— 80	15
6543	§ » <i>cirrhosa purpurea</i>	— 80	15
6544	<i>Adonis vernalis</i>	— 40	10
6545	<i>Adoxa Moschatellina</i>	— —	20
6546	<i>Aethionema coridifolium</i> , prachtvoll, carmoisinroth — très beau, carmoisi	1 20	20
6547	» <i>grandiflorum</i> , sehr schön — très beau	3 80	30
6548	» <i>persicum</i> , rosa, reizend — à <i>fl. roses</i>	— 60	15
6549	<i>Agrimonia odorata</i>	— 30	10
6550	» <i>pilosa</i>	— 30	10
6551	<i>Agrostemma coronaria</i> , roth — rouge .	— 30	10
6552	» <i>coronaria fl. albo</i>	— 30	10
6553	» <i>fl. atropurpureo</i>	— 30	10
6554	» <i>bicolor</i>	— 30	10
6555	» <i>flos Jovis</i>	— 30	10
6556	» <i>hybrida Walkeri</i> , neu, leuchtend rosenroth — nouv., rose brillant . 5 g 4,—	— —	40
6561	<i>Ajuga pyramidalis</i>	— —	20
6562	» <i>reptans fol. purpureis</i>	— —	20

6507. *Acanthus mollis*.

No.		20 g	Pt.
		M. Pf.	Pf.
6563	<i>Alchemilla pubescens</i>	— —	20
6564	» <i>vulgaris</i>	— —	15
6565	<i>Alfredia cernua</i>	— 60	15
6566	» <i>nivea</i>	— —	20
6567	» <i>stenolepis</i>	— 60	15
6568	<i>Allium acuminatum</i>	— —	15
6569	» <i>azureum</i>	2 20	20
6570	» <i>coeruleum</i>	— 80	15
6571	» <i>fragrans</i>	— 40	10
6572	» <i>giganteum</i>	4 —	30
6573	» <i>Hermittei grandiflorum</i>	1 60	20
6574	» <i>hymenorrhizon</i>	— —	20
6575	» <i>karataviense</i>	— —	15
6576	» <i>magicum album</i>	— 60	15
6577	» <i>Moly (aureum)</i>	1 10	20
6578	» <i>narciissiflorum</i>	— 60	15
6579	» <i>neapolitanum</i>	1 —	20
6580	» <i>nigrum</i>	1 20	20
6581	» <i>odorum</i>	— —	20
6582	» <i>oreophilum</i>	— —	20
6583	» <i>Ostrowskianum</i> 1 g — 60	— —	20
6584	» <i>pendulinum</i>	— —	20
6585	» <i>Rosenbachianum</i>	4 —	30
6586	» <i>rhizum capitatum</i>	— 80	15
6587	» <i>Stellerianum</i>	— —	20
6588	» <i>stipitatum</i>	2 40	20
6589	» <i>srceolatum</i>	— —	15
6590	» <i>Victoriale</i>	— —	20
6591	<i>Alsine juniperifolia</i>	— —	30
6592	» <i>pinifolia (gracilis)</i>	— 80	15
6593	» <i>verna</i>	— —	20
6594	» <i>Villarsi</i>	— —	20
6595	<i>Alstroemeria aurantiaca</i>	1 10	20
6596	» <i>brasilensis</i>	5 —	40
6597	» <i>chilensis (versicolor)</i> , in den verschiedensten Schat- tirungen — en nuances très variées	— 70	15
6598	» <i>Erreimbaulti</i>	2 60	30
6599	» <i>haemantha</i>	1 80	20
6600	» <i>perigrina alba</i>	2 60	30
6601	» <i>pitagacina</i>	1 80	20
6602	» gemischt — mélange	1 80	20
6603	<i>Althaea ficifolia</i> , einfach, hellgelb — à fl. simple jaune clair	2 40	30
6604	» » <i>fl. pl.</i> , Goldmalve	1 20	20

6657. *Anemone sylvestris*.

No.		20 g	Pt.
		M.Pf.	Pf.
6605	<i>Althaea narbonensis</i>	— 40	10
6606	» <i>officinalis</i>	— 70	15
6607	» <i>rosea fl. pl. englische Preis-Malven</i> , in 8 Sorten mit Namen, separat — 8 variétés anglaises avec noms séparées, chacune	2 60	30
6608	» » <i>fl. pl. englische in vielen Sorten gemischt</i> — les mêmes en mélange	1 80	20
6609	» » <i>Chater's</i> , das Non plus ultra von Vollkommenheit, 6 Sorten, separat jede — 6 variétés extra doubles de Chater séparées, chacune	6 50	40
6610	» » <i>dieselben gemischt</i> — les mêmes en mélange	4 20	30
6611	» » <i>nigra flore pleno</i>	— 80	15
6612	» » <i>Theresiana fl. pl.</i>	1 —	20
6613	» <i>sulphurea, distinct</i>	— 30	
6614	» <i>taurinesis</i>	— 40	10
6615	<i>Alyssum alpestre</i>	— 15	
6616	» <i>argenteum</i>	— 50	10
6617	» <i>gemonense</i>	— 30	
6618	» <i>saxatile, gelb, eine der ersten Frühjahrsbl.</i> — jaune, fleur printanière	— 40	10
6619	» » <i>compactum</i>	— 40	10
6620	» <i>Wierzebecki</i>	— 60	15
6621	<i>Amphicome arguta</i> 1000 S. 4—; 50 S.	— 25	
6622	<i>Ansonia salicifolia</i>	1 80	20
6623	<i>Anchusa altissima</i>	— 40	10
6624	» <i>angustifolia</i>	— 40	10
6625	» <i>Barrelieri</i>	— 80	15
6626	» <i>incarnata</i>	— 40	10
6627	» <i>italica (azurea)</i>	— 50	10
6628	» <i>sempervirens (Carylopha)</i>	— 70	15
6629	» <i>gemischt</i> — mélange	— 40	10
Die <i>Anchusa</i> -Sorten liefern vortreffliches Bienenfutter. — Tous les <i>Anchusa</i> fournissent une très bonne nourriture pour les abeilles.			
<i>Ancolie</i> vide <i>Aquilegia</i> .			
6630	<i>Androsace coronopifolia</i> 5 g 3,—	— 30	
6631	» <i>filiformis</i>	— 20	
6632	» <i>lactea</i>	— 30	
6633	» <i>Laggeri</i> , Alpine 25 S.	— 20	
6634	» <i>macrantha</i> , neu — nouv., 1 g 3,50, ...	— 40	
6635	» <i>septentrionalis</i>	4 —	40
6636	» <i>Wulfeniana</i> 25 S.	— 20	
6637	<i>Anemone alba</i>	— 60	15
6638	» <i>albana</i>	2 —	20
No.		20 g	Pt.
		M.Pf.	Pf.
6639	<i>Anemone alpina</i>	1 60	20
6640	» <i>alpina sulphurea</i>	3 —	30
6641	» <i>apennina</i>	— 60	15
6642	» <i>blanda</i>	— 30	
6643	» <i>coronaria (chinensis)</i> , in den schönsten Farben gemischt — les plus belles couleurs en mélange	— 80	15
6644	» <i>coronaria, einfache von Caen</i> , sehr grossbl. — simples de Caen, à très gr. fl.	1 20	20
6645	» <i>coronaria St. Brigid</i> , grossblumige Varletäten — var. à très gr. fl. 5 g 2,60	— 40	
6646	» <i>decapetala</i>	— 80	15
6647	» <i>fulgens</i>	1 40	20
6648	» <i>japonica alba (Honorine Jobert)</i>	6 —	40
6649	» » <i>elegans</i>	4 —	40
6650	» <i>multifida hudsonica, rosa-ormoisin</i> — rose ormois.	1 80	20
6651	» <i>narcissiflora</i> , echt — rare	3 60	30
6652	» <i>palmata</i> 5 g 1,40,	— 40	
6653	» <i>patens</i>	— 20	
6654	» <i>pennsylvanica</i>	— 30	
6655	» <i>Pulsatilla</i>	— 40	10
6656	» <i>rivularis</i> , weiss, aussen violett — blanc, teinté violet 2 g 1,—	— 30	
6657	» <i>sylvestris</i>	— 60	15
6658	» » <i>major</i>	— 30	
6659	» <i>umbrosa</i>	— 30	
6660	<i>Anemonopsis macrophylla</i>	— 40	
6661	<i>Anomatheca cruenta</i>	6 —	40
6662	<i>Antennaria dioica</i>	3 —	30
6663	» <i>margaritacea</i>	4 —	30
6664	» <i>plantaginea</i>	— 20	
6665	<i>Anthemis montana</i>	— 20	
6666	» <i>Kelwayi</i>	2 50	30
6667	» <i>nobilis</i>	1 30	20
6668	» <i>tinctoria</i>	— 40	10
6669	» <i>Triumfetti</i>	— 40	10
6670	<i>Antherium algeriense</i>	1 20	20
6671	» <i>Liliago</i>	— 40	10
6672	» <i>Lilium</i>	— 80	15
6673	» » <i>majus</i>	1 20	20
6674	» <i>ramosum</i>	— 80	15
6675	<i>Antholyza aethiopica</i>	— 40	10
6676	<i>Anthyllis Vulneraria</i>	— 40	10
6677	<i>Antirrhinum Asarina</i> 1 g 1,60,	— 40	
6678	» <i>assurgens</i>	— 40	10
6679	» <i>majus</i> vide <i>Sommergewächse</i>	— 40	10
6680	» <i>numidicum lilacinum</i>	— 40	10
6681	» <i>luteum</i>	— 40	10
6682	<i>Apium chilense</i>	— 40	10
6683	<i>Apocynum androsaemifolium</i> , der echte Fliegenfänger — Gobe mouche 1000 S. 1,—, 200 S.	— 25	
6684	<i>Aquilegia alpina</i>	— 40	10
6685	» <i>arotica</i>	1 —	20
6686	» <i>atrata</i>	— 70	15
6687	» <i>aurea</i>	1 60	20
6688	» <i>californica hybrida</i>	3 20	30
6689	» <i>hybrida alba</i>	— 30	
6690	» <i>canadensis</i>	1 —	20
6691	» <i>nana</i> , niedrig, soharlaoh mit gelb — naine, écarlate et jaune	1 40	20
6692	» <i>chrysanth</i> , leuchtend goldgelb — jaune d'or	1 60	20
6693	» <i>chrysanth grandiflora alba</i>	3 20	40
6694	» <i>coerulea</i> , sehr grossblumig mit langen Sporen und weisser Corolle — fleurs très-grandes à éperons longs, corolle blanche	3 20	40
6695	» <i>coerulea hybrida</i> vide <i>haydenensis</i>	— 30	
6696	» » <i>fl. albo</i>	3 20	40
6697	» » <i>fl. luteo</i> , sehr schön, blüht viel früher als <i>A. chrysanth</i> — très beau, à floraison très précoce	1 80	20
6698	» <i>Durandi striata plena</i> , gemischt — varié	— 70	15

No.		20 g Pt. M.Pf. Pf.
6697	<i>Aquilegia erecta nana atro-coerulea pleniss.</i>	— 80 15
6698	» <i>flabellata nana alba</i> , niedrig, sehr frühblühend — main, à floraison précoce	— 60 15
6699	» <i>formosa fl. pl.</i>	— 40 10
6700	» <i>» alba fl. pl.</i>	— 60 15
6701	» <i>glandulosa</i> , echt, dunkelblau mit weisser Corolle, grossbl. — vrai, bleu foncé à corolle blanche, à gr. fleurs 5 g 3,50	— 30
6702	» <i>haylodgensis</i> (coerulea hybrida)	3 — 30
6703	» <i>hybrida</i>	5 g 3 — 40
6704	» <i>» lucida fl. pleno</i>	— 60 15
6705	» <i>Jaetschaui</i>	1 20 20
6706	» <i>jucunda</i>	— 50 10
6707	» <i>nigricans</i>	— 60 15
6708	» <i>nivea grandiflora</i>	— 40 10
6709	» <i>olympica</i> , blassblau mit weisser Corolle — bleu pâle à corolle blanche	1 — 20
6710	» <i>pulchella rubra</i>	— 80 15
6711	» <i>sibirica</i>	— 80 15
6712	» <i>Skinneri</i>	9 — 40
6713	» <i>» hybrida flore pleno</i>	1 30 20
6714	» <i>spectabilis</i>	1 20 20
6715	» <i>stellata fl. pl., gem. — varié.</i>	— 70 15
6716	» <i>» carminea pl.</i>	— 80 15
6717	» <i>» cupreata pl.</i>	— 80 15
6718	» <i>» rosea pl.</i>	— 60 15
6719	» <i>Stuarti</i> , groesblumiger und früher blühend als <i>A. glandulosa vera</i> — à fleur très grande et à floraison précoce 1000 S. 3 —, 50 S.	— 20
6720	» <i>truncata</i> , lebh. orangescharlach mit gelb — écarlate-orangé vif et jaune	1 80 20
6721	» <i>Vervaeana foliis variegatis</i> , buntblättrig — à feuilles panachées	1 30 20
6722	» <i>» atroviolacea plenissima</i>	4 — 30
6723	» <i>viridiflora</i>	— 20
6724	» <i>vulgaris</i> , gemischt — mélange	— 40 10
6725	» <i>» atrosanguinea</i>	— 50 10
6726	» <i>» fl. pl., gefüllte gemischt — double en mélange</i>	— 50 10
6727	» <i>» alba plena</i>	— 80 15
6728	» <i>» atrosanguinea pl.</i>	1 — 20
6729	» <i>atroviolacea pl.</i>	— 50 10
6730	» <i>» foliis aureis</i> , goldgelbblättrig — à feuilles dorées	— 60 15
6731	» <i>» kermesina pl.</i>	— 60 15
6732	» <i>» plenissima</i> , extra gefüllte gemischt — extra double, en mélange	1 — 20
6733	» <i>Wittmanniana</i> , dunkelblau — bleu foncé	— 50 10
6734	<i>Arabis alpina</i> (albida), weiss, eine der ersten Frühjahrblumen, sehr hübsch — blanc, à floraison très précoce, très-joli	1 10 20
6735	<i>Arabis alpina nana compacta</i> 5 g 1	— 40
6736	» <i>ciliata</i>	— 20
6737	» <i>incida</i>	— 20
6738	» <i>pumila</i>	— 20
6739	» <i>rhaetica</i>	— 20
6740	» <i>rosea</i>	2 — 20
6741	<i>Aralia sachalinensis</i> , prächtige Blütpflanze — plante ornementale superbe	5 — 40
6742	<i>Arenaria caespitosa</i>	7 — 40
6743	» <i>cephalotee</i>	2 20 30
6744	» <i>foliosa</i>	— 40
6745	» <i>graminifolia parviflora</i>	1 50 20
6746	» <i>laricifolia</i> , schön — beau	2 60 30
6747	» <i>longifolia</i>	1 80 20
6748	» <i>peplioidea</i>	4 — 30
6749	» <i>serpyllifolia</i>	3 20 30
6750	<i>Arisaema triphyllum</i>	2 60 30
6751	<i>Aristolochia ciliosa</i>	2 60 30



Aquilegia, 1) 6720. truncata; 2) 6712. Skinneri.

No.		20 g Pt. M.Pf. Pf.
6752	<i>Armeria alpina</i>	— 40 10
6753	» <i>cephalotes</i> , grossbl. — à gr. fl.	— 60 15
6754	» <i>» alba</i>	— 80 15
6755	» <i>formosa</i> , roth — rouge	— 40 10
6756	» <i>» alba</i>	— 40 10
6757	» <i>» gemischt — mélange</i>	— 30 10
6758	» <i>Lauchiana</i>	1 — 20
6759	» <i>maritima</i>	— 70 15
6760	» <i>» alba</i>	— 70 15
6761	» <i>plantaginea</i>	— 60 15
6762	» niedrige Sorten gemischt — var. naine en mélange	— 60 15
6763	<i>Arnebia echioides</i> , schön und selten, gelb mit schwarzen Punkten — beau et rare 100 S. 7 —, 5 S.	— 40
6764	<i>Arnica Chamissonis</i>	— 80 15
6765	» <i>montana</i>	1 — 20
6766	<i>Artemisia argentea</i>	— 60 15
6767	» <i>Absinthium</i>	— 40 10
6768	» <i>campestris</i>	— 40 10
6769	» <i>Moxa</i>	— 20
6770	» <i>pontica</i>	— 20
6771	» <i>rupestris</i>	— 40 10
6772	» <i>vulgaris fol. var.</i>	1 — 20
6773	<i>Arum crinitum</i>	— 80 15
6774	» <i>italicum</i>	— 30 10
6775	» <i>maculatum</i>	— 20
6776	<i>Asarum europaeum</i>	— 80 15
6777	<i>Asclepias incarnata</i>	— 70 15
6778	» <i>» syriaca</i> (cornuti DC.), ausgezeichnetes Bienenfutter — pour abeilles	— 70 15
6779	» <i>tuberosa</i> , echt, orangeroth, prachtvoll — vrai, rouge orangé, magnifique	2 40 30
6780	» <i>Asparagus acutifolius</i>	— 60 15
6781	» <i>» verticillatus</i> , prachtvolle rankende Species — eep. grimpante magnifique	2 60 30
6782	<i>Asperula ciliata</i>	— 50 10
6783	» <i>hexaphylla</i> , werthvoll für Bouquets — de grande valeur pour la confection des bouquets	— 40 10
6784	» <i>odorata</i> , Waldmeister	— 60 15
6785	» <i>Asperula odorante</i>	— 80 15
6786	» <i>Asphodelus acaulis</i>	— 30
6787	» <i>» albus</i>	2 60 20
6788	» <i>cerasiferus</i>	— 70 15
6789	» <i>fistulosus</i>	— 60 15
6790	» <i>luteus</i>	— 70 15
6791	» <i>ramosus</i>	— 70 15
6792	» <i>Villarsii</i>	1 40 20

6796. *Aster alpinus*.6852. *Aubrietia Eyrii*.

No.		20 g	Pt.
		M.Pf.	Pf.
6793	<i>Aster adscendens</i>	1 80	20
6794	» <i>adulterinus</i>	1 80	20
6795	» <i>aestivus</i>	—	20
6796	» <i>alpinus</i> , Alpen-Sternblume	70	15
6797	» <i>albus</i>	4	40
6798	» <i>speciosus</i>	4	40
6799	» <i>superbus</i>	4	40
6800	» <i>bessarabicus</i> (hericus), die schönste blane, niedrig — le plus beau des bleus, nain	1 60	20
6801	» <i>Bigelowi</i>	1	20
6802	» <i>hrnmalis</i>	—	20
6803	» <i>casubicus</i>	80	15
6804	» <i>grandiflorus</i> , neu — nouv.	4	40
6805	» <i>caucasicus</i>	1 10	20
6806	» <i>cordifolius</i>	2 60	20
6807	» <i>corymbosus</i>	—	20
6808	» <i>Curtisii</i>	1 80	20
6809	» <i>Drummondii</i>	1 40	20
6810	» <i>floribundus</i>	—	20
6811	» <i>Fortunei</i>	—	20
6812	» <i>fragilis</i>	2 50	30
6813	» <i>horizontalis</i> hybr. <i>grandiflorus</i>	2 60	30
6814	» <i>japonicus</i>	—	30
6815	» <i>leucoanthus</i>	—	20
6816	» <i>Maaki</i>	—	20
6817	» <i>macrophyllus</i>	—	20
6818	» <i>Novae Angliae</i>	1 30	30
6819	» <i>Novi Belgii</i>	—	20
6820	» <i>preanathoides</i>	—	20
6821	» <i>ptarmicoides</i>	4	40
6822	» <i>punctatus</i>	—	20
6823	» <i>punicus</i>	80	15
6824	» <i>pyramidalis</i> <i>hybridus</i>	2	20
6825	» <i>pyrenaicus</i>	80	15
6826	» <i>radula</i>	2 60	30
6827	» <i>sagittifolius</i>	—	20
6828	» <i>salsuginosus</i>	—	30
6829	» <i>Shorti</i>	—	30
6830	» spec. Rocky-mountains	80	15
6831	» <i>undulatus</i>	1 80	20
6832	» <i>versicolor</i>	—	20
6833	» <i>virginicus</i>	1 80	20
6834	» gemischt — en mélange	1 30	20
6835	» <i>neuegroschl. Hybridenge-</i> misch — hybrides nouveaux à grandes fleurs en mélange	—	40
6836	<i>Astilbe Thunbergi</i>	—	30
6837	<i>Astragalus alopecuroides</i>	60	15
6838	» <i>canariensis</i>	80	15
6839	» <i>Cicer</i>	80	15
6840	» <i>galegiformis</i>	30	10
6841	» <i>glyciphyllus</i>	2 60	20
6842	» <i>monspessulanus</i>	—	40
6843	» <i>Robbinsi</i>	—	40
6844	» <i>vulpinus</i>	40	10
6845	<i>Astrantia Biebersteini</i>	1 20	20
6846	» <i>major</i>	1 10	20
6847	<i>Aubrietia Antilibani</i>	80	15
6848	» <i>Columnae</i>	1 60	20
6849	» <i>deltoidea</i>	1 40	20
6850	» <i>grandiflora</i>	1000 S. 2,60, 100 S.	—
6851	» <i>erubescens</i>	—	30
6852	» <i>Eyrii</i> , grossbl. blau — à gr. fl. bleue	1 20	20
6853	» <i>graeca</i>	80	15
6854	» <i>Hendersoni</i> , grosse rötliche Blumen — gr. fl. rougeâtres	1 60	20

No.		20 g	Pt.
		M.Pf.	Pf.
6855	<i>Aubrietia Leichtlini</i> , mit grossen carminrosa Blumen — à gr. fleurs rose carminé	5	40
6856	» <i>Mooreana</i>	2	20
6857	» <i>olympica</i>	2	20
6858	» <i>violacea</i>	1 40	20
6859	<i>Audibertia polystachia</i> 5 gr 1,40, ...	—	40
6860	» <i>stachyoides</i>	5 » 1,40, ...	—
	Seltene californische Stauden — pl. vivaces rares de la Californie. Auricule, vide <i>Primula Auricula</i>	—	40
6861	<i>Bahia lanata</i>	—	40
6862	<i>Ballota acetabulosa</i> , interessant — intéressant	1000 S. 4 —, 50 S.	—
6863	» <i>nigra variegata</i> , mit weissbunter Belaubung — à feuillage panaché de blanc	—	40 10
6864	<i>Baptisia australis</i>	—	40 10
6865	» <i>leucantha</i>	1 80	20
6866	<i>Barbarea vulgaris variegata</i>	—	30 10
6867	<i>Bellevalia romana</i>	2 40	20
6868	» <i>spicata</i>	—	20
6869	<i>Bellispermensis</i> fl. pleno, gefüllte in vielen Farben — Pâquerettes doubles en beau mélange	3 20	25
6870	» » von den schönst. dicht-gefülltesten Sorten, extra — qualité très-supérieure, extra	4 50	40
6871	» » fl. albo pleno, reinweisse dichtgefüllte — double blanche vraie	4	30
6872	» » fl. pl. Longfellow, sehr grossblum., rosa, werthvoll zum Schneiden — à grandes fleurs rose foncé	7	40
6873	» » fl. pl. Schneeball — Boule d'eneige, reinweiss, sehr grossblumig — blanc pur, à grande fleur	8	40
6874	» » fl. pl. maxima alba, neu — nouv.	11	40
6875	» » maxima fl. pl. gemischt — mélange	11	40
	Benoite, vide Geum.	—	15
6876	<i>Betonica grandiflora</i>	70	15
6877	» <i>longifolia</i>	2	20
6878	» <i>nivea</i>	—	20
6879	» <i>officinalis</i>	1 30	20
6880	<i>Bidens Warscewici</i>	—	30
6881	<i>Bobartia aurantiaca</i>	—	80 15

6873. *Bellis perennis* fl. pl. Schneeball.6932. *Campanula Medium calycanthema*.

No.		20 g	Pt.
		M.Pf.	Pf.
6882	<i>Bocconia japonica</i> (yeddoensis), prachtvolle Blattpflanze — plante ornementale superbe	1 —	20
6883	<i>Borago caucasia</i>	— 80	15
6884	<i>Boykinia aconitifolia</i>	—	30
6885	<i>Brodiaea congesta</i>	2 —	20
6886	» <i>laxa</i>	—	20
6887	» <i>peduncularis</i>	—	20
6888	<i>Bubon gnmifer</i>	2 —	20
6889	<i>Bulbocodium vernum</i>	—	20
6890	<i>Buphthalmum cordifolium</i>	— 40	10
6891	» <i>salicifolium</i>	1 20	20
6892	<i>Caccinia glauca</i>	—	30
6893	» <i>strigosa</i> , schöne blaublüh. Boraginée — Boraginée très belle	2 50	30
6894	<i>Calamintha alpina</i> , reichblühend — florifère	3 20	30
6895	» <i>candidissima</i>	1 g —	80
6896	<i>Calimeris incisa</i>	—	40
6897	<i>Calochortus venustus</i>	5 g 3,50,	— 40
6898	» <i>Weedii purpureus</i> 1000 S. 5,—, 50 S.	—	30
6899	<i>Calystegia dahurica</i>	1 40	20
6900	» <i>rosea</i>	5 —	40
6901	» <i>Sepium</i>	— 80	15
6902	<i>Camassia esculenta</i>	—	20
6903	<i>Campanula alliariaefolia</i>	— 40	10
6904	» <i>altaica</i>	— 80	15
6905	» <i>americana</i>	—	20
6906	» <i>barbata</i>	5 g 3,50,	— 30
6907	» <i>fl. albo</i>	—	30
6908	» <i>Baumgarteni</i>	— 80	15
6909	» <i>carpatica</i>	— 40	10
6910	» <i>alba</i>	— 50	10
6911	» <i>cenisia</i>	—	30
6912	» <i>collina</i> , Alpine	—	40
6913	» <i>divergens</i>	—	40
6914	» <i>Elatines</i>	—	30
6915	» <i>fragilis</i> , schöne Zimmer- pflanze mit grossen blauen aufrechtstehenden Blumen — belle plante d'appartement à gr. fleurs bleues érigées 5 g 1,80, 1000 S.	—	30
6916	» <i>fragilis canescens</i> 1000 »	—	30
6917	» <i>garganica</i> , prächtige Ampel- pflanze — pour vases snspen- dus, très beau	200 S.	—
6918	» <i>glomerata</i>	— 60	15
6919	» <i>gracilis</i>	5 g 2,—,	— 40
6920	» <i>grandiflora</i> , vide <i>Wahlenbergia</i> . <i>grandis</i>	3 20	30
6921	» <i>fl. albo</i>	5 g 1,40,	— 30
6922	» <i>Grossecki</i>	— 60	15

No.		20 g	Pt.
		M.Pf.	Pf.
6923	<i>Campanula lactiflora</i>	2 40	30
6924	» <i>latifolia</i>	1 80	20
6925	» <i>Leutweini</i>	5 g 2,—,	— 40
6926	» <i>lunariaefolia</i>	—	40
6927	» <i>macrantha</i>	— 60	15
6928	» <i>Medium alba</i>	— 40	10
6929	» <i>alba fl. pleno</i>	1 30	20
6930	» <i>caesia</i> , porzellanblau — bleu porcelaine	— 40	10
6931	» <i>caesia fl. pleno</i>	1 60	20
6932	» <i>calycanthema</i> , doppelt- korollig, hlau — à doubles corolles, bleu	1 60	20
6933	» <i>alba</i>	2 50	30
6934	» <i>rosea</i>	2 60	30
6935	» <i>gemischt</i> — mélange	1 60	20
6936	» <i>coerulea</i>	— 40	10
6937	» <i>plena</i>	1 10	20
6938	» <i>lilacina</i>	— 40	10
6939	» <i>plena</i>	1 80	20
6940	» <i>nana</i> , blau — bleu	— 50	10
6941	» <i>calycanthema</i>	2 60	30
6942	» <i>gemischt</i> — var. <i>naines</i> en mélange	— 50	10
6943	» <i>rosea</i>	— 40	10
6944	» <i>plena</i>	3 20	30
6945	» <i>striata</i>	— 40	10
6946	» <i>plena</i>	2 60	30
6947	» <i>einfache gemischt</i> — à fleurs simples varié	— 30	10
6948	» <i>gefüllte gemischt</i> — à fleurs doubles varié	1 10	20
6949	» <i>nobilis</i>	1 g 1,50,	— 40
6950	» <i>fl. albo</i>	1 » 1,50,	— 40
6951	» <i>Pallasiana</i>	2 60	30
6952	» <i>persicifolia coerulea</i>	2 60	30
6953	» <i>fiore albo</i>	2 60	30
6954	» <i>albo pleno</i>	5 g 2,—,	— 30
6955	» <i>coeruleo pleno</i> , 5 g 3,—, ...	—	40
6956	» <i>grandiflora alba</i> (Backhousei), neu — nouv.	1 g 1,—,	— 40
6957	» <i>grandiflora coerulea</i> , s. Neu., — voy. nouv.	—	65
6958	» <i>grandiflora</i> , gemischt — mélange	5 g 3,—,	— 40
6959	» <i>primulaefolia</i>	5 » 3,—,	— 30
6960	» <i>punctata</i>	5 » 3,—,	— 30
6961	» <i>pusilla</i>	—	30
6962	» <i>pyramidalis</i>	— 60	15
6963	» <i>fl. albo</i>	— 70	15
6964	» <i>Raineri</i> , grossblumig, niedrig — nain, à gr. fl.	3 —	30
6965	» <i>rhomboldea</i>	2 —	20
6966	» <i>fl. pleno</i>	4 —	40

6968. *Campanula sarmatica*.7090. *Centaurea candidissima*.

No.		20g	Pt.
		M. Pf.	Pf.
6967	<i>Campanula rotundifolia</i>	— 80	15
6968	» <i>sarmatica</i> , sehr schön — très beau	1 20	20
6969	» <i>sibirica</i>	1 —	20
6970	» <i>speciosa</i>	— 30	30
6971	» <i>spicata</i>	— 30	30
6972	» <i>tirolensis</i>	— 20	20
6973	» <i>Trachelium</i>	40 10	10
6974	» <i>tridentata</i>	— 30	30
6975	» <i>turbinata</i>	— 40	10
6976	» <i>alba</i>	2 60	30
6977	» <i>lilacina</i>	2 60	30
6978	» <i>pelviformis</i>	1 40	20
6979	» <i>valdensis</i>	— 20	20
6980	» <i>van Houttei</i> 1 g —, 80	— 30	30
6981	» <i>Vidali</i> , grossbl., rötlichweiss, schöne Topfpflanze — blanc rougeâtre à gr. fl., beau 5 g 2,50, — — 30	— 30	30
6982	» <i>Waldsteiniana</i>	— 40	40
6983	» <i>Wanneri</i>	— 40	40
6984	» <i>Wilsoni</i> 5 g 3,0, — — 40	— 40	40
6985	» perennirende Sorten gemischt — espèces pérennantes en mélange — 40 10	— 40	10
6986	§ <i>Canarina Campanula</i> , rankend, mit grossen goldgelben, rothgestreift. Glockenblumen — plante grimpance à gr. fl. dorée, striée rouge	5 —	40
6987	<i>Carlina acaulis</i>	2 —	20
6988	<i>Carum Bourgaei</i>	1 20	20
6989	» <i>Bulbocastanum</i>	— 60	15
6990	<i>Catananche coerulea</i>	— 50	10
6991	» <i>coerulea bicolor</i>	— 50	10
6992	<i>Caulophyllum thalictroides</i>	2 60	30
6993	<i>Cedronella cana</i> , prächtig — superbe	1 60	20
6994	<i>Celsia Arcturus</i>	1 40	20
6995	» <i>betonicaefolia</i>	— 60	15
6996	» <i>cretica</i>	— 30	30
6997	» <i>pontica</i>	— 30	30
6998	<i>Centaurea babylonica</i>	— 80	15
6999	» <i>canariensis</i>	— 80	15
7000	» <i>candidissima</i> (<i>ragusina</i>), mit silberweissen Blättern, beliebte Gruppenpflanze — à feuillage argenté	3 —	30
7001	» <i>candidissima compacta</i> 1000 S. 2,50, 100 S. — — 30	— 30	30
7002	» <i>Clementei</i> , silberweissblättrig — feuillage blanc d'argent	1 40	20
7003	» <i>dealbata</i>	— 40	10
7004	» <i>Ferdinandi</i>	— 40	10
7005	» <i>gymnocarpa</i> , silberblättrig — feuillage blanc d'argent	— 80	15
7006	» <i>macrocephala</i>	— 60	15
7007	» <i>montana</i>	1 80	20

No.		20g	Pt.
		M. Pf.	Pf.
7008	<i>Centaurea nervosa</i>	— 30	10
7009	» <i>nigricans</i>	— 30	10
7010	» <i>orientalis</i>	— 80	15
7011	» <i>Parlatoris</i> , silbergraublättrig — feuillage gris argenté	1 50	20
7012	» <i>peregrina</i>	— 80	15
7013	» <i>plumosa</i> , feingefiedert, rein silberweissblättr. — à feuilles finement découpées, d'un blanc d'argent pur	1 40	20
7014	» <i>ragusina</i>	3 —	30
7015	» <i>ruthenica</i>	— 60	15
7016	» <i>rutifolia</i>	— 80	15
7017	» <i>sordida</i> , zierende Kelche — calices décoratifs	— 30	10
7018	<i>Cephalaria alpina</i>	— 40	10
7019	» <i>leucantha</i>	— 50	10
7020	» <i>tartarica</i>	— 50	10
7021	<i>Cerastium Biebersteini</i> , reizende silberweissblättrige Einfassungspflanze — charmante plante pour bordures à feuilles blanc d'argent	1 20	20
7022	» <i>Boissieri</i> 1 g 1,25, 200 S. — — 30	— 30	30
7023	» <i>pennsylvanicum</i> , weissblättrig, sehr bart — à feuilles blanches, très rustique	— 70	15
7024	» <i>tomentosum</i> , niedriger als C. Biebersteini, und bei weitem schöner als dieses — plus nain et bien plus beau que C. Biebersteini	4 —	40
7025	» <i>villosum</i> 1 g 1,30, — — 40	— 40	40
7026	<i>Chaerophyllum aureum</i>	— 60	15
7027	» <i>roseum</i>	2 50	30
7028	<i>Chamaemelum caucasicum</i> , niedrig, reichblühend — nain, florifère	— 60	15
7029	<i>Chamaepeuce Afra.</i> , 100 S. 4 —, 5 S. — — 25	— 25	25
7030	» <i>Casabonae</i> , Fischgrätendistel — Chardon à arêtes	— 80	15
7031	» <i>diacantha</i> , Elfenbeindistel, reizend — Chardon à ivoire	— 40	10
7032	» <i>gnaphalioides</i>	6 —	40
7033	» <i>Sprengeri</i>	3 80	40
7034	<i>Chelidonium majus fl. pleno</i>	— 70	15
7035	<i>Chelone barbata</i>	— 30	10
7036	» <i>coccinea</i>	— 30	10
7037	» <i>Torreyi</i>	— 50	10
7038	» <i>hybrida</i> , sehr schöne Hybriden, in allen Schattirungen von fleischfarbe, roth und violett spielend — très beaux hybrides variant de couleur de chair, rouge et violet	— 50	10

7043. *Chrysanthemum maximum*.7088. *Coreopsis grandiflora*.

No.		20 g	Pt.
		M. Pf.	Pf.
7039	<i>Chionodoxa gigantea</i>	—	30
7040	» <i>Luciliae</i>	1 80	20
7041	» <i>sardensis</i>	1 80	20
7042	<i>Chlorogalum pomeridianum</i> 5 g 2,60, — — 40		
7043	<i>Chrysanthemum maximum</i> , grösstblumige Marguerite, beste Schnittblume — à très grande fleur, pour bouquets 1 20 20		
7044	» <i>maximum</i> Perfection, neu — nouv. 5 — 40		
7045	<i>Chrysobactron Hookeri</i>	—	40
7046	<i>Chrysocoma Linosyris</i>	—	20
7047	<i>Chrysosplenium alternifolium</i>	—	30
7048	» <i>oppositifolium</i>	—	30
7049	<i>Cimicifuga foetida</i>	—	40
7050	<i>Circaea lutea</i>	—	20
7051	<i>Cirsium ciliatum</i>	1 20	20
7052	» <i>pulchellum</i>	1 80	20
7053	» <i>Velenovskiyi</i> 100 S. 1,60, 10 S. — — 20		
7054	<i>Claytonia virginica</i>	—	30
7055	§ <i>Clematis coccinea</i> , scharlach- roth — à fl. écarlate	1 40	20
7056	§ <i>coccinea major</i> , constant aus Samen — se reproduisant fidèlement de semis 4 — 30		
7057	» <i>corymbosa</i>	1 —	20
7058	§ <i>crispa</i>	1 60	20
7059	» <i>diversifolia</i>	1 80	20
7060	» <i>integrifolia</i>	2 —	20
7061	» <i>jubata</i>	1 10	20
7062	§ <i>ligusticifolia</i> , weiss, wohl- riechend — blanc, odorant	2 60	30
7063	§ <i>ochroleuca</i> , gelb — jaune	—	80 15
7064	§ <i>Pitcheri</i>	1 80	20
7065	» <i>recta</i>	1 60	20
7066	» <i>Stanleyi</i> 100 S. 2,60, 10 S. — — 30		
7067	» <i>tubulosa</i> (mongolica)	1 —	20
7068	<i>Chinopodium vulgare</i>	—	20
7069	<i>Cnicus eriophorus</i> , neu — nouv. 100 S. 1, —, 20 S. — — 30		
7070	» <i>Falconeri</i> , neu — nouv. 100 S. 1, —, 20 S. — — 30		
7071	<i>Colchicum autumnale</i>	—	50 10
7072	» <i>fasciculare</i>	—	30
7073	» <i>laetum</i>	50 S.	— 30
7074	» <i>minimum</i>	20 —	— 30
7075	» <i>Sibthorpii</i> 1000 S. 7,50, 25 — — 20		
7076	<i>Convallaria japonica</i> , mit dunkel- azurblauen Beeren — à baies d'un bleu azuré foncé — — 40 10		
7077	» <i>latifolia</i> (Polygonatum)	—	60 15
7078	» <i>majalis</i> , Maiblume — Muguet des bois 1 20 20		

No.		20 g	Pt.
		M. Pf.	Pf.
7079	<i>Convallaria multiflora</i> (Polygonatum) — 50 10		
7080	» <i>Polygonatum</i>	—	60 15
7081	» <i>rosea</i>	—	70 15
7082	§ <i>Convolvulus althaeoides</i> , schön, hellcarmin — carmin clair	1 10	20
7083	§ <i>altissimus</i>	—	80 15
7084	§ <i>aureus superbus</i>	1 10	20
7085	» <i>mauritanicus</i> , prachtvolle blanblühende Ampelpflanze — à fl. bleue, bean pour vases suspendus	1 —	20
7086	<i>Cooperia Drummondii</i>	1 —	20
	<i>Coquelourde</i> vide <i>Agrostemma</i> . <i>Corbeille d'or</i> vide <i>Alyssum</i> .		
7087	<i>Coreopsis aristosa</i>	—	40
7088	» <i>grandiflora</i> , echt, gross- blumig, leuchtend gelb, feine Schnittblume — vrai, jaune vif à gr. fl., très recherché pour la confection des bon- quets	—	60 15
7089	» <i>lanceolata</i>	1 20	20
7090	» <i>palmata</i> , siehe Neuh. — voy. nouv. — — 70		
7091	» <i>philadelphica</i> (Actinomeris)	1 60	20
7092	» <i>trichosperma</i>	2 60	30
7093	» <i>tripteris</i>	4 —	30
7094	» <i>verticillata</i>	1 80	20
7095	<i>Coronilla montana</i>	1 20	20
7096	» <i>varia</i>	—	50 10
7097	<i>Cortusa Matthioli</i>	100 S.	— 20
7098	» <i>grandiflora</i> 100 — — 20		
7099	<i>Corydalis lutea</i>	3 —	20
7100	» <i>nobilis</i> , die schönste der Gat- tung, säet sich leicht selbst aus — la plus belle espèce d'augen, dont les graines tom- bent facilement et se sèment d'elles-mêmes	1 40	20
7101	» <i>Semenowi</i>	3 20	30
7102	<i>Cousinia Schtururowskiana</i>	—	60 15
7103	<i>Crambe tartarica</i>	—	40 10
7104	<i>Crepis blattarioides</i>	—	80 15
7105	<i>Crocus iridiflorus</i>	—	70 15
7106	» <i>speciosus</i> <i>Aitchisoni</i> 100 S. 2,50, 10 S. — — 30		
7107	<i>Crucianella stylosa</i>	—	60 15
7108	<i>Cnucubilla baccifer</i>	1 —	20
	<i>Cupidone</i> , vide <i>Catananche</i> .		
7109	<i>Cyananthus lobatus</i>	1 g 2,50	— 40
7110	<i>Cyclobothra flava</i>	5 g 1,50	— 30
7111	<i>Cynanchum fuscatum</i>	—	40 10
7112	» <i>nigrum</i>	—	40 10
7113	» <i>purpurascens</i>	—	50 10
7114	» <i>Vincetoxicum</i>	—	40 10

7169. *Delphinium sulfureum*.

No.		20 g	Pt.
		M. Pf.	Pf.
7157	<i>Delphinium hybridum</i> fl. pl. vou Siebold	50 S.	— 25
7158	» <i>hybridum</i> fl. pl., gefüllte, gemischt, prachtvoll — à fleurs doubles en mélange . . .	3 20	30
7159	» <i>laxiflorum</i>	1 25	20
7160	» <i>Menziesi</i>	4 —	40
7161	» <i>nudicaule</i> , niedrig, scharlachroth — nain, écarlate . . .	7 —	40
7162	» <i>aurantiacum</i>	1000 S. 3,50, 100 S.	— 40
7163	» <i>occidentale</i>	— —	30
7164	» <i>Przewalskianum</i>	1 30	20
7165	» <i>Requiei</i>	— —	30
7166	» <i>Skinneri</i>	1 40	20
7167	» <i>speciosum</i> , neu, prachtvoll, leuchtend blau, bis 2 m hoch werdend — nouv., magnifique, bleu vif, de 2 mètres de hauteur	1000 S. 5—, 50 S.	— 30
7168	» <i>Staphysagria</i>	— 30	10
7169	» <i>sulfureum</i> (D. Zalil), prachtvoll, winterharte Species mit langen Blättrispren und grossen, rein schwefelgelben Blumen, die zu den feinsten Bindeereien verwendet werden können — espèce rustique à tiges de fleurs très longues; fleurs grandes, d'un jaune soufre pur, très recherchées pour la confection des bouquets	4 —	40
7170	» <i>tricolor</i>	1 —	20
7171	» <i>triste</i>	— —	20
7172	» <i>trolliifolium</i>	25 S.	— 30
7173	» <i>truncatum</i> , Gray	1 80	20
7174	» beste Sorten gemischt — beau mélange	— 60	15
7175	<i>Dentaria digitata</i>	5 g 3,50,	— 20
7176	<i>Desmodium canadense</i>	— 70	15
7177	» <i>nutans</i>	1 80	20
7178	» <i>paniculatum</i>	— 80	15
7179	<i>Dianthus alpinus</i>	1 g 3,50,	— 30
7180	» <i>arenarius</i>	1 10	20
7181	» <i>Armeria</i>	— 80	15
7182	» <i>atrococcineus</i> (cruentus), brennend scharlachroth — écarlate brillant	— 60	15
7183	» <i>Balbisii</i>	— 80	15

Dianthus barbatus.

Bartnelken in folgenden Sorten:
— *Œillets de poète*.

7184	einfache im reichsten Farbenspiel — à fl. simples bien varié	— 30	10
7185	gefüllte gemischt — à fl. double en mélange	— 60	15
7186	dichtgefüllte grossblumige Prachtsorten — variétés doubles à gr. fleurs	1 —	20
7187	<i>albus purus</i>	— 40	10
7188	» <i>plenus</i>	— 80	15
7189	<i>atroviolaceus</i>	— 40	10
7190	<i>Dunnettii</i> , leuchtend carmoisin — cramoiis brillant	— 40	10
7191	<i>mutabilis</i> , weissgescheckte — blanc marbré	— 50	10
7192	<i>nanus compactus</i>	— 50	10
7193	» <i>albus</i>	— 50	10
7194	» <i>fl. pl.</i>	1 60	20
7195	» <i>flore pleno</i>	1 40	20
7196	» <i>marginatus</i>	— 50	10
7197	» <i>fl. pl.</i>	1 80	20
7198	<i>nigricans</i> , schwarzroth, prachtvoll für Gruppen — rouge-noirâtre, splendide	— 40	10
7199	<i>oculatus</i> , rothgrundig, sehr schön — à fond rouge	— 60	15
7200	<i>oculatus marginatus</i> (Hunt's Perfection), sehr grossblum. Gattung, mit weissem Auge und breitem weissem Rand — très grandes fleurs, à œil et à bord blanc	— 40	10



7228. Margareten-Neiken.



7237. Dianthus Caryoph. fl. pl. Grenadin.

No.	Dianthus barbatus, Bartnelken:	20 g	Pt.
	oculatus marginatus fl. pl., extra gefüllte weissgerandete — à bord blanc à fl. doubles . . .	M.Pf.	Pf.
7201		— 70	15
7202	Dianthus caesiuss	— —	20

Dianthus Caryophyllus fl. pl.**Extragefüllte Topfnelken:****Gillets des fleuristes, de plantes
en pots:**

7203	Doubletten und Bizarden — Bizarden et Doublettes 100 S. 1,50, 20 S.	— —	40
7204	Fameusen — Fantaisies 100 S. 1,60, 20 S.	— —	40
7205	Farbenblumen, einfarbig — unicolores	100 S. 1,50, 20 S.	— — 40
7206	Flammenblumen — Flamands 100 S. 1,50, 20 S.	— —	40
7207	Gelbgrundige Picotten — Avran-chins	100 S. 1,60, 20 S.	— — 40
7208	Germania, die schönste reingelbe — le plus beau jaune pur . . .	5 S.	— — 50
7209	Rand-Picotten — Saxons 100 S. 2 —, 20 S.	— —	50
7210	Rothgrundige Picotten — Fantaisies à fond rouge 100 S. 1,60, 20 S.	— —	40
7211	Salamander und Grenoble — ponctués 100 S. 1,50, 20 S.	— —	40
7212	Weissgrundige Picotten — Fantaisies à fond blanc 100 S. 1,50, 20 S.	— —	40
7213	Alle Classen gemischt — toutes les classes en mélange, 100 S. 1,50, 20 S.	— —	40
7214	Zwerg-Topfnelken gemischt — variétés naines en mélange 100 S. 2 —, 20 S.	— —	50
7215	Remontant-odimmerblühende 100 S. 1,25, 20 S.	— —	30
7216	» allerfeinste Qualität — qualite extra 100 S. 1,60, 20 S.	— —	40
7217	» gelbgrundige, siehe Neuhe. — à fond jaune, voy. nouv.	— —	75
7218	» Le Favori 100 S. 1,20, 20 S.	— —	30
7219	» niedrige (à tige de fer) — remontant nain 100 S. 1,20, 20 S.	— —	30
7220	» Riviera Markt-, frühhl., einen hohen Prozentsatz gefüllthlüh. Pflanzen bringend — à floraison précoce 100 S. 1,25, 20 S.	— —	40
7221	» Uriah Pike, neu — nouv.	25 S.	— — 120
7222	» weiss — blanc 100 S. 1,50, 20 S.	— —	40
7223	» roth — rouge 100 S. 1,50, 20 S.	— —	40

No.	Landnelken: de plantes en pleine terre:	20 g	Pt.
		M.Pf.	Pf.
7224	Gefüllte einfarbige im brillantesten Farbenspiel — Unicolores doubles en beau mélange bunte in prachtvollem Rommel — Fantaisies en mélange	1 20	20
7225	» » extra Qualität — Fantaisies en mélange, qualité extra	2 60	30
7226	» » remontirende, in reichem Farbenspiel — remontant, beau mélange	2 60	30
7227	» » remontirende Marga-reten-Neiken, neue Classe, die im zeitigen Frühjahr gesät wird, und welche zur Schnitthlumen — Gewinnung nicht genug empfohlen werden kann, da die Sämlinge schon im vierten Monate nach der Aussaat zu blühen beginnen. Der Samen liefert gegen 80% gefüllthübender Pflanzen. — Oeillet Marguerite, nouvelle classe, qui doit être semée au printemps; les semis fleuriront la même année au mois de juillet ou d'août. Ils reproduisent environ 80% de plantes à fl. doubles	1 60	20
7228	» Margareten-Neiken, halbhöhe — Oeillet Marguerite demi-haut	2 20	30
7229	» Margareten-Neiken, weiss — O. Marguerite blanc	7 —	40
7230	» Margareten-Neiken, Zwerg- — O. Marguer. nain	4 —	40
7231	» Margareten-Neiken, Riesen- — Oeillet Marguerite à fl. géante 5 g 3,50,	— —	40
7232	» remontirende verbesserte „Guillaud“ — remontant double „Guillaud“ 2 g 5,50,	— —	50
7233	» frühblüh. Wiener Zwerg-, einfarbige Sorten — nains hâtifs unicolores . . .	1 —	20
7234	» gestreifte frühblühende Wiener Zwerg-, extra — nains hâtifs striés	1 20	20
7235	» frühbl. Wiener, weiss — de Vienne blanc pur	2 60	30
7236	» Grenadin-, feurigroth, halbhoch — Grenadin, rouge de feu, demi-haut	1 60	20
7237	» » feurigroth, niedrig — rouge de feu, nain . . .	2 60	30

7249. *Dianthus plumarius* Cyclope.

No.		20 g	Pt.
		M.Pf.	Pf.
7239	<i>Dianthus cinnabarinus</i>	5	— 30
7240	» <i>deltoides</i>	— 60	15
7241	» <i>fl. albo</i>	— 60	15
7242	» <i>giganteus</i>	— 60	15
7243	» <i>glutinosus</i>	— 20	—
7244	» <i>liburnicus</i>	— 20	—
7245	» <i>monspessulanus</i>	— 20	—
7246	» <i>pelviformis</i>	— 60	15
7247	» <i>petraeus</i>	— 60	15
7248	» <i>plumarius</i> (<i>moschatus</i>), einfache Federnelke — Mignardise à fl. simples	— 40	10
7249	» <i>Cyclope</i> , einfache grossblumige schottische mit dunklen Zonen — à fl. grandes et à couronne pourpre foncé	3 20	30
7250	» <i>gefüllte, extra Qualität — Mignardise double, qualité extra</i>	4	— 40
7251	» <i>fimbriatus albus pl.</i> 1000 S. 5.—, 50 S.	— 30	—
7252	» <i>fl. pl. Her Majesty</i> , grossbl., rein weiss, dichtgefüllt — blanc pur double à gr. fl. 100 S. 1,80, 20 S.	— 40	—
7253	» <i>fl. pl. Mrs. Sinkins</i> 1000 S. 7,50, 50 »	— 40	—
7254	» <i>fl. pl. Nelly</i> , rosa — rose 1000 S. 5.—, 50 S.	— 30	—
7255	» <i>fl. pl. Virginal</i> , gefüllte reinweisse — blanco pur 1000 S. 4.—, 50 S.	— 25	—
7256	» <i>scoticus fl. pl., schottische gefüllte (Pinks), mit Randzeichnungen — Mignardise d'Ecosse varié double</i> 100 S. 4.—, 10 S.	— 50	—
7257	» <i>scoticus semperflorens</i> , einfache u. gefüllte remontierende Federnelken gemischt — Mignardise remontant variée 1000 S. 5.—, 50 S.	— 30	—
7258	» <i>racemosus</i>	— 60	15
7259	» <i>Segueri</i>	— 80	15
7260	» <i>spinosus</i>	— 20	—
7261	» <i>squarrosus</i>	— 60	15
7262	» <i>suavis</i>	— 20	—
7263	» <i>subcaulescens</i>	50 S.	— 30
7264	» <i>snperbus</i>	1 60	20
7265	» <i>nanus</i>	1 80	20
7266	» <i>Telekii</i> , neu — nouv.	— 40	—
7267	» <i>sylvestris</i>	— 20	—
7268	» <i>tenuiflorus</i>	— 20	—
No.		20 g	Pt.
7269	<i>Dianthus Wimmeri</i>	2 50	30
7270	<i>Diclytra</i> (<i>Dicentra</i>) <i>chrysantha</i> 5 g 2,50.	—	40
7271	» <i>spectabilis</i> 100 S. 1,25, 20 S.	—	30
7272	<i>Dictamnus angustifolius</i>	2 50	30
7273	» <i>davuricus</i> (<i>giganteus</i>)	— 80	15
7274	» <i>Fraxinella</i> (<i>ruber</i>)	— 60	15
7275	» <i>fl. albo</i>	1 20	20
7276	» <i>gemischt — mélange</i>	1	— 20
7277	<i>Digitalis argyrostigma</i>	—	20
7278	» <i>canariensis</i>	7 50	30
7279	» <i>ferruginea gigantea</i>	— 40	10
7280	» <i>gloxiniæiflora alba</i>	— 50	15
7281	» <i>lilacina</i>	— 50	15
7282	» <i>purpurea</i>	— 50	15
7283	» <i>rosea</i>	— 50	15
7284	» <i>gemischt — mélange</i>	— 40	10
7285	» <i>grandiflora</i>	— 30	10
7286	» <i>lauata</i>	— 30	10
7287	» <i>lutea</i>	— 30	10
7288	» <i>maculata</i> <i>Iveryana</i> , geflechte, in den prachtvollsten Nuancen — maculé en nuances très-variées	— 50	15
7289	» <i>parviflora</i>	— 30	10
7290	» <i>purpurea</i>	— 30	10
7291	» <i>alba</i>	— 40	10
7292	» <i>monstrosa alba</i>	— 60	15
7293	» <i>rubra</i>	— 60	15
7294	» <i>rosea</i>	— 50	10
7295	» <i>gemischt — varié</i>	— 40	10
7296	» <i>gemischt — en mélange</i> kg 7 —	— 30	10
7297	» <i>Dioscorea villosa</i> 5 g 2,60.	—	40
7298	<i>Diplopappus umbellatus</i>	1 80	20
7299	<i>Dipsacus asper</i>	— 80	15
7300	» <i>ferox</i>	— 40	10
7301	<i>Dodecatheon Clevelandi</i>	7 60	30
7302	» <i>Meadia</i> , Götterblume	5	— 30
7303	» <i>album</i> 1000 S. 2,50, 100 S.	—	30
7304	» <i>elegans</i> (<i>integrifolium</i>), die schönste aller Dodecatheon — très beau 5 g 3,50.	—	30
7305	» <i>giganteum</i> 200 S.	—	40
7306	<i>Doronicum austriacum</i> 5 g 2,60.	—	40
7307	» <i>carpetanum</i>	—	30
7308	» <i>caucasicum</i>	—	40
7309	» <i>magnificum</i>	—	40
7310	<i>Draba Alzoon</i>	—	20
7311	» <i>borealis</i>	—	30
7312	» <i>brunifolia</i>	—	20
7313	» <i>carinthiaca</i>	—	20
7314	» <i>elongata</i>	—	20
7315	» <i>lasiocarpa</i>	—	20
7316	<i>Dracocephalum altaianse</i>	— 40	10
7317	» <i>argunense</i>	— 40	10
7318	» <i>canariense</i>	5 g 2 —	— 30
7319	» <i>canescens</i>	—	30
7320	» <i>grandiflorum</i>	1 50	20
7321	» <i>integrifolium</i>	1	— 20
7322	» <i>nutans</i>	— 50	10
7323	» <i>peregrinum</i>	— 50	10
7324	» <i>Ruprechtii</i> , lila, reichblühend — lilas, florifère	1 10	20
7325	» <i>Ruyachianum</i>	— 40	10
7326	» <i>japonicum</i> , Veitoh	2 50	30
7327	» <i>speciosum</i>	1 20	20
7328	» <i>virginianum</i>	— 50	10
7329	» <i>album</i>	1 80	20
7330	<i>Dryas Drummondii</i>	—	40
7331	» <i>octopetala</i>	—	40
7332	<i>Echinacea purpurea</i>	20 S.	— 30
7333	<i>Echinops banaticus</i>	— 40	10
7334	» <i>exaltatus</i>	— 30	10
7335	» <i>nivens</i>	— 40	10
7336	» <i>paniculatus</i>	— 40	10
7337	» <i>Ritro</i>	— 60	15
7338	» <i>sphaerocephalus</i>	— 30	10
7339	» <i>syriacus</i>	— 30	10
7340	<i>Echinopspermum macranthum</i> , leuchtend azurblau, sehr hübsch — bleu de ciel luisant, très beau	— 80	15
7341	<i>Empetrum nigrum</i>	5 g 1,40.	— 30
7342	<i>Epilobium angustifolium</i>	— 70	15
7343	» <i>boreale</i>	1 20	20



7396. Euryangium Sumbul.



7411. Freesia.

No.		20g	Pt.
		M.Pf.	Pf.
7344	<i>Epilobium Dodonaei</i>	—	20
7345	» <i>Fleischeri</i>	—	20
7346	» <i>hirsutum</i>	2	— 20
7347	» <i>rosmarinifolium</i> , reizend, mit grossen rosenrothen Blum- men — beau, à gr. fl. rose	1 20	20
7348	<i>Eranthis hyemalis</i>	1 20	20
7349	<i>Eremurus altaicus</i>	1 10	20
7350	» <i>Bungei</i> 100 S. 4,—, 5 S.	—	25
7351	» <i>cancasicus</i>	—	40 10
7352	» <i>Elwesianus</i> 10 S. 1,60, 3 S.	—	50
7353	» <i>himalaicus</i> 100 » 2,50, 10 »	—	30
7354	» <i>Kaufmanni</i>	—	40 10
7355	» <i>Olgae</i> , weiss — blanc . 5 S.	—	40
7356	» <i>robustus</i> . 100 S. 2,60, 10 »	—	30
7357	» <i>spectabilis</i>	—	40 10
7358	» <i>tauricus</i>	—	40 10
7359	» <i>turkestanicus</i> , riesige Blü- thenschäfte mit zimtbrau- nen Blumen — tiges de fleurs énormes, fleurs brun-can- nelle	4	— 30
7360	<i>Erigeron alpinus</i>	—	20
7361	» <i>aurantiacus</i> , leucht. orange — orange brillant 5 g 1,60, ...	—	30
7362	» <i>caucasicus</i>	—	30
7363	» <i>glandulosus</i>	—	40 10
7364	» <i>glauca</i>	—	40 10
7365	» <i>hybridus roseus</i> , s. Neuh. — voy. nouv.	—	60
7366	» <i>speciosus</i>	—	40 10
7367	» <i>uniflorus</i>	—	20
7368	» <i>Villarsii</i>	—	50 10
7369	<i>Erinus alpinus</i> 1 g 1,20, ...	—	30
7370	» <i>alpinus fl. albo</i> 1 » 2,40, ...	—	30
7371	<i>Eriophyllum lanatum</i>	—	30
7372	<i>Erodium macradenum</i>	—	25 S.
7373	» <i>Manescavi</i> 1000 S. 7,50, 25 »	—	25
7374	<i>Erpeton reniforme</i> , das austra- lische Veilchen, reizende Ampel- und Teppichbeetpflanze — la vio- lette d'Australie, très-jolie pour vases suspendus et pour massifs 5 g 4,—, 100 S.	—	25
7375	<i>Eryngium alpinum</i>	3 20	30
7376	» <i>amethystinum</i> 5 g 2,—, ...	—	30
7377	» <i>bromeliaefolium</i> , schön — beau	—	80 15
7378	» <i>eburneum</i>	—	80 15
7379	» <i>giganteum</i>	2	— 30
7380	» <i>Lasseauxi</i>	1 25	20
7381	» <i>pandanifolium</i>	1	— 20
7382	» <i>planum</i>	—	40 10
7383	» <i>Rothenbergi</i>	1 60	20
7384	<i>Erysimum Barbarea fol. var.</i>	—	30 10
7385	» <i>pulchellum</i> , niedrig, gelb — nain à fl. jaunes	—	30 10

No.		20g	Pt.
		M.Pf.	Pf.
7386	<i>Erysimum thyrsoides</i>	—	30
7387	<i>Erythrochaete palmatifida</i>	10 S.	— 20
7388	<i>Erythrolaena conspicua</i> , Rothschopf, prachtvolle Blatt- pflanze mit cochenillerothen Blum- men — magnifique, à fl. rouge cochenille 100 S. 3,—, 10 S.	—	40
7389	<i>Erythronium dens canis</i>	—	20
7390	» <i>Nuttallianum</i> 100 S. 5,—, 5 S.	—	30
7391	<i>Eupatorium ageratoides</i>	1 20	20
7392	» <i>cannabinum</i>	—	40 10
7393	» <i>purpureum</i>	3 20	30
7394	» <i>teucrifolium</i>	1 20	20
7395	<i>Euphorbia corollata</i>	3	— 30
7396	<i>Euryangium Sumbul</i> , die wohl- riechende Sumbul- oder Moschus- wurzel — le Sumbul odorant ou plante à musc 20 S.	—	40
7397	<i>Fragium grande</i> 20 »	—	40
7398	<i>Felicia abyssinica</i> , neu — nouv. 1 g 1,—, ...	—	40
7399	<i>Ferula communis</i>	—	30
7400	» <i>gigantea</i> 100 S. 1,50, 10 S.	—	20
7401	» <i>Linkii</i> 100 » 1,50, 10 »	—	20
7402	» <i>Narthea</i> (Boiss.), vide Scor- dosma foetidum	—	50 10
7403	» <i>neapolitana</i>	—	1 60 20
7404	» <i>thyrsiflora</i>	—	80 15
7405	<i>Fragaria indica</i> , indische Erd- beere, reizend für Ampeln — très beau pour vases suspendus	1 30	20
7406	<i>Francoa appendiculata</i>	—	30
7407	» <i>rupestris</i>	2 40	30
7408	<i>Fraxinella</i> vide <i>Dictamnus</i>	—	80 15
7409	» <i>refracta alba</i>	—	70 15
7410	» <i>xanthospila</i>	1 20	20
7411	» gemischt — mélange	—	60 15
7412	Prachtvolle Zwiebelgewächse mit weissen wohlriechenden Blumen. Sämlinge blühen im ersten Jahre — à fleurs odoriférantes. Les semis fleureront la même année.	—	20
7413	<i>Fritillaria armena</i>	—	25
7414	» <i>Bornmülleri</i> , 100 S. 2,—, 10 S.	—	30
7415	» <i>citrina</i>	—	30
7416	» <i>Guicciardi</i> 5 g 1,—, ...	—	30
7417	» <i>imperialis</i> , gemischt — varié	—	50 10
7418	» <i>roth — rouge</i>	—	60 15
7419	» <i>gelb — jaune</i>	—	70 15
7420	» <i>var. cashmeriana</i>	—	20
7421	» <i>Korolkowi</i>	—	20
7422	» <i>Meleagris</i> , gemischt — varié	—	20

7526. *Glossocomia clematidea*.

No.		20g	Pt.
		M.Pf.	Pf.
7422	<i>Fritillaria ophioglossifolia</i>	100 S. 2,—, 10 S.	— 25
7423	» <i>pallidiflora</i> , schön — beau	3	— 30
7424	» <i>persica minor</i> 100 S. 1.20, 20 S.	—	— 30
7425	» <i>Sewerzowi</i>	—	— 20
7426	» <i>tencilla</i>	—	— 30
7427	<i>Funkia coerulea</i>	— 60	15
7428	» » <i>fl. albo</i>	1 60	20
7429	» <i>cordata aureo-variegata</i>	1000 S. 3,—, 50 S.	— 20
7430	» <i>cuoullata medio-piota</i>	1000 S. 2.60, 50 S.	— 20
7431	» <i>ovata</i>	2 50	30
7432	» <i>albo-marginata</i>	50 S.	— 25
7433	» <i>Sieboldi marginata</i>	50 »	— 20
7434	» <i>gemischt — mélange</i>	—	— 30
7435	<i>Gaillardia aristata</i>	— 50	10
7436	» <i>aurantiaca</i>	— 40	10
7437	» <i>grandiflora vera</i> , sehr grossblumig — à très-grandes fleurs	— 50	10
7438	» <i>grandifl. Bosselaeri</i>	— 60	15
7439	» <i>Loiseli</i>	— 70	15
7440	» <i>maxima</i> , sehr schön — très beau	1	— 20
7441	» » <i>rubra</i>	1	— 20
7442	» <i>Perfection</i>	1 20	20
7443	» <i>splendens</i>	1 60	20
7444	» <i>superba</i> , grossbl. geröhrt — à gr. fl. tuyautée	1	— 20
7445	» <i>grossblumige Varietäten</i> gemischt — des variétés à gr. fleurs en mélange	— 60	15
7446	» <i>neueste Sorten in Prachtmischung</i> — les plus nouvelles variétés en mélange	1 40	20
7447	<i>Galanthus corcyrensis</i>	—	— 30
7448	» <i>nivalis</i>	2 60	20
7449	<i>Galega officinalis</i>	— 20	10
7450	» <i>alba</i>	— 40	10
7451	» <i>orientalis</i>	— 40	10
7452	» <i>persica</i>	— 30	30
7453	<i>Galium boreale</i>	3	— 30
7454	» <i>humifusum</i>	— 40	10
7455	<i>Gardouquia betonicoides</i>	— 50	10
7456	<i>Gentiana acaulis</i>	— 70	15
7457	» <i>alba</i>	5 g 1,40,	— 30
7458	» <i>Andrewsii</i>	5 » 1,40,	— 30
7459	» <i>asclepiadea</i>	1 10	20
7460	» <i>alba</i>	—	— 20
7461	» <i>brevidens</i>	—	— 30
7462	» <i>Burseriana</i>	1 g 2,—,	— 30
7463	» <i>campestris</i>	—	— 30
7464	» <i>Clusii</i>	—	— 30
7465	» <i>crinita</i>	—	— 30
7466	» <i>cruciata</i>	— 70	15

No.		20g	Pt.
		M.Pf.	Pf.
7467	<i>Gentiana decumbens</i>	—	— 20
7468	» <i>libanotica</i>	5 g 2,—,	— 30
7469	» <i>lutea</i>	— 80	15
7470	<i>Moorcroftiana</i>	1000 S. 4,—, 50 S.	— 25
7471	» <i>Olivieri</i>	—	— 20
7472	» <i>pannonica</i>	—	— 30
7473	» <i>Pneumonanthe</i>	5 g 2,—,	— 20
7474	» <i>purpurea</i>	1 » 1,60,	— 30
7475	» <i>septemfida</i>	1 » 1,25,	— 30
7476	» <i>serrata</i>	—	6 — 30
7477	» <i>straminea</i>	—	— 30
7478	» <i>tibetica</i>	1 g 1,—,	— 30
7479	» <i>utriculata</i>	— 2 60	30
7480	» <i>verna</i>	—	— 30
7481	» <i>Walujewi</i>	5 g 1,25,	— 30
7482	<i>Geranium aconitifolium</i>	—	— 30
7483	» <i>albanum</i>	—	— 30
7484	» <i>bohemicum</i>	—	— 20
7485	» <i>dissectum</i>	— 1 60	20
7486	» <i>gymnocaulon</i>	5 g 2,—,	— 30
7487	» <i>ibericum (grandiflorum)</i>	1 30	20
7488	» <i>molle</i>	1 10	20
7489	» <i>pratense</i>	1 25	20
7490	» <i>album</i>	1 40	20
7491	» <i>pyrenaicum</i>	2	— 20
7492	» <i>Richardsoni</i>	—	— 30
7493	» <i>Wlassonianum</i>	2	— 20
7494	<i>Gerardia linifolia</i>	5 g 2,50	— 40
7495	» <i>parvifolia</i>	5 » 2,50	— 40
7496	» <i>quercifolia</i>	5 » 2,50	— 40
7497	» <i>tenuifolia</i> , neu — nouv.	1000 S. 7,50, 50 S.	— 40
7498	<i>Gerbera plantaginea</i>	20	— 30
7499	<i>Geum chilense</i>	1 20	20
7500	» <i>coccineum</i>	1 20	20
7501	» <i>atrosanguineum fl. pl.</i> , leuchtend scharlachroth, gefüllt — à fl. doubles, écarlate-brillant	— 80	15
7502	» <i>Heldreichi</i> , neu — nouv.	1 g 1,25	— 30
7503	» <i>intermedium</i>	— 80	15
7504	» <i>japonicum</i>	— 40	10
7505	» <i>pyrenaicum</i>	—	— 15
7506	» <i>strictum</i>	— 40	10
7507	» <i>urbanum</i>	— 30	10
7508	<i>Gillenia stipulacea</i>	7	— 30
7509	» <i>trifoliata</i> , sehr schöne Schnittblume — très belle fleur pour la coupe 5 g 3,20	—	— 40
7510	<i>Gladiolus Brencleyensis</i> , leuchtend roth — rouge brillant	1 20	20
7511	» <i>byzantinus</i>	— 80	15
7512	» <i>floribundus</i>	1 20	20
7513	» <i>gandavensis hybridus</i> , 100 neueste Prachtarten, jede — 100 nouvelles sortes superbes, chacune . . . 100 S.	—	— 50
7514	» <i>gandav. hybr.</i> gemischt — mélange	— 80	15
7515	» » <i>extra feine</i> Mischung — choix extra	1 40	20
7516	» <i>imbricatus</i>	50 S.	— 25
7517	» <i>Lemoinei hybridus</i> , grossfleck. Hybriden, praechtvoll — hybrides à grandes macules, magnifique	— 80	15
7518	» <i>Lemoinei hybr.</i> , neueste Sämmlinge, extra — semis nouveaux, extra	1 50	20
7519	» <i>Nanceianus</i> , neu, sehr grossblumig — nouv., à tr. gr. fl.	1000 S. 7,—, 50 S.	— 40
7520	» <i>segetum</i>	— 1	— 20
7521	<i>Glaucium Fischeri</i>	1 40	20
7522	» <i>Serpieri</i>	— 60	15
7523	<i>Globularia nudicaulis</i>	— 70	15
7524	» <i>trichosantha</i> , niedrig, azurblau — nain, à fl. bleu d'azur	— 60	15
7525	» <i>vulgaris</i>	— 70	15
7526	<i>Glossocomia clematidea</i> , sehr schöne u. reichblühende Campanulacee — très beau et florifère	3 20	20

7523. *Gnaphalium Leontopodium*.7616. *Heuchera sanguinea splendens*.


No.		20 g	Pt.
		M.Pf.	Pf.
7527	<i>Gnaphalium decurrens</i> , weissblühende Immortelle — Immortelle à fl. blanches . . .	1 20	20
7528	» <i>Leontopodium Edelweiss</i> — Léontopode des Alpes . . .	3 20	30
7529	» <i>sylvaticum</i> . . .	1 40	20
7530	<i>Gratiola officinalis</i> . . .	1 80	20
7531	<i>Grindelia inuloides</i> . . .	5 g 1,50	— 20
7532	» <i>squarrosa</i> . . .	1 g — 80	— 30
7533	<i>Gunnera manicata</i> , sehr schön — très-beau . . .	5 g 3,50	— 40
7534	» <i>scabra</i> , prachtvolle Blatt-pflanze — plante ornementale, splendide . . .	5 g 2,40	— 40
7535	<i>Gypsophila acutifolia</i> . . .	— 40	10
7536	» <i>cerastioides</i> . . .	1 g 2,40	— 30
7537	» <i>paniculata</i> , reizend für Bouquets — très-joli pour bouquets . . .	— 40	10
7538	» » <i>nana compacta</i> . . .	— 40	10
7539	» <i>repens</i> , schön für Felsenparteen — beau pour la garniture de rocailles . . .	— 70	15
7540	» <i>sabnlosa</i> . . .	— 30	10
7541	§ <i>Hablitia tannoides</i> , sehr schöne harte Schlingpflanze — très belle plante grimpante rustique . . .	1 —	20
7542	<i>Haplocarpha Leichtlini</i> , schöne reichblühende Composite — belle Composée florifère . . .	1 40	20
7543	<i>Harpalum rigidum</i> (<i>Helianthus</i>), reichblühend, feine Schnittblume — très florifère, belle fleur pour la confection des bouquets . . .	5 g 2,50	— 40
7544	» <i>rigidum praecox</i> . . .	5 g 2,80	— 40
7545	<i>Hedysarum coronarium</i> , rother Habenkopf, sebon — Sainfoin d'Espagne rouge . . .	— 40	10
7546	» <i>coronarium fl. albo</i> . . .	— 40	10
7547	» <i>splendens</i> . . .	— 50	10
7548	» <i>montanum</i> . . .	— 30	10
7549	» <i>neglectum</i> . . .	— 15	10
7550	» <i>sibiricum</i> . . .	— 50	10
7551	<i>Helenium autumnale</i> . . .	1 40	20
7552	» <i>Hoopesi</i> , grossbl., orange-gelb, sehr leuchtend — à gr. fl. jaune orange brillant . . .	— 50	10
7553	» <i>pumilum</i> . . .	1 40	20
7554	<i>Helianthemum alpestre</i> . . .	— 60	15
7555	» <i>mutabile</i> , gemischt — mélange . . .	— 40	10
7556	» <i>pilosum</i> . . .	— 60	15
7557	» <i>polifolium</i> . . .	— 30	10
7558	<i>Helianthus atrorubens</i> . . .	— 30	10
7559	» <i>decapetalus</i> . . .	— 30	10
7560	» <i>divaricatus</i> . . .	— 20	10

No.		20 g	Pt.
		M.Pf.	Pf.
7561	<i>Helianthus laetiflorus</i> . . .	— —	30
7562	» <i>missuricus</i> (<i>Maximiliani</i>) . . .	— —	40
7563	» <i>occidentalis</i> . . .	3 —	30
7564	» <i>rigidus</i> (<i>Harpalum</i>) 5 g 2,50 . . .	— —	40
7565	<i>Helichrysum angustifolium</i> , feinblättrig, silberweiss, gute Gruppenpflanze — à feuillage fin argenté . . .	— 80	15
7566	» <i>graveolens</i> . . .	— —	20
7567	» <i>lanatum</i> (<i>anatolicum</i>), niedrige, rasenbildende Species mit silberweissen Blättern — espèce naine gazonnante à feuilles blanc d'argent . . .	— 70	15
7568	» <i>thianschanicum</i> , orange-gelb — jaune orange . . .	2 40	20
7569	<i>Heliopsis laevis</i> . . .	1 —	20
7570	» <i>scabra</i> . . .	— 80	15
7571	<i>Helleborus abchasicus</i> . . .	1 40	20
7572	» <i>altifolius</i> (<i>Val di Ledro</i> var.) 100 S. 2 —, 10 S. . .	— —	30
7573	» <i>Bocconi</i> . . .	1 20	20
7574	» <i>foetidus</i> . . .	— 40	10
7575	» <i>lividus</i> . . .	1 20	20
7576	» <i>niger</i> , Christwurz, mit grossen reinweissen Blumen, blüht am frühesten — à grandes fleurs blanches, fleurit en hiver . . .	— 60	15
7577	» <i>viridis</i> . . .	— 40	10
7578	» <i>neue grossblumige Hybriden</i> , Samen aus einer der vorzüglichsten Sammlungen — hybrides à gr. fleurs variés nouveaux, graines provenant d'une collection des plus renommées 1000 S. 5 —, 50 S. . .	— —	30
7579	<i>Helonias erythrosperma</i> . . .	2 60	20
7580	» <i>glaberrima</i> . . .	2 —	20
7581	<i>Hemerocallis flava</i> . . .	— 20	20
7582	» <i>graminea</i> . . .	— 30	20
7583	» <i>Middendorffiana</i> 100 S. 2 —, 10 S. . .	— 25	20
7584	<i>Hepatica angulosa</i> . . .	— 30	20
7585	» <i>triloba alba</i> . . .	— 30	20
7586	» <i>coerulea</i> . . .	5 g 1,60	— 30
7587	» <i>rubra</i> . . .	5 g 1,60	— 30
7588	<i>Heracleum aureum</i> . . .	1 20	20
7589	» <i>barbatum</i> . . .	— 30	10
7590	» <i>eminens</i> , imposante Blatt-pflanze — plante ornementale imposante . . .	— 30	10
7591	» <i>giganteum</i> . . .	— 30	10
7592	» <i>laciniatum</i> . . .	— 60	15
7593	» <i>Lebmanni</i> . . .	— 40	10
7594	» <i>Leichtlini</i> . . .	— 30	10

7637. *Iberis gibraltarica hybrida*.

No.		20g	Pt.
		M.Pf.	Pf.
7595	<i>Hieracium Mantegazzianum</i>	—	40
7596	» <i>Panaces</i> , mit ganz tief eingeschnittenen Blättern—feuilles à segments profonds	—	30 10
7597	» <i>platytenium</i>	—	30 10
7598	» <i>pubescens</i>	—	30 10
7599	» <i>sibiricum varietas</i>	1	20
7600	» <i>Spbondylium</i>	—	30 10
7601	» <i>trachyloma</i>	—	60 15
7602	» <i>gemischt — mélange</i>	—	20 10
7603	<i>Hesperis matronalis</i> , Nachtviole — Julienne	—	30 10
7604	» <i>matronalis alba</i>	—	30 10
7605	» <i>lilacina</i>	—	30 10
7606	» <i>nana candidissima</i>	—	80 15
7607	» <i>gemischt — varié</i>	—	20 10
7608	» <i>tristis</i> , wahre Nachviole — Julienne vraie à fleur brune	—	30 10
7609	» <i>violacea</i> , niedrig, sehr reichblühend — nain, très-florifère	1	20
7610	<i>Heuchera alba</i> , siehe Neuh. — voy. nouv.	—	80
7611	» <i>americana</i>	—	80 15
7612	» <i>bracteata</i>	—	40
7613	» <i>glabra</i>	—	70 15
7614	» <i>lucida</i>	1	20
7615	» <i>sanguinea</i> , leuchtend carmoisinroth, prachtvoll zum Schneiden — fleurs rouge cramoisi, se prêtant avantageusement pour la confection des bouquets 5 g 1,40, ...	5	30
7616	» <i>sanguinea splendens</i> , leuchtend dunkelcarmoisin, prachtvoll — cramoisi foncé brillant, magnifique 5 g 3 —, ...	—	40
7617	<i>Hieracium alpinum</i>	1	20
7618	» <i>aurantiacum</i>	1	20
7619	» <i>cerinthoides</i>	—	40 10
7620	» <i>crinitum</i>	—	40 10
7621	» <i>incisum</i>	—	60 15
7622	» <i>integrifolium</i>	1	20
7623	» <i>pulmonaroides</i>	—	40 10
7624	» <i>speciosum</i>	—	40 10
7625	» <i>villosum</i>	1	20
7626	<i>Horminum pyrenaicum</i>	100 S.	— 30
7627	<i>Hyacinthus amethystinus</i>	2	20
7628	» (<i>Galtonia</i>) <i>candicans</i> , mit grossen reinweissen Glockenblumen — & gr. fleurs blanc pur en forme de cloche	—	40 10
7629	» <i>orientalis</i>	—	20
7630	<i>Hydrophyllum canadense</i>	—	40
7631	<i>Hyoscyamus orientalis</i>	—	70 15
7632	» <i>Scopolia</i>	—	20

No.		20g	Pt.
		M.Pf.	Pf.
7633	<i>Hypericum</i> : 1. <i>Ascyron</i> , 2. <i>aureum</i> , 3. <i>Coris</i> , 4. <i>hircinum</i> , 5. <i>japonicum</i> , 6. <i>orientale</i> , 7. <i>perforatum</i> , 8. <i>pulchrum</i> , 9. <i>pyramidatum</i> , 10. <i>quadrangulare</i> , 11. <i>reptans</i> , 12. <i>tetrapterum</i> , 13. <i>veronense</i> , jede — obaque	—	20
7634	<i>Hyssopus officinalis</i> fl. albo	—	40 10
7635	<i>Iberis corifolia</i>	—	40
7636	» <i>gibraltarica</i>	5	40
7637	» <i>hybrida</i> , niedriger und reichblühender als <i>gibraltarica</i> — plus nain et plus florifère que le type	—	80 15
7638	» <i>jucunda</i> , zart carmoisinrosa, frühblühend — rose cramoisi tendre, fl. printanière 100 S.	—	30
7639	» <i>Fruiti</i>	7	40
7640	» <i>semperflorens</i>	1	40 20
7641	» <i>sempervirens</i> , bildet grosse Büsche, dicht bedeckt mit reinweissen Blumen — forme des touffes larges couvertes de fleurs blanc pur	—	80 15
7642	» <i>Tenoreana</i> , niedrig rosenroth — nain à fleurs roses	—	40 10
7643	<i>Imperatoria Ostruthium</i>	—	15
7644	<i>Incarvillea Delavayi</i> , neue prachtvoll Bignoniacee; Blumen carminrosa, im Schlunde gelb und braun gefleckt — nouvelle Bignoniacee magnifique; fleurs rose carminé maculé de jaune et brun à la gorge	100 S.	3,75, 10 S. — 40
7645	<i>Inula Bulbionum</i>	—	15
7646	» <i>ensifolia</i> , niedrig, kugelförmig, Blumen goldgelb — à port nain, fleurs jaune d'or	1	80 20
7647	» <i>glandulosa grandiflora</i> , sehr schön — très beau	1000 S.	3,50, 50 S. — 25
7648	» <i>graveolens</i>	—	60 15
7649	» <i>helenioides flosculosa</i>	—	40 10
7650	» <i>macrocephala</i> , siehe Neuh. — voy. nouv.	—	60
7651	» <i>montana</i>	—	60 15
7652	» <i>racemosa</i>	1000 S.	4 —, 50 S. — 25
7653	» <i>salicifolia</i>	—	60 15
7654	» <i>squarrosa</i>	—	50 10
7655	» <i>thapsioides</i>	—	50 10
7656	» <i>Vaillanti</i>	—	50 10
7657	<i>Ipomoea fistulosa</i> Goodell, perennirende Winde, einen aufrechten Busch bildend — espèce pérennante formant une touffe érigée	—	40
7658	<i>Iris anglica</i> , gemischt — mélange	1	20
7659	» <i>assyriaca</i> 100 S. 5 —, 5 S.	—	30
7660	» <i>atropurpurea</i>	1	30 20
7661	» <i>biglumis</i>	—	30 10
7662	» <i>Bludowii</i>	20 S.	— 25
7663	» <i>bohemica</i>	—	40 10
7664	» <i>bosniaca</i>	100 S.	2,50, 10 S. — 30
7665	» <i>coreana</i>	20	— 30
7666	» <i>cypriana</i>	10	— 40
7667	» <i>Delavayi</i> , neu, Blumen auf meterhohen Stielen, dunkelblau mit schöner weisser Zeichnung — nouv. fleurs bleu foncé et blanc, tiges très bantes 100 S. 2 —, 10 S.	—	30
7668	» <i>elongata</i>	—	60 15
7669	» <i>florentina</i>	—	30 10
7670	» <i>fotidissima</i>	—	30 10
7671	» <i>fureata</i>	—	30 10
7672	» <i>fl. albo</i>	—	30 10
7673	» <i>germanica</i>	—	50 10
7674	» <i>graminea</i>	—	60 15
7675	» <i>Grant Duffi</i>	1	40 20
7676	» <i>Grundenstaedti</i>	—	40 10
7677	» <i>halophylla</i>	—	40 10
7678	» <i>hispanica</i>	—	60 15
7679	» <i>iberica</i>	10 S.	— 20
7680	» <i>japonica</i>	—	20
7681	» <i>junceae</i>	—	20

7721. *Lathyrus latifolius*.7772. *Linaria cymbalaria fl. albo.*

No.		20 g	Pt.
		M. Pf.	Pf.
		1 30	20
7682	<i>Iris Kaempferi</i>	—	—
7683	» » neueste japanische Sorten in Prachtmischung — nouv. variétés japonaises en beau mélange . . 5 g 2 —	—	40
7684	» livida	—	40 10
7685	» macrosiphon . . . 5 g 2 —	—	40
7686	» Mariae	1 30	20
7687	» maritima	—	30 10
7688	» notha	—	30 10
7689	» ochroleuca gigantea, nenouv. 2 g 2 —	—	40
7690	» orientalis	3 —	30
7691	» persica purpurea . . . 20 S.	—	30
7692	» prismatica	1 80	20
7693	» pumila nova alba	—	80 15
7694	» » » azurea	1 —	20
7695	» » » sulphurea	—	60 15
7696	» » » gemischt — mélange	—	30 10
7697	» Reichenbachiana . . . 5 g 1,25,	—	30
7698	» reticulata	3 20	30
7699	» Robinsoniana 20 S.	—	30
7700	» setosa	—	50 10
7701	» sibirica	—	40 10
7702	» Sogdiana	—	80 15
7703	» tectorum	1 80	20
7704	» Tolmieana	—	40 10
7705	» tridentata	2 —	20
7706	» variegata	2 60	20
7707	» virginica	1 60	20
7708	» gemischt — mélange . . kg 7,50	—	30 10
7709	<i>Ixia</i> , viele schöne Sorten gemischt — belles sortes en mélange	3 60	40
7710	<i>Ixiolirion tartaricum macranthum</i> , sehr grossbl. — gr. fl. 5 g 2,50,	—	40
7711	<i>Janthe bugulifolia</i>	—	20
7712	<i>Jasione littoralis</i> 5 g 2 —	—	30
7713	» perennis	—	80 15
	Julienne des jardins, vide Hesperis.		
7714	<i>Jurinea alata</i> (Carduus mollis, Hort.)	—	40 10
7715	<i>Kernera Boissieri</i>	—	20
7716	<i>Kitaibelia vitifolia</i>	5 —	30
7717	<i>Lathyrus latifolius</i>	—	40 10
7718	» latifol. albus	—	80 20
7719	» » roseus	—	50 10
7720	» » splendens	—	80 15
7721	» » gemischt — mélange	—	40 10
7722	» maritimus	—	70 15
7723	» pisiformis	—	20
7724	» pratensis	—	80 15
7725	» rotundifolius	—	30 10
7726	» splendens, Californien	7 —	40
7727	» sylvestris <i>Wagneri</i>	—	30 10
7728	» tuberosus	—	80 15
7729	<i>Lavatera thuringiaca</i>	—	70 15

No.		20 g	Pt.
		M. Pf.	Pf.
		1 —	20
7730	<i>Leontodon autumnalis</i> , Alpine	—	20
7731	» » caucasicus	—	20
7732	<i>Leontopodium alpinum</i> , Edelweiss — Léontopode des Alpes	3 20	30
7733	» himalayense	—	30
7734	<i>Leonurus Cardiaca</i>	—	20 10
7735	<i>Lepachys pinnata</i>	—	15
7736	<i>Leucanthemum uliginosum</i>	2 60	30
7737	<i>Leucocjum vernum</i>	—	20
7738	<i>Leucophaea candidissima</i> , mit silberweisser Belaubung — à feuillage blanc 50 S.	—	20
7739	» » macrostachya 50 »	—	25
7740	<i>Leuzea conifera</i> , schön — joli	—	40 10
7741	<i>Liatris cylindrica</i>	3 20	30
7742	» » scariosa	3 20	30
7743	» » spicata	1 80	20
7744	<i>Ligularia Kaempferi</i> 20 S.	—	30
7745	» » macrophylla	1 80	20
7746	» » sibirica	2 20	20
7747	<i>Lilium auratum</i>	5 —	40
7748	» » canadense 5 g 1,20,	—	30
7749	» » candidum 5 » 1,20,	—	30
7750	» » colchicum (Szovitzianum)	4 —	30
7751	» » cordifolium . . . 100 S. —, 80, 20 S.	—	20
7752	» » croceum fulgidum	3 20	30
7753	» » dalmaticum	4 —	30
7754	» » giganteum 1000 S. 7,50, 25 S.	—	20
7755	» » jonkæanum	20 —	30
7756	» » lancifolium album	10 —	30
7757	» » roseum . . . 100 S. 1,80, 10 »	—	25
7758	» » rubrum . . . 100 » 1,40, 10 »	—	20
7759	» » gemischt — mélange	10 —	20
7760	<i>Martagon</i>	50 10	
7761	» » album 50 S.	—	25
7762	» » monadelphum	—	30
7763	» » nylgherricum 10 S.	—	30
7764	» » Parryi	—	20
7765	» » polyphyllum . . . 100 S. 4., 5 S.	—	25
7766	» » pyrenaicum	—	20
7767	» » superbum	3 20	30
7768	» » tenuifolium . . . 1000 S. 4., 50 S.	—	30
7769	<i>Washingtonianum rubescens</i> 25 S.	—	30
7770	<i>Linaria alpina</i> , reizend für Felsenpartieen u. Einfassungen, schön blau u. immer blühend — charmante pour rocailles et bordures, fleurs bleues, fleuris, sans cesse	7 —	40
7771	» <i>Cymbalaria</i> , niedlich, prächtig für Ampeln — plante très-gracieuse pour vases suspendus	2 20	30
7772	» » fl. albo, neu, reinweiss — nouv., blanc pur 5 g 2,50,	—	40

7798. *Lobelia fulgens* Queen Victoria.

No.		20 g.	Pt.
		M.Pf.	Pf.
7773	<i>Linaria Cymbalaria maxima</i> , gemischt, siehe Neuheiten — mélange, voy. nouv.	—	60
7774	» <i>dalmatica</i>	—	30
7775	» <i>genistaefolia</i>	50	10
7776	» <i>macedonica</i> 1 g 1,—	—	30
7777	» <i>Panceici</i>	2 40	20
7778	» <i>vulgaris</i>	60	15
7779	<i>Lindelia spectabilis</i>	40	10
7780	» <i>praecox</i> . 25 S.	—	30
7781	<i>Linosyris punctata</i>	6	15
7782	» <i>vulgaris</i>	60	15
7783	<i>Linum arboreum</i>	4	40
7784	» <i>austriacum</i>	50	10
7785	» <i>flavum</i>	1 40	20
7786	» <i>Lewisii</i>	40	10
7787	» <i>narbonense</i>	60	15
7788	» <i>perenne</i>	30	10
7789	» » <i>fl. albo</i>	40	10
7790	» » <i>roseum</i>	40	10
7791	<i>Lippia lanceolata</i>	—	40
7792	<i>Lobelia cardinalis</i> 5 g 2,40, 500 S.	—	25
7793	» <i>cardinalis Nanseniana</i> , siehe Neuheiten — voy. nouv.	—	75
7794	» <i>Cavanillesii</i> , scharlachroth mit orangegelber Lippe, prächtige Topfpflanze und guter Winterblüher — à fl. écarlate et jaune orange, se prêtant bien à la culture en pots et fleurissant eu hiver 1 g 4,50, 500 S.	—	30
7795	» <i>fulgens</i> (scarlet) 1 g 4,—, 500 —	—	30
7796	» <i>Lord Ardilaun</i> , neu nouv. 1 g 6,—, 500 S.	—	40
7797	» <i>neue Prachthybriden</i> — hybrides nouv. 1 g 4,—, 500 S.	—	30
7798	» <i>Queen Victoria</i> , Blätter dunkelroth, Blumen leucht. scharlach, schön — feuillage rouge foncé, fleurs écarlate brillant 1 g 3,50, 500 S.	—	30
7799	» <i>Queen Victoria</i> , braun- purpur, neu — maron, nouv. 1 g 8,—, 500 S.	—	50
7800	» <i>Queen Victoria</i> , rosa rose 1 g 6,—, 500 S.	—	40
7801	» <i>Queen Victoria</i> , violett, neu — violet, nouv. 1 g 6,—, 500 S.	—	40
7802	» <i>Gerardi</i> , Blätter grün, Blumen dunkelviolet — feuillage vert, fleurs violet foncé 1 g 7,50, 500 S.	—	40
7803	» <i>gemischt</i> , siehe Neuhe. mélange, voy. nouv.	—	80

No.		20 g.	Pt.
		M.Pf.	Pf.
7804	<i>Lobelia splendens</i> 1 g 2,50, 500 S.	—	30
7805	» <i>syphilitica</i> (oerulea)	2 60	30
7806	» <i>alba</i> 1 g 1,—	—	30
7807	<i>Lunaria biennis</i>	—	40
7808	» <i>biennis alba</i>	50	10
7809	» <i>atropurpurea</i>	60	15
7810	» <i>fol. variegatis</i>	2 20	30
7811	<i>Lupinus arboreus</i>	1 60	20
7812	» <i>grandifolius</i>	40	10
7813	» <i>nutkaensis</i>	3 20	30
7814	» <i>perennis</i>	—	30
7815	» <i>polyphyllus</i> , gem. — mél.	—	30
7816	» <i>albus</i>	—	40
7817	» <i>lilacinus</i>	—	40
7818	» <i>tricolor</i>	1	20
7819	» <i>tristis</i>	1	20

7820. *Lychnis alpina*.

7820	<i>Lychnis alpina</i> , reizend — char- mant	1 40	20
7821	» <i>chalconica</i> , roth — rouge	40	10
7822	» <i>fl. albo</i>	—	10
7823	» <i>fl. carneo</i>	40	10
7824	» <i>mutabilis</i>	40	10
7825	» <i>gemischt</i> — mélange	40	10
7826	» <i>fulgens</i>	1 20	20
7827	» <i>grandiflora gigantea</i> , gross- blumig, scharlach — écar- late, à gr. fl.	1 20	20
7828	» <i>Haageana</i> , leuchtend scharl. — écarlate brillant	1 20	20
7829	» <i>fol. atropurpureis</i> , dun- kelrothe Blätter und scharlachrothe Blumen — à feuilles rouge foncé et à fleurs écarlates	1 30	20
7830	» <i>hybrida</i> , in verschiedenen Farheu gemischt — belles variétés on mélange	1 20	20
7831	» <i>nana</i> , gemischt — varié	1 40	20
7832	» <i>Lagasciae</i> (Petrocoptis) 1000 S. 3,50, 50 S.	—	25
7833	» <i>lapponica</i> , reizend — char- mante	4	40
7834	» <i>Prestlii</i>	40	10
7835	» <i>seeno-striata</i>	3 20	30
7836	» <i>Sieboldi</i> , reinweiss — blanc pur	2 40	30
7837	» <i>Viscaria</i>	40	10
7838	» <i>splendens</i> (occinea)	60	15
7839	<i>Lysimachia nemorum</i>	2 40	20
7840	» <i>punctata</i>	70	15
7841	» <i>verticillata</i> 5 g 1,50,	—	30
7842	» <i>vulgaris</i>	80	15
7843	<i>Lythrum roseum superbum</i>	40	10
7844	» <i>Salicaria</i>	30	10
7845	<i>Malva alcea</i>	50	10
7846	» <i>moschata</i>	1 20	20
7847	» <i>fl. albo</i>	80	15
7848	<i>Malvastrum coccineum</i> , neu nouv. 1000 S. 8,—, 20 S.	—	20
7849	<i>Mandragora officinalis</i>	4	40
7850	<i>Marrubium candidissimum</i>	40	10
7851	» <i>Kotschianum</i>	40	10
7852	<i>Marshallia caespitosa</i>	—	20
7853	<i>Mentha Pulegium</i>	4	40
7854	» <i>rotundifolia</i>	1 80	20
7855	» <i>viridis</i>	2 50	30
7856	<i>Merendera sobolifera</i>	1 80	20
7857	<i>Mertensia sibirica</i> 1 g 1,80,	—	30
7858	<i>Meum athamanticum</i>	2 60	20

No.		20g	Pt.
		M.Pf.	Pf.
7859	Michauxia campanuloides , prächtige Stände mit grossen hell- blauen Blumen — magnifique, à gr. fleurs bleu-clair	2 40	30
	Mignardise, vide <i>Dianthus plumarius</i> .		
7860	Molopospermum cicutarium , schön für Rasenplätze — bonne plante isolée pour pelouses	— 40	10
7861	Monarda didyma	5 —	30
7862	» <i>rosea</i>	— —	30
7863	» <i>hybrida</i> , gemischt — mélange	1 40	20
7864	» <i>splendens</i>	1 20	20
7865	Montbretia crocosmiasiflora	2 20	20
7866	» <i>crocosmiaefl.</i> Bouquet Par- fait, 1000 S. 4 —, 50 S.	— —	25
7867	» <i>Etoile de feu</i> , 1000 S. 4 —, 50 S.	— —	25
7868	» <i>Pottsi</i>	4 —	25
7869	<i>Moraea sinensis</i>	— 30	10
7870	<i>Morina elegans</i> (<i>longifolia</i>)	— 80	15
7871	<i>Mulgedium alpinum</i>	— —	20
7872	» <i>Plumieri</i>	— —	30
7873	» <i>thiatischianicum</i>	— —	20
7874	<i>Mnscari Argaei</i>	2 —	20
7875	» <i>botryoides</i> , gemischt	— 50	10
7876	» <i>comosum atrocoeruleum</i>	— 70	15
7877	» <i>commutatum</i>	1 —	20
7878	» <i>polyanthum</i>	5 g 2,50,	— 30
7879	» <i>racemosum</i>	— 40	10
7880	» <i>Steveni</i>	— —	20
7881	Myosotis alpestris , Alpen-Ver- gissmeinnicht — Souvenez- vous-de-moi des Alpes	— 70	15
7882	» <i>alpestris fl. albo</i>	— 70	15
7883	» <i>fl. roseo</i>	— 70	15
7884	» <i>fl. striato</i>	— 70	15
7885	» <i>compacta</i> (<i>nana</i>)	1 10	20
7886	» <i>alba</i>	1 20	20
7887	» <i>dunkelblau m. weiss</i> . Rand, neu — bleu foncé à bord blanc, nou.	— —	30
7888	» <i>fol. aureis</i> , gelbblättrig, hauhlühend — à fenilles dorées, fl. hleue	3 20	30
7889	» <i>rosea</i>	1 40	20
7890	» <i>Distinction</i> , siehe Neu. — voy. nou.	— —	60
7891	» <i>elegantissima coerulea</i>	1 —	20
7892	» <i>alba</i>	1 —	20
7893	» <i>rosea</i>	1 —	20
7894	» <i>striata</i>	1 40	20
7895	» <i>Feenkönigin</i> — Reine des fees	5 g 2 —,	— 40
7896	» <i>gracilis</i>	— 5	40
7897	» <i>Juwel</i> — Bijou	1 60	20
7898	» <i>weiss</i> — Bijou blanc	2 60	30
7899	» <i>robusta grandiflora</i> , grossblumig, himmelblau mit scharf markirtem gel- hem Auge, sehr schön — bleu ciel à oeil jaune hien marqué, à grandes fleurs, très beau	— 80	15
7900	» <i>robusta grandiflora alba</i>	— 80	15
7901	» <i>grandiflora rosea</i>	1 80	20
7902	» <i>striata</i>	1 40	20
7903	» <i>stricta rosea</i> , siehe Neu. — voy. nou.	— —	75
7904	» <i>Victoria</i> , niedrig, mit grossen, prächtig himmel- blauen Blumen, feinste Sorte zur Topfcultur, extra — tout nain, à grandes fleurs bleu ciel, la plus helle variété pour la cul- ture en pots	1 60	20
7905	» <i>Victoria rosea</i>	3 20	30
7906	» <i>weiss</i> — blanc	2 60	20
7907	» <i>gemischt</i> — mélange	— 70	15
7908	» <i>dissitiflora</i> , früh blühend, die schönste Species — la plus helle espèce	5 —	40
7909	» <i>alba</i> , rein weiss — blanc pur	7 —	40


 7899. *Myosotis alp. robusta grandifl.*

No.		20g	Pt.
		M.Pf.	Pf.
7910	Myosotis dissitiflora Perfec- tion, neu, sehr grossblumig — nou., à tr. grande fleur	1 g 2 —,	— 40
7911	» <i>oblongata</i> (<i>latifolia</i>), reizend	1 60	20
7912	» <i>palustris</i> , echtes Vergiss- meinnicht — vrai Sou- venez-vous de moi	2 60	30
7913	» <i>grandiflora</i> , Nixen- auge, neu — Oeil des Ondines, nou.	1 g 1,40	— 40
7914	» <i>semperflorens</i>	3 20	30
7915	» <i>fl. albo</i>	7 50	40
7916	» <i>rosea</i> , neu — nou.	5 g 2,60	— 40
7917	» <i>rupicola</i> , porzellauhau, nie- drig, für Topfcultur — bleu porcelaine, nain	1 g 2 —,	— 40
7918	» <i>sylvatica</i>	— 1 20	20
7919	<i>Narcissus Jonquilla</i>	— 80	15
7920	» <i>polyanthes</i>	— 80	15
7921	<i>Nepeta Cataria</i>	— 70	15
7922	» <i>grandiflora</i>	— —	15
7923	» <i>italica</i>	— 60	15
7924	» <i>kokamirica</i>	— 1 80	20
7925	» <i>latifolia</i>	— 40	10
7926	» <i>macrantha</i>	— —	20
7927	» <i>Mussini</i>	— 40	10
7928	» <i>nuda</i>	— 40	10
7929	» <i>violacea</i>	— 40	10
7930	<i>Obeliscaria columnaris</i>	1 20	20
	Oeillet de poète, vide <i>Dianthus barbatus</i> . » des fleuristes, vide <i>Dianthus</i> <i>Caryophyllus</i> .		
7931	<i>Oenothera caespitosa</i>	25 S.	— 30
7932	» <i>Fraseri</i>	— 1 20	20
7933	» <i>fruticosa major</i>	— 60	15
7934	» <i>missouriensis</i> (<i>macrocarpa</i>), prachtvolle, ganz niedrige, sehr grossblühende Species — helle espèce toute naine à très-grandes fleurs	— 60	15
7935	» <i>pusilla</i> (<i>pumila</i>)	1 20	20
7936	» <i>serrulata</i>	— —	40
7937	» <i>spectabilis</i>	— —	20
7938	Omphalodes longiflora	— 50	10
7939	» <i>Luciliae</i> , prachtvoll, mit 2 cm grossen Blumen vom schön- sten lichten Himmelblau — magnifique, à fl. gr. hleu de ciel	100 S. 7,50, 2 S.	— 20
7940	<i>Ononis hircina</i>	— 40	10
7941	» <i>rotundifolia</i>	— 70	15
7942	<i>Onopordon acule</i>	— 60	15
7943	» <i>Alexandrinum</i>	— 20	10

8005. *Papaver nudicaule*.

No.		20 g	Pt.
		M.Pf.	Pf.
7944	<i>Onopordon arabicum</i>	— 20	10
7945	» <i>gracum</i>	— 20	10
7946	» <i>tauricum</i>	— 30	10
7947	<i>Onosma albo-roseum</i> , niedrig, graugrüne Belaubung, schöne glockenförmige Blumen von weiss bis kirschroth — nain, à feuillage glauque, fleurs en forme de cloches, variant du blanc au rouge cerise 1 g 1, —	—	40
7948	<i>Ophiopogon intermedius</i> 10 S.	—	20
7949	<i>Opopanax Chironium</i>	2 —	20
Orchideen:			
7950	» <i>Epipactis latifolia viridans</i>	—	20
7951	» <i>Gymnadenia conopsea</i>	—	20
7952	» <i>odoratissima</i>	—	20
7953	» <i>Orchis latifolia</i>	—	20
7954	» <i>mascula</i>	—	20
7955	» <i>maculata</i>	—	20
7956	» <i>Morio</i>	—	30
7957	» <i>pallens</i>	—	30
7958	» <i>Platanthera bifolia</i>	—	30
7959	» <i>chlorantha</i>	—	20
7960	» viele Sorten gemischt — mélange d'espèces de pleine terre 1 g 1,20	—	20
7961	<i>Origanum gracile</i>	— 80	15
7962	» <i>fl. roseo</i>	1 10	20
7963	<i>Ornithogalum arabicum</i>	1 60	20
7964	» <i>byzantinum</i>	— 15	15
7965	» <i>narbonense</i> (pyramidale)	— 40	10
7966	» <i>nutans</i>	— 15	15
7967	» <i>thyrsoides</i>	— 20	20
7968	» <i>umbellatum</i>	1 40	20
7969	<i>Orobis formosus roseus</i>	— 20	20
7970	» <i>galegiformis</i>	— 20	20
7971	» <i>lathyroides</i>	1 —	20
7972	» <i>luteus</i>	— 30	30
7973	» <i>niger</i>	— 50	10
7974	» <i>speciosus</i>	— 20	20
7975	» <i>superbus</i>	— 70	15
7976	» <i>tuberosus</i>	— 70	15
7977	» <i>vernus</i>	1 20	20
7978	<i>Oxytropis campestris</i>	— 30	30
7979	» <i>lapponica</i>	— 30	30
7980	» <i>sulphurea</i>	— 30	30
7981	<i>Paeonia californica</i>	1 80	20
7982	» <i>corallina</i>	1 80	20
7983	» <i>multifida</i>	1 40	20
7984	» <i>officinalis</i>	— 20	10
7985	» <i>sinensis fl. pl.</i> , gefüllte der neuesten Sorten gemischt — nouv. var. en mélange	1 40	20
7986	» <i>triternata</i>	1 40	20

No.		20 g	Pt.
		M.Pf.	Pf.
7987	<i>Papaver alpinum</i> (pyrenaicum)	1 g 1, —	30
7988	» <i>alpinum album</i>	1 —	30
7989	» <i>aurantiacum</i>	2 —	30
7990	» <i>roseum</i>	2 —	30
7991	» <i>gemisolt-mélange</i>	5 —	30
7992	» <i>atlanticum</i>	1 —	30
7993	» <i>bracteatum</i> , grossbl., scharlachroth — écarlate à gr. fl.	—	70 15
7994	» <i>hybridum</i> , neu — nouv.	5 g 2,60	— 40
7995	» <i>Livermere var. 1</i>	2, —	40
7996	» <i>caucasicum</i> , ziegelroth — rouge brique	—	50 10
7997	» <i>involutum maximum</i>	—	70 15
7998	» <i>maculatum superbum</i>	—	70 15
7999	» <i>nudicaule</i> , gelb (croceum) — jaune	—	80 15
8000	» <i>gelb gefüllt</i> (croceum fl. pl.) — jaune double	2 40	30
8001	» <i>fl. albo</i>	1 20	20
8002	» <i>pleno</i>	5 —	40
8003	» <i>coccineum</i> (aurantiacum), orangescharlach — orange écarlate	1 20	20
8004	» <i>coccineum fl. pleno</i> , dichtgefüllt, orangescharlach — à fleurs doubles écarlate orangé 1 g 1,50	—	40
8005	» <i>gemisolt</i> — mélange	—	80 15
8006	» <i>orientale</i>	2 60	30
8007	» <i>Blush Queen</i>	—	30
8008	» <i>Duke of Teck</i>	—	30
8009	» <i>hybridum</i> , neue englische Varietäten gemischt — hybrides nouveaux	2 60	30
8010	» <i>Royal Scarlet</i>	1 80	20
8011	» <i>Salmon Queen</i>	—	30
8012	» <i>Sintenisii</i>	5 g 1,50	— 40
8013	» <i>persicum</i>	—	30
8014	» <i>pilosum</i>	5 g 2, —	30
8015	» <i>rupifragum</i>	—	30
8016	» <i>spicatum</i>	2 —	20
Paquerette, vide Bellia.			
8017	<i>Paracaryum angustifolium</i> , siehe Neuh. — voy. nouv. 100 S. 4,50, 10 S.	—	50
8018	<i>Pardanthus chinensis</i> , orangefarben, dunkelblutroth gef. Blumen, schwarze Beeren — fleurs oranges tigrées de rouge saug foncé, fruits noirs	1 20	20
8019	<i>Paris quadrifolia</i>	1 40	20
8020	<i>Parochetus communis</i> , Ampelpflanze — pour vases suspendus	—	30
8021	<i>Passiflora incarnata</i>	2 60	30
8022	<i>Patrinia rupestris</i>	—	30
8023	<i>Peltaria alliacea</i>	— 70	15
8024	<i>Pentstemon acuminatus</i>	— 80	15
8025	» <i>antirrhinoides</i> 2 g 2, —	—	40
8026	» <i>atropurpureus</i> , dunkelpurpur mit weissem, braun gedertem Schlund — pourpre foncé à gorge blanche, veinée de bru	3 80	30
8027	» <i>breviflorus</i> 5 g 2, —	—	40
8028	» <i>campanulatus</i>	— 40	10
8029	» <i>hybridus</i> , siehe Neuh. — voy. nouv.	—	70
8030	» <i>carinatus</i> , rothlilla mit azurblauer Oberlippe — lilas rougeâtre et bleu azuré	1 80	20
8031	» <i>Cleavelandi</i> , dunkelroth — rouge foncé	7 —	40
8032	» <i>Cobaea</i>	1 60	20
8033	» <i>confertiflorus</i> , coeruleo-purpureus	— 70	15
8034	» <i>cordifolius</i> , scharlachroth — écarlate 5 g 4, —	—	40
8035	» <i>cyananthus</i> Brandegei, Blumen gross, rosa, in langen dicken Rispen — fl. rose, grande, en épis longs serrés	1 20	20
8036	» <i>diffusus</i>	— 50	10

8026. *Pentstemon atropurpureus*.8042. *Pentstemon Hartwegi* (gentianoides).

No.		20g	Pt.	No.		20g	Pt.
		M.Pf.	Pf.			M.Pf.	Pf.
8037	<i>Pentstemon Digitalis</i>	—	40	8067	<i>Pentstemon secundiflorus</i> , lilla- rosa, Blüthenrispen sehr lang — à gr. fl. rose lilacé	—	50
8038	» <i>glaber</i> , schön, leuchtend blau — beau, bleu brillant	—	70	8068	» <i>speciosus</i>	—	60
8039	» » <i>hybridus</i> , neue Hybriden — hybrides nouveaux	3	80	8069	» <i>spectabilis</i> , lilliarosa mit blau, sehr schön und reichblühend — rose lilacé et bleu, très beau et très florifère	3	20
8040	» » <i>roseus</i>	—	70	8070	» <i>Wrightii</i> , scharlach — écarlate	4	80
8041	» <i>Hartwegi</i> (gentianoides) <i>hybridus</i> , gemischt — mélange	1	80	8071	» alle Sorten gemischt — mélange	—	40
8042	» » <i>hybridus</i> , neueste Sorten von unübertrefflicher Qualität, gemischt — nouvelles variétés de qualité insurpassable en mélange	2	60	8072	<i>Petrocoptis</i> , vide <i>Lychnis Lagascae</i> . <i>Peucedanum Morrisoni</i>	—	40
8043	» » <i>dunkelrothe</i> u. scharlachrothe Varietäten — variétés rouge foncé et écarlates	2	60	8073	» <i>palustre</i>	—	60
8044	» » <i>violette</i> Varietät. — var. à fl. violettes	2	60	8074	» <i>rablense</i>	—	50
8045	» » <i>weissgründige</i> Sorten — à fond blanc	2	60	8075	» <i>ruthenicum</i>	—	40
8046	» » <i>erectus</i>	5	—	8076	<i>Phaca alpina</i>	—	30
8047	» <i>hybridus grandiflorus</i> , neue gröstblumige Varietäten, extra — nouv. var. à très grandes fleurs	5	—	8077	<i>Phlomis pratensis</i>	—	80
8048	» » <i>nanus</i> , niedrige Varietäten, prachtvoll — var. naines, magnifique	5	—	8078	» <i>tuberosa</i>	—	80
8049	» <i>heterophyllus</i> , azurblau mit rötlichem Schein — bleu azuré teinté rouge	1	40	8079	<i>Phlox decussata</i> , in schönem Rommel — beau mélange	1	50
8050	» <i>Jaffrayanus</i>	1	g 3,—	8080	» <i>decussata</i> , neueste Sorten gemischt — choix extra en mélange	2	50
8051	» <i>laetus</i>	7	—	8081	» » <i>Boule de Neige</i> , reinweiss — blanc pur	5	—
8052	» <i>laevigatus</i>	3	—	8082	» » <i>nana</i> , neueste Zwergsorten der gröstblumigen perennirenden <i>Phlox</i> — nouv. sortes naines à gr. fleurs	5	—
8053	» <i>latifolius</i>	—	50	8083	» <i>nivalis</i>	1	g 1,25,—
8054	» <i>Lobbi</i> , mit goldgelben Blumen — à fl. jaune d'or	2	60	8084	» <i>flore albo</i>	4	—
8055	» <i>Mackayanus</i>	—	60	8085	<i>Physgelus capensis</i>	5	g 2,—
8056	» <i>Menziesii</i>	1	80	8086	<i>Physostegia speciosa</i>	—	60
8057	» <i>Murrayanus</i> , scharlach — écarlate	7	—	8087	» <i>alba</i>	1	80
8058	» <i>ovatus</i>	—	50	8088	<i>Phyteuma campanuloides</i>	1	g 2,—
8059	» <i>Palmeri</i>	5	g 2,50,—	8089	» <i>Halleri</i>	—	20
8060	» <i>procerus</i>	—	50	8090	» <i>orbiculare</i>	—	20
8061	» <i>pubescens</i>	—	50	8091	» <i>Scheuchzeri</i>	—	20
8062	» <i>pulchellus atropurpureus</i>	—	40	8092	» <i>spicatum</i>	1	80
8063	» <i>coccineus</i>	—	40	8093	<i>Phytolacca acinosa</i>	1	50
8064	» <i>gemischt</i> — mélange	—	40	8094	» <i>decandra</i>	—	30
8065	» <i>puniceus</i> , prachtvoll scharlachroth — écarlate, magnifique	3	80	8095	<i>Plantago major</i> fol. purpureis	—	80
8066	» <i>Roetzlii</i>	1	g 1,—	8096	<i>Platycodon Mariasi</i> , mit grossen blauen Blumen — à gr. fl. bleue	1	40
				8097	» <i>Mariasi album</i>	2	60
				8098	<i>Pleurospermum austriacum</i>	1	80
				8099	<i>Podophyllum Emodi</i>	10	S.—
				8100	<i>Polemonium coeruleum</i>	—	30
				8101	» <i>coeruleum</i> fl. albo	—	30
				8102	» <i>grandiflorum</i> , sehr schön — très beau	—	40
				8103	» <i>grandiflorum nanum</i>	—	80
				8104	» » <i>fl. albo</i>	—	80

8145. *Primula Auricula*, Luiker.8153. *Primula Forbesi*.

No.		20 g	Pt.
		M.Pf.	Pf.
8105	<i>Polemonium dissectum</i>	— 50	10
8106	» » <i>fl. albo</i>	— 60	15
8107	» <i>flavum</i> , isabellgelb, schön — jaune isabel, beau	— 60	15
8108	» <i>himalayense</i>	— 40	10
8109	» <i>pauciflorum</i> , mit gelben, auf- fallend langen Blumen — à fl. jaunes, très longues	— 40	10
8110	» <i>reptans</i> , niedrig, reichblühend — nain, florifère	— 60	15
8111	» <i>Richardsoni</i>	1 80	20
8112	» » <i>album</i>	4 —	30
8113	<i>Polygala vulgaris</i>	— 30	
8114	<i>Polygonum Brunonis</i>	— 80	15
8115	» <i>filiforme fol. variegatis</i> , schöne Blattpflanze — belle plante ornementale	4 —	40
8116	» <i>lanigerum</i> , silberweissblät- tig — à feuilles argentées	1 60	20
8117§	» <i>multiflorum</i> , raschwachsende Schliupfpflanze — plante grim- pante vigoureuse	5 g 2,	— 40
8118	» <i>sachalinense</i> , schöne Blatt- pflanze und zugleich viel gerühmte Futterpflanze — belle plante à feuillage ornemental, en même temps recommandée comme plante fourragère	1 50	20
8119	<i>Potentilla alba</i>	1 —	20
8120	» » <i>var. neglecta</i>	— 80	15
8121	» <i>alpestris</i>	— 40	10
8122	» <i>aurea</i>	— 60	15
8123	» <i>Bocconi</i>	— 50	10
8124	» <i>formosa</i>	— 50	10
8125	» <i>Hippeana</i>	— 50	10
8126	» <i>hybrida atrosanguinea</i>	— 70	15
8127	» » <i>Fintelmanni</i>	— 15	
8128	» » <i>Hopwoodiana</i>	— 15	
8129	» » <i>pulcherrima</i>	— 15	
8130	» » <i>Russelliana</i>	— 50	10
8131	» » <i>gemischt</i> — mélange	— 80	15
8132	» <i>knrdica</i>	— 40	10
8133	» <i>nepalensis</i>	— 50	10
8134	» <i>pyrenaica</i>	— 30	
8135	» <i>recta</i>	— 50	10
8136	» <i>rupestris</i>	— 40	10
8137	» <i>Sprengeliana</i>	— 20	
8138	» <i>schönste grossblumige</i> <i>Hybriden gem.</i> , extra — les plus beaux hybrides à gr. fl. en beau mélange, extra gefülltblühende <i>Hybriden</i> , gemischt — doubles en mélange	1 20	20
8139	» <i>gefülltblühende Hybriden</i> , gemischt — doubles en mélange	7 —	40

No.		20 g	Pt.
		M.Pf.	Pf.
8140	<i>Potentilla nana multiflora semiplena</i>	— 70	15
8141	<i>Prenanthus purpureus</i>	— —	20
8142	<i>Primula algida</i>	50 S.	— 30
8143	» <i>Auricula</i> , in schönem Rom- mel — beau mélange	5 20	30
8144	» » <i>Luiker-Aurikel</i> , I. Quali- tät, extra — première qua- lité, extra	8 —	40
8145	» » <i>Luiker-Aurikel</i> , von den allerfeinsten Nummer- blumen gesammelt — pro- venant de notre collection superbe, choix extra	2 g 1,60,	— 50
8146	» » <i>englische grüngerän- derte Aurikel</i> — à fl. bordées de vert dites an- glaises . 1000 S. 6,50, 50 S.	— —	40
8147	» <i>capitata</i> (<i>cashmeriana</i>), prachtvoll — magnifique	7 —	40
8148	» <i>cortusoides</i>	4 20	40
	» » <i>amoena grandiflora</i> vide Sieboldi		
8149	» <i>denticulata</i>	2 g 1,50,	— 30
8150	» <i>farinosa</i>	5 » 1,25,	— 30

8151. *Primula floribunda*.

8151	<i>Primula floribunda</i> , niedr., gelb, ungemein reichblühend — à fl. jaune, très florifère . 1 g 1,80, ...	— —	40
8152	» <i>floribunda grandifl.</i> , gross- blumiger, aber ebenso reich- blühend, als die vorhergehende Sorte — à fl. grande, très flori- fère . 1000 S. 3,—, 100 S.	— —	40

8164. *Primula obconica*.8190. *Primula vulgaris plenissima*.

No.		20 g.		No.	Primula veris:	20 g.	
		M.Pf.	Pf.			M.Pf.	Pf.
8153	<i>Primula Forbesi</i> , prachtvolle neue Species für Topfcultur; Blumen rosalilla mit gelbem Auge — charmante espèce remontante, fleurs lilas rosé à oeil jaune . . . 1 g 5,—, 200 S.	—	25		Englische oder Gartenprimeln. — Primevères des jardins.		
8154	» <i>japonica</i>	3	20 30	8175	<i>acaulis</i> , in vielen Farben — beau mélange . . . 5 g 3,—, —	—	30
8155	» <i>alba</i>	5	40	8176	» in dem prachtvollsten Farbenspiel, von Musterblumen — choix extra en mélange —	—	30
8156	» <i>atrosanguinea</i>	5	40	8177	<i>elatior</i> , Primeln in schönem Rommel — beau mélange . . .	1	20 20
8157	» <i>carminea</i>	5	40	8178	» engl. Primeln von Nummerblumen, extra — les plus belles sortes nommées, extra	1	80 20
8158	» <i>sanguinea</i>	7	40	8179	» goldrandige Sorten, auffallend schön, extra — var. brillantes à bord doré . . .	2	60 30
8159	» <i>splendida</i>	5	40	8180	» <i>duplex</i> , doppeltcorollige Primeln, die „hose in hose“ der Engländer — à double corolle ou hose in hose . . . 1 g 1,—, —	—	40
8160	» <i>striata</i>	7	40	8181	<i>suaveolens</i> , die grossblum. wohlriechende Schlüsselblume — Primevère odorante en belles variétés	1	20 20
8161	» gemischt	1	80 20	8182	<i>Primula verticillata</i>	1000	S. 3,50, 100 S. — — 40
8162	» <i>longiflora</i>	—	30	8183	» <i>vulgaris</i> (Primrose), grossblumige gelbe Primel — Primevère odorante à gr. fl. . . .	3	60 30
8163	» <i>minima</i>	100	S. — — 25	8184	<i>Prunella grandiflora</i>	—	30 10
8164	» <i>obconica</i> , weisslich-lilla, willig u. reich blühend. Als leicht zu ziehende, das ganze Jahr hindurch ununterbrochen, fast überreich blühende Topfpflanze nicht genug zu empfehlen — lilas blanchâtre, à floraison abondante et hâtive; d'une culture des plus faciles et fleurissant surabondamment toute l'année; plante fleurie très belle . . . 5 g 3,50, 1 g — 80, —	—	30	8185	» <i>grandiflora fl. albo</i>	—	40 10
8165	<i>Primula obconica grandifl.</i> , 1 g 1,40, —	—	40	8186	» <i>pyrenaica</i>	1	— 20
8166	» <i>obconica grandiflora fimbriata</i> , siehe Neuh. — voy. nouv.	—	80	8187	» <i>Webbiana</i>	1	20 20
8167	» <i>grandiflora rosea</i> , neu — nouv. . . . 1 g 3,50, —	—	40	8188	<i>Psoralea subcaulis</i> , niedrig, dunkelblau, im Mai blühend — nain, bleu foncé, fleurissant en mai . . . 100 S. 9,—, 5 S. — —	—	50
8168	» <i>Parryi</i> , siehe Neuh. — voy. nouv.	—	80	8189	<i>Primula alpina</i>	—	15
8169	» <i>rosea</i> , prachtvoll — nouv., magnifiqué . . . 1 g 2,60, —	—	30	8190	» <i>vulgaris plenissima</i> , reinweiss, gefüllt, schöne Bouquetblume — blanc pur, double, belle fleur pour bouquets	4	50 30
8170	» <i>grandiflora</i> . . . 1 • 2,60, —	—	30	8191	<i>Pulmonaria virginica</i>	—	30
8171	» <i>splendens</i> , eine verbesserte Form von <i>P. rosea grandiflora</i> — var. améliorée de la <i>P. rosea grandifl.</i> . . . 1 g 4,50, —	—	40	8192	<i>Pulsatilla pratensis</i>	—	20
8172	» <i>Sieboldi</i> (cortusoides amoena grandifl.) 1000 S. 2,40, 100 S. —	—	30	8193	<i>Puschkinia libanotica</i>	—	30
8173	» neue grossblumige Sorten gemischt — variétés nouvelles à gr. fl. en mélange 1000 S. 2,60, 100 S. —	—	30	8194	» <i>scilloides</i>	—	20
8174	» <i>sikkimensis</i>	—	30	8195	<i>Pycnanthemum pilosum</i> , neu — nouv. 1 g 1,20, —	—	40
				8196	<i>Pyrethrum carneum</i>	1	80 20
				8197	» <i>caucasicum</i>	—	60 15
				8198	» <i>cinerariaefolium</i>	—	60 15
				8199	» <i>corymbosum</i>	—	30 10
				8200	» <i>macrophyllum</i>	—	40 10
				8201	» <i>roseum</i>	1	80 20
				8202	» <i>hybridum</i> gemischt — mélange	1	80 20

8231. *Rheum officinale*.

No.		20 g	Pt.
		M.Pf.	Pf.
8227	<i>Rheum crispum</i>	—	30 10
8228	» Emodi , echt, eine prächtige Pflanze für Rasenplätze mit riesigen Blättern, sehr distinct — à très-larges feuilles, plante superbe ornementale pour les pelouses, très-distincte, vraie	— 60	15
8229	» hybridum	— 30	10
8230	» leucorrhizon	— 30	10
8231	» officinale , mit <i>Gunnera</i> ähnlicher Belaubung — à feuil- lage semblable au <i>Gunnera</i>	— 70	15
8232	» palmatum tanguticum	— 50	10
8233	» » typicum , mit getheilten Blättern — à feuilles décou- pées	1 20	20
8234	» Rhaponticum	— 30	10
8235	» spiciforme	— 80	15
8236	» tataricum	— 30	10
8237	» tauricum	— 30	10
8238	» undulatum	— 30	10
8239	<i>Rhexia virginica</i>	1 g 1,20,	— 30
8240	<i>Rodgersia podophylla</i> , schöne <i>Saxifragacea</i> — beau	1 g 2 —,	— 30
8241	<i>Romanzoffia sitchensis</i>	—	30
8242	<i>Roscoea sikkimensis</i>	5 S.	— 40
8243	<i>Rudbeckia californica</i>	4 —	30
8244	» digitata	— 80	15
8245	» fulgida	3 —	30
8246	» laciniata	— 60	15
8247	» lanceifolia	— 60	15
8248	» maxima	3 —	30
8249	» moschata	— 80	15
8250	» Neumannii	5 g 2,60,	— 30
8251	» pinnata	—	20
8252	» purpurea	20 S.	— 30
8253	» texana , sehr schön, gelb mit braun — très beau, jaune et brun	—	70 15
8254	» triloba	—	20
8255	<i>Rumex alpinus</i>	—	30 10
8256	» salicifolius	—	30 10
8257	<i>Salvia argentea</i> , echt — vraie	—	30 10
8258	» austriaca	—	30 10
8259	» byzantina	—	50 10
8260	» chionantha	—	40 10
8261	» glutinosa	1 —	20
8262	» graveolens	—	40 10
8263	» hians	—	40
8264	» interrupta	1 60	20
8265	» japonica	—	40 10
8266	» nutans , sehr schön, mit hän- genden Blütenrispen — à tiges de fleurs penchées, beau	—	40 10
8267	» prateusis	—	40 10
8268	» atroviolacea	—	60 15
8269	» nana multif. praecox	—	30
8270	» pyrenaica	—	40 10
8271	» Sclarea	—	30 10
8272	» Sibthorpi	—	40 10
8273	» sylvestris	—	30 10
8274	» alba	—	30 10
8275	» verticillata	—	30 10
8276	<i>Sanguinaria canadensis</i>	5 g 2 —,	— 40
8277	<i>Sanguisorba tenuifolia</i>	—	60 15
8278	<i>Santolina Chamaecyparissus</i>	—	60 15
8279	» maritima (<i>Diotis candidissima</i>)	2 —	20
8280	» tomentosa	—	80 15
8281	<i>Saponaria caespitosa</i>	—	40
8282	» caucasica fl. pleno	—	40 10
8283	» lutea	—	30
8284	» ocymoides , reizende Früh- jahrsblume, sehr schön zur Bekleidung von Abhängen, Mauern etc.—charmant fleur du printemps pour couvrir les rocailles ou les talus etc.	—	30 10
8285	» ocymoides splendens , dunkel- roth — rouge foncé	—	30 10
8286	» officinalis	—	20 10

No.		20 g	Pt.
		M.Pf.	Pf.
8203	<i>Pyrethrum hybridum</i> gefüllte ge- mischt, extra Qual. — à fleurs doubles en mélange, qual. extra . . . 1000 S. 3,50, 50 S.	—	25
8204	» partheniifol. aureum (Gol- den Feather), mit gold- gelber Belaubung, reizend schön zu Einfassungen und Teppichbeeten — à feuilles dorées, admirable pour bor- dures et massifs	— 60	15
8205	» parth. aureum fl. pleno	1 —	20
8206	» » crispum	3 40	40
8207	» » discoideum	— 70	15
8208	» » „ Golden Gem “, gefüllt weiss blühend — à fleur blanches doubles	— 80	15
8209	» partheniifolium aureum laci- niatum , geschlitzblättrig, — à feuilles laciniées	— 70	15
8210	» partheniifol. aureum muscoi- deum , neu — nouv.	1000 S. 2,60, 100 S.	— 30
8211	» partheniifol. aureum sel- aginoides , mit <i>Sela- ginella</i> ähnlicher, goldgelber Belaubung — à feuillage doré ressemblant à la <i>Selaginella</i>	3 —	30
8212	» partheniifol. glaucum	— 80	15
8213	» Tchihatchewi , ganz fein- blättrige, moosartig belaubte, niedrige Species — espèce toute naine formant des gazons de ses feuilles finement découpées	— 80	15
8214	» trichophyllum	— 40	10
8215	<i>Pyrola minor</i>	—	30
8216	<i>Ranondia pyrenaica</i> , eine der herrlichsten Alpenen — l'une des plus belles plantes alpines connues 1000 S. 2,50, 100 S.	—	30
8217	» serbica	—	40
8218	<i>Ranunculus asiaticus super- bissimus</i> , in dem reichsten Farbenspiel gemischt — mé- lange de var. magnifiques	— 50	10
8219	» aconitifolius	— 20	30
8220	» amplexicaulis	— 30	
8221	» caesius	— 40	10
8222	» graminifolius	—	20
8223	<i>Reseda glauca</i>	4 —	30
8224	<i>Rhaponticum cynaroides</i>	— 50	10
8225	<i>Rhazya orientalis</i>	25 S.	— 30
8226	<i>Rheum Collinianum</i> , sehr schön, mit geschlitzter Belaubung — à grandes feuilles profon- dément incisées	— 40	10

Saxifraga:

No.	Pt. Pf.	No.	Pt. Pf.
8287 Aizoon 1 g — 50, 20		8306 granulata 5 g 1,40	20
8288 ajugaefolia		8307 Hirculus . . .	20
5 g 1 —, 20		8308 hirsuta 1 g 1 —, 20	
8289 altissima . . . 30		8309 Hosti . 5 — 50, 20	
8290 aquatica . . . 30		8310 Kolenatiana . . . 20	
8291 bronchialis . . . 30		8311 Lantosana . . . 30	
8292 caespitosa		8312 leucanthe- folia 5 g 2 — 20	
1 g — 80, 30		8313 lingulata 1 — 1 —, 20	
8293 carinthiaca . . . 30		8314 Malyi . 1 » 1,50, 20	
8294 cernua . . . 20		8315 marginata	
8295 cervicornis . . . 20		1 g — 80, 20	
8296 cordifolia		8316 muscoides . . . 20	
5 g — 75, 20		8317 mutata . . . 20	
8297 Cotyledon		8318 nepalensis . . . 20	
1 g 2 —, 30		8319 nivalis . . . 20	
8298 crassifolia		8320 palmata 1 g 1 —, 20	
5 g 1,80, 20		8321 peltata 5 » 2 —, 20	
8299 crustata . . . 30		8322 punctata 1 » 1,20, 20	
8300 cuneifolia . . . 30		8323 rhaetica . . . 30	
8301 elatior . . . 20		8324 Rochelliana . . . 30	
8302 erosa . 5 g 2,50, 30		8325 rotundifolia	
8303 exarata . . . 30		5 g 1,20, 20	
8304 Forbesi . . . 20		8326 umbrosa . . . 30	
8305 Gaudini 1 g — 80, 30			



8348. Scorodisma foetidum.

No.	20 g M.Pf.	Pt. Pf.
8327 Saxifraga, alle Species für — toutes les espèces		
1 paq. de chaque pour 5 —, — — —		
8328 » gemischt — mélange . 5 g 1 —, — — 20		
8329 Scabiosa caucasica connata, grossblumig, zartlila, feine Bouquetblume — lilas tendre à gr. fl., beau pour bouquets	3 80	30
8330 » caucasica alba, neu, rein- weiss — nouv. blanc pur 100 S. 3,50, 10 S.	—	40
8331 » graminifolia . . .	1 25	20
8332 » ochroleuca . . .	50	10
8333 » Portae . . .	—	20
8334 » silenifolia . . .	—	20
8335 Soilla campanulata . . .	60	15
8336 » » alba . . .	—	15
8337 » » carnea . . .	—	15
8338 » » cernua . . .	60	15
8339 » leucophylla 100 S. 1,25, 20 S.	—	30
8340 » maritima . . .	1 80	20
8341 » nutans . . .	1 —	20
8342 » » fl. albo . . .	1 60	20
8343 » peruviana . . .	—	15
8344 » » alba . . .	1 60	20
8345 » sibirica (praecox, amoena) .	—	15
8346 » viele grossdold. Sorten, gem. —	—	80 15
8347 Scleranthus perennis . . .	1 80	20
8348 Scorodisma foetidum (Ferula Narthex, Boiss.), auffallend schöne Blattpflanze mit geschlitzter Be- laubung. Die Wurzeln liefern die echte Asa foetida — belle plante à feuillage ornemental, dont les raci- nes fournissent la vraie Asa foetida	—	50 15
8349 Scrophularia chrysantha, gelb —		
jaune . . .	—	60 15
8350 » nodosa . . .	—	40 10
8351 » vernalis . . .	—	80 15
8352 Scutellaria alpina alba . . .	—	50 10
8353 » » coerules . . .	—	50 10
8354 » canescens . . .	—	60 15
8355 » galericulata . . .	1 60	20
8356 » lupulina . . .	—	50 10
8357 » macrantha . . .	1 60	20
8358 » peregrina . . .	—	60 15
8359 Sedum acre . . .	3 20	20
8360 » Aizoon . . .	—	80 15
8361 » album . . .	1 40	20
8362 » altissimum . . .	—	1 60 20
8363 » Anacamperos . . .	—	—
8364 » anglicum . . . 5 g 2 —, — 20		
8365 » atratum . . . 1 » — 80, — 20		
8366 » atrosanguineum . . . 1 » 2,50, — 30		
8367 » boloniense . . .	—	— 20
8368 » Brauni . . .	—	— 20

No.	20 g M.Pf.	Pt. Pf.
8369 Sedum calabricum . . .	—	20
8370 » collinum . . .	—	20
8371 » crista galli . . .	—	20
8372 » cruentum . . .	—	20
8373 » dasyphyllum . . .	—	20
8374 » Eversi . . . 1 g 2 —, — 20		
8375 » Fabaria . . .	7 —	20
8376 » glaucum . . . 1 g — 75, — 20		
8377 » hispanicum . . .	—	20
8378 » hybridum . . .	1 —	20
8379 » ibericum . . .	—	20
8380 » kantschaticum . . .	1 40	20
8381 » Lehmanni . . . 1 g — 60, — 20		
8382 » magellense . . .	—	20
8383 » Maximowiczii, gelb — jaune	—	60 15
8384 » maximum . . .	3 —	20
8385 » Middendorffianum . . .	—	20
8386 » oppositifolium . . .	—	80 15
8387 » pallidum roseum . . .	2 —	20
8388 » populifolium . . .	—	20
8389 » pulchrum . . .	1 60	20
8390 » purpurascens . . . 1 g — 75, — 20		
8391 » reflexum . . .	—	80 15
8392 » Rhodiola linifolium . . .	—	20
8393 » Sempervivum, prachtvoll, scharlachroth — écarlate, magnifique 1000 S. 2 —, 100 S.	—	25
8394 » Sieboldi . . . 200 —	—	30
8395 » spectabile . . .	—	30
8396 » spurium . . .	—	60 15
8397 » » splendens . . .	—	70 15
8398 » Telephium . . .	—	60 15
8399 » undulatum . . .	1 60	20
8400 » Wallichianum . . .	1 —	20
8401 » alle Species zusammen für — toutes les espèces ensemble pour . . . 5 —, — —		
8402 » viele Sorten gem. — beau mel.	—	80 15

Sempervivum:

No.	Pt. Pf.	No.	Pt. Pf.
8403 acuminatum . . .		8414 Comolli 1 g — 80, 20	
1 g 1 —, 20		8415 Delaponti . . .	20
8404 albidum 1 » 1 —, 20		8416 Doellianum . . .	
8405 alpinum . . .		1 g 1 —, 20	
8406 anomalum . . .		8417 flagelliforme . . .	20
8407 assimile . . .		8418 Funki . 1 g 1 —, 20	
8408 avernense . . .		8419 globiferum . . .	
1 g — 80, 20		1 g 1 —, 20	
8409 blandum . . .		8420 Heuffeli 1 » 1 —, 20	
8410 Boissieri 2 g 1 —, 20		8421 heterotrichum . . .	20
8411 Boutinjanum . . .		8422 hirtum . . .	20
8412 Brauni 2 g 1 —, 20		8423 Hookeri . . .	20
8413 colchicum . . .		8424 Laggeri . . .	20
1 g — 80, 20		8425 Lamottel 1 g 1 —, 20	

8495. *Soldanella alpina*.

Sempervivum:

No.	Pt.	No.	Pt.
	Pf.		Pf.
8426 Lehmanni . . .	20	8436 rubiundum . . .	1 g 1—, 20
8427 Mettenianum . . .	1 g 1—, 20	8437 rupestre . . .	20
8428 Moggridgei . . .	30	8438 ruthenicum . . .	20
8429 montanum . . .	1 g 1—, 20	8439 Scherzerianum . . .	1 g 1—, 20
8430 parviflorum . . .	20	8440 Schlehani . . .	1 g — 80, 20
8431 patens . 1 g 1—, 20		8441 Schnittpahni . . .	20
8432 piliferum . . .	20	8442 spinulifolium . . .	5 g 1,25, 20
8433 pyrenaicum . . .	20	8443 tectorum 5 » 1,25, 20	
8434 <i>Reginae Amaliae</i> , schön, bildet keine Sprösslinge — ne forme pas de rejets . . .	1 g 1—, 20	8444 tomentosus . . .	20
8435 rubens 1 » — 80, 20		8445 triste . 5 g 1,25, 20	
		8446 violaceum . . .	5 g 1,25, 20
		8447 Wulfeni . . .	20
No.	20 g Pt.		
	M.Pf. Pf.		
8448 Sempervivum, alle Species zusammen für — toutes les espèces ensemble pour . . . 5—, —			
8449 » gemischt — mélange . 5 g 1—, —			
8450 Senecio abrotanifolius aurantiacus . . .	50	10	
8451 » alpinus . . .	1	20	
8452 » artemisiaefolius . . .	—	20	
8453 » Doronicum . . .	—	20	
8454 » niveus . . .	1	50	20
8455 » sagittifolius, neu, Blumen rahmweiss, Blätter sehr gross und lang — nouv., fleurs blanc crème, feuilles grandes, très longues . 1000 S. 3,50, 100 S.	—	40	
8456 » speciosus . . .	4	30	
8457 » thapsoides . . .	—	15	
8458 Serratula radiata . . .	50	10	
8459 » tinctoria . . .	40	10	
8460 Sibbaldia maxima . . .	3	20	30
8461 » procumbens, niedliche Alpine — jolie plante alpine . . .	2	50	20
8462 Sida dioica . . .	—	80	15
8463 Sidalcea candida . . .	2	40	20
8464 Silene acaulis . . .	1	g 3—, —	40
8465 » algoa . . .	—	20	
8466 » alpestris, reizend — beau . . .	2	40	20
8467 » ciliata . . .	—	20	
8468 » Elisabethae . . .	—	30	
8469 » fimbriata . . .	50	10	
8470 » Graefferi . . .	—	20	
8471 » graminifolia . . .	—	40	10
8472 » Lerchenfeldiana . . .	2	50	30
8473 » odontopetala . . .	—	40	10
8474 » Petraea . . .	1	60	20
8475 » Pumilio . . .	—	30	
8476 » quadridentata . . .	4	—	30

No.	20 g Pt.		
	M.Pf. Pf.		
8477 Silene Reichenbachiana . . .	100	S.	— 20
8478 » repens . . .	—	—	30
8479 » Saxifraga . . .	1	40	30
8480 » Schafta, rosa — rose . . .	1	20	20
8481 » virginica, prächtige nord-amerikanische Species mit grossen purpurscharlach Blumen — espèce magnifique de l'Amérique du Nord à gr. fl. corollate pourpré . . . 5 g 2,60,	—	—	40
8482 » Zawadskyi . . .	—	50	10
8483 Siler trilobum . . .	—	50	10
8484 Silphium connotum . . .	—	50	10
8485 » doricifolium . . .	—	80	15
8486 » laciniatum . . .	3	20	30
8487 » perfoliatum . . .	3	20	30
8488 » terebinthinaceum . . .	3	20	30
Sämtlich riesige, decorative Blattpflanzen. — Plantes décoratives de grandes dimensions.			
8489 Siayrbinchium anceps . . .	—	60	15
8490 » Douglasi album . . . 5 g 1,25,	—	—	30
8491 » Engelmanni . . .	2	50	30
8492 » striatum . . .	2	50	30
8493 Smilacina bifolia . . .	—	70	15
8494 Sobolewska clavata, winterharte Crucifere, im Frühjahr blühend, Blumen weiss, ähnlich Iberis — Crucifere rustique fleurissant au printemps, fl. blanches	1	20	20
8495 Soldanella alpina . . . 5 g 1,25,	—	—	30
8496 » minima . . . 50 S.	—	—	30
8497 Solidago canadensis . . .	—	40	10
8498 » latifolia . . .	—	40	10
8499 » odorata . . .	—	40	10
8500 » recurvata . . .	1	—	20
8501 » rigida . . .	—	60	15
8502 » Shortii . . .	—	60	15
8503 Sparaxis tricolor . . .	2	60	30
8504 Spergula pilifera, In England als Substitut für Gras zu Rasenplätzen benutzt, echt — employé en Angleterre comme équivalent de gazon	7	—	40
8505 » pilifera aurea, prachtvoll, goldgelb — jaune d'or . . . 1000 S. 1,30, 200 S.	—	—	40
8506 Spiraea Aruncus . . .	—	50	10
8507 » astilboides . . .	—	—	30
8508 » pedata, rosa — rose . . . 2	—	—	20
» trifoliata vide Gillenia.			
8509 » Ulmaria, sehr schön — très beau . . .	—	60	15
8510 Stachys alpina . . .	—	70	15
8511 » lanata, mit schöner weisser wolliger Belaubung, gute Gruppenpflanze — à beau feuillage blanc cotonneux, très-belle plante pour massifs	—	30	10
8512 » sericea . . .	—	—	20
8513 » Tmolea . . .	—	40	10
8514 Statice alatavia . . .	1	40	20
8515 » bahusiensis . . .	—	40	10
8516 » Besseriana . . .	—	40	10
8517 » coccinea . . .	—	40	10
8518 » eximia . . .	—	70	15
8519 » Fortunei . . .	—	80	15
8520 » Gmelini . . .	—	30	10
8521 » incana hybrida nana, gemischt — mélange . . .	—	30	10
8522 » latifolia . . .	—	40	10
8523 » Limonium . . .	—	30	10
8524 » » flore albo . . .	—	40	10
8525 » sareptana . . .	—	40	10
8526 » speciosa . . .	—	50	10
8527 » tatarica . . .	—	40	10
8528 » Willdenowii . . .	—	40	10
8529 » gemischt — mélange . . .	—	30	10
8530 Stellaria graminea aurea, mit goldgelber Belaubung — à feuillage doré . . .	1	40	20
8531 Stenactis speciosa . . .	—	40	10
8532 Stenodia odorata, neu — nouv. . .	3	20	30
8533 Stobaea membranifolia, neu — nouv. . . 20 S.	—	—	30

No.		20 g		Pt.
		M.Pf.	Pf.	
8534	<i>Stobaea radula</i>	25 S.	—	20
8535	<i>Stokesia oyanca</i>	—	—	30
8536	<i>Succisa australis</i>	1 —	—	20
8537	<i>Swertia connata</i>	—	—	30
8538	» <i>perennis</i>	1 g — 80, 200 S.	—	20

8539 *Symphyandra Hoffmanni*

		1 g 2 —	—	40
--	--	---------	---	----

8540	<i>Symphytum asperrimum</i>	1 80	20	
------	---------------------------------------	------	----	--

8541	» <i>officinale</i>	1 80	20	
------	-------------------------------	------	----	--

8542	<i>Tanacetum Meyerianum</i>	—	—	20
------	---------------------------------------	---	---	----

8543	» <i>vulgare</i>	—	50	10
------	----------------------------	---	----	----

8544	» <i>crispum</i>	1 10	20	
------	----------------------------	------	----	--

8545	<i>Tecophylaea Cyanocrocus</i> 25 S.	—	—	20
------	--------------------------------------	---	---	----

8546	<i>Teesdalia nudicaulis</i>	—	—	20
------	---------------------------------------	---	---	----

8547	<i>Telekia cordifolia (speciosa)</i>	—	50	10
------	--	---	----	----

8548	» <i>speciosissima</i>	—	15	
------	----------------------------------	---	----	--

8549	<i>Tellima grandiflora</i>	2 60	20	
------	--------------------------------------	------	----	--

8550	<i>Teucrium Chamaedrys</i>	—	—	30
------	--------------------------------------	---	---	----

8551	» <i>flavum</i>	2 60	30	
------	---------------------------	------	----	--

8552	» <i>Scorodonia</i>	—	60	15
------	-------------------------------	---	----	----

8553	<i>Thalictrum adiantifolium</i>	—	60	15
------	---	---	----	----

8554	» <i>angustifolium</i>	—	50	10
------	----------------------------------	---	----	----

8555	» <i>aquilegiaefolium</i>	1 30	20	
------	-------------------------------------	------	----	--

8556	» <i>concinnum</i>	—	60	10
------	------------------------------	---	----	----

8557	» <i>cornutum</i>	—	80	15
------	-----------------------------	---	----	----

8558	» <i>dioicum</i>	—	60	15
------	----------------------------	---	----	----

8559	» <i>flavum</i>	1 20	20	
------	---------------------------	------	----	--

8560	» <i>foetidum</i>	—	50	10
------	-----------------------------	---	----	----

8561	» <i>glaucum</i>	1 10	20	
------	----------------------------	------	----	--

8562	» <i>Jacquinianum</i>	—	50	10
------	---------------------------------	---	----	----

8563	» <i>minus</i>	1 20	20	
------	--------------------------	------	----	--

8564	» <i>speciosum</i>	—	50	10
------	------------------------------	---	----	----

8565	» <i>gemischt — mélange</i>	—	30	10
------	---------------------------------------	---	----	----

8566	<i>Thermopsis caroliniana</i>	1 g 1 —	—	30
------	---	---------	---	----

8567	» <i>fabacea</i>	4 —	—	30
------	----------------------------	-----	---	----

8568	» <i>lanceolata</i>	—	—	30
------	-------------------------------	---	---	----

8569	» <i>montana</i>	—	—	30
------	----------------------------	---	---	----

8570	<i>Tigridia canariensis</i>	1 60	20	
------	---------------------------------------	------	----	--

8571	» <i>Pavonia (Ferraria tigrida),</i> Tigerblume — œil de paon	1 10	20	
------	--	------	----	--

8572	<i>Tommasinia purpurascens</i>	—	40	10
------	--	---	----	----

8573	» <i>verticillaris</i> , schöne Blatt- pflanze — belle plante orne- mentale	—	60	15
------	---	---	----	----

8574	<i>Tradescantia virginica</i> , gemischt — varié	1 60	20	
------	---	------	----	--

8575	<i>Trautvetteria palmata</i>	—	—	30
------	--	---	---	----

8576	<i>Tricyrtis hirta</i> 1000 S. 8 —, 25 S.	—	—	25
------	---	---	---	----

8577	» <i>macropoda</i> 1000 » 8 —, 25 S.	—	—	25
------	--------------------------------------	---	---	----

8578	<i>Trientalis europaea</i>	2 —	—	20
------	--------------------------------------	-----	---	----

8579	<i>Trifolium pannonicum</i>	2 20	20	
------	---------------------------------------	------	----	--

8580	» <i>rubens</i>	—	40	10
------	---------------------------	---	----	----

8581	» <i>fl. roseo</i>	—	60	15
------	------------------------------	---	----	----

8582	<i>Trillium cernuum</i>	20 S.	—	30
------	-----------------------------------	-------	---	----

8583	» <i>grandiflorum</i>	20 »	—	30
------	---------------------------------	------	---	----

8584	» <i>nivale</i>	20 »	—	30
------	---------------------------	------	---	----

8585	» <i>recurvatum</i>	20 »	—	30
------	-------------------------------	------	---	----

8586	» <i>sessile</i>	20 »	—	30
------	----------------------------	------	---	----

8587	<i>Triteleia uniflora</i>	1 40	20	
------	-------------------------------------	------	----	--

8588 *Tritoma caulescens*

8589	» <i>corallina</i>	100 S. 1 —, 25 S.	—	30
------	------------------------------	-------------------	---	----

8590	» <i>Leichtlin's neueste Hy-</i> <i>briden</i> — hybr. nouv. de M.	—	3 80	40
------	---	---	------	----

8591	» <i>Leichtlin</i>	100 S. 3 —, 10 S.	—	40
------	------------------------------	-------------------	---	----

8592	» <i>McCowan</i>	—	4 80	40
------	----------------------------	---	------	----

8593	» <i>Nelsoni (Kniphofia)</i>	100 S. 3.60, 10 S.	—	40
------	--	--------------------	---	----

8594	» <i>pauciflora (Kniphofia)</i> 20 »	—	—	25
------	--------------------------------------	---	---	----

8595	» <i>Rooperi</i>	—	3 80	30
------	----------------------------	---	------	----

8596	» <i>Saundersi (Kniphofia)</i> , prachtvoll — magnifique	3 20	30	
------	---	------	----	--

8597	» <i>Tuckii (Kniphofia)</i> 1 g 1 —, 25 S.	—	—	30
------	--	---	---	----

8598	» <i>Uvaria grandiflora</i>	1 20	20	
------	---------------------------------------	------	----	--

8599	» <i>spectabilis semper-</i> <i>florens</i>	5 g 2 —	—	40
------	--	---------	---	----

8599	» <i>nobilis</i> , leuchtende Fä- rbung — coloris brillant	3 80	30	
------	---	------	----	--

Prachtblüthenpflanzen von leichtester Cultur, Durchwinterung im Kalthaus oder Keller. — Belles plantes à fleurs décoratives d'une culture bien facile, passant l'hiver en serre froide ou en caves.

8605. *Trollius europaeus*.

No.		20 g		Pt.
		M.Pf.	Pf.	
8600	<i>Tritonia gemischt — mélange</i>	1 30	20	
8601	<i>Trollius altaicus</i>	100 S.	—	20
8602	» <i>americanus</i>	100 »	—	20
8603	» <i>asiaticus</i>	100 »	—	20
8604	» <i>dschungaricus</i>	100 »	—	20
8605	» <i>europaeus</i>	2 60	20	
8606	» <i>Fortunei fl. pl.</i> 1000 S. 3 —, 50 S.	—	—	20
8607	» <i>japonicus</i> , dunkelorange — orange foncé	1 g 2 —	—	40
8608	» <i>Ledebouri</i>	100 S.	—	20
8609	» <i>neue Hybriden</i> — hybr. nouv. 1000 S. 3 —, 50 S.	—	—	20
8610	» <i>gemischt — mélange</i>	—	—	20
8611	<i>Tulipa Batalini</i>	1 g 1,80,	—	30
8612	» <i>Gesneriana typica</i>	2 50	30	
8613	» <i>Greigi</i> , die schönste aller Species — l'une des plus belles	8 —	30	
8614	» <i>Greigi aurea</i> 100 S. 1,25, 20 S.	—	—	30
8615	» <i>hortensis</i> , frühe feine Sorten gemischt — var. hâtives, beau mélange	—	80	15
8616	» <i>feine gefüllte in Rommel</i> — doubles en mélange	2 50	30	
8617	» <i>Bybloemen u. Bizarden in</i> <i>Rommel — Bybloemen et</i> <i>Bizarres en mélange</i>	1 25	20	
8618	» <i>Papagei-Tulpen in Rommel</i> — <i>Tulipes perroquets</i> varié	1 25	20	
8619	» <i>Sprengeri</i>	—	—	20
8620	<i>Tunica Saxifraga</i> , reizend, reich- blühend — plante florifère pour bordures	—	40	10
8621	<i>Umbilicus chrysanthus</i> 5 g 3 —	—	—	20
8622	» <i>Semenowi</i>	1 20	30	
8623	» <i>spinus</i>	2 g — 80,	—	30
8624	<i>Valeriana alpestris purpurea</i>	—	—	20
8625	» <i>dioica</i>	—	—	20
8626	» <i>globulariaefolia</i>	—	—	20
8627	» <i>officinalis</i>	1 20	20	
8628	» <i>sambucifolia</i>	1 40	20	
8629	<i>Veratrum album</i>	—	—	30
8630	» <i>californicum</i>	—	—	40
8631	» <i>Lobelianum</i>	2 50	30	
8632	» <i>nigrum</i>	—	—	30

Die *Veratrum* gehören unter unsere schönsten Stauden. — Les *Veratrum* se rangent parmi nos plus belles plantes vivaces.

8633	<i>Verbascum Libani</i> , schön — beau	50	10	
------	--	----	----	--

8634	» <i>nigrum</i>	—	40	10
------	---------------------------	---	----	----

8635	» <i>olympicum</i> , prachtv. Blatt- pflanze — espèce magnifique à feuillage blanc laineux	—	50	10
------	--	---	----	----

probe zu unterwerfen, und müssen wir deshalb jede Verantwortlichkeit für das Gelingen der Aussaat um so mehr abweisen, als letztere namentlich noch von einer Menge äusserer Einflüsse abhängig ist, die zuweilen der geschickteste Gärtner nicht künstlich hervorrufen oder abwenden kann. Wir werden selbstverständlich nach wie vor fortfahren, die uns zugehenden Samen einer genauen Prüfung zu unterwerfen, und nur diejenigen wieder verkaufen, deren Beschaffenheit uns gut erscheint. Dem Empfänger, dem dieselben Mittel wie uns selbst zu Gebote stehen, die Samen bei deren Anknäuf zu prüfen, steht es frei, uns solche sogleich zurückzuschicken, wenn ihm durch die Besichtigung derselben Zweifel über die Frische und Keimfähigkeit aufgestiegen sind, aber spätere Reclamationen und Abzüge können wir auf keinen Fall gestatten.

La plupart des graines des plantes de serre suivantes ont été récoltées et importées de presque tous les pays du monde, et il ne nous est pas possible de faire l'essai de germination de toutes les espèces avant de les vendre. Nous devons pour cela décliner d'avance toute responsabilité pour la qualité germinative, d'autant plus que la réussite dépend encore de la coopération d'un nombre d'agents tels que la lumière, la chaleur, l'humidité, l'air etc. que le jardinier le plus habile n'est pas toujours à même de faire agir ou d'éviter dans la manière voulue. Nous continuerons comme toujours d'examiner les graines aussitôt qu'elles arriveront, et nous n'expédierons que des graines qui nous sembleront bonnes. Nos clients sont priés d'employer les mêmes moyens pour examiner les graines qu'ils reçoivent, et si elles ne leur paraissent pas fraîches, de les renvoyer sans le moindre délai. Des réclamations faites plus tard ne pourront être considérées.

No.	Pf.
8708 <i>Abelia spathulosa</i>	5 g 1 —, Pt. 30
8709 <i>Abelmoschus speciosus</i>	20 » 2,60, » 30
8710 <i>Abroma fastuosa</i>	100 S. — 80, 20 S. 20
8711 » <i>orbicularis</i>	100 » 1,25, 10 » 20
8712 <i>Abrus precatorius</i> , Paternosterbohne 	20 g 1 —, 10 S. 25

Abutilon, Sammet-Malve:

8713 <i>atrosanguineum</i>	100 S. 1 —, 20 S. 25
8714 <i>aurantiacum</i>	100 » 1 —, 20 » 25
8715 <i>Boule de neige</i>	100 » 1 —, 25 » 30
8716 <i>Darwini</i>	100 » 1 —, 20 » 25
8717 » <i>tesselatum</i>	100 » 1 —, 20 » 25
8718 <i>Duc de Malakoff</i>	100 » — 80, 20 » 20
8719 <i>floribundum</i>	100 » — 80, 20 » 20
8720 <i>hybridum</i> Andenken an Bonn, weissbuntblättrig — à feuillage panaché de blanc	10 S. 40
8721 » <i>Chamaeleon</i>	10 » 40
8722 » <i>compactum</i> , „Feuerball“ — „Boule de feu“, niedrig, dunkelcarmoisin — nain, carmoisi feu	100 S. 1 —, 20 » 25
8723 » <i>niedrige reichblühende</i> Sorten gemischt — var. naines florifères en mélange	100 S. 1 —, 20 » 25

8732. *Abutilon hybridum*.

8724 » <i>Carl Schweitzer</i> 100 » — 60, 25 » 20	
8725 » <i>Erfurter Glocke</i> 100 » — 60, 25 » 20	
8726 » <i>Goldene Sonne</i> 100 » — 80, 20 » 20	
8727 » <i>Pattersoni</i> 100 » — 80, 20 » 20	
8728 » <i>Philippine Welser</i>	25 » 25
8729 » <i>Roi des nains</i> 100 S. 1 —, 20 » 25	
8730 » <i>Royal Scarlet</i> 100 » — 80, 20 » 20	
8731 » <i>Salmon Rose</i> 100 » — 70, 25 » 20	
8732 » <i>neue befruchtete Sorten</i> — hybrides nouv. soigneusement fécondés	100 S. — 60, 25 » 20
8733 <i>indicum</i>	20 g 5 —, 25 » 20
8734 <i>Montgolfier</i>	100 S. 1 —, 25 » 30
8735 <i>paniculatum</i>	100 » — 80, 20 » 20
8736 <i>populifolium</i>	100 » — 80, 20 » 20
8737 <i>Reine d'or</i>	100 » — 80, 20 » 20
8738 <i>rubrum multiflorum</i>	100 » — 80, 20 » 20
8739 <i>Souvenir de Maximilian</i> , buntblättrig — à feuilles panachées	100 S. 1,40, 10 S. 20
8740 <i>striatum</i>	100 » — 70, 20 » 20
8741 <i>sulphureum grandiflorum</i>	100 S. — 80, 20 » 20
8742 <i>Thompsoni</i> fol. var.	100 » 1,40, 10 » 20
8743 <i>Tonellianum roseum</i>	100 » — 80, 20 » 20
8744 <i>vitifolium</i>	20 g 5 —, 25 » 20
8745 <i>gemischt — mélange</i>	1000 S. 6 —, 25 » 20

Acacia:

8746 <i>acanthocarpa</i> (<i>aculeaticarpa</i>)	20 g 1 —, 25 S. 20
8747 <i>acanthophora</i>	— 80, 25 » 20
8748 <i>affinis</i>	— 60, 50 » 20
8749 <i>albicans</i>	— 80, 20 » 20
8750 <i>arabica</i>	— 1,40, 10 » 20
8751 <i>armata</i>	— 50, 25 » 20
8752 <i>Batheriana</i>	— 1,30, 25 » 20

No.	Acacia:		Pf.
8753	<i>brachybotrya</i>	20 g —, 20 S.	25
8754	<i>calamifolia</i>	— 50, 50 »	15
8755	<i>capensis</i>	» 1,60, 10 »	20
8756	<i>Cavenia</i> 	» 1,20, 25 »	20
8757	<i>celastrifolia</i>	» 1,80, 25 »	20
8758	<i>cultriformis</i>	» 1,40, 25 »	20
8759	<i>cyanophylla</i>	— 60, 25 »	20
8760	» <i>magnifica</i>	— 60, 25 »	20
8761	<i>Cyclops</i>	— 50, 20 »	20
8762	<i>dealbata</i>	— 50, 20 »	20
8763	» <i>floribunda</i>	» 1,20, 25 »	20
8764	<i>Decaisneana</i> , rosenroth, selten fl. rose, rare	20 g 3,20, 20 S.	20
8765	<i>decipiens</i>	— 80, 50 »	20
8766	<i>decurrens</i>	— 69, 25 »	20
8767	<i>decussata</i>	— 60, 20 »	20
8768	<i>dodoneifolia</i>	» 5 —, 25 »	30
8769	<i>Donkelaari</i>	100 S. 1,60, 10 »	20
8770	<i>eburnea</i>	20 g — 60, 20 »	20
8771	<i>elata</i>	— 50, 50 »	20
8772	<i>falcata</i>	— 50, 25 »	20
8773	<i>farinosa</i>	» 2,25, 20 »	30
8774	<i>farneisiana</i>	— 30, Pt.	10
8775	<i>flicina</i> 	— —, 10 S.	20
8776	<i>flexuosa lasiocarpa</i>	100 S. 1,40, 10 »	20
8777	<i>floribunda</i>	20 g — 70, 25 »	20
8778	<i>genistaeifolia</i>	» 6 —, 10 »	25
8779	<i>glauca</i>	» 50, 20 »	10
8780	<i>glaucescens</i>	— 60, 25 »	20
8781	<i>glomerata</i>	— 50, 20 »	20
8782	<i>grandis</i> , selten — rare	100 S. 1,60, 10 »	20
8783	<i>graveolens</i>	20 g — 50, 20 »	10
8784	<i>haematophylla</i>	— 60, 20 »	10
8785	<i>horrida</i>	— 50, 20 »	20
8786	<i>Hudsoni</i>	» 1,20, 25 »	20

No.	Acacia:	Pf.	No.	Acacia:	Pf.
8787	imbricata	20 g 1,40, 20 S. 20	8865	trinervis	20 g — 40, 20 S. 10
8788	iteaphylla	» 1,10, 25 » 20	8866	» elliptica	» — 80, 20 » 10
8789	ixiophylla	» 100 S. 1,50, 10 » 20	8867	» uncinella	» 1,25, 10 » 20
8790	julibrissin	kg 2,20, 20 g — 20, 30 » 10	8868	» undulata	» 1,40, 20 » 20
8791	» fl. roseo	» — 30, 50 » 20	8869	» verticillata	» 1,10, 20 » 20
8792	latifolia	» — 50, 20 » 15	8870	Alle obigen Sorten Acacien à 1 Ft. — Toutes les espèces d'Acacias, 1 paquet de chacune 20 M.	
8793	lebbeck	» 1 —, 10 » 30	8871	Viele Sorten gemischt — beau mélange kg 10 —, 20 g — 40, Pt. 10	30
8794	leiophylla	» — 40, 20 » 10	8872	Aohanias Malvaviscus $\triangle$ 100 S. 2 —, 10 S. 30	
8795	leptophylla	» — 60, 25 » 15	Achimenes hybrida $\triangle$: Die Anzucht aus Samen ist ebenso leicht als die der Gloxinien — la culture des Achimenes de semis est aussi facile que celle des Gloxinias.		
8796	leucocephala	» — 50, 20 » 10	8873	Dazzle, brennend scharlach — écarlate feu 1000 S. 1,60, 200 S. 40	40
8797	linearis	» — 60, 50 » 20	8874	longiflora Celestial, dunkelblau — bleu foncé 1000 S. 1,60, 200 S. 40	40
8798	lineata	100 S. — 70, 20 » 20	8875	rouge feu doré, kupfrigearmin — car- min cuivré 200 S. 30	30
8799	linifolia	20 g — 60, 20 » 20	8876	Trevirania rosea, carmoisinrose — rose carmoisi 200 S. 30	30
8800	» splendens, mit dunkelorange Blumen — à fl. jaune orange foncé 20 g 2,60, 20 » 20		8877	» splendens, hell-scharlach — écar- late clair 200 S. 30	30
8801	longifolia	» — 40, 25 » 10	8878	6 andere Sorten mit Namen separat, jede — 6 autres variétés avec noms séparé- ment, chacune par 1000 S. 1,25, 100 S. 20	20
8802	» magnifica	» — 80, 25 » 10	8879	Ein Sortiment von 10 Var. à 100 S. für — collection de 10 var. 100 S. de chaque pour 100	100
8803	longissima elegans	» — 50, 20 » 10	8880	gemischt — mélange 10,000 S. 5 —, 500 S. 40	40
8804	lophantha kg 4,50, 20 » 10		8881	Achras Sapota 20 g 1 —, 2 » 20	20
8805	» borboniensis	» — 40, 20 » 10	8882	Actyranthes borbonica 25 » 25	25
8806	» gigantea	» — 50, 20 » 20	8883	Adansonia digitata $\triangle$, Affeubrod- baum — Pain de singe 100 S. 7 —, 5 S. 40	40
8807	» magnifica	» — 50, 20 » 20	8884	Adenanthra Pavonina $\triangle$, klein- blättriger Corallenbaum, schöne rothe Bohnen — bois de Sandal rouge, graines rouges, très ornementales. 20 g — 80, 10 S. 20	20
8808	» Neumannii	» — 30, 20 » 10	8885	Adenocarpus frankenoides » 2,60, 50 » 20	20
8809	» speciosa	» — 40, 20 » 20	8886	Adenocarpium panduracifolium $\triangle$. 5 » 40	40
8810	» » nana compacta	» — 50, 20 » 20	8887	Aechmea $\triangle$ coelestis 1000 S. 2,50, 100 » 30	30
8811	» » superba	» — 50, 20 » 20	8888	» fulgens 100 » 1,20, 20 » 30	30
8812	maorademia	2 —, 25 » 20	8889	Aeschynanthus $\triangle$ Boschianus 1000 S. 3 —, 50 » 20	20
8813	Meissneri	» — 60, 20 » 20	8890	» Lobbi 1000 » 4 —, 50 » 30	30
8814	Melanoxylon	» — 60, 20 » 20	8891	» ramosissimus 1000 » 4 —, 50 » 30	30
8815	microstachya	» — 60, 25 » 20	8892	» zebrinus 1000 » 4 —, 50 » 30	30
8816	Mirbelli	» — 80, 20 » 20	8893	Aeschynomene $\triangle$ americana 100 S. 2 —, 10 » 25	25
8817	mollissima	» — 80, 20 » 20	8894	» sensitiva, sehr fein belaubt — à feuillage très gracieux 100 S. 2 —, 10 » 25	25
8818	» floribunda, sehr reichblühend — très florifère 100 S. 80, 20 » 20		8895	Agapanthus minor Mooreanus . . 25 » 20	20
8819	mucronata 20 g 1,25, 20 » 20		8896	» umbellatus 20 g 1,10, 50 » 20	20
8820	multijuga	» —, 20 » 20	8897	» » albus 5 » 1,40, 25 » 20	20
8821	» myriobotrya	» — 60, 20 » 10	8898	Agathaea coelestis 20 » 1,80, Pt. 20	20
8822	nematophylla	» — 60, 20 » 10	Agave, vide Succulenten.		
8823	» hybrida	» — 40, 20 » 10	8899	Agati grandiflora $\triangle$, die grösste der Schmetterlingsblumen — Papilionacée à fl. très grande 5 S. 30	30
8824	Nemu, sehr hart, schon als kleine Pflanze leicht und reich blühend mit herrlichen carminrosa Blumen — rustique et très florifère; fleurs rose-carminé 20 g — 50, 50 S. 10		8900	Allamanda Schottii $\triangle$ §, prach- tvolle Schlingpflanze, Blumen sehr gross, gelb — plante grimpante magnifique à gr. fl. jaunes 20 g 1,60, 10 S. 30	30
8825	obliqua	» 1,20, 50 » 25	8901	Alloplectus Schlimi 1000 S. 3 —, 50 » 20	20
8826	obscura	» — 80, 25 » 10	8902	Alocasia $\triangle$ odora 100 » 3 —, 10 » 40	40
8827	odoratissima Torreyi	» — 80, 10 » 15	Aloe, vide Succulenten.		
8828	ovalifolia	» 1 —, 10 » 20	8903	Amaryllis $\triangle$ formosissima 1000 S. 6 —, 25 S. 20	20
8829	» glauca	» — 50, 20 » 10	8904	» Graveana (Gravinae) 100 S. 3,50, 10 » 40	40
8830	Oxycedrus	1,25, 20 » 20	8905	Tettai (robusta), die schönste für Winterflor — la plus belle pour fleurer en hiver 100 S. 6 —, 5 S. 40	40
8831	panorea	1 —, 20 » 20	8906	» vittata 100 » 4 —, 5 » 25	25
8832	paradoxa	» —, 10 » 20	8907	» » hybrida, prachtv. Spielarten gemischt — en mélange 100 S. 2,60, 10 S. 30	30
8833	pendula	1,20, 25 » 20	8908	» » hybrida, feinste englische Hy- briden — hybrides nouv. anglais 100 S. 5 —, 5 S. 30	30
8834	penninervis	» — 50, 20 » 10	8909	» » hybrida, weissgründige — à fond blanc 100 S. 5 —, 5 S. 30	30
8835	perogrina	5 —, 25 » 20			
8836	petiolaris	» — 50, 20 » 20			
8837	pinifolia	» — 60, 20 » 10			
8838	procera, Winterblüher — fleurissant en hiver 6 —, 10 » 20				
8839	pugioniformis	2,25, 20 » 20			
8840	pycnantha	» — 40, 20 » 10			
8841	» pendula	» — 70, 25 » 15			
8842	reclinata	» — 60, 20 » 10			
8843	retinoides	» — 60, 20 » 10			
8844	» floribunda	» — 80, 20 » 20			
8845	» praecox	» — 50, 25 » 10			
8846	rostellifera	2,50, 25 » 20			
8847	rotundifolia	3 —, 20 » 20			
8848	salicifolia	» — 50, 25 » 10			
8849	salicina	» — 50, 20 » 10			
8850	saligna	» — 50, 20 » 10			
8851	semperflorens	» — 60, 20 » 20			
8852	senegalensis $\triangle$ 100 S. — 80, 20 » 20				
8853	sensis 20 g 1,40, 20 » 20				
8854	Sideroxylon	» 1 —, 20 » 20			
8855	Sophorae	» — 80, 10 » 20			
8856	species Argentina	» — 40, 25 » 10			
8857	speciosa	» 1 —, 10 » 30			
8858	spectabilis excelsa	» 4 —, 20 » 20			
8859	spinosa	1,50, 20 » 20			
8860	strombulifera	1,80, 10 » 20			
8861	stuvaeolens	2,20, 20 » 20			
8862	sylvestris	» —, 10 » 30			
8863	tenuissima	1,80, 20 » 30			
8864	Torreyana	1,40, 10 » 20			

No.	Pf.
8910 <i>A myris terebinthifolia</i> $\triangle$, Balsamstrauch 20 g 1,25, 10 S.	20
8911 <i>Anacardium</i> $\triangle$ <i>occidentale</i> , weisser Mahagony- oder Acajoubaum — Pomme d'acajou ou Mahogany blanc 100 S. 4,50, 3 S.	20
8912 <i>Angelonia grandiflora</i> $\triangle$, schöne Topfpflanze, Bl. violett, wohlriechend — très beau, à fl. violettes odorantes 5 g 3,50, 500 S.	20
8913 <i>Anigozanthos flavida</i> . 1009 S. 3,50, 50 »	20
8914 » <i>Manglesi</i> 1000 » 2,50, 50 »	20
8915 <i>Anogeissus leiocarpus</i> $\triangle$ 10 »	30
8916 <i>Anona</i> $\triangle$ <i>Cherimolia</i> , der Cherimolia- Flaschenbaum — Cherimolier 10 S.	30
8917 » <i>macrocarpa</i> 100 S. 4 —, 5 »	25
8918 » <i>reniformis</i> 100 » 4 —, 5 »	25
8919 » <i>squamosa</i> 100 » 3,50, 10 »	40
Sehr geschätzte tropische Frucht- bäume — arbres des Tropiques à fruits très estimés.	
8920 <i>Anredera scandens</i> § . 1 g — 80, Pt.	30
8921 <i>Anthocercis elliptica</i> 20 g — 80, 20 S.	20
8922 » <i>picta</i> 20 » — 80, 20 »	20
8923 <i>Anthurium</i> $\triangle$ <i>Andreanum</i> 10 S. 2 —, 2 »	50
8924 » <i>crystallinum</i> 100 » 2,50, 10 »	30
8925 » <i>Dechardi</i> 100 » 2 —, 10 »	25
8926 » <i>Galeottianum</i> 100 » 3,50, 10 »	40
8927 » <i>lucidum</i> 100 » 3 —, 5 »	20
8928 » <i>magnificum</i> 100 » 4 —, 5 »	25
8929 » <i>Montezumae</i> 100 » 3,50, 10 »	40
8930 » <i>regale</i> 100 » 4 —, 5 »	25
8931 » <i>robustum</i> 100 » 3,50, 5 »	20
8932 » <i>Scherzerianum</i> 100 » 2,50, 10 »	30
8933 » » <i>grandiflorum</i> 100 » 4 —, 5 »	25
8934 <i>Antigonon leptopus</i> $\triangle$ § 20 g — 80, 10 »	20
8935 <i>Aralia catalpaefolia</i> 100 S. 2 —, 10 »	30
8936 » <i>Humboldtii</i> 100 » —, 10 »	30
8937 » <i>nobilis</i> 100 » —, 5 »	30
8938 » <i>nymphaefolia</i> 100 » — 80, 20 »	20
8939 » <i>Osyana</i> 100 » —, 10 »	30
8940 » <i>papyrifera</i> 20 g 2,40, 20 »	20
8941 » <i>pedunculata</i> 100 S. —, 5 »	30
8942 » <i>platanifolia</i> 100 » 2 —, 10 »	30
8943 » <i>quinquefolia</i> 100 » 1,40, 10 »	20
8944 » <i>Sieboldi</i> , lieferbar im April, in Beeren — livrable en avril, en baies . kg 32 —, 20 g 1 —, Pt.	20
8945 » » <i>reiner Same</i> — gr. nettes 1000 S. 1,60, 100 S.	20
8946 » <i>Theysmanni</i> 100 » 2,60, 10 »	30
8947 <i>Ardisia crenulata</i> $\triangle$, mit schönen rothen Beeren, gute Marktpflanze — à baies rouges 100 S. 1,50, 10 S.	20
8948 » <i>crenulata fructu alio</i> 100 » 3,50, 5 »	20
8949 » <i>excelsa</i> $\triangle$ 100 » 1,60, 10 »	20
8950 » <i>laurifolia</i> 100 » 4 —, 5 »	30
8951 <i>Argania Sideroxylon</i> 100 » 5 —, 5 »	30
8952 » <i>spinosa</i> 100 » —, 2 »	40
8953 <i>Argyranthemum frutescens</i> 20g — 80, Pt.	15
8954 » <i>grandiflorum</i> »	20
8955 » <i>pinnatifidum</i> »	15
8956 » <i>Roylei</i> 20 g — 80, »	15
8957 » <i>snhndum</i> »	15
8958 » <i>Webbi</i> »	15
8959 <i>Aristolochia</i> $\triangle$ § <i>elegans</i> , sehr reichblühend, geruchfrei — très florifère, exempte de l'odeur dés- agréable 1000 S. 1,50, 100 S.	20
8960 » <i>labiosa</i> 100 » 1 —, 20 »	25
8961 » <i>ornithocephala</i> , mit sehr grossen braun getigerten Blumen — à très grandes fleurs tigrées de brun 1000 S. 4 —, 25 S.	20
8962 » <i>ringens</i> 1000 » 5 —, 25 »	20
8963 <i>Arthropodium cirrhatum</i> 1000 » 3 —, 50 »	20
8964 <i>Asclepias</i> $\triangle$ <i>curassavica</i> 20g — 60, 100 »	15
8965 » <i>curassavica atrosanguinea</i> 20 g — 70, 100 »	15
8966 <i>Asparagus comoriensis</i> $\triangle$ 100 S. 8 —, 5 »	50
8967 » <i>plumosus nanus</i> $\triangle$, liefert das feinste Bindegewebe — de grande va- leur pour la coupe . 100 S. 8 —, 5 S.	50

8959. *Aristolochia elegans*.

No.	Pf.
8968 <i>Asparagus scand. var. deflexus</i> $\triangle$ 5 S.	50
8969 » <i>Sprengeri</i> , schöne Ampelpflanze — helle plante pour vases suspendus 100 S. 5 —, 5 S.	30
8970 <i>Azalea indica</i> , viele Varietäten gem. — beau mélange . 2 g 2 —, 500 S.	30
8971 » <i>neueste Fruchtsorten</i> , gemischt — les plus nouvelles en mélange 1 g 2 —, 1000 S. 1 —, 200 S.	30
8972 <i>Baeckea Behrii</i> 10 »	20
<i>Balisier vide Canna.</i>	
8973 <i>Banisteria chrysophylla</i> $\triangle$ 20 g 2,60, Pt.	40
8974 <i>Banksia integrifolia</i> 4 S.	40
8975 » <i>gemischt</i> — mélange 5 »	30
8976 <i>Barleria cristata</i> $\triangle$ 5 »	30
8977 <i>Basella tuberosa alba</i> , $\triangle$ §, sehr schön — très beau . . . 1 g — 70, Pt.	30
8978 <i>Bauhinia</i> $\triangle$ <i>diphylla</i> 5 S.	30
8979 » <i>tomentosa</i> 20 g — 80, 10 »	20

Begonia, knollenartige.

Begonias à tubercules.

I. Einfach blühende — à fleurs simples.

8980 <i>Begonia</i> $\triangle$ <i>Baumanni</i> (<i>odoratis- sima</i>), grossh., hellrosa, wohl- riechend — rose clair, à odeur de Rose thé 1000 S. 1 —, 200 S.	30
8981 » <i>Baumanni hybrida</i> , neu, leuch- tend rosa, wohlriechend — nouv., rose brillant à odeur de Rose thé 1000 S. 1 —, 200 S.	30
8982 » <i>boliviensis</i> 1 g 3,20, 500 »	20
8983 » » <i>Madelain</i> , niedrig, reich- blühend — nain, florifère 1 g 3,20, 500 S.	30
8984 » <i>Davisi</i> , prachtvolle niedrige Species — espèce naine extrêmement florifère 1 g 5 —, 500 S.	30
8985 » <i>discolor</i> 1 » 1,60, 500 »	20
8986 » » <i>kleine Bulbillen</i> — bulbilles 20 g 2,50, 20 St.	20
8987 » <i>diversifolia</i> . 10,000 S. 3,50, 500 S.	20
8988 » » <i>kleine Bulbillen</i> — petites bulbilles 20 g 2 —, 100 St.	20
8989 » <i>Froebeli</i> , prachtvoll — superbe 10,000 S. 2 —, 500 S.	20
8990 » <i>fulgens</i> , schön, carmoisin — cra- moisi, beau 1000 S. 1,50, 200 S.	40
8991 » <i>hybrida gigantea albo-rosea</i> 1 g 5 —, 500 S.	25
8992 » » <i>gigantea brillant crême</i> , siehe Neuh. — crême brillant, voy. nouv. Pt.	60
8993 » » » <i>carmin</i> 1 g 5 —, 500 S.	25
8994 » » » <i>dunkelroth</i> — rouge foncé 1 g 4,80, 500 S.	25

9015. *Begonia semperflo. atropurp. compacta.*9032. *Begonia hybrida fl. pleno.*

No.		Pf.	No.		Pf.
8995	<i>Begonia hybrida gigantea</i> , gelb — jaune 1 g 5 —, 500 S.	25	9018	<i>Begonia semperflorens compacta</i> rosea 5 S. 4 —, 500 S.	20
8996	» <i>hybrida gigantea</i> , lebhaft rosa — rose vif 500 S.	25	9019	» <i>semperflorens foliis aureis</i> , gelb- blättrig, Blumen fleischfarben — à feuilles dorées, fleurs carnées 1 g 1 —, 500 S.	20
8997	» » <i>gigantea</i> , mit weisser Mitte — à centre blanc 1 g 6 —, 500 S.	25	9020	» » <i>hybrida</i> 1 » 2,50, 500 »	30
8998	» » » orange — jaune orange 1 g 8 —, 500 S.	30	9021	» » <i>Lambertus</i> , mit grossen, kreis- runden hellgrünen Blättern und schneeweissen Blumen — à gr. feuilles rondes vert clair et à gr. fl. d'un blanc de neige 20 g 5 —, 1000 S.	20
8999	» » » orangeroth — rouge orange 1 g 4, 80, 500 S.	25	9022	» » <i>rosea</i> 20 » 5 —, 1000 »	20
9000	» » » scharlach — écarlate 1 g 5 —, 500 »	25	9023	» » <i>Vulcan</i> , siehe Neuh. — <i>Vulcan</i> , voy. nouv. Pt.	70
9001	» » » weiss — blanc 1 » 7 —, 500 »	30	9024	<i>Begonia</i> , beste Misch. von knollen- bildenden Sorten, gegenseitig be- fruchtet, extra — très-beau mélange des sortes tubéreuses, fécondées so- igneusement, extra 1 g 4 —, 500 S.	25
9002	» » » gemischt — melange 1 g 4 —, 500 »	25	9025	» zweite Mischung — beau mël. 1 g 2 —, 500 »	20
9003	» » » nana, orangescharlach 1000 S. — 80, 200 »	20	II. Gefüllt blühende — à fleurs doubles.		
Prachtvolle Classe, mit sehr grossen, 10—15 cm im Durchmesser haltenden Blumen, ganz extra — classe magni- fique à fleurs très grandes, de 10 à 15 centim. de diamètre. extra.			Sorgfältig befruchtet, einen grossen Prozent- satz gefüllt blühender Pflanzen hervorbringend. — Fécondés soigneusement, reproduisant un grand nombre de plantes à fl. doubles.		
9004	<i>Begonia hybr. Montblanc</i> 10,000 S. 5 —, 500 S.	30	No. <i>Begonia hybrida fl. pleno:</i> Pf.		
9005	» <i>hybrida robusta perfecta</i> 10,000 S. 4 —, 500 »	25	9026	dunkelroth, gefüllt — rouge foncé, double 200 S.	30
9006	» » <i>robusta perfecta rosea</i> 10,000 S. 4 —, 500 »	25	9027	gelb, gefüllt — jaune, double 200 »	30
9007	» » <i>vittata</i> , gestreifte — à fl. striées 200 S.	30	9028	orangeroth, gefüllt — rouge orangé, double 200 S.	30
9008	» <i>Martiana gracilis</i> 500 S.	30	9029	rosa, gefüllt — rose, double 200 »	30
9009	» » <i>gracilis</i> , Bulbillen — bulbilles 25 St.	30	9030	scharlach, gefüllt — écarlate, double 200 »	30
9010	» <i>odorata Aurora</i> , neu — nouv. Pt.	50	9031	weiss, gefüllt — blanc, double 100 »	40
9011	» » <i>Pionier</i> 50	60	9032	Beste gefüllte Sorten gemischt — à fl. double varié. 10,000 S. 5 —, 500 S.	30
9012	» » <i>Saladin</i> 60	20	<i>Begonia Species.</i>		
9013	» <i>Pearcei</i> 1 g 3 —, 500 S.	20	9033	<i>alba coriacea</i> .	9043 <i>hirtella</i> .
9014	» <i>semperflorens alba</i> 20 g 3, 20, 1000 »	20	9034	<i>albo-picta</i> .	9044 <i>incarnata</i> .
9015	» <i>atropurpurea</i> (Vernon), prachtvoll, mit leuchtend orange- carmin Blumen und dunkel- bronzefarbenen Blättern, unüber- trefflich für Gruppen — magni- fique, à fleurs orange carminé et à feuilles bronzées 1 g — 80, 500 S.	20	9035	<i>ascotiensis</i> .	9045 <i>longipila</i> .
9016	» » <i>atropurpurea compacta</i> (Vernon niedrig), vorjährige Neuheit, ganz niedrig, mit leuch- tend rothen Blumen und dunkler Belaubung — nouv., <i>Vernon</i> nain, à fleurs rouge vif et à feuillage foncé, très beau 1 g 7, 50, 500 S.	40	9036	<i>corallina</i> .	9046 <i>luoida</i> .
9017	» » <i>compacta alba</i> , niedrig, schön zu Gruppen und Einfassungen — nain, très propre pour massifs ou bordures 5 g 4 —, 500 S.	20	9037	<i>cuprea</i> .	9047 <i>macrophylla</i> .
			9038	<i>dichotoma</i> .	9048 <i>maculata</i> .
			9039	<i>Dregei</i> 1 g 1, 25.	9049 <i>malabarica</i> .
			9040	<i>Evansiana</i> . 1 g — 80.	9050 <i>multiflora</i> .
			9041	<i>Franeoniana</i> .	9051 <i>natalensis</i> 100 S.
			9042	<i>geranioides</i> .	9052 <i>peltata</i> .
					9053 <i>sanguinea</i> .
					Separat à 1000 S. 1 —, 200 S.
					9054 <i>Duchartrei</i> , neu — nouv. 100 »

No.	Begonia:	Pf.
9055	Erfordia, neue, werthvolle Gruppen-begonia mit carminosa Blumen und dunkler Belaubung — nouv. var. superbe pour massifs, à fleurs rose carminé et à feuillage sombre . . . 10,000 S. 4 —, 500 S.	30
9056	florida incomparabilis . . . 10,000 » 5 —, 500 »	30
9057	Schmidtii, die allerthankbarste für Winterflor — la plus florifère pour l'hiver . . . 1 g 3 —, 500 S.	20
9058	Weltoniensis . . . 10,000 S. 4 —, 500 »	30
	Begonia, durch schöne Blätter ausgezeichnete. — Begonias, à beau feuillage.	
9059	Begonia Credneri, prachtvolle winterblühende Sorte mit grossen Blumen — var. magnifique, fleurissant tout l'hiver . . . 100 S.	40
9060	» discolor-Rex-Hybriden, prachtig — magnifique 1000 S. 4 —, 100 S.	50
9061	» metallica . . . 1000 » 1,50, 200 »	40
9062	» nelumbifolia, prächtig — magnifique . . . 10,000 S. 3 —, 500 S.	30
9063	» Rex-Hybriden gemischt — mélange . . . 1000 S. 3,50, 100 S.	40
9064	» neueste prächvollste Rex-Hybriden, gegenseitig sorgfältig befruchtet — hybrides nouveaux fécondés soigneusement . . . 100 S.	50
9065	» Scharffiana, prachtvolle Blatt- und Blütenpflanze — très belle espèce à feuillage magnifique . . . 1000 S. 3 —, 100 S.	40
9066	Bertholletia excelsa, der Paranausbaum — amande du Brésil . . . 1 S.	40
9067	Bertolonia $\triangle$ hybrida, viele buntblättrige Spielarten — à feuilles panachées . . . 1000 S. 10 —, 20 S.	30
9068	» marmorata . . . 100 » 1,25, 20 »	30
9069	Biancaea scandens $\triangle$. . . 20 g — 60, 10 »	20
9070	Bignonia capensis $\triangle$. . . 20 » 4 —, 25 »	20
9071	» chrysantha . . . 5 » 2,60, 25 »	20
9072	» floribunda . . . 5 » 2,60, 25 »	20
9073	» jasminoides . . . 5 » 4 —, 25 »	20
9074	» Lindleyi . . . 5 » 2,60, 25 »	20
9075	» mollis $\triangle$. . . 20 » 2 —, 20 »	20
9076	» stans . . . 20 » 1,80, 50 »	20
9077	» Tbeunbergiana $\triangle$. . . 20 » 1,40, 50 »	20
9078	» Tweediana $\triangle$ $\triangle$. . . 20 » — 40, 50 »	10
9079	» velutina . . . 20 » 2,60, 25 »	20
9080	Billardiera longifolia . . . 1000 S. 8 —, 25 »	30
9081	» mutabilis . . . 1000 » 8 —, 25 »	30
9082	Billbergia $\triangle$ coelestis 1000 » 4 —, 50 »	25
9083	» farinosa . . . 100 S. 1,50, 10 »	20
9084	» fasciata . . . 1 » 1,40, 25 »	30
9085	» Morelina . . . 100 g 1 —, 20 »	30
9086	» Porteana . . . 1000 » 8 —, 20 »	30
9087	» vittata . . . 1000 » 7 —, 20 »	25
9088	» zebrina . . . 1000 » 5 —, 25 »	20
9089	Bixa Orellana $\triangle$. . . 20 g 1,20, 20 »	20
9090	Bocconia frutescens, $\triangle$ prächvolle Blattpflanze — plante ornementale superbe . . . 100 S. 1,25, 10 S.	20
9091	Boehmeria argentea . . . 5 g 2 —, Pt.	30
9092	» longispica . . . 5 » 1,40, »	30
9093	» macrophylla . . . 20 » 3,20, »	30
9094	» nivea, China-Gras . . . 20 » 1,60, »	20
9095	» tenacissima, liefert eine treffliche Gespinnstfaser — fournissant une bonne filure . . . 20 g 4,60, Pt.	30
9096	Bomarea acutifolia . . . 100 S. 1,50, 10 S.	20
9097	» Lehmanni . . . 100 » 3,50, 5 »	20
9098	» multiflora . . . 100 » 3,50, 5 »	20
9099	» oligantha . . . 100 » 2,20, 10 »	25
	Bonaparteia, vide Succulenten.	
9100	Boronia heterophylla 1000 S. 3,50, 50 S.	25
9101	» megastigma . . . 1000 » 7,50, 25 »	25
9102	Bougainvillea spectabilis $\triangle$ 5 »	60
9103	Boussingaultia baselloides $\triangle$. . . Pt.	30
9104	Bouvardia coccinea 1000 S. 3,50, 50 S.	25
9105	» Jacquinii . . . 100 » 1,40, 20 »	40
9106	Bowiea volubilis $\triangle$. . . 5 g 2,50, 25 »	15



9064. Begonia Rex.

No.		Pf.
9107	Brachychiton acerifolium, Flammenbaum 20 g —, 40, Pt.	10
9108	» populneum 20 » —, 40, »	10
9109	Bromelia $\triangle$ sphacelata 1000 S. 6,50, 25 S.	20
9110	Brunfelsia americana $\triangle$. . . 1000 S. 5 —, 50 »	30
9111	Bursaria spinosa, weiss, wohlriechend — blanc, odorant . . . 1000 S. 4,50, 50 S.	30
9112	Bystropogon punctatus, reichbl. — florifère 5 g 1,80, 50 S.	20
9113	Caesalpinia $\triangle$ Coriaria 100 S. 1,40, 10 »	20
9114	» pulcherrima . . . 20 g — 70, 10 »	20
9115	» Sappan » — 50, 10 »	20
9116	» sepiaria » — 80, 10 »	20

Cactus, vide Cacteen — Cactées.

Caladium bulbosum $\triangle$:

9117	Alcibiades 10 S.	30
9118	Baron de Rothschild 10 »	30
9119	Caçapava 10 »	40
9120	Cannaeti 10 »	30
9121	C. E. Dahle 10 »	40
9122	Devosianum 10 »	30
9123	Donizetti 10 »	30
9124	Dr. Junker 10 »	30
9125	Ed. Moreau 10 »	30
9126	Etoile d'argent 10 »	30
9127	Félicien David 10 »	40
9128	Franz Abt 10 »	30
9129	Haageanum 10 »	30
9130	Halévy 10 »	30
9131	Jean Linden 10 »	30
9132	Louise Duplessis 10 »	30
9133	Mad. Alfred Bleu 10 »	30
9134	» Heine 10 »	30
9135	» Lemoine 10 »	30
9136	» Marjolin Scheffer 10 »	30
9137	Mercadante 10 »	30
9138	Meyerbeer 10 »	30
9139	Napoléon III. 10 »	30
9140	Ouro Fino 10 »	40
9141	Perle du Brésil 10 »	30
9142	Princesse Alexandra 10 »	30
9143	Souvenir de Mad. Ed. André 10 »	30
9144	splendidum 10 »	30
9145	Vicomtesse de la Roque Ordan 10 »	30
9146	virginale 10 »	30
9147	Wighti 10 »	30
9148	neueste Hybriden gemischt — hybrides nouveaux en mélange . . . 1000 S. 10 —, 100 S. 1,30, 20 S.	30
9149	Calceolaria alba, neu, weissblühend — nouv. à fl. blanche Pt.	50

9152. *Calceolaria hybr. getuschte*.**Calceolaria hybrida:**

- No. 9150 *tigrina*, grossblumige getigerte, in dem schönsten Farbenspiel — maculées à gr. fl. en variétés splendides 1 g 4,50, 1000 S. 50
- 9151 *unicolor*, grossblum. einfarbige, in dem schönsten Farbenspiel — unicolores à gr. fl. en mélange, extra 1 g 3,—, 1000 S. 40
- 9152 *picturata*, grossblum. getuschte, in der reizendsten Nuancierung — marginées à gr. fl., extra . . . 1 g 3,—, 1000 S. 40
- 9153 *striata*, gestreifte — striées, 1 g 4,—, 1000 » 50
- 9154 *getigerte*, einfarbige und getuschte gemischt, extra — maculées, marginées et unicolores en mél. 1 g 3,—, 1000 S. 40
- 9155 *nana*, Zwerg-, getigerte, von kräftigem, oompactem Wuchs. Blumen gross, anseerordentlich reich blühend und effectvoll — naines maculées d'un port robuste oompacte, fleurs grandes 1 g 4,50, 1000 S. 50
- 9156 *nana*, Zwerg-, einfarbige — naines unicolores . . . 1 g 3,50, 1000 S. 40
- 9157 *nana*, Zwerg-, getuschte — naines marginées à gr. fl. . . 1 g 3,50, 1000 S. 40
- 9158 *nana*, Zwerg-, getuschte und getigerte gemischt, extra — naines, tigrées et marginées en mélange 1 g 3,50, 1000 S. 40
- 9159 *Calceolaria rugosa hybrida*, strauchartige in prachtvollem Farbenspiel — frutescente, les plus belles variétés . . . 10,000 S. 6,25, 500 S. 40
- 9160 » *rugosa hybrida* gelb — jaune 10,000 S. 6,25, 500 » 40
- 9161 » » » la Pluie d'or 1000 S. 1,—, 500 » 60
- 9162 » » *nana* . . . 10,000 » 6,25, 500 » 40
- 9163 *Calla aethiopica* . . . 20 g 1,20, 25 » 20
- 9164 » » *candidissima* . . . 20 » 20
- 9165 » » *gigantea* 20 g 4,—, 20 » 30
- 9166 » » *Little Gem* 20 » 3,20, 20 » 40
- 9167 » » *nana* . . . 20 » 2,20, 20 » 25
- 9168 *Calliandra*  *portoricensis* . . . 5 » 20
- 9169 » *purpurea* . . . 100 S. 2,50, 10 » 30
- 9170 » *Tweedii* . . . 10 » 20
- Callistemon, siehe — voy. *Metrosideros*.
- 9171 *Calodendron capense*  5 S. 30
- 9172 *Calophyllum Inophyllum*  2 » 30
- 9173 *Calothamnus quadrifida* . 5 g 1,40, 500 » 20
- 9174 » » *villosa* . . . 5 » 1,40, 500 » 20
- 9175 *Calycotrix tetragona* 100 S. 1,20, 20 » 30
- 9176 *Camellia japonica* fl. pl., viele gefüllte Sorten, gemischt — variétés à fleurs doubles en mélange 1000 S. 12,50, 100 S. 1,40, 20 S. 30
- 9177 » *japonica*, einfache zu Unterlagen — à fl. simples pour snjets 1000 S. 7,50, 100 S. — 85, 20 S. 20
- 9178 » *Kissi* . . . 100 » 3,50, 5 » 20
- 9179 *Canavallia ensiformis* . . . 5 » 30
- 9180 » *obtusifolia* . . . 5 » 30

**Canna, Blumenrohr — Balisier. **

No.		Pf.
9181	<i>Admiration</i> . . . 20 g — 50, 10 S.	20
9182	<i>Alégatière</i> , Blätter purpur — feuillage pourpre . . . 20 g — 50, 10 S.	20
9183	<i>Anneli</i> . . .	20
9184	» <i>fulgida</i> . . .	20
9185	» <i>rosea</i> . . .	20
9186	<i>atropurpurea</i> . . .	20
9187	<i>aurantiaoa</i> . . .	20
9188	<i>Bihoreli</i> . . .	10
9189	» <i>floribunda</i> . . .	20
9190	» <i>splendens</i> . . .	20
9191	<i>Bonneti</i> . . .	10
9192	<i>Chatei discolor</i> . . .	20
9193	<i>coccinea vera</i> . . .	20
9194	<i>compacta</i> (Lievalli) . . .	20
9195	<i>Daniel Holbrenk</i> . . .	20
9196	<i>Député Hénon</i> . . .	20
9197	<i>discolor</i> . . .	20
9198	» <i>nobilis</i> . . .	20
9199	» <i>violacea</i> . . .	20
9200	<i>Ed. Lombard</i> . . .	20
9201	<i>edulis</i> . . .	10
9202	<i>elegantissima rustica</i> . . .	20
9203	<i>Etna</i> . . .	20
9204	<i>flaocida</i> . . .	30
9205	<i>floribunda grandiflora</i> . . .	20
9206	<i>gigantea vera</i> . . .	20
9207	» <i>aurantiaca</i> . . .	20
9208	<i>gladiolaeflora</i> , grossblumig — à gr. fl. 100 S. 3,—, 10 S.	40
9209	<i>glauca vera</i> . . . 20 g — 40, 10 »	10
9210	<i>Gloire de Lyon</i> . . .	20
9211	<i>Gustave Morlet</i> . . .	20
9212	<i>Hostei</i> . . .	20
9213	<i>indica</i> . . .	10
9214	<i>iridiflora</i> . . .	20
9215	<i>Jacques Plantier</i> . . .	20
9216	<i>Joseph Lombard</i> . . .	20
9217	<i>Lemoinei</i> . . .	20
9218	<i>Léon Lombard</i> . . .	20
9219	<i>Lievalli</i> . . .	10
9220	<i>limbata</i> . . .	10
9221	<i>lutea elegans</i> . . .	20
9222	» <i>picta</i> . . .	20
9223	<i>Mad. Schmitt</i> . . .	20
9224	<i>Majestueux</i> . . .	20
9225	<i>Maréchal Vaillant</i> . . .	10
9226	<i>maxima</i> . . .	20
9227	<i>metallica</i> . . .	30
9228	<i>Mülleri</i> . . .	10
9229	<i>munsefolia hybrida</i> . . .	20
9230	» <i>maxima</i> . . .	20
9231	<i>Nardy</i> . . .	20
9232	<i>nepalensis</i> . . .	20
9233	» <i>grandiflora</i> . . .	20
9234	<i>nigricans</i> . . .	25
9235	<i>Ornement du grand rond</i> 20 g — 50, 10 »	20
9236	<i>peruviana</i> . . .	20
9237	<i>Plantieri</i> . . .	10
9238	<i>Prémices de Nice</i> . . .	10
9239	<i>Président Faivre</i> . . .	20
9240	<i>Prince Impérial</i> . . .	20
9241	<i>purpurea hybrida</i> . . .	20
9242	» <i>spectabilis</i> . . .	10
9243	<i>Rendatieri</i> . . .	10
9244	» <i>rubra</i> . . .	10
9245	<i>Rifkogeli</i> . . .	30
9246	<i>rosaeflora</i> . . .	20
9247	<i>rubra perfecta</i> . . .	20
9248	» <i>superbissima</i> . . .	20
9249	<i>rubricaulis</i> . . .	10
9250	<i>sanguinea Chatei</i> . . .	10
9251	<i>Sellowi</i> . . .	20
9252	<i>Souvenir de Thiers</i> . . .	20
9253	» <i>van Houtte</i> . . .	20
9254	<i>Thibauti</i> . . .	20
9255	<i>tricolor</i> , buntblättrig — à feuilles panachées . . .	15
9256	<i>Victoria</i> . . .	15
9257	<i>violacea superba</i> . . .	20
9258	<i>Vulcan</i> . . .	20
9259	<i>Warscewicz (sanguinea)</i> . . .	20
9260	<i>warscewiczoides grandifl.</i> . . .	40
9261	<i>xalapensis</i> . . .	10

No.	Canna:	Pf.
9262	zebrina	20 g — 50, 10 S. 20
9263	» elegantissima	» — 50, 10 » 20
9264	viele Sorten gemischt — beau mélange kg 4 —, 20 g — 20, 20 S. 10	
9265	rothblättrige und neue Sorten ge- mischt — var. nouvelles et à feuilles pourpres en mélange . 20 g — 50, 10 S. 20	

Canna,
grossblum. frühblühende niedrige
(Crozy's) — naines hâtives à grandes
fleurs:

9266	Amiral Avellan	20 g 1,20, 10 S. 20
9267	» Courbet	» — 70, 10 » 20
9268	Antoine Chantin	» — 70, 10 » 20
9269	B. Cousançat	» — 80, 10 » 20
9270	Bertal	» — 10 » 20
9271	Chevreuil	20 g — 70, 10 » 20
9272	Colibri	» — 80, 10 » 20
9273	Colonel Dodds	» — 10 » 40
9274	Commandant Riviere	» — 70, 10 » 20
9275	Cousin Jacob	» 1,20, 10 » 30
9276	Crozy père	» 1 —, 10 » 20
9277	Doyen Jean Sisley	» — 70, 10 » 20
9278	Dr. Reif	» 1 —, 10 » 20
9279	Dr. Vergely	» — 10 » 40
9280	Edouard André	» — 70, 10 » 20
9281	Francois Morel	» — 80, 10 » 20
9282	François Lapente	» — 80, 10 » 20
9283	F. Thomayer	» — 70, 10 » 20
9284	Général de Négrier	» — 70, 10 » 20
9285	Guillaume Couston	» — 80, 10 » 20
9286	H. L. de Vilmorin	» — 80, 10 » 20
9287	Hofgaertner Gernet	» 1 —, 10 » 30
9288	Jules Chretien	» — 70, 10 » 20
9289	Kaiser Wilhelm	» — 80, 10 » 20
9290	Königin Charlotte, neu — nouv. 20 g 1,20, 10 » 30	

9291	Mad. Crozy	» — 80, 10 » 20
9292	Méteore	» — 10 » 40
9293	Papa Canna	» 1,20, 5 » 20
9294	Paul Bert	» — 80, 10 » 20
9295	President Carnot	» — 70, 10 » 20
9296	Richard Pfau	» — 10 » 30
9297	Souvenir d'Asa Gray	» — 80, 10 » 20
9298	» d'Antoine Crozy	» — 80, 10 » 20
9299	Wilhelm Pötzer	» — 80, 10 » 20

9300	grossblumige frühblühende nied- rige in bester Mischung — hybrides nains à grandes fleurs en beau mé- lange . 20 g — 50, 10 S. 20	
------	--	--

9301	neueste Sorten in Prachtmischung — mélange des var. les plus nouvelles 10 S. 40	
------	--	--

9302	Caragata cardinalis, $\triangle$ Bromeliaceae 100 S. 1,40, 20 S. 30	
------	--	--

9303	Carica Papaya $\triangle$, Melonenbaum — Papayer . 1000 S. 4 —, 25 S. 20	
------	--	--

9304	» » pyriformis 100 » 1,20, 10 » 20	
------	------------------------------------	--

9305	Carludovica palmata $\triangle$ 100 S. 4,50, 10 » 50	
------	---	--

9306	Carmichaelia flagelliformis	» 25 » 20
------	---------------------------------------	-----------

9307	Carolinea alba, schöne Blattpflanze mit grossen weissen Blumen — belle plante ornementale à gr. fleurs blan- ches $\triangle$ 2 S. 50	
------	--	--

9308	Cassia $\triangle$ acuta	20 g — 70, 20 S. 20
------	------------------------------------	---------------------

9309	» » alata	» 1 —, 20 » 20
------	---------------------	----------------

9310	» » bicapsularis	» — 80, 20 » 20
------	----------------------------	-----------------

9311	» » Chamaecrista, sehr schön — très beau . 20 g — 80, 20 S. 15	
------	---	--

9312	» » corymbosa	» — 70, 25 » 10
------	-------------------------	-----------------

9313	» » emarginata	» — 80, 25 » 20
------	--------------------------	-----------------

9314	» » eremophila	» — 20 » 20
------	--------------------------	-------------

9315	» » fistula	» 1,60, 10 » 20
------	-----------------------	-----------------

9316	» » floribunda	» — 60, 25 » 20
------	--------------------------	-----------------

9317	» » grandiflora	» — 60, 25 » 20
------	---------------------------	-----------------

9318	» » hirsuta	100 S. 1,40, 10 » 20
------	-----------------------	----------------------

9319	» » laevigata	20 g — 60, 25 » 20
------	-------------------------	--------------------

9320	» » ligustrina	» — 70, 20 » 20
------	--------------------------	-----------------

9321	» » marylandica	» 1 —, 25 » 20
------	---------------------------	----------------

9322	» » mimosaefolia	» 1,30, 20 » 20
------	----------------------------	-----------------

9323	» » obtusa	» 1 —, 20 » 20
------	----------------------	----------------

9324	» » polyantha	» — 60, 20 » 20
------	-------------------------	-----------------

9325	» » smaragdina	» 3,20, 10 » 20
------	--------------------------	-----------------

9326	» » Sophora	» 1,60, 20 » 20
------	-----------------------	-----------------



9301. Canna, niedrige frühbl. grossbl.

No		Pf.
9327	Cassia stipulacea	20 g 1,50, 20 S. 20
9328	» tomentosa	» 1 —, 25 » 20
9329	Cedrela $\triangle$ odorata	» 5 g 1,20, 20 » 25
9330	Centrosema grandiflorum $\triangle$ S, reichblühende Schlingpflanze mit rothvioioletten Blumen — plante grimpeante à fl. rouge violacé 20 g 2,40, 25 S. 20	
9331	» pubescens	» 5 » 2,20, 10 » 30
9332	» virgatum	» 5 » 2 —, 10 » 30
9333	» virginianum	» 5 » 2,50, 10 » 20
9334	Cephaelis Swartzii $\triangle$. 100 S. 3 —, 10 » 40	
9335	Ceratopetalum gummiferum 100 S. 1,25, 10 » 20	
9336	Ceetrum $\triangle$ aurantiacum 20 g 2 —, 25 » 20	
9337	» foetidissimum	» 2 —, 25 » 20
9338	» Parqui	» — 70, 50 » 20
9339	» roseum hybridum	» 3,50, 20 » 50
9340	» Warszewiczii	» 5 —, 20 » 30
9341	Chironia grandiflora	1000 S. 3,50, 50 » 20
9342	Chorizema cordatum	» 100 » 2 —, 10 » 25
9343	» ilicifolium	» 100 » 1,60, 10 » 20
9344	» speciosum	» 100 —, 10 » 20
9345	» varium	» 100 » 1,25, 20 » 30
9346	Chrysanthemum frutescens (Argyanthe- mum)	20 g — 80, Pt. 15
9347	» frutescens Comtesse de Chambord 20 g 1,50, Pt. 30	
9348	» » Mad. Annier	» 1,50, » 20
9349	» » Farfouillon	» 1,10, » 20
9350	» indicum grandif. fl. pl., gros- blumig, von den schönsten gefüllten Varietäten, extra Qualität — à grandes fleurs des meilleures variétés, qual. extra . 5 g 4 —, Pt. 40	
9351	» » fl. pl., gute Mischung — bean mélange . 20 g 6,50, Pt. 30	
9352	» » pomponicum fl. pl., kleinblum. oder Pompon, von den schön- sten gefüllten Var., extra Quali- tät — Pompon double varié, qual. extra . 5 g 4 —, Pt. 40	
9353	» » pomponicum fl. pl., gute Mischg. — bean mélange 20 g 6,50, Pt. 30	
9354	» » nanum fl. pl., Zwerg-, in schönstem Rammel — nouv. var. naine en mélange 5 g 2,80, Pt. 30	
9355	» » fl. pl., extra Qual — qual. extra . 1 g 1,50, Pt. 40	
9356	» japonicum fl. pl., japanische Var. — var. japonaeae en mélange . 20 g 7 —, Pt. 30	
9357	» » extra Qualität — qualité extra 5 g 4 —, Pt. 40	

9374. *Cineraria* hybr. *nana grandifl.*

No.		Pf.
9358	Chrysanthemum japonicum , neue japanische mit behaarten Blumen — var. <i>japonaeae</i> à fl. duveteuses . . . 1 g 1,40, Pt.	40
9359	» japonicum , frühblühende japanische (race Délaux) — var. du Japon précoces var. <i>ies</i> 1 g 1,60, Pt.	40
9360	Cinchona $\triangle$ <i>hybrida</i> . . . 5 » 8 —, »	40
9361	» <i>Ledgeriana</i> » 40	
9362	» <i>officinalis</i> » 40	
9363	» <i>suocirubra</i> 5 g 7,50, »	40
9364	» gemischt — mélange . . . 5 » 7,50, »	40

Cineraria hybrida:

9365	sehr gute Qualität gemischt — beau mélange . . . 20 g 12 —, Pt.	30
9366	Prachthybriden ersten Ranges — Qualität supérieure splendide 20 g 35 —, Pt.	40
9367	coerulea , himmelblau — bleu ciel . . . 1 g 2 —, »	40
9368	grandiflora , die grösstblumigen verbeeerten Spielarten in Prachtmischung — variétés à tr. grandes fleurs . . . 20 g 54 —, 1 g 3,50, Pt.	50
9369	» azurea . . . 1000 S. 2,50, 100 S.	30
9370	» kermesina 1 g 5 —, Pt.	50
9371	» sanguinea 1 » 10 —, »	60
9372	nana , Zwerg-, von compactem Habitus in prachtvollem Farbenepiel — naine, d'un port compact en variété splendide, extra . . . 20 g 16 —, Pt.	40
9373	» atrosanguinea . . . 1 g 2,40, »	40
9374	» grandiflora , niedrige grossblumige Varietäten in den brillantesten Nüancen — naine à grandes fleurs en variétés brillantes, d'un port incurpaseable . . . 1 g 3,50, Pt.	50
9375	» kermesina 1 » 2,60, »	40
9376	Cineraria hybrida plenissima (H. & S.), extra Qualität, tadello in Form und Füllung der Blumen — Qualität extra, à fleurs biendoubles . . . 1 g 4 —, Pt.	50
9377	» hybr. nana plenissima , niedrige Varietäten mit groeoen, echön geformten, dichtgefüllten Blumen, extra Qualität — variété naine à fleurs grandes, très doublee . . . 1 g 4,50, Pt.	50
9378	» maritima , mit silberweissen Blättern — à feuilles argentées . . . 20 g —40, Pt.	10
9379	» » acanthifolia 1,25, »	20
9380	» » asplenifolia —60, »	15
9381	» » candidissima —50, »	10

No.		Pf.
9382	Cineraria maritima Diamant, siehe Neuh. — voy. nouv. Pt. 100	
9383	» maritima lastraeaeifolia . . . 20 g —80, »	15
9384	» platanifolia 5 » 1,40, »	20
9385	Cipura martinicensis , Irideae $\triangle$ 100 S. 1,20, 20 S.	30
9386	Cissus antarctica §, wie Epheu in Stuben zu Lauben benutzt, sehr schön — employé comme Lierre pour berceaux en appartement, très-joli. 20 g 3,20, Pt.	30
9387	Citharexylon cyanocarpum 20 g 2 —, 20 S.	20
9388	Citrus Aurantium —50, 50 »	20
9389	» Bigaradia —80, 50 »	20
9390	» decumena 1,40, 20 »	20
9391	» delicioea 1 —, 50 »	20
9392	» nobilis , Mendariu-Orange . . . 20 g 2,50, 20 »	30
9393	» einensie myrtifolia 2,20, 20 »	30
9394	» trifoliata 1 —, 25 »	20
9395	» vulgaris —60, Pt.	15
9396	Clerodendron $\triangle$ coccineum 100 S. 3,20, 10 S.	40
9397	» fragrantissimum 100 » 1,60, 10 »	20
9398	» Kaempferi (squamatum) , prachtvoll — magnifique 100 S. 2,50, 10 S.	30
9399	» speciosum 5 »	30
9400	Gianthus Dampieri . . . 20 g 4,20, 50 »	20
9401	» Dampieri , hier geerntet, leicht sicher keimend — récolté chez nous, de germination certaine . . . 100 S. 2,60, 10 S.	30
9402	» » Deutsche Flagge , echarlach, schwarz und weies — écarlate, noir et blanc 5 S.	40
9403	» magnificus . . . 100 S. 2 —, 10 »	30
9404	» punicus 20 g 2,40, 50 »	20
9405	Clivia nobilis $\triangle$ 2 »	80
9406	Cobaea macrostemma §, neu — nouv. 100 S. 2,60, 10 S.	30
9407	» scandens §, sehr echöne Schluflpflanze mit groeoen blauen Blumen — très-belle plante grimpante à gr. fl. bleues . . . 20 g —70, Pt.	15
9408	» scandens fl. albo 1,40, »	20
9409	» fol. varieg. 10 S.	30
9410	Coccolobaurifolia $\triangle$ 20 g 2 —, 10 S.	30
9411	Coffea arabica $\triangle$ Früchte à 2 S. — fruits cont. 2 S. 100 Fr. 2,20, 10 Fr.	30
9412	» liberica 100 » 5,50, 5 »	40
9413	» mauritiana . . . 100 » 4 —, 5 »	25

Coleus hybridus:

9414	schöne Sorten gemiecht — bellee eortce en mélange 5 g 3 —, 300 S.	20
9415	Madlle. Marie Bocher , gelblättrig, — à feuilles jaunes 1000 S. 2,50, 100 S.	30
9416	neue Sorten, gegeneeitig befruehtet — variétés nouvelles fécondées réciproquement 1 g 1,60, 200 S.	25
9417	neueste grossblättrige gefleekte und gestreifte Sorten gemischt — var. nouv. à grandes feuilles striées et maculées 1000 S. 2,50, 100 S.	30
9418	neueste mit grossen rothen Blättern, praehtvoll — à feuilles rouges très grandes, magnifique 1000 S. 2,50, 100 S.	30
9419	neueste mit grossen violettrothen Blättern — à gr. feuillee rouge violacé 1000 S. 2,50, 100 S.	30
9420	neueste carminrothe mit schwarzgrünen Rändern — à feuillee rouge carmin et à bord vert noirâtre 1000 S. 2,50, 100 S.	30
9421	mit grossen gelben Blättern — à grandes feuilles jaunes 1 g 5 —, 100 S.	30
9422	neueste grossblättrige weissgründige — var. nouv. à grandes feuilles à fond blanc 1000 S. 5 —, 50 S.	30
9423	neueste monströse grossblättrige, eehr interessant — à gr. feuillee monetrueuses 1000 S. 7 —, 50 S.	40
9424	neueste violettrothe mit gelber Zeichnung — rouge violacé panaché de jaune 50 S.	40



9425. Coleus, grossblättrige — à gr. feuilles.



9453. Cordyline superbiens (indivisa).

No.	Coleus hybridus:	Pf.
9425	neueste grossblättrige Sorten gemischt, ganz extra — var. nouv. à très grandes feuilles en mélange, extra . . . 1 g 3,50, 100 S.	20
9426	mit geschnitzten und gefransten Blättern — à feuilles laciniées . . . 1000 S. 2,50, 100 S.	30
9427	Colletia bictoniensis . . . 100 » 1,20, 20 »	30
9428	Colocasia $\triangle$ albo violacea . . . 5 »	40
9429	» esculenta . . . 100 S. 4, » 25	25
9430	Colubrina $\triangle$ ferruginea 100 » 2, » 10	30
9431	» reclinata . . . 100 » 1,60, 10 »	20
9432	Columnnea Schiedeana $\triangle$. . . 25 »	30
9433	Combretum micropetalum $\triangle$ § reichblühend, ähnlich Bougainvillea — florifère, ressemblant au Bougainvillea . . . 100 S. 2,50, 10 S.	20
9434	» Pinceanum $\triangle$, scharlach — écarlate . . . 100 S. 3, » 10 S.	40
9435	Coprosma Baueriana . . . 20 g 3,60, 20 »	20
9436	Corchorus $\triangle$ siliquosus 100 S. 1, » 20	30
9437	Cordia $\triangle$ ferruginea 100 » 4, » 5 »	25
9438	Cordyline arborea . . . 100 » 1, » 20	30
9439	» australis, hier geernteter Same, in Beeren — récolté en Europe, en baies . . . 20 g 2,60, 50 B.	25
9440	» » reiner S. — gr. nettes . . . 1000 S. 3,20, 50 S.	25
9441	» calocoma . . . 100 » —, 80, 20 »	20
9442	» cannaefolia . . . 100 » 1,60, 10 »	20
9443	» colossea . . . 100 » —, 80, 20 »	20
9444	» congesta . . . 100 » 1,25, 20 »	40
9445	» Hookeri lineata . . . 1000 » 3, » 50 »	20
9446	» indivisa, vide superbiens.	
9447	» Mazeli . . . 100 S. 1,60, 10 »	30
9448	» nutans . . . 100 » 1, » 20 »	30
9449	» rigidifolia . . . 1000 » 8, » 20 »	20
9450	» rigidula . . . 100 » 2,60, 10 »	30
9451	» rubra . . . 100 » 2,60, 10 »	30
9452	» stricta, Beeren — baies . . . 20 g — 80, 100 B.	20
9453	» superbiens (Dracaenopsis), die schöne, lange, schmalblättrige Species, allgemein in Gärten als Dracaena indivisa bekannt — la belle espèce à feuilles longues étroites, connue partout sous le nom Dracaena indivisa, en baies — Samen in Beeren . . . 100 g 2, » 50, 100 B.	20
9454	» » superbiens, reiner Same — gr. nettes . . . 20 g 1,30, 100 S.	20
9455	» » compacta 1000 S. 4,50, 50 »	30
9456	» » latifolia, Beeren — baies . . . 20 g — 80, 100 B.	20

No.	Cordyline superbiens latifolia, reiner Same — gr. nettes	Pf.
9456	» superbiens latifolia, Beeren — baies . . . 20 g — 70, 100 B.	20
9457	» » lineata, reiner Same — gr. nettes . . . 20 g 2,60, 100 S.	20
9458	» » Veitchi, reiner S. — gr. nettes . . . 20 g 2,60, 100 »	20
9459	» » Beeren — baies 20 » — 70, 100 B.	20
9460	» Coriaria angustissima 100 S. 1, » 20	25
9461	Cosmophyllum cacaliaefolium (Ferdinandanda eminens) $\triangle$, schöne Blatt-pflanze — belle plante ornementale . . . 20 g 4,40, 200 S.	30
9462	Coulteria pectinata . . . 20 » — 50, 60 »	20
9463	Coutoubea densiflora $\triangle$. . . 200 »	30
9464	Crescentia Cujete $\triangle$. . . 100 S. 2, » 10 »	30
9465	Crotalaria arborescens . . . 20 g 4, » 25 »	20
9466	» juncea . . . 20 » — 60, 50 »	20
9467	» retusa . . . 100 S. 1,20, 10 »	20
9468	Croton $\triangle$ lobatum . . . 5 »	30
9469	» macrocalyx . . . 20 g 1,40, 10 »	30
9470	» multipinnatifidum . . . 10 »	40
9471	» populifolium . . . 100 S. 1,40, 10 »	20
9472	» sebioferum (Stillingia) 20 g 1,80, 10 »	35
9473	» tinctorium (Crotophora) . . . 10 »	25
9474	» gemischt — mélange . . . 5 »	30
9475	Cryptolepis longiflora, schöne weissblühende Echitea — belle Echitea à fl. blanches . . . 1000 S. 6, » 25 S.	20
9476	Cryptostegia grandiflora alba . . . 1000 S. 5, » 50 »	30
9477	» » kermesina . . . 50 »	30
9478	Cyathula prostrata $\triangle$ 100 S. 1,40, 10 »	20
9479	Cyclamen, Alpenveilchen.	
9480	autumnale fl. albo . . . 1000 S. 6, » 25 »	20
9481	» cilicium . . . 100 » — 75, 20 »	20
9482	» coum (vernum) . . . 5 g 1,80, 50 »	25
9483	» cyprum . . . 100 S. — 75, 20 »	20
9484	» eupaeum . . . 5 g 2, » 50 »	25
9485	» graecum . . . 1000 S. 5, » 25 »	20
9486	» hederiaefolium . . . 1000 » 6,25, 25 »	30
9487	» macrophyllum (africanum, algeriense), . . . 5 g 1,60, 25 S.	30
9488	» neapolitanum . . . 20 g 4,80, 25 »	20
9489	» persicum . . . 3,20, 50 »	25
9490	» album . . . 5, » 50 »	25
9491	» atrorubrum . . . 6, » 50 »	30
9492	» fl. pleno . . . 100 S. 1,20, 10 »	20
9493	» giganteum (universum, splendens), weiss mit rothem Auge, gross und vollkommen, extra — blanc à oeil rouge, à très gr. fleur . . . 1000 S. 6, » 50 S.	40

9501. *Cyclamen persicum giganteum*.

No.	Cyclamen:	Pf.
9494	<i>persicum giganteum atrorubrum</i> , dunkelroth, sehr grossbl. — rouge foncé à gr. fl. 1000 S. 8 —, 25 S.	30
9495	» <i>giganteum roseum superbum</i> 1000 S. 8 —, 25 S.	30
9496	» » <i>sanguineum</i> , das dunkelste und leuchtendste Roth — rouge foncé brillant 1000 S. 12,50, 25 S.	40
9497	» <i>Kaiser Wilhelm</i> , glühend dunkelroth, sehr grossblumig, ausgezeichnete Sorte — rouge foncé brillant, à fleurs très-grandes, var. superbe 1000 S. 6 —, 50 S.	40
9498	» <i>Montblanc</i> , reinweiss, ohne Auge, sehr grossblumig — blanc pur sans oeil, à très-grandes fleurs. 1000 S. 12,50, 25 S.	40
9499	» <i>rubrum</i> 20 g 5,20, 50 »	30
9500	» <i>violaceum</i> 1000 S. 5 —, 25 »	20
9501	» beste grössblumige Sorten gemischt — mélange extra 5 g 2,50, 50 S.	30
9502	<i>repandum (ficariaefolium)</i> 1000 S. 5,50, 25 »	20
9503	<i>Cyrtanthera magnifica</i> 5 »	30
9504	<i>Cytisus Attleanus</i> 20 g 4 —, 25 »	20
9505	» <i>Everestianus compactus</i> 20 g 3,20, 50 »	20
9506	» <i>glabratus</i> 1 —, 100 »	20
9507	» <i>palmensis</i> , m. fadenförm. hängend. Zweigen u. weissen wohlriechenden Blumen — à rameaux pendants, fl. blanches odorantes 100 S. 1,40, 10 S.	20
9508	» <i>racemosus</i> 20 g — 80, 100 »	20
9509	» <i>ramosissimus</i> 5 —, 50 »	20
9510	<i>Dalechampia Roezlii rosea</i> 5 »	30
	<i>Dasyliiron</i> , siehe unter Succulenten — voy. plantes grasses.	
9511	<i>Datura</i> » <i>arborea</i> 20 g 7,50, 10 S.	25
9512	» <i>arborea fl. pleno</i> 100 S. 4 —, 10 »	50
9513	» <i>coccinea</i> 100 » 3,50, 10 »	40
9514	» <i>Cornucopiae</i> 20 g 2,40, 20 »	40
9515	» <i>sarmentosa (Solandra)</i> 100 S. 1,20, 20 »	30
9516	<i>Daubentonia coccinea</i> 5 »	20
9517	» <i>punica</i> 5 »	20
9518	» <i>versicolor</i> 5 »	20
9519	<i>Desmodium gyrans</i> Telegraphenpflanze — Saintfoin oscillant 10 S.	25
9520	<i>Dianella coerules</i> 10 »	40
9521	» <i>ensifolia</i> 10 »	30
9522	<i>Diastema pictum</i> reizend — charmant 10,000 S. 4 —, 500 S.	30
9523	<i>Dicyrta candida</i> 1000 » 1,25, 100 »	20
9524	» <i>mexicana</i> 1000 » 1,50, 100 »	20
9525	» <i>Warszewiczii</i> 1000 » 1,50, 100 »	20
	<i>Didymocarpus</i> , vide <i>Streptocarpus</i> .	

No.		Pf.
9526	<i>Dioclea glycinoides</i> § 20 g — 70, 10 S.	20
9527	<i>Diplopappus aureus</i> 50 »	30
9528	» <i>fruticulosus</i> 50 »	20
9529	<i>Disemma</i> △ § <i>coccinea</i> 20g 3,20, 50 »	20
9530	<i>Dolichodeira tubiflora</i> △ 100 »	30
9531	<i>Dolichos</i> △ <i>lignosus</i> § 20 g — 70, 50 »	20
9532	» <i>tuberosus</i> 80, 10 »	20
9533	<i>Doryanthes</i> △ <i>excelsa</i> , prachtvolle Decorationspflanze — plante ornementale magnifique 100 S. 4,50, 5 S.	30
9534	» <i>Palmeri</i> 100 » 4 —, 5 »	25
9535	<i>Dracaena canariensis</i> 100 » 7,50, 5 »	40
9536	» <i>Draco</i> 1000 S. 8,50, 100 » 1 —, 10 »	15
9537	» <i>salicifolia</i> 100 » 3,50, 5 »	25
	» andere Sorten siehe <i>Cordylina</i> — pour autres espèces voy. <i>Cordylina</i> .	
9538	<i>Drymonia punctata</i> , hübsche Gesneriacee — belle Gesneriacee 1000 S. 2,50, 50 S.	20
9539	<i>Duranta brachypoda</i> 20 g — 50, 50 »	20
9540	» <i>Ellisia</i> 50, 50 »	20
9541	» <i>Mutisii</i> 60, 25 »	20
9542	» <i>Plumieri</i> 50, 50 »	20
9543	» <i>turbinata</i> 50, 25 »	20
9544	<i>Duvana dependens</i> 100 S. 1 —, 10 »	20
9545	» <i>spinescens</i> 100 » — 80, 20 »	20
	<i>Dyckia</i> , vide Succulenten.	
	<i>Echeveria</i> , vide Succulenten.	
9546	<i>Echium candicans giganteum</i> , schön — beau 100 S. 1 —, 20 S.	30
9547	» <i>simplex</i> , reichblühend — florifère 20 g — 70, Pt.	20
9548	» <i>strictum</i> 70, »	20
9549	<i>Edwardia chilensis</i> 50, 20 S.	20
9550	» <i>grandiflora</i> 100 S. 5 —, 5 »	30
9551	» <i>Mac Nabiana</i> 20 g 1,80, 20 »	30
9552	<i>Elaeodendron australe</i> 100 S. 8 —, 5 »	40
9553	» <i>xylocarpum</i> 10 » 10, 3 »	50
9554	<i>Embothrium coccineum</i> 5 g 1,40, Pt.	20
9555	<i>Eucholirion carolinianum</i> 100 S. 4 —, 5 S.	25
9556	<i>Epacris hybrida</i> , viele Sorten gemischt — beau mélange 10,000 S. 7 —, 1000 S. 1 —, 200 S.	30
9557	» <i>hybrida</i> , neueste Prachtsorten gemischt — choix extra de variétés nouvelles 1000 S. 2 —, 100 S.	30
9558	<i>Eranthemum</i> △ <i>longifolium</i> , scharlachroth, guter Winterblüher — écarlate, fleurissant en hiver 1000 S. 1,50, 100 S.	20
9559	<i>Erica arborea</i> , reiner Same — graines nettes 20 g 2,60, Pt.	30
9560	» <i>longipedunculata</i> 1 » 1 —, »	30
9561	» <i>ramulosa</i> 1 » 1 —, »	30
9562	» <i>Capspecies</i> gemischt — espèces du Cap en mélange 1 g 1,60, Pt.	30
	<i>Erythrina</i> △, Korallenbaum — Arbre au corail.	
9563	» <i>abyssinica</i> 100 S. 4 —, 5 S.	25
9564	» <i>acanthocarpa</i> , selten — rare 2 »	30
9565	» <i>bogotensis</i> , grossbl., glühend dunkelroth — à gr. fl. rouge foncé brillant 100 S. 4,50, 5 S.	30
9566	» <i>cafra vera</i> 100 » 4,50, 5 »	30
9567	» <i>Coralodendron</i> 100 » 2 —, 10 »	25
9568	» <i>coralloides</i> 100 » 4 —, 5 »	25
9569	» <i>crista galli</i> 100 » 2,60, 10 »	30
9570	» » <i>compacta</i> 100 » 4 —, 5 »	25
9571	» <i>Hendersoni</i> 100 » 4,50, 5 »	25
9572	» <i>indica</i> 2 »	60
9573	» <i>insignis</i> 20 g — 80, 10 »	20
9574	» <i>laurifolia</i> 20 » — 80, 10 »	20
9575	» <i>species Argentinien</i> , ähnlich <i>crista galli</i> — semblable à <i>crista galli</i> 20 g — 70, 10 S.	15
9576	» <i>speciosa</i> 100 S. 3,50, 10 »	40
9577	» <i>viarum</i> , prachtvoll — superbe 100 S. 1,60, 10 S.	20
9578	<i>Escallonia floribunda</i> 20 g 5 —, 200 »	20
9579	» <i>rubra</i> 1000 S. 2,50, 100 »	30
9580	<i>Eucadonia Ehrenbergi (Mandiora lanata)</i> 1000 S. 2,50, 100 S.	30
9581	<i>Eucalyptus acmenoides</i> 20 g 1,40, 50 »	20
9582	» <i>alpina</i> 20 » 1,25, 50 »	20
9583	» <i>amygdalina</i> 20 » 1,60, 50 »	20



9643. *Eupatorium serrulatum*.



9676. *Fuchsia hybrida*.

No.			Pf.
9584	<i>Eucalyptus bicolor</i>	. . . 20 g 1,30, 50 S.	20
9585	» <i>botryoides</i>	. . . 20 » 1,30, 50 »	20
9586	» <i>calophylla</i> , echt — vrai		
		20 g 1,10, 20 »	30
9587	» <i>citriodora</i>	. . . 5 » 2,60, 20 »	30
9588	» <i>coccifera</i>	. . . 20 » —, 25 »	20
9589	» <i>colossea</i>	. . . 20 » 4 —, 20 »	30
9590	» <i>coriacea</i>	. . . 20 » 4 —, 20 »	30
9591	» <i>cornuta</i>	. . . 20 » 1,80, 50 »	20
9592	» <i>corymbosa</i>	. . . 20 » 1,60, 50 »	20
9593	» <i>corynocalyx</i>	. . . 20 » 1,60, 50 »	20
9594	» <i>crebra</i>	. . . 1000 S. 1,50, 100 S.	20
9595	» <i>decipiens</i>	. . . 20 g 2,60, 50 »	20
9596	» <i>diversicolor</i>	. . . 20 » —, 25 »	20
9597	» <i>drepanophylla</i> , selten — rare	50 » 20	
9598	» <i>eugenoides</i>	. . . 20 g 1,60, 50 »	20
9599	» <i>ficifolia</i> , selten — rare		
		100 S. 5 —, 5 »	30
9600	» <i>gigantea</i>	. . . 20 g 4 —, 25 »	20
9601	» <i>globulus, der vielgenannte „Blau-gummi“</i> auch Fieberheilkraut — le Gommier bleu, fefrifuge, très renommé	. . . 20 g 1 —, 100 S.	30
9602	» <i>gomphocephala</i>	. . . 20 » 2,60, 50 »	20
9603	» <i>gonolocalyx</i>	. . . 20 » 1,20, 50 »	20
9604	» <i>Gunnii</i>	. . . 20 » 1,60, 50 »	20
9605	» <i>haemastoma</i>	. . . 20 » 3 —, 50 »	20
9606	» <i>hemiphylaea</i>	. . . 20 » 4 —, 25 »	20
9607	» <i>Lehmanni</i>	. . . 20 » 3,20, 50 »	20
9608	» <i>leucoxydon</i>	. . . 20 » 1,20, 50 »	20
9609	» <i>longifolia</i>	. . . 20 » 4 —, 25 »	20
9610	» <i>macrorhyncha</i>	. . . 20 » 1,80, 50 »	20
9611	» <i>maculata</i>	. . . 20 » 1,80, 50 »	20
9612	» <i>marginata</i>	. . . 20 » 1,40, 50 »	20
9613	» <i>megacarpa</i>	. . . 20 » 1,80, 50 »	20
9614	» <i>melioidora</i>	. . . 20 » —, 50 »	20
9615	» <i>Muelleriana</i>	. . . 20 » —, 25 »	20
9616	» <i>obliqua</i>	. . . 20 » 1,25, 50 »	20
9617	» <i>occidentalis</i>	. . . 20 » 1,40, 50 »	20
9618	» <i>palustris</i>	. . . 20 » 1,80, 50 »	20
9619	» <i>peltata</i> , selten — rare	25 » 20	
9620	» <i>pillularis</i>	. . . 20 g 1,30, 50 »	30
9621	» <i>piperita</i>	. . . 20 » 5 —, 50 »	30
9622	» <i>polyantha</i>	. . . 5 » 1 —, 50 »	20
9623	» <i>punctata</i>	. . . 5 » 1 —, 50 »	20
9624	» <i>resinifera</i> , red gum	20 » 1 —, 50 »	20
9625	» <i>robusta</i> (White Mahogany)		
		20 g 4 —, 50 »	20
9626	» <i>rostrata</i>	. . . 20 » 1,80, 50 »	20
9627	» <i>rudis</i>	. . . 20 » 2,40, 50 »	20
9628	» <i>salicifolia</i>	. . . 20 » 2 —, 50 »	20
9629	» <i>saligna</i>	. . . 20 » 2 —, 50 »	20
9630	» <i>siderophylla</i>	. . . 20 » 1,25, 50 »	20
9631	» <i>stricta</i>	. . . 20 » 1,60, 50 »	20

No.			Pf.
9632	<i>Eucalyptus Stuartiana</i> (Appletree)		
		20 g 2,60, 50 S.	20
9633	» <i>tereticornis</i>	. . . 20 » 1,80, 50 »	20
9634	» <i>urnigera</i>	. . . 20 » —, 50 »	20
9635	» <i>viminialis</i>	. . . 20 » 1,20, 50 »	20
9636	» <i>gemischt-mélange</i>	20 » — 70, 100 »	20
9637	<i>Eugenia Ugni</i> , schönblühender immergrüner Strauch mit essbaren Früchten — arbrisseau à feuilles persistantes à belles fleurs et à fruits comestibles	1000 S. 1,50, 100 S.	20
9638	<i>Eupatorium glechomaefolium</i>	. . . 50 »	30
9639	» <i>grandiflorum</i> (album)		
		5 g 2,60, 100 »	30
9640	» <i>lucidum</i>	. . . 5 » 1,60, 100 »	30
9641	» <i>macradon</i> $\triangle$	. . . 25 »	20
9642	» <i>riparium</i>	. . . 20 g 4,50, 100 »	20
9643	» <i>serrulatum</i> , neu, mit purpurroten Blumen, guter Winterblüher — nouv., à fl. rose pourpré, fleurissant en hiver	. . . 20 S.	40
9644	» <i>trapezoideum</i>	. . . 100 »	30
9645	» <i>Weinmannianum</i>	. . . 20 g 4,50, 100 »	20
	<i>Euphorbia</i> , vide Succulenten.		
9646	<i>Eustrephus latifolius</i> §	. . . 20 g 4 —, 50 »	30
9647	<i>Exacum affine</i> , sehr hübsche Topfpflanze, Blumen lila, wohlriechend — à fleurs lilas odorantes $\triangle$	1 g 5 —, 400 S.	30
9648	<i>Exostemma floribundum</i> $\triangle$	100 S. 1,20, 20 S.	30
9649	<i>Fabricia laevigata</i>	. . . 20 g 3,50, 100 »	20
9650	<i>Fagelia bituminosa</i>	. . . 1000 S. 3,50, 50 »	30
9651	<i>Fagraea imperialis</i> $\triangle$, schöne Blatt-pflanze, Blumen weiss — plante ornementale, fleurs blanches	. . . 20 S.	20
9652	<i>Faya fragrifera</i> $\triangle$	. . . 20 g 1 —, 10 »	20
	<i>Ferdinandia</i> , vide Cosmophyllum.		
9653	<i>Feronia Elephantum</i>	100 S. 1 —, 20 »	30
9654	<i>Ficus</i> $\triangle$ <i>elastica</i>	. . . 1000 » 4,50, 50 »	30
9655	» <i>imperialis</i>	. . . 1000 » 4,50, 50 »	30
9656	» <i>lentiginosa</i>	. . . 1000 » 5 —, 50 »	30
9657	» <i>macropbylla</i>	. . . 5 g 3,50, 50 »	30
9658	» <i>pertusa</i>	. . . 1000 S. 5 —, 50 »	30
9659	<i>Flemingia strobilifera</i> $\triangle$	100 S. 1 —, 20 »	25
9660	<i>Fragaria indica</i> , reizende Ampel-pflanze mit gelben Blüten und roten Früchten — charmante plante pour vases suspendus à fleurs jaunes et fruits rouges	. . . 20 g 1,30, Pt.	20
9661	<i>Francisceae eximia</i>	. . . 100 S. 1,50, 10 S.	20
9662	» <i>Hopeana</i>	. . . 100 » 1,50, 10 »	20

9679. *Fuchsia procumbens*.

No.	Pf.
9663 <i>Franseria artemisioides</i> , schöne Blattpflanze für's Freie im Sommer — belle plante à feuillage ornemental	
100 S. 1,50, 20 S.	40
9664 <i>Fuchsia alpestris</i> . . . 100 » — 80, 20 »	20
9665 » <i>boliviana</i> , scharlachroth — écarlate vif . . . 1000 S. 2,50, 100 S.	30
9666 » <i>coccinea</i> . . . 1000 » 1,60, 100 »	20
9667 » <i>conica</i> . . . 1000 » 7,50, 25 »	25
9668 » <i>corymbiflora</i> . . . 1000 » 1—, 200 »	25
9669 » <i>» alba</i> . . . 1000 » 1—, 200 »	25
9670 » <i>fulgens</i> . . . 100 » 1—, 20 »	25
9671 » <i>globosa</i> . . . 1000 » 7,50, 25 »	25
9672 » <i>gracilis</i> . . . 1000 » 8—, 25 »	30
9673 » <i>hybrida</i> , neueste grossblumige — nouvelles à grandes fleurs . 1000 S. 6—, 25 S.	20
9674 » » <i>neueste gefüllte</i> — nouv. à fl. doubles 1000 S. 8—, 25 S.	30
9675 » » <i>weisskorollige</i> — à corolles blanches . 1000 S. 9—, 25 S.	30
9676 » » <i>gefüllte und einfache gemischt</i> — à fl. double et à fl. simple en mélange . 1000 S. 6—, 25 S.	20
9677 » » <i>Schneewittchen</i> , weiss, gefüllt — blanc double . 25 S.	30
9678 » <i>longipedunculata</i> . 100 S. 1—, 25 »	30
9679 » <i>procumbens</i> , reizend für Ampeln, Beeren carminroth — charmante espèce pour vases suspendus, à baies rouge carmin 1000 S. 2,40, 50 S.	20
9680 » <i>pulchella</i> . . . 100 » 1—, 25 »	30
9681 » <i>syringaeiflora</i> . 1000 » 1,50, 100 »	20
9682 » <i>triphylla</i> , sehr schön — très beau . 100 S. 1,20, 20 S.	30
9683 <i>Galipea macrophylla</i> $\triangle$ 1000 » 5,50, 25 »	20
9684 <i>Gardenia $\triangle$ florida</i> , schöne und sehr beliebte Kulturpflanze — plante très bonne et très recherchée . 20 g 1,80, 50 S.	20
9685 » <i>Thunbergia</i> , mit grossen weissen wohlriechenden Blumen — à gr. fl. blanches odorantes . 1000 S. 7,50, 20 S.	20
9686 <i>Garrya elliptica</i> . . . 100 » 1,40, 10 »	20
9687 » <i>Mc. Faydeni</i> . . . 100 » 1,50, 10 »	20
9688 <i>Garuga pinnata</i> . . . 20 g 2,50, 20 »	20
9689 <i>Gazania nivea</i> , weissblüh. — blanc Pt.	50
9690 » <i>pavonina</i> . . . 10 S.	30
9691 » <i>aurea</i> . . . 10 »	40
9692 » <i>pygmaea</i> , blassgelb — jaune pâle 20 »	30
9693 <i>Genista Andreana</i> . . . 10 S. 1,60, 10 »	20
9694 » <i>canariensis</i> . . . 20 g — 80, 50 »	15
9695 » <i>candicans</i> . . . » — 60, 50 »	15
9696 » <i>epbedroides</i> . . . » 2—, 50 »	20
9697 » <i>florida</i> . . . » 2,40, 25 »	20

9725. *Gloxinia hybrida* Kaiser Friedrich.

No.	Pf.
9698 <i>Genista monosperma</i> 20 S.	20
9699 <i>Gesneria $\triangle$ aurantiaca</i> 10,000 S. 4—, 500 »	25
9700 » <i>barbata</i> . . . 10,000 » —, 500 »	30
9701 » <i>Bethmanni</i> . . . 10,000 » 6,25, 200 »	20
9702 » <i>Blassi</i> . . . 10,000 » 4—, 500 »	30
9703 » <i>bulbosa</i> . . . 10,000 » 4—, 500 »	30
9704 » <i>Douglasii verticillata</i> 200 »	30
9705 » <i>Duvalli</i> , dunkelscharlach — écarlate foncé . 10,000 S. 4—, 500 S.	30
9706 » <i>hybrida</i> , neueste Befruchtung, extra — hybrides nouveaux, extra . 10,000 S. 5—, 500 S.	30
9707 » <i>macrantha</i> (<i>Dioicae cardinalis</i>), scharlachroth — écarlate . 10,000 S. 3—, 500 S.	25
9708 » <i>magnifica</i> . 10,000 » 3—, 500 »	25
9709 » <i>regalis nigrescens</i> . 10,000 » 5—, 200 »	20
9710 » <i>robusta perfecta</i> . 10,000 » 4—, 500 »	25
9711 » <i>viele Sorten gemischt</i> — en très-beau mélange. 1 g 6—, 500 S.	20
» andere siehe <i>Naegelia</i> — pour autres espèces voy. <i>Naegelia</i> .	
9712 <i>Gloriosa</i> (<i>Methonica</i>) $\triangle$ <i>Leopoldi</i> 100 S. 3,50, 5 S.	20
9713 » <i>Plantii</i> 100 » 4,50, 5 »	30
9714 » <i>superba</i> 100 » 2,60, 10 »	30
9715 » <i>virescens</i> 100 » 4,50, 5 »	30

Gloxinia $\triangle$ hybrida:

9716 alle Sorten, gemischt — toutes les sortes en mélange 1 g 4—, 500 S.	30
9717 <i>erecta</i> , mit aufrecht stehenden Blumen — à fleurs érigées 1 g 4,50, 500 S.	40
9718 <i>elegantissima punctata</i> , prächtige Varietäten — variétés superbes 1 g 4,50, 500 S.	40
9719 <i>Montblanc</i> — reinweiss ohne Zeichnung — blanco pur 1 g 6—, 500 S.	40

Gloxinia $\triangle$ hybrida grandiflora:

9720 <i>coelestina</i> , himmelblau mit reinweissem Schlund — bleu ciel à gorge blanche 1 g 16—, 500 S.	50
9721 <i>Corona</i> , tief violettroth, nach dem Rande zu in Indigo übergehend, aussen weiss, blau punktiert — rouge violacé foncé changeant à l'indigo à bord pointillé de bleu sur fond blanc . . 1 g 10,50, 500 S.	50

No.	Gloxinia hybr. grandifl.:	Pf.
9722	Défilance, scharlachroth — écarlate 1 g 13,50, 500 S.	50
9723	Feuerkönig, neu, scharlachroth mit breiten Blättern — Roi des rouges, nouv., écarlate à feuilles larges 1 g 20 —, 500 S.	60
9724	gigantea, Riesen-Gloxinien, siehe Nenh. — à fl. géantes, voy. nouv. Pt.	120
9725	Kaiser Friedrich, leuchtend scharlach mit weissem Rand, extra — Empereur Frédéric, écarlate brillant à bord blanc 1 g 12 —, 500 S.	50
9726	Kaiser Wilhelm, dunkelviolet mit weissem Rand — violet foncé à bord blanc, extra 1 g 10 —, 500 S.	50
9727	robusta erecta (crassifolia grandiflora) 1 g 4,50, 500 S.	40
9728	» erecta violacea, schön — beau 1 g 7,50, 500 S.	40
9729	» horizontalis 1 » 5 —, 500 »	40
9730	» pendula 1 » 5 —, 500 »	40
9731	Purpurkönig, siehe Neub. — Roi des Pourpres, voy. nouv. Pt.	120
9732	» gemischt — varié . . . 1 g 4 —, 500 S.	30
9733	tigrina, grossblumige getigerte — à fl. tigrées et ponctuées, 1 g 6 —, 500 S.	40
9734	» rosenrothleopardirte — tigrés à fond rose 1 g 6 —, 500 S.	40
9735	» tricolor 1 » 7,50, 500 S.	40
9736	» Prinzessin Maud, siehe Neub. — voy. nouv. Pt.	80
9737	Gomphocarpus fruticosus, wie Senna gebraucht — employé oomme Senna 20 g — 60, 50 S.	15
9738	» phipocarpus, sehr hübsch und in- teressant — beau et intéressant 20 g 1,80, 25 S.	20
9739	Gonospermum fruticosum 20 » 4,50, 100 »	20
9740	Goodia lotifolia 20 » 1,30, 50 »	20
9741	Gossypium ◊ arboreum 20 » 1,50, Pt.	20
9742	» herbaceum kg 5 —, 20 — 30, »	10
9743	Greigia sphecelata 1000 S. 6,50, 25 S.	20
9744	Grevillea Banksi 100 » 1,60, 10 »	30
9745	» Hilli 100 » 2 —, 10 »	30
9746	» Macleayi hybrida 100 » 2,50, 10 »	40
9747	» robusta 20 g 1,40, 50 »	20
9748	» pyramidalis » 3,20, 20 »	20
9749	Grevia Sutherlandi 100 S. 1 —, 20 »	25
9750	Guevinia Avellana 20 g — 80, 2 »	20
9751	Habranthus Andersoni 1000 S. 2,50, 50 »	15
9752	» roseus 1000 » 2,50, 100 »	30
9753	Habrothamnus aurantiacus 20 g 2,50, 50 »	30
9754	» Bondonxi 5 » 1,40, 25 »	30
9755	» elegans, purpur — pourpre 50 »	30
9756	» fascicularis, scharlach — écar- late 20 g 5 —, 25 S.	30
9757	» Hügel » 5 —, 20 »	20
9758	» Warszewicz, dunkel dottergelb — jaune d'œuf foncé, 20 g 5 —, 25 S.	20
9759	» gemischt — mélange » 2,50, 50 »	20
9760	Haematoxylon campechianum ◊, Blutbolzbaum — bois de camêche, 100 S. 2,60, 10 S.	30
9761	Hakea eucalyptoides 100 » 2,40, 10 »	30
9762	» pectinata 100 » 2,40, 10 »	30
9763	» repanda 100 » 1 —, 10 »	20
9764	» salicifolia 100 » 1 —, 10 »	20
9765	Hardenbergia, vide Kennedy.	
9766	Hedychium ◊ coccineum 5 g 1 —, 10 S.	20
9767	» coronarium 20 » 2,50, 25 »	30
9768	» flavum 20 » 3,20, 20 »	20
9769	» Gardnerianum 20 » 2,50, 25 »	30
9770	Hedysarum grans, vide Desmodium.	
9771	» Heliconia ◊ Bihai 100 S. 3 —, 10 »	40
9772	» caribaea 100 » 3 —, 10 »	40
9773	» psittacorum 100 » 2,60, 10 »	30
9774	Heliotropium ◊ Anna Turell 100 »	30
9775	» Beauty of Jersey, niedrig, reich- blühend — nain, très florifère 100 S.	30
9776	» Boule de neige 20 g 2,40, 100 »	20
9777	» Bouquet de violettes 20 » 2,60, 100 »	20
9778	» Bouquet parfumé, dunkelviolet — violet foncé 20 g 2,40, 100 S.	20
9779	» Branti 20 » 2,40, 100 »	20
9780	» Charmeur, violettrosa — rose violet 20 g 2,60, 100 S.	20



9805. Hexacentris mysorensis.

No.	Heliotropium Gloire des Massifs	Pf.
9779	» grandiflorum 20 g 2,40, 100 S.	20
9780	» indicum » 2,40, 100 »	20
9781	» Louise Delaux » 1,80, 100 »	20
9782	» Mad. Boussicaut, weisslich — blan- châtre 20 g 2,60, 100 S.	20
9783	» » Bruant » 2,60, 100 »	20
9784	» » de Blonay » 2,60, 100 »	20
9785	» Perle blanche Pt. 40	
9786	» » bleue 20 g 4 —, 50 S.	20
9787	» peruvianum » 2,20, 100 »	20
9788	» Praesident Garfield 100 »	20
9789	» Reine des violettes 20 g 2,40, 100 »	20
9790	» Reine Marguerite, neu, sehr grossdoldig — nouv., à ombelles très grandes 20 g 7 —, 50 S.	25
9791	» Roi des massifs » —, 50 »	20
9792	» Roi des noirs » 3,20, 100 »	20
9793	» Soleil d'or, blauviolett mit weissem Auge — bleu violacé, oeil blanc 20 g 2,60, 100 S.	20
9794	» » The Queen » 2,60, 100 »	20
9795	» Triomphe de Liège » 2,40, 100 »	20
9796	» Umberto » 3,40, 50 »	20
9797	» Voltairéanum » 2,20, 100 »	20
9798	» White Lady » 2,60, 100 »	20
9799	» viele Sorten gemischt — beau mé- lange 20 g 1,80, 100 S.	20
9800	» Sorten mit sehr dunkeln Blumen — mélange de variétés à fl. foncées 20 g 2,60, 100 S.	20
9801	» neue grossblumige und gross- doldige Varietäten in bester Mischung — var. nouvelles à grandes fl. et à larges ombelles en mélange 20 g 5 —, 50 S.	25
9802	» Hexacentris (Tbunb.) coccinea ◊ § 100 S. 2 —, 10 S.	30
9803	» » coccinea var. lutea 100 » 2,60, 10 »	30
9804	» » mysorensis, prachtvolle Schling- pflanze; Blumen scharlach und gelblich in langen Trauben — plante grimpante magnifique, fleurs jaune d'or et écar- late en grappes longues 100 S. 5 —, 5 S.	30
9805	» Hibbertia volubilis §, gelb — jaune 10 S.	30
Hibiscus: ◊		
9806	» albus grandiflorus 20 g — 80, 50 S.	15
9807	» Boryanus 100 S. 1,25, 10 »	20
9808	» brasiliensis compactus grandiflorus 5 g 1,80, 20 »	20
9809	» californicus, mit grossen weissen Blu- men — à grandes fleurs blanches 20 g — 60, 25 S.	15
9810	» coccineus (speciosus) » 1,80, 25 »	20



9838. Himantophyllum miniatum.



9953. Impatiens Sultani.

No.	Hibiscus:	Pf.	No.	Impatiens Sultani	Pf.
9812	immutabilis 20 g — 80, 50 S.	20	9853	Impatiens Sultani . . 1000 S. 2,20, 100 S.	30
9813	liliflorus » 3,20, 20 »	20	9854	» Sultani hybrida, verschiedene Farben gemischt — hybrides en mélange . 1000 S. 2,20, 100 S.	30
9814	macrophyllus 100 S. 2 —, 10 »	25	9855	» » hybrida nana, gemischt, neu — nouv. 1000 S. 4 —, 50 S.	25
9815	Manihot 20 g 1,40, 25 »	20	9856	» » nacré rosé, lachsrosa — rose saumoné . 1000 S. 2,20, 100 S.	30
9816	mexicanus grandiflorus » 2,60, 50 »	20	9857	» » splendens, violett-violet 100 »	30
9817	militaris » 2,40, 25 »	20	9858	» » australis » 25 »	20
9818	moscheutos » — 50, 100 »	20	9859	» » decora rosea 1000 S. 7 —, 25 »	25
9819	» albus » — 50, 100 »	20	9860	» » floribunda 5 g 3,20, 25 »	25
9820	» roseus » — 50, 100 »	20	9861	» » pulcherrima 100 S. 2,50, 5 »	20
9821	mutabilis » 2,20, 50 »	20	9862	» » Ipomoea § chrysanth, grossbl. goldgelb, sehr grosse Samen — à gr. fl. jaune d'or, graines très grosses.	20
9822	» fl. pleno » 2,60, 50 »	25	9863	» » Hardingi 100 S. 2,60, 5 S.	20
9823	palustris » — 50, 50 »	20	9864	» » Horsfalliae 100 » 2 —, 10 »	30
9824	» roseus » — 60, 50 »	20	9865	» » Leari 20 g 2,20, 50 »	20
9825	Reevesi, leuchtend carmoisin — oramoisi brillant . . . 100 S. 1,50, 20 S.	40	9866	» » atrovioacea » 3,20, 25 »	20
9826	rosa sinensis chrysanthus . . . 100 » 1,20, 20 »	30	9867	» » azurea » 3,20, 25 »	20
9827	» » metallicus . . . 100 » 2,60, 10 »	30	9868	» » martinicensis . . 100 S. — 80, 20 »	20
9828	» » puniceus 20 g 4 —, 20 »	20	9869	» » mexicana, grossbl., dunkelblau — bleu foncé à gr. fl. 20 g — 60, 25 S.	20
9829	» » ruber 100 S. 1,40, 10 »	20	9870	» » multiflora » 5 »	25
9830	» » gemischt — mélange . . . 100 S. 1,60, 10 »	20	9871	» » pentaphylla . . . 100 S. 2 —, 10 »	30
9831	roseus grandiflorus 20 g 2,20, 50 »	20	9872	» » scarlatina (spec. Fernando Po) . . 20 g 1,40, 20 »	20
9832	splendens 100 S. 2 —, 10 »	30	9873	» » Sellowi 100 S. 2 —, 10 »	30
9833	Sunset, sehr grossbl., gelb — à très gr. fl. jaune 20 g 4,80, 20 S.	30	9874	» » setosa 20 g — 80, 10 »	15
9834	virginicus » — 50, 50 »	20	9875	» » umbellata » 1,30, 10 »	20
9835	Himantophyllum § cyrtanthiflorum 100 S. 15 —, 2 S.	40	9876	» » ventricosa 100 S. 4 —, 5 »	25
9836	» » Gardeni » 2 »	50	9877	» » vitifolia 100 » 2 —, 10 »	30
9837	» » Lindeni » 2 »	50	9878	» » Isoloma hirsutum 1000 » 1 —, 200 »	30
9838	» » miniatum 100 S. 10 —, 2 »	30	9879	» » hirsutum multiflorum, neue niedrige Varietäten — var. nouv. naines 1000 S. 4 —, 100 S.	50
9839	» » grandiflorum » 2 »	40	9880	» » hondense 1000 » 5 —, 50 »	30
9840	» » neuste Hybriden — hybrides nouveaux 10 S. 2 —, 2 S.	50	9881	» » hybridum M. Guyomar 200 » 30 »	30
9841	Hippocratea scandens § 5 »	40	9882	» » Souvenir d'une mère 200 » 30 »	30
9842	Hippomane Mancinella §, 1 Frucht — 1 fruit » 30	30	9883	» » V. Lemoine 200 » 30 »	30
9843	Homalanthus populifolia . . . 20 g 1 —, Pt.	20	9884	» » neue Hybriden mit prachtvoll gezeichneten Blumen — hybrides nouv., en mélange superbe . 500 S.	30
9844	Hovenia dulcis, Fruchtbaum — arbre en fruit 20 g 1,25, 50 S.	20	9885	» » Ixora § coccinea 100 S. 5 —, 5 »	30
9845	Hymenaea Courbaril §, der Heuschreckenbaum — Caroubier . . . 100 S. 5 —, 5 S.	30	9886	» » Jacaranda mimosaeifolia § . . . 1000 S. 3,50, 50 »	20
9846	Hyptia capitata § 1000 » 5 —, 25 »	20	9887	» » mimosaeifolia fl. albo 100 » 2 —, 10 »	30
9847	Ibatia muricata § 100 » 4 —, 5 »	25	9888	» » Jacquinia armillaris § 100 » 5 —, 5 »	30
9848	Illicium § anisatum . . . 20 g 2,60, 10 »	30	9889	» » Jasminum pubigerum . . . 100 » 3 —, 5 »	20
9849	» » floridanum 100 S. 2 —, 10 »	30	9890	» » Wallichianum 100 » 3 —, 5 »	20
9850	» » religiosum 100 » 2,60, 10 »	30	9891	» » Jatropa § Curcas 20 g — 60, 5 »	20
9851	Impatiens § auricomma, neue gelbblühende Balsamine — nouv. Balsamine dorée 10 S.	30	9892	» » glauca 100 S. 2,50, 10 »	30
9852	» » platypetala (Sultani violac.), sehr schön, rosafila — lilas rosé, très beau 1000 S. 2,00, 100 S.	30	9893	» » Manihot 20 g — 80, 5 »	20

9880. *Isoloma hirsutum multiflorum*.9942. *Lavatera arborea variegata*.

No.	Pf.
9895 <i>Jochroma coccinea</i>	5 g 2,60, 100 S. 20
9896 » <i>Tonelliana</i>	100 » 20
9897 » <i>Warszewiczii</i>	100 » 30
9898 <i>Justicia eustachiana</i>	100 S. 1,60, 10 » 20
9899 » <i>multiflora</i>	100 » 1,40, 10 » 20
9900 <i>Kennedyia</i> § <i>bimaculata</i> 20 g 2 —, 25 » 20	
9901 » <i>coccinea</i>	4 —, 25 » 20
9902 » <i>coerulea</i>	2,20, 25 » 20
9903 » <i>Comptoniana</i>	4,80, 25 » 20
9904 » <i>digitata</i>	100 S. 1,60, 10 » 20
9905 » <i>glycinoides</i>	20 g — 70, 10 » 20
9906 » <i>longifolia</i>	4 —, 25 » 20
9907 » <i>macrophylla</i>	2,50, 25 » 20
9908 » <i>Makoyana</i>	100 S. 1 —, 20 » 30
9909 » <i>Maryattae</i>	20 g 3,50, 20 » 20
9910 » <i>monophylla alba</i>	2,60, 25 » 20
9911 » » <i>lilacina</i>	1,80, 20 » 30
9912 » <i>nigricans</i>	4,80, 20 » 30
9913 » <i>ovata alba</i>	1,60, 20 » 15
9914 » » <i>coerulea</i>	1,60, 25 » 20
9915 » » <i>lilacina</i>	1,80, 25 » 20
9916 » » <i>purpurea</i>	2,20, 25 » 20
9917 » » <i>rosea</i>	2,80, 20 » 20
9918 » <i>prostrata, scharlach</i> — <i>écarlate</i>	20 g 3,60, 20 » 20
9919 » » <i>rotundifolia</i>	—, 20 » 25
9920 » » <i>rubicunda</i>	3,20, 20 » 20
9921 » » <i>salicifolia</i>	100 S. 1,25, 20 » 30
9922 » » <i>Sieboldi</i>	100 » 1 —, 20 » 25
9923 » <i>gemischt</i> — <i>mélange</i> 20 g 1,80, 25 » 20	
9924 <i>Koellicheria</i> (<i>Achimenes</i>) <i>argyrostigma</i> △, allerliebste <i>Gesneriaceae</i> — <i>Gesneriaceae</i> très jolie	100 S. 30
9925 <i>Kunzea pomifera</i>	100 S. 20
9926 <i>Lagerstromia indica</i> (<i>rosea</i>)	20 g 1,80, 200 » 30
9927 » » <i>violacea</i>	1,80, 200 » 30
9928 <i>Lagunaria</i> (<i>Hibiscus</i>) <i>Pateronii</i>	20 g — 60, 50 » 20
9929 <i>Lantana</i> △ <i>Camara</i>	— 60, 100 » 20
9930 » » <i>curassavica</i>	— 70, 100 » 20
9931 » » <i>hybrida</i> , <i>gemischt</i> — <i>mélange</i>	20 g — 50, 100 » 20
9932 » » » in den neuesten Sorten <i>gemischt</i> — <i>nouv. sortes en mélange</i>	20 g 1 —, 100 S. 30
9933 » » » <i>alba grandifl.</i> » — 60, 50 » 20	
9934 » » » <i>Queen Victoria</i> » — 60, 50 » 20	
9935 » » » <i>Roi des Rouges</i> » — 70, 50 » 20	
9936 » » » <i>Radula</i>	— 80, 50 » 15
9937 <i>Lapageria rosea</i> §, hier <i>geernteter</i> Same — <i>graines récoltées en Europe</i>	100 S. 5 —, 5 S. 30
9938 » » <i>rosea</i> , <i>importirter</i> , gut <i>keimender</i> Same — <i>graines importées de bonne germination</i>	100 S. 2 —, 10 S. 30

No.	Pf.
9939 <i>Lapageria rosea superba</i>	100 S. 7,50, 5 S. 50
9940 <i>Laurus Camphora</i>	100 » 1,25, 10 » 25
9941 » » <i>canariensis</i>	100 » 2 —, 10 » 30
9942 <i>Lavatera arborea variegata</i> , sehr schöne <i>buntblättrige Dekorationspflanze</i> — <i>très belle plante ornementale à feuilles panachées</i>	20 g 2 —, Pt. 20
9943 <i>Lawsonia alba</i>	— 30
9944 <i>Leonotis Leonurus</i> , <i>Löwenohr</i> , <i>prachtvoll</i> , <i>orangeroth</i> — <i>rouge orange</i> , <i>magnifique</i>	20 g 5 —, Pt. 30
9945 <i>Leptospermum baccatum</i>	5 » 1 —, » 20
9946 » » <i>scoparium</i>	— 30
9947 <i>Leucaena glauca</i>	20 g — 50, 20 S. 10
9948 <i>Leucaedendron argenteum</i>	5 » 20
9949 <i>Libertia azurea</i>	1000 S. 4,50, 50 » 30
9950 » » <i>formosa</i>	5 g 1,40, 100 » 30
9951 <i>Libonia floribunda</i>	100 S. 2 —, 10 » 30
9952 » » <i>penrhosiensis</i>	100 » 3 —, 10 » 40
9953 <i>Lietzia brasiliensis</i> △	— 500 » 30
9954 <i>Lippia</i> (<i>Aloysia</i>) <i>citriodora</i>	20 g 2,60, Pt. 30
9955 <i>Lisianthus Russellianus</i> △	1000 S. 1,40, 100 S. 20
9956 <i>Littonia</i> △ § <i>modesta</i>	5 » 40
9957 » » <i>modesta Keiti</i>	— 5 » 40
9958 <i>Lobelia littoralis</i> , <i>niedliche Ampelpflanze</i> mit <i>weissen Blüten</i> und <i>rothen Beeren</i> — <i>charmante plante pour vases suspendus à fleurs blanches et à baies rouges</i>	1000 S. 2,60, 50 S. 25
9959 <i>Locheria hirsuta magnifica</i>	100 » 20
9960 <i>Lonchocarpus violaceus</i>	— 5 » 40
9961 <i>Lotus canariensis floribundus</i> , <i>gelb</i> , sehr <i>reichblühend</i> — <i>jaune, très florifère</i>	1000 S. 4 —, 50 S. 30
9962 » » <i>peliorhynchus</i> , <i>reizende Ampelpflanze</i> mit <i>graugrüner, feiner Belaubung</i> und <i>orangerothern</i> , dem <i>Clianthus</i> <i>ähnlichen Blumen</i> — <i>très belle plante pour vases suspendus à feuillage glauque; fleurs d'un rouge brique, ressemblant comme forme le Clianthus</i>	100 S. 2,50, 10 S. 30
9963 <i>Malachra palmata</i> △, <i>gelbblühende Malvaceae</i> — <i>à fl. jaune d'or</i>	100 S. 1,20, 10 S. 20
9964 <i>Malva acerifolia</i>	5 » 2 —, 10 » 20
9965 <i>Marcgravia umbellata</i> △ 100 » 1,25, 10 » 20	
9966 <i>Marica californica</i>	1000 » 4 —, 50 » 30
9967 » » <i>striata</i>	1000 » 3 —, 50 » 20
	<i>Medeola, vide Myrsiphyllum.</i>

9992. *Lotus peliorynchos*.**Melaleuca:**

No.	No.
9968 <i>acuminata</i> .	9973 <i>hypericifolia</i> .
9969 <i>armillaris</i> .	9974 <i>Leucadendron</i> 5g 1,60
9970 <i>decussata</i> .	9975 <i>Manglesi</i> .
9971 <i>diosmaefolia</i> .	9976 <i>nesophylla</i> .
9972 <i>ericifolia</i> .	9977 <i>parviflora</i> .

Jede der vorsteh. Sorten Pt. 20 Pf.

— chacune des sortes précédentes Pt. 20

9978 *Melaleuca*, viele Species gemischt — en

mélange 20 g 2,60, Pt. 20

9979 *Melanthus comosus* . . . 100 S. 3,50, 5 S. 209980 » *major*, schöne Blattpflanze — belle

pflanze ornamentale 20 g 5 —, 10 S. 30

9981 » *miuor* 20 g 5 —, 20 S. 30

Schöne Blattpflanzen — plantes à

feuilles ornementales.

9982 *Melochia lupulina* ◊ . . . 100 S. 2,50, 10 S. 309983 *Meriania rosea* ◊ . . . 1000 » 6 —, 50 » 40*Mesembrianthemum*, vide Succulenten.*Methonica*, vide *Gloriosa*.**Metrosideros:**

No.	No.
9984 <i>angustifolia</i> .	9991 <i>rigida</i> 20 g 2,80
9985 <i>atrosanguinea</i> .	9992 <i>robusta</i> .
9986 <i>falcata</i> 20 g 1,60	9993 <i>rugulosa</i> 20 g 1,80
9987 <i>lanceolata</i> 20 g 1,80	9994 <i>saligna</i> » 2,80
9988 <i>linearifolia</i> 20 g 1,80	9995 » fl. albo.
9989 <i>lophantha</i> 20 g 1,80	9996 <i>scabra</i> 20 g 2,80
9990 <i>pinifolia</i> 20 g 1,80	9997 <i>sempervirens</i> .
	9998 <i>violacea</i> .

Jede der vorsteh. Sorten à Pt. (ca.

300 S.) — chacune des sortes précédentes par paq. de 300 S. environ . . . 30

9999 *Metrosideros*, viele Spec. gemischt — beau

mélange 20 g 1,40, Pt. 20

10000 *Mikania hastata* ◊ §, weiss, wohl-

riechend — blanc, odorant

1000 S. 4 —, 50 S. 30

10001 » *scandens* § 50 » 3010002 *Milla biflora* 1000 S. 6 —, 20 » 2010003 *Mimosa* ◊ *pudica* . . . 20 g — 70, Pt. 1510004 *Mitraria coccinea* . . . 100 S. 1,50, 10 S. 2010005 *Moringa* ◊ *pterigosperma*

100 S. 5 —, 5 » 30

10006 *Moussonia Hahni* ◊, zierliche Ges-

neriacee — jolie Gesneriacee . . . 100 S. 30

10007 *Mucuna* ◊ *pruriens*, Juckbohne.

100 S. 4,50, 5 » 30

10008 *Murraia exotica* . . . 5 g 2 —, 10 » 3010009 *Musa* ◊ *Ensete*, prachtvolle Species

— espèce magnifique

1000 S. 3,50, 5 S. 25

10010 » *Martini*, Blätter bläulichgrün, sehr

gross — feuilles grandes d'un vert

bleuâtre 100 S. 7,50, 5 S. 50

10009. *Musa Ensete*.

No.	Pf.
10011 <i>Musa ornata rosea</i> . . . 100 S. 4,50, 5 S. 30	
10012 » <i>roseacea</i> 100 » 4,50, 5 » 30	
10013 » <i>sumatrana</i> , sehr schöne Species mit braungefleckten Blättern — très belle espèce à feuilles tachetées de brun . . . 100 S. 2,50, 10 S. 30	
10014 » <i>superba</i> , prächtig — beau . . . 100 S. 3,50, 10 » 40	
10015 <i>Muschia Wollastoni</i> 10,000 » 4 —, 500 » 30	
10016 <i>Myoporum glandulosum</i> 20 g — 60, 25 » 20	
10017 » <i>insulare</i> 1,25, 20 » 20	
10018 » <i>pictum</i> — 50, 20 » 15	
10019 <i>Myrsine Urvillei</i> 10 » 40	
10020 <i>Myrsiphyllum</i> (<i>Medeola</i>) <i>asparagoides</i> §, reizende Schlingpflanze mit kleinen glänzenden grünen Blättern; die Ranken liefern ein werthvolles Bouquetgrün — très belle plante grimpante à feuilles vertes luisantes; les rameaux sont employés dans les arrangements de fleurs; indispensable pour bouquets 20 g — 80, Pt. 20	
10021 <i>Naegelia hybrida</i> ◊ : 6 Sorten mit Namen, jede einzeln — 6 variétés avec noms, chacune séparément . . . 1000 S. 1,25, 200 S. 40	
10022 gemischt — mélange 10,000 » 4 —, 500 » 30	
10023 <i>Naegelia hybrida eximia</i> , neue prächtige Sämlinge in grösster Farbenmannigfaltigkeit — nouv. semis superbes, coloris des plus variés. 10,000 S. 6 —, 200 S. 20	
10024 » <i>hybrida</i> , reingelb — jaune 200 » 40	
10025 » » reinweiss — blanc pur 200 » 40	
10026 » <i>refulgens</i> . . . 10,000 S. 6 —, 200 » 20	
10027 » <i>Sceptre royal</i> 10,000 » 6 —, 200 » 20	
10028 » <i>zebrina</i> . . . 10,000 » 6 —, 200 » 20	
10029 <i>Nemopantes Andersoni</i> . . . 20 g 1,20, 25 » 20	
10030 <i>Nerium Oleander</i> — 50, Pt. 10	
10031 » <i>Oleander album</i> — 60, » 15	
10032 » » <i>atropurpureum</i> — 60, » 15	
10033 » » <i>schöne Varietäten gemischt</i> — belles variétés mêlées. 20 g — 40, Pt. 10	
10034 <i>Nertera depressa</i> , von kriechendem Habitus, die Töpfe rasenartig überziehend und mit kleinen rothen Früchten dicht besetzt — plante très-élégante pour la serre froide, formant des touffes toutes naines et couvrant les pots en forme de gazon, beaux fruits rouges. . . 1000 S. 5 —, 50 S. 30	
10035 <i>Nicotiana</i> ◊ <i>glaucia</i> . . . 20 g — 40, Pt. 10	
10036 » » <i>wigandoides</i> 20 » — 60, » 15	
10037 <i>Nidularium amazonicum</i> . . . 1000 S. 7 —, 25 S. 25	
10038 » <i>Karatas</i> 1000 » 7 —, 25 S. 25	
10039 » <i>spectabile</i> 1000 » 7 —, 25 » 25	



10020. Myrsiphyllum asparagoides.



10092. Passiflora lunata.

No.	Pf.
10040 Notelaea longifolia . . . 20 g 2,50, 5 S.	30
10041 Ochna multiflora $\triangle$ 5 »	40
10042 Odontospermum sericeum 1000 S. 4,—, 50 »	30
10043 Olearia Haastii Pt.	30

Orchideen; folgende Species in frischeu, hier geernteten Samen — Orchidées, graines fraîches, récoltées chez nous, des espèces suivantes:

10044 Anguloa Clowesi.	
10045 Bletia hyacinthia.	
10046 Bifrenaria inodora.	
10047 Cattleya crispa.	
10048 » Forbesi.	
10049 » Mendeli.	
10050 » Schroederæ.	
10051 Coelogyne cristata.	
10052 » fuscescens.	
10053 Dendrobium nobile.	
10054 Epidendrum cochleatum.	
10055 » radiatum.	
10056 Gongora maculata.	
10057 » truncata.	
10058 Laelia cinnabarina.	
10059 Odontoglossum grande.	
10060 » Schlieperianum.	
10061 Oncidium Forbesi.	
10062 Phajus albens.	
10063 Stanhopea graveolens.	
10064 » guttata.	
10065 » insignis.	
10066 » oculata.	
10067 » Rueckeri.	
10068 » tigrina.	
10069 Trichopilia suavis.	
10070 Zygopetalum crinitum.	Pf.

Jede der vorstehenden Sorten, 1 Pt. (ca. 500 à 1000 S.) — chacune des sortes précédentes . . . par paquet (500 à 1000 S.) 150

10071 Orchideen gemischt — Orchidées en mélange Pt.	100
10072 Oxalis sensitiva $\triangle$, sehr interessant und hübsch — curieux et joli 1000 S. 1,—, 100 S.	20
10073 Pachira macrocarpa 5 »	40
10074 Pachygone domingensis $\triangle$ 5 »	40
10075 Pachyrrhizus angulatus $\triangle$ S, knollentrag. Bohne, Samen giftig — espèce de Haricot à racine tubéreuse et à graine vénéneuse . . . 10 S. 1,25, 2 S.	30
10076 Palicourea crocea 100 » 1,25, 10 »	20
10077 Palisota Barteri 100 » 2,50, 10 »	30
10078 Pancratium maritimum . . . 20 g —, 50, Pt.	20
10079 Parkinsonia aculeata $\triangle$ 20 g —, 50, 25 S.	20

No.	Pf.
10080 Passiflora $\triangle$ acerifolia 100 S. 1,40, 10 S.	20
10081 » alba 20 g 1,25, 25 »	20
10082 » albida 100 S. 2,—, 10 »	30
10083 » coccinea (Disemma) 20 g 3,20, 50 »	20
10084 » coerulea —, 70, 25 »	15
10085 » grandiflora 1,20, 20 »	20
10086 » dealbata 100 S. 1,80, 20 »	20
10087 » edulis 20 g 2,60, 50 »	20
10088 » elegans 100 S. 1,50, 10 »	20
10089 » hybrida Constance Elliot 100 S. 2,—, 10 »	30
10090 » Jenmanni 1 »	60
10091 » laurifolia 100 S. 1,25, 10 »	20
10092 » lunata, weiss, sehr reichblühend, die reifen Früchte sind in Form und Farbe einer blauen Pflaume täuschend ähnlich — fl. blanche, très florifère; fruits en état mûr de forme et de couleur d'une prune bleue 1000 S. 4,—, 25 S.	20
10093 » maliformis 100 » 1,60, 10 »	20
10094 » minima 100 » 1,40, 10 »	20
10095 » quadrangularis 100 » 3,50, 10 »	40
10096 » rotundifolia 100 » 2,—, 10 »	30
10097 » suberosa 20 g 2,60, 50 »	20
10098 Pavetta $\triangle$ indica 100 S. 4,—, 5 »	30
10099 » rotundifolia 100 » 4,—, 5 »	30
10100 Pavonia hastata 5 g —, 60, 50 »	20
10101 » spinifex 100 S. 2,—, 10 »	30

Pelargonium, Cap-Species:

10102 athamantoides 100 S. —, 80, 20 S.	20
10103 canariense 100 » 1,25, 10 »	20
10104 capitatum roseum 100 » —, 80, 20 »	20
10105 chinense 100 » 1,25, 10 »	20
10106 cinereum 100 » —, 50, 20 »	15
10107 crispum 100 » —, 80, 20 »	20
10108 denticulatum 100 » 1,25, 10 »	30
10109 » plenum 100 » 2,—, 10 »	30
10110 glutinosum 1000 » 7,50, 25 »	20
10111 graveolens 100 » —, 80, 20 »	20
10112 hederæfolium 100 » 1,25, 20 »	25
10113 laciniatum 100 » —, 80, 20 »	20
10114 malvæfolium 100 » —, 80, 25 »	25
10115 odoratissimum (Apple scented), Blätter mit Reinetteu-Geruch — feuilles à odeur de reinettes . . . 1000 S. 5,—, 25 S.	20
10116 odoratissimum macrophyllum 20 »	30
10117 papilionaceum 1000 S. 8,—, 20 »	20
10118 quercifolium 1000 » 2,50, 50 »	20
10119 radula major 1000 » 5,—, 25 »	20
10120 Scellianum 100 » 2,—, 10 »	30
10121 stenopetalum 100 » —, 60, 20 »	20
10122 terbinthaceum 100 » 1,—, 10 »	20
10123 tetichorum 100 » —, 80, 20 »	20

10130. *Pelargonium* hybr. Odier.10159. *Phalangium* lineare fol. var

No.	<i>Pelargonium</i> , Cap-Species:	Pf.
10124	tomentosum 100 S. — 80, 20 S.	20
10125	triste 5 »	25
10126	umbellatum purpureum 100 S. — 80, 20 »	20
10127	vitifolium 1000 » 8 —, 20 »	20
10128	Viele Capspecies gemischt — espèces du Cap variées en mélange 5 g 2,50, 50 S.	20

Pelargonium hybridum(Blumisten - *Pelargonien*).

10129	englische grossblumige, ersten Ranges — à grandes fleurs, choix extra. 100 S. 2,50, 10 S.	30
10130	Odier'sche fünffleckige, schönste neue und neueste Sorten. — Odier ou à cinq macules, les plus nouvelles. 100 S. 2,80, 10 S.	40
10131	getuschte <i>Diadematum</i> — <i>Diadematum</i> marginé 100 S. 2,50, 10 S.	30
10132	Fancy-, extra — Fantaisies, extra. 100 S. 2,50, 10 S.	30

Pelargonium zonale(hybridum scarlet, Sohlarlach-*Pelargonien*)
— *Geranium écarlate*.

10133	viele Sorten gemischt — beau mélange. 20 g 1,20, 100 S.	20
10134	neuere Sorten gemischt — variétés nouvelles en mélange . . 20 g 4 —, 100 S.	40
10135	neueste Sorten gemischt — les plus nouvelles en mélange . 1000 S. 5 — 50 S.	40
10136	Black Vesuvius, feurigscharlach mit dunklem Laube — écarlate à feuillage foncé 1000 S. 6 —, 25 S.	20
10137	Duchesse de Cars, reinweiss — blanc pur 1000 S. 6 —, 25 S.	20
10138	Gambetta, feurigscharlach — écarlate feu 1000 S. 6 —, 25 S.	20
10139	Henry Jacoby, amarantcarmoisin — amarante cramoisi 25 S.	25
10140	Königin Olga, dunkelrosa — rose foncé 1000 S. 6 —, 25 S.	20
10141	M. A. Delaux, hellosa — rose clair 1000 S. 6 —, 25 S.	20
10142	Pink Mayqueen, fleischfarben — carné 1000 S. 6 —, 25 S.	20
10143	West Brighton Gem, zinnober — vermillon 1000 S. 6 —, 25 S.	20
10144	flore pleno, gefüllt blühende Varietäten unserer eigenen Collection, gegenseitig befruchtet — variétés à fl. doubles de notre collection, fécondées 100 S. 1,80, 10 S.	20
10145	foliis varieg. fl. pleno, gefüllt-blühende buntblättrige — à feuilles panachées à fl. doubles 100 S. 3,50, 10 S.	40

No.	<i>Pelargonium zonale</i> :	Pf.
10146	weissbuntblättrige befruchtete — à feuilles argentées panachées, fécondées 100 S. 2 —, 10 S.	30
10147	tricolor Varietäten, befruchtete — zonale tricolor panaché, fécondées 100 S. 1,80, 10 S.	25
10148	gold- u. bronzelättrige befruchtete — à feuilles dorées et bronzées, fécondées 100 S. 2,40, 10 S.	30
10149	Pseudo-zonale 20 g 2,40, 50 »	20
10150	Tom Thumb 20 » 2,60, 50 »	20
10151	Pelargonium, epheublättrige — à feuilles de lierre 1000 S. 10 —, 20 S.	25
10152	» epheublättrige gefüllte, gegenseitig befruchtet — à feuilles de lierre à fleurs doubles, fécondées 100 S. 2,40, 10 S.	30
10153	Pentas (Sipanea) $\triangle$ carnea . 200 »	30
10154	» carnea rosea 200 »	30
10155	Peperomia $\triangle$ argentea 20 »	30
10156	» maculata 100 S. 1,25, 20 »	30
10157	» velutina 100 » 1,25, 20 »	30
10158	Persoonia myrtilloides . 20 g 2,50, 5 »	20
10159	Pervenche de Madagascar v. Vinca rosea.	
10159	Phalangium lineare fol. var., schöne Ampelpflanze — belle plante pour vases suspendus 1000 S. 4 —, 50 S.	30
10160	Phaseolus amoenus $\triangle$ § 100 S. 2,50, 10 »	30
10161	» Caracalla 20 g 1 —, 25 »	30
10162	Philodendron $\triangle$ bipinnatifidum 100 S. 4 —, 10 S.	50
10163	» palmatum 100 » 4 —, 10 »	50
10164	» speciosum 100 » 4 —, 10 »	50
10165	Phormium tenax, hier geerntet — récolté en Europe 1000 S. 3 50, 50 S.	25
10166	» tenax, importirt — gr. importées 20 g 1,60, Pt.	20
10167	» » fol. var. 1000 S. 6 —, 20 S.	20
10168	» » atropurpureis, 1000 S. 6 —, 20 »	20
10169	» » Colensoi arg. var. 1000 S. 6 —, 20 »	20
10170	» » Cooki aur. var. 100 » 1,50, 20 »	40
10171	» Veitchi (fol. var.) 1000 » 6 —, 20 »	20
10172	Phyllanthus $\triangle$ Chantrieri 10 »	30
10173	» juglandifolius 100 S. 1,20, 20 »	30
10174	» mimosaeifolius 5 »	50
10175	Physianthus albens § . 20 g 1 —, 25 »	20
10176	Phytolacca dioica, eine Prachtblattpflanze von ganz ausserordentlich raschem Wachstum; Blattstiele und Rippen intensiv roth. — Pflanze ornamentale d'une croissance très-rapide 20 g — 50, 50 S.	15



10208. *Plectranthus paniculatus*.



10217. *Poinsettia pulcherrima*.

No.		Pf.
10177	<i>Phytolacca icosandra</i> 100 S. — 80, 20 S.	20
10178	<i>Pilea callitrichoides</i> , Feuerwerks- pflanze — plante à feu d'artifice 1000 S. 3,50, 100 S.	40
10179	» <i>muscosa</i> . . . 1000 » 2, —, 100 »	30
10180	<i>Pimelea decussata</i> 10 »	20
10181	<i>Pinckneya pubens</i> . . . 20 g 4 —, Pt.	40
10182	<i>Piscidia Erythrina</i> $\triangle$ 5 S.	30
10183	<i>Pitcairnia amoena</i> . 1 g 1 —, 50 »	30
10184	» <i>bromeliaefolia</i> . 1 » 1 —, 200 »	20
10185	» <i>corallina</i> . . . 1000 S. 4 —, 50 »	30
10186	» <i>Funkeana</i> . . . 1000 » 4 —, 50 »	30
10187	» <i>Karwinskiana</i> . . . 100 » 1,20, 20 »	30
10188	» <i>Lindleyana</i> . . . 1000 » 4 —, 50 »	30
10189	» <i>Olfersii</i> 100 » 1,20, 20 »	30
10190	» <i>punicea</i> 1 g 1,40, 100 »	20
10191	» <i>splendens</i> 100 S. 1,20, 20 »	30
10192	» <i>xanthocalyx</i> . . . 1000 » 2,60, 50 »	20
10193	<i>Pithecoctenium clematideum</i> 5 g 2 —, 20 S.	20
10194	» <i>muricatum</i> . . . 20 » —80, Pt.	30
10195	<i>Pithecolobium</i> $\triangle$ pruinosum 20 g 4 —, 20 S.	10
10196	» <i>unguis cati</i> . . . 100 S. 5 —, 5 »	30
10197	<i>Pittosporum crassifol.</i> 1000 » 5 —, 50 »	30
10198	» <i>eriocarpum</i> 20 g 4 —, 25 »	20
10199	» <i>tenuifolium</i> . . . 1000 S. 7 —, 25 »	20
10200	» <i>Tobira</i> 100 » —80, 20 »	15
10201	» <i>undulatum</i> 20 g —60, 50 »	20
10202	<i>Plagianthus Lyallii</i> . . . 1000 S. 5 —, 25 »	20
10203	<i>Plectropoma gloxiniaeflora</i> . . . 100 »	30
10204	» <i>Rollisoni</i> $\triangle$ 100 »	30
10205	» <i>gemischt</i> — mélange . . . 100 »	30
10206	<i>Plectranthus amethystinus</i> . . . 50 »	20
10207	» <i>fruticosus</i> , Hausmittel gegen Mot- ten — germaine en buisson 100 S. 2 —, 10 S.	25
10208	» <i>paniculatus</i> , sehr schön — très beau . . . 100 S. 1 —, 20 S.	25
10209	» <i>scutellaroides</i> 50 »	25
10210	<i>Plumbago capensis</i> . . . 100 S. 1 —, 20 »	25
10211	» <i>scandens</i> § 100 » 1,25, 10 »	20
10212	» <i>zeylanica</i> $\triangle$ 100 » 1,50, 20 »	40
10213	<i>Plumiera</i> $\triangle$ <i>alba</i> . . . 100 » 4 —, 5 »	25
10214	<i>Poinciana Gilliesii</i> . . . 20 g 1 —, 10 »	20
10215	» <i>pulcherrima</i> $\triangle$. . . 20 » —60, 10 »	20
10216	» <i>regia</i> $\triangle$ 20 » —70, 10 »	30
10217	<i>Poinsettia</i> $\triangle$ <i>pulcherrima</i> , mit scharlachrothen Bracteen — à bractées écarlates 100 S. 3,50, 10 S.	40
10218	<i>Polygala attenuata</i> . . . 100 » 1 —, 25 »	30
10219	» <i>brachypoda</i> . . . 1000 » 6 —, 25 »	20
10220	» <i>grandiflora</i> . . . 1000 » 8 —, 20 »	25
10221	» <i>superba</i> 1000 » 8 —, 20 »	25
10222	» <i>latifolia</i> 1000 » 5 —, 25 »	20
10223	» <i>longifolia</i> 100 » —80, 25 »	30

No.		Pf.
10224	<i>Polygala macrophylla</i> . 100 S. —, 10 S.	25
10225	» <i>myrtifolia</i> 20 g 4 —, 25 »	20
10226	» <i>speciosa</i> 1000 S. 4,50, 25 »	20

Primula chinensis:

10227	<i>alba</i> 20 g 16 —, 100 S.	20
10228	<i>kermesina</i> » 20 —, 100 »	20
10229	<i>rosea (rubra)</i> » 13,50, 100 »	20
10230	<i>rubro-violacea, Lapipe</i> » 20 —, 100 »	20
10231	<i>gemischt</i> — mélange . . . » 10,50, 100 »	20

Primula chinensis fimbriata:

10232	<i>fimbriata alba</i> , weiss gefranzt — blanc frangé . . . 1000 S. 3,50, 100 S.	40
10233	» <i>alba globosa</i> . 1000 » 4,50, 50 »	30
10234	» » Golden Feather 100 S. 2,40, 20 »	50
10235	» <i>luteo-oculata</i> 1000 » 4 —, 50 »	25
10236	» <i>magnifica</i> . . . 1000 » 4,50, 50 »	30
10237	» <i>albo-rosea</i> . . . 1000 » 4,50, 50 »	30
10238	» <i>atropurpurea</i> . 1000 » 6 —, 50 »	40
10239	» <i>punctata</i> . 1000 » 5 —, 50 »	30
10240	» <i>coccinea (rouge vif)</i> , leucht. roth, extra . . . 1000 S. 4 —, 50 S.	25
10241	» <i>coerulea</i> , blaublühende Varietät mit fein gefranzten Blumen, extra — à fleur bleue finement frangée 1000 S. 8 —, 25 S.	30
10242	» <i>cristata hybrida</i> 1000 » 7 —, 50 »	40
10243	» <i>erecta superba alba</i> 1000 S. 4 —, 50 »	25
10244	» » <i>rubra</i> 1000 » 4 —, 50 »	25
10245	» <i>kermesina splendens</i> , leuchtend scharlachcarmoisin — cramoiisi écarlate . . . 1000 S. 4 —, 50 S.	25
10246	» <i>marmorata</i> , lilla mit weiss marmo- rirt — lilas marbré blanc. 1000 S. 4,50, 50 S.	30
10247	» <i>mutabilis</i> . . . 1000 » 4 —, 50 »	25
10248	» <i>pärsichblüthe</i> — à fl. de pêche, — 1000 S. 4 —, 50 S.	25
10249	» <i>pulcherrima</i> . 1000 » 6 —, 50 »	40
10250	» <i>punctata coccinea fol. pur- pureis</i> . . . 1000 S. 5 —, 50 S.	30
10251	» » <i>elegantissima</i> , leuchtend dunkelcarmoisin m. weissgefleckt — cramoiisi foncé brillant ma- culé de blanc. 1000 S. 4 —, 50 S.	25
10252	» <i>rosea (rubra)</i> , die alte rothe ge- franzte — l'ancienne rouge fran- gée . . . 20 g 32 —, 100 S.	25
10253	» <i>rubra magnifica</i> 100 S. 1,20, 20 »	30
10254	» » <i>superbissima</i> , neu — nouv. Originalportion	150
10255	» » <i>getheilte Pt.</i> — petit paquet	75

10238. *Rhodochiton volubile*.10296. *Rivina humilis*.

No.	<i>Primula chinensis fimbriata</i> :	Pf.
10256	<i>fimbriata rubro-violacea</i> 1000 S. 5 —, 50 S.	30
10257	» <i>striata</i> , weiss mit roth gestreift — blanc strié rouge 1000 S. 2,60, 50 S.	20
10258	» <i>umbellata alba</i> 1000 » 4 —, 50 »	25
10259	» <i>gefranste gemischt, extra</i> — à fleurs fraugées en mélange. 1000 S. 4 —, 50 S.	25
10260	<i>macrophylla (alicifolia) fimbriata</i> <i>alba</i> 1000 S. 4,50, 50 S.	30
10261	» <i>fimbriata alba oculata</i> 1000 S. 6 —, 50 »	40
10262	» » <i>albo-rosea</i> 1000 » 4,50, 50 »	30
10263	» » <i>atropurpurea</i> 1000 » 5 —, 50 »	30
10264	» » <i>kermesina</i> 1000 » 4,50, 50 »	30
10265	» » <i>mutabilis</i> 1000 » 5 —, 50 »	30
10266	» » <i>Pallanzae</i> 100 » 1 —, 25 »	30
10267	» » <i>punctata elegantissima</i> 1000 S. 4,50, 50 S.	30
10268	» » <i>rubra</i> . . . 1000 » 4 —, 50 »	25

flore pleno fimbriata, gefüllte gefranste:

frangée double:

10269	<i>alba fl. pl.</i> , weissgefüllte gefranste — blanche double frangée. 1000 S. 7,50, 100 S. — 80, 20 S.	20
10270	<i>coccinea fl. pl.</i> . . . 100 S. 1,60, 20 »	40
10271	<i>kermesina splendens fl. pl.</i> 1000 S. 10 —, 100 S. 1,25, 20 »	30
10272	<i>macrophylla alba fl. pl.</i> . . . 20 »	40
10273	<i>rubra fl. pl.</i> , gefranste rothgefüllte — rouge double frangée. 1000 S. 13,50, 100 S. 1,50, 20 S.	40
10274	<i>striata fl. pl.</i> . . . 100 » 1,50, 20 »	40
10275	Obige gefüllte gefranste Sorten gemischt. — Les sortes précédentes doubles frangées eu mélange. 1000 S. 9 —, 100 S. 1 —, 20 S.	25
10276	<i>Prosopis juliflora</i> . 20 g — 80, 20 »	20
10277	» <i>torqnata</i> . . . 100 S. — 80, 20 »	25
10278	<i>Psidium</i> $\triangle$ <i>aromaticum</i> 20 g 1,60, 50 »	30
10279	» <i>Cattleysanum</i> 1,20, 50 »	30
10280	» <i>chinense</i> 2,50, 50 »	30
10281	» <i>piriferum</i> 1,80, 50 »	30
10282	<i>Pueraria Thunbergiana</i> $\triangle$ §, sehr stark wachsende Schlingpflanze mit Glycine ähnlichen purpurvioletten Blumen. Von den mehligten Wurzeln, in Japan unter dem Namen „Kudzu“ bekannt, werden wohlchmeckende Speisen bereitet — pflaute grimpante vigoureuse à fleurs dans le genre de celles de la Glycine d'un beau violet pourpré; ses racines donnent une magni-	

No.	<i>Pueraria Thunbergiana</i> :	Pf.
	fique féculé nutritive, qui est très recherchée au Japon, où la plante est appelée „Kudzu“ . . . 20 g 5 —, 25 S.	30
10283	<i>Quillaya Saponaria</i> , schöner immergrüner Blüthenstrauch von Chili — arbuste toujours vert à belles fleurs, du Chili. 100 S. 1,40, 10 S.	20
10284	<i>Raphiolepis indica</i> . . . 20 g 1,60, 20 »	20
10285	» <i>rubra</i> 3,20, 10 »	20
10286	<i>Ravenala madagascariensis</i> $\triangle$, bekannte Pflanzpflanze — plante magni- fique 100 S. 7 —, 5 S.	40
10287	<i>Renalmia bracteosa</i> $\triangle$ 1000 » 5 —, 25 »	20
10288	<i>Rhodochiton volubile</i> §, schöne und dankbarblühende Schlingpflanze für's Kalthaus — belle plante grim- pante florifère pour la serre froide. 1000 S. 2,60, 50 S.	20
	<i>Rhododendrou</i> , vide Gehölze.	
10289	<i>Rhynchosia</i> $\triangle$ § <i>Caribaea</i> , rasch- wachsend — d'une croissance rapide 20 g 2,40, 10 S.	30
10290	» <i>minima</i> 100 S. 1,60, 10 »	20
10291	» <i>pubescens</i> 20 g 2,20, 10 »	30
10292	<i>Rhynchospermum</i> § <i>jasminoides</i> . 20 »	30
10293	» <i>jasm. fol. var.</i> . . . 100 S. 1,20, 20 »	30
	<i>Richardia africana</i> , vide <i>Calla aethiopica</i> .	
10294	» <i>albo-maculata</i> 100 S. 1,25, 29 S.	30
10295	<i>Rivina</i> $\triangle$ <i>aurantiaca</i> . 20 g 2,40, 25 »	30
10296	» <i>humilis</i> 2,60, 25 »	20

Reizende Zierpflanzen mit gelben und
scharlachrothen Beeren in Trauben —
très-jolies plantes d'ornement à cause
de leurs grappes de fruits jaune orange
ou écarlate.

Rochea — vide Succulenten.

10297	<i>Rogiera</i> $\triangle$ <i>cordata</i> . 100 S. 1 —, 10 S.	20
10298	<i>Rondeletia</i> $\triangle$ <i>speciosa</i> 1000 S. 8 —, 25 »	30

Rosanowia $\triangle$:

10299	<i>citrino-amarantina</i> . . 1000 S. 4 —, 50 »	30
10300	<i>Regeli</i> 1000 » 3 —, 50 »	20
10301	<i>stramineo-striatella</i> . 1000 » 3 —, 50 »	20
10302	<i>gemischt</i> — mélange 10,000 S. 10 —, 1000 » 1,25, 100 »	30
10303	<i>Rottlera hamosa</i> , neue hellblau blü- hende Gesneriacee — nouv. Gesneriacée à fl. bleu délicat $\triangle$. . . 100 S.	40
10304	<i>Rubia Relbun</i> , mit niedlichen rothen Früchten — à petits fruits rouges 100 S. 2,50, 10 S.	30
10305	<i>Ruellia</i> $\triangle$ <i>auriculata</i> 100 » 1 —, 20 »	25
10306	» <i>illicina</i> 100 » 1,25, 10 »	20
10307	» <i>tuberosa</i> , neu — nouv. 1000 S. 4 —, 25 S.	20

10308	<i>Saintpaulia ionantha</i> $\triangle$, uiedliche Gesneriacee mit reizenden, dunkel- blauen Blumen; blüht ununterbrochen	
-------	--	--

10315. *Salvia splendens*.10419. *Streptocarpus Wendlandi*.

No.	Saintpaulia ionantha:	Pf.	No.	Sciadophyllum (Panax) Morototoni	Pf.
	während des ganzen Jahres — nouvelle		10339	100 S. 2 —, 10 S.	30
	Gesneriacee mignonne à fleurs bleu				
	foncé; fleurissant pendant toute l'année		10340	Scutellaria $\triangle$ aurantiaca	
	1000 S. 2,60, 200 S.	60		1000 S. 8 —, 20 S.	25
10309	Saintpaulia ionantha rubra $\triangle$,		10341	» coccinea	1000 » 8 —, 20 » 25
	siehe Neuheit. — voy. nouv.	Pt. 125	10342	» Ventenati	100 » 3,50, 10 » 40
10310	Salvia gesneriaeflora 100 S. 1,60, 10 S.	20	10343	Senecio bicolor $\triangle$	1000 » 4 —, 50 » 25
10311	» Grahami	100 » 1,20, 10 » 20	10344	» Ghiesbreghtii	1000 » 3,50, 50 » 30
10312	» patens, prachtvolle Species mit		10345	» leucostachys, neu, schöne Teppichbeetpflanze mit weissblauen, feingetheilten Blättern —	
	grossen himmelblauen Blumen —			nouv., belle plante pour bordures à cause de la légèreté du	
	espèce magnifique à grandes fleurs			feuillage blanc et feutré	20 S. 30
	bleu ciel	1000 S. 9 —, 25 S. 30	10346	» Palmeri	20 » 30
10313	» patens lilacina	100 » 1,25, 10 » 20	10347	Sesbania aegyptiaca $\triangle$ 100 S. 2 —, 10 » 30	
10314	» rubescens	5 g 2 —, 50 » 25	10348	» grandiflora	20 g 1,60, 10 » 20
10315	» splendens, sehr schön, leuchtend		10349	» alba	100 S. 2 —, 5 » 20
	scharlach — très-beau, écarlate brillant	20 g 4,80, 50 S. 20	10350	» rosea	100 » 2,60, 5 » 25
10316	» » alba	1000 S. 2,50, 50 » 20	10351	Sida $\triangle$ Avicennae	20 g 1,40, 50 » 20
10317	» » Appleblossom, hellrosa —		10352	» mollis	20 » 1,40, 50 » 20
	rose clair	1000 S. 7 —, 20 S. 30	10353	» populiifolia	20 » 2,40, 50 » 30
10318	» » Brunti	20 g 5 —, 50 » 20	10354	» rhombifolia	100 S. 1,50, 10 » 20
10319	» » compacta	20 » 5 —, 50 » 20	10355	» urens	100 » 1,50, 10 » 20
10320	» » erecta, neu, dunkelscharlach, niedrig, sehr reichblühend — nouv., écarlate foncé, nain, très florifère	1000 S. 2 —, 50 S. 20		Sipanea, vide Pentas.	
10321	» » grandiflora, 1000 » 3,50, 50 » 25		10356	Siphocampylus bicolor 1 g 1,60, 200 » 20	
10322	» » pendula 1000 » 4 —, 50 » 25		10357	Skimmia japonica	100 S. 1,40, 10 » 20
10323	» » prostrata 1000 » 3 —, 50 » 25		10358	Solandra grandifl. magnifica $\triangle$ §, schöne Schlingpflanze mit grossen, hellgelben, wohlriechenden Blumen —	
10324	» » Ingenieur Clavenad, sehr früh und reichblühend — à floraison abondante et précoce	20 g 5 —, 50 S. 20		belle plante grimpante à gr. fl. jaune clair odorantes	100 S. — 80, 20 S. 20
10325	» » Ingenieur Clavenad purpurviolet, siehe Neuheit — pourpre violacé, voy. nouv.	Pt. 80			
10326	Sapindus $\triangle$ emarginatus 20 g — 50, 5 S. 30				
10327	» inaequalis	20 » 40, 5 » 15			
10328	» indicus	20 » — 50, 5 » 30			
10329	» japonicus	100 S. 3 —, 5 » 20			
10330	» Saponaria	20 g — 40, 4 » 20			
10331	Saurauja villosa $\triangle$ 1000 S. 5 —, 50 » 30				
10332	Saxifraga sarmentosa, eine der dankbarsten Ampelpflanzen — l'une des plantes les plus estimées pour vases suspendus	50 S. 30			
10333	Scheeria mexicana, Gesneriaceae	1000 S. 2,50, 100 S. 30			
10334	» » coerulescens	100 » 30			
10335	» » Président Mallet	100 » 30			
10336	» » rubra 1000 S. 2,50, 100 » 30				
10337	» » violacea	100 » 30			
10338	Scizolobium excelsum, prächtige Blattpflanze — plante ornementale				
	magnifique 100 S. 12,50, 10 S. 1,50, 2 S. 40				

Solanium $\triangle$:

10359	abyssinicum	20 g 1,40, Pt. 20
10360	acanthifolium	» 3 —, » 30
10361	albidum Portmanni	» 4 —, » 30
10362	arborescens	» 3,40, » 30
10363	auriculatum	» — 60, » 15
10364	betaceum	» 2,20, » 20
10365	cabiliense argenteum (marginatum), prächtig, mit silberweiss gepuderten Blättern — magnifique, à feuilles argentées soupoudrées	20 g — 70, Pt. 15
10366	Capsicastrum, mit rothen Früchten, gute Marktpflanze — à fruits rouges, beau	20 g — 50, Pt. 15
10367	» compactum	» — 70, » 15
10368	» nanum	» — 70, » 15
10369	coronatum	» — 80, » 15
10370	cyananthum	» 1,60, » 20
10371	de Noteri	» 1,60, » 20
10372	ferox	5 g 2 —, » 30
10373	giganteum	20 » 1,10, » 20
10374	Hendersoni, mit orangeroth. Früchten — à fruits rouge orange 20 g — 70, Pt. 15	



10448. Thea Bohea.

No.	Solanum:	Pf.
10375	jasminiflorum § . . . 1000 S. 2,60, 50 S.	25
10376	igneum	20 » 30
10377	Lobeli 20 g — 50. Pt.	10
10378	macrocarpum	20 S. 30
10379	madagascariense 20 g 1 —, Pt.	30
10380	mammosum	1,60, » 20
10381	marginatum	» — 70, » 15
10382	Pseudocapsicum	» — 50, » 15
10383	» naum	» — 80, » 20
10384	pyracanthum 5 g 1,40, 25 S.	20
10385	robustum, prächtige Blattpflanze — pflanze ornement. magnif. 20 g 1,60, Pt.	20
10386	rostratum	» — 40, » 10
10387	sanctum	» 2,60, » 20
10388	Seafortianum §, sehr schöne rankende Sorte mit hellblauen Blumen — très belle espèce grimpante à fl. bleu clair 5 g 2,50. Pt.	40
10389	Tomatillo 5 g 1,25, »	30
10390	tomentosum 20 g 2,20, »	20
10391	Warszewiczoides	» 1,25, » 20
10392	Weatherillei	» — 50, » 15
Weitere Collection dieser grösstentheils so schönen Blattpflanzen-Gattung, siehe Sommergewächse. — Pour un plus grand choix de cette belle classe de plantes ornementales, voy. plantes annuelles.		10
10393	Sollya § heterophylla . . . 5 g 1,40, 50 S.	20
10394	Sonchus § laciniatus 1000 S. 5 —, 50 »	30
10395	Sophora secundiflora . . . 20 g —, 80. 4 »	25
10396	Spartocytisus nubigenus, mit wohl- riechenden weissen Blumen — à fl. blanches odorantes . . . 20 g 1,80, Pt.	30
10397	Spathiphyllum § heliconiaefo- lium, prächtige Decorations- pflanze — plante ornementale ma- gnifique . . . 100 S. — 80, 20 S.	20
10398	Spergula rubra, reichblühende Am- pelpflanze mit hellroten Blumen — helle pflanze pour vases suspendus à fleur rose clair . . . 1 g 1 —, Pt.	30
10399	Stachytarpheta nutans, mit langen rosenrothen Blumeähren — à épis de fleurs longs roses . . . 5 g 1,40, Pt.	30
Stapelia, vide Succulenten.		
10400	Statice arborea 20 g 3,50, »	40
10401	» imbricata	» 5 —, » 40
10402	» macrophylla	» 2,40, » 30
10403	» pectinata	» 1,20, » 20
10404	» puberula 5 g 2,50, »	40
10405	Stenocarpus salignus . . . 100 S. — 80, 20 S.	20
10406	Stephanophysum (Eranthemum) bre- vifolium	10 S. 20
10407	» longifolium §, sehr hübsche reichblühende Warmhauspflanze mit scharlachrothen Blumen — très jolie plante à fleurs nombreuses écarlates . . . 1000 S. 1,50, 100 S.	20

No.		Pf.
10408	Stephanotis floribunda $\triangle$ §	
	100 S. 7 —, 5 S.	40
10409	<i>Sterculia acerifolia</i> . . . 20 g — 40, 10 »	20
10410	» <i>diversifolia</i> — 50, 10 »	20
10411	» <i>heterophylla</i> — 60, 10 »	20
	<i>Stillingia</i> , vide <i>Croton</i> .	
10412	Streitzia $\triangle$ <i>augusta</i> (albida) . 2 »	40
10413	» Reginae 100 S. 15 —, 2 »	40
10414	Streptocarpus $\triangle$ <i>caulescens</i> , sehr hübsch, Blumen lila in pyramidenförmigen Rispen — très-belle espèce fleurissant franchement, à fl. lilas,	
	1000 S. 1.50, 100 S.	20
10415	» <i>Gardnerianus</i> . 10,000 » 5 —, 200 »	20
10416	» <i>Humboldti</i> 1000 » 2,50, 100 »	30
10417	» <i>polyanthus</i> . 10,000 » 3 —, 500 »	20
10418	» <i>Rexii</i> 10,000 » 2 —, 500 »	20
10419	» <i>Wendlandi</i> , Blatt 50—60 cm lang, Blumen gross, hellblau — feuille très longue, fleurs bleu clair	
	10,000 S. 2 —, 500 S.	20
10420	» neue Hybriden , mit grossen Blumen in allen Färbungen von weiss bis violett. Bei zeitiger Aussaat blühen die Sämlinge im ersten Jahre — hybrides nouveaux, à fl. grandes, variant du blanc au violet; semés de bonne heure les semis fleuriront la première année . 10,000 S. 4 —, 500 S.	30
10421	Strychnos nux vomica $\triangle$, grosse runde flache Samen mit Atlasglanz — graine très grosse, ronde, satinée	
	20 g — 80, 2 S.	30
10422	Sutherlandia frutescens	
	20 g 1,80, Pt.	20
10423	» <i>spectabilis floribunda</i> . . . 1,60, »	20
10424	» » <i>floribunda fl. albo</i> . . . 1,80, »	20
10425	Swaiaisonia alba . . . 1000 S. 4 —, 50 S.	30
10426	» <i>alba grandiflora</i> . 1000 » 5 —, 25 »	20
10427	» <i>albo-violacea</i> . . . 1000 » 3 —, 50 »	25
10428	» <i>coronillaefolia rosea</i> 50 »	20
10429	» <i>Ferrandi atropurpurea</i> . . . 1000 S. 2,60, 50 »	20
10430	» Greyana 1000 » 3 —, 50 »	20
10431	» Oshorni 20 g 4 —, Pt.	30
10432	» » <i>grandiflora</i> . 1000 S. 4 —, 25 S.	20
10433	» Rollissoni 1000 » 3 —, 50 »	30
10434	» <i>rosea grandiflora</i> 25 »	30
10435	Syncarpia laurifolia . . . 5 g 1,20, 200 »	20
10436	Tabernaemontana salicifolia 20 g 2,60, 5 »	25
10437	Tacsonia $\triangle$ § exoniensis	
	100 S. 1,50, 10 »	20
10438	» ignea 100 » 1,50, 10 »	20
10439	» <i>manicata</i> 100 » 1 —, 20 »	30
10440	» <i>mollissima</i> 1000 » 5 —, 25 »	20
10441	» Van Volxemi 100 » 2,50, 10 »	30
10442	Tamus edulis $\triangle$ § 5 g 1 —, 25 »	20
10443	Tapeinotes Carolinae major $\triangle$ 100 »	30
10444	Tecoma Smithi , neu — nouv. . 10 »	30
	» andere, siehe <i>Bignonia</i> — pour autres voy. <i>Bignonia</i> .	



10445. Tetranema mexicanum.

10445 Tetranema mexicanum §, eine
allerliebste, den ganzen Sommer hin-



10461. *Tupa montana*.

10484. *Viuca rosea*.

No.	<i>Tetranema mexicanum</i> :	Pf.
	durch blühende kleine Topfblume — très-jolie petite plante pour la culture en pots, fleurissant pendant tout l'été 1 g 5 —, 500 S.	20
10446	<i>Teucrium flavum</i> 20 g 2,60, Pt.	25
10447	» <i>hyssopifolium</i> , schon, Blumen goldgelb mit braunem Schlund — beau, jaune d'or à gorge brune 1000 S. 8 —, 25 S.	30
10448	<i>Thea Bohea</i> 100 » 7 —, 5 » 40	
	Der chinesische Theestrauch, eine sehr empfehlenswerthe, leicht blühende Gewächshaus- oder Zimmerpflanze — le Thé de la Chine, très-recommandable soit comme plante pour appartements soit pour serre froide.	
10449	<i>Thea viridis</i> 100 S. 5 —, 5 S.	30
10450	<i>Thevetia</i> (<i>Cerbera</i>) <i>neriifolia</i> $\triangle$ 20 g — 60, 2 » 20	
	<i>Thunbergia coccin.</i> , vide <i>Hexacentria</i> .	
10451	» <i>fragrans</i> $\triangle$ § 100 S. 2 —, 10 » 30	
10452	» <i>grandiflora</i> $\triangle$ § 100 » 2 —, 10 » 30	
	<i>Torenia</i> , siehe Sommergewächse — voy. <i>Plantes annuelles</i> .	
10453	<i>Tradescantia</i> $\triangle$ <i>discolor</i> 10 S.	40
10454	» <i>lineata</i> 10 » 40	
10455	<i>Tropaeolum</i> § <i>albiflorum</i> 2 » 40	
10456	» <i>azureum grandiflorum</i> 100 S. 5,50, 5 » 40	
10457	» <i>pentaphyllum</i> 100 » 1 —, 10 » 20	
10458	» <i>speciosum</i> 100 » 2 —, 10 » 30	
10459	» <i>tricolor</i> , sehr schöne Schlingpflanze für das Kalthaus — très belle plante grimpante pour la serre froide 100 S. 2,50, 5 S.	20
10460	» <i>tricolor grandiflorum</i> 100 S. 2,50, 5 » 20	
10461	<i>Tupa montana</i> , neue, sehr schöne Lobeliacee mit dunkelschlarochrothen Blumen — nouv. Lobeliacee très belle à fl. écarlate foncé 1000 S. 6 —, 50 S.	40
10462	<i>Turnera elegans</i> 100 » — 80, 20 » 20	
10463	<i>Tweedia coerulea</i> 20 g 1,40, Pt.	30

No.		Pf.
10464	<i>Tydaea</i> $\triangle$ <i>hybrida</i> : 10 Sorten mit Namen, jede einzeln — 10 sortes avec noms séparées chac. 1000 S. — 80, 200 S.	30
10465	gemischt — mélange 10,000 » 2 —, 500 »	25
10466	<i>Tydaea hybrida eximia</i> , neue Varietäten gemischt — nouveaux hybrides en mélange 10,000 S. 3 —, 500 S.	20
10467	» <i>hybrida grandiflora</i> 10,000 S. 3,50, 500 »	30
10468	» » <i>nana</i> 500 »	30
10469	» <i>pyramidalis racemosa</i> , neue, niedrige grossbl. Varietäten — var. nouv. naines à gr. fl. 10,000 S. 6 —, 500 S.	40
	<i>Urania speciosa</i> , vide <i>Ravenala madagascariensis</i> .	
10470	<i>Veltheimia glauca</i> 10 S.	30
10471	» <i>viridifolia</i> 10 »	30
10472	<i>Verbena triphylla citriodora</i> 20 g 2,60, Pt.	30
10473	<i>Verbesina amplexicaulis</i> 5 g 2 —, 50 S.	20
10474	» <i>crocata</i> 1 » 2 —, 25 »	20
10475	» <i>gigantea</i> 100 S. —, 80, 20 »	20
10476	<i>Veronica elegans</i> 20 g 2,40, 200 »	20
10477	» <i>Hendersoni</i> 2,60, 200 »	20
10478	» <i>Impératrice Eugénie</i> » 2,60, 200 »	20
10479	» <i>salicifolia</i> 2,40, 200 »	20
10480	» <i>speciosa</i> 2,60, 200 »	20
10481	» viele Sorten gemischt — beau mélange 20 g 2,40, 500 S.	20
10482	<i>Vigna luteola</i> $\triangle$ § 100 S. 2 —, 10 »	30
10483	<i>Viminaria denudata</i> 5 g 1,50, 50 »	20
10484	<i>Vinca rosea</i> $\triangle$, Sinngrün, prächtige Topfpflanze — <i>Pervenche</i> de Madagascar 20 g 1,20, Pt.	20
10485	» <i>rosea fl. albo</i> 1,20, »	20
10486	» » <i>alba pura</i> 1,20, »	20
10487	» » gemischt — mélange 1,10, »	20
10488	<i>Vriesia splendens</i> 1000 S. 4 —, 50 S.	25
10489	<i>Wigandia</i> $\triangle$ <i>caracasana</i> , imposante Einzelpflanze — belle plante ornementale 20 g 1,20, Pt.	20
10490	» <i>chilensis</i> , schwarzgrün — vert-noirâtre 20 g 2,60, Pt.	30
10491	» <i>floribunda</i> 2 —, »	20
10492	» <i>hybrida</i> 1,60, »	20
10493	» <i>imperialis</i> 1 —, »	20
10494	» <i>nrens</i> 1,60, »	20
10495	» <i>Vigieri</i> 1,40, »	20
	<i>Yucca</i> , siehe Gehölzsamen — voy. Graines d'arbres.	

Succulenten. Plantes grasses.



10561. Agave Verschaffelti.

10527. Echeveria agavoides.

10643. Echeveria metallica.

No.		Pf.	No.		Pf.
10496	<i>Adromischus vulgaris</i>	100 S. 20	10553	<i>Agave stricta</i>	100 S. — 80, 20 S. 20
10497	<i>Aeonium blandum</i>	100 » 30	10560	» <i>uvivittata</i>	1000 » 3 —, 50 » 20
10498	» <i>canariense</i>	100 » 30	10561	» Verschaffelti , eine der aller- schönsten — l'une des plus belles espèces	1000 S. 5 —, 50 S. 30
10499	» <i>ciliatum</i>	100 » 20	10562	» <i>Verschaffelti rariospina</i>	1000 » 4,50, 50 » 30
10500	» <i>frutescens</i>	50 » 25	10563	» <i>virginica</i>	1000 » 7,50, 20 » 25
10501	» <i>giganteum</i>	50 » 25	10564	» <i>Wildingii</i>	1000 » 7 —, 20 » 25
10502	» <i>urubicum</i>	50 » 20	10565	» <i>xalapensis</i>	1000 » 2,50, 50 » 20
10503	<i>Agave americana</i>	20 g 2 —, 50 » 20	10566	» <i>gemischt — mélange</i>	1000 » 2,50, 50 » 20
10504	» <i>fol. var.</i>	1000 S. 3 —, 25 » 20	10567	<i>Aloe acinacifolia</i>	100 » 1 —, 20 » 30
10505	» <i>angustifolia</i>	1000 » 6 —, 23 » 20	10568	» <i>acuminata</i>	100 » 10 » 30
10506	» <i>applanata</i>	1000 » 8 —, 25 » 25	10569	» <i>africana</i>	20 » 30
10507	» <i>attenuata</i>	1000 » 5 —, 25 » 20	10570	» <i>arborescens</i>	10 » 20
10508	» <i>Beaucarnei</i>	1000 » 5 —, 25 » 20	10571	» <i>attenuata</i>	10 » 20
10509	» <i>Bessereriana</i>	1000 » 4,50, 25 » 20	10572	» <i>cernua</i>	10 » 20
10510	» <i>candida</i>	1000 » 4 —, 25 » 20	10573	» <i>conspicua angustior</i>	20 » 30
10511	» <i>Cantala</i>	100 » —80, 20 » 20	10574	» <i>denticulata</i>	25 » 20
10512	» <i>Celsiana</i>	1000 » 7 —, 20 » 20	10575	» <i>ecbinata</i>	1000 S. 5 —, 25 » 20
10513	» <i>ohiapensis</i>	1000 » 4 —, 50 » 25	10576	» <i>elegans</i>	100 » 1 —, 20 » 30
10514	» <i>coccinea</i>	1000 » 3 —, 50 » 20	10577	» <i>excavata</i>	100 » 1 —, 20 » 30
10515	» <i>coerulescens</i>	1000 » 4 —, 25 » 20	10578	» <i>fasciata</i>	20 » 30
10516	» <i>dasyliroides</i> (dsalabata)	100 S. 1 —, 20 » 30	10579	» <i>humilis</i>	20 » 20
10517	» <i>densiflora</i>	1000 » 4 —, 50 » 25	10580	» <i>hybrida</i>	100 S. 1,50, 10 » 20
10518	» <i>Desertii</i>	1000 » 4 —, 50 » 25	10581	» <i>incurva</i>	10 » 20
10519	» <i>erubescens</i>	1000 » 3 —, 25 » 15	10582	» <i>Klugii</i>	20 » 30
10520	» <i>ferox</i>	1000 » 5 —, 25 » 20	10583	» <i>laetevirens</i>	10 » 20
10521	» <i>filifera</i>	1000 » 6 —, 25 » 20	10584	» <i>margaritifera</i>	100 S. 1 —, 20 » 30
10522	» <i>Franzosini</i>	1000 » 8 —, 20 » 20	10585	» <i>mitraeformis</i>	10 » 20
10523	» <i>Funkiana</i>	1000 » 3 —, 50 » 20	10586	» <i>paniculata</i>	1000 S. 5 —, 50 » 30
10524	» <i>geminiflora</i> (Bonapartea juncea)	100 S. 1,60, 10 S. 20	10587	» <i>papillosa</i>	10 » 20
10525	» <i>Gbiesbreghtii</i>	1000 » 4 —, 25 » 20	10588	» <i>picta</i>	100 S. 1,50, 10 » 20
10526	» <i>macrantha</i>	1000 » 5 —, 25 » 20	10589	» <i>Reinwardtii</i>	20 » 20
10527	» <i>grandibracteata</i>	1000 » 6 —, 23 » 20	10590	» <i>rigida</i>	20 » 30
10528	» <i>grandidentata</i>	1000 » 3,50, 50 » 20	10591	» <i>Saponaria</i>	1000 S. 3 —, 50 » 20
10529	» <i>heteracantha</i>	1000 » 3 —, 50 » 20	10592	» <i>Schimperi</i>	100 » 1 —, 20 » 30
10530	» <i>horrida</i>	1000 » 3 —, 50 » 20	10593	» <i>torquata</i>	20 » 20
10531	» <i>Houllettiana</i>	100 » —80, 20 » 20	10594	» <i>umbellata</i>	1000 S. 5 —, 50 » 30
10532	» <i>Hystrix</i>	100 » —80, 20 » 20	10595	» <i>viele Sorten gem.</i> 1000 » 3 —, 50 » 20	
10533	» <i>Ixtli</i>	1000 » 3 —, 50 » 20	10596	<i>Anacampteros filamentosa</i>	10 » 40
10534	» <i>Jacobiana</i>	100 » 1 —, 20 » 25	10597	<i>Beschorneria californ.</i> 100 S. 2,50, 10 » 30	
10535	» <i>Kerchovei</i>	1000 » 6 —, 25 » 20	10598	» <i>tubiflora</i>	20 » 30
10536	» <i>Lechuguilla</i>	1000 » 5 —, 25 » 20	Bonapartea gracilis v. Dasyliiron.		
10537	» <i>lophantha</i>	1000 » 3 —, 50 » 20	10599	» <i>Hystrix</i>	100 S. — 80, 20 » 20
10538	» <i>maculata</i>	1000 » 8 —, 20 » 20	10600	» <i>juncea</i>	100 » 1,60, 10 » 20
10539	» <i>maculosa</i>	100 » 1,40, 10 » 20	10601	<i>Bowiea volubilis</i>	25 » 15
10540	» <i>mexicana</i>	1000 » 3 —, 50 » 20	10602	<i>Bryophyllum calycinum</i>	50 » 20
10541	» <i>micracantha</i>	1000 » 5 —, 25 » 20	10603	<i>Bulbine frutescens</i>	50 » 20
10542	» <i>miradorensis</i>	100 » —70, 20 » 20	10604	<i>Cacalia Kleinii</i>	2 g 1 —, Pt. 20
10543	» <i>mitis</i>	100 » 1,50, 10 » 20	10605	<i>Cotyledon Barbeyi</i>	1000 S. 5 —, 50 S. 30
10544	» <i>Nissoni</i>	1000 » 4 —, 25 » 20	10606	» <i>quintese</i>	1000 » 3 —, 50 » 20
10545	» <i>Palmeri</i>	1000 » 4 —, 25 » 20	10607	» <i>Umbilicus</i>	1000 » 3 —, 50 » 20
10546	» <i>polyacantha</i>	1000 » 3 —, 50 » 20	10608	<i>Crassula coccinea</i>	1000 » 2 —, 100 » 30
10547	» <i>Pringlei</i>	190 » 1,25, 10 » 20	10609	» <i>dejecta</i>	1000 » 4 —, 50 » 30
10548	» <i>pulcherrima</i>	1000 » 4 —, 25 » 20	10610	» <i>lactea</i> , guter Winterblüher — flurirt en hiver 1000 S. 2 —, 100 S. 30	
10549	» <i>rigida</i>	1000 » 3 —, 50 » 20	10611	» <i>Schmidtii</i>	1900 » 2,50, 100 » 30
10550	» <i>rupicola</i>	1000 » 4 —, 50 » 30	10612	Dasyliiron acrotriche (serratifolium) 20 g 2,50, 20 S. 20	
10551	» <i>Salmiana</i>	1000 » 3,50, 50 » 25	10613	» <i>Bigelowii</i>	1000 S. 8 —, 20 » 25
10552	» <i>latifolia</i>	1000 » 4 —, 50 » 25	10614	» <i>glaucophyllum</i>	20 g 1,60, 50 » 20
10553	» <i>Whitakeri</i>	1000 » 3,50, 50 » 25	10615	» <i>gracile</i>	1 » 1,60, 50 » 20
10554	» <i>Shawii</i>	1000 » 7 —, 20 » 20	10616	» <i>graminifolium</i>	100 S. 1,25, 20 » 30
10555	» <i>spec. Paso del Macho</i>	100 » 1,50, 10 » 20	10617	» <i>juncifolium</i>	20 g 2 —, 20 » 20
10556	» <i>spicata</i>	1000 » 2,50, 50 » 20			
10557	» <i>striata</i> , eine der schönsten Sorten — l'une des plus belles 100 S. 1,50, 10 S. 20				

10776. *Anhalonium prismaticum*. 10879 *Echinopsele oxygona*.

No.		Pf.
10735	<i>Oxalie carnosa</i>	50 S. 20
10736	<i>Pincenectitia glauca</i> 100 S. 3,50, 10	» 40
10737	» <i>stricta</i>	100 » 3 —, 10 » 40
10738	» <i>tuberculata</i>	100 » 2,50, 10 » 30
10739	<i>Rochea falcata</i>	1000 » 1,25, 200 » 30
10740	» <i>perfoliata</i>	1000 » 1 —, 200 » 25
10741	<i>Sedum Sempervivum</i> , prachtvoll, scharlach — écarlate, magnifique	
	1000 S. 2 —, 100 S.	25
10742	<i>Sempervivum barbatum</i>	200 » 20
10743	» <i>canariense</i>	200 » 20
10744	» <i>Donkelaari</i>	200 » 20
10745	» <i>marginatum</i>	100 » 20
10746	» <i>tabulaeforme</i>	100 » 30
10747	» <i>gemischt — mélange</i>	200 » 20
10748	<i>Stapelia atrata</i>	10 » 20
10749	» <i>anguinea</i>	10 » 20
10750	» <i>bufonia</i>	10 » 20
10751	» <i>ciliata</i>	10 » 20
10752	» <i>conspurcata</i>	10 » 20
10753	» <i>fusca</i>	10 » 20
10754	» <i>glauca</i>	10 » 20
10755	» <i>hirsuta</i>	10 » 20
10756	» <i>mutabilis</i>	10 » 20
10757	» <i>normalis</i>	10 » 20
10758	» <i>paniculata</i>	10 » 20
10759	» <i>patula</i>	10 » 20
10760	» <i>planiflora</i>	10 » 20
10761	» <i>proxima anguinea</i>	10 » 20
10762	» <i>rectiflora</i>	10 » 20
10763	» <i>rugosa</i>	10 » 20
10764	» <i>scutellata</i>	10 » 20
10765	» <i>tridentata</i>	10 » 20
10766	» <i>trifida</i>	10 » 20
10767	» <i>trisulca</i>	10 » 20
10768	» <i>uncinata</i>	20 » 20
10769	» <i>Uspenskyi</i>	10 » 20
10770	» <i>variegata</i>	10 » 20
10771	» » <i>atropurpurea major</i>	10 » 20
10772	» <i>zebrina</i>	10 » 20
10773	» <i>gemischt — mélange</i> 100 S. 1,25, 10	» 20
10774	<i>Umbilicus canariensis</i>	50 » 20

Cacteen — Cactées.

10775	<i>Anhalonium fissuratum</i>	100 S. 5 —, 5 S. 30
10776	» <i>prismaticum</i>	100 » 7 —, 5 » 40
10777	<i>Astrophytum myriostigma</i> , 100 S. 7 —, 5 »	40
10778	<i>Cereus acutangulus</i>	100 » — 80, 20 » 30
10779	» <i>alacriortanus</i>	1000 » 2,50, 50 » 20
10780	» <i>Bonplandi</i>	100 » — 80, 20 » 20
10781	» <i>Cavendishi</i> var. <i>Paxtoniana</i> 100 S. 1,50, 10 »	20
10782	» <i>chalybaeus</i>	1000 » 6 —, 25 » 20
10783	» <i>colubrinus</i>	100 » 1 20, 20 » 30
10784	» <i>erectus</i>	1000 » 2,50, 50 » 20
10785	» <i>eriphorus</i>	100 » — 80, 20 » 20
10786	» <i>Forbesii</i>	1000 » 2,50, 50 » 20

No.		Pf.
10787	<i>Cereus gemmatus</i>	100 S. 1,20, 20 S. 30
10788	» <i>geometrizans</i>	1000 » 8 —, 25 » 30
	» <i>giganteus</i> vide <i>Pilocereus</i> .	
10789	» <i>Jamaoar</i>	1000 S. 2,50, 50 » 20
10790	» <i>glaucae</i>	1000 » 2,50, 50 » 20
10791	» <i>Laboureti</i>	1000 » 4 —, 50 » 30
10792	» <i>Martini</i>	1000 » 1,20, 50 » 20
10793	» <i>nycticalus</i>	100 » 2,50, 20 » 30
10794	» <i>Olferrei</i>	1000 » 2,50, 50 » 20
10795	» <i>peruvianus</i>	1000 » 2,50, 50 » 20
10796	» <i>monstroesus</i> 1000 »	5 —, 50 » 30
10797	» <i>Spachianus</i>	1000 » 5 —, 50 » 30
10798	» <i>speciosissimus</i>	100 » — 80, 20 » 20
10799	» <i>subrepandus</i>	100 » — 80, 20 » 20
10800	» <i>Thurberi</i>	100 » 3,50, 10 » 40
10801	» <i>Tinei</i>	100 » — 80, 20 » 20
10802	» <i>tortuosus</i>	1000 » 2,50, 50 » 20
10803	» <i>validus</i>	1000 » 2,50, 50 » 20
10804	» <i>gemischt — varié</i> 1000 »	2,50, 100 » 30
10805	<i>Disiscocactus biformis</i>	10 » 30
10806	<i>Echinocactus acifer</i>	10 » 30
10807	» <i>aulacogonus</i>	100 S. 1,40, 10 » 20
10808	» <i>Beguini</i>	100 » 2 —, 10 » 30
10809	» <i>bicolor</i>	100 » 2 —, 10 » 30
10810	» <i>brevihamatus</i>	100 » 1,20, 10 » 20
10811	» <i>capricornis</i>	100 » 3 —, 10 » 40
10812	» <i>coptonogonus</i>	100 » 2 —, 10 » 30
10813	» <i>cornigerus</i>	100 » 1,60, 10 » 25
10814	» <i>cylindraceus</i> (Leopoldi) 1000 S. 5 —, 25 »	20
10815	» <i>electracanthus</i> 100 »	2,50, 10 » 30
10816	» <i>gibbosus</i>	5 » 30

10817. *Echinocactus Grusoni*.

10817	<i>Echinocactus Grusoni</i> 100 S. 2,50, 10 S.	30
10818	» <i>hastatus</i>	10 » 30
10819	» <i>ingens</i>	100 S. 1,20, 10 » 20
10820	» <i>Le Contei</i> , „Des Teufels Nadel- kissen“ — „Pelote du diable“ 10 S.	20
10821	» <i>leonensis</i>	100 S. 2,50, 10 » 30
10822	» <i>leucacanthus</i>	5 » 30
10823	» <i>longihamatus</i>	5 » 30
10824	» <i>lophothele</i>	100 S. 2 —, 10 » 30
10825	» <i>McDowellii</i>	100 » 2,50, 10 » 30
10826	» <i>multicostatus</i>	100 » 1,50, 10 » 20
10827	» <i>Orcutti</i>	1000 » 5 —, 25 » 20
10828	» <i>Ottomii</i>	10 » 40
10829	» <i>pentacanthus</i>	100 S. 1,20, 10 » 20
10830	» <i>polyancistrus</i> , selten und schön — beau et rare. 100 S. 1,25, 20 S.	30
10831	» <i>polycephalus</i>	100 » 1,20, 10 » 20
10832	» <i>Poselgerianus</i>	100 » 2 —, 10 » 30
10833	» <i>recurvus solenacanthus</i> 100 S. 3 —, 10 »	40
10834	» <i>Scheeri</i>	100 » 1,60, 10 » 20
10835	» <i>setispinus</i>	1000 » 5 —, 25 » 20
10836	» » <i>Mierensis</i>	10 » 30
10837	» <i>texensis</i>	1000 S. 5 —, 25 » 20
10838	» <i>tortuosus</i>	100 » 1,20, 20 » 30
10839	» <i>Trollietii</i>	100 » 2,50, 10 » 30
10840	» <i>uncinatus</i>	100 » 2 —, 10 » 30
10841	» <i>viridescens</i>	1000 » 5 —, 25 » 20
10842	» <i>Williamsi</i> (<i>Aubalonium</i>) 100 S. 2 —, 10 »	30
10843	» <i>Wislizeni</i> , prachtvoll — superbe 1000 S. 5 —, 25 S.	20
10844	» <i>Wrightii</i>	100 » 2 —, 10 » 30
10845	» <i>xyphanthus</i>	100 » 2 —, 10 » 30
10846	» <i>gemischt — varié</i> 1000 »	2,50, 25 » 20



10860. Echinocereus procumbens.



10824. Echinocactus lophothele.



10914. Mammillaria elegans.


No.	Pf.
10847 Echinocereus Berlandieri	10 S. 20
10848 » caespitosus, gleichzeitig eine der schönst blühenden und schönst bestachelten Sorten — en même temps l'un des plus beaux par ses fleurs que par ses aiguillons	1000 S. 7,50, 25 S. 25
10849 » chloranthus	100 » — 80, 20 » 30
10850 » cinerascens	10 » 30
10851 » ctenoides	100 S. 1,20, 20 » 30
10852 » dasyacanthus	100 » 1,40, 10 » 30
10853 » Engelmanni	100 » 1,60, 10 » 30
10854 » enneacanthus	100 » — 80, 20 » 20
10855 » Laboureti	100 » — 80, 20 » 20
10856 » pectinatus	100 » 1,20, 10 » 20
10857 » pentalophus	1000 » 5 —, 25 » 20
10858 » phoeniceus	100 » 1,20, 10 » 20
10859 » Poselgerianus	1000 » 7,50, 20 » 20
10860 » procumbens	1000 » 4 —, 50 » 30
10861 » Roemerii	5 » 30
10862 » Salm Dyckianus	100 S. 1,50, 10 » 20
10863 » gemischt — varié	1000 » 4 —, 50 » 30
10864 Echinopsis apiculata	1000 » 5 —, 50 » 30
10865 » colmariensis	10 » 30
10866 » Decaisneana	50 » 30
10867 » Duvalli	1000 S. 4 —, 50 » 30
10868 » » × Eyriesii	50 » 30
10869 » » × tephraacantha	50 » 30
10870 » » × tricolor	50 » 30
10871 » Eyriesii	1000 S. 5 —, 25 » 20
10872 » » × Rohlandi speciosa	50 » 30
10873 » Fischeri	1000 S. 4 —, 50 » 30
10874 » » fl. roseo	1000 » 4 —, 50 » 30
10875 » Huottii	1000 » 6 —, 25 » 20
10876 » imbricata	1000 » 5 —, 25 » 20
10877 » Lagermanni	1000 » 5 —, 25 » 20
10878 » nigerrima	25 » 30
10879 » oxygona	1000 S. 4 —, 50 » 30
10880 » Rohlandi	25 » 30
10881 » speciosa	25 » 30
10882 » » × Duvalli	25 » 30
10883 » Schelhasaei	50 » 30
10884 » tephraacantha	50 » 30
10885 » » × Duvalli	50 » 30
10886 » » × Rohlandi speciosa	50 » 30
10887 » tricolor	1000 S. 5 —, 50 » 30
10888 » » × Duvalli	1000 » 5 —, 50 » 30
10889 » triumphans fl. pl.	1000 » 8 —, 25 » 30
10890 » » × Duvalli	25 » 30
10891 » » fl. pl. × Rohlandi speciosa	25 » 30
10892 » tubiflora	1000 S. 6 —, 25 » 20
10893 » turbinata	1000 » 5 —, 50 » 30
10894 » Zuccariniana	1000 » 4 —, 50 » 30
10895 » neue Hybriden gegenseitig befruchtet in bester Mischung — hybrides nou- veaux fécondés réciproquement en beau mélange	1000 S. 2,50, 50 S. 20
10896 Epiphyllum Mackoyanum	10 » 40
10897 » Russellianum Gaertneri	10 » 40
10898 » truncatum hybridum	10 » 40
10899 Mammillaria amoena	10 » 30
10900 » anguinea	20 » 30
10901 » applanata	100 S. — 80, 20 » 20

No.	Pf.
10902 Mammillaria auricoma	10 S. 30
10903 » bicolor	100 S. 1,20, 20 » 30
10904 » Bocasana	10 » 30
10905 » Boekii	10 » 30
10906 » candida	10 » 40
10907 » centricirra	1000 S. 5 —, 50 » 30
10908 » » macrothele	20 » 30
10909 » centrispina	20 » 20
10910 » conopsea (Neumanniana)	25 » 20
10911 » conifera	10 » 20
10912 » dealbata	1000 S. 6,50, 25 » 20
10913 » Donati	10 » 20
10914 » elegans	1000 S. 6,50, 25 » 20
10915 » eriacantha	1000 » 6 —, 25 » 20
10916 » exsudans	10 » 20
10917 » falcata	10 » 30
10918 » Foersteri	20 » 30
10919 » foveolata	10 » 30
10920 » fuscata	20 » 40
10921 » gladiata	1000 S. 4 —, 50 » 30
10922 » » deflexispina	20 » 30
10923 » glauca	1000 S. 6 —, 25 » 20
10924 » glochidiatia rosea	20 » 30
10925 » Goodrichi	1000 S. 8 —, 20 » 20
10926 » gracilis	25 » 20
10927 » Grahami	100 S. 2 —, 10 » 30
10928 » Hystrix	100 » 1 —, 10 » 20
10929 » Krameri	1000 » 8 —, 20 » 20
10930 » lasiacantha	100 » 1,60, 10 » 20
10931 » Lassomeri	100 » 1,60, 10 » 20
10932 » livida	20 » 30
10933 » magnimamma	1000 S. 5 —, 25 » 20
10934 » » arietina	20 » 30
10935 » micromeris	100 S. 1,30, 20 » 30
10936 » monothele	20 » 30
10937 » multiceps	1000 S. 4 —, 50 » 30
10938 » Neumanniana hybrida	20 » 20
10939 » nigra euchlora	20 » 40
10940 » pachythele	1000 S. 6,50, 25 » 20
10941 » Patersoni	5 » 20
10942 » pentacantha	1000 S. 5 —, 25 » 20
10943 » pusilla	25 » 20
10944 » » texensis	25 » 20
10945 » quadrispina vera	20 » 30
10946 » radiosa	1000 S. 5 —, 50 » 30
10947 » rapidacantha	5 » 30
10948 » recurispina	20 » 30
10949 » rhodantha	10 » 30
10950 » sanguinea	100 S. 1,50, 10 » 20
10951 » Schelhasaei sericata	100 » 1,20, 20 » 30
10952 » Schmidtii	20 » 20
10953 » Seitziana	1000 S. 5 —, 25 » 20
10954 » Sempervivi	10 » 20
10955 » stella-aurata	1000 S. 5 —, 25 » 20
10956 » spinosissima	10 » 30
10957 » subechinata	1000 S. 5 —, 25 » 20
10958 » sulphurea	10 » 30
10959 » uberiformis	10 » 30
10960 » umbrina	100 S. 1,20, 20 » 30
10961 » uncinata	1000 » 5 —, 25 » 20
10962 » viridis	1000 » 7 —, 25 » 20
10963 » vivipara	25 » 20
10964 » Wildiana	1000 S. 7 —, 25 » 20
10965 » gemischt — varié	1000 » 4 —, 50 » 30
10965 Melocactus communis	10 » 4 —, 5 » 25
10967 Opuntia decumbens	10 » 30
10968 » dejecta	1000 S. 5,50, 25 » 20
10969 » Dilleni	100 » 2,50, 10 » 30

No.		Pf.	No.		Pf.
10970	<i>Opuntia elata</i>	1000 S. 5,50, 25 S. 20	10997	<i>Phyllocactus Boothii</i>	20 S. 30
10971	» <i>ficus indica</i>	1000 » 5,50, 25 » 20	10998	» <i>Boothii</i> × <i>Leopoldi</i> 100 S. 1—, 20 » 30	30
10972	» » <i>gemischt</i> — <i>varié</i>	50 » 30	10999	» <i>Bruennowii</i>	100 » 1—, 20 » 30
10973	» <i>glaucophylla</i>	100 S. — 80, 20 » 20	11000	» » × <i>Mackoyi</i>	20 » 30
10974	» <i>Labouretii</i>	100 » — 80, 20 » 20	11001	» <i>crenatus</i>	20 » 30
10975	» <i>laevis</i>	100 » — 80, 20 » 20	11002	» » <i>splendens</i>	20 » 30
10976	» <i>lanceolata</i>	10 » 20	11003	» <i>Ernesti</i> × <i>Laloyi</i>	20 » 30
10977	» <i>macrophylla</i>	100 S. — 60, 25 » 20	11004	» <i>fastuosus</i>	20 » 30
10978	» <i>missouriensis</i>	100 » — 60, 25 » 20	11005	» <i>Johnsoui</i>	20 » 30
10979	» <i>uigricans</i>	100 » — 80, 20 » 20	11006	» <i>latifrons</i>	20 » 30
10980	» <i>occidentalis</i>	100 » — 80, 20 » 20	11007	» <i>roseus</i> <i>Macleyi</i>	20 » 30
10981	» <i>Piccolominiava</i>	100 » — 80, 20 » 20	11008	» <i>Wrayi</i>	20 » 30
10982	» <i>pseudo-Tuna</i>	1000 » 5—, 25 » 20	11009	» » × <i>Rosa Bonheur</i>	20 » 30
10983	» <i>Rafinesquiana arkansana</i>	1000 S. 4—, 50 » 25	11010	» <i>besto Sorten gemischt</i> — <i>en mélange</i>	1000 S. 6,50, 25 S. 20
10984	» <i>spinulosa</i>	1000 » 5—, 25 » 20	11011	» <i>Pilocereus euphorbioides</i>	20 » 20
10985	» <i>stricta</i>	100 » 1,25, 10 » 20	11012	» <i>giganteus</i> , <i>Lem.</i> (<i>Cereus giganteus</i> , <i>Eugelm.</i>) 1000 S. 7—, 25 S. 30	30
10986	» <i>texana</i>	100 » 1,25, 10 » 20	11013	» <i>Hermertianus</i> 1000 » 6,50, 25 » 20	20
10987	» <i>tomentosa</i>	100 » — 60, 25 » 20	11014	» <i>Houlettianus leucocephalus</i>	1000 » 6,50, 25 » 20
10988	» <i>Tuna</i>	100 » — 60, 25 » 20	11015	» <i>senilis</i> , <i>Greisenhaupt</i> , <i>erwartet</i> — <i>tête de vieillard</i> , <i>attendu</i>	5 S. 50
10989	» <i>virens</i>	100 » — 60, 25 » 20	11016	» <i>tiliophorus</i>	5 » 30
10990	» <i>gemischt</i> — <i>mélange</i> 20 g 4—, Pt. 20		11017	» <i>gemischt</i> — <i>en mélange</i>	1000 S. 5,50, 25 » 20
10991	» <i>Peirescia aculeata</i>	100 S. 1,60, 10 S. 20	11018	» <i>Obige Sorten Cacteen zusammen für 30 M.</i> — <i>Toutes les sortes de Cactées ensemble pour 30 M.</i>	
10992	<i>Pelecyphora aselliformis</i>	100 S. 2—, 10 » 30	11019	» <i>Cacteeu al e Classen gemischt</i> — <i>Cactées toutes les classes en mélange</i>	50 S. 20
10993	» <i>pectinata</i>	100 S. 2—, 10 » 30			
10994	<i>Phyllocactus Ackermanni</i>	100 S. 1—, 20 » 30			
10995	» <i>albus superbissimus</i> × <i>crenatus speciosus</i>	20 S. 30			
10996	» <i>anguliger</i>	100 S. 1—, 20 » 30			

Wasserpflanzen. Plantes aquatiques.

No.		Pf.	No.		Pf.
11020	<i>Alisma lanceolatum</i>	20 g — 50, Pt. 10	11052	<i>Cyperus Papyrus</i> (<i>Papyrus antiquorum</i>) $\triangle$ <i>echt</i> — <i>vrai</i>	Pt. 40
11021	» <i>Plantago</i>	20 » — 50, » 10	11053	» <i>polycephalus</i>	5 g 2,50, » 30
11022	» <i>ranunculoides</i>	5 » 1,25, » 20	11054	» <i>pygmaeus</i>	» 30
11023	<i>Aponogeton distachyon</i> , $\triangle$ <i>extra</i> schöne Wasserpflanze für kleinere wie für grössere Aquarien, frische Samen im Frühjahr, die sofort nach Empfang in Sand unter Wasser gesiebt werden müssen. — L'une des plus belles plantes aquatiques pour les aquariums, grands ou petits; graines fraîches au printemps, à semer de suite dans du sable submergé dans l'eau 100 S. 6—, 5 S. 40		11055	» <i>reflexus</i>	20 g 1,40, » 20
11024	<i>Butomus umbellatus</i>	Pt. 20	11056	» <i>rotundus</i>	1,80, » 20
11025	<i>Calla palustris</i>	20 g 1—, » 20	11057	» <i>spectabilis</i>	1,40, » 20
11026	<i>Carex dioica</i>	» 20	11058	» <i>umbellatus maximus</i>	» 30
11027	» <i>cebinata</i>	» 20	11059	<i>Darlingtonia californica</i>	1 g 2,60, » 40
11028	» <i>elegans</i>	5 g 3—, » 30	11060	<i>Desmanthus virgatus</i> $\triangle$ 20 » 3,20, 50 S. 20	20
11029	» <i>filiformis</i>	» 20	11061	<i>Drosera intermedia</i>	1 » — 80, Pt. 25
11030	» <i>follicularis</i>	20 g 2,60, » 20	11062	» <i>longifolia</i>	1 » — 80, » 25
11031	» <i>mirabilis</i>	5 » 3—, » 30	11063	» <i>rotundifolia</i>	1 » — 80, » 25
11032	» <i>Oederi</i>	» 20	11064	<i>Echinodorus ranunculoides</i> $\triangle$	20 S. 30
11033	» <i>panicea</i>	20 g 1,30, » 20	11065	<i>Eriophorum alpinum</i>	5 g 1,25, Pt. 20
11034	» <i>paniculata</i>	20 » 2,20, » 20	11066	» <i>Scheuchzeri</i>	» 30
11035	» <i>paradoxa</i>	» 20	11067	<i>Euryale ferox</i> $\triangle$, Samen leicht keimend — <i>graines de germination facile</i>	10 S. 1,20, 2 S. 30
11036	» <i>pendulina maxima</i> 20 g 1,60, » 20		11068	<i>Galilea juncea</i>	1 g — 80, Pt. 20
11037	» <i>Pseudo-Cyperus</i>	20 » 1,60, » 20	11069	<i>Glauca maritima</i>	» 20
11038	» <i>pulcaris</i>	» 20	11070	<i>Hottonia palustris</i>	5 g 1,50, » 30
11039	» <i>riparia</i>	20 g 1,30, » 20	11071	<i>Hydrocotyle vulgaris</i>	5 » 2,60, » 30
11040	» <i>rostrata</i>	5 » — 60, » 20	11072	<i>Hydrocolea spinosa</i>	1 » 1—, » 30
11041	<i>Ceratopteris thalictroides</i> (<i>Farrn</i>) $\triangle$	1 g 1,25, » 30	11073	<i>Iris Pseud-Acorus</i>	20 g — 50, » 10
11042	<i>Cineraria palustris</i>	5 » 1,80, » 30	11074	<i>Isoplepis canariensis</i>	» 30
11043	<i>Comarum palustre</i>	20 » 2,60, » 20	11075	» <i>gracilis</i>	» 30
11044	<i>Cyperus alternifolius</i> 20 » 7—, » 40		11076	» <i>nodosa</i>	» 20
11045	» » <i>fol. var.</i>	» 40	11077	» <i>prolifera</i>	» 30
11046	» » <i>nanus compactus</i>	» 40	11078	» <i>setacea</i>	» 30
11047	» »	5 g 4—, » 40	11079	» <i>stricta</i>	» 30
11048	» <i>australis</i>	5 » 2,60, » 40	11080	<i>Juncus glaucus</i>	20 g 2,60, » 20
11049	» <i>badius</i>	» 30	11081	» <i>squarrosus</i>	5 » — 75, » 20
11050	» <i>flabelliformis</i> $\triangle$	5 g 2,50, » 30	11082	» <i>supinus</i>	5 » 1—, » 20
11051	» <i>laxus</i>	» 30	11083	<i>Jussiaea longifolia</i> , grossbl., gelb, sehr reichblühend — <i>à gr. fl. jaune, très florifère</i>	1 g 3,50, Pt. 40
11052	» <i>natalensis</i> $\triangle$, grosser pandanus-artiger — <i>grand, semblable au Pandanus</i>	20 g 1,50, Pt. 20	11084	<i>Jussiaea salicifolia</i>	1 » 2—, » 30
			11085	» <i>villosa</i>	» 30
			11086	<i>Lycopus europaeus</i>	5 g — 80, » 20
			11087	<i>Lysimachia thysiflora</i>	» 2—, » 30
			11088	<i>Marsilea Drummondii</i>	100 S. 1,25, 10 S. 20
			11089	» <i>species</i>	» 10 » 30
			11090	<i>Menyanthes trifoliata</i>	5 g 1—, Pt. 25
			11091	<i>Mimulus ringens</i>	1 » 1,50, » 40
			11092	<i>Myriophyllum verticillatum</i>	» 40


11044. *Cyperus alternifolius*.

11131. *Nymphaea zanzibariensis*.

No.		Pf.
11093	<i>Narthecium ossifragum</i> . . . 5 g 1,40, Pt.	30
11094	<i>Nelumbium album grandiflorum</i> 1 S.	30
11095	» <i>kermesinum</i> 1 »	2
11096	» <i>luteum</i> 100 S. 4—, 4 »	2
11097	» <i>pekinense rubrum</i> 2 »	2
11098	» <i>speciosum</i> 100 S. 6—, 2 »	20
11099	» <i>striatum</i> 1 »	50
11100	<i>Nuphar lutea</i> 20 g 1,20, Pt.	20
11101	<i>Nymphaea alba</i> 20 g 2,40, 50 S.	20
11102	» <i>amazonica</i>  5 » 1,25, 100 »	30
11103	» <i>ampla</i> 25 »	30
11104	» <i>blanda</i> 50 »	30
11105	» <i>caroliniana</i> 1 g 2—, 25 »	20
11106	» <i>coerulea</i>  5 » 3,50, 25 »	20
11107	» <i>cyanea</i>  1 » 1,25, 25 »	20
11108	» <i>Deaniana</i> 100 S. 2,50, 10 »	30
11109	» <i>dentata</i>  5 g 1,50, 100 »	30
11110	» <i>elegans</i>  100 S. 5,50, 25 »	20
11111	» <i>fiavo-virens</i> 1 g 1,25, 50 »	30
11112	» <i>gigantea</i>  100 S. 2—, 10 »	30
11113	» <i>gracilis</i>  1 g 1,60, 20 »	40
11114	» <i>Lotus</i>  5 » 1—, 50 »	30
11115	» <i>odorata exquisita</i> 100 S. 2,50, 10 »	30
11116	» » <i>gigantea</i> 100 » 3—, 10 »	40
11117	» » <i>rosea</i> 1 g 2—, 25 »	20
11118	» <i>O'Marana</i> 1 » 2—, 50 »	30
11119	» <i>pygmaea</i> 10 »	40
11120	» <i>rubra</i>  5 g 2,50, 25 »	20
11121	» <i>scutifolia</i>  5 » 2,50, 50 »	25
11122	» <i>semiaperta</i> 100 S. 1,20, 20 »	30
11123	» <i>stellata</i>  5 g 2,50, 50 »	25
11124	» <i>tetragona</i>  1000 S. 5—, 50 »	30
11125	» <i>thermalis</i> 5 g 2—, 50 »	30
11126	» <i>tuberosa</i> 100 S. 2—, 10 »	30
11127	» » <i>rosea</i> 1 g 2—, 10 »	30
11128	» <i>zanzibariensis</i> , blau — à fl. bleue  5 g 2,40, 50 S.	30
11129	» » <i>purpurea</i> 5 » 3,50, 25 »	20
11130	» » <i>rosea</i> 5 » 3,50, 25 »	20
11131	» » <i>gemischt</i> — mélange 5 g 2—, 50 »	20
11132	<i>Oenante fistulosa</i> Pt.	20
11133	<i>Oryza sativa</i> 20 g — 30, »	10
11134	<i>Ourisia racemosa</i>  »	40
11135	<i>Papyrus</i>  <i>antiquorum</i> »	40
11136	» <i>siculus</i> 20 g 1,20, »	20

No.		Pf.
11137	<i>Parnassia caroliniana</i> 5 g 1,60, Pt.	20
11138	» <i>palustris</i> 5 » 2—, »	20
11139	<i>Pedicularis palustris</i> 5 » — 80, »	20
11140	» <i>Sceptrum Carolinum</i> 5 » 1,50, »	20
11141	» <i>sylvatica</i> 5 » 1,50, »	20
11142	<i>Pinguicula vulgaris</i> »	30
11143	<i>Pontederia cordata</i>  5 g 2—, »	30
11144	<i>Potamogeton natans</i> 5 » 1,40, »	30
11145	» <i>obtusifolius</i> »	20
11146	» <i>perfoliatus</i> 1 g — 80, »	20
11147	» <i>polygonifolius</i> »	20
11148	» <i>pusillus</i> 1 g 1,40, »	20
11149	» <i>rufescens</i> 5 » 1,60, »	20
11150	<i>Ranunculus Lingua</i> 5 » 1—, »	20
11151	» <i>platanifolius</i> »	30
11152	<i>Saccharum officinarum</i> 20 g 2—, »	20
11153	<i>Sagittaria lancifolia</i> 5 » 2—, »	30
11154	» <i>montevidensis</i> ,  1 » 1,50, »	30
11155	» <i>sagittifolia</i> »	30
11156	<i>Sarracenia purpurea</i> 1000 S. 2,50, 50 S.	20
11157	<i>Saururus cernuus</i> 2 g — 80, Pt.	20
11158	» <i>salicifolius</i> 5 » — 80, »	20
11159	<i>Scirpus caespitosus</i> 5 » 2—, »	20
11160	» <i>natalensis</i> 20 » — 80, »	15
11161	» <i>sylvaticus</i> 5 » — 80, »	20
11162	<i>Sium angustifolium</i> 20 » — 80, »	15
11163	» <i>latifolium</i> 20 » 1,20, »	20
11164	<i>Sparganium minimum</i> 5 » — 80, »	20
11165	» <i>ramosum</i> 20 » — 50, »	10
11166	» <i>simplex</i> 20 » 3,20, »	20
11167	<i>Stachys palustris</i> »	20
11168	<i>Stellaria palustris</i> »	20
11169	<i>Thalia dealbata</i>  10 S.	30
11170	<i>Trapa natans</i> 100 Nüsse — noix 5—, 5 N.	30
11171	<i>Triglochin maritimum</i> 1 g — 50, Pt.	20
11172	» <i>palustre</i> 5 » — 80, »	20
11173	<i>Typha angustifolia</i> 5 » 1,25, »	20
11174	» <i>latifolia</i> 5 » 1,25, »	20
11175	» <i>Shuttleworthi</i> 5 » 1,50, »	20
11176	» <i>stenophylla</i> 5 » 1—, »	20
11177	<i>Veronica Beccabunga</i> 20 » 3,20, »	30
11178	<i>Victoria regia</i>  5 S. 1,50, 1 S.	40
11179	<i>Zizania aquatica</i> 20 g — 50, Pt.	20
11180	12 Sorten Wasserpflanzen fürs Freie — 12 sortes de plantes aquatiques rustiques .	200
11181	12 » » für Aquarien im Zimmer — 12 sortes de plantes aquatiques pour les aquariums d'appartements	200

Farrne. Fougères.

Die mit einem * bezeichneten sind Freiland-, mit einem $\hookrightarrow$ Kalthaus-, alle übrigen Warmhaus-Farrne.

* Fougères de pleine terre, $\hookrightarrow$ Fougères de serre froide, toutes les autres sont de serre chaude.

Preise für nicht zu schwache Portionen. — Prix pour paquets bien proportionnés.



11208. *Aspidium Filix mas*.

No.		Pf.
11229	* <i>Asplenium septentrionale</i>	30
11230	* <i>Athyrium Filix foemina coronatum</i>	30
11231	<i>Blechnum attenuatum</i>	40
11232	» <i>polypodioides</i> (Raddi)	30
11233	* <i>Cyrtomium falcatum</i> (Prsl.)	40
11234	» <i>Fortunei</i> (J. Sm.)	40
11235	* <i>Cystopteris fragilis</i> (Bhdt.)	30
11236	<i>Davallia bullata</i> (Wall.) $\hookrightarrow$	40
11237	<i>Dicksonia tenera</i> (Pr.)	40
11238	<i>Doodia caudata</i> (R. Brown) $\hookrightarrow$	40
11239	» <i>lunulata</i> (Br.) $\hookrightarrow$	30
11240	<i>Doryopteris pustula</i>	30
11241	<i>Gymnogramme chrysophylla</i> (Hort.)	40
11242	» <i>Hansingi</i>	40
11243	» <i>japonica</i> (Desv.)	40
11244	» <i>Laucheana</i>	40
11245	» <i>Martensi</i>	40
11246	» <i>sulphurea</i> (Desv.)	40
11247	» <i>tartarea</i> (Desv.)	40
11248	* » <i>triangularis</i>	40
11249	» <i>Wettenhalliana</i> (Moore)	40
11250	* <i>Lastrea cristata</i>	40
11251	» <i>sapida</i>	30
11252	» <i>tenericaulis</i>	30
11253	* <i>Lomaria Spicant</i> (Desv.)	30
11254	<i>Lygodium japonicum</i>	40
11255	» <i>scandens</i>	40
11256	<i>Microlepia hirta cristata</i>	40
11257	<i>Nephrodium molle</i> (R. Br.)	40
11258	<i>Nephrolepis davallioides</i> (Knze)	40
11259	» <i>exaltata</i> (H. Melb.)	40
11260	» <i>imbricata</i> $\hookrightarrow$	30
11261	» <i>tuberosa</i>	30
11262	* <i>Notholaena Marantae</i> (R. Brw.)	30
11263	* <i>Onoclea sensibilis</i>	30
11264	<i>Onychium japonicum</i> $\hookrightarrow$	30
11265	* <i>Osmunda cinnamomea</i> (L.)	40
11266	* » <i>regalis</i> (L.)	30
11267	<i>Phegopteris divergens</i> (Fée)	40
11268	<i>Platyterium aldoorne</i> (Desv.)	40
11269	» <i>grande</i>	40
11270	<i>Polypodium aureum</i> (L.)	30
11271	» <i>glaucophyllum</i> (Kze.)	40
11272	» <i>Heyderianum</i>	40
11273	» <i>Reinwardti</i>	40
11274	* » <i>vulgare</i> (L.)	30
11275	* <i>Pteris aquilina</i> (L.)	20
11276	» <i>arguta</i>	30
11277	» <i>argyrea</i> (Moore)	40
11278	» <i>cretica</i> var. <i>albo-lineata</i> (L.) $\hookrightarrow$	50
11279	» <i>ensifolia</i> (Kl.)	40
11280	» <i>felosma</i> (J. Sm.)	40
11281	» <i>fiabellata</i> (Thunb.) $\hookrightarrow$	40
11282	» <i>longifolia</i> (L.) $\hookrightarrow$	30
11283	» <i>Ouvardi cristata</i>	40
11284	» <i>palmata</i> (W.)	40
11285	» <i>Rex</i>	50
11286	» <i>semipinnata</i> (L.)	30
11287	» <i>serrulata</i> (L.)	30
11288	» » <i>cristata</i>	40
11289	» » <i>tenuifolia</i>	30
11290	» <i>umbrosa</i>	30
11291	* <i>Victoriae</i> , neu — nouv.	40
11292	* <i>Scolopendrium officinarum</i> (J. Sm.)	30
11293	* <i>Selaginella helvetica</i>	40
11294	* <i>Struthiopteris germanica</i> (Willd.)	20
11295	* » <i>pennsylvanica</i>	30
11296	* <i>Woodia obtusa</i> (Hook.)	40
11297	<i>Woodwardia caudata</i>	40
11298	Freiland-Farrne, gemischt — Fougères pour la pleine terre en mélange	30
11299	Gewächshaus-Farrne, gemischt — Fougères de serre en mélange	40
11300	12 Kalt- und Warmhaus-Species — 12 espèces de serre chaude et froide	200
11301	12 Species für's freie Land — 12 espèces pour la pleine terre	150
11182	<i>Acrostichon crinitum</i> $\hookrightarrow$ (L.)	40
11183	<i>Adiantum Capillus Veneris</i> (L.) $\hookrightarrow$	30
11184	» <i>concinnum</i> (H. B. K.)	30
11185	» <i>cuneatum</i> (Langsd. & Fisch.)	30
11186	» » <i>fol. variegatis</i>	40
11187	» <i>elegantissimum</i>	40
11188	» <i>formosum</i> (R. Br.) $\hookrightarrow$	30
11189	» <i>gracillimum</i> (Hort.)	40
11190	» <i>hispidulum</i>	30
11191	» <i>macrophyllum</i>	30
11192	* » <i>pedatum</i> (L.)	30
11193	» <i>peruvianum</i> (Kl.)	40
11194	» <i>reniforme</i>	30
11195	» <i>scutum</i>	30
11196	» <i>setulosum</i> , J. Sm.	30
11197	» <i>tenerum</i> (Sw.)	30
11198	» <i>trapeziforme</i>	40
11199	» <i>venustum</i>	30
11200	» <i>Weigandi</i>	30
11201	<i>Allosurus crispus</i>	30
11202	» <i>rotundifolius</i> (Kze.) $\hookrightarrow$	30
11203	<i>Aspidium atratum</i> (Wall.)	30
11204	* » <i>Brownii</i> (Spenn)	30
11205	* » <i>bulbiferum</i>	30
11206	* » <i>cristatum Clintonianum</i>	30
11207	* » <i>dilatatum</i> (Prsl.)	30
11208	* » <i>Filix mas</i> (L.)	20
11209	* » » <i>Barnesi</i>	30
11210	* » <i>Goldieanum</i>	40
11211	» <i>grandifolium</i> (Pr.)	30
11212	» <i>macrophyllum</i>	30
11213	* » <i>marginale</i>	30
11214	* » <i>nunitum</i>	40
11215	* » <i>pilosum</i>	30
11216	* » <i>rigidum</i> (Sw.)	30
11217	» <i>Sieboldi</i> (Hort.) $\hookrightarrow$	40
11218	* » <i>spinulosum</i> (Sw.)	30
11219	* » » <i>var. dilatatum</i> (Lk.)	30
11220	* » » <i>intermedium</i>	30
11221	* » » <i>trifoliatum</i> (Sw.)	40
11222	» » <i>uliginosum</i> (Kze.)	40
11223	<i>Asplenium Belaugeri</i> (Kze.) $\hookrightarrow$	40
11224	» <i>Colensoi</i> $\hookrightarrow$	—
11225	» <i>diversifolium</i> (Cunningh.) $\hookrightarrow$	40
11226	* » <i>Filix foemina</i> (Bernh.)	30
11227	» <i>Nidus</i> (L.) $\hookrightarrow$	30
11228	» <i>nodulosum</i>	30

Baumfarne. — Fougères
en arbre.

No.	Pf.	No.	Pf.
11302 Alsophila australis (Br.)	40	11308 Cyathea Dregei	50
11303 » excelsa (Br.)	50	11309 » medullaris (Sw.)	60
11304 Balantium antarcticum (Prsl.)	60	11310 Dicksonia antarctica (Pr.)	60
11305 Blechnum brasiliense (Desv.)	40	11311 Didymochlaena lunulata (Desv.)	60
11306 Cibotium regale	50	11312 Lomaria gibba (Labill.)	60
11307 » Schiedeii (Schldl.)	60	11313 Todea barbara (Moore)	60
		11314 Baumfarne gemischt — Fougères en arbre en mélange	40
		11315 12 Species — 12 espèces	3,50M. —

Palmen-Samen. (Graines de Palmiers.)

Die mit einem * versehenen Sorten der nachstehend verzeichneten Palmensamen können wir jetzt oder in kurzer Zeit liefern, die anderen Species werden wir sofort nach Eingang der frischen Ernte versenden. Mit Special-Offerten stehen wir nach Empfang neu ankommender Zusendung gern zu Diensten.

Les espèces marquées d'un astérisque * sont livrables dès à présent ou dans un très court délai, les autres non marquées seront fournies aussitôt que nous en recevrons la récolte nouvelle. Du reste nous nous ferons un plaisir de donner les prix spéciaux de nouveaux arrivages qui sont attendus, si on nous les demande.



11341. Chamaerops excelsa.



Phoenix.

No.	Pf.	No.	Pf.
11316 *Aerocomia havanensis	10 S. 2 —, 2 S. 50	11340 * Chamaerops elegans	100 S. 2,50, 10 S. 30
11317 » sclerocarpa	10 » 2,50, 1 » 30	11341 * » excelsa (Fortunei)	kg 1,80, 1000 » 1,20, 50 » 15
11318 * » Totai	100 » 5 —, 5 » 30	11342 * » farinosa	100 » 4 —, 10 » 50
11319 *Areca alba	100 » 2,50, 10 » 30	11343 * » gracilis	100 » 2,20, 10 » 30
11320 » Baueri	100 » 2,50, 10 » 30	11344 * » humilis	kg 4 —, 10 » 20
11321 » lutescens	100 » 3,50, 10 » 40	11345 * » argentea	100 S. 2,50, 10 » 30
11322 » madagascariensis	100 » 3,50, 10 » 40	11346 * » macrocarpa	100 S. 5,50, 10 » 20
11323 * » rubra	100 » 2,50, 10 » 30	11347 * » robusta	100 S. 2,50, 10 » 30
11324 » sapida	100 » 3,50, 10 » 40	11348 * » tomentosa	100 » 2,50, 10 » 30
11325 » speciosa (Hyophorbe amaricaulis)	100 S. 4 —, 5 S. 25	11349 * Cocos australis	100 » 2,50, 10 » 30
11326 * Brahea edulis (Erythea)	10 S. 2 —, 2 S. 50	11350 » Bonneti	100 » 5 —, 5 » 30
11327 * » glauca (Erythea armata)	10 S. 10 —, 2 » 30	11351 * » campestris	100 » 3,50, 10 » 40
11328 Caryota Rumphii	100 » 4 —, 5 » 25	11352 * » coronata	100 » 2,50, 10 » 30
11329 * » sobolifera	100 » 4 —, 5 » 25	11353 * » flexuosa	100 » 3,50, 10 » 40
11330 » urens	100 » 3,50, 10 » 40	11354 * » Gaertneri (Bátia)	100 » 6,25, 5 » 40
11331 Chamaedorea corallina	100 » 3,50, 10 » 40	11355 » nucifera	100 » 1 Nuss 250
11332 » elegans	100 » 4 —, 10 » 50	11356 » plumosa	100 S. 4,50, 10 S. 50
11333 » Ernesti Augusti	100 » 4 —, 10 » 50	11357 * » Romanzoffiana	100 » 3,50, 10 » 40
11334 » geonomaeformis	100 » 4 —, 10 » 50	11358 » Weddelliana	100 » 5,50, 10 » 60
11335 » gracilis	100 » 4 —, 10 » 50	11359 * » Yatai, die härteste Sorte — le Cocotier le plus rustique	100 S. 6 —, 5 S. 40
11336 * » Sartori	100 » 5 —, 5 » 30	11360 * Corypha australis	100 » 1,25, 10 » 20
11337 * Chamaerops arborea	100 » 2 —, 10 » 30	11361 * » australis macrophylla	100 S. 4,50, 5 » 25
11338 * » canariensis	100 » 2 —, 10 » 30	11362 » Gebanga	100 » 4 —, 5 » 25
11339 * » cochinchinensis	100 » 2 —, 10 » 30	11363 Diplothemium caudescens (Ceroxylon niveum)	100 S. 6,50, 5 » 40

No.		Pf.	No.		Pf.
11364	<i>Dypsis madagascariensis</i>		11401	* <i>Phoenix rupicola</i> . . . 100 S. 4 —, 10 S.	50
	100 S. 2,50, 10 S.	40	11402	* » <i>syvestris</i> . . . 100 » 2 —, 10 »	25
11365	* <i>Elaeis guineensis</i> . . . 10 » 1,25, 2 »	30	11403	* » <i>tenuis</i> 1000 S. 7 —, 100 » —, 50, 20 »	20
11366	<i>Euterpe edulis</i> . . . 100 » 5 —, 5 »	30	11404	* <i>Pinanga decora</i> . . . 100 » 7 —, 2 »	20
11367	<i>Geonoma gracilis</i> . . . 100 » 4 —, 5 »	25	11405	* <i>Pritchardia</i> (Washingtonia) <i>filamentosa</i> , eine der besten Palmen für Zim-	
11368	* <i>Schottiana</i> . . . 100 » 5 —, 5 »	30		mercultur — l'un des Palmiers qui con-	
11369	<i>Glaziovina insignis</i> 100 » 7,50, 5 »	50		vient très bien pour la culture en ap-	
11370	* <i>Hyophorbe amaricaulis</i>			partement 1000 S. 4,50, 100 S. — 50, 25 S.	15
	100 S. 7,50, 5 »	50	11406	* <i>Pritchardia pacifica</i> . 100 » 9 —, 2 »	25
11371	» <i>indica</i> . . . 100 » 3,50, 10 »	40	11407	* » <i>robusta</i> . . . 100 » 1 —, 20 »	25
11372	* » <i>Verschaffelti</i> . . . 100 » 4 —, 10 »	50	11403	<i>Ptychosperma Alexandrae</i>	
11373	* <i>Jubaea spectabilis</i> 100 » 5 —, 5 »	30		100 S. 3,50, 10 »	40
11374	<i>Kentia Belmoreana</i> . . . 100 » 2,50, 10 »	30	11409	* <i>Sabal Adansoni</i> . . . 1000 » 3,50, 50 »	25
11375	» <i>Canterburyana</i> 10 » 1 —, 2 »	25	11410	* » <i>Blackburniana</i> . . . 100 » 2 —, 10 »	30
11376	» <i>Forsteriana</i> . . . 100 » 2,50, 10 »	30	11411	* » <i>Ghiesbreghtii</i> . . . 100 » 1 —, 20 »	30
11377	» <i>Mooreana</i> . . . 100 » 7 —, 2 »	20	11412	* » <i>havanensis</i> . . . 100 » 2 —, 10 »	25
11378	* » <i>Wendlandi</i> . . . 100 » 7 —, 2 »	20	11413	* » <i>mauritiaeformis</i> (<i>Trithrinax</i>)	
11379	<i>Latania aurea</i> . . . 10 » 3,50, 1 »	40		100 S. 2,50, 10 »	30
11380	* » <i>Commersoni</i> (<i>rubra</i>)		11414	* » <i>Palmetto</i> . . . 100 » — 80, 20 »	20
	100 S. 7 —, 2 »	20	11415	* » <i>princeps</i> . . . 100 » 1,60, 10 »	20
11381	* » <i>glaucophylla</i> (<i>Loddigesii</i>)		11416	» <i>serrulata</i> (<i>Chamaecrops</i>), von Flo-	
	10 S. 3,50, 1 »	40		rida — della Floride 100 S. 2,50, 10 S.	40
11382	* <i>Licuala horrida</i> . . . 100 » 2,50, 10 »	40	11417	* » <i>umbraculifera</i> 100 » — 60, 20 »	15
11383	* <i>Livistona altissima</i> 100 » 10 —, 5 »	60	11418	<i>Seaforthia elegans</i> . . . 100 » 2 —, 10 »	30
11384	* » <i>Hoogendorpii</i> 10 » 2 —, 2 »	50	11419	* <i>Stevensonia grandifolia</i> (<i>Phoe-</i>	
11385	» <i>mauritiana</i> . . . 100 » 7 —, 5 »	40		<i>nicophorium Sechtellarnum</i>)	
11386	* » <i>retundifolia</i> 100 » 10 —, 5 »	60		100 S. 4 —, 5 »	25
11387	* » <i>sinensis</i> (<i>Latania borbonica</i>)		11420	* <i>Thrinax argentea</i> . . . 100 » 1,50, 10 »	20
	100 S. 1,50, 10 S.	20	11421	* » <i>barbadensis</i> . . . 100 » 2,50, 10 »	30
11388	<i>Oreodoxa oleracea</i> . . . 100 » 4 —, 10 »	50	11422	* » <i>radiata</i> (<i>elegans</i>) 100 » 2,50, 10 »	30
11389	* » <i>regia</i> . . . 100 » 2 —, 10 »	30	11423	* <i>Trithrinax brasiliensis</i>	
11390	* <i>Pandanus odoratissimus</i>			100 S. 6,50, 5 »	40
	10 Fr. 1,60, 1 Fr.	20	11424	* <i>Verschaffeltia splendida</i>	
11391	» <i>spiralis</i> 2 »	60		100 S. 15 —, 2 »	40
11392	* » <i>utilis</i> 100 Fr. 4 —, 5 »	25		Washingtonia vide Pritchardia.	
11393	* <i>Phoenix canariensis</i> 100 S. — 60, 20 S.	15	11425	* <i>Zamia integrifolia</i> 10 S. 1,80, 2 »	40
11394	* » <i>canar. macrocarpa</i> 100 » 2,50, 10 »	30	11426	Ein Sortiment von 100 Sorten unkeim-	
11395	* » <i>cycadifolia</i> . . . 100 » 2,50, 10 »	30		fähiger Palmen-Samen für karpolo-	
11396	* » <i>dactylifera</i> kg 8 —, 10 »	25		gische Sammlungen für 20 M. —	
11397	* » <i>farinifera</i> . . . 100 S. 2,50, 10 »	30		assortiment de 100 espèces de graines	
11398	* » <i>leonensis</i> . . . 100 » 1,60, 10 »	20		vides (vieilles) de Palmiers pour	
11399	* » <i>pumila</i> 100 » 2,20, 10 »	25		collections carpológicas pour	
11400	* » <i>reclinata</i> ,			20 M.	
	1000 S. 12,50, 100 » 1,50, 10 »	20			

IV. Gehölz-Samen.

Graines d'arbres et d'arbustes.

I. Nadelhölzer. (Coniferen.)

Conifères.

Wir machen darauf aufmerksam, dass Coniferen-Samen sowie andere Samengattungen naturgemäß je nach den günstigen oder ungünstigen Witterungsverhältnissen, oft nur von 5 Procent ab ausgebildete Samen bringen, welche indessen nicht von den tauben Körnern zu sondern sind. Lärchen- und Weisstannen-Samen z. B. haben unter den günstigsten Verhältnissen gegen 40 Procent vollkommene Samen. Wir machen diese Bemerkung, weil es vorkommt, dass uns Reclamationen zugehen, selbst unter Angabe des günstigsten Resultats. Die Gattungen der Section Abies (Weisstanne) liefern, wie schon bemerkt, im günstigsten Falle circa 40 Procent keimfähige Körner, dagegen Picea (Rothtanne) und Kiefern oder Föhren (*Pinus vera* Section) bis zu 80 Procent ausgebildete Samen. Es ist ausserdem gewöhnlich der Fall, dass in ungünstigen Jahren die geringere Qualität in Folge der schwierigen Einsammlung theurer ist, als die beste Qualität in Jahren vollkommener und dann gewöhnlich reichlicher Ernte. Im Gebrigen verweisen wir auf die Bemerkungen S. 126—127.

Nous devons observer que plusieurs espèces de Conifères et d'autres essences peuvent selon les années ne donner que 50% de bonnes graines, qu'il est pourtant impossible de séparer les graines vides. Par exemple les graines de Mélèze ou de Sapins dans les meilleures conditions ne rapportent que 40%. Nous faisons cette remarque afin que l'on ne nous adresse pas de réclamations pour des faits qu'il n'est pas dans notre pouvoir de changer. La classe des Abies (Sapin) peut produire jusqu'à 40%, tandis que les Epicéas et Pins sauvages rapportent jusqu'à 80% de graines germinatives dans de bonnes années. Aussi dans les mauvaises années où les graines sont médiocres la récolte est plus difficile, et naturellement les graines plus chères que dans les années favorables où la récolte est abondante et de meilleure qualité. En outre voy. la note sur page 126—127.

Benennung nach dem „Handbuch der Coniferen-Benennung“ von L. Beissner (Preis 4 M.) — Nomenclature suivant le „Handbuch der Coniferen-Benennung“ par L. Beissner (Prix 4 M.).

No.	Pf.	No.	Pf.
11427 <i>Abies amabilis</i>	20 g 1,20, Pt. 20	11487 <i>Chamaecyparis Lawsoniana aurea</i>	kg 22 —, 20 g 60
11428 » <i>balsamea</i> , amerikanische Balsam- tanne — Beaumier de Giléade	kg 13,50, 20 g 40	11488 » <i>Lawsoniana aurea stricta</i>	20 g 1,50, Pt. 20
11429 » <i>brachyphylla</i>	20 g 1,80, Pt. 20	11489 » » <i>erecta</i>	kg 16 —, 20 g 50
11430 » <i>bracteata</i>	3 —, » 40	11490 » » <i>fastigiata</i>	» 80
11431 » <i>cephalonica</i>	kg 13,50, 20 g 40	11491 » » <i>glauca</i>	kg 13,50, » 40
11432 » » <i>Apollinis</i>	16 —, » 40	11492 » » » <i>horizontalis</i>	» 70
11433 » <i>cilicica</i> , Edeltanne vom Taurus — Sapin de Cilicie	kg 10 —, 20 g 30	11493 » » <i>nivea</i>	kg 24 —, » 70
11434 » <i>concolor</i>	20 g 1,20, Pt. 20	11494 » » <i>pyramidalis</i>	» 70
11435 » <i>firma</i>	80 —, » 20	11495 » » <i>sulphurea</i>	Pt. 30
11436 » <i>Fraseri</i>	1,30 —, » 20	11496 » » <i>viridis</i>	» 30
11437 » <i>grandis</i>	1,10 —, » 20	11497 » <i>nutkaensis</i> (<i>Thujaopsis borealis</i>)	20 g 3,20, Pt. 30
11438 » <i>homolepis</i>	5,20 —, » 40	11498 » » <i>glauca</i>	» 6 —, » 40
11439 » <i>magnifica</i>	1,40 —, » 20	11499 » <i>obtusa</i> (<i>Retinospora</i>)	» 1 —, » 20
11440 » <i>Mariesi</i>	1,60 —, » 20	11500 » » <i>aurea gracilis</i>	» 9 —, » 40
11441 » <i>microsperma</i>	5 —, » 40	11501 » » » <i>nana</i>	» 4 —, » 40
11442 » <i>nobilis</i> , europäische Saat — récolté en Europe kg 24 —, 20 g — 60, Pt. 15		11502 » » <i>fastigiata</i>	» 40
11443 » » amerikanische Saat — récolté en Amérique kg 48 —, 20 g 1,20, Pt. 20		11503 » » <i>filicoides</i>	20 g 5 —, » 40
11444 » <i>Nordmanniana</i> , kaukasische Edeltanne — Sapin du Caucase	kg 7 —, 20 g 30	11504 » » <i>lycopodioides</i> 100 S. 2 —, 10 S. 25	
11445 » <i>pectinata</i> (<i>Pinus Abies</i>), Weiss- oder Edeltanne — Sapin argenté	100 kg 90 —, » 130	11505 » <i>pisifera</i> (<i>Retinospora</i>) 20 g —, 80, Pt. 15	
11446 » <i>Pinsapo</i>	kg 8 —, 20 g 30	11506 » » <i>filifera</i> (<i>Retinospora</i>)	20 g 1,40, Pt. 20
11447 » » <i>argentea</i>	20 —, » 50	11507 » » <i>lutescens</i>	» 40
11448 » <i>sibirica</i> (<i>Pichta</i>), sibirische Silber- tanne — Sapin de la Sibérie	kg 7 —, 20 g 70	11508 » » <i>plumosa</i> (<i>Retinospora</i>)	20 g 1,20, Pt. 20
11449 » <i>subalpina</i>	20 g 2,20, Pt. 20	11509 » » » <i>aurea</i>	» 1,20 —, » 20
11450 » <i>Veitchi</i>	1,20 —, » 20	11510 » » <i>squarrosa</i>	» 2,60 —, » 30
11451 » » <i>sachalinensis</i>	3,60 —, » 30	11511 » » <i>sphaeroidea</i> (<i>Cupressus thuyoides</i>), weisse Ceder — Cèdre blanc,	kg 20 —, 20 g 60
11452 <i>Araucaria brasiliensis</i> 100 S. 10 —, 5 S. 60		11512 » » <i>Andelyensis</i> (<i>Retinospora lep- toclada</i>)	20 g 3,20, Pt. 30
11453 » <i>excelsa</i> , erwartet — attendu	10 S. 1,80, 1 » 20	11513 <i>Cryptomeria japonica</i>	kg 7,50, 20 g 25
11454 » <i>imbricata</i> , erwartet — attendu	kg 15 —, 100 S. 5 —, 10 » 60	11514 » » <i>japonica araucarioides</i> 20 g —, 60, Pt. 15	
11455 <i>Biota orientalis</i> (<i>Thuja</i>)	kg 2,40, 20 g 15	11515 » » <i>elegans</i> kg 16 —, » 40 —, » 10	
11456 » » <i>aurea</i>	» 4,80 —, » 20	11516 » » <i>ericoides</i>	» 80 —, » 15
11457 » » » <i>variegata</i>	» 70	11517 » » <i>glabra</i>	» 60 —, » 15
11458 » » <i>compacta</i>	kg 5,20 —, » 20	11518 » » <i>Lobbi</i> (<i>viridis</i>)	kg 11 —, 20 g 40
11459 » » <i>elegantissima</i>	» 50	11519 » » <i>pungens</i>	20 g — 80, Pt. 15
11460 » » <i>falcata</i>	» 60	11520 <i>Cunninghamia sinensis</i> (<i>Pinus lanceo- lata</i>)	20 g 2,50, Pt. 30
11461 » » <i>Fortunei</i>	» 80	11521 » » <i>sinensis glauca</i>	» 3,20 —, » 30
11462 » » <i>glauca</i>	» 60	11522 <i>Cupressus Bedfordiana</i>	» 50 —, » 10
11463 » » <i>gracilis</i> (<i>nepalensis</i>)	kg 16 —, » 40	11523 » <i>Benthamiana</i>	» 50 —, » 10
11464 » » <i>meldensis</i>	» 16 —, » 40	11524 » <i>californica</i>	» 80 —, » 15
11465 » » <i>pendula</i> (<i>filiformis</i>)	» 50	11525 » <i>chinensis</i>	» 60 —, » 15
11466 » » <i>pyramidalis</i> (<i>tartarica</i>)	kg 5 —, » 20	11526 » <i>Corneyana</i>	» 50 —, » 10
11467 » » » <i>semper-aurea</i>	» 50	11527 » <i>elegans</i>	» 50 —, » 10
11468 » » <i>Zuccariniana</i>	» 70	11528 » <i>excelsa</i>	» 80 —, » 15
11469 <i>Callitris quadrivalvis</i> (<i>Thuja articu- lata</i>)	20 g 110	11529 » <i>expansa</i>	» 80 —, » 15
11470 <i>Casuarina equisetifolia</i> 20 g 1,20, Pt. 20		11530 » <i>fragrans</i>	» 70 —, » 15
11471 » <i>quadrivalvis</i>	1,20 —, » 20	11531 » <i>funebis</i>	kg 10 —, 20 g 40
11472 » <i>species</i> Sydney, 1 Zapfen — 1 cône	20	11532 » <i>glauca</i> (<i>lusitanica</i>)	kg 13,50, 20 g — 40, Pt. 10
11473 » <i>stricta</i>	20 g 3 —, Pt. 30	11533 » » <i>pendulavera</i> kg 10 —, » 40 —, » 10	
11474 » <i>suberosa</i>	3,20 —, » 50	11534 » <i>Goveniana</i>	» 40 —, » 10
11475 » <i>tenuissima</i>	» 70 —, » 15	11535 » <i>gracilis</i>	» 50 —, » 10
11476 <i>Cedrus atlantica</i> (<i>argentea</i>), Silber- Ceder. 100 Zapfen — cônes 15 —, 1 Zapfen — 1 cône	25	11536 » <i>guadaloupensis</i>	» 1 —, » 20
11477 » <i>atlantica</i> , reiner S. — gr. nettes	kg 12,50, 20 g 40	11537 » <i>Hügel</i>	» 70 —, » 15
11478 » <i>Deodara</i> , europäische Samen — graines récoltées en Europe	kg 13,50, 20 g 40	11538 » <i>Knightiana</i> kg 24 —, » 70 —, » 15	
11479 » <i>Libani</i> , Ceder vom Libanon, Zapfen — Cèdre du Liban, cônes	100 Zapfen 15 —, 1 Zapfen 25	» <i>Lambertiana</i> , vide <i>macrocarpa</i> .	
11480 » » reiner Same — gr. nettes	kg 12,50, 20 g 40	» <i>Lawsoniana</i> , vide <i>Chamaecyparis</i> .	
11481 <i>Cephalotaxus drupacea</i>	» 70 —, » 30	» <i>Lindleyana</i>	20 g — 50, Pt. 15
11482 » <i>Fortunei</i>	5,20 —, » 30	» <i>lusitanica</i> , vide <i>glauca</i> .	
11483 » <i>pedunculata</i>	100 S. 2,60, 10 S. 30	» <i>Mac Nabiana</i> , echt — vrai,	kg 27 —, 20 g — 70, Pt. 20
11484 <i>Chamaecyparis Lawsoniana</i> (<i>Cupres- sus</i>)	kg 7 —, 20 g 30	11541 » » <i>macrocarpa</i> » 8,60 —, » 30 —, » 10	
11485 » <i>Lawsoniana argentea</i>	» 20 —, » 60	11542 » » <i>majestica</i>	» 60 —, » 10
11486 » » <i>argentea pyramidalis</i>	20 g 1 —, Pt. 20	11543 » » <i>nepalensis</i> kg 20 —, » 60 —, » 10	
		11544 » » <i>sempervirens horizontalis</i> .	kg 2,50, 20 g 20
		11545 » » » <i>pyramidalis</i> (<i>fastigiata</i>).	kg 2,50, » 20
		11546 » » <i>thuyifera</i>	kg 13,50, 20 g — 40, Pt. 10
		11547 » <i>thuyoides</i> , vide <i>Chamaecyparis</i> .	
		11548 » <i>torulosa</i>	kg 10 —, 20 g 40
		11549 » » <i>cashmeriensis</i>	» 60
		11550 » » <i>elegans</i> (<i>nana</i>)	20 g — 60, Pt. 10
		11551 » <i>Tourneforti</i>	kg 4,50, 20 g 20
		11552 » <i>Udeana</i> (<i>tetragona</i>)	20 g — 60, Pt. 15
		11553 <i>Ephedra altissima</i>	» 70 —, » 20
		11554 <i>Frenela australis</i>	» 4,30 —, » 40
		11555 <i>Ginkgo biloba</i> (<i>Salisburia adiantifolia</i>)	1000 N. — noix 7,50, 100 N. — 85, 10 N. 15

No.		Pf.	No.		Pf.
11556	<i>Juniperus Bermudiana</i> kg 14 —, 20 g	40	11610	<i>Pinus contorta</i> (Mac Intoshiana) 20 g 2 —, Pt.	20
11557	» <i>Cabiancae</i> 20 g — 80, Pt.	15	11611	» <i>Coulteri</i> (macrocarpa) » 1,10, »	20
11558	» <i>chinensis</i> (dioica) kg 7 —, 20 g	30	11612	» » 1 sehr grosser Zapfen — 1 cône	400
11559	» <i>nana</i> (japonica) 7,50, »	30	11613	» <i>densiflora</i> 20 g — 80, Pt.	20
11560	» <i>communis</i> , gemeiner Wachholder kg	70	»	<i>Douglasi</i> vide <i>Pseudotsuga</i> .	
11561	» <i>pyramidalis</i> kg 5 —, 20 g	20	»	<i>edulis</i> 20 g 1,20, Pt.	20
11562	» <i>suecica</i> 5 —, »	20	11615	» <i>excelsa</i> (<i>Strobux excelsa</i>), Himalaya-Kiefer kg 13,50, 20 g	40
11563	» <i>excelsa</i> 7 —, »	30	11616	» » <i>Peuce</i> 1 Zapfen mit Samen — 1 cône	50
11564	» <i>macrocarpa</i> 4 —, »	20	11617	» <i>halepensis</i> , alepp. Kiefer — Pin de Jerusalem kg 10 —, 20 g	40
11565	» <i>Oxycedrus</i> 2,50, »	15	11618	» <i>inops</i> , amerikanische Jersey-Kiefer — Pin pauvre kg 16 —, 20 g	40
11566	» <i>phoeuicea</i> (<i>solerocarpa</i>) » 4 —, »	20	11619	» <i>insignis</i> (radiata) » 27 —, »	70
11567	» <i>malacocarpa</i> (<i>lycia</i>) » 4,50, »	20	11620	» <i>Jeffreyi</i> 20 g 1,10, Pt.	20
11568	» <i>recurva squamata</i> »	50	11621	» <i>koraievis</i> » 1,60, »	20
11569	» <i>Reevesiana</i> , vide <i>chinensis</i> .		11622	» <i>Lambertiana</i> kg 30 —, 20 g	80
11570	» <i>rigida</i> 20 g — 70, Pt.	15	»	<i>lanceolata</i> , vide <i>Cunninghamia</i> .	
11571	» <i>Sabina</i> , <i>Sadebaum</i> kg 3,80, 20 g	20	11623	» <i>Laricio</i> , corsische Kiefer — Pin Laricio de Corse kg 8 —, 20 g	30
11571	» » <i>prostrata</i> (<i>hudsonica</i>) kg 7,50, »	30	11624	» <i>austriaca</i> , österreich. Schwarzföhre — Pin noir d'Austriche kg 7,40, 20 g	25
11572	» » <i>tamariscifolia</i> » 7,50, »	30	»	» <i>monspeliensis</i> (Salzmanni) 20 g 1,20, Pt.	20
11573	» <i>Struthiana</i> , vide <i>chinensis</i> .		11626	» <i>Pallasiana</i> (<i>taurica</i>) 20 g 110	
11574	» <i>virginiana</i> kg 2,40, »	20	11627	» <i>longifolia</i> 20 g 2,20, Pt.	30
11574	» <i>amerikan. Saat</i> — graines récoltées en Amérique kg 7 —, 20 g	30	11628	» <i>Massoniana</i> (<i>sinensis</i>) » — 70, »	15
11575	» » <i>argentea</i> » 5,20, »	20	11629	» <i>mitis</i> » 1,60, »	20
11576	» » <i>Bedfordiana</i> (<i>Gossainthanea</i>) 20g	50	11630	» <i>monophylla</i> (<i>Fremontiana</i>) kg 32 —, 20 g	80
11577	» » <i>glauca</i> Pt. 20		11631	» <i>montana</i> , Berg-Kiefer — Pin élevé des montagnes kg 7,50, 20 g	30
11578	» » <i>pendula</i> kg 8 —, 20 g	30	11632	» <i>Mughus</i> , Krummholz-Kiefer — Pin nain des montagnes kg 13,50, 20 g	40
11579	» » <i>pyramidalis</i> » 8 —, »	30	11633	» » <i>uncinata</i> » 10,50, »	40
11580	<i>Keteleeria Fortunei</i> 100 S. 4 —, 10 S.	50	11634	» <i>monticola</i> , californ. Zucker-Kiefer kg 52 —, 20 g 1,30, Pt.	20
11581	<i>Larix archangelica</i> , selten — rare 20 g 2,40, Pt.	30	11635	» <i>muricata</i> » 1,60, »	20
11582	» <i>dahurica</i> »	30	»	<i>Nordmanniana</i> vide <i>Abies</i> .	
11583	» <i>europaea</i> , europäische oder gewöhnliche Lärchentanne — Melèze 100 kg 196 —, kg 2,50, 20 g	20	11636	» <i>Parryana</i> (<i>Llaveana</i>) 20 g 1,30, »	20
11584	» <i>occidentalis</i> 5 g 1,50, Pt.	40	»	<i>Picea</i> vide <i>Picea excelsa</i> .	
11585	» <i>sibirica</i> (<i>intermedia</i>), die sibirische Lärchentanne — Melèze de Sibérie kg 32 —, 20 g	80	11637	» <i>Pinaster</i> (<i>maritima</i> , <i>syrtica</i>), Stern-Kiefer 100 kg 64 —, kg	100
11586	» <i>leptolepis</i> 20 g 1,40, Pt.	20	11638	» » <i>gigantea</i> , grosse Zapfen — gros cônes, la pièce » St.	50
11587	<i>Libocedrus decurrens</i> (<i>Thuja gigantea Craigiana</i>) . kg 10,50, 20 g — 40, Pt.	10	11639	» <i>Pinea</i> , italienische Nuss-Kiefer — Pin pignon d'Italie kg	160
11588	<i>Picea ajanensis</i> , japanische Fichte, extra Qual. — Sapin du Japon 20 g 2,60, Pt.	30	11640	» » 1 Zapfen — 1 cône »	60
11589	» <i>alba</i> , amerikanische Weiss-Fichte, extra Qual. — Sapinnette blanche d'Amérique, qual. extra kg 32 —, 20 g	80	11641	» » <i>fragilis</i> (<i>tenerrima</i>) kg 4 —, 20 g	20
11590	» » <i>coerulea</i> » 50 —, »	120	11642	» <i>ponderosa</i> (<i>Benthamiana</i>) 20 g — 80, Pt.	15
11591	» » 10 Zapfen — 10 cônes »	25	11643	» <i>pungens</i> » 1,60, »	20
11592	» <i>Alcockiana</i> 20 g 1,80, Pt.	20	11644	» <i>pyrenaica</i> (<i>Paroliniana</i>) »	60
11593	» <i>Engelmanni</i> » 1,80, »	20	11645	» <i>rigida</i> , amerikanische Pech-Kiefer — P. raide kg 32 —, 20 g	80
11594	» <i>excelsa</i> (<i>Pinus Picea</i>), Fichte oder Rothtanne — <i>Epicéa communu</i> . . 100 kg 360 —, kg 4,20, 20 g	20	11646	» » 1 Zapfen — 1 cône »	15
11595	» <i>excelsa viminialis</i> 1000 S. 3 —, 50 S.	25	11747	» <i>Sabiniana</i> kg 20 —, 20 g	60
11596	» <i>Morinda</i> (<i>Khutrow</i> , <i>Smithiana</i>), Himalaya-Fichte 20 g — 80, Pt.	20	11648	» <i>silvestris</i> , Kiefer od. Weissföhre — Pin sylvestre d'Ecosse kg 4,80, 20 g	20
11597	» <i>nigra</i> , amerik. Schwarzfichte — <i>Epicéa noir d'Amérique</i> 20 g 1,10, Pt.	20	11649	» » <i>rigensis</i> » 10 —, »	40
11598	» <i>nigra</i> , 10 Zapfen — 10 cônes »	30	»	<i>sitchensis</i> vide <i>Picea</i> .	
11599	» <i>obovata</i> , Led. (<i>P. ajanensis</i> , Lindl.), sibirische Fichte — <i>Epicéa de Sibérie</i> 20 g 2,60, Pt.	30	11650	» <i>Strobux</i> , Weihmuthskiefer — Pin du Lord kg 12,50, 20 g	40
11600	» <i>orientalis</i> , die Sapindus-Fichte von Imeretien — <i>Epicéa d'Orient</i> kg 40 —, 20 g 1 —, Pt.	20	11651	» » <i>nivea</i> 20 g 1 —, Pt.	20
11601	» <i>polita</i> » 2,60, »	30	11652	» <i>Torreyana</i> » 1,20, »	20
11602	» <i>Schrenkiana</i> , laugnadlige Fichte vom arktischen Russland — <i>Epicéa à longues feuilles de la Russie arctique</i> kg 42 —, 20 g 1,10, Pt.	20	11653	» <i>tuberculata</i> (<i>californica</i>) » 20 g 120	
11603	» <i>sitchensis</i> (<i>Menziesii</i>), nordcalifornische Fichte — Pin de la Californie du Nord 20 g 1,40, Pt.	20	»	andere Species siehe — pour autres espèces voy. <i>Abies</i> , <i>Picea</i> , <i>Pseudotsuga</i> , <i>Tsuga</i> .	
11604	» <i>yezeensis</i> » 1,60, »	20	11654	<i>Podocarpus chinensis</i> (<i>Maki</i>) 100 S. 2 —, 10 S.	30
11605	<i>Pinus australis</i> (<i>palustris</i>) » 1,10, »	20	11655	<i>Pseudo-Larix Kämpferi</i> 20 g 4 —, Pt.	40
11606	» <i>austriaca</i> vide <i>P. Laricio austriaca</i> . » <i>Balfouriana</i> 20 g 1,50, Pt.	20	11656	<i>Pseudotsuga Douglasi</i> , <i>Douglas-Fichte</i> — <i>Epicéa de Douglas</i> kg 32 —, 20 g	90
11607	» <i>Benthamiana</i> vide <i>ponderosa</i> .		11657	» <i>Douglasi macrocarpa</i> 20 g 1,60, Pt.	20
11608	» <i>canariensis</i> 1 Zapfen — 1 cône	40	11658	» <i>taxifolia</i> » 1,40, »	20
11609	» <i>r. S.</i> — gr. n. kg 11 —, 20 g	40		<i>Retinospora</i> vide <i>Chamaecyparis</i> . <i>Salisburia</i> vide <i>Ginkgo</i> .	
11609	» <i>Cembra</i> , Zürbel-Kiefer — Pin alvier de Suisse . . 100 kg 92 —, kg 140				

No.		Pf.	No.		Pf.
11659	<i>Sciadopitys verticillata</i> , frische Importation — nouvelle importation . . . 20 g (ca 1000 S.) 2,60, 50 S.	20	11675	<i>Thuja occidentalis globosa nana</i> . . . 5 g 1 —, Pt.	40
11660	<i>Sequoia (Taxodium) sempervirens</i> . . . kg 8 —, 20 g 30	30	11676	» <i>occidentalis lutea</i> . . . 5 » 1 —, »	40
11661	<i>Taxodium (Cupressus) distichum</i> , extra gute Qualität — Cypres chauve, qualité extra . . . kg 3,20, 20 g 20	20	11677	» » <i>pendula</i> . . . 5 » 2 —, »	40
11662	» <i>distichum</i> , r. S. — gr. u. . . 9,50, »	30	11678	» » <i>Vervaeana</i> . . . 20 g 1,40, »	20
11663	» <i>mucronatum</i> . . . 20 g 1,10, Pt.	20	11679	» » <i>Warreana</i> . . . kg 27 —, » 70, »	15
11664	<i>Taxus baccata</i> , Eibenbaum — Ifcommun. . . kg 4,20, 20 g 20	20		» <i>orientalis vide Biota</i> .	
11665	» <i>baccata adressa (Cephalotaxus tardiva)</i> . . . kg 10,80, 20 g 40	40	11680	» <i>plicata</i> . . . » — 70, »	15
11666	» » <i>Dovastoni (umbraculifera)</i> . . . 20 g 1 —, Pt.	20	11681	» <i>Standishi (Thujopsis)</i> . . . 2,60, »	30
11667	» » <i>erecta</i> . . . kg 11 —, » — 40, »	10		<i>Thujopsis borealis vide Chamaecyparis</i> .	
11668	» » <i>fastigiata (hibernica)</i> . . . kg 11 —, 20 g 40	40	11682	» <i>dolabrata</i> . . . 20 g 3,20, Pt.	40
11669	» » <i>pyramidalis</i> . . . 10,80, »	40	11683	» <i>fol. var.</i> . . . 7 —, »	40
11670	» <i>canadensis</i> . . . 20 g —, 80, Pt.	15	11684	<i>Torreya californica (Myristica)</i> . . . 20 g 60	60
11671	<i>Thuja gigantea</i> , Nutt. (Th. Lobbi) . . . kg 27 —, 20 g — 70, Pt.	15	11685	<i>Tsuga Brunoniana</i> . . . 20 g 1,60, Pt.	20
11672	» <i>occidentalis</i> — Thuya du Canada . . . kg 11 —, 20 g 40	40	11686	» <i>canadensis</i> , Schierlings-Tanne — Tsuga du Canada ou Hemlock-Spruce . . . kg 40 —, 20 g 110	110
11673	» » <i>asplenifolia</i> . . . 20 g 1 —, Pt.	20	11687	» <i>Mertensiana, californische Hemlocktanne</i> . . . 20 g 2,40, Pt.	20
11674	» » <i>Ellwangeriana</i> . . . 20 g 2,20, »	20	11688	» <i>Pattoniana (Williamsoni, Hookeriaua)</i> . . . 20 g 1,60, Pt.	20
			11689	» <i>Sieboldi</i> . . . 1,60, »	20
			11690	<i>Wellingtonia gigantea</i> , amerikanische Saat — récolté en Amérique du Nord . . . 20 g 1,80, Pt.	20
			11691	» <i>gigantea</i> , 1 Zapfen — 1 coue . . . 40	40

2. Laubhölzer. Arbres et arbustes.

No.		Pf.	No.		Pf.
11692	<i>Acacia dealbata</i> (Silver Wattle). . . kg 16 —, 20 g 50	50	11727	<i>Ampelopsis Royol.</i> . . . 20 g 4 —, Pt.	30
11693	» <i>farnesiana</i> . . . 4,80, »	30	11728	» <i>Veitchi</i> , prachtvolle Schlingpflanze, sich selbst anklammernd, wie Epheu — magnifiquement, s'attachant aux murailles comme le lierre . . . kg 7,50, 20 g 30	30
11694	» <i>Julibrissin</i> . . . 2,20, »	20		» <i>virginiana</i> . . . 32 —, »	80
11695	» <i>f. rosea</i> . . . 10 —, »	30	11729	» <i>virginiana</i> . . . 32 —, »	80
11696	<i>Acer campestre</i> , Feld-Ahorn — Erable champêtre . . . 100 kg 42 —, Pt.	70	11730	<i>Amygdalus communis amara</i> . . . kg 160	160
11697	» <i>circinatum</i> . . . 20 g 1 —, Pt.	20	11731	» <i>communis dulcis</i> . . . »	160
11698	» <i>Douglasii</i> . . . 1,20, »	20	11732	» » <i>fragilis</i> . . . »	400
11699	» <i>Ginnala</i> , sehr schön — très beau . . . kg 27 —, 20 g 70	70	11733	» <i>persica</i> , Pfirsich . . . »	130
11700	» <i>japonicum</i> . . . 32 —, »	80	11734	<i>Anagryis foetida</i> . . . kg 8 —, 20 g 30	30
11701	» <i>macrophyllum</i> . . . 6 —, »	20	11735	<i>Andromeda axillaris</i> . . . 20 g 2,60, Pt.	30
11702	» <i>Negundo</i> . . . 100 kg 54 —, kg 80	80	11736	» <i>floribunda</i> . . . 2,60, »	30
11703	» <i>oblongum</i> , Wall. . . kg 10 —, 20 g 40	40	11737	» <i>japonica</i> . . . »	30
11704	» <i>platanoides</i> , Spitz-Ahorn — Erable plané . . . 100 kg 54 —, kg 80	80	11738	» <i>polifolia</i> . . . 20 g 5 —, »	30
11705	» » <i>Reitenbachi</i> , Laub dunkelroth — feuillage rouge foncé . . . kg 5 —, 20 g 20	20	11739	» <i>gemischt</i> — mélange . . . 20 g 2,40, »	30
11706	» » <i>Schwedleri</i> . . . 4,50, »	20	11740	<i>Anona triloba (Aeimina)</i> . . . kg 7,50, 20 g 30	30
11707	» <i>polymorphum atropurpureum</i> . . . 1000 S. 5 —, 50 S.	30	11741	<i>Anthylli barba Jovis</i> . . . »	80
11708	» <i>Pseudoplatanus</i> , gemeiner Ahorn — Sycamore . . . 100 kg 54 —, kg 80	80	11742	<i>Aralia japonica (sineusis)</i> . . . 20 g 1,30, Pt.	20
11709	» » <i>fol. atropurpureis</i> . . . kg 3,50, 20 g 15	15	11743	» <i>spinosa</i> . . . » — 80, »	15
11710	» <i>rubrum</i> . . . 36 —, »	90	11744	<i>Arbutus Andrachne</i> , Erdbeerbaum . . . 20 g 1,80, »	20
11711	» <i>saccharinum</i> , amerik. Saat — gr. récoltés en Amérique . . . kg 8 —, 20 g 30	30	11745	» <i>Menziesii</i> . . . » — 80, »	15
11712	» <i>striatum</i> . . . 8 —, »	30	11746	» <i>Unedo</i> . . . kg 6,50, 20 g 25	25
11713	» <i>tataricum</i> , echt — vrai . . . 8 —, »	30	11747	<i>Arctostaphylos glauca</i> , Manzanita, auch Rotherinde in Californien genannt; — Manzanita ou Ecorce rouge de Californie . . . kg 16 —, 20 g 50	50
11714	<i>Aesculus Hippocastanum</i> 100 kg 18 —, kg 50	50	11748	» <i>pungens</i> . . . »	70
11715	» <i>rubicunda</i> . . . 200	200	11749	<i>Aristolochia altissima</i> . . . 20 g 3,20, Pt.	40
11716	<i>Ailantus glandulosa</i> , Götterbaum, werthvolles Seidenraupenfutter — Vernis du Japon, bonne nourriture pour le ver à soie . . . 100 kg 54 —, kg 80	80	11750	» <i>sempervirens</i> . . . 100 S. 1,60, 10 S.	20
11717	<i>Akebia quinata</i> . . . 20 g 1,60, Pt.	20	11751	» <i>Sipho</i> , Pfeifenstrauch . . . 20 g 4,30, Pt.	40
11718	<i>Alnus cordifolia</i> . . . kg 7,50, 20 g 30	30	11752	<i>Armeniaca vulgaris</i> , Aprikosenkerne . . . Abrietotier kg 130	130
11719	» <i>glutinosa</i> , Rotherle — Aune commun . . . 100 kg 75 —, kg 110	110	11753	<i>Arouia arbutifolia</i> (Sorbus melanocarpa) . . . 20 g 1 —, 20	20
11720	» <i>incana</i> , Weisslerle — A. blanc cotonneux . . . 100 kg 210 —, kg 280	280	11754	<i>Atraphaxis spinosa</i> . . . » — Pt.	40
11721	» <i>Oregona</i> . . . 20 g 1,20, Pt.	20	11755	<i>Atriplex Halimus</i> . . . kg 7,50, 20 g 30	30
11722	<i>Amelanchier canadensis</i> . . . 20 g 70	70	11756	<i>Aucuba japonica</i> , verschiedene Sorten gemischt — plusieurs variétés en mélange 100 S. 1 —, 20 S.	30
11723	<i>Amorpha fragnans nana</i> . . . »	20	11757	» » <i>viridis</i> . . . 100 » 1 —, 20 »	30
11724	» <i>fruticosa</i> . . . kg 2 —, »	15	11758	<i>Azalea mollis</i> . . . 20 g 5 —, Pt.	40
11725	» <i>glabra</i> . . . 3,50, »	20	11759	» <i>occidentalis</i> . . . 5 » 2 —, »	40
11726	<i>Ampelopsis quinquefolia</i> , wilder oder Jungfernwine — Vigne vierge . . . kg 4,50, 20 g 20	20	11760	» <i>pontica</i> , viele Varietäten gemischt — beau mélange . . . 20 g 3,50, Pt.	40
			11761	» <i>pontica</i> , Genter Sorten in prachtvollem Farbespiel — variétés de Gand, extra . . . 20 g 6 —, Pt.	40

No.		Pf.	No.		Pf.
11762	Baccharis halimifolia	20 g 30	11833	Caryopteris mastacanthus, prächtiger Strauch mit dunkelblauen, im Herbst erscheinenden Blumen — arbrisseau magnifique à fl. bleu foncé	40
11763	Benthamia fragifera . . . kg 7 —,	25		5 g 3,50, Pt.	20
11764	Berberis Aquifolium, Beeren — baies	10	11834	Castanea americana . . . kg 5,20, Pt.	20
	kg 2,60, 20 g	10	11835	» japonica	8 —, 100 » 100
11765	» Aquifol. r. S. — gr. n.	6,60, » 20	11836	» vesca, essbare Kastanie — Chataignier	100 kg 56 —, kg 80
11766	» asiatica	16 —, » 50	11837	» » macrocarpa, Maronen . . .	» 160
11767	» Beali (Mahonia)	16 —, » 20	11838	Castanopsis chrysophylla	20 g 1,20, Pt. 20
11768	» canadensis	5,20, » 50		Catalpa, vide Bignonia.	
11769	» Darwinii . . . 100 S. — 80, 20 S.	20	11839	Ceanothus africanus	20 g 70
11770	» elegans	kg 10 —, 20 g 40	11840	» americanus	» 60
11771	» Fortunei . . . 100 S. 1 —, 20 S.	20	11841	» Arnoldi	» 140
11772	» gracilis (Mah.) . . . kg 7 —, 20 g	35	11842	» azureus	kg 20 —, » 60
11773	» heteropoda, mit essbaren grossen blauen Beeren — à grandes baies bleues omeestibles 20 g — 50, Pt.	10	11843	» divaricatus	20 g 1,80, Pt. 20
11774	» integerrima	60, » 15	11844	» Gloire de Vaise	3,20, » 30
11775	» Jamesonii	kg 11 —, 20 g 40	11845	» » Versailles	3,20, » 30
11776	» japonica (Mahonia), Beeren — fruits	kg 11 —, 20 g 40	11846	» integerrimus, prächtige oaliformische Species — très-belle espèce de la Californie	20 g 2,20, Pt. 20
11777	» » r. S. — gr. n.	16 —, » 50	11847	» thyrsoflorus	» 2,20, » 20
11778	» repens (Mahonia)	32 —, » 80	11848	Celastrus scandens	kg 36 —, 20 g 90
11779	» Thunbergii	110	11849	Celtis australis	» 2,60, » 20
11780	» vulgaris, Beeren — baies . . . kg 140		11850	» cordifolia (Sponia)	» 4,60, » 20
11781	» » reiner S. — gr. nettes . . .	220	11851	» occidentalis	» 2,40, » 20
11782	» » fol. purpurea, constant aus Samen — vient constant par graines . kg 7 —, 20 g	25	11852	» orientalis (sinensis)	» 5,20, » 20
11783	» » fructu violaceo	5 —, » 20	11853	Cephalanthus occidentalis . . .	15 —, » 50
11784	Berchemia volubilis	20 g 3,20, Pt. 20	11854	Ceratonia Siliqua, Johannisbrodbaum — Caroubier à siliques . . . kg 3 —, 20 g	15
11785	Betula alba, Birke — Bouleau commun.	100 kg 46 —, kg 70	11855	Cercidiphyllum japonicum . 5 g 1,20, Pt.	40
11786	» » laciniata pendula » 10 —, 20 g	40	11856	Cercis canadensis	kg 4,20, 20 g 20
11787	» americana alba	16 —, » 50	11857	» occidentalis	20 g 2,40, Pt. 30
11788	» excelsa	70	11858	» Siliquastrum, Judasbaum — Arbre de Judée	kg 1,80, 20 g 15
11789	» lenta	70	11859	» » fl. albo	7 —, » 30
11790	» Intea	80	11860	Chionanthus virginica	» 100
11791	» nigra	kg 27 —, » 70	11861	Cissus heterophylla foliis variegatis	20 g 1,40, Pt. 20
11792	» odorata	1,40, » 10	11862	Cistus albidus, Cistenröschchen . . .	20 g 140
11793	» papyrifera	32 —, » 80	11863	» canariensis	20 g 1,60, Pt. 20
11794	» pendula	1,60, » 10	11864	» creticus	» 1,60, » 20
11795	» populifolia	20 —, » 60	11865	» cypricus	» 1,60, » 20
11796	» pumila	Pt. 30	11866	» ladaniferus	» 40
11797	» rubra	kg 37,50, 20 g 100	11867	» laxus	20 g 1,60, » 20
11798	Bignonia Catalpa, r. Same — gr. nettes	kg 2 —, 20 g 15	11868	» monspeliensis	» 1,60, » 20
11799	» Bungeana vera	8 —, » 100	11869	» platysepalus	» 1,60, » 20
11800	» capreolata	100	11870	» purpureus	» 1,60, » 20
11801	» grandiflora	20 g — 70, Pt. 15	11871	» salvifolius	» 1,20, » 20
11802	» Kaempferi	kg 5,50, 20 g 20	11872	Cladrastis tinctoria	» 60, » 15
11803	» radicans	» 24 —, » 70	11873	Clematis alpina	» 1 —, » 20
11804	» speciosa (Catalpa), die härteste Sorte — l'espèce la plus rustique	kg 8 —, 20 g 30	11874	» coccinea	kg 8 —, 20 g 30
11805	Broussonetia papyrifera, Papier-Maulbeere.	kg 8 —, 20 g 30		» obovata, siehe Stauden — voy. pl. vivaces.	
11806	Buddleia Lindleyana	11 —, » 40	11875	» flammula	kg 3,20, 20 g 20
11807	Bumelia lycioides	16 —, » 50	11876	» Fortunei	100 S. 1 —, 20 S. 30
11808	» tenax	11 —, » 40	11877	» fusca	» 100 —, Pt. 30
11809	Bupleurum fruticosum	7 —, » 25	11878	» graveolens, mit gelben Blumen, schön — à fleurs jaunes 20 g — 70, Pt.	15
11810	Buxus sempervirens	4,50, » 20	11879	» hybrida, grossblumige Hybriden, gemischt — mélange des hybrides à grandes fleurs . . . 20 g 7 —, Pt.	30
11811	Callicarpa americana . . . 20 g 1 —, Pt.	20	11880	» hybrida fl. pleno, gemischt — à fl. double en mélange	100 S. 1 —, 20 S. 30
11812	» arborea	2 —, » 30	11881	» hybr. Jeanne d'Arc	» 20 » 40
11813	» japonica	1,50, » 20	11882	» » Miss Bateman	» 20 » 30
11814	» purpurea	1,10, » 20	11883	» » Star of India	» 20 » 30
11815	Calycanthus floridus . . . kg 11,80, 20 g	40	11884	» Otto Froebel	100 S. 1 —, 20 » 30
11816	» occidentalis (macrophyllus) . . .	140	11885	» Jackmanni	100 S. 1 —, 20 » 30
11817	» praecox (Chimonanthus fragrans)	kg 7,50, » 30	11886	» lanuginosa	100 » 1 —, 20 » 30
11818	» » aurantiacus	10,80, » 40	11887	» montana	kg 10 —, 20 g 40
11819	» » grandiflorus	11 —, » 40	11888	» » grandiflora	20 g — 80, Pt. 15
11820	» » roseus	16 —, » 50	11889	» patens Sophia 1000 S. 8 —, 20 S.	25
11821	Capparis inermis	80	11890	» » Sophia fl. pleno 1000 » 10 —, 20 »	30
11822	» spinosa, echter Kapernstrauch — Caprier	kg 32 —, 20 g 90	11891	» Veitchi (lanug. John Gould Veitch flore pleno)	100 S. 1,20, 20 S. 30
11823	Caragana arborescens, Erbsenbaum — Acacia de Sibérie	kg 3,50, 20 g 15	11892	» virginiana	» 20 g 80
11824	» frutescens	20 g 1,10, Pt. 20	11893	» Vitalba	kg 1,80, » 10
11825	Carpinus americana	kg 18,50, 20 g 20	11894	» Viticella (fl. coerules)	» 2,60, » 15
11826	» Betulus, Hain- oder Weissbuche. — Charme commun. 100 kg 64 —, kg	100	11895	Clethra alnifolia	20 g 4,50, Pt. 30
11827	» Ostrya	kg 3,80, 20 g 20	11896	» arborea	» 1,20, » 20
11828	Carya alba	kg 220	11897	Colutea arborescens	kg 2,40, 20 g 10
11829	» amara	240			
11830	» olivaeformis	400			
11831	» sulcata	450			
11832	» tomentosa	240			

No.		Pf.	No.		Pf.
11898	<i>Convolutus floridus</i> . . . 100 S. 2,50, 10 S.	30	11966	<i>Evonymus japonicus foliis argenteis</i>	
11899	<i>Cornus alba sibirica</i> . . . kg 11 —, 20 g	40		varieg. 20 g	50
11900	» <i>florida</i> . . . » 8 —, »	30	11967	» <i>japonicus foliis aureis varieg.</i>	» 60
11901	» <i>mascula</i> , Korneliuskirsche —		11968	» <i>latifolius</i> kg 5,20, »	20
	Cornouiller mâle kg 120		11969	<i>Exochordagrandiflora</i> 20 g 1,60, Pt.	30
11902	» <i>Nuttallii</i> 20 g	60	11970	<i>Fagus americana</i> . . . kg 8 —, 20 g	30
11903	» <i>paniculata</i> kg 140		11971	» <i>sylvatica</i> , Rothbuche	
11904	» <i>sanguinea</i> kg 140			100 kg 68 —, kg	100
11905	» <i>sericea</i> kg 20 —, 20 g	60	11972	» » <i>purpurea</i> . . . kg 10 —, 20 g	40
11906	<i>Coronilla Emerus</i> » 11 —, »	40	11973	<i>Ficus Carica</i> , beste cultiv. Feigen-Sort.	
11907	» <i>glauca</i> » 8 —, »	30		20 g 1,10, Pt.	20
11908	<i>Corylus Avellana</i> , Haselnuss — Noisette		11974	<i>Fontanesia phyllaracoides</i> kg 11 —, »	40
	commune kg 160		11975	<i>Forsythia suspensa</i> 100 S. 1 —, 20 S.	25
11909	» <i>Avellana piemontensis</i> » 300		11976	» <i>viridissima</i> 100 » 1 —, 20 »	25
11910	» » <i>sicilianische</i> » 300		11977	<i>Fortunea chinensis</i> . . . 20 g 1,80, Pt.	20
11911	» » <i>foliis purpureis</i> . kg 11 —, 20 g	40	11978	<i>Fraxinus americana (alba)</i> kg 6 —, 20 g	20
11912	<i>Cotoneaster buxifolia</i> » 6,60, »	20	11979	» <i>excelsior</i> , gemeine Esche — Frêne	
11913	» <i>horizontalis</i> 100 S. 2,60, 10 S.	30		commun 100 kg 42 —, kg	70
11914	» <i>melanocarpa</i> » 20 g	80	11980	» » <i>pendula</i> , Traueresche — Frêne	
11915	» <i>microphylla</i> kg 8 —, »	30		pleureur kg 1,10, 20 g	10
11916	» <i>Simmondsi</i> » 12,50 »	40	11981	» <i>Oregona</i> » 24 —, »	70
	<i>Crataegus arbutifolia</i> , vide <i>Photinia</i> .		11982	» <i>Ornus</i> » 1,10, »	10
11917	» <i>Azarolus</i> kg 10 —, »	40	11983	» <i>pubescens</i> » 2 —, »	10
11918	» <i>coccinea</i> » 1,10, »	10	11984	» <i>sambucifolia</i> » 16 —, »	50
11919	» <i>crus galli</i> » 2,40, »	20	11985	» <i>viridis</i> » 11 —, »	40
11920	» » <i>splendens</i> » 3,40, »	20	11986	<i>Fremontia californica</i> , ein schöner	
11921	» <i>glabra</i> (Phot. serrulata) . . . 4,50, »	20		3 m hoher Strauch mit feigenblatt-	
11922	» <i>nepalensis</i> » 5 —, »	20		ähnlicher Belaubung und dunkelgelben	
11923	» <i>Oxyacantha</i> , gem. Weissdorn, tro-			grossen Blumen — bel abrisseau à	
	ckene Beeren — Epine blanche,			grandes fleurs jaune foncé 20 g 2,60, Pt.	40
	baies sèches . . . 100 kg 36 —, kg	60	11987	<i>Gaultheria procumbens</i> . . . » 80, »	20
11924	» <i>Oxyacantha</i> , reiner S. — gr. nettes		11988	» <i>Shallon</i> » 1,80, »	20
	100 kg 90 —, kg	120	11989	<i>Genista germanica</i> » 1 —, »	20
11925	» » <i>pendula</i> kg 5 —, 20 g	20	11990	» <i>tinctoria</i> kg 4,60, 20 g	20
11926	» <i>punctata maliformis</i> , mit sehr		11991	<i>Gleditschia caspica</i> » 8 —, »	30
	grossen, essbaren Früchten — à		11992	» <i>inermis</i> » 4 —, »	20
	fruits très gros, comestibles		11993	» <i>japonica</i> » 27 —, »	70
	kg 7 —, 20 g	20	11994	» <i>sinensis (horrida)</i> . . . 3,50, »	20
11927	» <i>Pyraecantha</i> » 2,60, »	20	11995	» <i>tricanthos</i> 100 kg 64 —, kg	90
11928	» <i>sanguinea</i> , der echte sibirische		11996	<i>Glycine brachybotrys</i> 20 g 120	
	blutrote Heckendorn, reiner Same		11997	» <i>floribunda</i> kg 20 —, »	50
	— la véritable espèce de l'Epine		11998	» <i>frutescens</i> » 5 —, »	20
	sibérienne rouge sang. gr. n.		11999	» <i>magnifica</i> 20 g 1 —, Pt.	20
	kg 8 —, 20 g	30	12000	» <i>multijuga</i> » 1,60, »	20
11929	<i>Cydonia japonica</i> , reiner S. — gr. n.		12001	» <i>sinensis</i>	
	kg 32 —, 20 g	80		kg 36 —, 20 g — 90, 100 S. 2,20, 10 S.	30
11930	» <i>vulgaris</i> , gem. Quitte — Coignassier		12002	» <i>fl. albo</i> 20 g 2 —, 5 »	30
	commun kg 7 —, 20 g	30	12003	<i>Gymnocladus canadensis</i> . . . kg 7,50, 20 g	30
11931	<i>Cytisus alpinus</i> » 5 —, »	20	12004	<i>Halesia diptera</i> » —, »	80
11932	» <i>capitatus</i> » 50		12005	» <i>tetraptera</i> » 20 —, »	60
11933	» <i>elongatus</i> kg 16 —, »	50	12006	<i>Halimodendron argenteum</i>	
11934	» <i>hirsutus</i> » 20 —, »	60		1000 S. 6,50, 20 S.	20
11935	» <i>Laburnum</i> » 2,40, »	15	12007	<i>Hamamelis virginiana</i> 20 g 110	
11936	» <i>nigricans</i> » 16 —, »	50	12008	<i>Hedera Helix</i> , Epheu — Lierre commun.	
11937	» <i>proliferus albidus</i> » 4,60, »	20		kg 1,50, 20 g	10
11938	» <i>purpureus</i> 20 g 1,60, Pt.	20	12009	» » <i>fructu luteo</i> » 2 —, »	10
11939	» <i>sessilifolius</i> » 20 g	80	12010	» <i>hibernica</i> » 5,50, »	20
11940	» <i>triflorus</i> » 120			» <i>quinquefolia</i> vide <i>Ampelopsis</i> .	
11941	<i>Daphne Gnidium</i> , Seidelbast » 80		12011	<i>Hellanthemum variabile</i> , gemischt — mé-	
11942	» <i>Laureola</i> » 100			lange kg 9 —, 20 g	30
11943	» <i>Mezereum</i> , r. S. — g. n. kg 11 —, »	40	12012	<i>Hibiscus syriacus</i> , gemischt — mélange	
11944	<i>Desmodium Dilleni</i> Pt.	30		kg 2,20, 20 g	15
11945	» <i>nutans</i> » 20		12013	» » <i>fl. pl.</i> , gefüllte Varietäten	
11946	» <i>penduliflorum</i> 20 g 5 —, »	30		gemischt — à fl. doubles en mélange.	
11947	<i>Deutzia crenata</i> (scabra) . kg 13,50, 20 g	40		kg 3,50, 20 g	20
11948	» » <i>fl. pleno</i> » 13,50, »	40	12014	<i>Hippophaë rhamnoides</i> . . . » 5 —, »	20
11949	» » » <i>candidissima</i> » 80		12015	<i>Hydrangea hort.</i> Impératrice Eugénie.	
11950	» <i>Fortunei</i> » 50			1 g — 80, Pt.	40
11951	<i>Diervilla japonica</i> 20 g 2,50, Pt.	30	12016	» <i>japonica rosaba</i> . . . 20 » 3,20, »	40
11952	<i>Dimorphanthus mandschuriensis</i> .		12017	» <i>Thomas Hogg</i> » 50	
	20 g 1 —, »	20	12018	» <i>paniculata grandiflora</i> » 50	
11953	<i>Diospyros Kaki</i> 20 g 50		12019	<i>Hypericum calycinum</i> 20 g 100	
11954	» <i>Lotus</i> kg 2 —, »	30	12020	<i>Iedisia polycarpa</i> (Polycarpa Maximowiczii), prachtvoller kleiner Baum	
11955	» <i>lucida</i> » 8 —, »	20		mit sehr grosser schöner Belaubung,	
11956	» <i>Mazeli</i> 100 S. 4,50, 5 S.	25		Samen fein — très bel arbre de petite	
11957	» <i>virginiana</i> kg 4 —, 20 g	20		taille à très-grandes et belles feuilles,	
11958	<i>Dirca palustris</i> » —, »	180		très-rustique; graines fines.	
11959	<i>Elaeagnus angustifolia</i> » —, »	60		20 g 1 —, Pt.	20
11960	<i>Erica arborea</i> 20 g 2,60, Pt.	30	12021	<i>Ilex Aquifolium</i> , zu Hecken, Beeren —	
11961	» <i>vulgaris</i> , reiner S. — gr. nettes			Houx commun, fruits . . . kg 150	
	20 g 2,60, »	30		kg 5,20, 20 g	20
11962	<i>Evonymus atropurpureus</i> 20 g	60	12022	» » <i>reiner Same</i> — gr. nettes.	
11963	» <i>enropaeus</i> kg 3,20, »	20		kg 5,20, 20 g	20
11964	» <i>fimbriatus</i> » 7,50, »	30	12023	» » <i>fol. aur. var.</i> » 3,20, »	15
11965	» <i>japonicus</i> » 5 —, »	20	12024	» » <i>fol. arg. var.</i> » 3,20, »	15
			12025	» <i>furcata</i> » 7,50, »	30

No.		Pf.	No.		Pf.
12026	<i>Ilex japonica latifolia</i> . . . kg 9 —, 20 g	30	12097	<i>Magnolia Soulangeana</i> . . . kg 15 —, 20 g	50
12027	» <i>laurifolia</i> . . . » 5 —, » 20	20	12098	» <i>stellata</i> (Halleana) 100 S. 2,60, 10 S.	30
12028	<i>Incarvillea Olgae</i> . . . 20 g 2,60, Pt.	30	12099	» <i>tripetala</i> (umbrella) . . . » 9 —, » 70	40
12029	<i>Indigofera dosua</i> , in Schoten — gousses		12100	» <i>Yulan</i> (conspicua) . . . » 3 —, » 30	40
12030	» » <i>r. S.</i> — gr. n. 20 g 2,60, Pt.	20	12101	<i>Mallotus</i> (Rottlera) <i>barbatus</i> 100 S. 2,50, 10 S.	30
12031	» <i>dosua purpurea</i> , Schoten — gousses		12102	» <i>japonicus</i> . . . 20 g 1,40, Pt.	20
	kg 11 —, 20 g	40	12103	<i>Mandevilla suaveolens</i> . . . » 20 g	70
12032	» <i>Roylei</i> Pt.	40	12104	<i>Melia Azedarach</i> kg 1,80, »	20
12033	» <i>tinctoria</i> kg 7 —, 20 g	30	12105	» <i>japonica</i> (floribunda) . . . » 9 —, » 30	20
12034	<i>Jasminum gracile</i> » 60		12106	» » <i>compacta nana</i> . . . » 60	60
12035	<i>Juglans ailantifolia</i>		12107	» <i>sempervirens</i> . . . 20 g — 60, Pt.	10
	100 Nüsse — noix 5 —, 5 Nüsse	30	12108	<i>Menispermum canadense</i> . . . » 3 —, » 30	30
12036	» <i>cinerea</i> kg 250		12109	» <i>davuricum</i> . . . » 3 —, » 30	30
12037	» <i>nigra</i> 100 kg 70 —, » 110		12110	<i>Mespilus Amelanchier</i> . . . kg 5 —, 20 g	20
12038	» <i>Regia</i> , gewöhnliche Wallnuss.		12111	» <i>germanica</i> (Mispel) . . . » 20 —, » 60	60
	100 kg 72 —, » kg 120		12112	<i>Morus alba</i> , weisse Maulbeere —	
12039	» » <i>laciniata</i> . . . 100 N. 4 —, 5 N.	25		» <i>Murier blanc</i> . . . kg 4,80, 20 g	20
12040	» » <i>macrocarpa</i> . 100 » 5 —, 5 »	30	12113	» <i>Moretiana</i> » 13,50, »	40
12041	» » <i>praeparturiens</i> (fertilis)		12114	» <i>nigra</i> , schwarze . . . » 5,20, »	20
	100 Nüsse 4 —, 5 Nüsse	25	12115	» <i>rosea</i> » 7 —, » 30	30
12042	<i>Kalmia angustifolia</i> . . . 20 g 5 —, Pt.	40	12116	» <i>tartarica</i> » 27 —, » 70	70
12043	» <i>latifolia</i> » 1,40, »	20	12117	<i>Myrica californica</i> . . . » 42 —, » 110	110
12044	<i>Koeleria paniculata</i> . . . kg 1,80, 20 g	10	12118	» <i>cerifera</i> » 16 —, » 50	50
12045	<i>Laurus Benzoin</i> » 24 —, » 70	70	12119	» <i>Gale</i> » 40	40
12046	» <i>glandulifera</i> » 8 —, » 30	30	12120	<i>Myrtus acris</i> 1000 S. 6 —, 50 S.	40
12047	» <i>indica</i> » 4 —, » 20	20	12121	» <i>communis</i> , r. S. — gr. n. kg 9 —, 20 g	30
12048	» <i>nobilis</i> » 1,20, » 10		12122	» » <i>fructu albo</i> . . . » 13,50, »	40
12049	» <i>Sassafras</i> » 50		12123	» <i>romana</i> » 4,20, » 20	20
12050	<i>Lavandula vera</i> (officinalis) kg 9 —, » 30		12124	» <i>tarentina</i> » 7,50, » 30	30
12051	<i>Lavatera arborea</i> » 8,80, » 30		12125	» <i>Ugni</i> (Eugenia) 1000 S. 1,50, 100 S.	20
12052	» » <i>variegata</i> . . . 20 g 2 —, Pt.	20	12126	<i>Negundo aceroides</i> . . . kg 11 —, 20 g	40
12053	» <i>assurgentiflora</i> , schöner californischer Strauch mit grossen leuchtend rosa Blumen — bel arbrisseau de la Californie à gr. fleurs d'un rose vif 20 g 3,20, Pt.	30	12127	<i>Nuttallia cerasiformis</i> . . . 20 g 2,60, Pt.	30
12054	<i>Leiophyllum buxifolium</i> . . . » 4 —, » 30		12128	<i>Nyssa aquatica</i> 20 g 120	120
12055	<i>Lepedeza bicolor</i> » 1,80, » 20		12129	» <i>capitata</i> » 120	120
12056	» <i>striata</i> , in Schoten — en gousses		12130	» <i>multiflora</i> (sylvatica) . kg 7,50, »	30
	kg 5 —, 20 g	20	12131	» <i>uniflora</i> » 100	100
12057	<i>Ligustrum japonicum</i> . . . » 2 —, » 10		12132	<i>Olea europaea</i> kg 2,40, »	10
12058	» <i>lucidum</i> » 3,20, » 20		12133	» <i>nigra</i> , kleine schwarze — petite	
12059	» <i>ovalifolium</i> » 7,50, » 30			» <i>noire</i> kg 4,50, 20 g	20
12060	» <i>sinense</i> » 3,20, » 20		12134	» <i>oblonga</i> , Picholin Olive . . » 3,20, »	15
12061	» <i>vulgare</i> , zu Hecken 100 kg 70 —, » kg 110		12135	<i>Oreodaphne californica</i> . . » 16 —, » 50	50
12062	<i>Liquidambar styraciflua</i> , reiner Same — gr. nettes 20 g 1,40, Pt.	20	12136	<i>Ostrya carpinifolia</i> » 3,50, »	20
12063	<i>Liriodendron tulipifera</i> , Tulpenbaum — Tulipier . . . 100 kg 136 —, kg 180		12137	» <i>virginica</i> » 18 —, » 50	50
12064	» <i>tulipifera</i> , amerikan. Same — graine d'Amérique . . . kg 7 —, 20 g	30	12138	<i>Paeonia arborea</i> , verschiedene gefüllte — mélange . 20 g 1 —, Pt.	20
12065	<i>Lonicera Alberti</i> 20 g 1,80, Pt.	20	12139	» » beste Sorten gemischt — choix extra 20 g 2,60, Pt.	30
12066	» <i>alpigena</i> » 20	50	12140	<i>Paliurus aculeata</i> , Christnadsorn — Pa-	
12067	» <i>brachypoda</i> kg 18 —, » 50			» <i>liure épineux</i> . . . 100 kg 72 —, kg 110	110
12068	» <i>reticulata</i> » 70		12141	» <i>aculeata</i> , r. S. — gr. n. kg 4,50, 20 g	20
12069	» <i>Caprifolium</i> kg 16 —, » 50		12142	<i>Paulownia imperialis</i> . . . » 2,60, »	20
12070	» » <i>flavum</i> 20 g 2,50, Pt.	30	12143	<i>Peraphyllum ramosissimum</i> , sel-	
12071	» <i>chrysantha</i> » 1,80, » 20			» <i>tener</i> und schöner Strauch — bel	
12072	» <i>japonica</i> » 80, » 15			» <i>arbuste très rare</i> . . . 20 g 4,80, Pt.	40
12073	» <i>Maximowiczii</i> » 2,60, » 30		12144	<i>Periploca graeca</i> » 1,10, » 20	20
12074	» <i>Morowi</i> » 1,80, » 20		12145	» <i>laevigata</i> » 3,20, » 30	30
12075	» <i>nigra</i> » 1 —, » 20		12146	<i>Persica vulgaris</i> , Pfirsichkerne . . kg 130	130
12076	» <i>Periclymenum</i> . . . kg 15 —, 20 g	50	12147	<i>Phellodendron amurense</i> . 20 g 2,60, Pt.	30
12077	» <i>Ruprechtiana</i> . . . 20 g 1,80, Pt.	20	12148	<i>Philadelphus coronarius</i> . . . 20 g 120	120
12078	» <i>tatarica alba</i> 20 g 60		12149	» <i>grandiflorus</i> 20 g 1,10, Pt.	20
12079	» » <i>gracilis</i> » 80		12150	<i>Phillyraea angustifolia</i> . kg 3,60, 20 g	20
12080	» » <i>rosea</i> » 50		12151	» <i>latifolia</i> » 7 —, » 30	30
12081	» » gemischt kg 11 —, » 40		12152	» <i>media</i> » 3 —, » 20	20
12082	» <i>Xylosteum</i> » 4,20, » 20		12153	<i>Phlomis fruticosa</i> » 70	70
12083	<i>Lycium Trewianum</i> (chinese)		12154	» <i>aurea</i> 100 S. 1,50 10 S.	20
	20 g 1,10, Pt.	20	12155	<i>Photinia arbutifolia</i> 20 g 80	80
12084	» <i>vulgare</i> » 1,10, » 20		12156	» <i>serrulata</i> (Orataegus glabra).	
12085	<i>Maclura aurantiaca</i> , Osagen-Orange.			kg 4,50, »	20
	kg 5 —, 20 g	20	12157	<i>Pirus Aria</i> , Mehlbeerbaum — Alouchier.	
12086	<i>Magnolia acuminata</i> . . . » 16 —, » 50			kg 1,80, 20 g	10
12087	» <i>Alexandrina</i> . . . 100 S. 2 —, 10 S.	30	12158	» <i>communis</i> , Birnkerne, französische Saat — Pépins de Poirier, qualité extra . . . kg 9 —, 20 g	30
12088	» <i>Campbelli</i> 100 » 2 —, 10 »	30	12159	» <i>communis</i> , Birnkerne, deutsche Saat — pépins de poirier, récolte du pays kg 7 —, 20 g	25
12089	» <i>fuscata</i> 100 » 2 —, 10 »	30		» <i>japonica</i> , vide Cydonia.	
12090	» <i>glauca</i> 20 g 100		12160	» <i>Malus</i> , Apfelkerne, französische Saat — pépins de pommier, qualité extra 100 kg 170 —, kg 220	220
12091	» <i>grandiflora</i> kg 7,50, » 30		12161	» <i>Apfelkerne</i> , deutsche Saat — pépins de pommier, récolte du pays . 100 kg 315 —, kg 370	370
12092	» » <i>praecox</i> » 11 —, » 40		12162	» » <i>paradisica</i> , Früchte — fruits kg 125	125
12093	» <i>Lenné</i> 100 S. 2 —, 10 S.	30	12163	» <i>Maulei superba</i> . . . 20 g 4 —, Pt.	40
12094	» <i>macrophylla</i> kg 18 —, 20 g	50			
12095	» <i>purpurea</i> (discolor) . . . » 50				
12096	» <i>rustica</i> » 50				

No.	Pf.	No.	Pf.
12164 <i>Pirus torminalis</i> , Früchte — fruits		12233 <i>Rhodotypus kerrioides</i> . . . 20 g — 70, Pt.	20
	kg 2,20, 20 g 20	12234 <i>Rhus copallina</i> kg 20 —, 20 g 60	
12165 <i>Pistacia Lentiscus</i> » 5—, » 20		12235 » <i>Coriaria</i> , Gerber. » 7—, » 25	
12166 » <i>Terebinthus</i> » 5—, » 20		12236 » <i>Cotinus</i> , Perückenstrauch — Sumac	
12167 » <i>vera</i> » 6,50, » 20		<i>fnstet</i> kg 9 —, 20 g 30	
12168 <i>Planera Richardi</i> » 20—, » 50		12237 » <i>glabra</i> » 4,50, » 20	
12169 <i>Platanus occidentalis</i> . . . 100 kg 60 —, kg 90		12238 » <i>laurina</i> » 140	
12170 » <i>orientalis</i> » 100 » 60—, » 90		12239 » <i>Ruffa</i> , schöner Baum mit glän-	
12171 <i>Polycarpa Maximowiczii</i> 20 g 1 —, Pt. 20		zenden Blättern, Fruchtrispen	
12172 <i>Populus alba</i> kg 5,20, 20 g 20		traubenartig — bel arbre à feuilles	
12173 » <i>italica</i> (pyramidalis) . . . » 5,20, » 20		luisantes, fruits en grappes 20 g 80	
12174 » <i>nigra</i> » 5,20, » 20		12240 » <i>succedanea</i> » 60	
12175 » <i>tremula</i> » 5,20, » 20		12241 » <i>Toxicodendron</i> » 70	
12176 <i>Potentilla fruticosa</i> 5 g 2 —, Pt. 40		12242 » <i>typhina</i> , Kessigbaum . kg 3 —, » 10	
12177 <i>Prinos glaber</i> kg 30 —, 20 g 80		12243 » <i>venenata</i> » 27 —, » 70	
12178 » <i>verticillatus</i> » 100		12244 » <i>vernificera</i> » 50	
12179 <i>Prunus Armeniaca</i> , Aprikosenkerne —		12245 <i>Ribes aureum</i> kg 16 —, » 50	
noyaux d'abricots . . . kg 130		12246 » <i>Grossularia</i> , Stachelbeere, —	
12180 » <i>caroliniana</i> kg 32 —, 20 g 80		grossfrüchtige, gemischt —	
12181 » <i>Cerasus Avium</i> , wilde Süßkirsche, —		Groseiller à maquereau cul-	
Vogelkirsche — Merisier des bois		tivé, mél. de var. à gros fruits	
100 kg —, kg 160		kg 18 —, 20 g 50	
12182 » <i>Cerasus dulcis</i> , cultivirte Süß-		12247 » <i>Grossularia Whinham's Indu-</i>	
kirsche — Cerasier cultivé.		stry » 20 g 120	
100 kg 70 —, kg 110		12248 » <i>nigrum</i> , schwarze Johannisbeere —	
12183 » » <i>vulgaris</i> (acida), Sauerkirsche		<i>Cassis</i> » 20 g 120	
100 kg 80 —, kg 120		12249 » » fol. var. 5 g 1 —, Pt. 30	
12184 » <i>damascena</i> » 100 » 75 —, » 120		12250 » <i>rubrum</i> , Johannisbeere, rothe	
12185 » » var. St. Julien . kg 5,20, 20 g 20		grossfrüchtige Sorten gemischt	
12186 » <i>domestica oeconomica</i> , deutsche		— Groseiller rouge, mél. de	
Zwetsche — Zwetsche d'Alle-		var. à gros fruits kg 5 —, 20 g 20	
magne 100 kg 26 —, kg 50		12251 » » <i>Fay's prolific</i> » 8 —, » 30	
12187 » » <i>Mirabelle</i> » 100 » 60 —, » 100		12252 » » weisse grossfrüchtige — à fruit	
12188 » » <i>Reine Claude</i> . 100 » 66 —, » 100		blanc kg 8 —, 20 g 30	
12189 » <i>Lauro-Cerasus</i> — Laurier cerise » 250		12253 » » gem. — en mélange » 5 —, » 20	
12190 » » <i>colchica</i> . . . kg 4 —, 20 g 20		12254 » <i>sanguineum</i> 20 g 1,80, Pt. 20	
12191 » <i>lusitanica</i> » 2,60, » 20		12255 » <i>saxatile</i> » 20 g 60	
12192 » <i>Mahaleb</i> 100 kg 126 —, kg 170		12256 <i>Robinia Pseudocacia</i> , gemeine Acacie	
12193 » <i>Myrobalana</i> » 100 » 52 —, » 80		— <i>Acacia commun</i>	
12194 » <i>Padus</i> , Traubenkirsche. — Ceri-		100 kg 72 —, kg 110	
sier à grappes . kg 2,60, 20 g 20		12257 » » <i>Bessoniana</i> . kg 10 —, 20 g 40	
12195 » <i>serotina</i> » 8 —, » 30		12258 » » <i>Decaisneana</i> » 80	
12196 » <i>spinosa</i> (Schlehe oder Schwarz-		12259 » » <i>monophylla</i> . kg 13,50, » 40	
dorn) — Prunellier 100 kg 34 —, kg 60		12260 » » <i>pyramidalis</i> . . . 10 —, » 40	
12197 » <i>virginiana</i> kg 4,50, 20 g 20		12261 » <i>tortuosa</i> » 16 —, » 50	
12198 <i>Ptelea trifoliata</i> » 4,50, » 20		12262 » <i>viscosa</i> » 11 —, » 40	
12199 <i>Pterocarya caucasica</i> . . . » 15 —, » 50		12263 <i>Rosa bengalensis</i> , schöne Sorten, ge-	
12200 <i>Punica Granatum dulcis</i> . . » 13,50, » 40		misch, Früchte — mélange,	
12201 » » <i>fl. albo</i> » 16 —, » 40		fruits kg 8 —, 20 g 30	
12202 » <i>nana</i> » 70		12264 » » <i>r. S. — gr. n.</i> » 20 —, » 60	
12203 <i>Quercus Cerris</i> kg 160		12265 » <i>canina</i> , wilde oder Hundrose,	
12204 » <i>coccinea</i> » 160		<i>r. S. — Eglantier</i> , gr. n.	
12205 » <i>Ilex</i> , Stechpalm-Eiche — Ch. vert » 180		100 kg 42 —, kg 70	
12206 » <i>macrocarpa</i> » 250		12266 » » <i>uralensis</i> kg 5,20, 20 g 20	
12207 » <i>palustris</i> » 250		12267 » » <i>cinnamomea</i> » 5,20, » 20	
12208 » <i>pedunculata</i> 100 kg 26 —, » 50		12268 » <i>hybrida</i> , Remontant-Rosen, gem., r. S.	
12209 » <i>pyramidalis</i> (sempervirens) . . » 150		— hybr. remont. varié, gr. n. 20 g 120	
12210 » <i>Robur</i> , gemeine 100 kg 26 —, » 50		12269 » » <i>Remontant-Rosen</i> , Früchte	
12211 » <i>rubra</i> , amerikanischerothe		en fruits kg 12,50, 20 g 40	
Eiche, echt — Ch. rouge d'Amé-		12270 » <i>laxa</i> » 5,20, » 20	
rique 100 kg 46 —, kg 80		12271 » <i>lucida</i> » 5 —, » 20	
12212 » <i>Suber</i> , Korkeiche — Chêne liège » 450		12272 » <i>multiflora</i> , gute Unterlage —	
12213 <i>Rhamnus Alaternus</i> kg 3,60, 20 g 20		pour sujets kg —, 20 g 40	
12214 » <i>alpinus</i> » 7,50, » 30		12273 » <i>pimpinellifolia</i> » 8 —, » 30	
12215 » <i>catharticus</i> » 3,60, » 20		12274 » <i>pisocarpa</i> » 60	
12216 » <i>Frangula</i> » 2,40, » 20		12275 » <i>polyantha</i> , beste Unterlage für	
12217 » <i>infectorius</i> (tinctorius) » 5 —, » 20		Topfrosen, Samen keimen leicht	
12218 » <i>Purshianus</i> » 40 —, » 120		— porte-greffe pour la culture du	
12219 » <i>ntilis</i> » 8 —, » 30		Rosier en pots, les graines ger-	
12220 <i>Rhododendrus Berthelotianus</i> 20 g 2,20, Pt. 30		ment très facilement kg 8 —, 20 g 30	
12221 <i>Rhododendron arbor. hybrid.</i> » 4 —, » 40		12276 » <i>polyantha scandens hybrida</i> ,	
12222 » <i>californicum</i> » 5 —, » 40		rankend — grim pant kg 13,50, 20 g 40	
12223 » <i>Catawbiense hybrid.</i> , viele Sorten		12277 » <i>polyantha multiflora</i> , neue	
gem. — mélange . . 20 g 5,50, Pt. 40		remontierende, einfache und	
12224 » <i>caucasicum</i> » 40		gefüllte Varietäten gemischt. Die	
12225 » <i>Cunninghami album</i> » 40		Samen keimen leicht, und die Säm-	
12226 » <i>Edgeworthi</i> » 40		linge blühen zum grössten Theile	
12227 » <i>ferrugineum</i> 20 g 4 —, » 40		schon im ersten Jahre — remon-	
12228 » <i>himalayense</i> » 40		tant varié, à fleurs simples et	
12229 » <i>hirsutum</i> 20 g 4 —, » 40		doubles. Les semis fleuriront la	
12230 » <i>hybridum</i> , Misch. d. schönst. Hybri-		première année. 100 Beeren —	
den — beau mélange . 20 g 2,60, Pt. 30		baies 2 —, 10 Beeren — 10 baies 30	
12231 » <i>ponticum</i> , gemischt — choix extra		12278 » <i>rubiginosa</i> , schottische Zaunrose,	
20 g 2 —, Pt. 20		Früchte — fruits kg 70	
12232 » <i>Sikkim species</i> , gem. — espèces de		12279 » » <i>r. S. — gr. nettes</i> . kg 2,60, 20 g 20	
Sikkim en beau mélange 5 g 2 —, Pt. 40		12280 » <i>rugosa</i> 20 g 1,20, Pt. 20	

No.		Pf.	No.		Pf.
12281	<i>Rosa rugosa</i> fl. albo . 20 g 1,60, Pt.	20	12351	<i>Steroulia platanifolia</i> . . . kg 4,20, 20 g	20
12282	» <i>Thea</i> , schöne Sortengemisch — Thé varié, reiner S. — gr. nettes 20 g	120	12352	<i>Styrax officinale</i> . . . » 7—, »	30
12283	» <i>villosa pomifera</i> , r. S. — gr. n. kg 7—, »	30	12353	<i>Symphoricarpos racemosus</i> » 5—, »	30
12284	» <i>Wichuraiana</i> , einfach weissblühend, kriechend wie Epheu — à fl. blanche simple		12354	» <i>racemosus</i> , r. Same — gr. nettes »	80
	100 Beeren — baies 2—, 10 B.	30	12355	» <i>vulgaris</i> , Beeren — baies kg 11—, »	40
12285	<i>Rubus arcticus foecundus</i> 5 g 2—, Pt.	40	12356	<i>Syringa japonica</i> . . . 20 g 2,60, Pt.	30
12286	» <i>Chamaemorus</i> . . . 5 » 1—, »	40	12357	» <i>Josikaea</i> . . . » 1,50, »	20
12287	» <i>crataegifolius</i> . . . 5 g — 80, »	20	12358	» <i>vulgaris</i> , in Hülsen — en fruits kg 2,60, 20 g	20
12288	» <i>deliciosus</i> . . . 1 — 80, »	40	12359	» » r. S. — gr. nettes . . . » 20 »	30
12289	» <i>fruticosus</i> , Brombeere — baie de ronce . . . kg 7,50, 20 g	30	12360	» <i>vulgaris alba</i> , in Hülsen — en fruits » 20 g	20
12290	» <i>Idaea</i> , Himbeere, gem. — Framboisier, mél. kg 4,60, 20 g	20	12361	» » gemischt, in Hülsen — en fruits kg 4—, 20 g	20
1 12291	» » grösstfrüchtige Himbeeren und neue Sorten gemischt — Framboisier, var. nouv. et à gros fruit en mélange kg 11—, 20 g	40	12362	<i>Tamarix gallica</i> kg 18,50, 20 g — 50, Pt.	15
12292	» » grossfr. gelbe Himbeeren — Framboisier, à fr. jaune 20 g	60	12363	» <i>germanica</i> . . . » 2—, »	20
12293	» » Shaffer's Colossal. 20 g 1,40, Pt.	20	12364	<i>Tilia americana</i> . . . kg 4—, 20 g	20
12294	» <i>leucodermis</i> . . . 20 » 2,60, »	30	12365	» <i>argentea</i> . . . » 3,20, »	20
12295	» <i>nutkaensis</i> . . . » » » 30	30	12366	» » <i>pendula</i> . . . » 4,20, »	20
12296	» <i>phoenicolasius</i> . . . 1 g — 80, »	30	12367	» <i>europaea grandifolia</i> 100 kg 96—, kg	140
12297	» <i>xanthocarpus</i> . . . 1 » 1—, »	40	12368	» » <i>parvifolia</i> . . . 100 » 74—, »	110
12298	<i>Ruscus aculeatus</i> , Kreuzdorn kg 3,50, 20 g	20	12369	» <i>fastigiata</i> . . . » 20 g	100
12299	» <i>androgynus</i> . . . 20 g — 80, Pt.	15	12370	» <i>maorophylla</i> (pubescens) kg 5,20, »	20
12300	» <i>racemosus</i> . . . kg 5—, 20 g	20	12371	<i>Ulex europaeus</i> , Stechginster — Jouc marin 100 kg 205—, kg 2,60, 20 g	15
12301	<i>Salix acuminata</i> . . . » 2,20, »	20	12372	<i>Ulmus campestris</i> . . . 100 » 64—, »	100
12302	» <i>alba</i> . . . » 3,20, »	20	12373	» <i>montana</i> . . . 100 » 68—, »	110
12303	» <i>caprea</i> . . . » 2,50, »	20	12374	<i>Ugnadia speciosa</i> , texanischer Kastanienbaum . . . kg 22—, 20 g	60
12304	» <i>purpurea</i> . . . » 2,50, »	20	12375	<i>Vaccinium macrocarpum</i> 2 g 2—, Pt.	40
12305	» <i>viminialis</i> . . . » 3—, »	20	12376	» <i>Myrtillus</i> , Heidelbeere, r. S. — Airelle, gr. n. 20 g 1—, Pt.	20
12306	» <i>vitellina</i> . . . » 2,50, »	20	12377	» » Beereu — baies kg 7—, 20 g	30
12307	<i>Sambucus canadensis</i> . . . » 24—, »	70	12378	» <i>Vitis Idaea</i> , Beereu — baies »	40
12308	» <i>canad. variegata</i> . . . » 100 » 2,60, »	100	12379	<i>Viburnum dentatum</i> . . . » 70	70
12309	» <i>Ebulus</i> . . . kg 5—, »	20	12380	» <i>Lantana</i> . . . kg 1,30, »	10
12310	» <i>glauca</i> (californica) 20 g 1,60, Pt.	20	12381	» <i>Lentago</i> . . . » 20—, »	60
12311	» <i>nigra</i> . . . kg 1,80, 20 g	15	12382	» <i>Opulus</i> . . . » 2,20, »	20
12312	» » <i>laoniata</i> . . . » 8—, »	30	12383	» <i>prunifolium</i> . . . » 40	40
12313	» <i>racemosa</i> , rothfrücht. » 1,80, »	15	12384	» <i>rugosum</i> . . . » 60	60
12314	» <i>serratifolia</i> . . . » 13,50, »	40	12385	» <i>Tinus</i> . . . kg 2,50, »	15
12315	<i>Sorbus Molle</i> . . . » 2,80, »	20	12386	<i>Virgilia lutea</i> . . . » 22—, »	60
12316	» <i>terebinthifolia</i> . . . 20 g 4—, Pt.	40	12387	<i>Viscum album</i> . . . » 250	250
12317	<i>Smilax aspera</i> . . . kg 7,50, 20 g	30	12388	<i>Vitex Agnus castus</i> . . . kg 2,50, »	20
12318	» <i>mauritanica</i> . . . » 8—, »	30	12389	» » fl. albo. » 4,50, »	20
12319	<i>Sophora affinis</i> . . . » 120 » 2,60, »	120	12390	<i>Vitis Labrusca</i> . . . » 24—, »	70
12320	» <i>japonica</i> . . . kg 2,20, »	15	12391	» <i>riparia</i> . . . » 24—, »	70
12321	» » <i>pendula</i> . . . » 3,20, »	15	12392	» <i>vinifera</i> , beste Weissorten, gemischt — Vigne, en mélange kg 7,50, 20 g	30
12322	» <i>secundiflora</i> . . . » 80 » 2,60, »	80	12393	» <i>vinifera</i> Clinton . . . » 60	60
12323	<i>Sorbus Aria</i> . . . kg 1,80, »	15	12394	» <i>Concordia</i> . . . » 60	60
12324	» <i>Aucuparia</i> . . . 100 kg 40—, kg	60	12395	<i>Weigelia amabilis</i> . . . 20 g 3,20, Pt.	30
12325	» <i>domestica</i> , reiner S. — gr. n. 20 g	120	12396	» <i>arbores grandiflora</i> . . . » 2,60, »	30
12326	» <i>edulis</i> . . . kg 2,80, »	20	12397	» <i>Middendorfsiana</i> . . . » 40	40
12327	<i>Spartium junceum</i> . . . » 1,80, »	10	12398	» <i>purpurata</i> . . . 5 g 2,60, »	40
12328	» <i>linifolium</i> . . . » 60 » 2,60, »	60	12399	» <i>rosea</i> . . . 20 g 2,40, »	30
12329	» <i>multiflorum album</i> (<i>Cytisus albus praecox</i>) . kg 42—, 20 g 1,10, Pt.	20	12400	» gemischt — mélange » 1,80, »	20
12330	» <i>scoparium</i> . . . 100 kg 82—, kg	120	12401	<i>Xanthoceras sorbifolia</i> , prächtiger Treibstrauch, Samen sehr gross — bel arbuste pour forcer, graines très grosses 1000 S. 13,50, 100 S. 1,60, 10 S.	20
12331	» <i>tintorium</i> (<i>Genista</i>) . kg 4,60, 20 g	20	12402	<i>Xanthoxylum carolinianum</i> . . . » 20 g	80
12332	<i>Spiraea amrensis</i> . . . 20 g 1,50, Pt.	40	12403	» <i>fraxineum</i> . . . » 130	130
12333	» <i>ariaefolia</i> . . . 20 » 2,20, »	30	12404	» <i>piperitum</i> . . . » 80	80
12334	» <i>Billardi</i> . . . 20 » 2,20, »	30	12405	<i>Yucca aloefolia</i> kg 7—, 20 g — 30, 100 S.	15
12335	» <i>Bumalda</i> . . . 5 » 2—, »	40	12406	» <i>aloefol. fol. var.</i> . . . » 50, 100 »	20
12336	» <i>callosa</i> (Fortunei), reiner S. — gr. nettes . . . 20 g	60	12407	» » <i>gigantea</i> . . . » 50, 100 »	20
12337	» » <i>alba</i> . . . 20 g — 80, Pt.	20	12408	» » <i>tricolor</i> . . . » 60, 100 »	30
12338	» <i>chamaedryfolia</i> . . . 20 » 3—, »	30	12409	» <i>angustifolia</i> . . . 20 g 1,60, Pt.	20
12339	» <i>Douglasi</i> . . . » 20 g	30	12410	» <i>baccata</i> . . . » 1,60, »	20
12340	» <i>laevigata</i> . . . 20 g 4—, Pt.	30	12411	» <i>brevifolia</i> . . . » 5,20, »	40
12341	» <i>Lindleyana</i> . . . kg 11,50, 20 g	40	12412	» <i>causculata</i> . . . » 1,80, »	20
12342	» » r. S. — gr. u. . . » 70 » 2,60, »	70	12413	» <i>cleistocarpa</i> . . . » 5—, »	40
12343	» <i>media</i> . . . 20 g 4—, Pt.	30	12414	» <i>Draconis</i> . . . » 1,80, »	20
12344	» <i>opulifolia</i> , reiner S. — gr. u. 20 g	60	12415	» <i>elata albo-marginata</i> » 5,20, »	20
12345	» <i>aurea</i> . . . 20 g 1,80, Pt.	20	12416	» <i>filamentosa</i> . . . » 1,40, »	20
12346	» <i>salicifolia</i> . . . 20 » 1,80, »	20	12417	» <i>gloriosa</i> . . . » 2,60, »	30
12347	» <i>sorbifolia</i> . . . » 30 » 2,60, »	30	12418	» <i>quadricolor</i> . . . » 1—, »	20
12348	» <i>van Houttei</i> . . . » 40 » 2,60, »	40	12419	» <i>recurvata pendula</i> . . . » 1,20, »	20
12349	<i>Staphylea colchica</i> . . . kg 10—, 20 g	40	12420	» <i>serrulata</i> . . . » 1,20, »	20
12350	» <i>pinuata</i> , Pimpernuss. » 4,50, »	20	12421	» <i>truncata</i> . . . » 5,20, »	40
			12422	» <i>Whipplei</i> . . . » 1,40, »	20
			12423	<i>Zizyphus sativa</i> (<i>hortensis</i>) . kg 4—, 20 g	20

1897. Neuheiten - Novelties - Nouveautés



Grossbl. Pyr.-S-Levkoye, feurigrosa.
Large fld. pyr. l.w. stock, brilliant rose.
Giroflée Quar. pyr. à gr. fl. rose brillant.



Phlox Dr. nana comp.
coerulea stellata.



Heuchera alba.



Godezia Gloriosa.

HAAGE & SCHMIDT Erfurt.



V. Neuheiten von Samen für 1897.

☉ Sommergewächse. ☼ Zweijährige Pflanzen. 2 Stauden. ♀ Holzartige Pflanzen.
 ⌞ Kaltbaus. ⌠ Warmhaus.

Nr.		Pf.
12424	Actinella acaulis. 2	
	Niedliche, ganz niedrig	
	wachsende Perenne aus	
	Nordamerika mit ca. 4 cm	
	grossen, leuchtend gelben	
	Blumen	Pt. 70

12425 **Antirrhinum majus**
grandiflorum, ge-
mischt. ☉ Diese Mi-
schung des grossblumi-
gen Löwenmaul enthält
schöne, theils ganz neue
Farben, welche in dem
Sortiment der hohen
Classe noch nicht ver-
treten sind Pt. 50

Aster sinensis
fl. pl. ☉:

12426 **Ideal-Aster, schneeweiss.** Neue Asterclassse von gleichmässig bouquetpyramidenartigem Bau und lebhaft dunkelgrüner Belaubung. Die Blumen sind mittelgross, denen der Victoria-Astern ähnlich und vom schönsten Schneeweiss. Pt. 60

12427 **Johannistag - Aster,**
dunkelblau mit
weiss Pt. 60

12428 „ **dunkelroth** . Pt. 60
Zwei neue Farben der im
vorigen Jahre eingeführ-
ten frühest blühenden
Zwerg-Aster.

Aster sinensis fl. pl. ☉:

12429	Juwel- oder Ball-Aster, lasurblau (Haage & Schmidt)			Pt.	69
12430	„	„	rothviolett	»	60
12431	„	„	reinweiss	»	60

Dieser von uns eingeführten, unstreitig schönsten Classe hoher A stern mit einwärts gekrümmten Petalen können wir in diesem Jahre noch die obigen drei Varietäten **hinzufügen**, die in Bezug auf Form der Blume und Bau der Pflanze den schon bekannten Sorten ebenbürtig zur Seite gestellt werden können. Die **reinweisse** Varietät ist besonders werthvoll für die Binderei.

12432 **Früheste Markt- (Pariser) Aster, rosa.** Rosablühende Varietät der allerfrühesten, schon im Juli blühenden Astergattung, die besonders als Schnittblume wertvoll ist. Pt. 60

12433	Mignon-Aster, lilla. Reizende und sehr zarte neue Farbe dieser beliebten Classe. Blumen im Aufblühen weiss, später in helllilla übergehend.	Pt. 60
-------	---	--------

12434 **Riesen-Comet-Aster**, 1) carmoisin, 2) dunkelblau, 3) hellblau, 4) lilla, 5) rosa, 6) weiss mit rosa Schein; jede Pt. 60

Diese zur Schnittblumen-Gewinnung sehr geschätzte Aster war bisher nur in wenigen Farben vertreten; die obigen neuen distincten Farben vervollständigen das im Entstehen begriffene Sortiment.

12435	Strahlen-Aster, leuchtendrosa	Pt.	60
12436	„ „ weiss	„	60

Neue reichverzweigte, 50 cm hohe Asterclassen mit 10 bis 15 cm grossen, nadelförmigen Stielen auf langen, starken Stielen.

12437	Vollendung- oder Baum-Aster, weiss	Pt.	60
12438	„ „ „ „ hellblau	»	60

Empfoblen als die schönste und zugleich frühestblühende Pyramiden-Aster, von regelmässiger, baumartiger Verzweigung und 40 cm Höhe. Blumen edel geformt und dicht gefüllt.

12439 **Zwerg-Königin-Aster, hortensienroth.** Eine sehr schöne Farbe der für Topfcultur beliebten Zwerg-Aster. Pt. 60

12440 **Begonia hybrida gigantea, brillanterème.** ☉ 4 🏠 Auffallend leuchtende,
eigenartige Farbe der grossblumigen Begonien Pt. 60

12441 **Begonia semperflorens „Vulcan“.** ☉ 4 🏠 Empfohlen als eine wesentliche
Verbesserung der schönen B. s. Vernon. Blumen dunkelscharlachroth, Belaubung tief-
dunkelroth. Pt. 70



12431 Juwel-Aster.

Pf.



12447. Grossblumige Pyramiden-Sommer-Levkoye, feurigrosa.



12454. Cuphea lanceolata fl. albo.

- No. Pf.
- 12442 **Campanula persicifolia grandiflora coerulea**. 2 Mit ihren grossen blauen Blumen ist diese neue Varietät in jeder Hinsicht ebenso vortrefflich wie die vor einigen Jahren eingeführt weissblühende Sorte Pt. 70
- 12443 **Centaurea Cyanus Victoria, braunroth**. ☉ » 70
- 12444 „ „ „ weiss mit lilla. ☉ » 60
- 12445 „ „ „ weiss mit rosa. ☉ » 70
- Drei neue Varietäten der niedlichen Victoria-Kornblumen, welche constant aus Sameu kommen.
- Cheiranthus annuus fl. pl.** ☉ :
- 12446 **Sommer-Levkoye „Weisse Perle“**. Ganz distincte neue Classe Sommer-Levkoyen. Die Pflanzen erreichen eine Höhe von nur 14 bis 16 cm und sind in allen Theilen zierlich und schön geformt. Die auffallend kleinen Blätter stehen aufrecht um den Stengel. Die Blütenrispen sind dicht besetzt mit kleinen, kaum 2 cm im Durchmesser haltenden, fast kugelförmigen, dicht gefüllten Blumen vom reinsten Weiss. Während bei den anderen Levkoyen die einfachblühenden für den Liebhaber ohne Werth sind, liefern die einfachblühenden Pflanzen dieser Neuheit mit ihren vier schön geformten kurzen Blumenblättern ein werthvolles Bindematerial Pt. 100
- 12447 **Grossblumige Pyramiden-Sommer-Levkoye, feurigrosa**. ☉ (Haage & Schmidt.) Prachtig und auffallend leuchtende Färbung, die bisher in dieser beliebten Classe der Sommer-Levkoyen noch nicht vertreten war. Bemerkenswerth ist die Länge der Blütenrispen, wie auch die Grösse und edle Form der Blumen. Wir können diese neue Sorte für Topfcultur und zu Schnitzzwecken bestens empfehlen. Der Procentsatz der gefülltblühenden Pflanzen bezieht sich auf 70 bis 80 Prozent Pt. 60
- 12448 **Grossblumige Pyramiden-Sommer-Levkoye, dunkelblutroth**. Prachtvolle neue Farbe dieser schönen grossblumigen Classe Pt. 60
- 12449 **Cheiranthus Cheiri, einfacher Lack, leuchtendpurpur (Pourpre Royale)**. ☉ Neue Varietät französischen Ursprungs des einfach blühenden Lack. Die Farbe der Blumen ist ein leuchtendes Purpurcarmin von ganz besonderer Wirkung Pt. 60
- 12450 **Chrysanthemum carinatum plenissimum fol. aureis**. ☉ Gefüllt blühende Varietäten des gelbblättrigen Sommer-Chrysanthemum. Von niedrigem Wuchs und ausserordentlichem Farbenreichtum Pt. 80
- 12451 **Cineraria maritima „Diamant“**. ☉ 2 Wesentlich verbesserte Form der bekannten weissblättrigen Gruppenpflanze. Während bei dem Typus stets die grüne Farbe auf den Blättern durchschimmert, sind die Blätter dieser Neuheit vom reinsten Milchweiss, dabei weniger eingeschnitten und im Ganzen grösser Pt. 100
- 12452 **Coreopsis palmata**. 2 Neue, winterharte, nordamerikanische Species, von 40 bis 60 cm Höhe. Sie blüht ununterbrochen während des Sommers und Herbstes und bringt 5 cm grosse, goldgelbe Blumen hervor, die sich sehr gut zur Binderei eignen Pt. 70
- 12454 **Cuphea lanceolata fl. albo**. ☉ (Haage & Schmidt.) Neue Varietät dieser dankbar blühenden Annuellen mit reinweissen Blumen Pt. 60
- 12455 **Cyphomatia lanata**. 2 (Haage & Schmidt.) Sehr interessante, neue Perenne aus Kleinasien. Die Pflanze bildet einen kleinen Busch, aus welchem sich eine 40 cm hohe, doldenartige Masse von Blüten erhebt, die ganz in Wolle gebettet sind. Die einzelnen Blumen sind klein, fleischfarbig, aber der ganze Blütenstand sieht aus wie von Silber, weil die weisse Wolle denselben dicht überzieht 100 S. 7 —; 5 S. 40
- 12456 **Delphinium Consolida imperiale fl. pl., schneeweiss**. ☉ Die Blumen des schon existirenden weissblühenden Kaiser-Rittersporn sind röthlichweiss, diejenigen der neuen Sorte vom reinsten Weiss Pt. 50
- 12457 **Dianthus Caryophyllus fl. pl., gelbgründige Remontant-Nelken**. ☉ 2 In den Remontant-Nelken-Sämlingen zeigten sich bisher nur zu einem sehr geringen Procentsatz die gelben und gelbgrundigen Nüancen. Durch Einführung obiger Neuheit wird diesem Mangel abgeholfen, indem die Sämlinge zu $\frac{2}{3}$ gelbe Färbungen hervorbringen Pt. 75

12458. *Dianthus laciniiatus nanus*.12460. *Erigeron hybridus roseus*.

No.

- 12458 ***Dianthus laciniiatus nanus*, neue Hybriden.** ☉ (Haage & Schmidt.) Neue Gattung der Heddwigs-Nelken mit geschlitzten und gefransten Petalen. Wir haben sie aus der von uns 1895 in den Handel gegebenen „Lachskönigin“ gewonnen. Sie unterscheidet sich von dem bekannten *D. laciniiatus* durch einen bedeutend niedrigeren Wuchs und durch etwas kleinere, weniger tief geschlitzte, aber dafür **prachtvoll gefärbte** Blumen. Letztere variiren in einem für Sommernelken ganz neuen Farbenspiel; denn die Blumen zeigen auf weisser bis dunkelrosenrother, auch bis purpurrother Grundfarbe stets lachserothe und lachsscharlachrothe Zeichnungen mit meist dunkler Zone. Ein Beet dieser Nelke in voller Blüthe gewährt durch dieses „**leuchtende Lachsroth**“ einen eigenartigen, reizenden Anblick. Die Pflanzen sind sehr reichblühend und werden nur 25 cm hoch Pt. 60
- 12459 ***Echeveria Purpusi*.** 2 ☐ Prächtige neue Succulente, die in der Sierra Nevada von Californien in einer Höhe von 2500 bis 2700 m entdeckt wurde. Dieselbe erinnert an *E. pulverulenta*, sie hat weissbestäubte Blätter und tiefrothe, innen gelbe Blumen. Vermuthlich hält diese neue Art bei uns im Freien aus Pt. 120
- 12460 ***Erigeron hybridus roseus*.** ☉ 2 (Haage & Schmidt.) In dieser Neuheit bieten wir eine interessante und schöne Hybride von *E. aurantiacus* und *E. Villarsi* an, welche schon im ersten Jahre der Aussaat blüht und dabei vollständig winterhart ist. Im Bau der Pflanze ähnelt sie mehr dem *E. Villarsi*, während die 2½ cm grossen Blumen in der Form denen des *E. aurantiacus* nahestehen. Die Strahlenblüthen sind von schöner **violettrosa**, die Scheibenblüthen von rein **goldgelber** Färbung. Die Blütenentwicklung der ca. 30 cm hohen Pflanzen ist vom Mai an bis spät in den Herbst hinein eine ununterbrochene Pt. 60
- 12461 ***Gloxinia hybrida gigantea*, Riesen-Gloxinien.** ☉ 2 ☐ Wirklich empfehlenswerthe neue Classe mit riesigen Blumen von 10 bis 13 cm Durchmesser und in einem äusserst mannigfaltigen Farbenspiel. Fast constant aus Samen Pt. 120
- 12462 ***Gloxinia hybrida grandiflora tricolor* Prinzessin Maud.** ☉ 2 ☐ Eine der schönstgefärbten Varietäten der grossblumigen Classe. Der Schlund der Blume ist leuchtend hellcarmin und verdunkelt sich nach dem Rande hin zu einem Violett-purpur mit prachtvollem Sammetglanz. Jedes einzelne Blumenblatt ist mit einem schmalen, weissen, hellblau punktirten Saum umgeben, der, leicht gewellt, die ganze Blume zierlich einrahmt Pt. 80
- 12463 ***Gloxinia hybr. robusta* (crassifolia) Purpurkönig.** ☉ 2 ☐ Blumen gross, aufrecht, tief purpurscharlach; Belaubung ähnlich dem der *Gl. hybr. crassifolia* Pt. 125
- 12464 ***Godetia „Gloriosa“.*** ☉ (Haage & Schmidt.) Sehr distincte neue Spielart von demselben niedrigen gedrungenen Wuchs wie *G. Lady Albemarle compacta*, von der sie sich durch die grossen **leuchtend dunkelblutrothen** Blumen mit Atlasglanz wesentlich unterscheidet. Es ist unstreitig die **dunkelste** aller Godetien und zu weithin leuchtenden Gruppen besonders empfehlenswerth Pt. 60
- 12465 ***Heuchera alba*.** 2 (Haage & Schmidt.) Eine der zierlichsten und schönsten Stauden neuerer Einführung ist entschieden die rothblühende *Heuchera sanguinea*, und wir zweifeln deshalb keinen Augenblick, dass die **reinweiss** blühende Varietät, die wir hiermit dem Handel übergeben, sich bei allen Liebhabern winterharter perennirender Pflanzen schnell einbürgern wird. Die schlanken, 40 bis 50 cm lang gestielten Blütenrispen sind ebenso dicht, wie bei der rothblühenden Sorte, mit **reinweissen**, sehr haltbaren Blumen besetzt, welche sich ihrer äusserst zierlichen Form wegen zu den feinsten Blumenarrangements verwenden lassen. Blüthezeit Juni bis September Pt. 80
- 12466 ***Inula macrocephala*.** 2 Winterbarte, leicht zu cultivirende Perenne. Die Blütenstengel, mit langen, breiten Blättern besetzt, werden 1,25 m hoch und tragen an ihrer Spitze in reicher Fülle grosse orangefelbe Blumen, welche zu grösseren Blumenarbeiten vorthellhaft zu verwenden sind Pt. 60

Pf.



12464. Godetia „Gloriosa“.




12465. Henchera alba.

No. **Lathyrus odoratus** ♂:

- 12467 **Aurora**. Sehr grossblumig, leuchtend lachsorange gestreift und geflammt auf weissem Grund Pt. 60
- 12468 **Brillant**. Grossblumig, carmoisinscharlach Pt. 60
- 12469 **Countess**. Sehr grossblumig, rein helllilla Pt. 60
- 12470 **Creole**. Grossblumig, Fahne hell rosigilla, Flügel rein helllilla Pt. 60
- 12471 **Golden Gate**. Grossblumig, zartrosalilla, Flügel helllilla Pt. 60
- 12472 **Maid of Honour**. Grossblumige Butterfly, hellblau schattirt auf weissem Grund und hellblau gerandet Pt. 60
- 12473 **Red Riding Hood**, schön rosenroth in röthlichweiss übergehend. Fahne sehr klein, die Flügel bedeckend Pt. 70
- 12474 **Linaria Cymbalaria maxima, gemischt**. ♂ 2 Neue Varietäten der allbekannten, für Felsenpartieen u. s. w. mit Vorliebe verwendeten *L. Cymbalaria*. Sie unterscheiden sich von der Stammform durch doppelt so grosse, wohlriechende Blumen und etwas kleinere, leicht behaarte Blätter. Die Blumen variiren in allen Färbungen von weiss his rosa. Für Ampeln sehr empfehlenswerth Pt. 60
- 12475 **Lobelia cardinalis Nanseniana**. ♂ h Die charakteristische Eigenschaft dieser perennirenden Lobelia besteht in dem kräftigen niedrigen Wuchs der Pflanzen und dem leuchtenden Purpurcarmoisinroth der Blumen. Die Belaubung ist ebenso dunkel, wie die der *L. Queen Victoria* Pt. 75
- 12476 **Lobelia Erinus speciosa compacta duplex**. ♂ Sehr schöne niedrige Lobelia mit dunkler Belaubung und tief dunkelblauen Blumen. Letztere bringen im Vergleich zu den einfachblühenden Sorten die doppelte Anzahl Blüthenblätter hervor, wodurch sie an Haltbarkeit gewinnen. Ausserordentlich blüthenreich und für Einfassungen, Teppichbeete, sowie zur Topfcultur warm zu empfehlen Pt. 60
- 12477 **Lobelia Gerardi, gemischt**. ♂ 2 Eine Mischung der prachtvollsten Hybriden von *L. cardinalis* und *L. syphilitica*; in derselben sind alle Färbungen vom hellsten Rosa bis zum dunkelsten Scharlach und Violett vertreten. Belaubung grün Pt. 80
- 12478 **Myosotis alpestris Distinction**. ♂ 2 Eine werthvolle Einführung unter den Alpen-Vergissmeinnicht. Während bei den älteren Sorten stets eine zweijährige Cultur nöthig war, blüht diese neue Varietät schon 8 bis 10 Wochen nach der Aussaat; mit dem achten oder zehnten Blatte zeigen sich bereits die Knospen. In der Färbung der Blumen und dem niedrigen gedrungenen Wuchse ähnelt *M. a. Distinction* am meisten dem *M. a. Victoria*, aus welchem sie entsprungen ist. Wenn im Juli oder August ausgesät, in Töpfe gepflanzt und in ein temperirtes Haus gebracht, blühen die Pflanzen ununterbrochen während der Wintermonate und liefern ein äusserst wertvolles Bindematerial Pt. 60
- 12479 **Myosotis alpestris stricta rosea**. ♂ 2 Eine andere neue Sorte des Alpen-Vergissmeinnicht, auffallend durch den eigenartigen Wuchs. Die Zweige der Pflanzen gehen, dicht und zahlreich neben einander gedrängt, kerzengerade in die Höhe; sie bilden dadurch säulenähnliche Blüthenbüsche. Für Topfcultur und zu Einfassungen besonders passend Pt. 75
- 12480 **Papaver arenarium**. ♂ Neuer einjähriger Mohn von ca. 30 cm Höhe, dem *P. umbrosum* nahestehend. Blumen einfach, gross, carmoisinscharlachroth mit breitem, schwarzem Fleck an der Basis jedes Blumenblattes Pt. 60
- 12481 **Papaver cardinale hybridum**. ♂ Neue Hybriden des allgemein geschätzten Cardinal-Mohn. Wie die scharlachroth blühende Stammform werden auch diese neuen Varietäten nur ca. 45 cm hoch; auch sie haben deren straffen gedrungenen Wuchs. Die Blumen erscheinen in den Farben chamois und leuchtendrosa auf hellem Grund und purpur, carmoisin und ziegelrosa auf schwarzbraunem oder violetttem Grund Pt. 60
- 12482 **Paracaryum angustifolium**. 2 (Haage & Schmidt.) Neue, in Kleinasien einheimische Pflanze. Aus einer dichten Rosette schmallanzettlicher Blätter kommen im April 25 bis 30 Blüthenstiele mit dunkelblauen Blumen. Durch dieses reiche Blühen und die schöne dunkelblaue Farbe der Blumen wirkt die Pflanze sehr auffallend. Lässt man sie nur theilweise Samen tragen, so hält sie sich gut perennirend. Die Samen sind leicht geflügelt 100 S. 4,50, 10 S. 50



12488. *Phlox Dr. nana coerulea stellata*.



12489. *Physalis Franchetti*.

- No. Pf.
- 12483 **Pentstemon campanulatus hybridus.** 4 Durch Kreuzung von *P. campanulatus* und *P. Hartwegi* sind winterharte Hybriden entstanden, die sich durch ihre langen Blütenstengel, ihre grossen, weitgeöffneten Blumen und durch ausserordentlichen Blütenreichtum auszeichnen. Sie variiren in allen dem *P. Hartwegi* (*gentianoides*) eigenen Farben Pt. 70
- 12484 **Petunia hybrida grandiflora Admiration.** ☉ Die grossen wohlgeformten Blumen dieser neuen Sorte zeigen eine tief dunkelblaue Grundfarbe, welche von reinweissen Streifen und Flecken, wie bei *P. hybr. gr. maculata*, unterbrochen ist. Das tiefe Blau und das reine Weiss bilden einen sehr wirkungsvollen Contrast. Pt. 60
- 12485 **Petunia hybrida grandiflora nigro-kermesina.** ☉ Grossblumige Varietät mit schwarzcarmoisinrothen Blumen. Pt. 60
- 12486 **Petunia hybrida grandiflora violacea albo-maculata fl. pl.** ☉ Gefüllte grossblumige Petunie mit tief dunkelblauen, weiss gefleckten Blumen. Pt. 80
- 12487 **Petunia hybrida Schneeball.** ☉ Entstanden aus der *P. h. nana compacta multiflora*, zeigt diese Neuheit denselben buschigen niedrigen Wuchs und ist ebenso für Topfcultur wie für Gruppen und Einfassungen geeignet. Die Blumen sind blendendweiss und erscheinen in überreicher Fülle den ganzen Sommer hindurch. Sehr empfehlenswerthe Neuheit Pt. 50
- 12488 **Phlox Drammondi nana coerulea stellata.** ☉ (Haage & Schmidt.) Niedrige neue Varietät, die sich durch ihre grossen rein hellblauen, weiss gesterntten Blumen auszeichnet. Für Teppichbeete sehr werthvolle neue Färbung Pt. 60
- 12489 **Physalis Franchetti.** ☉ 4 Neue, aus Japan eingeführte Riesenform des *Ph. Alkekengi*. Die Pflanzen werden 45 bis 60 cm hoch und haben breitere und länger gestielte Blätter, sowie bedeutend grössere Früchte, als die der Stammform. Die von einem blasenartigen, bis 6 cm grossen, leuchtend orangerothern Kelch eingeschlossenen Früchte verleihen der Pflanze ein prächtiges Aussehen. Die kirschartige Frucht ist essbar und liefert eingezuckert ein ausgezeichnetes Dessert. Ganz vorzügliche Decorationspflanze, gleichviel ob sie in Töpfen oder im Freien, wo sie mit jedem Boden furlieb nimmt, cultivirt wird Pt. 60
- 12490 **Polygonum pilosum.** ☉ Einjährige Pflanze, welche in wenigen Monaten die ansehnliche Höhe von 3 m erreicht. Sie hat rothe Stengel, grosse grüne weichhaarige Blätter und ähnelt im Wuchs dem *P. orientale*. Die reichlich erscheinenden Blütentraube sind lang gestielt und von hellrosenrother Farbe Pt. 60
- 12491 **Primula obconica grandiflora fimbriata.** ☉ 4 Grossblumige gefranzte Varietät dieser immerblühenden Primel Pt. 80
- 12492 **Primula Parryi.** 4 Nordamerikanische, seltene Species mit grossen Blättern und carmoisinpurpur, gelb geäugelten Blumen Pt. 80
- 12493 **Reseda odorata Victoria pumila compacta.** ☉ Reizende neue Varietät, noch niedriger im Wuchs, als die schon früher eingeführte *R. o. nana compacta Victoria*. Blütenrispen dunkelroth Pt. 60
- 12494 **Saintpaulia ionantha rubra.** ☉ 4 Neue Varietät mit tief lillarothen Blumen der vor einigen Jahren eingeführten, niedlichen Gesneriacee, die durch williges und ununterbrochenes Blühen als Zimmer- und Gewächshauspflanze stets begehrt sein wird. Pt. 125
- 12495 **Salvia splendens Ingénieur Clavenad purpurviolett.** ☉ 4 Auf-tallende, sehr distincte Abart des scharlachrothen Salbei. Blumen purpurviolett Pt. 80
- 12496 **Schizanthus pinnatus compactus albus.** ☉ » 50
- 12497 „ „ „ „ **albus oculatus.** ☉ » 50
- Zwei allerliebste niedrige Varietäten von kaum 20 cm Höhe, kleine, beinahe kugelförmige Büsche bildend und mit einer solchen Fülle von Blumen bedeckt, dass das Laub fast ganz darunter verschwindet. Bei ersterer Varietät sind die Blüthen reinweiss, bei letzterer weiss mit dunklem Auge.
- 12498 **Statice superba fl. albo.** ☉ Weissblühende Varietät der von uns im Jahre 1888 eingeführten Stammform mit rosa Blumen. Die federbuschartigen Blütenstengel sind mit unzähligen kleinen, weissen, im Aufblühen zartrosa angebauchten Blüthen besetzt. Pt. 60

- No. Pf.
 12499 **Torenia Fournierii speciosa.** ☉ ☰ Die Blumen dieser Neuheit haben durchschnittlich einen Durchmesser von 4 cm, sind also doppelt so gross als die der bekannten *T. F. grandiflora* Pt. 80
 12500 **Tropaeolum majus Vesuvius.** ☉ Entschieden die leuchtendste Sorte unter den rankenden *Tropaeolum*. Die Farbe ist blendend feurigrosa, eine Färbung, die auf verhältnissmässig grosse Entfernungen noch sehr wirkungsvoll ist. Für Balkondecoration besonders zu empfehlen Pt. 60
 12501 **Viola cruenta „Lathringen“.** ☉ 4 Prachtige niedrige Sorte, die vom zeitigsten Frühjahr bis spät in den Herbst hinein ununterbrochen blüht. Blumen himmelblau mit gelbem Auge; die drei unteren Petalen sind weiss, leicht bläulich gerandet Pt. 60
 12502 **Viola tricolor maxima Adonis.** ☉ Eine neue Farbe im Sortimente der riesenblumigen oder Trimardeau-Stiefmütterchen. Die schönen grossen Blumen zeigen eine prächtige hellblaue Farbe: das Centrum ist weiss oder gelblichweiss, und beben sich hiervon die grossen dunklen Augen und Bart wirkungsvoll ab Pt. 60
 12503 **Viola tricolor maxima Freya.** ☉ Grossblumige, tief purpurnviolette Varietät mit breitem, weissem Rand, der auf der Rückseite der Blumen sich ebenso scharf abgrenzt wie auf der Vorderseite, wodurch ein Beet dieser Sorte besonders blüthenreich erscheint. Pt. 65
 12504 **Zea japonica gigantea quadriculur.** ☉ Eine riesige, buntblättrige, sehr decorative Maisart. Die Pflanze wird 3–4 m hoch und ist mit breiten, elegant zurückgebogenen Blättern dicht besetzt. Diese sind lebhaft grün, silberweiss, schwefelgelb und rosafarben gestreift. Pt. 60
 12505 **Zinnia hybrida.** ☉ Beachtenswerthe neue Hybriden, die aus einer Kreuzung von *Z. Haageana* und *Z. elegans* entstanden sind. Die Blumen, nicht viel grösser als die der Pompon-Zinnien, blühen einfach, halbgewellt und gefüllt in allen Färbungen von weiss bis violett, dabei auch gelbe und orangerothe Zeichnungen anweisend, wie sie bei den Gaillardien, Calliopsis, Tagetes u. s. w. vorkommen. Für Gruppen, sowie für Schnittblumengewinnung sehr zu empfehlen Pt. 120
 12506 **Zinnia elegans fl. pl. Liliput, goldgelb.** ☉ Wie die weisse und scharlachroth blühende Varietät dieser aus Samen treu bleibenden dicht gefüllten Liliput-Ziunna, ist auch diese neue leuchtend goldgelb blühende Sorte eine wertvolle Topf- und Gruppenpflanze Pt. 60
 12508 **Zinnia elegans fl. pl. Reginae.** ☉ Neue Race, deren Blumen in Form dem gefülltblühenden Pyrethrum ähnlich sehen. Die Blüthenköpfe sind mittelgross, hochgewölbt, die einzelnen Blüthen geröhrt; sie variiren in weiss, lila, scharlach und violett Pt. 100
 12509 **Zinnia elegans fl. pl. Liliput, goldgelb.** ☉ Wie die weisse und scharlachroth blühende Varietät dieser aus Samen treu bleibenden dicht gefüllten Liliput-Ziunna, ist auch diese neue leuchtend goldgelb blühende Sorte eine wertvolle Topf- und Gruppenpflanze Pt. 60

Neuheiten von Gemüse.

- No. Pf.
 12510 **Buschbohne, Flageolet-Wachs- mit weissen Bohnen.** Die hier angebotene neue Sorte liefert dieselben hohen Erträge wie die Flageolet-Wachsbönschbohne mit rothem Samen und ist ebenso widerstandsfähig, hat aber den Vorzug, dass die weissen Bohnen sich ganz vorzüglich zum Trockenkochen eignen Pt. 50
 12511 **Kneifelerbse, Maerheim's Duplex-.** Sehr reichtragende, 130 bis 150 cm hoch werdende Erbse, welche 15 bis 16 cm lange, eigenthümlich geformte Schoten hervorbringt. Beim ersten Anblick der Schoten denkt mau, zwei aneinander gelegte Erbsenschoten vor sich zu haben, eine Eigenschaft, welcher die Sorte ihren Namen verdankt. Sehr wohl-schmeckende und sich bis fast zur Reife süssaltende, dabei sehr widerstandsfähige Kneifelerbse Pt. 50
 12512 **Kraut, Erfurter rundes Zucker-, beim Einmachen goldgelb.** Diese mittelrühre Sorte bringt sehr feste Köpfe, hat einen kurzen Strunk, und das eingemachte Kraut nimmt eine schön goldige Farbe an. Als Gemüse sehr zart und schmackhaft. Gute Wintersorte. Pt. 40
 12513 **Rothkraut, Zittauer Riesen-.** Ein besonders grossköpfiges neues Salat-Rothkraut. Die Köpfe zeigen beim Querdurchschnitt eine bei Weitem intensivere, durch und durch schwarzrothe Farbe, die dem Salat und Gemüse ein auffallend lobhaftes Aussehen verleiht. Sehr zart und fein von Geschmack. Pt. 60
 12514 **Porree, bulgarischer langschaffiger Winter-.** Zweifellos eine der besten und ergiebigsten unserer Winter-Porree-Sorten. Er zeichnet sich vor allen anderen durch seine aussergewöhnlich langen und verhältnissmässig starken Stengel aus, die in der beträchtlichen Länge von ca. 40 cm noch zart und geniessbar sind. Sehr danerhaft und winterhart. Pt. 60
 12515 **Sellerie, Knollen-, früherster Erfurter Markt-.** Empfohlen als die früheste, aber dabei sehr grosse glatte knollenbringende Sorte; Blätter kurz; Fleisch weiss, sehr zart. Pt. 50
 12516 **Speisekürbiss, blutrother asiatischer.** Neue rankende Sorte mit mittelgrossen Früchten, in Form denen des Hubbard Speisekürbiss ähnlich. Schale blutroth, Fleisch sehr fein und haltbar, von dunkelorange-gelber Farbe. Pt. 70
 12517 **Zuckererbse, Mammoth.** Dies ist eine bedeutende Verbesserung der grauen Riesen-Schwert-Zucker-Erbse. Die Schoten sind sehr dickfleischig und zart und mindestens noch einmal so dick und lang, als die der alten Sorte Pt. 60
 12518 **Zwiebel, silberweisse runde Zittauer Riesen-.** Diese weisse Zittaner-Riesen-Zwiebel besitzt dieselben Vorzüge, welche die Gattung besonders auszeichnen, als Grösse der Zwiebel bei gefälliger knugeliger Form, Haltbarkeit und mildem Geschmack. Pt. 60

Pflanzen-Verzeichniss.

Catalogue de plantes.

Blumen-Zwiebeln und Knollen-Gewächse.

Plantes bulbeuses et tubéreuses.

Gladiolus gandavensis „Weisse Dame“. (Haage & Schmidt.) Es gereicht uns zu besonderem Vergnügen, diese erste **wirklich reinweisse Gladiole**, die wir vor einigen Jahren aus einer Kreuzung der damals besten weissen Gladiolen erzielten, in den Handel zu bringen. Nach einem Vergleich mit den neuesten deutschen, englischen, französischen und amerikanischen als weissblühend geltenden Sorten ist unsere neue Gladiole „**Weisse Dame**“ zweifellos die beste weisse. Die grossen edelgeformten Blumen, welche zu den allerfeinsten Bindereien verwendet werden können, sind **reinweiss ohne Zeichnung**, nur die unteren Petalen haben einen leichten hellgelben Schein, der jedoch nicht nur dem „Weiss“ der Blume Nichts schadet, sondern im Gegentheil das „Weiss“ noch hebt. Die Knospen sind gelblich, das Wachstum der Pflanze ist ein sehr kräftiges, die Höhe beträgt bei normaler Cultur 75 bis 90 cm, und die Knolle ist von distincter heller Farbe. Alle Besucher unseres Geschäfts, welche unsere weisse Gladiole in Blüthe sahen, waren des Lobes voll über deren Schönheit. (Eine farbige Abbildung, diese Gladiole in natürlicher Grösse darstellend, steht, so lange der Vorrath reicht, zu Diensten à M. 1.—.)

Unsere neue Gladiole „Weisse Dame“ wurde mit dem Prädikat einer ganz hervorragenden Neuheit durch Ertheilung des **Werthzeugnisses des Vereins zur Beförderung des Gartenbaues in den preussischen Staaten** ausgezeichnet. Knollen à Stück M. 7,50



Gladiolus gandavensis „Weisse Dame“ — „Dame Blanche“.

Gladiolus gandavensis „Dame Blanche“. Obtenue à l'établissement il y a quelques années par croisement des meilleures variétés à fleurs blanches, cette nouveauté présente des fleurs d'un blanc pur irréprochable. Ayant comparé notre Gladiol „Dame Blanche“ avec toutes les plus nouvelles variétés à fleurs blanches introduites de la France, de l'Angleterre, de l'Amérique du Nord et de l'Allemagne, nous sommes persuadés que notre „Dame Blanche“ est la meilleure de toutes. Les fleurs grandes et bien ouvertes sont du blanc le plus pur sans aucune tache d'un autre coloris. Les pétales inférieurs seuls ont un reflet quelque peu jaunâtre, faisant mieux ressortir encore la blancheur du reste. Grand épi d'une ténue parfaite; les fleurs sont particulièrement recommandées pour l'usage du bouquetier. La plante elle-même est d'une croissance très vigoureuse, atteignant un mètre de hauteur dans une culture normale. (Une planche coloriée en grandeur naturelle est à la disposition de nos clients au prix de M. 1.—)

La variété a obtenu un certificat de mérite à l'un des Meetings de la Société d'Horticulture berlinoise et a été figurée dans le „Garden“ Oct. 24, 1896, page 327. Bulbes la pièce M. 7,50



Gladiolus gandavensis hybridus.



Gladiolus Lemoinei hybridus.

	Dtзд.	St.
	la dzne.	pièce
	M.Pf.	M.Pf.
1306 Eveline Brière	2 40	— 25
1326 Exquisite		
100 St. 8 —,	1 20	— 15
152a Fatime		
100 St. 8 —,	1 20	— 15
155b Faun		
100 St. 8 —,	1 20	— 15
151b Faustine	2 40	— 25
149b Felicia	3 —	— 30
169a Figaro	3 —	— 30
163a Garteninspector		
Wobst	12 —	1 20
171b Gloria	3 —	— 30
181a Hastings	5 —	— 50
184a Hector	—	— 80
194a Herold	15 —	1 50
191a Hispania	5 —	— 50
188b Hofgartendirector		
Juhlke		
100 St. 8 —,	1 20	— 15
195a Homer	8 —	— 80
190b Horst	—	1 50
193b Jenny Lind	8 —	— 80
202c Joconde	6 —	— 60
197a Isoline		
100 St. 10 —,	1 50	— 15
170a Julie	5 —	— 50
217b Lady Bridport	8 —	— 80
240c Lucinda	6 —	— 60
244c Lucius	—	1 20
268b Lucullus	—	— 80
245c Mac Mahon		
100 St. 8 —,	1 20	— 15
253c Mad. Coudere	2 —	— 20
254b » de Meiners	1 20	— 15
255b » de Seigné		
100 St. 6 —,	1 —	— 10
299b » Rister		
100 St. 6 —,	1 —	— 10
271b » Souchet	1 50	— 20
273b » Vict. Verdier	1 20	— 15
274a » Vilmorin	2 40	— 25
277a » Wilh. Thomas	10 —	1 —
275b Madlle. Fanny		
Rouget	1 —	— 10
246b Maenade	—	1 —
280c Mathilde de		
Landevoisin		
100 St. 10 —,	1 50	— 20
82a Maud	6 —	— 60

	Dtзд.	St.
	la dzne.	pièce
	M.Pf.	M.Pf.
248a Medea	6 —	— 60
281b Melusine	6 —	— 60
258a Memnon	5 —	— 50
250b Mentor	8 —	— 80
287b Mercur	6 —	— 60
298a Mozart	4 —	— 40
330a Najade	3 —	— 30
327a Nemesis		
100 St. 6 —,	1 —	— 10
334a Nerissa	—	1 50
445b Nympe	5 —	— 50
348a Octavia	5 —	— 50
343b Odette	10 —	1 —
351a Orphée	—	1 —
347a Ossian	3 —	— 30
333a Phaeton	—	— 80
375b Phryne	3 —	— 30
370b Plato	6 —	— 60
384a Pretiosa	6 —	— 60
377b Primatice	8 —	— 80
362a Prince Impérial	2 40	— 25
378b Procyon	3 —	— 30
383b Prof. Dr. Reichenbach		
100 St. 20 —,	3 —	— 30
382b Psyche	—	— 80
394b Regalia	6 —	— 60
391b Roi Leopold	1 50	— 15
294b Roland	8 —	— 80
400a Salome	4 —	— 40
420c Scherastamin	5 —	— 50
396a Siegfried	8 —	— 80
426b Telemach		
100 St. 8 —,	1 20	— 15
316a Thunberg	8 —	— 80
446b Valeria	2 —	— 20
442a Veronica	8 —	— 80

Carmin- u. Carmoisinrothe
— hybrides carmins et car-
moisis

	Dtзд.	St.
	la dzne.	pièce
	M. Pf.	M. Pf.
119a Caecilia	4 —	— 40
74a Calypso	8 —	— 80
63c Cassiopeia	8 —	— 80
86a Champ de Mars	8 —	— 80
54b Charles Rouil- lard	1 50	— 15

	Dtзд.	St.
	la dzne.	pièce
	M.Pf.	M.Pf.
80a Chloe	1 50	— 15
60c Comtesse de		
Bresson		
100 St. 6 —,	1 —	— 10
62c » Paul de		
Séguir	1 50	— 15
98d Dionysius		
100 St. 10 —,	1 50	— 15
120c Elegans		
100 St. 10 —,	1 50	— 15
127b Eugène Souchet	2 40	— 25
133a Fabiola	8 —	— 80
193a Hamilton	—	— 60
196b Irmgard	8 —	— 80
263a Keteleer	1 20	— 15
224a Linnaeus	10 —	1 —
216a Lorenz Hoyer	15 —	1 50
269b Mad. Quittel		
100 St. 6 —,	1 —	— 10
279a Martin	6 —	— 60
303c Matador	6 —	— 60
286a Michael	8 —	— 80
342a Mimosas	15 —	1 50
319a Narses	6 —	— 60
353b Pindarus	8 —	— 80
361b Premices de		
Montrouge		
100 St. 6 —,	— 80	— 10
485c Sophocles	1 80	— 20
409b Stephenson		
100 St. 6 —,	1 —	— 10
478a Theseus	6 —	— 60
449a Vicomtesse de		
Belleval	1 80	— 20
480a Walter Scott	8 —	— 80
457a Wasily Alex.		
Chludow	10 —	1 —
496a Xera	4 —	— 40

Lachs- und Orangerothe —
hybrides fonds saumoné et
orange.

	Dtзд.	St.
	la dzne.	pièce
	M. Pf.	M. Pf.
19b Adolf Credner	—	3 —
421c Aetna	3 —	— 30
52a Ajax	8 —	— 80
24b Apollo	20 —	2 —
70a Celimène	6 —	— 60

	Dtзд.	St.	
	ladzne. pièce		
	M.Pf.	M.Pf.	
89a Dr. Audry	2 40	— 25	
99c Drusus	1 80	— 20	
153b Fides	5 —	— 50	
164a Geh. Commer-			
zienrath H.			
Gruson	20 —	2 —	
493a Genoveva	1 50	— 20	
159a George Such	— —	— 80	
193a Hamilton	— —	— 80	
233b Lincoln	10 —	1 —	
237b Lucifer	— —	1 50	
288c Minotaur			
100 St. 20 —	3 —	— 30	
308b Mouarch	5 —	— 50	
290b Mons. Corbay			
100 St. 6 —	1 —	— 10	
325b Nautilus	8 —	— 80	
321b Oberon	20 —	2 —	
371a Pictum	10 —	1 —	
339a Präsid. Meyer	20 —	2 —	
301b Rosalie	8 —	— 80	
315b Rosalinde	4 —	— 40	
311a Sahina	8 —	— 80	
425b Seneca	8 —	— 80	
512b Tancred			
100 St. 8 —	1 20	— 15	
430c Titania	6 —	— 60	
435b Titus	8 —	— 80	
481b Torpedo	10 —	1 —	
482b Venns	6 —	— 60	
444a Verona	15 —	1 50	

Hellscharlachrothe — hybrides écarlate clair.

	Dtзд.	St.	
	ladzne. pièce		
	M.Pf.	M.Pf.	
65b Agathe			
100 St. 6 —	— 80	— 10	
74d Arcturus	3 —	— 30	
23c Ariel	4 —	— 40	
22c Argus	3 60	— 35	
44a Brenchleyen-			
sis 1000 St. 50 —			
100 » 6 —	1 —	— 10	
105a Daedalus	6 —	— 60	
104d Demetris	— —	1 50	
139a Elfrieda	8 —	— 80	
147b Fürst Alexan-			
der	20 —	2 —	
183b Garteninspec-			
tor Hampel	— —	3 —	
200a Jupiter	10 —	1 —	
231a Leo	— —	1 50	
239b Le Phare	5 —	— 50	
241c Le Vénus	10 —	1 —	
236b Macheth	5 —	— 50	
283b Meyerheer	4 —	— 40	

	Dtзд.	St.	
	ladzne. pièce		
	M.Pf.	M.Pf.	
365a Pericles	10 —	1 —	
367a Plinius	8 —	— 80	
364b Prince of Wales	— —	1 —	
392a Remus	15 —	1 50	
419b Sancho Pansa			
100 St. 10 —	1 50	— 15	
410a Scipio	5 —	— 50	
405a Scott	8 —	— 80	
428c Serapis	8 —	— 80	
452b Victoria	— —	— 30	
492a Vincent	6 —	— 60	
448b Virginia	10 —	1 —	
483b Wallenstein	25 —	2 50	
461b Wellington	1 20	— 15	
467b Xenophon	8 —	— 80	

Dunkelscharlachrothe — hybrides écarlate foncé.

	Dtзд.	St.	
	ladzne. pièce		
	M.Pf.	M.Pf.	
5a Africain	6 —	— 60	
59b Alpha	15 —	1 50	
91a Baldu	15 —	1 50	
42a Ball of Fire	— —	1 50	
97b Botho	4 —	— 40	
55a Brennus	— —	1 50	
168b Comtesse de			
Dandigné	1 50	— 15	
145a Feu brillant	— —	2 50	
150a Flamboyant	— —	1 50	
168b Gordon	— —	2 —	
189a Hannibal	6 —	— 60	
179a H. F. Eilers	15 —	1 50	
174b H. Kalkmann	12 —	1 20	
205b Iltis	15 —	1 50	
227a Laertes	10 —	1 —	
272c Mazeppa	12 —	1 20	
304b Mephistopheles	— —	80	
307b Mont Etna	— —	2 —	
318b Nimrod	8 —	— 80	
276b Nonpareil	5 —	— 50	
278b Opal	8 —	— 80	
323b Orestes	12 —	1 20	
332a Oswald	6 —	— 60	
340b Otto Mann	— —	2 50	
393b Periander	5 —	— 50	
356b Phineus	12 —	1 20	
336b Praxiteles	8 —	— 80	
337b Pythagoras	10 —	1 —	
395a Raphael	10 —	1 —	
289b Renzi	15 —	1 50	
314a R. Wagner	20 —	2 —	
422b Sarah	6 —	— 60	
417a Stephan	10 —	1 —	
455b Uhland	12 —	1 20	
443a Vicomte Clary	— —	1 —	
447b Viola	— —	1 50	
458b Wega	10 —	1 —	
477a Zelinda	15 —	1 50	

Amarant- und Dunkelrothe — hybrides fonds rouge et amarante.

	Dtзд.	St.	
	ladzne. pièce		
	M.Pf.	M.Pf.	
121a Emin Pascha	20 —	2 —	
210b Kohold	20 —	2 —	
235b Lothar	15 —	1 50	
243b Luna	12 —	1 20	
349b Oceana	10 —	1 —	
338b Othello	20 —	2 —	
386b Paragon	15 —	1 50	
374a Phidias	8 —	— 80	
387b Pluto	— —	2 50	
335a Pompejus	8 —	— 80	
413b Surprise			
100 St. 6 —	1 —	— 10	
459a Varns	— —	1 —	
464a Verdi	6 —	— 60	
484b Willibald	— —	1 —	
456b Wodan	8 —	— 80	
466b Yvo	10 —	1 —	

Lillafarbige — hybrides lilas.

	Dtзд.	St.	
	ladzne. pièce		
	M.Pf.	M.Pf.	
83b Caméléon	— —	1 —	
488b Camilla	4 —	— 40	
102a Daniela	12 —	1 —	
135a Erna	10 —	1 —	
143b Frau Lorenz	8 —	— 80	
249b Freya	8 —	— 80	
177a Ginevra	— —	— 60	
182c Helene	1 50	— 20	
225b Laokoon	— —	— 60	
320a Leopold	15 —	1 50	
317a Marion	— —	1 —	
306a Meta	5 —	— 50	
354b Palmyra	10 —	1 —	
360a Pera	8 —	— 80	
309a Rousseau	10 —	1 —	
403a Sultana	10 —	1 —	
432a Theodora	5 —	— 50	
494a Tokio	8 —	— 80	
438a Uarda	15 —	1 50	

Violette und Violett geflammte — hybrides violets.

	Dtзд.	St.	
	ladzne. pièce		
	M.Pf.	M.Pf.	
84b Cressida	10 —	1 —	
110b Donau	10 —	1 —	
229a Kuno	15 —	1 50	
257a Mad. Domhain	6 —	— 60	
359a Prinz Leopold	12 —	1 20	
309c Rossini	6 —	— 60	
390b Rubens	15 —	1 50	
429b Triumph v. Sedan			
100 St. 20 —	3 —	— 30	
433a Troilus	15 —	1 50	
465a Wolf	10 —	1 —	
469b Zeno	10 —	1 —	

Grossfleckige Gladiolen — Gladiolus Lemoinei hybridus.

Weisse und Weissgrundige — hybrides blancs et fonds blancs.

	Dtзд.	St.	
	ladzne. pièce		
	M.Pf.	M.Pf.	
652 Alwine	8 —	— 80	
702 Annita	4 —	— 40	
746 Eva	— —	— 80	
820 Helia	4 —	— 40	
809 Isolde	15 —	1 50	
765 Marie Lemoine			
100 St. 6 —	1 —	— 10	
941 Valentine	15 —	1 50	

Gelbe und Gelbgrundige — hybrides jaunes et fonds jaunes.

	Dtзд.	St.	
	ladzne. pièce		
	M.Pf.	M.Pf.	
754 Alsace	6 —	— 60	
654 Amelia	8 —	— 80	
563 Athos	12 —	1 20	
738 Eclipse	5 —	— 50	
743 Emmely	1 20	— 15	
915 Erich	— —	— 60	
739 Florence	— —	— 80	
762 Kant	1 20	— 15	

Lemoinei hybridus:
Rosenrothe und Rosagrün-
dige — hybrides roses et
fonds roses.

	Dtзд.	St.
	ladzne. pièce	
	M.Pf.	M.Pf.
813 Cyrius	4 —	40
737 Dora	1 50	15
752 Herder	4 —	40
757 Jenny	2 —	20
777 Minister von		
Lucius	3 —	30
850 v. Roon	8 —	80
855 Saturn	2 —	20
922 Thusnelda	8 —	80
884 Tilda	6 —	60
926 Trojan	6 —	60

Lilla, Graue und Violette —
hybrides lilas, gris et
violets.

	Dtзд.	St.
	ladzne. pièce	
	M.Pf.	M.Pf.
554 Ada	8 —	80
692 Adrian	4 —	40
707 Alfred	3 —	30
675 Atalanta	6 —	60

Sämlinge der Lemoine'schen Hybriden, die sich durch ihre auffallend grossen
Flecken auszeichnen; letztere variiren in allen Schattirungen bis schwarz-
purpur und sind meist mit gelb umrahmt — semis de la race introduite par
M. Lemoine. Les fleurs se distinguent des autres Glaeüls par les grandes
macules variant du rose clair au pourpre noirâtre et pour la plupart entourées
d'un disque jaune 100 St. 8 —, 1 20 — 15
12 Sorten Lemoinei Hybriden — 12 var. avec noms hybrides de Lemoine . . 2 — à 3 —, — — —
25 „ „ „ — 25 „ „ „ — 5 — à 7 —, — — —

Gladiolus hybridus Childsi, mit grossen, schön gefleckten Blumen, ähnlich denen
der Gl. hybr. Nanceianus, jedoch von aufrechtem Wuchs, wie Gl. gandavensis;
prachtvolle Mischung — mélange superbe de var. à grandes fleurs . . 12 St. 5 — — 50

Gladiolus hybridus Nanceianus.

No.		à Stück — la pièce	M.Pf.
1020	Ch. Baltet, blauviolett, kastanienbraun gefleckt und punktirt, Schlund weiss — violett bleuâtre, maculé et tigré marron, gorge blanche		1 50
1046	Colonel Dodds, lebhaft mennigroth, kastanienbraun punktirt auf strohgelbem Grund — rouge minium vif, tigré marron sur fond paille		1 80
989	Comte Horace de Choiseul, ziegelroth, orange schattirt, purpur Fl. mit schwefel- gelbem R. — rouge brique lavé d'orange, macules pourpre, bordées de soufre		1 80
1047	Dr. Bayol, lacharosa, blutroth punktirt Flecken mit breitem weissem Rand — saumon rosé, macules sablées de rouge sang, bordées de blanc		1 80
1027	Dr. H. P. Walcott, weinroth, u. P. kastanienbraun punktirt, schwefelgelber Fleck — rouge de garance, div. inf. ponctuées de marron, mac. jaune soufre		1 20
1032	Harry Veitch, kastanienroth, u. P. strohgelb mit blutrothen Punkten — rouge marron, div. inf. jaune paille pointées rouge sang		1 80
1033	Le grand Carnot, lebhaft orangescharlach, schwefelgelbe, purpur punktirt Fl., sehr grossbl. orange écarlate vif, mac. soufre, sablées de pourpre, fl. tr. grande		2 —
990	Maurice de Vilmorin, violett schattirt auf schieferblau, u. P. blutroth u. purpur punktirt auf citrongelbem Grund — bleu ardoisé lavé de violet, div. infér. tachetées de sang et de pourpre sur fond jaune citron		1 20
992	M. Hardy, wein-kirschroth, kastanienbraun marmorirt, u. P. kastanienbraun punktirt auf schwefelgelbem Grund — cerise vineux marbré marron, div. inf. fortement sablées marron sur fond soufre		— 80
1022	M. Laforcade, lachsziegelroth, blassgelbe, carmin punktirt Fl. — saumon brique clair, maculé jaune pâle et pointillé carmin		1 20
1023	M. Lefebvre, carmin, zinnober gefl., grosse schwefelgelbe, blutroth punktirt Fl. — carmin, strié vermillon, large macule soufre clair, sablée sang		1 —
1041	Pacha, orangeroth, roth getigert auf schwefelgelbem Grund — orange, centre tigré rouge sur fond soufre		1 80
991	Président Carnot, kirschroth, am Rande carmin gestreift, u. P. feurigscharlachrothe Flecken umrandet mit blutrothen Punkten auf strohgelbem Grund, sehr grossbl. — fleurs énormes; riche cerise satiné, strié carmin sur les bords; div. inf. macules écarlate feu entourées de gouttes de sang sur fond jaune paille		1 20
1030	Professeur Sargent, weinroth, purpur punktirt auf strohgelbem Grund — rouge à reflets vineux, centre sablé de pourpre sur fond jaune paille		1 20
1036	Robert Lindsay, leuchtend orange, blutroth und gelb punktirt — orange brillant ponctué sang et jaune		2 —
1026	Rubens, carmin mit orange Sebein, u. P. feuerroth punktirt auf strohgelbem Gr. — carmin teinté orange, div. inf. sablées de rouge feu sur fond paille		1 50
	Ein Sortiment von 6 Sorten — collection de 6 variétés		6 —
	„ „ „ 12 „ — „ „ 12 „		15 —

Gladiolus Species.

à Stück — la pièce		à Stück — la pièce	
	M. Pf.		M. Pf.
dracocephalus luteus	— 80	psittacinus	— 30
floribundus 12 St. 2 —	— 20	purpureo-auratus	— 60
gandavensis typus 12 » 2 —	— 20	ramosus	— 25
Papilio albus	— 80	Saundersi	— 80

Gladiolus gandavensis Hybriden in Rommel.

Glaïeuls hybrides de gandavensis en mélange.

Sämlinge von den vorzüglichsten Sortimentssorten, durch ausserordentliche Farbenmannigfaltigkeit den sonst aus Mischung billiger Sorten hergestellten Rommel weit übertreffend — semis des meilleures variétés surpassant de beaucoup par leur diversité extraordinaire des couleurs le mélange fait des anciennes sortes,

blühbare Zwiebeln — bulbes de force à fleurir 100 St. 5,50; 1000 St. 45 —
 stärkere Zwiebeln — bulbes plus forts 100 » 8 —; 1000 » 70 —
 extra starke Zwiebeln — extra forts 100 » 12 —

Weisse und weissgrundige Sorten in Rommel — hybrides blanches
 et fonds blancs en mélange 100 » 12 —

Rosenrothe Sorten in Rommel — h. roses et fonds rose en mélange 1000 St. 90 —; 100 » 10 —

Hoch- und dunkelrothe Sorten in Rommel — hybrides rouge vif et fonds rouge
 en mélange 100 » 12 —

Lilla und violette Sorten in Rommel — hybr. lilas et violets en mélange 100 » 12 —

Amarantrothe Sorten in Rommel — hybr. amarantes en mélange 100 » 12 —

Orange- und scharlachrothe Sorten in Rommel — hybr. oranges et écarlates en
 mélange 100 » 12 —

Gelbe und gelbgrundige Sorten in Rommel — hybrides jaunes et fonds jaune en
 mélange 100 » 15 —

Sämlinge, neueste, Prachtmischung allerersten Ranges — semis des
dernières nouveautés en mélange magnifique . 100 St. 20 —; 12 St. 3 —

Die vorstehende Prachtmischung können wir allen Gladiolenfreunden aufs Wärmste empfehlen; es kommen darin nur Blumen ersten Ranges vor, die ohne Ausnahme den feinsten Sortimentssorten gleichstehen. — Nous pouvons recommander chaleureusement à tous les amateurs de Glaïeuls ce mélange de semis nouveaux, qui ne contient que des variétés de premier rang, au moins égales aux meilleures sortes des collections.

Gladiolus gandavensis hybridus. — Glaïeuls hybrides de Gand.

Sortimente nach unserer Wahl. — Collections à notre choix.

Die Sortimente werden von uns mit Sorgfalt zusammengestellt, so dass auch in den kleinsten die sämtlichen Hauptfarben vertreten sind. — Les collections sont composées avec le plus grand soin de sorte que dans les plus petites toutes les nuances y sont représentées.

		M. Pf.
12 Sorten aus den älteren guten Varietäten — variétés anciennes	1,50 à 3 —	
12 » bessere Auswahl — meilleur choix	à 5 —, 7,50, 10 — à 15 —	
12 » aus den neuesten — sortes nouvelles	— 20 —	
25 » aus den älteren — variétés anciennes	— 3 — à 6 —	
25 » bessere Auswahl — meilleur choix	à 10 —, 15 —, 20 — à 30 —	
25 » neueste und allerneueste — des plus nouvelles	— 50 —	
50 » ältere und neuere — anciennes et nouvelles	à 10 —, 15 —, 25 — à 50 —	
50 » Elite-Sortiment — élite de la collection	— 75 —	
100 » ältere und neuere — anciennes et nouvelles	à 20 —, 30 —, 40 — à 100 —	

Gesneriaceen. — Gesnériacées.

Achimenes.

No.	No.	No.	No.
76 Admiration.	97 Firefly.	99 Lady Littleton.	126 Nina.
105 Alexandra.	152 Frau Katharine	119 Leopard.	55 pedunculata.
2 amabilis.	Schmidt, feurig	34 longiflora.	56 pulcherrima.
3 Ambrosie Verschaf-	scharl.—écarlatefeu.	75 » Adèle de la	92 purpurea elegans.
felt.	23 Georgiana.	Haute.	58 pygmaea.
148 Ami van Houtte.	113 Gem.	1 » alba.	140 reticulata.
87 Argus.	24 Ghiesbregbt.	74 » » Dr. Hopf.	60 rosea magnifica.
106 Aurora.	25 grandiflora.	39 » » Margarita	130 Rose Queen.
4 autumnalis.	26 » flore pleno.	83 » » maxima.	61 rouge feu doré.
10 Bodmeri.	28 Haageana.	151 » Carl Wolfabrt.	62 sauguinea superba.
9 Boeckmanni rubida.	98 Harry Williams.	107 » Celestial.	63 Sir Frehern Thomas.
16 Chelsoni.	136 hirsuta magnifica.	108 » Cherub.	149 Stella.
156 coccinea pygmaea.	147 » splendens.	42 » rosea.	120 Trevirania rosea.
157 » violacea.	160 Hofgärtner Wend-	127 » Oberon.	121 » splendens.
18 Dazzle.	schuch.	81 » W. Müller.	65 urticaefolia.
109 Diamond.	117 ignescens (Guth-	100 Loveliness.	67 violacea semiplena.
20 Escheriana.	nicka).	84 Mauve Perfection.	
150 Feuerkönig.	118 Ingrami.	50 Mons. Miellez.	134 Williamsi.

Diverse Gesneriaceen.

Gesneriacées diverses.

Nicht knollenartige Sorten wie Chirita, Cyrtodeira etc. siehe unter Warmhauspflanzen.
 Pour les espèces non tuberculeuses p. e. Chirita, Cyrtodeira etc. voyez Plantes de serre chaude.



Koellicheria argyrostigma.

à Stück — la pièce M. Pf.
 Biglandularia vide Rosanowia.

Brachyloma ignotum 60

Diastema pictum 12 St. 2 —, — 20

Dicyrta candida 12 » 2 —, — 20

» Warszewiczii 12 » 2 —, — 20

Dircaea vide Gesneria.

Dolichodeira tubiflora 12 St. 4 —, — 40

Eucadonia Ehrenbergi (Mandirola lanata) 12 St. 4 —, — 40

» naegelioides Diane 12 » 4 —, — 40

Gesneria allagophylla (Reichsteineria) 1 50

» barbata 1 —

» Bethmanni 1 —

» Blassi (Dircaea) 80

» Borsigi 1 50

» bulbosa (Dircaea) 12 St. 6 —, — 60

» Donkelaari 2 —

» Douglasi purpurea 1 50

» » verticillata 80

» Duvalli 60

» Leopoldi albo-lilacina 1 —

» longiflora 60

» macrantha (Dircaea cardinalis) 12 St. 4 —, — 40

» regalis (Dircaea) 1 20

» » nigrescens 1 20

Amaryllis.

à Stück — la pièce M. Pf.

aulica platypetala 3 —

equestris, hellorangescharlach, prächtige

Färbung — écarlate orange-clair, o-

loris très beau 12 St. 7,50, — 75

formosissima (Sprekelia), blühbare —

force à fleurir 100 St. 18 —, 12 St. 2,50, — 25

extra starke — très-forts 12 » 4 —, — 40

Graveana (Gravinae), dunkelscharlach

mit reinweissen Streifen — écarlate foncé

à striures blanc pur 12 St. 10 —, — 1 —

longifolia vide Crinum capense.

procera (Impératrice du Brésil), mit

grosser blauer Blüthe — à gr. fl. bleue 8 — à 12 —

reticulata, Blätter mitsilbernen Mittelstreifen

— feuille à large raie argentée au centre 2 50

à Stück — la pièce M. Pf.

Gloxinia maculata 12 St. 4 —, — 40

» maculata Sceptrum 12 » 6 —, — 60

» tubiflora vide Dolichodeira.

Isoloma Decaisneanum 60

» hirsutum 40

» » multiflorum, niedrig, reich-

blühend — nain, florifère 50

» hybridum Comtesse de la Combe 1 —

» » M^{me} Henry Couannier 75

» » M. Guyomar 1 —

» » Souvenir d'une mère 1 —

» » V. Lemoine 75

» Trianae 1 —

Koellicheria argyrostigma 40

Lietzia brasiliensis 1 —

Locheria hirsuta 12 St. 4 —, — 40

Mandirola lanata vide Eucadonia.

Naegelo-Achimenes, Mad. Jehenne,

Blätter braunroth, Bl. magentaroth mit

weisser Mitte — feuillage rouge brun,

fleurs magenta à centre blanc 12 St. 2,50, — 25

Naegelo-Achimenes, Pyramidal

12 St. 2,50, — 25

Niphaea oblongata 12 » 3 —, — 30

Plectopoma aureo-lilacinum 30

» Colibri 30

» Gibsoni 30

» gloxiniaeflorum 30

» Rollissoni 30

Rosanowia (Biglandularia) citrino-ama-

rantina 75

» conspieua 75

» Hansteini 75

» Regeli 1 —

» Sämlingsknollen ohne Namen — semis

sans nom 12 St. 6 —, — 60

Saintpaulia ionantha, neue, prachtvolle

niedliche Gesneriacee mit veilchenblauen

Blumen, ausgezeichnet Winterblüher —

nouvelle Gesneriacée magnifique à fleurs

bleu de violettes 12 St. 7,50, — 75

Scheeria mexicana 12 » 2 —, — 20

» » coerulescens 12 » 2 —, — 20

» » rubra 12 » 2 —, — 20

» » violacea 12 » 2 —, — 20

Sciadocalyx digitaliflora 1 50

» Luciani 1 —

» Warszewiczii 1 —

Sinningia Helli 2 —

» purpurea nigra 1 —

Stenogastera concinna 1 50

Tapeinotes Carolinae 1 —

» » major 1 —

Amaryllis:

à Stück — la pièce M. Pf.

robusta (Tettaui), leicht und dankbar,

intensiv dunkelscharlach blühende Sorte

für den Winterfor — écarlate foncé,

espèce très-facile à cultiver et la meilleure

pour la floraison d'hiver 1,50 à 2 —

solandraeflora 5 —

vittata 1 50

» Cleopatra, grossblumig, purpurroth

mit reinweissen Streifen, prachtvoll

— à gr. fl. rouge pourpré à striures

blanc pur, magnifique 2,50 à 5 —

» hybrida, rothgrundig — à fond rouge 2 50

» » weissgrundig — à fond blanc 2 50

» » blühbare Sämlinge im Rom-

mel — semis de force à fleurir

en mélange 12 St. 15 —, 1 50



Amaryllis equestris.



Amaryllis robusta (Tettaui).

Anemonen. — Anémones.

	M. Pf.
Gefüllte in sehr schönem Rommel — doubles en beau mélange 100 St. 3 —, 10 St. — 40	
» in extra Pracht-Rommel — doubles en mélange magnifique, 100 St. 5 —, 10 St. — 60	
» scharlachrothe — doubles rouge écarlate 100 St. 4,50, 10 St. — 50	
» blaue (Admiral Zoutman) — doubles bleues 100 St. 5 —, 10 St. — 60	
» in 50 Sorten mit Namen — doubles en 50 variétés avec noms 100 St. 9 —	
» in 25 Sorten mit Namen — doubles en 25 variétés avec noms 100 St. 6 —	
Einfache chinesische immerblühende in Rommel — simples de Chine en mélange 100 St. 1,80, 10 St. — 25	
» scharlachrothe — simple écarlate 100 St. 1,80, 10 St. — 25	
» weisse „Die Braut“ — simple blanche la fiancée 100 St. 1,80, 10 St. — 25	
à Stück — la pièce M. Pf.	
chrysanthemiflora, mit Chrysanthemum ähnlichen Blumen, sehr schöne Race, extra schöne gefüllt blühende gemischt — à fleurs de Chrysanthème, très-helle et très-double et florifère; beau mélange 100 St. 15 —, 10 St. 1,80, — 20	
» Chapeau du Cardinal, scharlach gefüllt — écarlate double 10 St. 1 —, — 15	
» Gloire de Nantes, blauviolett gefüllt — violacé double 10 St. 2,50, — 30	
» la Brillante, carmoisinroth gefüllt — double cramoisi 10 St. 2,50, — 30	
» Rose de Nice, zartrosa gefüllt — rose tendre, double 10 St. 1 —, — 15	
französische, einfache von Caen, beste Mischung — simples de Caen, mélange extra 100 St. 3 —, 10 St. — 35	
fulgens, einfach dunkelscharlach — simple écarlate à très-grande fleur 100 St. 7,50, 10 St. 1 —, — 15	
» flore pleno 100 » 7,50, 10 » 1 —, — 15	

Begonia.

Knollenartige Sorten — espèces tuberculeuses.

I. Einfach blühende — à fleurs simples.

No.	à Stück — la pièce M. Pf.
2 Baumanni (odoratissima), hellrosa wohlriechend — à fl. rose clair odorante 12 St. 7,50, — 75	
6 » hybrida, leuchtend rosa. wohlriechend — rose vif, à odeur de rose thé 12 St. 7,50, — 75	

No. Begonia: à Stück — la pièce M. Pf.

37 Bavaria, niedrig, zartrosenroth, violett angehaucht — nain, fl. roses refletées de violet 1 20	
1 boliviensis — 40	
30 » Madelain, niedrig — nain — 40	
56 Davisi 12 St. 4 —, — 40	
3 discolor 12 » 4 —, — 40	
4 diversifolia 12 » 2,50, — 30	
5 Froebeli 12 » 3 —, — 30	
13 fulgens 1 20	
8 geranioides — 80	
193 hybrida gigantea, einfache grossblum. Begonien in Prachtrommel — Bégonias à grandes fleurs simples en mélange magnifique 100 St. 20 —, 12 St. 3 —, — 30	
194 » gigantea alba 12 » 4 —, — 40	
202 » » albo-rosea 12 » 4 —, — 40	
196 » » aurantiaca 12 » 4 —, — 40	
203 » » carminea 12 » 4 —, — 40	
197 » » coccinea 12 » 3 —, — 30	
198 » » lutea 12 » 4 —, — 40	
199 » » rosea 12 » 4 —, — 40	
200 » » sanguinea 12 » 3 —, — 30	
214 » » mit weisser Mitte — à centre blanc 12 St. 5 —, — 50	
215 » » vittata 1 50	



Begonia hybr. gigantea.



Caladium.

No.	Begonia:	à Stück — la pièce M. Pf.
14	Martiana gracilis	12 St. 3 —, — 30
9	natalensis, sehr distinct — espèce très-distincte	1 —
11	Pearcei	12 St. 3 —, — 30

Sämlinge der schönsten knollenartigen Sorten in Rommel — semis des plus belles espèces tubéreuses en mélange
100 St. 15 —, 12 St. 2 —, — 20

II. Gefüllt blühende — à fleurs doubles.

No.	à Stück — la pièce M. Pf.
35	Doris 1 20
33	Graf Zeplin 1 50

32 Marie Lenz, weiss gefüllt, sehr reichblühend — blanc double, très florifère
12 St. 12 —, 1 20

34 Rosamonde 1 50

6 gefüllte Sorten nach unserer Wahl — 6 variétés à fl. doubles à notre choix . 5 —

12 gefüllte Sorten — 12 var. à fl. doubles — gefüllte Sämlinge in Rommel — semis à fleurs doubles en mélange
100 St. 50 —, 12 St. 7 —, — 75

Caladium.

No.	à Stück — la pièce M. Pf.
-----	---------------------------

2 adamantium, neu — nouv. 7 50

36 Adolphe Andrieux 2 —

110 Agrippine Dimitry 2 —

79 Albert Victor 1 —

72 Alcide Michaux 2 —

146 albo-luteum 2 50

95 Alcibiades 2 —

37 Alfred Bleu 2 —

1 argyrites 1 —

180 Azulao 3 —

121 Baron de Rothschild 2 —

18 Beethoven 2 —

3 Belleymer 2 —

40 Bellini 2 —

196 Caçapava 4 —

5 Cannaerti 1 75

182 C. E. Dahle 4 —

6 Chantini 1 50

109 Chicorinha 2 50

127 chrysophyllum 2 —

42 Devosianum 1 50

159 Dr. Junker 1 50

145 Dr. Pechuél-Löschke 1 50

98 Donizetti 2 —

No. Caladium: à Stück — la pièce M. Pf.

45 Duo de Ratibor 1 —

46 Duchartre 1 50

48 Ed. Moreau 1 50

80 Étoile d'argent 1 50

100 Félicien David 2 —

82 Franz Abt 2 —

29 Friedr. Bause 2 —

184 Gartendirector Gircoud 3 —

197 Guararema 4 —

162 Haageanum 2 —

53 Halévy 1 50

11 hastatum 2 —

12 Houllleti 1 20

151 Ibis rose 7 50

75 Lcplay 2 —

15 Lindleyanum 1 50

57 Louis Poirier 2 —

102 Louise Duplessis 12 St. 8 —, — 80

62 macrophyllum 1 50

103 Mad. Alfred Bleu 1 50

104 » de la Devansaye 2 —

157 » Fritz Koechlin 2 —

105 » Heine 2 —

111 » Marjolin Scheffer 2 —

59 Max Kolb 2 —

60 Mercadante 2 —

16 metallicum 2 50

61 Meyerbeer 12 St. 15 —, 1 50

177 mirabile 2 —

134 Napoleon III 2 —

186 Ouro Fino 4 —

106 Perle du Brésil 2 —

78 Princesse Alexandra 2 —

32 Psyche 2 —

198 Purus 3 —

64 Raulini 2 —

65 Reine Victoria 2 —

67 Schottianum 1 50

28 splendidum 1 50

94 Triomphe de l'Exposition 2 —

192 Triumpho, neu — nouv. 4 —

108 Vicomtesse de la Roque-Ordan 2 —

188 Vigario Joao de Procopio 3 —

109 violaceum 2 —

154 virginale 2 —

120 Walter Scott 2 —

30 Wighti 1 —

Caladium - Sortiments unserer Wahl — collections à notre choix: M. Pf.

12 Sorten — variétés 12 —

25 » — 30 —

100 in Rommel — en mélange 60 —, 12 St. 7 50

Canna.

No. à Stück — la pièce M. Pf.

80 iridiflora Ehmanni 12 St. 6 —, — 60

31 » Guttermanni 80

45 tricolor 12 St. 4 —, — 40

Grünblättrige in Rommel — à feuillage vert en mélange . 100 St. 15 —, 12 St. 2 —, — 20

Rothblättrige in Rommel — à feuillage pourpre en mélange . 100 St. 20 —, 12 St. 3 —, — 30

Niedrige frühblühende Sorten — Variétés naines hâtives.

No. No.

50 Abel Carrière. 132 Guillaume Couston.

84 Antoine Chantin. 114 Hans Wilhelm.

54 B. Cousançat. 101 Henri L. de Vilmorin.

75 Bernal. 73 Hofgärtner Gernet.

55 Bichonnet. 105 Kaiser Wilhelm II.

88 Cardinalis. 91 Légionnaire.

71 Carl Lackner. 76 Le Tigre.

117 Ch. Henderson. 79 Lorenz Hoyer.

57 Commandant Rivière. 116 Maurice Rivoire.

89 Doyen J. Sisley. 67 multiflora.

72 Dr. Reif. 94 Petite Jeanne.

115 E. Blanc. 102 Président Carnot.

59 Ed. Pynaert. 66 Mons. Coulouvrat.

128 Eugène Mézard. 96 Richard Pfau.

62 François Lapente. 95 Souv. de J. Charretton.

74 Garteninspekt. Vetter. 113 Vauché.

Jede Sorte einzeln — chaque var. séparée — 50

12 Sorten uns. Wahl — 12 var. à notre choix 4 —

Canna:

Neue niedrige grossblumige Sorten — Variétés nouvelles naines à gr. fleurs.

No.		à Stück — la pièce	M.P.
106	Alphonse Bouvier , dunkelamarant-roth — rouge amarante foncé	1 —	
159	Ami P. G. Pezeux , lebhaft granatpurpur — grénat vif pourpre	3 —	
109	Amiral Gervais , dunkelcarmin mit gelbschattirtem Schlund — carmin foncé à gorge jaune	1 50	
119	Beauté de Poitevine , kirschcarmin — carmin cerise	2 —	
150	Colonel Dodds , dunkellachsroth — rouge saumoné foncé	2 —	
	Comte de Bouchaud , canariengelb, carmin punktirt — jaune canari pointillé carmin	2 —	
118	Cousin Jacob , carmoisin, goldgelb gerandet — cramoisi bordé jaune d'or	1 —	
111	Docteur Vergely , schwefelgelb, ocker-gelb getupft — jaune soufre piqué d'ocre	1 —	
153	E. Renan , rothblättrig, lebhaft carmin-rosa — feuellage pourpre, fl. rose carminé vif	2 —	
155	Godefroy - Leboeuf , rothblättrig, capuzinerfarbig — feuell. pourpre, fl. capucine	2 —	
171	Goliath , sehr grossbl., leuchtend amarantroth — rouge amarante vif à très gr. fl.	6 —	
	H. Foulquier , rothbl., hellkirschroth — feuell. pourpre, fl. cerise clair	2 —	
157	Joseph Bichon , rothbl., purpur — feuell. rouge, fl. pourpre	2 —	
120	Königin Charlotte , eine der schönsten Sorten, Blumen gross, sammtig granatblutroth mit breitem leuchtend canariengelbem Rand — très belle variété à fleurs grandes, d'un rouge sang velouté bordées largement de jaune canari	12 St. 10 —	1 —
158	Loewin Roseels , rothblättrig, dunkellachsroth — feuell. pourpre, fl. saumon foncé	1 50	
103	Mad. Crozy , hellzinnober, goldgelb gerandet — vermillon clair, bordé doré	1 —	
161	Papa Canna , hellgrünblättrig, mennig-roth, zinnober schattirt — feuellage vert clair, fl. rouge minium nuancé vermillon	6 —	
162	P. Bouquet , rothblättrig, helllachs-orangeroth — feuellage pourpre, fl. orange saumoné clair	2 —	
165	Souvenir Antoine Crozy , leuchtend zinnober mit breitem goldgelbem Rand — vermillon intense à bord jaune d'or	3 —	



Libum lancifolium.

Canna, niedr. grossbl.:

6 Sorten uns. Wahl—6 variétés à notre choix	7 50
12 Sorten uns. Wahl—12 variétés à notre choix	18 —

Sämlinge der neuesten Sorten — semis

des dernières nouveautés . 12 St. 6 —, — 60

Canna, neueste orchideenblüthige
nouveaux à fleurs d'orchidées:

Austria,	Blätter Musa-ähnlich, bellgrün, Blumen sehr gross, canariengelb, in der Mitte schwach braunroth getupfelt, extra — feuilles semblables à celles de Musa, vert clair, fleurs très grandes, jaune canari à gorge maculée de rouge brun	à St. — la pièce	2 50
Italia,	Blätter breit, frischgrün, Blumen sehr gross, leuchtend scharlach mit breiten goldgelben Rändern — feuillage vert frais, fl. très grandes, écarlate brillant à large bord jaune d'or	à St. — la pièce	3 50

Georginen — Dahlias

In Knöllchen, für weitgehende Transporte am besten geeignet, von October bis Anfang Mai versendbar — en petits tubercules, les plus propres pour les transports de grande distance et disponibles du mois d'Octobre jusqu'au commencement de Mai.

Gefüllte — à fl. doubles:

Grande — à la pièce		à St. — la pièce	M. Pf.
12 St. in 12 grossbl. Sorten	—	variétés à gr. fl.	3 50
25 » » 25	»	» » » »	7
50 » » 50	»	» » » »	15
12 » » 12 Liliputsorten	—	liliputiennes	3 50
25 » » 25	—	»	7
50 » » 50	—	»	15
12 » » 12 Zwergsorten	—	naines	4
12 » » 12 Juarezi-S.	—	var. de Juarezi.	5
100 » » 100 Sorten	aus allen Classen	— de toutes les classes	25
200 » » 200 »	aus allen Classen	— de toutes les classes	60

Einfachblühende — à fl. simples:

[illegible]

Lilium.

auratum: à Stück — la pièce M. Pf.

mittelstarke Zwiebeln, 4 $\frac{1}{2}$ cm Durchmesser — bulbes moyens, 4 $\frac{1}{2}$ cm diamètre — 100 St. 45 —, 12 St. 6 —, 60 —
starke Zwiebeln, 5 $\frac{1}{2}$ $\frac{1}{2}$ cm Durchmesser — bulbes forts, 5 $\frac{1}{2}$ $\frac{1}{2}$ cm Durchmesser 12 St. 10 —, 1 —
extra starke Zwiebeln, 6 $\frac{1}{2}$ $\frac{1}{2}$ cm Durchmesser — bulbes extra forts, 6 $\frac{1}{2}$ $\frac{1}{2}$ cm Durchmesser

— bulbes extrairés, 6-12	12 St. 15	1 50
Browni	12 St. 6	1 50
canadense	12 St. 6	— 60
» rubrum	12 » 8	— 80
chalcedonicum	12 » 15	1 50
colchicum (Szovitzianum)	12 » 10	1 —
fulgens (atrosanguineum), schönste Var. gemischt — mélange des meilleures variétés		

giganteum

Harrisii (longiflorum floribundum), ausgezeichnete, sehr reichblühende Lilie, sehr gut zum Treiben — variété très florifère, se prêtant bien à la culture forcée

12 St. 5 —,

lancifolium album	12	»	5	—	50
» album Kraetzeri	12	»	9	—	90
» corymbiflorum album					60
» » rubrum					1
» Melpomene , schön — beau					150
» punctatum	12	St.	6	—	60
» purpureum, die dunkelste von allen					1
» le plus foncé de tous					25
» roseum	100	St.	30	—	12
» » »	100	»	30	—	12
» rubrum	100	»	30	—	12

Lilium :	à Stück — la pièce M. Pf.
longiflorum floribundum vide Harris.	
philadelphicum	12 St. 7 —, — 70
superbum	12 » 6 —, — 60
tenuifolium	12 » 8 —, — 80
testaceum (excelsum, isabellinum, peregrinum)	12 St. 7 —, — 70
Thompsonianum	12 » 8 —, — 80
tigrinum (sinense) 100 St. 10 —, 12 » 1,50, — 15	
» flore pleno	12 » 2,50, — 25
» splendens	12 » 2,50, — 25

Ranunkeln. — Renoneules.

Holländische oder Persische gefüllte Ranunkeln. — Renonculus doubles de Perse.

M. Pf.

in schönem Rommel — en beau mélange	
1000 St. 14 —, 100 St. 1,50, 10 St. — 20	
in Pracht-Rommel — en très-beau mélange	
100 St. 2,40, 10 St. — 30	
100 Sorten mit Namen — 100 variétés avec noms	100 St. 8 —
100 St. in 50 Sorten — 50 variétés	6 —
100 » » 25 » — 25 »	5 —

Türkische gefüllte Ranunkeln. Renonculus doubles turques.

Blüthen in Paeonienform, frühblühend — fleurs à forme de pivoines, très hâtive.	
Commodore Napier, citrongelb mit purpur gefleckt — jaune citron tacheté de pourpre	100 St. 3,50, 10 St. — 40
Hercules, weiss — blanc	100 » 12,50, 10 » 1 50
Merveille, gelb — jaune	100 » 3,50, 10 » — 40

Türkische gefüllte Ranunkeln:

à Stück — la pièce M. Pf.

Prince de Galitzin, gelb mit braun — jaune et brun	100 St. 4 —, 10 St. — 50
Romano, roth — rouge	100 » 2 —, 10 » — 25
Seraphique d'Alger, gelb — jaune	100 St. 2,50, 10 » — 30
Souoi doré	100 » 4 —, 10 » — 50
Turban d'or	100 » 3,50, 10 » — 40
» noir	100 » 3,50, 10 » — 40
» grandiflora, roth mit weiss — rouge et blanc	100 St. 2 —, 10 St. — 25
in Rommel — en mélange 100 » 1,50, 10 » — 20	
Ranunculus asiaticus superbissimus, unbedingt die beste, empfehlenswerthe, reichblühendste Ranunkel — sans aucun doute la meilleure, la plus recommandable et la plus florifère de toutes les renonoules.	1000 St. 14 —, 100 St. 1,50, 10 St. — 20

Tuberosen. — Tubéreuses.

à Stück — la pièce M. Pf.

Gefüllte amerikanische — doubles de l'Amérique	100 St. 10 —, 12 St. 1,50, — 15
Perle, dicht gefüllte niedrige amerikanische — naine très-double de l'Amérique	100 St. 12,50, 12 St. 1,80, — 20
Excelsior, stärkste Zwiebeln — oignons les plus forts	100 St. 15 —, 12 St. 2,50, — 25
Albino, einfachblühende reinweisse, blüht bedeutend früher und bringt mehrere Blüthenstengel — à fl. simple blanc pur, floraison précoce, produisant plusieurs tiges de fleurs	12 St. 6 —, — 60
Silver Leaf, buntblättrige Varietät mit einfachen, weissen, sehr wohlriechenden Blumen — à feuilles panachées	12 St. 5 —, — 50

Diverse Knollen und Zwiebelgewächse.

Oignons à fleurs divers.

(Alle nachstehend aufgeführten Sorten lassen sich in trockenem Zustande und bei frostfreiem Wetter den Samenbestellungen beifügen — toutes les espèces cotées ci-dessous peuvent être ajoutées en état sec aux commandes de graines dès que le temps le permettra.)



Amorphophallus campanulatus.



Crinum scabrum.

à Stück — la pièce M. Pf.	
Alstroemeria aurantiaca	12 St. 4 —, — 40
» brasiliensis	12 » 4 —, — 40
» chilensis	12 » 3 —, — 30
» peregrina	1 —
» psittacina	12 St. 4 —, — 40
» in Rommel — en mélange	
100 St. 15 —, 12 » 3 —, — 30	

à Stück — la pièce M. Pf.	
Amorphophallus campanulatus ☞, eine der interessantesten Erscheinungen der Pflanzenwelt! — plante très intéressante à tige solitaire	2 50
extra starke Knollen — bulbes très forts	5 — à 10 —



Griffinia hyacinthina.



Haemanthus Kalbreyeri.

Amorphophallus Rivieri, ausgezeichnet zum Auspflanzen ins freie Land während des Sommers — tout ce qu'il y a de plus beau à planter en pleine terre durant l'été	
12 St. 6 —, — 60	
stark — fort 12 » 12 —, 1 20	
Anredera scandens, raechwachsende Schlingpflanze — plante grimpante d'une croissance rapide	— 50
Antholyza crocosmoides	12 St. 5 —, — 50
Antigonon leptopus	— 60
Apios tuberosa (Glycine Apios), echöne Schlingpflanze — très-belle plante grimpante	12 St. 4 —, — 40
Asclepias tuberosa	12 » 5 —, — 50
Bessera elegans, scharlach — écarlate	
12 St. 4 —, — 40	
Bomarea Lehmanni, sehr schön — très beau	2 —
» multiflora	3 —
» oculata	12 St. 5 —, — 50
» oligantha	2 —
Boussingaultia baselloides, raschwachsende Schlingpflanze, schön — plante grimpante très-vigoureuse, belle 100 St. 12 —, 12 St. 1,50,	— 20
Bowiea volubilis, interessant, mit rankenden Stengeln — très-intéressant, à tige grimpante	12 St. 6 —, — 60
Bravoa geminiflora	— 50
Calla aethiopica	— 30 à — 50
» » compacta, gedrungener bleibend und leichter blühend — d'un port plus trapu et fleurissant très-franchement	12 St. 4 —, — 40
» aethiopica grandiflora (gigantea), sehr grossblumig, distinct — à très grande fleur	1 20
» » Little Gem	12 St. 5 —, — 50
» gelbbühende, vide Richardia.	
Calliphruria Hartwegiana	1 20
Canarina Campanula	— 50
Chlidanthus fragrans	12 St. 1,80, — 20
Colocasia antiquorum	12 » 5 —, — 50
» antiquorum Dussi	1 50
» euehloria	1 —
» odora	1 — à 3 —
Cooperia Drummondii	12 St. 4 —, — 40
Costus speciosus	— 2 50
Crinum amabile	— 5 — à 10 —
» americanum	— 5 — à 7 50
» asiaticum	— 4 —
» crassifolium	— 3 — à 6 —
» fimbriatulum, weiss, carmin gestreift — blanc, strié carmin	2 —

à Stück — la pièce M. Pf.	
Crinum Kirkii, rein weiss mit purpur Mittelstreifen, grossblum. — blanc pur à striures pourpres, à gr. fl.	3 —
» Moorei (Makoyanum), rosa, wohlriechend — rose, odorant	4 —
» nobile album	5 —
» scabrum	2 — à 5 —
» uniflorum	2 50
» Yemense	5 —
Species fürs freie Land — espèces de pleine terre:	
» capense (Amaryllis longifolia)	— 50
» » flore albo	— 75
» Powellii, neue Hybride mit grossen rosenrothen Blumen, ebenso hart als C. capense — hybride nouv. à gr. fl. rose, aussi rustique que C. capense	2 50
» » album, reinweiss — blanc pur	4 —
» » intermedium	3 —
Crocoshmia aurea (Tritonia)	
100 St. 10 —, 12 St. 1,50,	— 20
Diclytra spectabilis 100 » 18 —, 12 » 2,50,	— 30
» spectabilis fl. albo	1 25
» » fol. var.	— 80
Dioscorea japonica	12 St. 4 —, — 40
Drymopsis maculata	— 60
Eucharis amazonica	12 St. 12 —, 1 20
» » schwächere — moins forts	12 St. 7,50, — 75



Hyacinthus candicans.



Ismene calathina.



Montbretia crocosmiaeflora.

	à Stück — la pièce M. Pf.
<i>Eucharis grandiflora</i>	12 St. 10 —, 1 —
<i>Eucomis punctata</i>	— 60
» <i>regia</i>	— 80
<i>Euryangium Sumbul</i> , Moschuswurzel —	
plante à muso	12 St. 10 —, 1 —
<i>Eurycles Cunninghami</i>	1 50
<i>Griffinia hyacinthina</i> , prachtvoll, hell-	
blau — bleu clair, magnifique	3 — à 4 —
<i>Haemanthus albidus</i>	1 50
» <i>coccineus</i>	12 St. 20 —, 2 —
» <i>Kalbreyeri</i>	3 50
<i>Hedychium coronarium</i> , reinweiss,	
wohlriechend — à fleur blanche, odorante	12 St. 5 —, — 50
» <i>Gardnerianum</i> , leicht blühende	
Prachtflanze — plante superbe fleurissant très-franchement	12 St. 5 —, — 50
<i>Hyacinthus candicans</i> (Galtonia), blüht	
von Juli bis October in grossen reinweissen	
Blütentrauben — à grandes fleurs blanches	
en longs épis	
blühbare Zwiebeln — bulbes de force à	
fleurer	100 St. 6 —, 12 St. — 80, — 10
stärkere — plus forts	100 St. 10 —, 12 — 1,25, — 15
extra starke Zwiebeln — bulbes très-forts	
.	100 St. 15 —, 12 St. 2,50, — 25



Vallota purpurea.

	à Stück — la pièce M. Pf.
<i>Hymenocallis caribaea</i> Hb. (Pancratium	
<i>speciosum</i> , Red.) mit grossen, rein-	
weissen, nach Vanille duftenden Blü-	
men, leicht und reichblühend, eine	
Zimmerpflanze ersten Ranges — à	
grandes fleurs blanches à odeur de	
vanille, d'une floraison franche et	
abondante, l'une des meilleures plan-	
tes bulbeuses pour appartements,	
stark — fort	12 St. 20 —, 2 —
kleinere — plus petits 12 » 10 —,	1 —
<i>Ismene Amancaes</i>	4 —
» <i>calathina</i> (Pancratium), reinweiss —	
blanc pur	12 St. 6 —, — 60
» <i>Macleaniana</i>	12 » 4 —, — 40
» <i>undulata</i> , weiss mit grün — blanc et vert	
.	12 St. 3 —, — 30
<i>Kaempferia Gilberti</i> , schönes Blatt — belle	
feuille	1 50
<i>Littonia modesta</i> var. <i>Keiti</i>	1 50
<i>Methonica</i> (Gloriosa) Plantif.	12 St. 10 — 1 —
» <i>superba</i>	12 » 10 — 1 —
» <i>virescens</i>	1 50
<i>Milla biflora</i> , schöne grosse reinweisse	
porzellanartige Blumen — à fleurs très	
belles, grandes, blanc pur	12 St. 4 —, — 40
<i>Montbretia crocosmiaeflora</i>	
100 St. 4 —, 12 » — 60, — 10	
» <i>crocosmiaefl.</i> Bouquet parfait	12 St. 2,50, — 25
» » <i>Eldorado</i>	12 » 3 —, — 30
» » <i>elegans</i>	12 » 1,50, — 15
» » <i>Etoile de feu</i> 100 St. 6 —, 12 » — 90, — 10	
» » <i>pyramidalis</i>	12 » 2,50, — 25
» » <i>Rayon d'or</i>	12 » 2,50, — 25
» » <i>Soleil couchant</i>	12 » 3 —, — 30
» » <i>Transcendant</i>	12 » 2,50, — 25
» <i>Pottsi</i>	100 St. 4 —, 12 » — 60, — 10
<i>Ornithogalum longibracteatum</i> , beliebte	
Zimmerpflanze, irrtümlich Meerzwiebel	
genannt — Plante d'appartements, d'une	
culture facile	— 75
<i>Oxalis esculenta</i> vide <i>O. tetraphylla</i> .	
» <i>lasiantha</i> , carmoisiu 100 St. 4 —, 12 St. — 60	
» <i>lilacina</i>	100 » 4 —, 12 » — 60
» <i>tetraphylla</i> (esculenta), lachsrotb	
.	100 St. 2,50, 12 St. — 40
» <i>umbrosa</i> , weiss	100 » 1,25, 12 » — 25
<i>Pancratium canariense</i>	1 50
» <i>galvestoniense</i>	1 —
» <i>guianense</i> , schneeweiss, mit spiralfor-	
mig gedrehten Blumenblättern — blanc	
de neige, à pétales tortillés en spirales	4 —
» <i>rotatum</i>	1 50
» <i>zeylanicum</i> , reinweiss, leichtblühend	
— blanc pur, florifère	1 20

	à Stück — la pièce M. Pf.	
<i>Pentlandia miniata</i>	12 St. 7,50, — 75	
<i>Phaedranassa chloracea</i>	12 » 4 —, — 40	
» <i>fuchsioidea</i>	12 » 8 —, — 80	
» <i>gloriosa</i>	12 » 4 —, — 40	
» <i>obtusata</i>	12 » 7,50, — 75	
<i>Pilogyne snavis</i> , zarte, moschusduftende Schlingpflanze — plante grimpante charmante à fleurs sentant le musc 12 St. 3 —, — 30		
<i>Priva laevis</i> (<i>Verbena orchidioides</i>), Gartenflora, Tab. 131, hübsche knollenartige <i>Verbena</i> aus Chili — <i>Verbena</i> à racine tubéreuse du Chili	12 St. 4 —, — 40	
<i>Richardia albo-maculata</i>	12 » 3 —, — 30	
» <i>aurata</i>	2,50 à 5 —	
» <i>Elliottiana</i> , neue goldgelbbühende Calla mit weissgefleckten Blättern — nouv., à fl. jaune d'or et à feuilles maculées de blanc	7,50 à 10 —	
» <i>hastata</i> , gelb blühend — à fl. jaune	3 50	
» <i>melanoleuca</i>	— 75	
» <i>Rehmannii</i> (<i>Zantedeschia</i>), seltene, rosenrothblühende Calla aus Süd-Afrika — espèce très rare de l'Afrique du Sud, à fleurs roses.	10 — à 15 —	
<i>Salvia patens</i>	12 St. 5 —, — 50	
<i>Sauromatum guttatum</i>	12 » 4 —, — 40	

	à Stück — la pièce M. Pf.	
<i>Schizostylis coccinea</i>	12 St. 1,50, — 20	
<i>Scilla maritima</i> , Meerzwiebel, starke Zwiebeln — Scille rouge, très gros oignons	1 —	
<i>Tacca pinnatifida</i>	3 — à 5 —	
<i>Thladiantha dubia</i> 100 St. 5 —, 12 St. —, 90, — 10		
<i>Tigridia canariensis</i>	12 » 3 —, — 30	
» <i>conchiflora</i>	100 St. 12 —, 12 » 2 —, — 20	
» » <i>alba</i> , prachtvoll; mit grossen weisslichen Blumen — à grandes fleurs blanc de cire 12 St. 2,50, — 25		
» <i>Pavonia</i> (<i>Ferraria tigrida</i>), Tigerblume	100 St. 8 —, 12 St. 1,20, — 15	
» » <i>lilacina</i>	12 » 2,50, — 25	
» » <i>rubra</i>	12 » 2 —, — 20	
» <i>speciosa</i>	12 » 2 —, — 20	
<i>Tropaeolum speciosum</i>	12 » 5 —, — 50	
» <i>tuberosum</i>	12 » 3 —, — 30	
<i>Vallota purpurea</i> (<i>Amaryllis</i>)	12 St. 4 — à 8 —, — 40 à — 80	
<i>Veltheimia glauca</i>	2 —	
» <i>viridifolia</i>	2 —	
<i>Zephyranthes Atamasco</i>	12 St. 1 —, — 10	
» <i>candida</i>	100 St. 6 —, 12 » 1 —, — 10	
» <i>carinata</i> (<i>rosea</i>)	12 » 4 —, — 40	
» <i>striata</i>	12 » 4 —, — 40	
» <i>sulphurea</i>	— 60	

Die vollständige Anführung der bei uns zu habenden Zwiebel- und Knollengewächse ist im Blumen-Zwiebel-Verzeichniss zu ersehen, von welchem Exemplare auf Verlangen zu Diensten stehen. Die Preise der oben nicht aufgeführten Species bleiben unverändert. — Pour la collection complète des plantes bulbeuses et tubéreuses voyez notre Catalogue d'Oignons à fleurs paraissant en Août, et qui est à la disposition de quiconque en fera la demande; les prix de toutes les espèces non énumérées ici resteront les mêmes.

Gemischte Sortimenten von Blumenzwiebeln. — Collections mixtes d'Oignons à fleurs.

Zur Frühjahrsplantation für den Garten. — Pour la plantation de printemps.

Diese Sortimenten können den Samenbestellungen bei frostfreiem Wetter beige-packt werden. — Ces collections peuvent être ajoutées aux envois de graines autant que le temps sera favorable.

1. Collection für 6 M. enthaltend: — collection pour 6 M. contenant: 12 Gladioli, 12 Anemone, 25 Ranunculus, 6 Ranunculus asiat. superb., 1 Lilium lancifolium, 1 L. fulgens und 12 diverse.
2. Collection für 10 M. enthaltend: 24 Gladioli, 25 Anemone, 25 Ranunculus, 6 Ranunculus asiat. superb., 1 Lilium auratum, 1 L. fulgens, 1 L. lancifolium und 20 diverse.
3. » » 15 » » 30 Gladioli, 25 Anemone, 25 Ranunculus, 12 Ranunculus asiat. superb., 6 Lilium, inclus. auratum, und 30 diverse.
4. » » 30 » » 50 Gladioli, 50 Anemone, 50 Ranunculus, 12 Ranunculus asiat. superb., 10 Lilium, inclus. 2 auratum, und 50 diverse.

Die hierbei aufgeführten diversen Zwiebeln werden aus folgenden Gattungen gewählt: — Les oignons divers non pas encore mentionnés ici, seront choisis parmi les genres suivants: *Amaryllis*, *Bravoa*, *Chlidanthus*, *Commelina*, *Cooperia*, *Crinum*, *Crocus*, *Hyacinthus*, *Ismene*, *Montbretia*, *Oxalis*, *Phaedranassa*, *Polyanthes*, *Priva*, *Thladiantha*, *Tigridia*, *Zephyranthes*.

PFLANZEN. — PLANTES.

Warmhaus-Pflanzen.

PLANTES DE SERRE CHAUDE.

	à Stück — la pièce M. Pf.	
<i>Acalypha Hamiltoniana</i> , mit gezackten, weiss gerandeten Blättern — à feuilles dentelées et bordées de blanc	1 20	
» <i>macrophylla</i>	1 —	
» <i>mnaiica</i>	1 —	
» <i>obovata</i>	1 —	
<i>Achyranthes Biemülleri</i>	12 St. 4 —, — 40	
» <i>Verschaffelti</i>	12 » 3 —, — 30	
» » <i>fol. aur. ret.</i>	12 » 3 —, — 30	
<i>Aechmea coelestis</i>	— 60 à 1 —	
» <i>fulgens</i>	1 50	
<i>Aeschynanthus Boschianus</i>	1 —	
» <i>coccineus</i>	1 50	

	à Stück — la pièce M. Pf.	
<i>Aeschynanthus cordifolius</i>	1 —	
» <i>grandiflorus</i>	1 50	
» <i>Lobbianus</i>	1 —	
» <i>pulcher</i>	1 50	
» <i>speciosus</i>	2 50	
» <i>tricolor</i>	2 —	
» <i>zebrinus</i>	1 20	
<i>Aglaonema commutatum</i>	2 —	
» <i>pictum</i>	2 —	
<i>Aletris fragrans</i>	1 — à 3 —	
<i>Allamanda</i> <u>±</u> <i>neriifolia</i>	2 —	
» <i>Schotti</i>	1 50	
» <i>violacea</i>	2 —	



Asparagus comoriensis.

	à Stück	— la pièce	M. Pf.
Alloplectus Schlimi	2	—	—
Alocasia Chantrieri	10	—	—
» Johustonei	5	— à 10	—
» macrorrhiza fol. var.	2	50	—
» metallica	4	— à 6	—
» Sanderiana	10	—	—
» Uhinkii , Blätter oberhalb dunkelgrün, unterhalb violettbraun; zum Aus- pflanzen in's Freie besonders werth- voll — feuilles vert foncé en dessus, brun violacé en dessous; se prête bien pour la culture en pleine terre en été	6	— à 8	—
» Veitchi	6	—	—
» Watsoniana , neu — nouv. . . .	15	—	—
Alternanthera amabilis	12	St. 3	—, 30
» amabilis nana compacta rosea	12	» 3	—, 30
» amoena	12	» 3	—, 30
» rosea	12	» 3	—, 30
» atropurpurea	12	» 3	—, 30
» parouychioides	12	» 3	—, 30
» aurea major	12	» 3	—, 30
» nana compacta	12	» 3	—, 30
» sessilis	12	» 3	—, 30
» versicolor grandis	12	» 3	—, 30
Anthurium acule	3	— à 10	—
» Andreanum	3	— à 12	—
» hybridum Haagei	5	—	—
» Mad. Lucy Clos	4	—	—
» Roessingi	4	—	—
» Seegeri	4	—	—
» Beyrichianum	2	—	—
» Binoti	5	—	—
» cartilagineum	4	—	—
» crystallinum	1,50	à 5	—
» cyrtopodium	1	— à 4	—
» Dechardi	1,50	à 3	—
» digitatum	4	—	—
» Galeotti	2	—	—
» Geitnerianum	1	— à 6	—
» Hookeri	2	—	—
» Lauebanum	3	— à 10	—
» Leodiense	10	— à 20	—
» leuconeuron	4	—	—
» lucidum	1	50	—
» magnificum	2,50	à 10	—
» Miquelianum	5	—	—
» ochrautubum	1,50	à 5	—
» Otonianum	2	—	—
» pedato-radiatum	5	—	—
» radicans	1,50	à 3	—
» regale	3	— à 10	—
» robustum	1	— à 5	—
» roseum (Reine des Belges)	5	— à 10	—
» hybridum	2,50	à 4	—

	à Stück	— la pièce	M. Pf.
Anthurium Scherzerianum , junge Exem- plare — jeunes plantes	12	St. 10	—, 1
» stärkere — plus forts	2	— à 10	—
» Scherzerian. grandiflorum	6	— à 10	—
» Williamsi	6	—	—
» Sellowianum	1,50	à 5	—
» Veitchi	25	—	—
» Warocqueanum	10	—	—
1 Sortiment von 12 schönen Anthurium — Collection de 12 beaux Anthurium	25	—	—
Aphelandra chrysops	2	—	—
» fascinator	1	—	—
» Liboniana	1	—	—
» Louisae	2	50	—
» Margaritae , reizend — charmant . .	2	—	—
» nitens	80	—	—
» punctata	80	—	—
» Roetzlii	1	—	—
Aralia armata	2	50	—
» Chabrieri	3	—	—
» dumosa , interessant — intéressant .	3	—	—
» filicifolia	2	—	—
» Guilfoylei	2	— à 5	—
» leptophylla	3	—	—
» monstrosa	2,50	à 5	—
» Reginae	6	—	—
» reticulata	1	— à 3	—
» gracillima	1	— à 3	—
» Veitchi	3	—	—
» gracillima	3	—	—
» Victoriae (Panax), mit hübschen, weiss umsäumten Blättern — très beau, feuilles bordées de blanc	2	— à 4	—
Ardisia crenulata	1	25	—
Aristolochia arborea	5	—	—
» Bonplandi	1	50	—
» clipeata	3	—	—
» elegans	75	—	—
» galeata	2	—	—
» gigas (Sturtevantii), junge Pfl. — jeunes pl.	4	—	—
» labiosa , grossbl. — à gr. fl.	1	50	—
» ornithocypala	2	—	—
» ridicula , sehr interessant — très in- téressant	4	—	—
» ringens , grossbl. — à gr. fl.	1	50	—
» saccata	4	—	—
» tricaudata	4	—	—
Arrhoxystylum formosum	1	50	—
Artanthe magnifica	3	—	—
Artocarpus Cannoni	2	—	—
Asclepias curassavica	60	—	—
» atrosanguinea	75	—	—
Asparagus comoriensis	1	50	—
» medius	2	50	—
» plumosus	1	50	—
» nanus , sehr schön — beau	1	50	—
» retrofractus arboreus	4	—	—
» tenuissimus	12	St. 5	—, 50
Aspidistra elatior	12	» 7,50	—, 75
» fol. var.	12	» 15	—, 150
Astrapaea Wallichii	3	—	—
Ataccia cristata	5	— à 10	—
Barbacenia squamata	2	—	—
Begonia albo-picta	60	—	—
» Barkeri	1	—	—
» Bruanti chromatella	1	—	—
» corallina	60	—	—
» coriacea fl. albo	50	—	—
» Credneri , prachtvolle Blatt- und Blüthenpflanze, daukbarer Winter- blüher — hybride magnifique, fleur- issant tout l'hiver	12	St. 7,50	—, 75
» cuprea	60	—	—
» diadema , Lind.	1	—	—
» dichotoma	60	—	—
» Digswelliana (Saundersi)	60	—	—
» Dregei	50	—	—
» Duchartrei	1	—	—
» echinosepala	60	—	—
» Erfordia , ausgezeichnet für Teppich- beete — très beau pour massifs nains 12 St. 5 —	50	—	—
» Faureana , neu — nouv.	7	50	—
» argentea , neu — nouv.	7	50	—
» metallica	7	50	—

Begonia:		à Stück — la pièce M. Pf.
» fuchsoides		— 60
» gogoensis		1 —
» Haageana		2 —
» Hoageana, Rgl., kletternd — rampant		— 75
» hybrida Abondance		— 60
» » Berthe de Chateaurouher		— 60
» » Corbeille de feu		— 60
» » Gloire de Lorraine, prachtvoll		1 50
» » » — magnifique		1 50
» » » » Sceaux		2 50
» » Kaiserin Augusta		— 60
» » Leonore		— 60
» » Margaritae		— 75
» » Mira		— 75
» » mirabunda		— 75
» » Président Carnot		— 75
» » Président de Bourreulle		1 50
» » Ruhm von Saarbrücken		— 75
» » Sir Arthur Malet		3 —
» hydrocotylefolia		1 —
» incarnata superba		— 75
» Limminghi, für Ampeln — pour vases		— 75
» suspendus		— 75
» longipila		1 —
» Lubbersi		3 —
» macrophylla		— 75
» » atropurpurea		— 75
» maculata (argyrostigma)		— 75
» manicata		— 75
» » fol. aureo-var.		1 50
» metallica		— 60
» microphylla		— 75
» nymphaefolia		1 —
» Olbia		— 80
» peltata		1 —
» Rajah, neu — nouv.		5 —
» Rex-diadema, in 6 der schönsten		1 50
Sorten, separat jede — 6 var. des plus		
belles, séparée chacune		
» Rex hybrida, in 12 der schönsten		
Sorten — collection de 12 variétés		
des plus belles:		
Einzelne Sorten — Chaque variété		
séparément		— 75
in starken überwinternten Exemplaren		
— en exemplaires forts de l'an		
précédent		1 50
12 Sorten unserer Wahl — 12 variétés		
à notre choix		12 —
» » 6 —, resp.		
» Rex Louise Closon		1 50
» » Marquise de Peralta		1 —
» » Perle de Paris		1 50
» » Silberkönigin, neu, klein-		
blättrig, zur Binderei und zu		
Jardinièren sehr werthvoll —		
nouv., feuilles petites, très propre		
pour l'ornementation des vases		
2 — à 3 —		
» » Comtesse Louise Erdödy,		
Blätter spiralförmig gedreht —		
feuilles en spirale		1 —
» » ricinifolia		1 —
» » roborata		— 75
» » Roezlii		1 50
» » rubella		— 75
» » sanguinea		— 75
» » Saundersi, vide Digswelliana.		
» » scandens		— 60
» » Scharffiana, Rgl.		1 — à 2 —
» » Schmidtii, Rgl.		— 50
» » semperdorens		12 St. 2,50, — 25
» » » atropurpurea (Vernon) 12 » 4 —,		— 40
» » » compacta, neu — nouv.		— 50
» » » foliis aureis (Goldelse)		— 50
» » » rosea		12 St. 3 —, — 30
» » » nana compacta alba. 12 » 3 —,		— 30
» » » » rosea		12 » 3 —, — 30
» » » gigantea carminata.		— 75
» » smaragdina		1 50
» » socotrana		2 —
» » Teuscheri		— 75
» » » maculata		— 75
» » undulata		— 75
» » Verschaffeltii		1 —
» » Weltoniensis		— 60



Bougainvillea.

Begonia:		à Stück — la pièce M. Pf.
» zebrina		— 60
Andere Sorten s. unter Knollengewächsen		
— autres espèces, voyez plantes bul-		
heuses.		
» Beloperone pulchella		— 75
» Bertolonia marmorata		1 —
» » hybrida Mirandaei		3 —
» Bignonia argyrea violascens		1 —
» Billbergia amoena		1 —
» » coccinea		1 50
» » coelestis		— 75
» » farinosa		1 —
» » fasciata		1 50
» » Lietzei		— 75
» » longifolia		1 50
» » melanacantha		2 —
» » Moreliana		1 50
» » nutans, gute Zimmerpflanze — belle		
plante d'appartements		— 75
» » nutans X Leopoldi		1 50
» » pallescens		1 50
» » Porteana		2 — à 3 —
» » Quesneliana		3 —
» » rubro-marginata		3 —
» » speciosa, neu, schön — nouv., beau		5 —
» » thyrsoides		1 50
» » zebrina		1 —
» Bougainvillea anrantiaea		1 50
» » glabra		1 —
» » » Sanderiana, neu, reich und		
willig blühend — nouv., très		
florifère		2 —
» » spectabilis (B. speciosa)		1 50
» Bouvardia alba odorata (Vreelandi)		— 75
» » alba plena (Alfred Nenner)		— 75
» » coccinea		— 60
» » Dazzler		— 75
» » flavescens		— 60
» » » flore pleno		— 75
» » Hogarthi		— 75
» » » flore pleno		— 75
» » Humboldti corymbiflora		— 60
» » leyantha		— 75
» » longiflora		— 60
» » Präsident Cleveland, dunkelschar-		
lachroth — écarlate foncé		1 —
» » Pride of Brooklyn, reinweiss, grossblu-		
mig — à gr. fl. blanc pur		1 —
» » » » »		— 75
» » Priority Beauty		— 60
» » rosea plena (Präsident Garfield)		— 60
» » Sang Lorrain, gefüllt zinnoberroth —		
à fl. double vermillon		1 —
» » V. Lemoine, feurig scharlach, gefüllt		
— écarlate feu, double		1 —
» » 6 Sort. uns. Wahl — 6 esp. à notre choix		3 50
» » 12 » » » — 12 » » » »		7 —



Dracaena Lindeni.



Dracaena marginata.

	à Stück — la pièce M. Pf.		à Stück — la pièce M. Pf.
Breweria Roxburghi	1 50	Cordylinae	
Bromelia Acanga	1 —	» superbieus (indivisa)	1 — à 3 —
Buddleia diversifolia	1 50	» » junge Pl. — jeunes plantes	
Campylobotrys, vide Higginsia.		100 St. 20 à 30 —; 12 St. 3 à 4 —; — 40	
Canistrum eburneum (Guzmania fragrans)	2 50	» terminalis (ferrea rosea versicolor)	1 50
Carludovica palmata	3 — à 5 —	» vivipara	— 50
Carolinea alba (Pachira)	1 50	» 6 buntblättrige Sorten unserer Wahl — 6 espèces à feuilles panachées à notre choix	12 —
Cassia bicuspidata	1 —	Costus Malortieanus	1 —
» Chamaecrista	— 75	Crossandra spec. Guadeloupe	— 75
» corymbosa	— 75	Croton Andreanum	2 —
Centradenia rosea	— 75	» appendiculatum	2 —
Centropogon Lucyanus (Siphocampylus Humboldtii)	1 —	» aureo-nervosum, neu — nouv.	10 —
Ceropegia Saundersi	2 —	» Baron Frank Seillière	3 —
Chevalieria Veitchii, Bromeliaceae	3 — à 5 —	» Bergmanni	3 —
Chirita hamosa vide Rottlera		» Chantrieri	4 —
» sinensis variegata	1 50	» cornutum	2 —
Cienkowskia Kirkii	2 —	» Frau Commerzienrath Gruson	3 —
Cipura martinicensis	— 75	» fucatum	2 —
Cissus alba-nitens	1 —	» grande	2 —
» discolor	1 — à 3 —	» interruptum	1 50
» rotundifolia, Forsk.	— 75	» » elegans	3 —
Cladodendron merkwürdig — curieux	2 —	» irregulare	2 —
Cladodendron Balfourii vide Thomsonae.		» lacteum	2 50
» Bungei	1 50	» limbatum	1 50
» » fl. albo (serotinum)	1 —	» maculatum Catoni	2 —
» coccineum	1 —	» Mad. Léon Duval, neu — nouv.	6 —
» fragrans fl. pl.	1 —	» » Leroy, neu — nouv.	5 —
» macrosiphon	1 50	» » van Mol	10 —
» Rollissoni	2 —	» maximum	1 50
» splendens	1 —	» Mortefontanensis	4 —
» squamatum (Kaempferi), prachtvoll — magnifiqué	1 50	» Mr. Bause	10 —
» Thomsonae	1 — à 3 —	» nobile	2 —
Coleus:		» ovalifolium	2 —
12 neue Sorten — 12 var. nouvelles	5 —	» punctatum	3 —
einzelne Sorten — séparément	— 50	» spirale	1 50
Für Teppichbeete — pour la pleine terre:		» Sunshine	5 —
Citrone, goldgelb — jaune d'or 12 St. 4 —	— 40	» Thompsoni	5 —
Hero, schwarzbraun — brun noirâtre		» trilobum Bismarcki	3 —
12 St. 4 —	— 40	» » Disraeli	3 —
Le Poitevin, gelb — jaune 12 » 4 —	— 40	» variegatum	1 50
Verschaffelti, roth — rouge 12 » 4 —	— 40	» Veitchii	2 —
» splendens 12 » 4 —	— 40	» Weissmanni	2 —
Columnnea Schiedana	1 —	» 12 schöne Sorten unserer Wahl — 12 belles espèces à notre choix	15 —
» splendens	2 —	Curculigo recurvata	1 — à 3 —
Conocephalus niveus	1 —	» » fol. var.	3 — à 4 —
Cordylinae amabilis	1,50 à 3 —	Cyanophyllum magnificum	4 —
» australis (Baneri)	— 50 à 1 50	Cyathula (Pupalia) prostrata	— 60
» brasiliensis (Eschscholtziana)	1 50	Cyrtanthera Pohlana velutina (Justicia)	1 50
» Bruanti	1 — à 2 —	Cyrtodeira metallica (Achimenes)	1 —
» Chemnitzii	1 —	Dalechampia Roezlii alba	1 50
» congesta (Charlwoodia)	— 60	» » rosea	1 —
» Haageana	— 75	Datura arborea (Brugmansia)	1 — à 2 —
» rubra	— 50 à 1 —	» » flore pleno	1,50 à 2 50
		» » coccinea	1 50

	à Stück — la pièce M. Pf.
<i>Dendrocalamus membranaceus</i>	1 —
<i>Dieffenbachia amazonica</i>	2 —
» <i>amoena</i>	1 —
» <i>Baraquiniana</i>	2 50
» <i>Bausei</i>	2 —
» <i>Bowmanni</i>	1 50
» <i>brasiliensis</i>	2 —
» <i>Carderi</i>	6 —
» <i>Fournieri</i> , neu — nouv.	6 —
» <i>gigantea</i>	1 50
» <i>Leopoldi</i>	2 — à 4 —
» <i>lineata</i>	1 —
» <i>magnifica</i>	2 — à 3 —
» <i>marmorata</i>	5 —
» <i>Memoria Corsi</i>	2,50 à 4 —
» <i>Seguine picta</i> (maculata)	1 50
» <i>velutina</i>	1 —
<i>Dioscorea marmorata</i> ‡	1 50
<i>Dipteracanthus affinis</i>	— 75
» <i>Schauerianus</i>	— 75
<i>Disemma</i> ‡ <i>Hahni</i>	1 50
<i>Doryanthes Palmeri</i> , sehr stark — très fort	40 —
Sämlinge — semis	2 —
<i>Dracaena arborea</i> (Aletris)	2 —
» <i>Draco</i>	1 — à 2 —
» <i>fragrans</i> (Aletris)	1 — à 3 —
» <i>javanica</i>	2 50
» <i>latifolia Schmidtiana</i>	10 — à 30 —
» <i>Lindenii</i>	2 — à 6 —
» <i>marginata</i> (gracilis, mauritiana)	1,50 à 2 50
» » <i>latifolia</i> (Betschleriana)	2 — à 10 —
» <i>Massangana</i>	2 — à 6 —
» <i>picta</i>	2 —
» <i>reflexa</i> (cernua)	1 —
» <i>Rothiana</i> (Aletris)	1,50 à 5 —
» <i>Rumphii</i>	4 —
» <i>salicifolia</i>	2 —
» <i>Sanderiana</i> , neu — nouv.	8 — à 20 —
» <i>surculosa</i>	2 —
» <i>umbraculifera</i>	3 — à 10 —
siehe auch <i>Cordylina</i> — voy. aussi <i>Cordylina</i> .	
<i>Drymonia punctata</i>	— 75
» <i>Turialvae</i>	1 50
<i>Echites melaleuca</i> (picta)	1 50
<i>Echolirion roseum</i>	2 —
» <i>Saundersi</i>	3 —
<i>Epipremnum mirabile</i> ‡	1 50
<i>Episcia erythropus</i>	1 50
<i>Eranthemum argyoneurum</i> (Fittonia)	— 60
» <i>giganteum</i> (Fittonia)	— 75
» <i>igneum</i>	— 75
» <i>leuconeurum</i>	1 —
» <i>longifolium</i> (Stephanophyllum)	12 St. 4 —, — 40
» <i>marmoratum</i>	— 75
» <i>sanguinolentum</i>	— 60
» <i>tricolor</i>	— 60
» <i>versicolor</i>	— 80
<i>Ficus barbata</i> , rankend — grimpant	— 60
» <i>Chauvieri</i>	2 50
» <i>Cooperi</i>	1 50
» <i>elastica</i>	12 St. 12 — à 25 —, 1,25 à 2 50
» » <i>fol. variegatis</i>	3,50 à 5 —
» <i>ferruginea</i>	1 50
» <i>lanceolata</i>	1 50
» <i>lenticinosa</i>	1 —
» <i>macrophylla</i> , Desf.	2 —
» <i>minima</i> , rankend — grimpant	— 60
» <i>nitida</i>	1 50
» <i>nobilis</i> (F. Porteana)	4 —
» <i>nymphaefolia</i>	1 50
» <i>Parcelli</i> , weissbunt — à feuilles panachées de blanc	1 50
» <i>pertusa</i>	1 50
» <i>princeps</i>	2 —
» <i>quercifolia</i>	2 —
» <i>radicans</i>	— 60
» <i>stipulata</i> (scandens)	— 75
» <i>vasta</i> , selten — rare	2 —
<i>Franciscea Hopeana</i>	1 50
» <i>Lindenii</i>	3 —
» <i>macrantha</i>	1,50 à 3 —
<i>Freycinetia nitida</i>	1,50 à 3 —



Ficus Parcelli.

	à Stück — la pièce M. Pf.
<i>Gardenia florida</i> flore pleno	1 — à 2 —
» <i>radicans</i>	1 — à 2 —
» <i>Thunbergia</i>	1 50
<i>Globba coccinea</i>	2 —
<i>Goldfussia anisophylla</i>	— 75
<i>Heliconia martinicensis</i>	3 — à 10 —
» <i>Seemannii</i>	1 — à 2 —
<i>Heliotropium</i> .	
12 Sorten in jungen Pflanzen — 12 var. en jeunes plantes	3 —
» <i>Mad. René André</i> , grossdoldig, aufrechtstehend, dunkelviolet — à gr. ombelles érigées, fl. violet foncé	— 50
» <i>Umberto</i> , sehr grossdoldig — à ombelles grandes	— 50
» <i>White Lady</i> , reinweiss — blanc pur	— 50
<i>Hemigraphis colorata</i> , hübsche Blatt-pflanze — belle plante ornementale	— 75
<i>Heteropteris purpurea</i> ‡	2 —
<i>Hexacentris</i> ‡ <i>coccinea</i>	1 20
» <i>coccinea</i> var. <i>lutea</i>	1 50
» <i>mysorensis</i> , prächtige Schlingpflanze — plante grimpante superbe	2 —
<i>Hibiscus Boryanus</i>	— 80
» <i>Cooperi</i> (tricolor)	— 80
» <i>rosa sinensis</i> cruentus <i>miniatus</i> <i>semiplenus</i>	1 50
» » <i>flavus</i> <i>plenus</i>	1 20
» » <i>metallicus</i>	1 50
» » <i>punicus</i>	1 20
» » <i>ruber</i> <i>plenus</i>	1 20
» » <i>subviolaceus</i> <i>semiplenus</i>	1 50
» » <i>vivicans</i> <i>kermesinus</i> <i>plenus</i>	1 50
» » <i>zebrinus</i> <i>plenus</i>	1 50
» <i>Reevesi</i>	1 50
» <i>schizopetalus</i> , sehr schön — très beau	2 —
<i>Higginsia Ghiesbreghtii</i>	1 —
<i>Himantophyllum cyrtanthiflorum</i>	1,50 à 10 —
» <i>Gardeni</i>	1 — à 10 —
» <i>Lindenii</i>	6 — à 10 —
» » Sämlinge — semis	12 St. 8 —, — 80
» <i>miniatum</i> , kräftige Exemplare — jolis exemplaires assez forts	12 St. 15 —, 1 50
stärkere — plus forts	3 — à 6 —
» » <i>hybridum</i> <i>Marie Reimers</i> , extra grossbl., starke Pfl. — à gr. fleurs, plantes fortes	6 — à 10 —
» » <i>maximum</i>	3 — à 10 —
» » Sämlinge der neuesten grösstblumigen Sorten, aus einem sehr reichhaltigen Sortiment eines Spezialzüchters, starke blühbare Pflanzen — variétés sans noms, choisies parmi les	



Hoya bella.



Musa sumatrana.

à Stück — la pièce M. Pf.

Himantophyllum miniatum:
plus beaux semis de graines
provenant d'une collection hors
ligne, plantes fortes . . . 6 — à 10 —

Houttea leptopus — 75

Hoya $\frac{1}{2}$ **angustifolia** 1 —

» **bella** 1 —

» **carnosa** — 75 à 2 —

» **fol. var.** 2 — à 3 —

» **cinnamomifolia** 3 —

» **clandestina** 1 —

» **Cunninghami** 1 50

» **Dalrympleana (australis)** 2 —

» **imperialis** 3 —

» **mollis** 2 —

Hyobanche sanguinea 2 —

Jacaranda mimosaefolia — 75

Jasminum azoricum 1 50

» **gracillimum** 1 50

» **grandiflorum** 1 50

» **Sambac flore pleno** 1 50

» **Maid of Orléans** 1 50

Ibatia muricata, Asclepiadee — 75

Impatiens auricoma, gelbblühend —

fl. jaune 1 —

» **Hawkeri** 1 50

» **Hookeri** — 75

» **Mariannae** — 60

» **platypetala (Sultani violacea)** — 50

» **Rodigasi** 1 —

» **Sultani** 12 St. 5 —, — 50

» **alba (fissida)** — 75

» **nacré rosé, lachsrosa — rose**

saumoué — 50

Ipomoea $\frac{1}{2}$ **Bronsoni** 1 50

» **chrysantha** 1 50

» **Horsfalliae** 2 —

» **Leari grandiflora** 1 50

» **martinicensis** 1 50

» **umbellata** 1 —

» **ventricosa** 2 —

Iresine formosa 12 St. 3 —, — 30

» **Lindeni** 12 » 3 —, — 30

» **Wallisi** 12 » 3 —, — 30

Justicia carnea — 60

» **eustachiana** — 60

» **Sabiniana** 1 —

Ixora coccinea 1 — à 2 —

Lamprococcus Weilbachi (Aechmea) 1 50

Lantana.

6 Sorten in jungen Pflanzen — 6 var.

en jeunes plantes 1 50

Lasia spinosa, Aroidee 2 —

Lasiandra macrantha 1 —

Ledenbergia purpurea — 75

à Stück — la pièce M. Pf.

Lourya campanulata, neu, Aspidistra-
ähnliche Pflanze mit rahmweißen Blü-
men und prächtigen blauen Früchten —
nouv., plante rappelant par son port les
Aspidistra, à fleurs blanc crème et à fruits
bleu d'azur foncé 20 —

Mackaya bella 1 —

Manettia $\frac{1}{2}$ **bicolor** 1 50

» **cordata** 1 50

Maranta applicata 2 —

» **fasciata** 4 —

» **flavescens** 3 —

» **Jagoriana** 2 —

» **illustris** 3 50

» **Kerchoveli** 1 50

» **Kummeriana** 1 50

» **Lietzei (Calathea)** 12 St. 10 —, 1 —

» **Makoyana** 2 —

» **Massangeana** 2 50

» **noctiflora** 3 —

» **Sanderiana** 15 —

» **sanguinea** 2 —

» **van den Hecke** 2 —

» **zebrina (Calathea)** 1 50

6 schöne Sorten unserer Wahl —

6 belles espèces à notre choix 7 50

Medinilla Curtisi 1 50

» **magnifica** 3 — à 6 —

Monochaetum Lemoinei 1 —

Morisonia americana 1 —

Moussonia Hahnii 1 50

Musa Cavendishi (sinensis) 3 — à 6 —

» **discolor** 3 — à 10 —

» **Ensete, junge Pflanzen — jeunes**

plantes 12 St. 10 —, 1 —

» **stärkere — plus forts** 2 — à 5 —

» **Martini** 3 —

» **orientum?**, sehr frühe cubanische Sorte

— espèce très hâtive de Cuba 5 — à 10 —

» **paradisaca** 6 — à 10 —

» **rosacea** 3 —

» **sumatrana** 12 St. 20 — à 30 —, 2 — à 3 —

» **superba** 3 —

» **textilis** 5 —

» **vittata** 15 — à 30 —

» **zebrina** 10 —

Nematanthus longipes 1 —

Nepenthes Hookeri 10 — à 15 —

» **hybrida maculata** 10 —

» **laevis** 10 —

» **maculata** 15 —

» **O'Brieniana** 15 —

» **paradisae** 10 —

» **phyllamphora** 10 —

» **Stuarti** 15 —

	à Stück — la pièce M. Pf.
Nidularium amazonicum	75 à 2 50
» denticulatum	3 —
» Innocenti	2 —
» Meyendorffii	1 50
» spectabile	1 50
Norantea guianensis	1 50
Nyctocalus Thomsonae	1 50
Ochna multiflora	2 — à 6 —
Olyra floribunda	3 —
Ophianthe libanensis	2 —
Oxalis Ortgiesiana	— 60
» prolifera	1 —
» (Biophytum) sensitiva	1 —
Oxera pulchella	2 50
Palisota Barteri	1 — à 2 —
Panax vide Aralia	
Pandanus amaryllidifolius (inermis)	5 —
» graminifolius	1 — à 2 —
» utilis	1,50 à 3 —
» Veitchi	2 — à 5 —
Panicum (Oplismenus) variegatum	— 50
» plicatum	— 50
» snlcatum	— 60
Paradrymonia glabra	2 —
Paratropia Stelzneriana	1 50
Passiflora $\frac{1}{2}$ acerifolia	— 75
» alba	1 —
» albida	1 50
» edulis	— 75
» elegans , Blätter im jungen Zustande weissbunt; zeichnet sich durch reichen Fruchtansatz aus — feuilles panachées de blanc en état jeune; produisant beaucoup de fruits	1 50
» hybr. Arc en ciel	— 80
» Mme. Bruckhaus	1 50
» Prof. Wittmack	1 50
» Impératrice Eugénie	— 75
» Jenmanni , neu — nonv.	4 —
» kermesina vera — nonv.	2 —
» Loudoni	1 20
» lunata , reinweiss — blanc pur	1 —
» minima	— 75
» Neumanni	2 —
» princeps coccinea (racemosa)	1 50
» rotundifolia	1 50
» serrata	1 50
» suberosa	1 —
» trifasciata	1 —
» violacea , schön und auffallend — beau et distinct	1 50
Paullinia Hooybrenkii , $\frac{1}{2}$ schön — bean	1 50
» thalictrifolia	2 —
Pavonia Vioti	2 —
Pellionia Daveauna	— 75
» pulchra	— 75

Peperomia

amplexicaulis var. clusiifolia	1 —
» argyrea	— 60
» blanda	— 80
» cordata	2 —
» incana	— 80
» magnoliaefolia	1 —
» metallica	— 75
» peltata	1 —
» prostrata , schönf. Ampeln — beau pour vases suspendus	1 50
» resedaeflora	— 60
» rubella	1 50
» vallantoides	1 —
» Verschaffelti	1 —

Peristrophe

angustifolia fol. var.	— 60
---------------------------------------	------


Petrea volubilis $\frac{1}{2}$, schön

— beau	2 —
------------------	-----

	à Stück — la pièce M. Pf.
Phalangium lineare fol. var., prachtvolle Zimmerpflanze — très belle plante pour les appartements	— 75
Philodendron Adansoni	2 50
» albo-vaginatatum	1 —
» argyraeum	3 —
» bipinnatifidum	12 St. 10 —, 1 —
» stärkere — plus forts 12 » 20 —, 2 —	
» cardiophyllum , C. Koch	1,50 à 3 —
» crassinervium , Lindl.	1 50
» cuspidatum , C. Koch	1 —
» Daguense , Lind. et Andr.	2 — à 3 —
» erubescens	1 50
» gloriosum	3 — à 4 —
» hastatum , C. Koch	2 —
» melanochrysium , Lind. et Andr. 2 — à 3 —	
» pertusum (<i>Monstera deliciosa</i>)	1,50 à 6 —
» pinnatum (<i>Scindapsus multijugus</i> , C. Koch)	1 50
» sagittifolium , Lieb.	4 — à 10 —
» Sodirol imperiale	4 —
» speciosum , Schott	5 — à 10 —
» Wallisi	5 — à 10 —
» Wendlandi	6 —
Phrynium variegatum , sehr hübsche weissbunte Zimmerpflanze — très beau, à feuilles panachées de blanc	2 50
Phyllanthus juglandifolius	1 50
» nivosus	2 —
» atropurpureus	1 50
» roseo-pictus	2 —
Phyllotaenium Lindenii	3 — à 10 —
Physianthus undulatus $\frac{1}{2}$	1 — à 3 —
Pilea grandis	— 60
» mnscosa	12 St. 5 —, — 50
» serpyllifolia	— 50
Piper ornatum , ausgezeichnet schön — d'ne beauté remarquable	2 — à 3 —
Pitcairnia bromeliaefolia	1 —
» corallina	2 50
» pulverulenta	12 St. 7,50, — 75
» Roezli	— 75
» undulata	1 —
» xanthocalyx	— 75
Plumbago coccinea superba , sehr schön und reichblühend — très beau, à floraison abondante	1 — à 3 —
» scandens	1 —
Plumiera bicolor	2 —
Poinsettia pulcherrima	1 — à 3 —
Posoqueria longiflora	2 —
Pothos aurea	1 —
» celatocaulis , kletternd und sich selbst festklammernd, höchst interessant und schön! — rampant et s'accrochant, très-intéressant et beau	2 — à 5 —
Reidia glaucescens	1 50
Rhytidophyllum tomentosum	1 50
Rivina aurantiaca	— 50
» humilis	— 50
» octandra	— 50
Rondeletia speciosa	1 50
Rottlera hamosa (<i>Chirita</i>), sehr hübsche, neue Gesneriacee mit zart hellblauen Blumen, guter Winterblüher — très belle Gesneriacée nouvelle à fleurs bleu délicat, continuant sa floraison en hiver	10 —, 1 50
Rudgea macrophylla	— 75
Ruellia Decaisneana	— 50
» Devosiana	— 50
» formosa	— 50
» fulgida	— 50
» lilacina	— 50
» macrantha	— 75
» maculata	— 50
» pulchella	— 75
» tuberosa	— 75
Sanchezia nobilis	— 75
Sansevieria cylindrica	2 —
» guineensis	2 —
» javanica , schönblättrige und sehr harte Decorationspflanze — belle plante ornementale très rustique	2 —
» thyrsiflora	1 50
Saurauja villosa	1 —
Scismatoglottis Roebbeleni	2 — à 4 —



Peperomia metallica.



Schubertia grandiflora.



Strobilanthes Dyerianus.

		à Stück — la pièce M. Pf.	
Schizolobium excelsum	2	—	
Schubertia grandiflora $\frac{1}{2}$, prachtvolle Schlingpflanze mit weissen wohlriechenden Blumen — plante grimpante magnifique à fleurs blanches odorantes	3	—	
Sämlinge — semis	2	—	
Scutellaria coccinea	— 75		
» Lehmanni	— 75		
» Mociniana	— 80		
» Ventenati	— 75		
Sida rhombifolia	— 75		
Smilax argyraea	5	—	
» rotundifolia	2	—	
Solandra grandiflora magnifica $\frac{1}{2}$	1	—	
Sonerila argentea	2	—	
» Hendersoni	2	—	
» hybrida Augusta	2	—	
» » Fascinator	2	—	
» » Mad. Marchand	2	—	
» » Pynaert	2	—	
» » Mad. Victor Alesch	2	—	
» » Mrs. H. Wolter	2	—	
» » Silverking	2	—	
» » Victoriæ	2	—	
» marmorata	2	—	
Spathiphyllum blandum	2	—	
» heliconiaefolium	1 — à 3	—	
» longirostre	1	50	
» pictum	3 — à 15	—	
Spironema fragrans	1	50	
Stenandrium Lindeni, sehr schön buntblättrig — à feuilles panachées	1	50	
Stephanophysum Baikiei	1	—	
Stephanotis floribunda $\frac{1}{2}$	1	50	
Strelitzia augusta	4	—	
» Reginae	3 — à 20	—	
Streptocarpus caulescens	1	—	
» Gardnerianus	1	—	
» Griffithi	1	—	
» Humboldti	1	—	
» polyanthus	1	50	
» Rexii	— 60		
» Watsoni	1	50	
» Wendlandi	1	—	
» neue Hybriden — hybrides nouveaux	1	—	
		à Stück — la pièce M. Pf.	
Strobilanthes Dyerianus, prachtvolle Pflanze, Blätter metallschimmernd violett-rosa — plante magnifique à feuilles rose violacé métalliques	12 St.	7,50,	— 75
Syngonium auritum	1	—	
Tabernaemontana coronaria	1	50	
Tacsonia $\frac{1}{2}$ exoniensis	1	—	
» ignea	1	—	
» mollissima	1	—	
» van Volkemi	1	50	
Tetranema mexicanum	— 60		
Thunbergia grandiflora $\frac{1}{2}$	2	—	
» Harrisii $\frac{1}{2}$	2	—	
Thysacanthus rutilans	1	50	
Tillandsia anceps	1	—	
» bivittata	2	50	
» usneoides	2	—	
» Zahni, selten — rare	5	—	
» zonata viridis (Cryptanthus)	1	20	
Torenia asiatica	— 50		
» auriculata	1	—	
Toxicophlaea spectabilis	2	—	
» Thunbergi	2	—	
Tradescantia discolor	— 75		
» discolor vittata	1	50	
» elongata, neu — nouv.	2	—	
» Reginae	2	—	
» viridis	— 50		
» Goeschkei	— 50		
» zebrina	— 50		
» multicolor Mad. Lequesne	— 75		
Turnera elegans	— 75		
Urena platyphylla	1	—	
Urvillea ferruginea $\frac{1}{2}$	2	—	
Vellozia candida, schön — beau	1	50	
Vetiveria arundinacea, starkwurzlige Grasart, welche auf der Insel Guadeloupe von der Behörde angepflanzt wird, um die Böschungen an neuen Wegen zu befestigen — Graminée très intéressante, que le gouvernement de l'île Gouadeloupe fait planter le long des chemins dans les montagnes pour arrêter l'éboulement des bords	2	—	
Villaresia grandiflora	1	50	
Vitis gongylodes, $\frac{1}{2}$ interessant	2	—	
Vriesia hieroglyphica, echt — vrai	3 — à 4	—	
» splendens, schön — beau	1,50 à 2	—	
Xylophylla arbuscula	1	50	

Farrne und Lycopodiaceen.

Filices — Fougères.

† Baumfarrne; ◊ Warmhaus-Farrne; die ohne dieses Zeichen sind fürs Kalthaus; Freilandfarrne siehe Inhaltsverzeichniss.
 † fougères eu arbres; ◊ fougères de serre chaude; les autres non-marquées sont de serre froide; les fougères de pleine terre voyez plus loin.



Gymnogramme chrysophylla.



Pteris Victoriae.

Acrostichum L. à Stück — la pièce M. Pf.
 ◊ crinitum (Hymenodium, Chrysodium), mit langen schwarzen Haaren dicht bedeckt, prachtvoll — couvert de longs poils noirs, magnifique 4 — 6 —

Adiantum L.
 capillus-veneris . . . 12 St. 5 —, — 50
 ◊ cuneatum . . . 12 St. 5 —, — 50
 » fol. variegatis . . . 1 50
 ◊ gracillimum . . . 1 —
 dolabriforme . . . 2 —
 Edgeworthi . . . 12 St. 8 —, — 80
 ◊ elegantissimum . . . 1 50
 ◊ Farleyense . . . 1 50
 formosum . . . 1 —
 ◊ fragrantissimum . . . 1 50
 lineatum, neu — nouv. . . 7 50
 ◊ macrophyllum . . . 1 50
 nobile . . . 1 50
 peruvianum . . . 3 —
 rhodophyllum . . . 2 —
 scutum . . . 1 —
 setulosum, J. Sm. (diaphanum, Bl.) . . — 75
 ◊ Victoriae . . . 2 —
 Weigandi . . . 1 —

Alsophila.
 † australis, junge Pflanzen — jeunes plantes 12 St. 15 —, 1 50

Aspidium.
 ◊ grandifolium, Mett. (polymorphum Baker, Sagenia) . . . 1 — à 3 —
 ◊ macrophyllum (fraxinifolium) . . . 2 — à 5 —

Asplenium.
 Belangeri . . . 1 — à 3 —
 Colensoi . . . 1 — à 2 —
 Nidus avis . . . 2 —

Balanium, vide Dicksonia.

Blechnum.
 † brasiliense . . . 2 — à 10 —

Cibotium.
 † ◊ princeps . . . 2 — à 15 —
 † ◊ regale . . . 2 — à 15 —
 † ◊ Schiedeii . . . 4 — à 10 —

Cyathea. à Stück — la pièce M. Pf.
 † dealhata . . . 4 —
 † Dregei . . . 15 —
 † medullaris . . . 4 — à 10 —

Cyrtomium.
 falcatum . . . 12 St. 5 — à 10 —, — 50 à 1 —
 » Fingoni . . . 1 —
 Fortunei . . . — 75

Davallia.
 ◊ bullata . . . 1 —
 ◊ dissecta . . . 1 50
 ◊ solida . . . 2 —
 ◊ tenuifolia . . . 1 50

Dicksonia, Sm.
 † antarctica (Balanium) . . . 1 50

Diplazium, Sw.
 pubescens . . . 1 —

Doodia.
 aspera multifida . . . 1 —
 caudata . . . 1 —
 lunulata . . . 1 —

Gymnogramme, Desv.
 ◊ chrysophylla . . . 12 St. 7,50, — 75
 japonica . . . — 80
 ◊ Laucheana . . . 2 —
 ◊ Martensi . . . 1 50
 ◊ schizophylla gloriosa . . . 3 —
 sulphurea . . . 1 50
 tartarea . . . 1 50

Hymenodium, vide Acrostichum.

Lastraea ◊ sapida . . . 12 St. 15 —, 1 50

Lomaria, Willd.
 † gibba . . . 1 50
 stärkere — plus forts . . . 3 — à 5 —

Lygodium.
 ◊ japonicum (scandens) . . . 2 —

Microlepia ◊ hirta cristata . . . 1 50

Nephrodium.
 molle (Aspidium violascens) . . . 12 St. 5 —, — 50
 » corymbiferum . . . 1 50

Nephrolepis, Schott.
 ◊ davallioides . . . 1 —
 exaltata (Aspidium) . . . 12 St. 6 —, — 60
 imbricata . . . 1 —

No.	à Stück — la pièce M. Pf.	No.	à Stück — la pièce M. Pf.
206	<i>Coelogyne cristata</i> 4 — à 10 —	408	<i>Lycaste Skinneri</i> , schön — beau . . . 7 50
287	» <i>flaccida</i> 5 —	635	<i>Masdevallia Gaskelliana</i> 10 —
471	» <i>fuscescens</i> 3 —	216	<i>Maxillaria densa</i> 5 —
331	» <i>Mayeriana</i> 5 — à 10 —	325	» <i>Harrisoni</i> 5 —
94	<i>Cymbidium aloefolium</i> 5 —	86	» <i>Meleagris</i> 6 —
95	» <i>ensifolium</i> 3 —	579	» <i>ochroleuca</i> 3 —
640	» <i>spec. Calcutta</i> 5 —	106	» <i>picta</i> 4 —
96	<i>Cypripedium barbatum</i> 3 —	364	» <i>squalens</i> (van Houttei) 4 —
166	» <i>caudatum</i> 12 —	391	<i>Miltonia flavescens</i> 6 —
98	» <i>insigne</i> 3 — à 6 —	390	» <i>Regneli</i> 5 — à 10 —
576	» <i>Lawrenceanum</i> 5 —	573	<i>Mormodes citrinum</i> 10 —
171	» <i>longifolium</i> (Selenipedium) 8 —	466	<i>Odontoglossum Alexandrae</i> (crispum) 5 —
176	» <i>Pearcei</i> 5 —	121	» <i>grande</i> 7 50
639	» <i>Sedeni</i> 5 —	557	» <i>Oerstedii</i> 5 —
99	» <i>venustum</i> 3 —	594	» <i>Rossi majus</i> 3 — à 5 —
621	<i>Dendrochilum fliforme</i> 10 —	558	» <i>Schlieperianum</i> 6 —
641	<i>Dendrobium aggregatum</i> 5 —	612	<i>Oncidium altissimum</i> 12 St. 40 —
345	» <i>chrysanthum</i> 7 50 à 10 —	613	» <i>barbatum</i> 5 —
346	» <i>densiflorum</i> 7 50 à 10 —	226	» <i>flexuosum</i> 4 —
347	» <i>Farneri</i> 6 St. 30 —	66	» <i>incurvum</i> 4 — à 8 —
640	» <i>formosum</i> 5 — à 10 —	580	» <i>janeirense</i> (longipes) 4 —
540	» <i>Kingianum</i> 5 — à 8 —	638	» <i>Jonesianum</i> 5 —
349	» <i>moschatum</i> 5 — à 8 —	562	» <i>obryzum</i> 10 —
209	» <i>nobile</i> 5 — à 15 —	55	» <i>ornithorhynchum</i> 5 —
639	» <i>Phalaenopsis Schroederianum</i> 12 —	71	» <i>varicosum</i> 12 St. 30 —
210	» <i>Pierardi</i> 5 —	610	» <i>vexillarium</i> 12 » 30 —
112	<i>Disa grandiflora</i> 6 —	271	<i>Phajus grandifolius</i> 6 —
482	<i>Echioglossum striatum</i> 3 —	272	» <i>Wallichii</i> 6 —
3	<i>Epidendrum ciliare</i> 3 — à 10 —	500	<i>Phalaenopsis amabilis</i> 15 — à 20 —
17	» <i>cochleatum</i> 5 —	182	» <i>grandiflora</i> 12 — à 20 —
309	» <i>minus</i> 3 — à 10 —	111	» <i>Schilleriana</i> 20 — à 25 —
18	» <i>gracile</i> 3 —	542	<i>Pilumna nobilis</i> 5 — à 15 —
611	» <i>jasminoides</i> 4 —	472	<i>Saccolabium papillosum</i> 10 —
588	» <i>macrochilum</i> 5 —	175	<i>Schomburgkia undulata</i> 7 50
550	» <i>roseum</i> 5 — à 10 —	327	<i>Sobralia macrantha splendens</i> 10 —
373	» <i>nocturnum</i> (odoratissimum) 6 —	146	<i>Stanhopea Cavendishi</i> 6 —
188	» <i>radiatum</i> 4 —	586	» <i>graveolens</i> 6 —
489	<i>Eria convallarioides</i> 5 —	311	» <i>guttata</i> 4 — à 10 —
102	» <i>rosea</i> 3 —	87	» <i>insignis</i> 6 — à 15 —
644	<i>Geodorum pictum</i> 3 —	88	» <i>oculata</i> 6 — à 15 —
567	<i>Gomezia crispata</i> 6 —	124	» <i>Rueckeri</i> 7 50
388	» <i>plauifolia</i> 5 —	43	» <i>tigrina</i> 7,50 à 15 —
44	<i>Gongora maculata</i> 3 — à 8 —	453	» <i>venusta</i> 6 — à 12 —
45	» <i>truncata</i> 3 — à 8 —	280	<i>Trichopilia suavis</i> 8 —
518	<i>Humboldtia spec.</i> 15 —	257	<i>Vanda Roxburghii</i> 7,50 à 10 —
1	<i>Laelia anceps</i> 6 —	283	<i>Vanilla aromatica</i> 10 —
478	<i>Liparis cylindrostachys</i> 3 — à 5 —	556	<i>Warscewiczella discolor</i> 10 —
24	<i>Lycaste aromatica</i> 4 — à 8 —	570	<i>Zygopetalum crinitum</i> 4 — à 6 —
74	» <i>Deppiei</i> 3 — à 5 —		

Palmen und Cycadeen. — Palmiers et Cycadées.

	à Stück — la pièce M. Pf.
<i>Acanthophoenix crinita</i> , 3—4 Blätter —	
3 à 4 feuilles 12 St. 15 —	1 50
<i>Areca alba</i> (Dictyosperma), 2—3 Blätter —	
2 à 3 feuilles 12 St. 10 —	1 —
» <i>Baueri</i> (Seaforthia robusta), 2—3	
Wedel — 2 à 3 feuilles caractérisées, 3 — à 5 —	
» <i>lutescens</i> (Hyophorbe indica), 4—6	
Blätter — 4 à 6 feuilles 12 St. 10 —	1 —
» » 1—2 Blätter — 1 à 2 feuilles 12 St. 5 —	— 50
» <i>madagascariensis</i> , 1—2 Blätter —	
1 à 2 feuilles 1 —	
» <i>sapida</i> , 4—5 Wedel — 4 à 5 feuilles	
caractérisées 1,50 à 3 —	
» <i>Verschaffelti</i> (Hyophorbe), 3—5	
Wedel — 3 à 5 feuilles caractérisées 12 St. 15 —	1 50
» » 2—3 Blätter — 2 à 3 feuilles 12 St. 6 —	— 60
<i>Calamus subangulatus</i> 4 — à 15 —	
<i>Caryota nrens</i> , 1—2 Blätter — 1 à 2 feuilles 1 —	
<i>Ceratozamia fuscata</i> (C. fuscoviridis, Zamia Ottonis?) 10 — à 20 —	
» <i>mexicana</i> 3 —	
» » <i>fuscata</i> , neue Hybride — hybride nouveau 3 —	



Diplothemium caudescens.



Kentia Canterburyana.



Livistona rotundifolia.

		à Stück — la pièce M. Pf.	
Chamaedorea	Ghiesbreghtii, 4-5 Blätter		
	— 4 à 5 feuilles	12 St. 10 —,	1 —
»	Ghiesbreghtii, stärkere, 3-5 Wedel — plus forts, 3 à 5 feuilles caractérisées	2 — à 3 —	
»	Schiedei, 1-2 Blätter — 1 à 2 feuilles	1 —	
»	spec. San Pedro Sula, 3-5 Blätter — 3 à 5 feuilles	12 St. 8,—,	— 80
Chamaerops	excelsa, 4-6 Blätter — 4 à 6 feuilles	12 St. 7,50,—,	— 75
»	excelsa, 1-2 Blätter — 1 à 2 feuilles	12 St. 3 —,	— 30
»	» in Saattöpfen — en potées	100 St. 3,50,—,	—
»	humilis, starke Exemplare — plantes fortes	3 — à 6 —	
»	» 3-4 Blätter — 3 à 4 feuilles	12 St. 5 —,	— 50
»	» macrocarpa, 4-6 Blätter — 4 à 6 feuilles	12 » 5,—,	— 50
»	» tomentosa, 3-4 Blätter — 3 à 4 feuilles	12 » 6,—,	— 60
Cocos	campestris, 1-2 Blätter — 1 à 2 feuilles		1 —
»	Datil, 2 Blätter — 2 feuilles		2 —
»	Gaertneri, 1-2 Blätter — 1 à 2 feuilles		2 —
»	plumosa, 3-5 Blätter — 3 à 5 feuilles	2 — à 3 —	
»	Weddelliana, 3-5 Blätter — 3 à 5 feuilles	12 St. 10 —,	1 —
Corypha	australis, vide Livistona.		
»	elata, 3-4 Blätter — 3 à 4 feuilles	12 » 10 —,	1 —
Cycas	circinalis, hübsche Exemplare — jolis exemplaires	7,50 à 15 —	
»	revoluta, gut bewurzelte ausgetriebene Stämmchen von 4-6 cm Durchmesser mit 2 bis 5 Wedeln — petits troncs, de 4 à 6 cm de diamètre, bien établis munis de 2 à 5 frondes	12 St. 30 —,	3 —
	stärkere von 6-10 cm Durchmesser, ausgetrieben — plus forts de 6 à 10 cm., bien établis	12 St. 50 — à 100 —,	5 — à 10 —
	starke Stämme, Preise brieflich — troncs forts, prix par lettre	15 — à 100 —	
Daemonorops	fissus, 3-4 Wedel — 3 à 4 feuilles caractérisées		4 —
»	intermedius, 3-5 Wedel — 3 à 5 feuilles		4 —
»	marginatus, 1-2 Blätter — 1 à 2 feuilles	12 St. 20 —,	2 —
»	periacanthus, 3-5 Wedel — 3 à 5 feuilles caractérisées		4 —
»	trichrous, 2-3 Wedel — 2 à 3 feuilles		4 —
Dioon	edule (Platzamia rigida)	5 — à 30 —	
Diplothemium	caudescens (Ceroxylon niveum), 4-5 Blätter — 4 à 5 feuilles	12 St. 30 —,	3 —
Dypsis	madagascariensis, 3-4 Blätter — 3 à 4 feuilles	12 » 5 —,	— 50
Encephalartos	grandis		100 —
»	villosus	40 — à 100 —	
	Samenpflanzen — semis		15 —
Geonoma	Schottiana, 3-5 Blätter — 3 à 5 feuilles	12 St. 15 —,	1 50
Glazioua	insignis, 2-4 Blätter — 2 à 4 feuilles	12 » 15 —,	1 50
Hyophorbe	indica vide Areca lutescens.		
»	Verschaffelti vide Areca Verschaffelti.		
Kentia	Baueri vide Areca Baueri.		
»	Belmoreana, 3-4 Wedel — 3 à 4 feuilles caractérisées	12 St. 10 —,	1 —
»	1-2 Blätter — 1 à 2 feuilles	12 » 6 —,	— 60
	stärkere — plus forts	5 — à 10 —	
»	Canterburyana, 3-4 Wedel — 3 à 4 feuilles caractérisées	12 St. 20 —,	2 —
»	1-2 Blätter — 1 à 2 feuilles	12 » 10 —,	1 —
»	Forsteriana, 3-4 Wedel — 3 à 4 feuilles caractérisées		3 —
»	Wendlandi, 3-4 Blätter — 3 à 4 feuilles	12 St. 25 —,	2 50
Latania	aurea, 3-4 Blätter — 3 à 4 feuilles	12 » 30 —,	3 —
»	borbonica, vide Livistona sinensis.		
»	glaucophylla (Loddigesii), 2-3 Blätter — 2 à 3 feuilles	12 St. 20 —,	à 30 —, 2 — à 3 —
»	rubra, 2-3 Blätter — 2 à 3 feuilles	12 St. 30 —,	3 —
Licuala	elegans, 1-2 Blätter — 1 à 2 feuilles		2 —
»	horrida, 4-5 Blätter — 4 à 5 feuilles	12 St. 15 —,	1 50

	à Stück	— la pièce	M. Pf.
Livistona australis (Corypha), 2—3 Blätter — 2 à 3 feuilles	12 St.	4 —	40
stärkere — plus forts	12 St.	4 —	6 —
» Hoogendorpi , 4—6 Blätter — 4 à 6 feuilles	12 St.	20 —	2 —
» humilis , 4—5 Blätter — 4 à 5 feuilles	12 »	10 —	1 —
» mauritanica , 2—4 Blätter — 2 à 4 feuilles	12 »	6 —	60
» rotundifolia , 3—4 Blätter — 3 à 4 feuilles	12 »	20 —	2 —
» in Saattöpfen — en potées	100 St.	40 —	6 —
» sinensis (Latania borbonica), 3—5 Blätter — 3 à 5 feuilles	100 »	30 —	4 —
6—7 Blätter — 6 à 7 feuilles	100 »	50 —	12 »
stärkere — plus forts	12 St.	10 —	3 —
Oreodoxa oleracea , 1—2 Blätter — 1 à 2 feuilles	100 St.	15 —	12 »
Phoenix canariensis , 1—2 Blätter — 1 à 2 feuilles	12 St.	10 —	15 —
mit 3—5 Wedeln — de 3 à 5 feuilles caractérisées	12 St.	10 —	15 —
extra starke Schaupflanzen — plantes très fortes	12 St.	6 —	1 —
» leonensis , 2—3 Blätter — 2 à 3 feuilles	12 »	7,50 —	75
» pumila , 2—3 Blätter — 2 à 3 feuilles	12 »	3 —	5 —
» reclinata , mit 4—6 Wedeln — de 4 à 6 feuilles caractérisées	12 St.	5 —	50
» 1—2 Blättern — 1 à 2 feuilles	12 »	10 —	1 —
» rupicola , 1—2 Blätter — 1 à 2 feuilles	12 »	6 —	60
Pritchardia filamentosa , 2—3 Blätter — 2 à 3 feuilles	12 »	30 —	3 —
» pacifica , 4—6 Blätter — 4 à 6 feuilles	12 »	7,50 —	75
» robusta (Washingtonia robusta), mit 3—4 Blättern — de 3 à 4 feuilles	12 »	10 —	1 —
» Sonorae , 3—5 Blätter — 3 à 5 feuilles	5 —	20 —	7 50
Rhapis flabelliformis			7 50
» humilis (Sirotsik)	100 St.	30 —	12 St.
Sabal Adansoni , 3—4 Blätter — 3 à 4 feuilles	100 »	10 —	12 »
in Saattöpfen — en potées			1,50 —
» Blackburniana vide umbraculifera	12 »	5 —	50
» umbraculifera , mit 3—5 Blättern — de 3 à 5 feuilles	12 »	10 —	1 —
stärkere — plus forts	12 »	5 —	50
Seaforthia elegans , 3—4 Blätter — 3 à 4 feuilles			1 —
Thrinax barbadensis , 3—5 Blätter — 3 à 5 feuilles	12 St.	10 —	1 —
Trithrinax brasiliensis , 1—2 Blätter — 1 à 2 feuilles			3 —
Zamia integrifolia			5 —

Sortimente von Palmen unserer Wahl. — Collections de Palmiers à notre choix.

	M. Pf.
6 Palmen in 6 zur Zimmercultur vorzüglich geeigneten Sorten in schon ausgebildeten ansehnlichen Exemplaren — 6 Palmiers en 6 espèces propres pour la culture en appartements en exemplaires déjà caractérisés	15 —
6 Palmen, dieselbe Collection in noch stärkeren Exemplaren — 6 Palmiers, la même collection en exemplaires plus forts	30 —
12 Palmen in 12 zur Zimmercultur vorzüglich geeigneten Sorten in jungen Exemplaren — 12 Palmiers en 12 espèces propres pour la culture en appartements en exemplaires jeunes	8 —
25 Sorten Palmen und Cycadeen in jungen aber kräftigen Exemplaren — 25 Palmiers et Cycadées en exemplaires jeunes, mais assez vigoureux	25 —

Kalthaus-Pflanzen.

Plantes de serre froide et d'orangerie.

	à Stück	— la pièce	M. Pf.
Abelia floribunda	12 St.	6 —	60
» rupestris	12 St.	6 —	60
Abutilon Darwini tessellatum	60 —		60
» indicum	60 —		60
» Thompsoni flore pleno	75 —		75
» Tonellianum roseum	50 —		50
» venellarium	60 —		60
» fol. var.	75 —		75
» vitifolium	50 —		50
» hybridum , Andenken an Bonn , weissbuntblättrig — à feuilles bordées de blanc	75 —		75
» Chamaeleon	75 —		75
» chrysostephanum grandif. marmoratum	75 —		75
» Erfurter Glocke	60 —		60
» F. Sawitzer , weissbuntblättrig — à feuillage panaché de blanc	1 —		60
» Feuerball	60 —		60
» Golden Fleece , goldgelb, reichblühend — jaune d'or, très florifère	1 —		60
» grandiflorum	60 —		60
» H. Cannell , feurigrosa, innen weiss — rose feu à centre blanc	75 —		75
Abutilon hybridum , La Candeur , reinweiss — blanc pur	60 —		60
» hybridum , L'Africain	1 —		60
» Pattersoni	60 —		60
» Philippine Welser	60 —		60
» Roi des nains	60 —		60
» Royal Scarlet	60 —		60
» Salmon Rose	60 —		60
» Schneerose (Boule de neige)	60 —		60
» 6 schönste Sorten — collection de 6 belles variétés	2 50		60
Acacia armata	60 —		60
» dealbata	60 —		60
» hispida	1 —		60
» lophantha	12 St.	5 —	50
» speciosa nana compacta	60 —		60
» Melanoxylon	60 —		60
» Nemu	50 —		60
» retinoides praecox	60 —		60
» semperflorens	60 —		60
» verticillata	60 —		60
12 Sorten nach unserer Wahl	5 —		50
12 espèces à notre choix	5 —		50
Agapanthus minor Mooreanus 12 St. 5 —	50 & 2 —		50
» umbellatus	50 & 2 —		50



Asparagus Sprengeri.



Bignonia Kererc.

	à Stück — la pièce M Pf.
Agapanthus umbellatus flore albo	— 75
» umbellatus flore pleno	1 50
» fol. var.	1 50
Agathaea coelestis 12 St. 5 —	— 50
Ageratum , Cannel's Dwarf, blau — bleu	— 40
» Louise Bonnet, weiss — blanc	— 40
Amphicome Emodi	1 50
Andropogon argenteus	— 40
Aralia cordata , neu, schöne Blattpflanze, deren Wurzeln und Triebe in Japan als Gemüße sehr gesucht sind — nouv. plante ornementale du Japon, à racines et à pousses comestibles	6 —
» heteromorpha	1 — à 2 —
» papyrifera	1 —
» platanifolia (Oreopanax)	1 — à 3 —
» quinquefolia	1 —
» Schefflera	1 —
» Sieboldi	— 40 à 1 50
» fol. arg. (vel aur.) var.	2,50 à 6 —
» trifoliata	1,50 à 3 —
Arctotis aureola	1 —
Arduina bispinosa	1 —
Aristotelia Maqui	1 —
Artemisia argentea	— 50
Arthropodium cirrhatum	— 75
Asclepias virgata	— 75
Asparagus Broussoneti &	1 50
» decumbens	1 20
» Sprengeri , prachtvolle Ampelpflanze, werthvolles Bouquetgrün liefernd — magnifiquer plante pour vases suspendus, de grande valeur pour la coupe . . . 12 St. 7,50 à 15 —, — 75 à 1 50	
Astelia Banksi	1 — à 3 —
Aucuba japonica Typus — type	— 40 à 2 —
10 andere Sorten unserer Wahl	— 75, 50 —
10 var. à notre choix	7,50 —
Azalea indica , in schönen buschigen Exemplaren — en plantes touffues: 12 St. in 12 neueren Prachtsorten — 12 var. nouvelles	25 —
12 » in 12 schönsten älteren Sorten — 12 var. anciennées	12 —
50 » in 50 schönsten Sorten mit Namen — 50 var. avec noms	75 —
Einzelne Exemplare mit Knospen im Frühjahr, je nach Stärke — plantes bien boutonées, selon la force, la pièce . 1 — à 5 —	
Azara dentata	1 —
» serrata	— 75
Bambusa aurea	2 —
» aureo-striata	1 50
» Metake	1 50
» Simoni	2 —

	à Stück — la pièce M Pf.
Bambusa violascens	2 —
Berberidopsis corallina	3 —
Berberis concinna	1 —
» Darwini	1 —
» virescens	1 —
» Wallichii	1 —
Bignonia & australis	— 75
» chrysantha	— 75
» Kererc , prachtvoll, sehr reichblühend — très florifère	2 —
» Ricasoliana	— 75
» Tweediana , gelb — à fl. jaunes	— 60
Billardiera angustifolia	— 75
Boronia heterophylla	3 —
» megastigma	3 —
» polygalaeifolia	2 —
Browallia speciosa major , neu, grossblumig, dunkelblau, guter Winterblüher — nouv., bleu foncé à gr. fl.; floraison abondante en été et en hiver	— 60
Buddleia Lindleyana	— 75
Calceolaria rugosa , gelb — jaune 12 St. 4 —, — 40	
Camellia japonica fl. pl.: 12 neuere und neueste Sorten — 12 var. nouvelles 30 — à 50 — —	
12 beste ältere Sorten in 40–50 cm hohen verzweigten Exemplaren — 12 variétés anciennées en bonnes plantes touffues de 40–50 cm de hauteur 20 —, — 100 St. in 50 Sorten — 100 plantes en 50 var. 150 —, —	

Pflanzen mit Knospen — plantes bien boutonées

	100 St. 200 — à 400 —, 2,50 à 6 —
Campanula fragilis	— 60
» Leitheimerii	— 75
Campsidium valdivianum	1 —
Caryopteris mastacanthus , dunkelblau, sehr schön — bleu foncé, très beau	— 75
Cestrum nocturnum	— 50
» Parqui	— 50
Chironia Fischei	— 75
Choisya ternata	— 60
Chrysanthemum frutescens	— 40
» frutescens Alice Crousse	— 50
» » Comtesse de Chambord	— 50
» » Etoile de Lyon	— 60
» » Etoile d'or	— 75
» » Golden Gem	— 60
» » Mad. Farfouillon	— 50
» » Perle d'or	— 60
» » Sieberti	— 50
Sehr gnte Winterblüher — très-bonnes plantes pour fournir des fleurs coupées en hiver.	

à Stück — la pièce M. Pf.		à Stück — la pièce M. Pf.		
Cineraria maritima	12 St. 4 —	— 40	Escallonia floribunda	1 —
Cissus antarctica $\frac{1}{2}$		75	Eucalyptus amygdalina	— 50
Cistus africanus		60	» citriodora, echt — vrai	— 75
» creticus		60	» drepanophylla	— 75
Clematis indivisa lobata $\frac{1}{2}$		2 —	» globulus, der vielgenannte Blau-	
Clethra arborea		2 —	gummi-, auch Fieberheilbaum; kleine-	
Clianthus Dampieri		3 —	Exemplare — le Gommier bleu, fébri-	
» punicus	12 St. 8 —	— 80	fuge très-renommé; petit	12 St. 4,50, — 50
Cobaea scandens $\frac{1}{2}$		40	» Gunni	— 60
Convolvulus mauritanicus		50	» leucoxylon	— 60
Coprosma Baueriana fol. var.		1 —	» marginata	— 60
Correa alba		60	» resinifera	— 60
» Bidwilli		60	» tereticornis	— 60
» cardinalis	2 St. 50	— 50	Eugenia australis	— 75
» hybrida	1 —	— 1 —	Eulalia japonica	12 St. 5 —
Cosmophyllum calicalaeifolium		75	» fol. var.	1 —
Cuphea eminens		50	» gracillima univittata	1 —
» Galeottiana		50	» zebrina, mit zebraartig quer-	
» Hillfieldiana		50	gestreiften Blättern — à feuilles	
» platycentra		50	zebrées horizontalement	1 20
» Roezli		50	Eupatorium glechomaefolium	— 50
» strigulosa		50	» grandiflorum album	— 50 à 1 —
Cyclamen autumnale fl. albo		80	» riparium	— 50 à 1 —
» cilicium	12 St. 6 —	— 60	» serrulatum	— 50 à 1 —
» coum vernum	12 » 4 —	— 40	» trapezoideum	— 50 à 1 —
» cyprum		80	» Weinmannianum	— 50 à 1 —
» europaeum	100 St. 8 —, 12 St. 1,20,	— 20	» tricolor	1 —
» ficariaefolium d. holl. Gärten, s. repandum.		40	Eurya latifolia variegata	1 50
» graecum	12 St. 4 —	— 40	Eustrephus latifolius	— 75
» macrophyllum (algeriense, africanum)		40	Evonymus japonicus	— 40 à 1 —
» »	12 St. 4 —	— 40	» japonicus Duc d'Anjou	— 50 à 1 —
» neapolitanum	12 » 3 —	— 30	» » fasciatus (fol. aur.)	— 75 à 1 50
» persicum	100 St. 30 —, 12 » 4 —	— 40	» » macrophyllus	— 50 à 1 —
» » starke Pflanzen mit vielen Knospen —		2 —	» » maculatus	— 50 à 1 —
» » giganteum album		1 50	» » pulchellus (myrtifolius)	— 50 à 1 —
» » » roseum		1 50	» » tricolor	— 50 à 1 —
» » Kaiser Wilhelm		1 50	» » variegatus	12 St. 5 —, — 50 à 1 —
» repandum	12 St. 4 —	— 40	» » radicans fol. var.	— 40 à 1 —
Cytisus Atleanus		1 —	» » fol. roseo-marginatis	— 40 à 1 —
Daphne Dauphini		1 50	Fabiana imbricata	— 60
» Fioniana		1 50	Farfugium grande	1 —
» indica alba		1 50	Fluggea (Convallaria) japonica	12 St. 3 —, — 30
» » fol. var.		2 —	Fragaria indica	12 » 3 —, — 30
» » rubra		1 50	Franseria artemisioides	— 75
» Laureola	— 60 à 1 20		Gazania nivea	1 —
» Philippii		1 50	» rigens	— 75
» pontica		1 50	» » aurea	— 75
Deeringia Amherstiana fol. var.		60	» splendens	12 St. 4 —, — 40
Desfontainea spinosa		2 —	» » fol. var.	12 » 4 —, — 40
Desmanthus virgatus		75	Genista Andreana, schön — beau	1 20
Diosma alba		50	» canariensis	— 75
» ciliata		75	» candicans	— 75
Diplopappus (Cassinia) aureus		60	Gerbera Jamesonii, prachtvoll — magni-	
» fruticosus	12 St. 6 —	— 60	fique	4 —
Disandra prostrata		60	» lanuginosa	1 —
Disemma coccinea $\frac{1}{2}$		75	Gnaphalium lanatum	12 St. 3 —, — 30
Dolichos lignosus $\frac{1}{2}$		60	» lanatum fol. var.	12 » 3 —, — 30
Duranta Ellisia		60	» » minimum	12 » 3 —, — 30
» Plumieri		75	Gonospermum elegans	— 75
Ecuremocarpos (Calampelis) scaber $\frac{1}{2}$		25	Grevillea Preissi	1 50
» »	12 St. 2,50,	— 25	» robusta	12 St. 6 —, — 60 à 1 50
» scaber roseus	12 » 2,50,	— 25	Griselinia littoralis	12 St. 6 —, — 60
Echium candicans giganteum		75	Gynura aurantiaca	— 75
Edwardia McNabiana		75	Habrothamnus aurantiacus	— 75
Elaeagnus reflexa $\frac{1}{2}$		60	» Bondouxi	— 75
» » fol. var.		80	» scaber	— 75
Entelea arborescens		1 —	» Warszewiczii	— 60
Epacris, diverse Sorten — var. diverses		1,50 à 2 —	Hakea repanda	1 —
Eriocephalus glaber		75	» saligna	1 —
Eryngium agavifolium		50	Heimia salicifolia	— 60
» eburneum		75	Helichrysum helianthemifolium, weiss-	
» pandanifolium		50	blättrig — feuillage argenté	— 60
» Serra		75	Hibbertia volubilis $\frac{1}{2}$	3 —
Erythrina Bellangeri		1 50	Hymenosporum flavum	1 —
» bogotensis		3 —	Hypericum Moserianum tricolor	1 50
» cafra		1 50	Incarvillea Delavayi	3 —
» compacta	1,50 à 3 —		Jossinia tinifolia	— 75
» Corallodendron	1 — à 3 —		Kennedyia coerulea	— 75
» coralloides		3 —	» Lindleyana	— 75
» crista galli	1 — à 10 —		» Makoyana	— 75
» Hendersoni	1 — à 2 —		» Maryattae	— 75
» insignis	1 — à 2 —		» monophylla alba	— 75
» Président Belle		1 50	» ovata	1 —
			» alba	— 75
			» rubicunda	— 75
			Koniga variegata	— 40



Melaleuca.



Saxifraga sarmentosa.

	à Stück — la pièce M. Pf.
Lagerstroemia indica	2 —
Lapageria rosea, die schönste Schlingpflanze fürs Kalthaus — la plus belle plante grimpante de serre froide 3,50 à 6 —	
» rosea albiflora, weissblühende, vorrätig in 2 Grössen — à fleur blanche, disponible en 2 grandeurs à 8 — und 20 —	
Lavatera arborea variegata	— 75
» assurgentiflora	— 75
Leonotis Leonurus	1 —
Leptocarpa rivularis	1 —
Leptospermum lanigerum	1 —
Leucophyta Browni	— 50
Leucopogon Richei	3 50
Libertia grandiflora	— 50
Libonia floribunda	— 60
» Penrhosiensis	12 St. 5 —, — 50
» rutilans	12 » 6 —, — 60
Lithospermum fruticosum	2 50
Lobelia Cavanillesi	12 St. 4 —, — 40
» littoralis	12 » 5 —, — 50
» Richardsoni	12 » 4 —, — 40
Lophospermum scandens $\frac{1}{2}$	12 » 2,50, — 25
Lotus canariensis floribundus	12 » 5 —, — 50
» peliorhynchus (Pedrosia Bertheloti), prächtige Ampelpflanze mit graugrüner Belaubung und orangefarbenen Blüten — très belle plante pour vases suspendus à feuillage glauque et à fleurs écarlate orangé	12 St. 5 — à 10 —, — 50 à 1 —
Magnolia fuscata, Blüten bräunlich, von köstlichem Wohlgeruch — fleurs brunnâtres d'un parfum délicieux	3 —
Mahernia odorata	— 75
Maurandia $\frac{1}{2}$ antirrhiniflora	12 St. 2 —, — 20
» Barclayana	12 » 2 —, — 20
» alba	12 » 3 —, — 30
Medeola vide Myrsiphyllum.	
Melaleuca acuminata	— 60
» armillaris	— 60
» glaberrima	— 75
» hypericifolia	— 75
» imbricata	— 75
» thymifolia	— 75
Melia floribunda	— 75
Melanthus major	— 75
» minor	— 75
Menziesia polifolia	— 75
Metrosideros brachyandra	— 50
» lanceolata	— 50
» robusta	— 50
» semperflorens	— 50
Mikania fragrantissima (scandens)	— 50
» fol. ros. var.	1 —
Mimulus hybridus Atlas	— 50
» moschatus Harrisoni	— 40

	à Stück — la pièce M. Pf.
Mimulus repens	— 60
Mitraria coccinea	1 50
Murraya exotica, mit weissen wohlriechenden Blumen — à fleurs blanches odorantes	2 50
Myoporum insulare	— 75
» punctatum	— 75
Myrsiphyllum (Medeola) asparagoides	
100 St. 20 —, 12 St. 3 —,	— 40
Myrtus apiculata	— 75 à 1 50
» communis angustifolia, Brautmyrte	— 50
» » microphylla	12 St. 5 —, — 50
» » flore pleno	— 60
» » fol. var.	— 80
» » latifolia	12 St. 5 —, — 50 à 1 50
» » nana compacta multiflora	— 60
Nemopanthes Andersoni	— 75
Nerium Oleander:	
6 Sorten unserer Wahl — 6 var. à notre choix	7,50, —
Nertera depressa	12 St. 5 —, — 50
Nicotiana colossea, Blattpflanze ersten Ranges — plante à feuillage ornemental de premier rang	— 50 à 1 —
» colossea fol. variegatis, neuer hundertblättriger Riesentabak, Blätter breit weissgerandet, prachtvolle Dekorationspflanze — plante ornementale hors ligne, feuilles largement bordées de blanc	6 — à 10 —
Olearia Haasti, weiss, reichblühend — blanc, très florifère	— 75
Ophiopogon Jaburan fol. var.	1 50
Oreopanax pedunculata	1 —
Osmanthus nanus fol. var.	— 75 à 1 —
Oxalis carnosus	1 —
Passerina filiformis	1 —
Passiflora $\frac{1}{2}$ coerulescens	— 60
» hybr. Constance Elliot, weiss — blanc	1 —
Pavonia hastata	— 60
Pentstemon Hartwegi (gentianoides), 12 schöne Sorten nach unserer Wahl — 12 belles variétés à notre choix	4 — 40
» Hartwegi nanus, 6 Sorten unserer Wahl — 6 var. à notre choix	2,50, — 50
Pernetia alba lilacina	1 50
Petunia hybrida fol. var. Mad. Morosoff, reizend buntblättrige Sorte, Blumen dunkelcarmoisin, zu Teppichbeeten vorthellhaft zu verwenden — à feuillage panaché de blanc, fleurs carmoisi foncé, belle plante pour la mosaïculture	12 St. 10 —, 1 —
» hybrida grandiflora,	12 Sorten —
12 var. 4 —,	—
» » » fl. pleno,	12 Sorten —
12 var. 4 —,	—



Stevia serrata albo-marginata.



Veronica.

à Stück — la pièce M. Pf.

à Stück — la pièce M. Pf.

Phormium tenax . 12 St. 6 — à 18 — ; — 60 à 3 —	
» tenax fol. var.	10 —
» Veitchii	2 — à 3 —
Phygelius capensis	— 75
Physalis ericoides	— 75
Physalis Franchetti , neu, Beschreibung siehe S. 171 — nouv., pour la description voy. page 171	1 50
Pithecoctenium pruinatum	1 —
Pittosporum crassifolium	1 —
» eugenioides 12 St. 6 —	— 60
» floribundum	1 —
» Tobira	1 —
» fol. var.	1 —
» undulatum	— 75
Plectranthus amethystinus	— 60
» paniculatus , sehr schöne blaublüh. Zimmerpflanze — très beau	— 75
Plumbago capensis (coerulea) 12 St. 6 —	— 60
» capensis flore albo 12 » 10 —	1 —
» zeylanica	— 75
Polygala brachypoda	— 75
» Dalmatiana	— 75
» grandiflora	— 75
» latifolia	— 75
» myrtifolia	— 75
Polygonum platycladon	1 —
» rotundifolium , hübsch als Ampelpflanze — belle plante pour vases suspendus	1 —
Primula chinensis alba plena 12 St. 6 —	— 60
» » » compacta 12 St. 6 —	— 60
» » rubra plena 12 » 6 —	— 60
Punica Granatum fl. pl.	1 —
» Granatum fl. albo pl.	1 —
» » nana	1 50
» » Legrellei	1 — à 10 —
Raphiolepis indica	— 60
» ovata (japonica)	1 —
Reineckea carnea 12 St. 3 —	— 30
» fol. var. 12 » 5 —	— 50
Reinwardtia tetragyna	— 80
Rhodochiton volubile &	— 75
Rhododendron hybridum : Auswahl der vorzüglichsten Sorten in 2 bis 4jähr. Veredelungen, schöne buschige Exemplare mit 3 bis 9 Knospen (gang- barste Grösse) — choix des meilleures varié- tés en greffes de 2 à 4 ans, fortes touffes avec 3 à 9 boutons (la meilleure grandeur pour le commerce) . . . 100 St. 150 — à 240 — 12 St. 20 — à 30 — ; 2 — à 3 —	— 40
Rhododendron hybridum Countess of Sefton	2 50
» hybr. suave 2 — à 4 —	— 40
Rhynchospermum jasminoides &	1 —
» jasmin. fol. var.	1 50
» sinense &	1 —

Rubia Relbun	1 50
Rubus australis	1 —
» rosaefolius flore pleno , sehr hübsch ge- füllt blühend — très beau, à fleurs doubles	— 75
Ruscus Hypoglossum	— 75
Russelia juncea	1 20
Salicornia macrostachya	— 50
» sarmentosa	— 50
Salvia aurea	— 75
» Betheli, rosa mit weiss — rose et blanc	— 75
» coccinea bicolor	— 75
» gesneriaeflora	— 75
» Grahami	— 75
» Hoveyi, indigoblau — bleu indigo	— 75
» officialis aurea variegata	— 40
» » tricolor	— 75
» paniculata, hellblau mit weiss — bleu clair et blanc 12 St. 6 —	— 60
» prunelloides purpurea	— 60
» Regla	— 75
» splendens 12 St. 5 —	— 50
» » compacta erecta	— 60
» Ingénieur Clavenad , früh- blühende Spielart, sehr empfehlens- werth — à floraison précoce, très recom- mandable 12 St. 6 —	— 60
Santolina incana 12 » 4 —	— 40
» rosmarinifolia	— 60
Saxifraga Fortunei tricolor	1 50
» Fortunei tricolor superba	2 50
» sarmentosa 12 St. 3 —	— 30
Senecio leucostachys , schöne Teppich- pflanze mit weissfilzigen, feing- getheilten Blättern — belle plante pour bordures à cause de la légèreté du feuillage blanc et feutré	— 75
» niveus	— 75
» Palmeri	— 75
» platanifolius	— 75
» sagittifolius , prachtv. Pflanze mit mitterlangen Blättern und grossen weissen Blumen — plante très belle à feuilles grandes et très longues, fleurs blanches	1 —
Sericobonia ignea 12 St. 6 —	— 60
Sericographis Ghiesbreghtii	1 50
Serissa foetida fol. var.	— 60
Sibthorpia europaea fol. var.	1 —
Siphocampylus bicolor	— 75
Skimmia japonica 12 St. 6 —	— 60
Solanum Capsicastrum	— 40
» » Hendersoni	— 50
» igneum	— 75
» jasminoides , schöne halbrankende Spe- cies — belle espèce rampante	— 75

	à Stück — la pièce M. Pf.
Solanum Seaforthianum , halbrankend, bellblau, schön — espèce rampante à fl. bleu clair	1 —
Sollya heterophylla	12 St. 7,50, — 75
Sonchus gummiifer	— 75
Sparrmannia africana	— 75
» <i>africana</i> flore pleno	1 —
Sphacele campanulata	— 75
Stauntonia latifolia $\frac{1}{2}$	1,50 à 3 —
Statiche arborea magnifica	— 75
» <i>pectinata</i>	— 75
Stenotaphrum glabrum fol. var.	— 60
Stevia serrata albo-marginata	
12 St. 4 —	— 40
Streptosolen Jamesoni	— 75
Sutherlandia frutescens	— 75
Swainsonia alba	1 —
» <i>Ferrandi atropurpurea</i>	1 —
» <i>Greyana</i>	1 —
» <i>rosea grandiflora</i>	1 —
Teocoma $\frac{1}{2}$ floribunda	— 75
» <i>jasmínoides</i>	— 75
» <i>Smithi</i> , orangegebl., reich und willig blühend — jaune orange, très florifère	2 —
Teucrium fruticosum	— 50
» <i>hyssopifolium</i>	— 60
» <i>Marum</i>	12 St. 4 —, — 40
Tristania conferta	— 75
Tropaeolum Lobbianum Peter Rosen- kraentzer $\frac{1}{2}$	— 60
» <i>maj. nanum fl. pl. Frieda Thalaacker</i>	1 —
Tupa montana , neu — nouv.	1 —

	à Stück — la pièce M. Pf.
Verbena hybrida grandiflora: Nordlicht — Aurore boreale , grossbl., teurig orangescharlach — fleurs grandes écarlate orangé brillant	12 St. 6 —, — 60
12 St. in 12 Sorten — 12 var. à notre choix	4 —, — —
12 reinweisse — 12 blanches	3 —, — —
12 sobarlachrothe — 12 écarlates	3 —, — —
12 blaue — 12 bleues	3 —, — —
12 rosenrothe — 12 roses	3 —, — —
100 St. in den 4 Hauptfarben — 100 Verveines dans les couleurs principales	20 —, — —
Veronica Andersoni fol. var.	— 75
» <i>buxifolia</i>	13 St. 5 —, — 50
» <i>decussata</i>	12 » 5 —, — 50
» <i>hybrida Albertine</i>	— 50
» » <i>Deutsche Perle</i>	— 50
» » <i>éclatante</i> , lebhaft roth — rouge vif	1 —
» » <i>La Favorite</i>	— 50
» » <i>Mad. Ferrier</i>	— 50
» » <i>Max Frenzel</i>	— 50
» » <i>Merveille</i>	— 50
» » <i>Murillo</i>	— 50
» » <i>Purple Queen</i>	1 —
» » <i>spectiosa</i>	— 50
» <i>salicifolia</i> , sehr gute Sorte für Binderei — très-bonne espèce pour bouquetiers	— 50
» <i>Traversi</i>	— 60
Vitis spec. Mexico $\frac{1}{2}$	1 —
» <i>striata</i> (sempervirens)	1 —
Westringia rosmarinifolia	1 25

Exotische Heil-, Nutz- und Gift-Pflanzen. — Plantes exotiques utiles et officinales. Arbres et Plantes à fruits des Tropiques.



Coffea arabica.

	à Stück — la pièce M. Pf.
Agave rigida var. Sisaliana , Sisalhanf liefernd — fournissant le chanvre de Sisal 12 St. 10 — à 15 —, 1 — à	1 50
Alibertia (Gardenia) edulis, Goyave noire, Beeren essbar — baies comestibles	2 —
Amomum Cardamomum , Kardamome — Amome	1 50
Ananassa sativa , stark — fort	2 50
» <i>sativa</i> , Kindel — oeillets 100 St. 40 —	— 50
» Folgepflanzen — plantes faites	1 50
Anchietia salutaris , Sipó sumá, enthält das Anchietin, ein heftiges Brechmittel — Vomitif très-violent	3 —

	à Stück — la pièce M. Pf.
Anona Cherimolia , Cherimolia — Flascheu- baum — Chérimolier	2 —
» <i>macrocarpa</i>	2 —
» <i>squamosa</i>	2 —
Artanthe elongata , peruanische Matico — Matico du Pérou	3 —
» <i>tiliaefolia</i> , Gewürz und Arznei — Matico	3 —
Boehmeria nivea , Cbinsgras	— 80
» <i>tenacissima</i>	1 —
Brachychiton acerifolium , Flammenbaum	1 —
» <i>populneum</i>	1 —
Brosimum Alicastrum (microcarpum), Rin- dige Brodnuss — Brosime alicastre	3 —
Caesalpinia Sappan , Sappanholz — Bois de Brésil	2 —
» <i>sepiaria</i>	1 50
Calliandra Porteana	1 50
Camphora officinarum (Laurus Camphora), Kampferbaum — Camphrier	3 — à 6 —
Carica Papaya , Melonebaum — Papayer	— 80
Cecropia peltata , schildförmiger Trompe- tenbaum, liefert Kautschuck — Bois trom- pette	3 —
Cedrela odorata , wohlriechende Cedrele, liefert das Zuckerkistenholz — Cèdre-acajou	1 50
Chloranthus inconspicuus , sehr wohlrie- chend, wird dem Thee zugesetzt — très odorant, ajouté au thé	1 —
Chrysophyllum Cainito , Sternapfelbaum — le Cainitier	5 — à 20 —
Cinchona hybrida , Fiebertindenbaum — Quinquina	2 —
» <i>succirubra</i>	2 —
Cinnamomum dulce , Zimmpflanze — Can- nellier doux	1 50
» <i>Reinwardti</i>	3 — à 6 —
» <i>sericeum</i> — Cannelier soyeux du Japon	1 50
Citrosma Thea , Tbé des Campos, sehr aromatisch	5 — à 10 —
Citrus Aurantium , Pomeranze — Oranger, ...	4 — à 6 —

	à Stück	— la pièce	M. Pf.
<i>Citrus medica</i>	4	— à	6 —
» <i>myrtifolia</i>	1	— à	3 —
» <i>sineusis</i> (japonica, taïtensis)	1 50	à	3 —
» <i>trifoliata</i> (Limonia)	1	—	1 —
» <i>vulgaris</i> (C. Bigaradia), bittere Pomeranze — Bigaradier frano	1	—	1 50
<i>Cocculus Thunbergi</i>	1	—	50
<i>Coffea arabica</i> , Kaffeepflanze — le Caféier 12 St. 5 — à 10 —	2	1 —	3 —
» <i>liberica</i>	1 50	à	3 —
<i>Crescentia Cujete</i> , Kalabassenbaum — Cuieté	2 50	—	2 50
» <i>macrophylla</i>	2 50	—	2 50
<i>Dipterix odorata</i> , Tonkabohne — Fève Tonka	10	—	10 —
<i>Dorstenia contrayerba</i> , Mittel gegen Schlangenhias — remède contre les morsures de serpents	1 50	—	1 50
<i>Dracaena Draco</i> , echter Drachenbluthaum — le Dragonnier	1	— à	2 —
<i>Enckea</i> (Piper) <i>unguiculata</i> , radix Jambarray	1	—	1 —
<i>Eriobotrya japonica</i> , japanische Mispel, essbar — Néflier du Japon	1	— à	2 —
<i>Erythroxylon Coca</i> , Peruan. Cocastrauch — fournit la Coca des Péruviens	3	— à	10 —
<i>Eugenia</i> (Myrtus) <i>Ugni</i> , wohlgeschmeckende kirschenähnliche Früchte — fruits très-hons à manger	1	—	1 —
<i>Euphorbia antiquorum</i> , wahre Wolfsmilch — essbar — le véritable Euphorbium	1	— à	3 —
<i>Ficus Carica</i> , Feigenbaum — Figuer	1	—	1 —
» <i>elastica</i> , (Gummihaum), liefert Kautschuck — Arbre à caoutchouc	1 25	à	2 50
<i>Flacourtia cataphracta</i> , mit essbaren Früchten — à fruits comestibles	3	—	3 —
<i>Goethea cauliflora</i>	3	—	2 —
<i>Helicteres corylfolia</i>	2	—	2 —
<i>Hovenia dulcis</i> , in Japan ein beliebter Fruchtbaum — arbre fruitier très estimé au Japon	1 50	—	1 50
<i>Hymenaea Courbaril</i> , Heuschreckenbaum — Caroubier	2	—	2 —
<i>Laportea glauca</i>	2	—	2 —
» <i>Janipha</i>	3	—	3 —
» <i>podagrica</i>	3	—	3 —
<i>Laportea pustulata</i> , Gespinnstpflanze — plante textile	—	75	—
<i>Lippia</i> (Aloysia) <i>citriodora</i> , Citronen- oder Punschkraut — Verveine Citronelle	1	—	—
<i>Lobelia syphilitica</i> , antisiphilitisch	—	40	—
<i>Maranta arundinacea</i> , Arrowroot	1	—	—
<i>Maytenus Kiedelanus</i>	2 50	—	2 50
<i>Mikania Guaco</i> , die Guacopflanze	1	—	1 —
<i>Olea europaea fructu dulce</i> , süßfruchtiger Oelbaum — Olivier à fruit doux	1	—	1 —
» <i>fragrans</i> , die wohlriechenden Blüten kommen unter den Thee, sehr beliebte Zimmerpflanze — les fleurs très-odorantes entrent dans la préparation du thé; plante très-recherchée pour appartements	1 25	à	3 —

	à Stück	— la pièce	M. Pf.
<i>Olea ilicifolia</i>	3	— à	5 —
<i>Pedilanthus tithymaloides</i>	1	—	1 —
<i>Petiveria alliacea</i> , Herba Scorodoniae	1	—	1 —
<i>Phoebe Barbusano</i> , liefert das canarische Ebenholz — fournit le bois d'ébène des Canaries	3	—	3 —
<i>Phormium tenax</i> , neuseeländ. Flachspflanze — Lin de la Nouvelle-Zélande — 60 à	2	1 —	3 —
<i>Piper Betle</i> , Betelpfeffer — Bétle	1	—	1 —
» <i>nigrum</i> , schwarzer Pfefferstrauch — Poivre noir	1 50	—	1 50
» <i>Neesianum</i>	2	—	2 —
» <i>Titodascum</i> — Poivrier du Japon	1 50	—	1 50
<i>Plectranthus fruticosus</i> , Hausmittel gegen Krämpfe, auch als mottenvertreibend empfohlen — germaine en buisson, dite de chasser les teignes	12 St. 5 —	—	50
<i>Pogostemon Patschonli</i> , die Patschouli-pflanze — le Patchouly	12 St. 6 —	—	60
<i>Psidium aromaticum</i>	—	75	—
» <i>Cattleyanum</i> , Guajavabaum — Goyavier	—	75	—
» <i>chinense</i>	—	75	—
<i>Pueraria Thunbergiana</i>	1	—	1 50
<i>Ravenala madagascariensis</i> , Baum der Reisende — arbre des voyageurs	3	— à	10 —
<i>Rosmarinus officinalis</i> , Rosmarin — 40 à	1	—	1 —
<i>Roupellia grata</i> , Rahmfruchtbaum — Roupellia comestible	3	—	3 —
<i>Sansevieria zeylanica</i> , den Bowstring-Hanf liefernd	2	—	2 —
<i>Schinus terebinthifolia</i> , Pistazienblättriger Mastixbaum — à feuille de Térébinthe	1	—	1 50
<i>Scilla maritima</i> , echte Meerzwiebel — Squille rouge ou Scipoule; sehr starke Zwiebeln — bulbes très-forts	1	— à	2 —
<i>Seguiera americana</i> , amerikanisches Stinkholz — sipo d'alho	2	—	2 —
<i>Smilax officinalis</i> , Sarsaparilla liefernd — fournit le salsepareille	2	—	2 —
<i>Sterculia diversifolia</i>	1	—	1 —
<i>Stillingia sebifera</i> , Talgbaum — l'arbre à suif	2	—	2 —
<i>Teucrium fruticosum</i> , buschiger Gamander, liefert herba Teucii veri	50 à	1 —	1 —
» <i>Marum</i> , Katzenkraut	40 à	1 —	1 —
<i>Thea Bohea</i> , chinesischer Theestrauch, 12 St. 7,50, — 75 à	1 50	—	1 50
» <i>viridis</i>	1 50	—	1 50
<i>Theobroma Cacao</i> , wahrer Cacaobaum — Cacaoyer cultivé	8 —	à	20 —
<i>Tragia volubilis</i>	2 50	—	2 50
<i>Trichilia undulatifolia</i> , Kerseboom, Purgans und Emmenagogum	5	—	5 —
<i>Vanilla aromatica</i> , Vanille	7,50	à	10 —
<i>Xanthorrhoea minor</i>	2	—	2 —
<i>Zanonia sarcophylla</i> , dickblättriger Bandelstrauch	1	—	1 50
<i>Zingiber Zerumhet</i> , Zerumhet oder Blockingwer — Gingembre	1	—	1 50

Agave, Dasyliiron, Yucca etc.

	à Stück	— la pièce	M. Pf.
<i>Agave americana</i>	—	50 à	6 —
» <i>americana</i> fol. var.	1,50	à	6 —
» » fol. aur. marg. (picta)	—	50 à	6 —
» <i>angustifolia</i>	stark	— fort	10 —
» <i>applanata</i>	1	—	1 —
» <i>atrovirens</i>	3	— à	6 —
» <i>attenuata subdentata</i>	15	—	15 —
» <i>Beaucarnei</i>	5	—	5 —
» <i>Bessereriana</i>	2	—	2 —
» » <i>longifolia</i>	6	—	6 —
» <i>Bonneti</i>	2	— à	4 —
» <i>Boucheana vera</i>	2	— à	20 —
» <i>caribaea</i>	5	—	5 —
» <i>Celsiana</i>	1 50	à	3 —
» <i>chloracantha</i>	1	—	1 —
» <i>coccinea</i>	—	75	10 —
» <i>coerulescens</i>	2,50	à	15 —

	à Stück	— la pièce	M. Pf.
<i>Agave conduplicata</i>	2	— à	3 —
» <i>Corderoyi brevifolia</i>	4	—	4 —
» » <i>longifolia</i>	5	—	5 —
» <i>dasyliroides</i> (dealbata)	3	— à	10 —
» <i>densiflora</i>	2	— à	10 —
» <i>Deserti</i>	2	—	2 —
» <i>Ellemestiana</i>	3	— à	10 —
» <i>Engelmanni</i>	3	—	3 —
» <i>ensifolia</i>	3	— à	10 —
» <i>erubescens</i>	1	—	1 —
» <i>ferox</i>	3	— à	30 —
» <i>filifera</i>	1,50	à	5 —
» <i>Gauliniana</i>	5	— à	10 —
» <i>geminiflora</i> , vide Bonaparte juncea	—	—	—
» <i>Ghiesbreghtii</i>	3	— à	15 —
» <i>Gilbeyi</i> (Roelzii)	4	— à	15 —
» <i>grandidentata</i>	3	— à	6 —
» <i>Gustaviana</i>	4	— à	20 —



Agave americana fol. aur. marg.



Agave Victoriae Reginae.

	à Stück — la pièce M. Pf.
Agave Henriquesi, Baker	3 — à 5 —
» heteracantha	5 — à 15 —
» horrida (Regeliana)	2 — à 10 —
» Houlletiaua	2 —
» Jacobiana	1 —
» Jacquiniana, vide lurida.	
» Inghami gigantea	5 —
» Ixtli	3 — à 6 —
» Kerchovsei	4 — à 20 —
» » brevifolia	4 —
» latissima	3 — à 10 —
» lophantha	75 — à 15 —
» lurida (Jacquiniana)	2 — à 6 —
» maculata	2 — à 10 —
» marmorata	6 —
» mexicana	1 —
» » fol. striatis	1,50 à 6 —
» micracantha	1 — à 2 50
» miradorenensis (Desmetiana) . . .	2 — à 6 —
» Nissoni	1 50
» Ousselghemiana	2 — à 5 —
» Palmeri, Engelm.	4 — à 6 —
» Parryi, Engelm.	10 —
» picta vide americana fol. aur. marg.	
» polyacantha	1 — à 25 —
» potatorum	1 —
» Regeliana, vide horrida.	
» rigida var. Sisaliana, den kostbaren Sisalhant liefernd, wird auf den Ba- hama-Inseln in grossem Maassstabe angebaut — fournissant le chanvre de Sisal . . . 12 St. 10 — à 15 —, 1 — à 1 50	
» Robini	15 —
» rupicola	2 — à 15 —
» Salmiana	60 à 10 —
» » sehr stark — très-fort	15 — à 30 —
» » Whitakeri	1 —
» Scolymus	2 — à 3 —
» Shawi, Engelm.	6 — à 20 —
» spec. Paso del Macho	8 — à 12 —
» spectabilis	3 —
» striata, prächtige Species, ähnlich stricta (Bonaparteia Hystrix) — superbe, ressemblant à stricta ou Bonaparteia Hystrix	20 — à 30 —
» stricta (Bonaparteia Hystrix), prächt- voll — magnifique	8 — à 20 —
» sylvestris	2 — à 10 —
» nnivittata, sehr schön — très-beau . .	1 — à 10 —
» Vanderwinni	4 — à 15 —
» Verschaffelti	4 — à 15 —
» Victoriae Reginae (Consideranti), die schönste und auffallendste aller Sorten — le plus beau et le plus remarquable de tous.	4 — à 25 —

	à Stück — la pièce M. Pf.
Agave Wildingi	1 50
» zalapensis	75 à 20 —
» xylocantha longifolia	2 — à 10 —
» 12 schöne Sorten unserer Wahl . . .	10 —
» 12 belles espèces à notre choix . . .	10 —
» 25 » » » » » » » » » » » »	30 —
Elitesortiment von 25 Sorten	50 —
Collection de 25 sortes d'élite	50 —
Beaucarnea, vide Pincenectitia. . . .	
Beschorneria yuccoides (Roezlia Regia) .	7 5
Bonaparteia Hystrix, vide Agave stricta.	
» junceae	1,50 à 4 —
Dasyliion acrotiche (serratifolium) . .	1 — à 8 —
» acrotiche glaucum	2 — à 10 —
» gracile	1 —
» graminifolium	1 —
» juncifolium	1,50 à 6 —
» longifolium verum (Roulinia pit- cairniaefolia)	1 — à 4 —
» Wheeleri (Nolina)	2 — à 5 —
Dyckia princeps	4 —
» regalis	5 —
» remotiflora	60 à 1 —
» sulfurea	7 —
Fourcroya cubensis	4 —
» gigautea	1 —
» lindeni, buntblättrig — à feuille pa- nachée	6 — à 12 —
» rigida	1 — à 2 —
Pincenectitia tuberculata (Beaucarnea re- curvata)	2 —
» glaucua (Beaucarnea glauca)	3 —
Yucca albo-spica (filifera)	10 —
» aloëfolia	50 à 2 —
» » fol. var., hübsche junge Pfl. — jolies jeunes plantes . 12 St. 10 —, 1 —	
» » stark — fort . 12 St. 40 —, 4 — à 8 —	
» angustifolia	1 —
» baccata, Torr.	2 — à 4 —
» canaliculata (Treculeana)	1 — à 10 —
» elata albo-marginata	1,50 à 3 —
» filamentosa, prachtvolle und leicht- blühende Freilandsorte — espèce de pleine terre, fleurissant franchement, superbe 12 St. 5 —, — 50 à 1 —	
» sehr starke blühbare — très-fortes touffes	1,50 à 3 —
» flaccida	1 —
» gloriosa	1 —
» pendula variegata aurea, neu — nouv.	5 —
» quadricolor	5 — à 15 —
» recurva pendula . 12 St. 6 — à 15 —, — 60 à 1 —	
» » glaucescens variegata	5 —
» rupicola	3 —
» Whipplei, sehr distinct — très distinct 2 — à 6 —	

Cacteen. — Cactées.

	à Stück — la pièce M. Pf.
<i>Anhalonium fissuratum</i>	4 — à 6 —
» <i>prismaticum</i>	4 — à 8 —
<i>Astrophytum myriostigma</i>	4 — à 10 —
» <i>myriostigma Beguini</i>	30 —
» » <i>Lapaixi</i> , 8 kantig, spiralförmig gedreht — 8 côtes, tournées en spirale	15 — à 20 —
» » <i>Schilinzkyi</i>	15 —



Astrophytum myriost. Lapaixi.

<i>Cereus acutaugulus</i>	75 à 3 —
» <i>alacriportans</i>	50 à 3 —
» <i>albispinus</i> (<i>Pilocereus</i>)	1,50 à 5 —
» <i>anguiniformis</i>	1 50
» <i>areolatus</i>	2 — à 6 —
» <i>azureus</i>	3 —
» <i>Banmanni</i>	1 — à 3 —
» <i>baxaniensis</i>	1 — à 3 —
» <i>Boeckmanni</i>	1 — à 3 —
» <i>Bonplandi</i>	50 à 3 —
» <i>brachiatulus</i>	1,50 à 3 —
» <i>Bridgesi</i>	1,50 à 3 —
» » <i>brevispinus</i>	2 —
» <i>caesiatus</i>	1 — à 3 —
» <i>Cavendisbi</i>	1 — à 3 —
» <i>chalybaeus</i>	1 — à 3 —
» <i>chilensis</i>	4 — à 15 —
» <i>coccineus</i>	2 —
» <i>coeruleus</i>	2 —
» <i>colubrinus</i>	1 — à 3 —
» » <i>flavispinus</i>	1 — à 3 —
» <i>Donati</i>	1 — à 3 —
» <i>Dumortieri</i>	3 — à 6 —
» <i>Dycki vide Joconostle</i>	
» <i>Emoryi</i>	2,50 à 5 —
» <i>erectus</i>	1 — à 5 —
» <i>eriphorus</i>	1 — à 6 —
» <i>euchlorus</i>	3 —
» <i>farinosus</i>	3 — à 6 —
» <i>fernambucensis</i>	1 — à 3 —
» <i>flagelliformis</i>	1 — à 5 —
» » <i>Aurora</i> , <i>hellrosa</i> — rose clair 1 — à 2 —	
» » <i>Mallisoni</i>	1 50
» » <i>splendens</i> , <i>carmoisin</i> — <i>cramoisi</i> 1,50 à 3 —	
» » <i>Vulcan</i> , <i>scharlach</i> — <i>écarlate</i> 1,50 à 3 —	
» <i>Forbesi</i>	1 — à 6 —
» <i>formosus</i>	1,50 à 4 —
» » <i>monstrosus</i>	1,50 à 3 —
» <i>Funkii</i>	3 —
» <i>gemmatus</i> (<i>marginatus</i>)	2 — à 5 —
» <i>geometrizans</i> (<i>pugioniferus</i>)	2 — à 6 —
» <i>giganteus</i> , vide <i>Pilocereus</i>	
» <i>grandiflorus</i> (<i>Königin der Nacht</i> — <i>Reina della noche</i>)	1,50 à 5 —
» <i>grandiflorus major</i>	3 —
» <i>gummosus</i> , Engelm.	6 —
» <i>Hankeanus</i>	2 — à 4 —
» <i>beteromorphus</i>	6 —
» <i>intricatus</i>	2 — à 6 —
» <i>Jamacaru</i>	50 à 3 —
» » <i>caesiatus</i>	50 à 3 —
» » <i>glancus</i>	50 à 1 —
» <i>Joconostle</i>	4 — à 10 —
» <i>Jusberti</i>	3 — à 3 —
» <i>laetus</i>	1 — à 10 —
» <i>Laboureti</i>	1 — à 4 —



Cereus Jamacaru.

Pilocereus fulvispinus.

Cereus Emoryi.

	à Stück — la pièce M. Pf.
<i>Cereus leptophis</i>	1 50
» <i>macrogonus</i>	1 — à 5 —
» <i>Martianus</i>	2 —
» <i>Martini</i>	50 à 3 —
» <i>melanacanthus</i>	3 — à 6 —
» <i>multangularis limensis</i>	2 — à 6 —
» <i>nycticalus</i>	50 à 3 —
» » <i>armatus</i>	1 50
» <i>Ocamponis</i>	2 —
» <i>Paxtonianus</i>	1 — à 3 —
» <i>peruvianus</i>	50 à 5 —
» » <i>monstrosus</i>	1,50 à 6 —
» » <i>minor</i>	2 —
» <i>Pitajaga</i> , Weber	2 — à 6 —
» <i>polychaetus</i>	1 — à 5 —
» <i>princeps</i>	1,50 à 3 —
» <i>pruinosis</i> (<i>edulis</i>), eine der schönsten säulenartigen Spezies — l'un des plus beaux Cierges à tige colonnaire 4 — à 10 —	
» <i>pugioniferus</i> , vide <i>geometrizans</i>	
» <i>rostratus</i>	50 à 3 —
» <i>Schotti</i> , Engelm.	5 — à 8 —
» <i>Seideli</i>	1 — à 3 —
» <i>Seltzi</i>	3 —
» <i>serpentinus</i>	75 à 3 —
» » <i>albispinus</i>	1,50 à 3 —
» <i>sonorensis</i>	4 — à 8 —
» <i>Spachianus</i>	75 à 3 —
» <i>speciosissimus</i>	1 — à 2 —
» <i>spinulosus</i> (<i>pentagonus</i>)	1 —
» <i>splendens</i>	2 — à 4 —
» <i>stellatus</i> <i>Tonelianus</i>	3 —
» <i>strigosus</i>	2 —
» <i>sulciatus</i> vide <i>Pilocereus</i>	
» <i>subrepandus</i>	1 —
» <i>tephracanthus</i>	1 — à 3 —
» <i>tetragonus</i>	2 —
» <i>Thurberi</i> , Engelm.	5 — à 8 —
» <i>Tinei</i>	50 à 1 —
» <i>tortuosus</i>	50 à 3 —
» <i>triangularis</i>	1 — à 4 —
» » <i>pictus</i>	1,50 à 3 —
» <i>Uranos</i>	75 à 3 —
» » <i>nycticalus</i>	75 à 3 —
» <i>validus</i>	50 à 3 —
» <i>variabilis</i>	1 — à 3 —
» 12 gute Sorten unserer Wahl — 12 bonnes espèces à notre choix	5 —
» 12 Sorten, stärkere Exempl. — 12 espèces en exemplaires plus forts	8 — à 15 —



Echinocactus cornigerus.



Echinocactus Ottonis.



Echinocactus setispinus.


	à Stück — la pièce M. Pf.
Echinocactus acutissimus	4 —
» arrigens	6 —
» bicolor	2 50 à 4 —
» brevihamatus , Engelm.	3 — à 5 —
» Cachetianus , vide setispinus .	
» capricornis , selten — rare	5 — à 10 —
» concinus	2 —

Echinocactus
coptonogonus.


Echinocactus coptonogonus	4 — à 6 —
» cornigerus 3 — à 5 —	
» crispatus	3 — à 6 —
» Cumingi	5 —
» cylindraceus (Leopoldi)	4 — à 6 —
» denudatus	2 — à 3 —
» dolichacanthus (Echidne)	1 50

» electracanthus (hystriacanthus),	
Originalexemplare — sujets	
originaux	6 — à 10 —
Sämlinge — semis	2 —

Echinocactus flavovirens	6 —
» gibbosus	2,50 à 6 —
» cristatus	4 — à 8 —
» ferox	5 —
» gracillimus	2 —
» Grusoni	6 — à 8 —
» sehr stark — très fort	30 — à 50 —
Sämlinge — semis	2 — à 3 —
» hastatus	6 —
» Havermansi	12 —
» horizontalonius	3 — à 6 —
» hyptiacanthus	2 —
» ingens (helophorus, Visnaga)	4 — à 6 —
» Jourdani	6 —
» Laboureti	5 —
» lancifer	4 —
» Le Contei , Engelm. „Des Teufels Nadelkissen“.—, „Pelote du diable“	15 — à 20 —
» leonensis	2 — à 4 —
» leucacanthus (Maeleni)	2 — à 6 —
» longihamatus	3 — à 5 —
» lophothele , Originale — sujets originaux	2,50 à 8 —
» Maeleni , vide leucacanthus .	



Echinocactus bicolor.



Echinocactus ingens.

	à Stück — la pièce M. Pf.
Echinocactus mammosus	2 — à 3 —
» mammillosus cristatus	50 —
» McDowellii	4 — à 8 —
» Monvillei	6 —
» multicostatus	3 — à 5 —
» obvallatus	5 —
» Orcutti , Sämlinge — semis	1 50
» Originale — sujets originaux	4 — à 6 —
» ornatus (Mirbell)	6 — à 10 —
» Beguini (Beguin), 8kantig, theilweise spiralförmig gedreht, stellenweise stark weiss punktiert auf dunkelgrünem Grund, stark bestachelt, 7—15 cm Durchmesser — 8 côtes, plus ou moins tournées en spirale, ponctuées de blanc sur fond vert foncé, aiguillonnées fortement, 7 à 15 cm de diam.	15 — à 30 —
» Ottonis	1 — à 3 —
» Linki	1,50 à 6 —
» phymatothelos	8 —
» pilosus (Steinesi)	3 — à 10 —
» polyraphis (villosus)	4 —
» pumilus	2 —
» recurvus solenacanthus	1 50
» reductus , vide gibbosus .	
» robustus	10 —
» Scheeri	3 — à 5 —
» Scopa	3 —
» candidus	3 —
» cristatus	8 —
» setispinus (Cachetianus)	— 50 à 3 —
» mirensis	1 —
» Simpsoni	3 —
» submammosus	2 —
» tabularis	3 —
» texensis	2 — à 5 —
» tortuosus	1 — à 4 —
» viridescens	3 — à 5 —
» Visnaga , vide ingens .	
» Williamsi (Anhalonium)	2,50 à 5 —
» Wislizeni , Fischhakencactus, prachtvolle, seltene Species — espèce rare magnifique	5 — à 10 —
» 12 Sorten unserer Wahl — 12 espèces à notre choix	15 —

Echinocactus
Williamsi.Mammillaria
longimamma.



Echinocactus wislizeni.

à Stück — la pièce M. Pf.

Echinocereus acifer	2 — à 3	—
» brevispinulus	2 — à 3	—
» Barcena	3 — à 5	—
» Bergeanus	2 — à 3	—
» Berlandieri	1 — à 2	—
» Blankii, Engelm.	1 — à 2	—
» caespitosus	1 — à 3	—
» candicans	2 — à 3	—
» carnosus	2 — à 6	—
» cinerascens (Deppel) . . .	— 50 à 6	—
» crassior	— 75 à 6	—
» cirriferus	— 75 à 6	—
» dasyacanthus	3 — à 4	—
» dubius	2 — à 3	—
» Durangensis	2 — à 6	—
» nigrispinus	3 — à 6	—
» Ehrenbergi	— 75 à 3	—
» cristatus	3 — à 6	—
» enneacanthus	1 — à 6	—
» glycymorphus	1 — à 4	—
» Knippelianus	3 — à 5	—
» lamprochlorus	— 75 à 3	—
» papillosus	1,50 à 3	—
» paucispinus	1,50 à 5	—
» pectinatus	4 — à 6	—
» armatus	2,50 à 4	—
» pentalophus (leptacanthus) . .	— 50 à 3	—
» phoeniceus	4 — à 6	—
» polycanthus	5 — à 8	—
» polycephalus, Engelm. . . .	2 — à 6	—
» Poselgeri	1 — à 3	—
» procumbens , Blüthe ähnlich der von		
» enneacanthus — à fleur semblable à		
» celle d'enneacanthus	— 50 à 3	—
» Roemerii	1,50 à 3	—
» Salmianus	1 — à 3	—
» Salm-Dyckianus	— 50 à 3	—
» Scheerii, Engelm.	1 — à 3	—
» stramineus, Engelm.	2 — à 4	—
» 12 Sorten unserer Wahl — 12 espèces		
» à notre choix	7 50	—

Echinopsis achatina	2 —	—
» apiculata	3 —	—
» Bridgesii	1 — à 3	—
» Decaisneana	— 50 à 6	—
» denudata	1 —	—
» Dnvalii	— 50 à 6	—
» Eyriesii	— 50 à 6	—
» cristata	3 — à 5	—
» Fischeri fl. roseo	1 — à 2	—
» Lagemanni	1 — à 2	—
» formosissima	20 —	—
» Hnotti	2 — à 5	—
» imbricata	1 50	—
» integra	2 —	—
» minuscula	3 —	—
» multplex	— 50 à 6	—
» cristata	5 —	—
» picta	1 — à 5	—
» nigerrima	1 —	—
» oxygona	— 50 à 6	—
» Pentlandii	2 — à 5	—
» longispina	3 —	—
» tricolor	4 —	—
» Schelhasei	— 50 à 3	—
» speciosa	— 50 à 1	—



Echinocereus caespitosus.

à Stück — la pièce M. Pf.


Echinopsis turbinata	— 50 à 3	—
» Zuccarini (tubiflora)	— 50 à 6	—
» cristata	2,50 à 5	—
» flore roseo	1,50 à 6	—
» Rohlandi	— 50 à 6	—
» 12 Sorten unserer Wahl — 12 espèces		
» à notre choix	7 50	—
Epiphyllum Makoyanum	1,50 à 3	—
» Ruckerianum	1 —	—
» Russellianum Gärtneri	1,50 à 5	—
» truncatum	1 —	—
» Bridgesii	1 —	—
» carminatum	1 —	—
» grandiflorum	1 —	—
» Harrisoni	1 —	—
» multiflorum (Altensteini) . .	1 —	—
» purpureum	1 —	—
» superbum	1 —	—
» spectabile superbum	1 —	—
» tricolor	1 —	—
» violaceum superbum	1 —	—
» hübsche Kronenbäumchen — jolies		
» plantes greffées à tige	1,50 à 3	—
Lepismium commune	1 50	—
» Knightii	1 50	—
Malacocarpus corynodes	4 —	—
» Couranti	3 —	—
» Sellowianus	2 —	—



Epiphyllum russellianum Gaertneri.



Mammillaria applanata.



Mammillaria micromeris. Mammillaria radiosa.

	à Stück — la pièce M.Pf.
Mammillaria acanthoplegma	1,50 à 3 —
» amoena	1 50
» anguinea, vide elongata.	
» angularis	1 — à 3 —
» applanata, schön — beau	2 — à 3 —
» arietina	— 50 à 3 —
» aulacothele	3 —
» auricoma	3 —
» Beguini	5 —
» Benneckeii	4 —
» bicolor	2 — à 3 —
» Bocasana	— 50 à 3 —
» Bockii	1 50
» Buchiana	2 —
» calcarata	3 —
» candida, vide sphaerotricha.	
» caput Medusae	2 —
» carnea (villifera)	1 — à 3 —
» Carreti	4 —
» castanoides cristata	3 — à 4 —
» Celsiana (Mühlenpfordti)	3 — à 6 —
» centricirra	— 50 à 4 —
» » goniadacantha	2 —
» chrysacantha	1 — à 3 —
» cirrhifera	— 50 à 3 —
» » longispina	1 — à 3 —
» columnaris	— 50 à 2 —
» conopsea (Neumanniana)	1 — à 3 —
» cornifera, sehr schön — très beau	3 — à 4 —
» crassispina	3 — à 5 —
» erinita	1 50
» erocidata	3 —
» crucigera	3 —
» daemonoceras	3 — à 5 —
» decipiens	2 —
» deflexispina	3 —
» desertorum	1 50
» discolor	1 — à 3 —
» divaricata	1 — à 3 —
» divergens	1 —
» dolichocentra	1 — à 3 —
» » Galeotti	1 — à 3 —
» Donati	1 — à 4 —
» Doregi	4 —
» echinata (caespitosa, densa)	— 50



Mammillaria elongata.

	à Stück — la pièce M.Pf.
Mammillaria elegans	3 — à 6 —
» elephantidens	2 — à 5 —
» elongata (anguinea)	— 50
» » suberocea	— 50
» Emundsiana	1 — à 3 —
» eriacantha	3 —
» Eugenia	2 — à 4 —
» falcata	1 50
» fertilis	1 —
» Foersteri	1 — à 3 —
» foveolata	1,50 à 3 —
» fulvispina	1 — à 3 —
» fuscata	1 — à 3 —
» geminiflora	1 —
» gigantea	1 — à 3 —
» gladiata	1 — à 3 —
» glochidiata	1 — à 3 —
» Goodrichi	1,50 à 3 —
» gracilis	— 50
» Grahami var. arizonica	3 — à 5 —
» Guillemianiana	1 — à 3 —
» Haagei	3 —
» Heeseana	2,50 à 5 —
» Hevernici	4 —
» Hopferiana	2 — à 4 —
» imbricata	2 — à 4 —
» intertexta	1 —
» Karwinskiana	— 50 à 4 —
» Krameri	1 — à 3 —
» laeta	5 —
» lasiacantha	2 — à 4 —
» Lassomeri	5 —
» Lehmanni	2 — à 5 —
» Leona, schön — beau	2 — à 4 —
» leucocarpa	3 —
» livida	— 50
» longimamma	1,50 à 3 —
» » compacta	3 —
» » cristata (H. & S.)	3 — à 5 —
» longiseta	1 — à 3 —
» Ludwigii (phymatothele)	2 — à 4 —
» maoracantha (recurva)	1,50 à 3 —
» macromeris, Engelm.	3 — à 5 —
» macrothele	3 —
» magnimamma	1 — à 3 —
» mazatlensis	3 —
» melacantha	3 —
» melanocentra	2 — à 4 —
» micromeris	2,50 à 4 —
» » Greggii	3 — à 5 —
» microthele	3 —
» minima	1 —
» monothele	1 — à 3 —
» multiceps	12 St. 5 —, — 50
» mutabilis	1 — à 5 —
» mystax	4 —
» Neumanniana, vide conopsea.	
» nigra	1 — à 2 —
» » euchlora	1 50
» » cristata	5 —
» nitens (discolor nitens)	1,50 à 3 —
» nivea	2 — à 3 —
» » cristata	4 — à 6 —
» Nuttalli	1,50 à 4 —
» obscura	5 —
» Oderiana	2 — à 4 —
» pachythele	— 50 à 3 —

	à Stück — la pièce M.Pf.
Mammillaria Parkinsoni	1 — à 5 —
» Peacocki	1 — à 3 —
» pentacantha	1 — à 3 —
» Perringi	1,50 à 3 —
» Pfeifferi	1 — à 3 —
» phaeacantha	2 — à 3 —
» phellosperma	6 — à 10 —
» phymatothele (Ludwigi)	2 — à 4 —
» polyedra	3 —
» polygona	2 —
» polythele	1 — à 3 —
» porphyracantha	2 —
» Praelii	3 —
» pulchella	1 50
» » nigrescens	1 50
» pulchra	— 50 à 1 —
» pusilla	1 —
» » caespititia	1 50
» pyramidalis	2 — à 3 —
» quadrispina	— 50 à 3 —
» radiosa, sehr schön — très beau	2 — à 4 —
» Radiana	3 — à 7 50
» recurva (maoracantha)	1,50 à 3 —
» recurvispina	2 — à 4 —
» rhodantha	— 50 à 3 —

Mammillaria sanguinea	4 — à 6 —
» Schelhasei	2 —
» » sericata	2 —
» Schlechtendalii	3 —
» Schmidtii	1 — à 3 —
» Seitziana	1 50
» Sempervivi	2 — à 4 —
» » tetraacantha	1 —
» simplex (caracas)	1 — à 2 —

» spec. Villa Lerdo	3 —
» sphacelata	2 — à 5 —
» sphaerotracha (candida)	3 —
» spinosissima	1 — à 3 —
» » brunea	3 —
» stella aurata	— 50
» strobilifera	3 — à 5 —

Mammillaria subangularis	— 50 à 3 —
» subcrocea, vide elongata.	
» subechinata	1 —
» sulcoglanduligera	3 —
» sulphurea	— 50 à 4 —
» tentaculata	3 —
» triacantha	1,50 à 3 —
» tuberculosa	2,50 à 4 —
» uberiformis	2 — à 3 —
» » hexacentra	2 — à 3 —
» » Melaena	2 — à 3 —
» umbrina	1 —
» uncinata	3 — à 5 —
» valida	2 — à 5 —
» vetula (grandiflora)	2 — à 3 —
» villifera, vide carnea.	
» viridis	— 50 à 3 —
» » cristata	2 —
» Wildiana	— 50 à 2 —
» » cristata	2 — à 4 —
» 12 Sorten unserer Wahl — 12 espèces à notre choix	5 —
» 25 Sorten unserer Wahl — 25 espèces à notre choix	15 —

Opuntia acanthocarpa	1 —
» albicans	— 50
» arborescens	— 50 à 1 —
» atacamensis, Poselg.	1,50 à 3 —
» aurantiaca	— 50
» basilaris	2 — à 3 —
» bernardina	1 —
» bicolor	— 75
» boliviensis, Poselg.	1 — à 2 —
» brachyarthra, Engelm.	— 75
» brasiliensis	— 75
» camanchica, für Freiland — de pleine terre	— 75
» » albispina	— 75
» » major	— 75
» » minor	— 75
» candelabriformis	1 —

	à Stück — la pièce M. Pf.
Opuntia clavarioides	2 —
» clavarioides cristata	2 50
» coccinellifera (Nopalea)	— 50 à 1 —
» corrugata	— 50
» crinifera	1 —
» curassavica	— 75
» cylindrica	— 50
» » cristata	1 — à 3 —
» cymochila	1 —
» Davisi, Engelm.	— 50 à 1 50

Opuntia diademata

(Tephrocactus) 1,50 à 2 50

» Dilleni	— 50
» echinocarpa	1 50
» elata	— 50
» elongata	— 50
» Emoryi	2 50
» Engelmanni	1,50 à 3 —
» ferox	1 —
» Ficus indica	— 50
» filipendula, Engelm.	— 50 à 1 50

» frutescens	— 50
» fulgida nana	— 50
» glaucophylla	— 50
» glomerata	— 50
» horrida	— 50

» humilis, Freiland- » sorte — de pleine terre	— 50 à 1 —
---	------------

» hyptiacantha	1 —
» imbricata	— 50
» intermedia	— 50
» Kleinia	— 75

Opuntia Laboureti

» lanigera	— 50
» leonina, Chili	1 — à 2 —
» leucospina	1 —
» leucotricha	— 50
» littoralis	— 50
» lurida, Californien	— 75 à 2 —
» macrophylla	— 75
» maculacantha	— 50 à 2 —
» microdasy monstrosa	1 — à 2 —
» monacantha	— 50
» » variegata	1 50
» occidentalis	— 50
» oligacantha	— 50
» Palmeri, Engelm.	2 —
» papyracantha	1 — à 2 —
» Pentlandi	1 —
» Pes corvi, Engelm.	1 — à 2 —
» phaeacantha, Engelm.	1 —
» Piccolominiana	1 —
» polyantha	1 75
» pseudo-Tuna	1 —
» puberula	— 75
» Rafinesquiana	12 St. 5 —, — 50

» **arkansana (spec. Kansas), weit robuster und winterharder als die Species — bien plus robuste et plus rustique que le type** . . . 12 St. 4 —, — 40

» rufida, Engelm.	1 —
» Salmiana	— 50 à 1 —
» Scheeri	1 —
» senilis	1 —
» serpentina	1 —
» spec. Linden	1 —
» spinosissima	— 50
» spinulosa	— 50
» spirocentra	— 50
» texana	1 50
» tomentosa	— 75
» triacantha	— 50
» tunicata	— 75
» Turpini calva	— 75
» vaginata, Engelm.	— 75 à 2 —
» vestita	1 —
» virens	— 50
» 12 Sorten unserer Wahl — 12 espèces à notre choix	4

Peiresicia aculeata	12 St. 5 —, — 50
» amapola	1 — à 2 —
» Bleo	1 50
» spathulata	— 50 à 1 —
» subulata	1 —

à Stück — la pièce M. Pf.
Pelecyphora aselliformis 6 — à 10 —
 » **pectinata** 6 —
Pfeiffera cereiformis 2 —
Phyllocactus et Hybris, Species und
Hybriden — espèces et variétés:

- | | |
|------------------------------|---------------------------------|
| 9 Ackermanni. | 25 latifrons, weiss, gelb |
| 78 » nova species. | schattirt — blanc |
| 10 » Quillardeti. | jauuâtre 1,50 à 3 — |
| 8 alatus. | 54 Makoyi. |
| 7 albus superbissimus | 83 Mayfy. |
| 1,50 | 75 mexicanus. |
| 65 Alexandrinae. | 71 Pfersdorffii , sehr |
| 11 anguliger. | schön, gelb — beau, |
| 12 aurantiacus superbus. | fl. jaune 1,50 |
| 13 Benseleianus. | 5 phyllanthoides , schön |
| 14 Boothii. | hellrosa — beau, |
| 82 Bruennowi. | rose clair. |
| 15 canlorhizus. | 31 Potstatzkyanus . |
| 46 Conway's Giant. | 32 Preisleri. |
| 69 Cooperi. | 62 serratus. |
| 9 orenatus Vogeli. | 72 speciosissimus |
| 20 Curtisi. | Feltoni, purpur- |
| 3 Ernesti. | violett, grossblumig |
| 49 Franzii. | — pourpre violacé, |
| 80 gaudis. | à gr. fl. 1 — à 3 — |
| 81 Guedeneyi 2 — à 3 — | 40 Tettaui , Blume |
| 79 Haageanus. | mittelgross, dun- |
| 76 Hitchensi. | kelviolett mit pur- |
| 51 Hookerii. | pur Rückseiten — |
| 29 Jenkinsonii superbus. | fleur moyenne vio- |
| 52 Johnsonii. | let foncé à revers |
| 74 Kampmanni. | pourpre 1 — à 3 — |
| 1 kermesinus mag- | 42 triumphans. |
| nus 1 — à 3 — | 43 Vonhoffini. |
| 77 Kiardi. | 44 Wippermanni. |
| 2 Laloyi 1 — à 3 — | 70 Wrayi , sehr gross, |
| | gelb — fl. grande, |
| | jaune 1 — à 3 — |

à Stück — la pièce M. Pf.
 à Sorte — chaque espèce — 75
 in Stecklingen — en boutures — 40
 Sortiment von 12 schönsten Sorten unserer
 Wahl — collection des 12 meilleures sortes
 à notre choix 7,50 — —



Pilocereus senilis.

- | | |
|--|---------------------------|
| Pilocereus albispinus | à Stück — la pièce M. Pf. |
| 1,50 à 5 — | |
| » barbatus | 4 — |
| » Bruennowi | 8 — à 15 — |
| » Celsi gracilior | 5 — à 15 — |
| » » lanuginosior | 6 — |
| » chrysomallus (militaris) | 5 — à 10 — |
| » Consolae | 2 — à 15 — |
| » Dautwitzii | 6 — à 10 — |
| » » cristatus | 50 — |
| » euphorbioides | 3 — à 15 — |
| » floccosus | 8 — |
| » fossulatus | 8 — à 15 — |
| » fulvispinus | 2 — à 8 — |
| » giganteus , Lem. (<i>Cereus giganteus</i> ,
Engelm.), Originale — sujets origi- | |
| naux | 12 — à 15 — |
| Sämlinge — semis | 3 — |
| » Haworthi | 2 — à 10 — |
| » Hermentii | 1 — à 5 — |
| » Houlletii | 3 — à 10 — |
| » » leucocephalus | 2 — |
| » lanuginosus | 4 — à 10 — |
| » niger | 2 — à 6 — |
| » » aureus | 4 — à 10 — |
| » Pasacana , Web. | 8 — à 15 — |
| » Pfeifferi | 3 — à 10 — |
| » polylophus | 5 — à 10 — |
| » polyptichus | 2 — |
| » Royenii | 3 — à 10 — |
| » » armatus | 3 — à 5 — |
| » senilis , Greisenhaupt — tête de vieil- | |
| lard | 4 — à 20 — |
| » » Sämlinge — semis | 2 — |
| » sublanatus | 2 — à 6 — |
| » tilophorus | 1 — à 2 — |
| » Verheini | 4 — à 6 — |
| » virens | 1 — à 6 — |



Rhopsalis salicornioides.

- | | |
|--|------|
| Rhopsalis capilliformis | 1 — |
| » Cassytha | — 75 |
| » conferta | 1 — |
| » crispata | — 75 |
| » floccosa | 1 — |
| » funalis | — 75 |
| » grandiflora | 1 — |
| » mesembrianthemoides | 1 50 |
| » micrantha | 1 — |
| » pachyptera | 1 — |
| » penduliflora laxa | 1 — |
| » pentaptera | 1 50 |
| » pulvinigera | 1 50 |
| » rhombea | 1 — |
| » » crispata | 1 — |
| » Saglionis | 1 — |
| » salicornioides | 1 — |
| » squamulosa | 1 — |
| » Swartziana | 1 — |
| » trigona | 1 — |
| » Warmingiana | 1 — |

100 Species Cacteen, gut assortirt — Collec-
 tion de 100 espèces Cactées, bien assorties 80 —

Billige Cacteen-Sortimente für angehende Liebhaber.

Collections de Cactées à prix modérés pour amateurs commençants.

Um die Liebhaberei für die so interessante Familie der Cacteen den weitesten Kreisen zugänglich zu machen, offeriren wir nachstehende Sortimente, welche trotz der äusserst niedrig gestellten Preise eine gute Anzahl sehr schöner charakteristischer Formen enthalten, und welche für Anfänger voll-



Aloë Bedinghausi.



Aloë hybrida Stella.

	à Stück — la pièce M. Pf.
<i>Anacampseros filamentosa</i>	— 75
<i>Bryophyllum calycinum</i>	— 50
» <i>pinnatum</i>	— 60
<i>Bulbine frutescens</i>	1 —
<i>Coleus Penzigi</i>	1 —
<i>Cotyledon arborescens</i>	1 —
» <i>Cooperi</i>	— 75
» <i>corusoans</i>	— 75
» <i>maculata minor</i>	— 75
» <i>pulverulenta</i>	— 75
» <i>Umbilicus</i>	— 75
<i>Crassula Bolusii</i>	12 St. 4 —, — 40
» <i>coccinea</i> vide <i>Kalosanthos</i>	
» <i>Cooperi</i> , reizend — oharmant	— 40
» <i>cordata</i>	1 —
» <i>Dachyana</i>	— 60
» <i>laotea</i> , sehr guter Winterblüher — très-bonne plante pour fleurir en hiver	12 St. 4 —, — 40
» <i>lycopodioides</i>	— 60
» <i>obliqua</i>	— 60
» <i>perfossa</i>	1 —
» <i>punctata</i>	— 60
» <i>recurva</i> , sehr schön — très beau	2 —
» <i>Schmidtii</i> , Rgl.	12 St. 4 —, — 40
» <i>spathulata</i> , gute Ampelpflanze — belle plante pour vases suspendus 12 St. 4 —, — 40	
<i>Echidnopsis Dammanniana</i>	2 50



Kleinia ficoides.

	à Stück — la pièce M. Pf.
<i>Euphorbia abyssinica</i>	3 — à 6 —
» <i>antiquorum</i>	1 — à 3 —
» <i>balsamifera</i>	1 50
» <i>canariensis</i>	2 —
» <i>caput Medusae</i>	3 —
» <i>cereiformis</i>	3 —
» <i>coerulescens</i>	2 —
» <i>dendroides</i>	1 —
» <i>Echinus</i>	3 —
» <i>Fournieri</i>	4 —
» <i>globosa</i>	1 50
» <i>grandicornis</i>	3 — à 8 —
» <i>grandidons</i>	1 — à 3 —
» <i>Granti</i>	2 — à 4 —
» <i>Hystrix viridis</i>	3 — à 5 —
» <i>imbricata</i>	3 —
» <i>jacquiniiflora</i>	1,50 à 3 —
» <i>laotea</i>	2 —
» <i>Lemairei</i>	2 — à 4 —
» <i>monstrosa</i>	7 50
» <i>Morini</i> , neu — nouv.	4 —
» <i>natalensis</i>	1 — à 3 —
» <i>ornithopus</i>	1 —
» <i>pavoensis</i> (Candelabrum)	5 —
» <i>polygona</i>	1 50
» <i>Rebuti</i>	3 —
» <i>regis Jubae</i>	1 —
» <i>splendens</i>	1 — à 2 —
» <i>tetragona</i>	4 —
» 6 Sorten unserer Wahl — 6 espèces à notre choix	9 —, —
<i>Greenovia aurea</i>	1 50
<i>Huernia macrocarpa</i>	2 50
<i>Kalanchoe carnea</i>	— 50 à 1 —
» <i>Cassiopega</i>	— 60
» <i>glaucescens</i>	— 60
» <i>integerrima</i>	— 60
» <i>Petitiana</i>	— 50
<i>Kalosanthos coccinea</i> , Haw.	— 60
<i>Kleinia articulata</i>	— 50
» <i>canescens</i> , silberweissfilzig, sehr schön — duveté blanc-argenté, très-beau	1,50 à 3 —
» <i>cylindrica</i>	1 —
» <i>ficoides</i>	— 50
» <i>puglioniformis</i>	1 —
» <i>repens</i> , intensiv bläulich — toute la plante d'un beau bleu	12 St. 4 —, — 40
» <i>suspensa</i>	1 —
Mesembrianthemum:	
à St. — la pièce M. Pf.	à St. — la pièce M. Pf.
<i>acinaciforme</i>	— 60
<i>aequilaterale</i>	— 50
<i>albinotum</i>	— 60
<i>augustum</i>	— 75
<i>bicolor</i>	— 75
<i>blandum</i>	— 75
<i>caninum</i>	1 —
<i>cordifolium</i> fol.	
var. 12 St. 3 —, — 30	
<i>cruciatum</i>	— 75
<i>deflexum</i>	— 75
<i>densum</i>	1 50



Stapelia variegata.

Mesembrianthemum:

à Stück — la pièce	M.Pf.	à Stück — la pièce	M.Pf.
echinatum	— 75	species nova	1 —
Eckloni	— 75	sinuosum	— 60
heterophyllum	— 75	splendens	— 75
laeve	— 75	stelligerum	— 50
lupinum	1 —	tigrinum, unter	
muricatum	— 75	den stengellosen	
polyanthum	— 75	die schönste	
polyphyllum	— 50	Sorte — espèce	
retroflexum	— 75	la plus belle	
robustum	1 —	parmi les acau-	
scabrum	— 75	les . 12 St. 5 —, ...	— 50
» roseum	— 75	violaceum	— 75
25 Mesembrianthemum	in 12 Sorten		6 —
12 » » » » » » » » » »	» 25 »		15 —

	à Stück — la pièce M. Pf.	
Notonia trachycarpa		1 50
Othonna carnosa , hübsch zu Ampeln —		— 50
jolie plante pour vases suspendus		— 50
Pachyphytum bracteosum	— 75 à	1 50
Petrophytes muralis		— 75
Roechea falcata	12 St. 6 —,	— 60
» longifolia		1 —
» odorata		1 50
Sedum carneum fol. var.	12 St. 4 —,	— 40
» Sieboldi	12 » 4 —,	— 40
» fol. med. pictis		— 50
Sempervivum abyssinicum		— 75
» arboreum		— 75

25	Succulenten in	25	richtig benannten	Sorten	—
50	»	»	50	»	»
100	»	»	100	»	»



Echeveria pulverulenta.

	à Stück — la pièce	M. Pf.
Sempervivum arboreum atropurpureum		1 —
» arboreum fol. var.		1 —
» barbatum . . . var.		— 75
» canariense		1 —
» Donkelaari		— 75
» glutinosum		1 —
» fol. var.		1 —
» Haworthii		— 75
» Humboldtii		— 75
» tabulaeforme		1 —
» villosum		1 —
Senecio calamiformis		1 —
» oxyriaefolius		1 —

Stapelia:

à Stüek — la pièce	M. Pf.	à Stüek — la pièce	M. Pf.
albicans	1 —	planifolia	1 —
anginea	1 —	proxima anginea	1 —
angulosa	1 —	quinquenervis	1 50
angustifolia	1 —	rectiflora	1 —
atropurpurea	1 50	revoluta	1 50
furcata	1 —	Scylla	1 50
gigantea	2 —	trifida	1 —
Gussoniana	1 —	tsomoensis	1 50
marmorata	1 —	variegata	1 —
mutabilis	1 —	verrucosa	2 —
natula	1 —	Woodfordi	1 —

12 Sorten unserer Wahl — 12 espèces à notre
choix 7 50

Umbilicus chrysanthus — 30
» **spinosus** (*Sempervivum spinosissimum*) — 40

collection de 25 plantes grasses bien étiquetées 7 50

»	»	50	»	»	»	»	15 —
»	»	100	»	»	»	»	40 —

Echeveria.

à Stück — la pièce	M.Pf.
acaulis	1 —
agavoides	12 St. 5 —, — 50
stärkere — plus forts	
amoena	12 St. 10 —, 1 — à 3 —
amoena	— 50 à 1 —
blanda	1 —
bracteosa (Pachyphytum)	— 75
californica	2 —
campanulata	1 — à 2 —
clavifolia	1 50
» cristata	2 —
» striata	2 —
cochlearis	2 —
crispa	1 50
cymbuliformis	1 — à 3 —
Denoteri	2 — à 3 —



Echeveria Desmetiana.

à Stück — la pièce M. Pf.
Desmetiana 12 St. 7,50,
— 75 à 1 50

	à Stück — la pièce	M. Pf.
discolor	12 St. 5 —	50
Dittrichi		2 —
erecta		1 —
farinosa	3 — à	5 —
Fischeri		2 —
Froebeli tricolor	3 — à	4 —
fruticosa	50 à	1 —
Funki		1 —
furfureuscent	1 — à	2 —
fusifera (Del.)	1 — à	2 —
glauc	50 à	1 —
globosa (rosacea)	50 à	1 —
» extensa	50 à	1 —
grandifolia Haw.		3 —
Grusoni	1 — à	2 —

Echeveria:

à Stück — la pièce M.Pf.	à Stück — la pièce M.Pf.	à Stück — la pièce M.Pf.
Hookeri (Diotostemon) 1 —	mirabilis 1 —	raemosa 1 —
imbricata 75 à 1 50	muonata 50 à 1 —	retusa 75
lanceolata 60 à 1 —	mutabilis 75	scaphiphylla 75 à 1 50
linguaeformis 1 —	nivalis 3 —	Soheideokeri 75 à 1 50
magnifica 1 — à 3 —	opalina 50 à 1 —	secunda 12 St. 3 —, — 30
metallica 12 St. 6 —, — 60	orbiculata 1,50 à 3 —	» glauca 12 » 3 —, — 30
» starke und stärkste	Pfersdorffi 1 —	stellata 1 —
Exemplare — exem-	pruinosa 1 50	Uehri 50 à 1 —
plaires forts et très-	pubescens 40	Uhinki 1 — à 2 —
forts 1 — à 3 —	pulverulenta (argentea)	valida 1 — à 3 —
metallica glauca 50 à 1 —	2 — à 4 —	villosa 2 —
12 Sorten unserer Wahl — 12 espèces à notre choix 5 — à 10 —		
25 » » » — 25 » » » » 15 — à 30 —		

Sumpf- und Wasserpflanzen.

Plantes aquatiques.

Die mit ☐ bezeichneten verlangen Cultur im Warmhause; die mit ☐ bezeichneten können im Sommer in Bassins ins Freie gesetzt und den Winter hindurch in einem halbwarmen Hause aufbewahrt werden; die übrigen halten im Freien aus.

Les espèces marquées ☐ exigent la culture en serre chaude, celles marquées ☐ peuvent passer l'été dehors et doivent être rentrées en serre pendant l'hiver; les autres sont tout-à-fait rustiques.



Cyperus gracilis.



Cyperus Papyrus.

à Stück — la pièce M. Pf.
Acorus Calamus 12 St. 3 —, — 30
» japonicus fol. var. ☐ 12 » 6 —, — 60
Alisma natans radicans 12 » 3 —, — 30
» Plantago 40
Anacharis Alsinastrum (Elodea canadensis) 40
Anemiopsis californica ☐ 12 St. 5 —, — 50
Aponogeton distachyon ☐ 1 50
Arundo Phragmites 12 St. 3 —, — 30



Azolla caroliniana.

Azolla caroliniana 10 St. — 40
» filiculoides 10 » — 40
Berula angustifolia 40
Brasenia peltata (Hydropeltis purpurea) 1 —
Butomus umbellatus 12 St. 4 —, — 40
Cabomba ☐ caroliniana 1 —
» rosaefolia 1 —

à Stück — la pièce M. Pf.
Calla aethiopica ☐ 30 à — 50
» » compacta ☐ 40
» palustris 75
Callitriche verna 40
Caltha biflora 75
» palustris flore pleno 12 St. 5 —, — 50
Carex acuta 12 » 3 —, — 30
» baldensis 40
» elegans 40
» folliculata 1 50
» japonica albo-marginata ☐ 75
» » fol. var. ☐ 12 St. 6 —, — 60 à 1 —
» mirabilis 40
» pendulina maxima 12 St. 4 —, — 40
» pilulifera aurea 50
» praecox 40
» Pseudo-Cyperus 50
» riparia fol. var. 1 —
Cephalotus follicularis ☐ 7 50
Ceratophyllum demersum 50
Ceratopteris thalictroides ☐, höchst inter-
ressanter Wasserfarn — fougère aqua-
tique très-intéressante 80
Chara hispida 40
» vulgaris 40



Pontederia crassipes.



Sagittaria japonica fl. pl.

	à Stück — la pièce	M. Pf.
Cladium Mariscus		1 50
Comarum palustre		— 50
Cyperus alternifolius	12 St. 4 —	— 40
» fol. var.		1 50
» nanus compactus		— 60
» gracilis	12 St. 5 —	— 50
» laxus		— 60
» natalensis		— 50
» Papyrus	— 80 à	2 —
» spectabilis		— 60
» umbellatus		— 50
Darlingtonia californica	2,50 à	5 —
Dionaea muscipula	», Venus Fliegen-	
falle — Dionée attrape-mouche		1 50
Drosera capensis		2 —
» longifolia		— 80
» rotundifolia		— 80
» spathulata		2 —
Drosophyllum lusitanicum		2 —
Eichhornia speciosa (Pontederia crassi-		
pes)		1 50
Equisetum hiemale		— 50
» variegatum		— 50
Eriophorum alpinum		— 50
» angustifolium		— 50
» latifolium		— 50
» Schenckzeri		— 50
Euryale ferox, vom Mai ab — au mois		
de mai		3 —
Glyceria aquatica	12 St. 3 —	— 30
Heleocharis acicularis		— 40
» palustris		— 50
Heteranthera reniformis		— 40
» zosteræfolia		— 60
Hippuris vulgaris	12 St. 4 —	— 40
Hydrocharis morsus ranae	12 » 5 —	— 50
Hydrocotyle moschata		— 40
» vulgaris, Wassernabel	12 St. 4 —	— 40
Hydrolea spinosa		— 60
Iris Pseud-Acorus	12 St. 3 —	— 30
» fol. argenteis var.		1 —
Isoetes lacustris		— 60
Isoplepis canariensis		— 60
» gracilis		— 40
» prolifera		— 50
» setacea		— 50
» stricta		— 40
Juncus effusus spiralis		1 —
» glaucus		— 40
» zebrinus		1 —
Jussiaea grandiflora		— 75
» longifolia		1 —
» salicifolia		— 75
Limnanthemum, vide Villarsia.		
Limnocharis Humboldtii, sehr schön,		
mit grossen dreiblättrigen citronengelben		
Blüthen — très-beau, à grandes fleurs de		
trois pétales, jaune citron	1 —	
Littorella lacustris		— 75

	à Stück — la pièce	M. Pf.
Menyanthes trifoliata	12 St. 4 —	— 40
Myriophyllum proserpinacoides		— 50
» verticillatum		— 60
Nuphar advena		1 —
» Kalmiana		1 50
» lutea		2 —
» polyspala		1 —
» pumila		2 —



Nymphaea Marliacea chromatella fol. marm.

Nymphaea alba	12 St. 7 —	— 70
» amazonica		2 50
» coerulea		1 50
» dentata		2 —
» Lotus		2 —
» Marliacea chromatella fol. mar-		
moratis, grossbl., canariengelb,		
Blätter rothbraun marmorirt — à fl.		
grandes jaune canari, à feuilles mar-		
culées de rouge brun		4 —
» Marliacea rosea		5 —
» mexicana		2 —
» odorata	2 — à	
» exquisita		5 —
» gigantea		4 —
» minor		5 —
» rosea		6 —
» superba		5 —
» Ortgiesiana rubra		2 —
» pygmaea helvola		3 —
» stellata		2 50
» sulphurea		2 50
» tuberosa		4 —
» zanzibariensis, blau — bleu		3 —
» roth — rouge		3 —
» rosa — rose		3 —
Oenanthe fistulosa	12 St. 4 —	— 40
Orontium aquaticum		1 —



Sarracenia flava.



Villarsia nymphaeoides.

	à Stück — la pièce M. Pf.
<i>Oryza sativa</i>	— 40
<i>Pedicularis Sceptrum Carolinum</i>	— 80
<i>Peltandra virginica</i>	1 50
<i>Pinguicula alpina</i>	1 —
» <i>vulgaris</i> , sehr hübsch, blaublühend	
— à fleur bleue, très-joli	— 50
<i>Pistia Stratiotes</i>	— 75
<i>Polygonum amphibium</i> 12 St. 4 —	— 40
<i>Pontederia coerulea</i> , prächtige Pflanze	
mit grossen lilla Blüten in aufrechten	
aus dem Wasser herausstehenden Ris-	
pen — plante magnifique à fleurs lilas	
assez grandes en épis érigés sortant	
de l'eau	1 50
» <i>cordata</i>	1 50
» <i>crassipes</i> (<i>Eichhornia speciosa</i>) ,	
Blüthen hellblau — fleurs bleu-clair	1 50
von Juni ab — à partir du mois	
de juin 6 St. 3 —	— 75
<i>Potamogeton crispus</i>	— 75
» <i>densus</i>	— 50
» <i>lucens</i>	— 75
» <i>natans</i>	— 50
» <i>pectinatus</i>	— 75
» <i>perfoliatus</i>	— 75
<i>Ranunculus aquatilis</i>	— 50
» <i>Flammula</i>	— 40
» <i>Lingua</i>	— 40
» <i>platanifolius</i>	— 60



Sarracenia purpurea.

	à Stück — la pièce M. Pf.
<i>Sagittaria japonica</i> flore pleno	1 50
» <i>montevidensis</i>	— 75
» <i>sagittifolia</i> 12 St. 4 —	— 40
<i>Salvinia natans</i> , nur vom Mai bis Spät-	
herbst zu haben — ne livrable que de Mai	
jusqu'en automne	— 50
<i>Sarracenia</i> <i>Drummondii</i>	3 —
» <i>flava</i> 2 — à 4 —	
» <i>purpurea</i> 2 — à 4 —	
» <i>rubra</i>	3 —
» <i>variolaris</i>	3 —
<i>Saururus cernuus</i>	— 80
<i>Scirpus maritimus</i> 12 St. 4 —	— 40
» <i>silvaticus</i> 12 » 4 —	— 40
» <i>Tabernaemontani</i> 12 » 4 —	— 40
<i>Selliera radicans</i>	— 75
<i>Sium latifolium</i>	— 40
<i>Solanum Dulcamara</i> 12 St. 3 —	— 30
<i>Sparganium ramosum</i>	— 40
» <i>simplex</i>	— 40
<i>Stratiotes aloides</i>	1 —
<i>Trapa natans</i> , Wassernuss — Chataigne	
d'eau	— 50
<i>Trianea bogotensis</i>	— 50
<i>Triglochin maritimum</i>	— 50
<i>Typha angustifolia</i> 12 St. 4 —	— 40
» <i>latifolia</i> 12 » 4 —	— 40
» <i>minima</i>	1 —
» <i>stenophylla</i> 12 St. 4 —	— 40
<i>Vallisneria spiralis</i> (<i>feminina</i>)	
. 12 St. 3 —	— 40
» <i>spiralis</i> (<i>masculina</i>)	12 » 3 —
<i>Veronica Beccabunga</i>	— 40
<i>Victoria regia</i> , junge Pflanzen vom Mai	
ab — jeunes plantes, ne livrables qu'à	
partir de Mai	5 —



Vallisneria spiralis mascul. et femin.

	à Stück — la pièce M.Pf.		à Stück — la pièce M.Pf.
Villarsia Humholdtiana (Limnanthemum)		Villarsia nymphaeoides	12 St. 5 —, — 50
↳, sehr schön, mit weissen, stark gewimperten Blumen — très-beau à fleurs blanches à pétales fortement ciliés	1 50	» <i>parnassiaefolia</i> ↳	1 50
		» <i>reniformis</i> ↳	— 80
		Zannichellia palustris	— 75

Nach unserer Wahl — Au choix de l'Etablissement:

12 Wasserpflanzen zur Cultur in Bassins im Freien — 12 Plantes aquatiques pour bassins en plein air	4 —
6 » » » » » Gefässen im Zimmer — 6 » » » » en appartements	2 50

Chrysanthemum indicum fl. pl.

Beschreibung der Sorten siehe 1896^{er} Blumenziehel-Catalog — pour la description voy. le catalogue des Oignons à fleurs de 1896.

Nach unserer Wahl — à notre choix:

	M. Pf.
12 kleinblumige oder Pompon-Sorten — 12 variétés Pompons	3 —
12 mittelgross- und grossblumige Sorten — 12 variétés à grandes fleurs	3 —
12 japanische Sorten — 12 variétés japonaises	3 —
12 japanische frühblühende Sorten — 12 var. du Japon à floraison précoce	4 —
6 strausenfederförmige, japanische Sorten — 6 var. japonaises à fleurs duveteuses	3 —
6 anemonenblühige Sorten — 6 var. à fleurs d'Anémone	1 50
1 Sortiment von 50 schönsten Sorten — collection de 50 sortes des plus belles	15 —
1 Sortiment von 100 Sorten — collection de 100 variétés	35 —

Fuchsien. — Fuchsias.

Gefülltblühende — à fleurs doubles.

- 349 **Dr. Crevaux**, Corolle dunkelblau, Sepalen carmin — corolle bleu foncé, sépale carmin.
- 350 **Frau Emma Töpfer**, C. zartrosa, S. scharlach — c. rose tendre, s. écarlate.
- 366 **La France**, C. hellblau, S. leuchtend roth — c. bleu clair, s. rouge vif.
- 377 **Mrs. E. G. Hill**, C. rahmweiss, S. lebhaft roth — c. blanc crème, s. rouge vif.
- 389 **Phénoménal**, C. dunkelblau, S. roth, sehr grossbl. — c. bleu foncé, s. rouge, gr. fl.
- 281 **Schneewittchen**, C. weiss, S. roth — c. blanche, s. rouge.

Einfach blühende — à fleurs simples.

- 66 **Bertha Schoen**, C. schwarzblau, S. roth — c. bleu noirâtre, s. rouge.
- 387 **Countess of Aberdeen**, C. und S. weiss, rosa angehaucht — c. et s. blanc, passant au rose.
- 102 **Kaethchen**, C. blau, S. roth — c. bleu, s. rouge.
- 398 **Mr. A. Hugget**, C. bläulichrosa, S. carmin — c. rose bleuâtre, s. carmin.
- 271 **Rose of Castill**, C. violett, S. weiss — c. violette, s. blanc.
- 365 **Trailing Queen**, C. violett purpur, S. scharlachrosa — c. pourpre violacé, s. rose écarlate.

Obige 12 Sorten sind die empfehlenswerthesten — les variétés énumérées ci dessus sont les var. les plus recommandables.

	M. Pf.
Alle 12 Sorten zusammen in jungen Exemplaren — la collection de 12 var. en boutures . . .	3 50
» 12 » » » überwinterten » » » 12 var. en plantes hivernées . . .	5 —
12 andere einfachblühende Sorten unserer Wahl — 12 autres var. à fl. simples à notre choix . . .	3 50
12 » gefülltblühende » » » 12 » » à doubles » » » . . .	4 —
12 neuere gefüllte und einfache Sorten unserer Wahl — 12 var. nouv. à fl. doubles et simples . . .	6 —

Hochstämmige Fuchsien, hübsche Kronenbäumchen, 100 à 125 cm hoch per Dtd. 25 — à 40 —, per St. 2,50 à 4 —. — **Fuchsias** à hautes tiges avec jolie couronne, de 100 à 125 cm. de hauteur, la douzaine 25 — à 40 — à St. — la pièce 2,50 à 4 —

Fuchsien-Species. — Espèces de Fuchsia.

- No.
- 22 *americana* elsgans.
- 23 *aucubaefolia*.
- 295 *Aurora superba*.
- 298 *boliviana*.
- 2 » *penduliflora*.
- 225 *coccinea*.
- 39 *conica*.
- 1 *corallina*.
- 233 *cordifolia*.
- 2 *corymbiflora*.
- 3 » *alba*.
- 4 » *candidissima*.
- 7 » *fol. var.*
- 374 *dependens*. — 75

- No.
- 26 *Dominiana*.
- 9 *fulgens*.
- 284 » *obscura*.
- 20 *globosa*.
- 21 » *grandiflora*.
- 10 » *fol. var.* — 75
- 11 *gracilis*.
- 12 » *fol. var.*
- 27 *integrifolia*.
- 40 *longipedunculata*.
- 293 *magnificens*.
- 13 *Millezi*. — 75
- 311 *myrtifolia*.

- No.
- 296 *Polhymnia*.
- 299 *procumbens*.
- 15 *pumila* (Tom Thumb).
- 24 *Riccartonii*.
- 373 » *Télégraphe*.
- 30 *Rubin*. 1 —
- 341 *splendens*.
- 294 *syringaeiflora*.
- 343 » *Liboniana*.
- 386 *triphylla*. — 75.
- 31 » *carnea*. 1 —
- 29 » *hybrida*. — 75
- 315 *venusta*.

M. Pf.

Jede der vorstehenden Sorten, wo kein Preis angegeben, einzeln — Chaque espèce séparément non cotée — 50

12 Fuchsien-Species nach unserer Wahl — 12 espèces de Fuchsias à notre choix 5 —

Pelargonien, grossblumige, englische, diadematum und fünffleckige Sorten. — Pelargonium à grandes fleurs.

Ansführliche Sortenliste steht auf gef. Verlangen zu Diensten — la liste détaillée des sortes sera envoyée sur demande.

93	Perle von London, reinweiss, grosshl. — blauo pur, à grande fleur . à Stück — la pièce	M.	2
12	Sorten nnserer Wahl je nach Stärke — 12 variétés à notre choix selon la force . . 6 — à	12	12
6	» » » remontirende — 6 variétés remontantes	4	4
6	» » » halbgefüllte — 6 variétés semidouhles à notre choix	8	8
4	» » » Fantasie — 4 variétés de fantaisie	3	3
50	» » » in kräftigen Exemplaren — 50 variétés à notre choix en exemplaires		
	forts	30	30

Pelargonium zonale, gefüllt- und einfachblühende — à fl. doubles et simples.

Gefülltblühende — à fl. doubles.

374	Aérolithe, orangeroth — rouge orange.
366	Dr. Thouvenet, krapproth — rouge de garance.
379	La Vienne, reinweiss — blanc pur.
340	Mad. Otto Froebel, kirschcarmois in — cramoisi cerise.
384	M. Fabre, scharlach mit weisser Mitte — écarlate à centre hlano.
357	Ravissant, bläulichcarmois in — cramoisi violacé.

Einfachblühende — à fl. simples.

407	Dejazet, hell-scharlach — écarlate clair.
474	Duchesse de Cars, reinweiss — blanc pur.
469	Gambetta, feurig-scharlach — écarlate feu.
464	Henry Jacoby, amarantcarmois in — amarante cramoisi.
465	Königin Olga, dunkelrosa — rose foncé.
475	West Brighton Gem, zinnoher — vermillon.

Obige 12 Sorten sind die besten zur Bepflanzung von Gruppen — les variétés énumérées ci-dessus sont les meilleures pour la plantation en pleine terre.

Alle 12 Sorten zusammen in jungen Exemplaren — la collection de 12 var. en boutures . . . 3 —
 » 12 » » » überwinterter » — » » 12 » en plantes hivernées 4 —

Neuere Sorten — Var. nouvelles.

Gefülltblühende — à fl. doubles.

315	Aug. Buchner, orange — orange.
317	F. V. Raspail improved, scharlachroth, sehr grossblumig — écarlate à grande fleur.
312	Frieda, rosacarmin mit weissem Auge, halbgefüllt — carmin rosé à oeil hlano, semi-double.
314	Gustav Emich, scharlachorange — écarlate orangé.
305	Nydia, weiss, innen lachrosa — hlano à centre rose saumoné.

Einfachblühende — à fl. simples.

416	Fleur poitevine, leuchtend carminrosa, weiss marmorirt und gestreift — rose carmin brillant marbré et panaché de hlano.
-----	---

410	JohnSchulz, leuchtend zinnober mit weissem Auge — vermillon vif à oeil blanc.
417	Mad. Bruant, weiss mit hellcarmin Rändern — blanc à bords carmin clair.
405	Mad. Jules Chrétien, leuchtend roth mit weisser Mitte — rouge brillant à centre hlano.
413	Meteor, leuchtend orangescharlach, sehr grossbl. — écarlate orangé vif, à gr. fl.
411	Pauline Gaspard, brillantscharlach — écarlate brillant.
412	Perdita, salmroth — rouge saumoné.
409	Rev. Dr. Harris, scharlachcarmin, sehr grossbl. — écarlate carminé, à très gr. fl.
406	Renommée lyonnaise, orange mit weisser Mitte — orange à centre blanc.
404	Rosy Morn, hellrosacarmin — carmin rosé clair.

Obige Sorten in jungen Exmpl. — les var. énumérées ci-dessus en boutures à St. — la pièce — 60
 12 andere Sorten in jungen Exemplaren — 12 autres variétés en boutures du printemps 3 —
 12 » » » überwinterter » — 12 » » » plantes hivernées 4 —

Vor Mai können nur überwinterter Exemplare geliefert werden. — Avant le mois de Mai nous ne pouvons fournir que des plantes hivernées.

Pelargonium zonale, buntblättrige.

Gold- und bronceblättrige.

Zonales à feuilles dorées et bronzées.

12	Sorten nnserer Wahl — 12 variétés à notre choix	M. Pf.	4 —
----	---	--------	-----

Silber- und goldbuntblättrige Sorten.

Zonales à feuilles panachées et tricolores.

Nach unserer Wahl — à notre choix: M. Pf.

12	Sorten — 12 variétés	5 —
12	» in starken Exemplaren — 12 variétés en fortes plantes	10 —

Pelargonium peltatum, epheublättrige — à feuilles de lierre.

Gefülltblühende — à fleurs doubles.

43	Alice Crousse, purpurviolett mit amarant — pourpre violacé et amarante.	19	Jeanne d'Arc, reinweiss — blanc pur.
24	Fürstin von Hohenzollern, scharlachpurpur — écarlate pourpré.	18	Mad. Crousse, hellrosa — rose clair.
		27	Mad. E. Fabre, lachrosa — rose saumoné.
		42	Roschen, dunkelviolet — violet foncé.

Obige 6 Sorten zusammen — collection de 6 var. 3 M.

10	einfachblühende Sorten uns. Wahl — 10 var. à fl. simples à notre choix	M. Pf.	4 —
10	gefülltblühende » » » — 10 var. à fl. donhles » » »		5 —

Pelargonien-Species.

	à Stück — la pièce M. Pf.
athamantoides	— 60
canariense	— 75
cinereum	— 60
coronopifolium (Campylia)	1 50
glutinosum	— 75

	à Stück — la pièce M. Pf.
malvaeiflorum	— 75
odoratissimum	— 60
Radula	— 60
stenopetalum	— 75
tabulaeforme	— 75
tetichorum	— 75
tomentosum	— 75
triste	— 75

Georginen. — Dahlias.



Georgine, Grand Duke Alexis.



Georginen, gefüllte.

Preise für Topfknoöllchen — Prix pour tubercules élevés en pots.

			M. Pf.
12 grossblumige gefülltblühende Sorten	—	12 var. à grandes fl. doubles	3 50
25 „ „ „	—	25 „ „ „	7 —
50 „ „ „	—	50 „ „ „	15 —
12 Liliput „ „ „	—	12 „ liliputiennes „	3 50
25 „ „ „	—	25 „ „ „	7 —
50 „ „ „	—	50 „ „ „	15 —
12 Zwerg „ „ „	—	12 „ naines „	4 —
12 einfachblühende „ „ „	—	12 „ à fl. simples	3 —
25 „ „ „	—	25 „ „ „	6 —
6 „ „ gestreifte „	—	6 „ „ „ striées	2 —
6 „ „ niedrige „	—	6 „ „ naines à fl. simples	2 —
100 Sorten aus allen Klassen	—	100 „ de toutes les classes	25 —
Riesenblumige gefüllte Georgine, Grand Duke Alexis, weiss mit fleischfarbenen Anhauch, Zellenform, extra — blanc nuancé carné, celluliforme à St. — la pièce			
Dahlia imperialis			1 50
			— 75

Preise für Pflanzen — Prix pour plantes.

12 Sorten nach unserer Wahl	—	12 var. à notre choix	2 50
25 „ „ „	—	25 „ „ „	5 —
50 „ „ „	—	50 „ „ „	10 —

Cactus-Georginen. — Dahlias-Cactus.

No.	à Stück — la pièce M. Pf.	No.	à Stück — la pièce M. Pf.
400 Ariel, reinweiss — blanc pur	— 50	406 Baron Schroeder, purpurroth — rouge pourpre	1 —
401 Astercactus, gelblichrosa mit hellpurpur geflammt, geröhrt — rose jaunâtre, flammé pourpre clair, tuyauté	— 50	404 Beauty of Brentwood, violett, purpur schattirt — violet nuancé pourpre	— 60
402 Auguste Weber, leuchtend goldgelb — jaune doré vif	— 50	420 Blanche Keith, reingelb — jaune pur	1 —

No.	à Stück — la pièce M. Pf.	No.	à Stück — la pièce M. Pf.
Cactus-Georginen — Dahlias-Cactus:		Cactus-Georginen — Dahlias-Cactus:	
405 v. Blödau, ockerfarben mit braun schattirt und weissen Spitzen — janne nuancé brun, à bonts blancs	— 50	434 King of Cactus, carminroth — rouge carmin	— 50
408 Carl Leschkowitz, scharlachcarmin mit weissen Spitzen — carmin écarlate à bonts blancs	— 50	437 Knnigunde, lilliarosa, dunkelcarmoisin gesprenkelt — rose lilacé strié oramoisi foncé	— 50
410 Charming Bride, fleischfarbig mit rosa Spitzen — carné à bouts roses	— 50	438 Lady Hnne Campbell, purpur, violett schattirt — pourpre, teinté violet	— 50
411 Cochineal, dunkelcarmin — oramoisi foncé	— 50	439 Lady Kerrison, bernsteinfarbig — janne ambre	— 75
431 Duke of Clarence, sammtig schwarzcarmin — carmin marron velouté	1 —	448 Lancelot, tief lachsroth — rouge saumoné	1 —
413 Edmund Mantbner, chromgelb — janne chrome	— 50	441 Lonis Bechstaedt, violettrosa, sehr reichblühende schöne Form — rose violacé, très florifère	— 50
442 Edmund Weekley, rothbraun, scharlach schattirt — rouge brunâtre nuancé écarlate	1 —	452 Maid of Kent, leuchtend carmoisin mit weissen Spitzen — carmoisi vif à bouts blancs	1 —
414 Ednard Meyer, salmroth mit carmin gerandet — rouge saumoné marginé	— 50	444 Marianne Harvey, feurig dunkelblutroth sehr grossblumig — rouge sang foncé, à gr. fl.	— 50
415 Emil Dietze, weiss mit rosa Streifen, Mitte gelblich — blanc strié rose, centre jaunâtre	— 60	443 Matchless, sammtig schwarzbraun — brun noir velouté	1 50
416 Empress of India, dunkelcarmoisin mit kastanienbraun — carmoisi foncé et marron	— 60	447 Meta, lilla mit hellen Spitzen, grossbl. — lilas à points clairs, à gr. fl.	— 60
418 Friedr. Spittel, ziegelroth in blutroth übergehend, Rand zuweilen weiss gesäumt — rouge brique passant au rouge sang, bord marginé blanc	— 50	460 Mrs. Francis Fell, die schönste reinweisse von echter Cactus-Form — le plus beau blanc pur	3 —
419 Frau N. Fl. Chludow, hellrosa, innen chromgelb — rose clair, janne chrome an centre	— 60	446 Mrs. Hawkins, schwefelgelb mit hellere Spitzen — soufre à bouts plus clairs	— 50
422 Glare of the Garden, scharlach, sehr reichblühend — écarlate, très florifère	— 50	451 Mrs. Peart, reinweiss — blanc pur	1 —
423 Goldcactus, feurig ockerfarben — janne ocre brillant	— 75	449 Oban, kupfrigrosa, seltene Farbe — rose cuivrée, coloris rare	1 —
426 H. E. Locke, gelblichweiss mit ockerfarben bandirt — blanc jaunâtre bordé janne	— 50	450 Otto Stehle, schwefelgelb mit lilla Spitzen — janne soufre, à bonts lilas	— 50
427 Henry Patrick, schön weiss — bean blanc	— 60	466 Panthia, tief lachsroth — rouge saumoné vif	1 —
428 Herm. Schubert, gelblichweiss, Mitte rosa angehängt, prächtige Asterform — blanc jaunâtre, centre rose	— 60	453 Paul Scheloski, dunkelblutroth mit weissen Spitzen — rouge sang foncé, à bonts blancs	— 50
429 Hofgärtner Betz, hellpurpur, Mitte braunpurpur — pourpre clair, à centre pourpre brunâtre	— 50	454 Picta formosissima, orangeroth mit glänzend scharlachrothen Streifen — rouge orange à striures écarlate vif	— 50
430 Imperator, purpur — pourpre	— 75	455 Prince Albert Victor, carmin, gelb schattirt — carmin, nuancé janne	— 50
432 Juarezi, scharlach, reichblühend — écarlate, très florifère	— 75	458 Riesen-Cactus (Deeg.), rein roth, hübsche Form, riesig gross — rouge pur, d'une jolie forme, fleur énorme	— 50
433 Jubelbraut (Delicata), prachtvoll, rein centifolienrosa, nach innen blassgelb — magnifique, rose de centefolles, janne clair au centre	— 75	467 Robert Maher, goldgelb — janne d'or	1 —
435 Kaiserin Auguste Victoria, reinweiss — blanc pur	1 —	468 Sulphur Queen, schwefelgelb — janne soufre	1 —
		461 W. Kapferer, dunkelpurpur mit violetten in rosenroth übergehenden Spitzen — pourpre foncé à bonts violets passant au rose	— 50
		12 Sorten unserer Wahl — 12 var. à notre choix	5 —

Einfache gerandete Georginen — Dahlias à fl. simples bordées.

No.	à Stück — la pièce M. Pf.	No.	à Stück — la pièce M. Pf.
626 Anna Lucas, knifrigscharlach mit dunklen Rändern und gelben Spitzen — écarlate cuivrée à bord foncé, pointé janne	— 50	630 Dr. Peters, lilla mit weissem Rand — lilas à bord blanc	— 50
620 Bagamoyo, rahmweiss, orangeroth gerandet — blanc crème, bordé rouge orange	— 50	622 Duchess of Albany, bläulichweiss, chamois gerandet — blanc bleuâtre, bordé chamois	— 50
621 Chilwell Beauty, gelb, carmoisin gerandet — janne bordé carmoisi	— 50	623 F. C. Heinemann, milchweiss, carmoisin gerandet — blanc crème, bordé carmoisi	— 50
627 Conspicua, weiss, kastanienbrann gerandet — blanc, bordé marron	— 50	624 Guilielma, lachsroth, orangegelb gerandet — rouge saumoné, hordé janne orange	— 60
628 Dr. Moffat, dunkelblutroth mit hellem Rand — rouge sang foncé à bord clair	— 50	625 Mrs. W. C. Harvey, rothviolett, lilliarosa gerandet — rouge violacé, bordé rose lilacé	— 60
		6 Sorten unserer Wahl — 6 var. à notre choix	2 —

Stauden oder perennirende Pflanzen.

Plantes vivaces.

Die mit Δ bezeichneten müssen im Winter bedeckt oder frostfrei überwintert werden.

Δ Signifie que la plante doit être couverte ou rentrée en bache pendant l'hiver.

à Stück — la pièce M. Pf.

Acaena , <i>Rosaceae</i> , Stachelnüsschen, Δ	— 60
Acantholimon , <i>Plumbagineae</i> , glumaceum	— 75
Acanthus , <i>Acanthaceae</i> , Bärenklau, Δ	— 50
candelabrum	— 40
latifolius	12 St. 4 —, — 40
lusitanicus	12 » 4 —, — 40
mollis	12 » 4 —, — 40
spinousus	12 » 4 —, — 40
Achillea , <i>Compositae-Anthemideae</i> , Garbe, aegyptiaca	— 60
Clavennae (Parnica)	12 St. 4 —, — 40
filipendulina	— 30
Gerberi	— 40
lanata	12 St. 3 —, — 30
Millefolium fl. roseo	— 40
mongolica	1 50
nobilis	12 St. 3 —, — 30
Parnica fl. pl., gefüllt, reinweiss	—
» fl. double, blanc pur	12 St. 3 —, — 30
» fl. pl. elegans, grossbl.	— 40
» » serrata	12 St. 5 —, — 50
» » The Pearl, beste Sorte zur Bin- derei — très beau	12 St. 5 —, — 50
pubescens	12 » 4 —, — 40
umbellata	— 60
Aconitum , <i>Ranunculaceae</i> , Eisenhut, autumnale	— 60
Camarum fl. albo	— 60
longigaleatum	— 60
Lycotomum	— 75
moldavicum	— 40
Napellus	12 St. 4 —, — 50
variegatum	— 50
6 andere Sorten — 6 autres espèces	à 40
1 Sort. von 6 Sort. — collect. de 6 esp.	2 —
Acorus , <i>Aroideae</i> , Calmus,	—
Calamus	12 St. 3 —, — 30
graminifolius Δ	12 » 3 —, — 30
» fol. var. Δ	12 » 3 —, — 30
japonicus fol. var. Δ	12 » 6 —, — 60
minimus Δ	12 » 4 —, — 40
Actaea , <i>Ranunculaceae</i> , Christophskraut, elegans (racemosa)	— 50
spicata	— 50
» fr. rubro	— 80
Adenophora , <i>Campanul.</i> , Drüsenträger, denticulata	— 50
lilifolia	— 50
verticillata	— 50
Adenostyles , <i>Compos.-Eupatorieae</i> , Drü- sengriffel.	— 50
albifrons	— 50
Adlumia , <i>Fumariaceae</i> , cirrhosa Δ	— 40
Adonis , <i>Ranunculaceae</i> , Adonis, hybrida, blassgelb — jaune pâle	— 75
pyrenaica, grossbl., goldgelb — jaune d'or à gr. fl.	1 20
vernalis	100 St. 7,50, 12 St. 1,20, — 15
wolgensis	— 60
Adoxa , <i>Araliaceae</i> , Moschatellina	12 St. 3 —, — 30
Aegopodium , <i>Umbelliferae</i> , Giersch, Podagraria fol. var.	— 40
Aethionema , <i>Cruciferae</i> , Steintäschel. coridifolium	12 St. 5 —, — 50
grandiflorum	— 60
persicum	12 St. 3 —, — 30
Agrimonia , <i>Rosaceae</i> , Odermennig, Eupatorium	— 40
odorata	12 St. 3 —, — 30
pilosa	12 » 3 —, — 30




Anemone japonica.

à Stück — la pièce M. Pf.

Agrostemma , <i>Caryophyll.-Sileneae</i> , Rade, coronaria	12 St. 3 —, — 30
» alba	12 » 3 —, — 30
» bicolor	12 » 3 —, — 30
flos Jovis	12 » 3 —, — 30
hybrida Walkeri , leuchtend rosenroth — rose brillant	— 80
Ajuga , <i>Labiatae</i> , Günsel. pyramidalis	— 40
reptans fol. argenteis var.	— 40
» fol. atropurpureis	12 St. 4 —, — 40
Alchemilla , <i>Rosaceae</i> , Frauenmantel, alpina	— 40
fissa	— 40
pubescens	— 40
vulgaris	— 40
Alfredia , <i>Compositae</i> , cernua	— 40
nivea	— 60
stenolepis	— 80
Alopecurus , <i>Gramineae</i> , Fuchsschwanz, pratensis fol. var.	12 St. 4 —, — 40
Alsine , <i>Caryophyllaeae</i> , Miere, Bauhinnorum	— 60
pinifolia (gracilis)	— 40
verna	— 40
Althaea , <i>Malvaceae</i> , Eibisch, Malve, cannabina	— 30
narbonensis	12 St. 3 —, — 30
nigra	12 » 2 —, — 20
officinalis	12 » 4 —, — 40
rosea fl. pl., 12 Sorten in Sämlingen	—
12 variétés, semis	12 St. 3 —, — 30
taurinisensis	— 40
Alyssum , <i>Cruciferae</i> , Steinkraut, argenteum	— 40
saxatile	12 St. 4 —, — 40
Amsonia , <i>Apocynaeae</i> , salicifolia	— 40
Anandria , <i>Compositae</i> , Bellidistrium, Alpine	— 40
Anchusa , <i>Boraginaceae</i> , Ochsenzunge, Barrelieri	— 40
» fol. varieg., neu — nouv.	1 50

Anchusa:	à Stück — la pièce M. Pf.	Aquilegia:	à Stück — la pièce M. Pf.
italica	— 40	vulgaris fol. aureis	— 50
sempervirens (Caryolopha)	— 40	12 andere Species und Varietäten	— 50
Androsace, Primulaceae, Mannsschild,	1 —	12 autres espèces et variétés	à — 50
chamaejasme	— 1	Arabis, Cruciferae, Gänsekrout,	
lanuginosa Leichtlini, weiss mit rosa		albida fol. var.	— 60
Herz — blanco à centre rose	1 50	alpina	12 St. 2,50, — 30
sarmentosa	— 50	ciliata	— 40
Anemone, Ranunculaceae, Windröschen,		Aralia, Araliaceae, Bergangelike,	
albana	— 50	cashmerica	— 75
alpina	— 50	edulis	— 75
fulgens, vide pag. 181.		nudicaulis, falsche Sarsaparille, sehr ge-	
hepatica, vide Hepatica.		suchte Arzneipfl. — Salsepareille fausse,	
japonica, Brillant	12 St. 5 —, — 50	plante médicinale très-recherchée	1 —
» dunkelrosa — rose foncé. 12 » 4 —, — 40		racemosa	— 60
» elegans, hellrosa — rose clair	12 St. 4 —, — 40	sachalinensis	1 20
» Honorine Jobert, reinweiss — blanco		Arenaria, Caryophyllaceae, Sandkraut,	
pur	12 St. 4 —, — 40	caespitosa (Spergula pilifera) . 12 St. 2,50, — 25	
» Lady Ardilaun, grösstblumige		cephalotes	— 30
weisse — blanc pur à très grande		foliosa	— 80
fleur	12 St. 5 —, — 50	graminifolia	— 30
» Lord Ardilaun, grossbl., halbge-		laricifolia, zierlich — gracieux	— 40
füllt, Petalen innen schneeweiss,		longifolia	12 St. 3 —, — 30
aussen violett — semi-double, à gr.		pepioides Δ	12 » 4 —, — 40
fl. blanc pur à revers violet 12 St. 10 —, 1 —		rotundifolia, reizend — charmant	— 60
» Whirlwind, weiss, halbgefüllt —		Aristolochia, Aristolochiaceae, Osterluzel,	
blanc semidouble	12 St. 5 —, — 50	Clematitis	12 St. 3 —, — 30
multifida Hudsoniana	— 50	rotunda	— 60
narcissiflora	12 St. 8 —, — 80	Armeria, Plumbaginaceae, Grasnelke,	
nemorosa fl. albo	100 St. 3 —, 12 St. — 60	alpina	— 40
» » pleno	12 St. 3 —, — 30	cephalotes	12 St. 4 —, — 40
» bracteata flore pleno	12 » 3 —, — 30	formosa	12 » 3 —, — 30
» fl. rubro	100 St. 3 —, 12 St. — 60	» alba	12 » 3 —, — 30
» » pleno	12 St. 4 —, — 40	Lauchena, prächtig dunkelroth — car-	
Pulsatilla (Pulsatilla vulgaris) 12 » 1,50, — 15		min foncé, magnifique	12 St. 4 —, — 40
» alba	1 50	maritima	12 St. 3 —, — 30
rannunculoides	12 St. 1 —, — 10	Arnebia, Boraginaceae,	
rivularis	— 60	echinoides, schön u. selten! — beau et rare! 1 50	
sylvestris	12 St. 2 —, — 20	Arnica, Compos. — Vernoniaceae, Wohlverlei,	
» fl. pl. Elise Fellmann, reinweiss,		Chamissonis	12 St. 3 —, — 30
dichtgefüllt — blanc pur, très double		montana	— 60
12 St. 10 —, 1 —		Artemisia, Compos. — Anthemideae, Beifuss	
trifoliata	— 60	— Armoise,	
Antennaria, Compositae — Gnaphalaceae,		Abrotanum, Eberwurz — oltronelle	— 40
dioica	— 30	Absinthium, Wermuth — Absinthe	12 St. 2,50, — 30
margaritacea	12 St. 3 —, — 30	campestris	12 » 3 —, — 30
tomentosa candida	12 » 3 —, — 30	cephalota, vide Abrotanum.	
Anthemis, Compositae, Kamille,		Dracunculus, Eadragon	12 » 3 —, — 30
nobilis, echt — vraie	12 » 3 —, — 30	glacialis	12 » 5 —, — 50
» flore pleno Δ	12 » 5 —, — 50	gnaphalioides, schön silbergrau — gris-ar-	
Anthericum, Asphodeleae, Zaunlilie,		genté, joli	12 St. 4 —, — 40
algeriense	12 St. 4 —, — 40	maritima	— 40
Liliago (Phalangium)	12 » 4 —, — 40	Moxa	— 40
Liliastrium (Czackia), schön!	12 » 5 —, — 50	mutellina	— 60
ramosum	12 » 4 —, — 40	pontica	12 St. 3 —, — 30
Antirrhinum, Scrophulariaceae, Löwenmaul,		rupestris	12 » 3 —, — 30
Asarina	— 60	sclerogensis	12 » 4 —, — 40
Apios, Leguminosae,		Stelleriana, silberweiss — feuillette blanc-	
tuberosa (Glycine Apios)	12 St. 4 —, — 40	argente	— 50
Apium, Umbelliferae,		vulgaris, Beifuss — Armoise commune	12 St. 2 —, — 20
chilense	— 40	Arundo, Gramineae, Wasserrohr,	
Apocynum, Apocynaceae, Hundswolle.		Donax, stark — fort	12 St. 5 —, — 50
androsamifolium, Fliegenfänger — Atrappe-		» fol. var. Δ stark — fort 12 » 10 —, 1 —	
mouche	12 St. 6 —, — 60	Asarum, Aristolochiaceae, Haselwurz,	
hypericifolium	100 St. 6 —, 12 » 1,50, — 20	canadense	12 St. 4 —, — 40
Aquilegia, Ranunculaceae, Akelei,		caudatum	— 1 20
aurea	— 50	enropaeum	12 St. 1,50, — 20
canadensis	— 50	grandiflorum	— 60
chrysantha	— 50	Asclepias, Asclepiadeae, Schwalbenwurz,	
» grandiflora alba	— 60	incarnata	12 St. 4 —, — 40
coerulea	— 60	princeps	— 40
» fl. luteo	— 60	Asyria, L. (cornuti, D. C.) Der Honigsaft	
erecta nana atrocerulea plena 12 St. 4 —, — 40		der Blüten hat einen bedeutenden	
flabellata nana alba	12 » 3 —, — 30	Zuckergehalt — Le nectaire des fleurs	
glandulosa vera	— 75	contient une quantité considérable de	
haylodgensis	— 50	sucré	12 St. 5 —, — 50
Jaetschaui	12 St. 4 —, — 40	tuberosa, prachtvoll, orangeroth — magni-	
nivea grandiflora	12 » 3 —, — 30	fique, rouge orange	12 St. 5 —, — 50
Skinnei	— 75	Asparagus, Asphodeleae, Spargel — Asperge,	
» hybrida flore pleno	— 40	acutifolius Δ	— 50
Stuarti, grossblumiger als A. glandulosa		caspicus Δ	— 50
vera — à fl. plus grande, que celle d'A.		davuricus Δ	— 80
glandulosa vera	— 75	glycicarpus Δ	— 50
truncata	— 60	longifolius	— 50
Vervaeana fol. var.	— 60		



Asphodelus albus.



Aster, perennirende — vivaces.

Asparagus:	à Stück — la pièce M. Pf.	
trichophyllus Δ	— 60	
verticillatus, prachtvoll, wenn erst ein starker Busch — plante magnifique quand elle est devenue forte	1 —	
Asperula, Rubiaceae, Waldmeister,		
ciliata	— 60	
hexaphylla	— 40	
odorata, Waldmeister, zum Maitrank benutzt, starke Topfexemplare — Reine des bois, sert dans la préparation du „Maitrank“, fortes plantes en pots	12 St. 4 —	40
taurina	12 » 4 —	40
tinctoria	12 » 4 —	40
Asphodelus, Asphodelaceae, Afodill,		
albus Δ	12 St. 5 —	50
cerasiferus Δ	— 75	
fistulosus Δ	— 40	
lutens	12 St. 4 —	40
» fl. pleno	— 80	
ramosus	— 40	
Villarsi	— 40	
Aster, Compositae-Astereae, Sternblume,		
adscendens	12 St. 3 —	50
adulterinus	12 » 3 —	30
aestivus	12 » 3 —	30
alpinus	— 40	
» albus	— 60	
» speciosus	12 St. 4 —	60
» superbus	— 60	
bessarabicus (ibericus, elegans), die schönste blaue, niedrig — le plus beau des bleus, nain	12 St. 5 —	50
brumalis	— 40	
canus (Galatella)	— 40	
cassubicus	— 60	
caucasicus	— 60	
cordifolius	— 60	
» elegans	— 75	
corymbosus	— 50	
Curtisi	— 40	
Dutchii	— 60	
Drummondii	— 60	
dumosus	— 75	
ericoides, sehr schön — très beau	— 40	
floribundus	12 St. 4 —	40
Fortunei	12 » 4 —	40
fragilis	12 » 3 —	30
grandiflorus, blau — bleu	— 75	
horizontalis, reichblühend, eine der schönsten zu Gruppen — l'une des plus belles pour massifs, très-florifère	— 40	
horizontalis grandiflorus	— 60	
hybridus Madame Soymer, sehr elegante Sorte — espèce très-élégante	— 50	
hyssopifolius (Galatella), (A. humifusus)	— 40	
laevigatus	12 St. 4 —	40
laevis	— 40	

Aster:	à Stück — la pièce M. Pf.	
Maaki	— 75	
macrophyllus (Biotia)	12 St. 3 —	30
Mad. Cocheux, nur 30 cm hoch, sehr schön zur Topfcultur, sowie zu Einfassungen; Blumen weiss, in rosafarbe übergehend — ne dépassant guère 30 centim., très beau pour la formation des bordures ou pour en faire de jolies potées; fleurs blanches passant au rose lilas	12 St. 6 —	60
miser (diffusus, Gray)	— 75	
multiflorus, reinweiss, sehr klein und reichblühend, die beste Sorte für Bouquets — blanc pur, très-petit et florifère, la meilleure espèce pour bouquets	— 60	
niveus, grossbl. weiss — blanc à gr. fl.	— 75	
Novae Angliae Constanze	— 50	
» fl. coeruleo	— 50	
» fl. rubro	— 50	
» W. Bowman	— 50	
Novi Belgii	— 40	
paniculatus albus	— 60	
» coeruleus	— 60	
patens	— 60	
prenanthoides	— 60	
» albus	— 1	
ptarmicoides, weiss — blanc	— 75	
punctatus	— 40	
punicus	— 60	
pyramidalis hybridus	— 75	
pyrenaicus	12 St. 4 —	40
Radula	— 40	
Robert Parker	— 75	
sagittifolius	— 75	
salsuginosus	12 St. 3 —	30
Schmidtii	— 40	
Shortii	— 60	
spec. Rocky Mountains	— 50	
tenuifolius	— 40	
Tridacanti	— 60	
undulatus	— 60	
versicolor	— 80	
virginicus	12 St. 3 —	30
Astilbe, Saxifrageae,		
rivularis (Spiraea barbata)	— 80	
Thunbergii	— 50	
Astragalus, Papilionaceae, Tragant,		
alopecuroides	— 40	
canariensis	— 60	
Cicer	— 40	
galegiformis	— 40	
Robbinsii	— 75	
stella	— 60	
thiastancticus	— 50	
vulpinus	— 40	



Caltha palustris fl. pl.

à Stück — la pièce M.Pf.

Astrantia , <i>Umbelliferae</i> , Sterndolde,	
Biebersteini	— 40
major	— 40
Athamanta , <i>Umbelliferae</i> , Hirschwurz,	
Matthioli, hübsche feine Belaubung — beau	
feuillage finement découpé	1 —
Aubrietia , <i>Cruciferae</i> ,	
deltoides	— 40
Pyrii, sehr grossbl. — à très-grandes fl.	— 50
græca	12 St. 3 —, — 30
Hendersoni	— 50
Leichtlini	— 60
Mooreana	— 40
olypica	— 50
purpurea fol. var.	12 St. 8 —, — 80
violacea	— 40
Audibertia , <i>Labiatae</i> ,	
polystachya Δ	1 —
stachyoides Δ	1 —
Schöne californische Stauden — belles	
plantes de la Californie.	
Ballota , <i>Labiatae</i> ,	
nigra fol. var.	— 40
Bambusa , <i>Gramineae-Bambusaceae</i> , Bam-	
busröhr Δ	1 —
nana	— 40
andere, siehe Kalthauspflanzen — pour	
autres voy. Plantes de serre froide.	
Baptisia , <i>Papilionaceae</i> ,	
australis	— 75
Bartsia , <i>Scrophularineae</i> ,	
alpina	— 60
Bellidiastrum , <i>Compositae</i> , Bergmassliebe,	
Micheli	— 40
Bellis , <i>Composit.-Astereae</i> , Tausendschön	
— Pâquerette,	
perennis fl. pl., in schön gefüllten Sorten,	
gut varirt — variétés doubles, bien	
variées	100 St. 4 —, 12 St. — 60, — —
» aucubaefolia fl. albo pleno 12 »	2,50, — 30
» » rubro pl. 12 »	4 —, — 40
» „die Braut“, grossbl. weiss — la	
fiancée, à gr. fl. blanche 12 St. 4 —	— 40
» Highlander, rosa — rose 12 St. 2,50, — 30	
» maxima alba	12 » 3 —, — 30
» Prince of Wales	12 » 2,50, — 30
» rubra fistulosa pl.	12 » 2 —, — 20
» Schneeball	12 » 3 —, — 30
» 10 Sorten à 1 St. — 10 variétés	2 —
rotundifolia coerulescens	— 30
Betonica , <i>Labiatae</i> , Zehrkrut,	
grandiflora, sehr schön — très-beau	— 50
longifolia	— 40
officinalis	— 40
Bidens , <i>Compositae</i> ,	
Warszewiczii, gelb — jaune	12 St. 5 —, — 50

à Stück — la pièce M.Pf.

Biebersteinia , <i>Zygophylleae</i> ,	
Orphanidia, Δ	3 —
Bocconia , <i>Papaveraceae</i> ,	
japonica (Mauleaya), prachtvolle Blatt- und	
Blüthenpflanze — belle plante à feuillage	
ornemental et à jolies fleurs blanches	12 St. 4 —, — 40
Boykinia , <i>Saxifragaceae</i> ,	
aconitifolia	— 80
Briza , <i>Gramineae</i> , Zittergras,	
lutescens	— 75
media	12 St. 4 —, — 40
Brunella vide <i>Prunella</i> .	
Bryonia , <i>Cucurbitaceae</i> , Zaurrübe,	
alba	— 40
dioica	— 40
Bubon , <i>Umbelliferae</i> ,	
gummifer Δ	— 60
Caccinia , <i>Boraginaceae</i> ,	
strigosa, schön — beau	— 80
Calamintha , <i>Labiatae</i> , Bergmünze,	
alpina	12 St. 4 —, — 40
Calimeris , <i>Compositae-Astereae</i> ,	
incisa	— 40
Caltha , <i>Ranunculaceae</i> , Dotterblume,	
palustris fl. pl., eine der schönsten und	
ansehnlichsten unter den im zeitigen	
Frühjahr blühenden Stauden — l'une des	
plantes vivaces printanières les plus	
belles et les plus remarquables 12 St. 5 —, — 50	
Calystegia , <i>Convolvulaceae</i> , Bärwinde,	
dahurica	12 St. 1,50, — 20
pubescens flore pleno	12 » 1,50, — 20
Sepium fl. incarnato (grandiflora) 12 » 2 —, — 20	
Campanula , <i>Campanulaceae</i> , Glockenblume,	
alliarifolia	12 St. 3 —, — 30
altaica	— 40
barbata fl. albo	— 50
Baumgarteni	— 40
carpathica	— 40
» fl. albo	— 40
collina	— 50
garganica, reizend — charmant	— 80
glomerata	— 40
grandiflora fl. coeruleo (Wahlenbergia, Pla-	
tycodon)	— 60
» fl. albo	— 60
grandis	— 40
» alba	— 40
isophylla alba Δ	— 75
Leutweini Δ	— 60
macrantha	— 40
nitida fl. albo pl.	— 60
nobilis alba	— 60
persicifolia	— 50
» alba	— 50
» » grandiflora, sehr schön — très	
beau	1 —
» » fl. pleno, feinste weisse Schnitt-	
blume — blanc pur, beau pour	
la fleur coupée	— 75
» fl. pleno	— 60
» grandiflora, blau — bleu	1 —
primulaefolia	— 60
pulla	— 60
punctata	— 50
pusilla	— 40
» alba	— 40
pyramidalis	— 40
» alba	— 40
Raineri	— 60
rotundifolia	— 40
» fl. albo	— 40
sarmatica	— 40
turbinata	12 St. 4 —, — 40
» alba	— 40
» pelviformis	— 50
van Houttei	— 60
Canarina , <i>Campanulaceae</i> ,	
Campanula, Δ	— 50
Cardamine , <i>Cruciferae</i> , Schaumkraut,	
pratensis flore pleno	— 50
trifoliata	— 50
Carolina , <i>Compos. Cynarocephalae</i> ,	
acaulis	— 40



Chrysanthemum maximum.



Clematis coccinea.

à Stück — la pièce M.Pf.

Carum, Umbelliferae,	
Bourgaei, Knollen-Kümmel . . . 12 St. 3 —,	30
Bulbocastanum	40
Catananche, Compos. Lactuceae,	
coerulea	40
» alba	40
Caulophyllum, Berberideae, Pappusenwurz,	
thalictroides (Leontice)	1 —
Cedronella, Labiatae,	
cana	50
Celsia, Scrophularineae,	
betonicaefolia	50
Centaurea, Compos.-Carduaceae, Flocken-	
blume,	
candidissima Δ 12 St. 3 —,	30
gymnocarpa Δ 12 » 3 —,	30
jacea	30
macrocephala, gelb — jaune	40
montana, mit grossen schön blauen Blumen	
— à grandes et belles fleurs bleues	40
» alba	60
nervosa, hübsche Blattpflanze — à feuillage	
ornemental	50
nigrescens	40
peregrina	40
ruthenica	60
sordida Intescens	40
» purpurascens	40
Cephalaria, Dipsaceae,	
alpina	40
leucantha	50
tatarica	40
Cerastium, Caryophyllaeae, Hornkraut,	
Biebersteini 12 St. 2, 50,	30
Boissieri	40
pennsylvanicum 12 St. 2 —,	20
tomentosum 12 » 4 —,	40
Reizend zu Einfassungen — excellent	
pour bordures.	
Chaerophyllum, Umbelliferae,	
aureum	40
Chamaemelum, Compositae-Anthemideae,	
cancasicum	40
Chamaepeuce, Compositae,	
Casabonae Δ	40
diacantha	40
Chartolepis, Compositae-Carduaceae,	
schizolepis, gelbblühend mit lanzettför-	
migen filzigen Blättern — à fleur jaune,	
feuilles lancéolées, duveteuses	1 —
Chelidonium, Papaveraceae, Schöllkraut,	
majus 12 St. 2 —,	25
» flore pleno 12 » 2 —,	25
Chelone, Scrophularineae, Schilblume,	
barbata 12 St. 4 —,	40

à Stück — la pièce M.Pf.

Chelone:	
barbata coccinea 12 St. 4 —,	40
» hybrida 12 » 4 —,	40
Chrysanthemum, Compositae, Wucher-	
blume.	
indicum Jardin des plantes, weiss,	
ganz hart — blanc, tout-à-fait rustique	60
» Jardin des plantes, gelb — jaune	60
maximum, werthvoll zur Binderei — beau,	
pour la fleur coupée . . . 12 St. 4 —,	40
» Perfection, sehr grossbl. — à très	
gr. fl.	75
Chrysocoma, Comp.-Vernoniaceae, Goldhaar,	
Linosyris	40
Chrysosplenium, Saxifrageae, Goldmilz,	
alternifolium 12 St. 4 —,	40
oppositifolium	50
Cimicifuga, Ranunculaceae, Wanzenkraut,	
americana	60
Cineraria, Compositae,	
crispa (Senecio crispus sudeticus)	60
Circaea, Onagrarieae, Hexenkraut,	
alpina	40
lutetiana 12 St. 4 —,	40
Cirsium, Compos.-Carduaceae, Kratzkraut,	
oliatum, schön — beau	40
Claytonia, Portulacaeae,	
virginica, Δ , sehr zierlich, knollenartig	
— très-gracieux, à racine tuberculeuse	60
Clematis, Ranunculaceae, Waldrebe,	
alpina (Atragene)	1 20
coccinea, leuchtend scharlachroth —	
écarlate brillant 12 St. 5 —,	50
crispa (Pitcheri)	75
Davidiana	1 —
diversifolia	60
orientalis	60
recta	60
stans	1 —
tubulosa (mongolica)	1 —
Commelina, Commelinaceae,	
coelestis 12 St. 3 —,	30
» alba 12 » 3 —,	30
» variegata 12 » 3 —,	30
Convallaria, Smilacaeae, Maiblume.	
bracteata 12 St. 3 —,	30
japonica Δ , mit schönen blauen Beeren,	
— l'herbe aux turquoises . . . 12 St. 3 —,	30
latifolia (Polygonatum) 12 » 3 —,	30
majalis, Maiblume 100 St. 3, 50, 12 —,	60
» fl. pl. 12 » 3 —,	30
» flore roseo 12 » 1, 50, — 15	
» fol. striatis 12 » 1, 50, — 15	
multiflora 12 » 2, 50, — 25	
Polygonatum majus, zum Treiben	
12 » 1, 50, — 15	

Convallaria:	à Stück — la pièce	M.Pf.	Dianthus:	à Stück — la pièce	M.Pf.
racemosa	12 St.	1,50, — 15	alpinus		— 50
verticillata	12 » 2,	— 20	arenarius		— 40
Coreopsis, Comp.-Helianth. , Wauzenblume,			Armeria	12 St.	3 —, — 30
grandiflora	12 St.	4 —, — 40	Caryophyllus fl. pl. , siehe am Schluss		
lanceolata		— 40	der Stauden — voy. à la fin des Plantes		
philadelphica		— 40	vivaces de pleine terre.		
Coronilla, Papilionaceae , Peltschen,			ornatus	12 St.	3 —, — 30
montana		— 40	deltoides	12 » 3 —,	— 30
vaginalis, Alpine		— 60	giganteus		— 40
varia		— 40	hybridus semperflorens , Mule Pink,		
Cortusa, Primulaceae , Bärsanikel,			carmin gefüllt — à fleur carmine		
Matthioli, sehr schön, carmoisinosa —			doube, remontant		— 60
très-belle fleur rose-cramoisi Δ		— 60	» semperflorens, weiss gefüllt — blanc		
Corydalis, Fumariaceae , Hohlwurz,			doube		— 60
cava, weiss und lila — blanc et lilas		— 30	plumarius fl. pl. , vide p. 242.		
lutea		— 75	racemosus	12 St.	4 —, — 40
nobilis, schön — beau	12 St.	6 —, — 60	Seguieri		— 40
Sewerzowi, Egl. sehr schön — très beau	1	50	spinosus	12 St.	4 —, — 40
Crambe, Cruciferae , Meerkohl,			squarrosus	12 » 4 —,	— 40
maritima		— 50	subcaulis, Alpine	12 » 4 —,	— 40
tatarica		— 40	superbus nanus	12 » 3 —,	— 30
Crepis, Comp.-Cichoraceae ,			Wimmeri	12 » 3 —,	— 30
blattarioides		— 60	Diclytra, Fumariaceae , Doppelsporu,		
Crucianella, Rubiaceae , Kreuzblatt,			canadensis, reizend — charmant		
stylosa		— 40		12 St.	5 —, — 50
Cucubalus, Caryophylleae , Hühnerbiss,			cucullaria	12 » 4 —,	— 40
baccifer, beerentragender		— 50	formosa		— 30
Cucurbita, Cucurbitaceae ,			spectabilis	100 St.	18 —, 12 St. 2,50, — 30
perennis Δ		— 60	» fl. albo		1 25
Cyclamen, Primulaceae , Alpenveilchen,			» fol. var.		— 80
autumnale fl. albo		— 80	Dictamnus, Rutaceae , Diptam,		
europaeum	100 Stück	8 —, 12 St. 1,20, — 20	Fraxinella		— 50
andere, siehe Kalthauspflanzen — pour			» fl. albo		— 80
autres voy. Plantes de serre froide.			Digitalis, Scrophularineae , Fingerhut,		
Cynanchum, Asclepiadeae , Hundswürz,			ferruginea gigantea	12 St.	3 —, — 30
fuscatum	12 St.	3 —, — 30	gloxiniæflora, in prachtvollen Nüancen		
purpurascens		— 40	— en différentes variétés magnifiques		
sibiricum, werthvolle Gespinnstpflanze				12 St.	3 —, — 30
— plante textile	12 St.	7,50, — 75	grandiflora	12 » 3 —,	— 30
Vincetoxicum	12 » 2,	— 25	lanata	12 » 3 —,	— 30
Cypripedium, Orchideae , Frauenschuh —			lutea	12 » 3 —,	— 30
sabot de Vénus,			Dioscorea, Dioscoreae , Yamswurzel—Batate,		
acaule	12 St.	10 —, 1 —	japonica		— 40
Calceolus	12 » 2,50,	— 25	villosa		— 75
macranthum		1 50	Diplopappus, Compositae-Asclereae ,		
parviflorum	12 St.	12 —, 1 20	umbellatus		— 40
pubescens	12 » 10 —,	1 —	Disporum, Melanthaceae-Veratreae ,		
spectabile	12 » 12 —,	1 20	pullum, Δ		2 —
Datisca, Datisceae , Strichkraut,			Dodecatheon, Primulaceae , Götterblume,		
cannabina Δ, hübsche Blattpflanze — belle			Jaffrayanum	12 St.	8 —, — 80
plante ornementale	12 St.	10 —, 1 —	Meadia, lila — lilas	12 » 4 —,	— 40
Delphinium, Ranunculaceae , Rittersporn			» album, reinw. — blanc pur 12 » 5 —,		— 50
— Pied d'Alouette,			» giganteum		— 80
Belladonna , hellblau, grossbl., sehr			» splendens (fälschlich integrifolium)		— 50
schön — bleu clair, à gr. fl., très beau				12 St.	5 —, — 50
	12 St.	7,50, — 75	Doronicum, Compos.-Vernoniaceae ,		
Brunonianum , blau, mit Moschusgeruch			Gemswurz,		
— bleu, à odeur de musc		1 —	caucasicum	12 St.	4 —, — 40
cardinale Δ		— 75	magnificum	12 » 6 —,	— 60
cashmerianum		— 60	plantagineum excelsum	12 » 6 —,	— 60
chinense, blau — bleu	12 St.	4 —, — 40	» var. Harpur Crewe		— 75
» album	12 » 4 —,	— 40	Draba, Cruciferae , Hnngerblümchen,		
formosum	12 » 4 —,	— 40	carinthiaca		— 40
hybridum		— 40	elongata		— 40
1 Sortiment von 6 schönen Sorten — col-			Haynaldi		— 60
lection de 6 belles variétés		2 —	sehr zierliche Alpenen — plantes alpines		
1 Sortiment von 6 gefüllten Sorten — col-			très-gracieuses.		
lection de 6 variétés à fleurs doubles		3 —	Dracocephalum, Labiatae , Drachenkopf,		
1 Sortiment von 12 gefüllten Sorten — col-			altaïense		— 40
lection de 12 variétés à fleurs doubles		6 —	argunense		— 40
hybridum, verschiedene Sorten gemischt			austriacum		— 50
— en mélange	12 St.	2,50, — 25	nutans		— 40
nudicanle		— 40	peregrinum		— 40
Przewalskianum	12 St.	6 —, — 60	Ruprechtii		— 40
sulfureum (Zalil)		— 75	Ruyschianum		— 40
triste, auffallend — remarquable		— 80	Dryas, Rosaceae , Waldgöttinkraut,		
Dentaria, Cruciferae , Zahnwurz,			octopetala		— 80
bulbifera		— 75	Echinacea, Comp.-Heliantheae , Stachelkopf,		
digitata		— 60	angustifolia		— 60
diphylla		— 60	purpurea (Rindbeckia)		— 60
enneaphylla		— 70	Echinops, Comp.-Carduaceae , Kugeldistel,		
laciniosa		— 80	exaltatus	12 St.	— 30
Desmodium, Papilionaceae , Fesselhülse,			Ritro		— 40
canadense		1 —	sphaerocephalus		— 30
Dianthus, Caryophylleae , Nelke — Eillet.			syriacus		— 30
alpestris		— 40			



Eryngium.



Funkia lancifolia fol. var.

à Stück — la pièce M.Pf.

Elymus, Gramineae, Strandbafer, ... — 40

Eomecon, Papaveraceae, Δ
chionantha, sehr schöne Pflanze aus
China, Blumen reinweiss, blüht spät im
Herbst — originaire de Chine, fleurs
blanc pur. Sa floraison se prolonge
jusqu'en Décembre. 2 50

Epilobium, Onagraceae, Weideuröschen,
angustifolium — 40
boreale — 40
Fleischeri — 80
hirsutum — 40
obscurem — 40
rosmarinifolium — 50

Epimedium, Berberideae, Sockenblume,
alpinum — 40
Ikariso — 60
Musscheanum — 40
niveum — 40
rubrum 12 St. 4 —, — 40
sulfureum 12 » 4, — 40

Erianthus, Gramineae-Andropogoneae,
Wollgras, ... 12 St. 4 —, — 40

Raveunae, Δ 12 St. 4 —, — 40

Erigeron, Compos.-Asteraceae, Berufskraut,
alpinus — 40

aurantiacus, das schönste der Gattung —
le plus beau du genre — 60

bellidifolius — 40

canadensis — 40

glandulosus 12 St. 3 —, — 30

glaucus — 40

lauginoans — 40

macranthus — 40

purpureus, neu — nouv. — 75

speciosus — 40

Villarsii — 50

Erinus, Scrophulariaceae, Leberbalsam,
alpinus — 50

» fl. albo — 60

Eriophyllum, Comp.-Corymbiferae, Woll-
blatt, ... — 40

lanatum — 40

Erodium, Geraniaceae, Reiherschnabel,
macradenum, sehr schöne Alpine — très-
belle alpine — 60

Erpetion, Violaceae,
reniforme, Neuböhlend. Veilchen 12 St. 5 —, — 50

Eryngium, Umbelliferae, Mannstreu,
alpinum 1 50
amethystinum (Oliveriaum) 1 —
giganteum 1 —
maritimum — 80
planum — 40

à Stück — la pièce M.Pf.

Erysimum, Cruciferae, Hederich,
pulchellum, niedrig, gelb — uaiu, jaune — 40

Erythrochaete, Compositae, Rothmähne,
palmatifida 1 20

Erythrolaena, Compositae, Rothschoepf,
conspicua 1 50

Eupatorium, Comp.-Eupatoriae, Walddost,
cannabinum — 40

Fraseri — 40

purpureum — 40

teucriifolium — 40

Euphorbia, Euphorbiaceae, Wolfsmilch,
palustris 12 St. 4 —, — 40

sylvatica — 50

Euryangium, Umbelliferae,
Sumbul, die wohlriechende Sumbul- oder
Moschuswurzel — le Sumbul odorant ou
plante à musc 12 St. 10 —, 1 —

Ferula, Umbelliferae, Steckenkraut,
communis — 80

neapolitana — 60

Festuca, Gramineae, Schwingel,
elegans — 40

glauca 100 St. 9 —, — 20

punctaria — 40

Fragaria, Rosaceae, Erdbeere,
indica 12 St. 3 —, — 30

vesca fol. var. — 40

Francoa, Saxifrageae,
rupestris Δ — 50

Funkia, Hemerocallideae,
alba (grandiflora, liliiflora), sehr schön
mit rein weissen grossen Blüthen — très-
beau à grande fleur d'un blanc pur — 50

albo-marginata lutescens 1 —

alba Thomas Hogg 3 —

anreo-marginata 1 —

chinensis micrantha 12 St. 4 —, — 40

cucullata — 50

» albo-marginata — 60

» viride-marginata — 50

Fortunei 1 —

» fol. variegatis 1 —

japonica fol. var. — 80

lancifolia (longifolia) 12 St. 4 —, — 40

» fol. marg. 12 » 4 —, — 40

minor alba — 60

ovata (coerulea) 12 St. 4 —, — 40

» aureo-maculata 1 —

spathulata albo-marginata 1 —

subcordata — 40

undulata — 50

» fol. varieg. 12 St. 5 —, — 50

uvivittata — 60

Gaillardia, Compositae-Heliantheae,
aurantiaca — 40

grandiflora 12 St. 4 —, — 40

» Distinction, rein gelb — jaune pur. — 75

» hybrida, neue grossbl. Hybriden —
hybrides nouv. à gr. fleurs 12 St. 5 —, — 50

» J. W. Manning — 75

» Marobrunner, niedrig, kirschroth
mit gelb — nain, rouge cerise et jaune — 75



Gaillardia grandiflora.



Gentiana acaulis.

Gaillardia:	à Stück — la pièce M. Pf.	
grandiflora maxima	— 60	
» » gelb — jaune	— 60	
» Rauenthaler , hellkirschroth mit citrongelbem Rand — cerise clair à bord jaune citron	— 75	
» Rheingold , blutroth mit breitem goldgelbem Rand — rouge saug à bord doré	— 75	
» Wallufer , citrongelb mit weinrother Mitte — jaune citron à centre rouge vineux	— 75	
» superba	— 40	
Galega , <i>Papilionaceae</i> , Geissraute, officinalis	— 40	
orientalis	— 40	
Galium , <i>Rubiaceae</i> , Labkraut, cruciatum	— 40	
densiflorum	— 40	
verum	— 40	
Gentiana , <i>Gentianeae</i> , Enzian, acanlis, sehr schön, mit grossen tief azur-blauen Blumen, namentlich zu Felspartien und Einfassungen — très-beau à grandes fleurs d'un bleu azuré, excellent pour bordures et pour rocailles	— 40	
asclepiadea	12 St. 5 —	— 50
» alba	12 » 6 —	— 60
bavarica	— 60	
decumbens	12 St. 4 —	— 40
lutea	12 » 6 —	— 60
tibetica Δ	1 —	
verna	12 St. 5 —	— 50
Walujewi	— 75	
Geranium , <i>Geraniaceae</i> , Storchschnabel, aconitifolium	— 50	
argenteum, reizende Alpine — espèce alpine charmante Δ	1 20	
armenium	— 60	
cinereum Δ	— 80	
ibericum (grandiflorum)	12 St. 5 —	— 50
maculatum	— 50	
molle	— 40	
phaeum	— 40	
platypetalum	12 St. 4 —	— 40
pratense	12 » 4 —	— 40
» bicolor	1 —	
» fl. albo	12 St. 4 —	— 40
» fl. pleno	12 » 5 —	— 50
prostratum	— 40	
sanguineum	12 St. 4 —	— 40
tuberosum	— 40	
Wlassowianum	— 40	
Geum , <i>Rosaceae</i> , Nelkenwurz, atrosanguineum flore pleno	— 50	

Geum:	à Stück — la pièce M. Pf.	
Heldreichi, leuchtend mennigroth — rouge minium	— 80	
montanum, grossbl. gelb — jaune à gr. fl.	— 80	
pyrenaicum	— 40	
rivale	— 40	
Gillenia trifoliata vide Spiraea.		
Glechoma , <i>Labiatae</i> , Gundermann, hederacea fol. var.	— 50	
Globularia , <i>Globulariaceae</i> , Kugelblume, cordifolia	— 50	
nudicaulis	— 50	
trichosantha	12 St. 4 —	— 40
Glossocoma , <i>Campanulaceae</i> , clematidea	— 60	
Gnaphalium , <i>Compos.</i> <i>Gnaphalieae</i> , Ruhrkraut.		
Leontopodium (<i>Leontopodium alpinum</i>), Edelweiss	12 St. 5 —	— 50
supinum	— 40	
Gunnera , <i>Urticeae</i> , Δ manicata, sehr schön, Blätter weit grösser als die der G. scabra — très beau, feuillage plus grand, que celui de G. scabra	3 —	
scabra, prächtige Blattpflanze — plante à feuilles ornementales; stark — fort	1 50	
sehr stark — très-fort	3 —	
Gymnandra , <i>Scrophularineae</i> , Kletschbl., stolonifera	— 60	
Gymnatrix , <i>Gramineae</i> , Δ caudata	12 St. 4 —	— 40
japonica	12 » 4 —	— 40
Gynerium , <i>Gramineae</i> , Pampasgras, Δ argenteum	12 St. 4, 50 —	— 50
» jubatum	12 » 5 —	— 50
» kermesinum	12 » 5 —	— 50
Gypsophila , <i>Caryophylleae</i> , Gypskraut, acutifolia	— 30	
cerastioides	— 50	
paniculata	12 St. 4 —	— 40
repens, niedliche Alpine — Alpine char-mante	12 St. 3 —	— 30
sabulosa	— 30	
Habltzia , <i>Chenopodiaceae</i> , tannoides	— 60	
Hacquetia , <i>Umbelliferae</i> , Epipactis (Dondia), eine der ersten Früh-jahrsblumen — l'une des premières fleurs de printemps	— 60	
Harpallium , <i>Comp.</i> <i>Heliantheae</i> , rigidum	12 St. 5 —	— 50
» semiplenum	12 » 6 —	— 60
Hedysarum , <i>Papilionaceae</i> , Hahnenkopf, coronarium	12 St. 3 —	— 30
» fl. albo	12 » 3 —	— 30
» splendens	12 » 3 —	— 30
sibiricum	— 40	

à Stück — la pièce M. Pf.		à Stück — la pièce M. Pf.	
Hypericum:		Iris:	
Mosierianum tricolor , neu, buntblättrig — nouv., à feuilles panachées	1 50	Livida , Tod.	12 St. 3 —, — 30
orientale , feine niedrige reichblühende Species — espèce naine, très-florifère et charmante	— 60	Lorteti Δ	1 —
perforatum , Johanniskraut	12 St. 3 —, — 30	Mariae (Helenae) Δ	— 60
pulehrum	— 50	maritima	— 40
tomentosum	— 40	notha	— 40
veronense	— 50	ochroleuca gigantea , sehr grossbl., reinweiss — blanc pur, à tr. gr. fleur.	1 50
Hypoxis, Liliaceae-Hypoxideae, Härting,		pallida	12 St. 4 —, — 40
villosa Δ	— 60	plicata	12 » 4 —, — 40
Hyssopus, Labiatae, Isop,		prismatica	12 » 4 —, — 40
officinalis fl. albo	— 40	pumila alba	12 » 6 —, — 60
Jasione, Campanulaceae, Schafrapunzel,		» atrocoerulea	12 » 1 —, — 15
littoralis	— 40	» azurea pallida	12 » 1 —, — 15
perennis	12 St. 3 —, — 30	» sulphurea	12 » 1 25, — 15
Iberis, Cruciferae, Schleifenblume, Thlaspi,		» attica (Gartenflora Tab. 377), die allerfrüheste — la première à fleurir	— 60
corifolia	— 50	pumila nova,	
gibraltarica Δ	— 60	9 albida.	10 canescens.
» hybrida	— 40	7 albo-virens.	4 coerulea.
incunda	— 80	13 atroviolacea.	11 pallida.
semperflorens Δ	— 80	1 aurea.	12 sulfurea.
sempervirens	12 St. 4 —, — 40	2 azurea maxima.	5 violacea.
» flore pleno	— 60	8 candida.	
Jeffersonia, Papaveraceae, diphylla	1 20	Jede Sorte — chaque variété	— 30
Imperata, Gramineae, esochariflora	12 St. 4 —, — 40	6 Sorten uns. Wahl — 6 var. à n. choix	1 20
Imperatoria, Umbelliferae, Meisterwurz,		Sehr schöner Rommel — très-beau mélange	100 St. 5 —, 12 St. — 70
Ostruthium, Achte — vraie	12 St. 3 —, — 30	sambucina	12 St. 3 —, — 30
Inula, Compositae-Vernoniaceae, Alant,		setosa	12 » 2 —, — 25
Bubonium	— 30	sibirica	12 » 4 —, — 40
ensifolia , niedrig, goldgelb — nain, jaune d'or	— 60	» leucantha	— 50
glandulosa	— 80	spectabilis	— 50
» grandiflora	1 —	squalens	— 40
helenioides fusciculosa	12 St. 4 —, — 40	stylosa Δ	12 St. 3 —, — 30
Helenium grandiflorum	12 » 3 —, — 30	» alba	1 —
oculus Christi	12 » 4 —, — 40	susiana Δ , Dame in Trauer — Iris deuil	— 40
salicifolia	12 » 3 —, — 30	Tolmieana	— 30
thapsoides	12 » 3 —, — 30	tridentata	— 40
Ipomoea, Convolvulaceae, pandurata Δ , grossbl. weiss — blanc à gr. fl.	1 50	variegata , gemischt — mélange	12 St. 3 —, — 30
Iris, Irideae, Schwertlilie,		virginica	12 » 4 —, — 40
asiatica	— 80	Isopyrum, Ranunculaceae, Tolldocke, thaliotroides	12 St. 5 —, — 50
atrofusca Δ	1 —	Laportea, Urticaceae, pinstulata , Gespinnstpflanze — plante textile	— 75
atropurpurea Δ	— 50	Laserpitium, Umbelliferae,	
balcana	— 50	Siler	— 40
biglumis	12 St. 3 —, — 30	Lasiagrostis, Gramineae, argentea	— 40
Bismarckiana Δ	— 75	Lathyrus, Papilionaceae, Platterbse — Gesse, latifolius fl. albo	— 60
bosniaca , frühbl., grossbl., citronengelb — à gr. fl., jaune citron	— 80	» fl. rubro	— 50
Bludowii	— 50	pratensis	— 40
bohemia	— 60	sylvestris Wagneri	12 St. 1,50, — 15
elongata	12 St. 3 —, — 30	tuberosus , niedrig, leuchtend purpurcarmoisin — nain, à fleur carmoisi-pourpre brillant	12 St. 3 —, — 30
florentina , Veilchenwurz	12 » 3 —, — 30	Leontice, Berberideae, Löwenblatt, Alberti	1 25
foetidissima	12 » 2 —, — 20	Eversmanni	2 —
» fol. albo-vittatis	12 » 5 —, — 50	Leontopetalum	2 50
furcata	12 » 1,50, — 20	Leontodon, Compositae, Löwenzahn, autumnale (Opornia), zierliche Alpine — espèce alpine élégante	12 St. 4 —, — 40
» flore albo	12 » 1,50, — 20	Leontopodium, Compositae-Gnaphaliaceae, Löwenpflöchen, alpinum, Edelweiss	12 St. 5 —, — 50
germanica , Sortiment v. 25 Prachtsorten — collection de 25 var.	6 —	Leonurus, Labiatae, Cardiaca , gutes Bienenfutter — pour abeille	12 St. 3 —, — 30
» Sortiment von 12 Sorten — collection de 12 var.	3 —	Lepachys, Compositae-Heliantheae, pinnata	— 40
» Sortiment von 12 neuen Sorten — collection de 12 var. nouvelles	7 50	Leucanthemum, Compos.-Senecioideae, Wucherblume, nipponicum	— 80
» im Rommel — mélange	100 St. 5 —, 12 St. — 70, —	uliginosum , weiss, spätblühend — blanc, à floraison tardive	12 St. 4 —, — 40
» Princess of Wales , reinweiss — blanc pur	12 » 2 50, — 25	Leuzea, Compositae-Carduaceae, conifera , interessant	12 St. 4 —, — 40
graminea	— 1	Liatris, Compositae-Vernoniaceae, Prachtscharte, Δ	12 St. 4 —, — 40
Grant Duffi Δ	— 20	elegans	— 75
Gneldenstaedti	12 St. 1,50, — 20	pycnotaehya	— 60
halophila	— 40	scariosa	— 60
iberica (Oncocylus)	12 St. 5 —, — 50	spicata	— 60
japonica	12 » 5 —, — 50		
Kaempferi typus Δ	12 » 3 —, — 30		
» gemischt — en mélange	12 » 3 —, — 30		
» Ein Sortiment von 10 neuesten grossblumigen japanischen Sorten — collection de 10 var. japonaises nouvelles	12,50, —		
» flore pleno , gefülltblühende Varietäten gemischt — var. à fl. doubles en mélange	1 75		



Ligularia macrophylla.



Lysimachia punctata.



	à Stück — la pièce M. Pf.	
Ligularia , <i>Compos.-Jacobaeae</i> , Bandblume,		
Kaempferi Δ	1	20
» fol. var. Δ	2	—
macrophylla	—	80
sibirica	—	60
Linaria , <i>Scrophularineae</i> , Frauenfachs,		
alpina	—	30
apennina	12 St. 5	—
Cymbalaria	12 » 3	—
» fl. albo	12 » 5	—
maritima	—	40
pallida , hübsche Alpine, jolie plante alpine	—	60
Linnaea , <i>Caprifoliaceae</i> ,		
borealis	1	—
Linosyris , <i>Compositae</i> , Leinkrant,		
punctata	12 St. 4	—
vulgaris	12 » 4	—
Linum , <i>Lineae</i> , Lein — Lin,		
arberetum Δ	—	80
anstricum	—	30
flavum	12 St. 4	—
narbonense	12 » 4	—
perenne	12 » 3	—
Lippia , <i>Verbenaceae</i> ,		
repens , Δ reizend — charmant 12 St. 4	—	40
Liriope , <i>Narcisseae-Amaryllideae</i> ,		
graminifolia Δ	—	80
Lithospermum , <i>Boragineae</i> , Steinsame,		
purpureo-coeruleum	—	60
Lobelia , <i>Lobeliaceae</i> , Δ		
cardinalis	12 St. 4	—
fulgens Queen Victoria	12 » 4	—
» » » rosa — rose 12 » 5	—	50
» » » violett — violet	12 St. 6	—
» neue Hybriden — hybrides nouveaux	12 St. 5	—
Gerardi	12 » 8	—
splendens	12 » 4	—
sylvitica	12 » 4	—
» alba	12 » 4	—
Lupinus , <i>Papilionaceae</i> , Wolfsbohne,		
arborescens Δ	—	80
polyphyllus , 3 Sorten, jede — chacune	12 St. 2	—
» Rommel — mélange	—	20
Luzula , <i>Juncineae</i> , Astersimse,		
sylvestris fol. var. (maxima)	—	75
Lychnis , <i>Caryophylleae</i> , Lichtnelke,		
alpina	12 St. 4	—
chalcidonica	12 » 3	—
» fl. albo	—	40
» fl. albo pleno	—	80
» fl. rubro pleno	—	60
dioica alba plena	—	80
» rubra plena	12 St. 8	—

Lychnis :	à Stück — la pièce M. Pf.	
Haageana hybrida gemischt — mélange	12 St. 4	—
Lagascae (<i>Petrocoptis</i>)	—	40
Preslii	—	40
Viscaria fl. pl.	12 St. 5	—
» rosea	12 » 3	—
» splendens	12 » 3	—
Lysimachia , <i>Primulaceae</i> , Gelbweiderich,		
brachystachys	12 St. 5	—
ciliata	—	50
clethroides	12 St. 6	—
Ephemerum	12 » 6	—
Nummularia	12 » 2,50	—
» aurea	12 » 4	—
punctata , schön — très-joli	12 » 4	—
verticillata	12 » 4	—
Lythrum , <i>Lythrarieae</i> , Weidrich,		
roseum superbum	12 » 4	—
Salicaria	12 » 4	—
Macleaya , vide <i>Bocconia</i> .		
Marshallia , <i>Compos.-Heliantheae</i> ,		
caespitosa	—	60
Mazus , <i>Scrophularineae</i> ,		
Pumilio , reizende Miniatur — charmante miniature Δ	12 St. 4	—
Melica , <i>Gramineae</i> , Perlgras,		
altissima atropurpurea	12 » 4	—
ciliata	—	30
Melittis , <i>Labiatae</i> , Immenblatt,		
Melissophyllum , schön — beau	—	80
Mentha , <i>Labiatae</i> , Münze,		
corsica fol. var.	12 St. 2,50	—
Pulegium	12 » 2,50	—
» gibraltarica Δ , bildet sehr zierliche Miniaturkissen von feinem wohlriechendem Grün — forme de charmants petits gazons d'un vert très-odorant	—	30
Requienii , die allerniedrigste — la plus petite	12 St. 4	—
rotundifolia	—	40
viridis	—	40
Mertensia , vide <i>Pulmonaria</i> .		
Michauxia , <i>Campanulaceae</i> ,		
campanuloides	—	60
Mirabilis , <i>Nyctagineae</i> , Wunderblume, multiflora	—	80
Mitella , <i>Saxifrageae</i> ,		
pentandra , zierlich — gracieux	—	80
Moehringia , <i>Caryophylleae-Alsineae</i> ,		
muscosa , Alpine — plante alpine	12 St. 6	—
Molinia , <i>Gramineae</i> ,		
coerulea fol. var.	12 » 2,50	—
Molopospermum , <i>Umbelliferae</i> , Schwiendolde.		
cicutarium , hübsche Decorationspflanze für Rasenplätze — belle plante ornementale pour pelouses	—	75



Omphalodes longiflora.

à Stück — la pièce M.Pf.

Monarda, Labiatae,	
didyma	— 50
hybrida	12 St. 4 —, — 40
splendens	12 » 4 —, — 40
Morina, Dipsaceae,	
longifolia, schön — beau	— 60
Mulgedium, Compositae-Cichoriceae,	
gigauteum	— 80
thianschanicum	1 —
Myosotis, Boragineae, Vergissmeinnicht,	
dissitiflora	12 St. 4 —, — 40
» alba	12 » 4 —, — 40
hybr. semperflorens Kaiserin Elisabeth	12 St. 5 —, — 50
palustris Sensation	— 60
» grandiflora „Nixenauge“, sehr grossbl. — à très grande fleur	— 75
Rehsteineri	12 St. 5 —, — 50
rupicola	— 60
Nepeta, Labiatae, Katzenminze,	
Cataria	— 40
italica	— 40
kokamirica	— 40
latifolia	— 40
nuda	— 40
Nierembergia, Solanaceae, Δ	
rivularis	12 St. 6 —, — 60
Obeliscaria, Compos.-Corymbiferae,	
columnaris	— 50
Oenothera, Onagraceae, Nachtkerze,	
fruticosa msjor	— 40
missouriensis	— 40
serrulata	— 80
speciosa vera Δ	1 —
Youngi	— 60
Omphalodes, Boragineae, Gartenvergissmeinnicht,	
longiflora (Lindlofia spectabilis)	— 40
» praecox, neu — nouv.	2 —
verna	12 St. 3 —, — 30
» fl. albo	12 » 4 —, — 40
Ononis, Papilionaceae, Hauhechel — Bugrane,	
hircina	— 50
Onosma, Boragineae,	
albo-roseum Δ	1 —
Onopordon, Compos.-Cynarocephalae,	
acaula	— 40
arabicum	— 20
Ophiopogon, Smilacaeae, Natterzauke, Δ	
Jaburan	— 60
» fol. var.	1 50
Origanum, Labiatae, Dost — Marjolaine,	
perenne	12 St. 4 —, — 40
» fl. roseo	— 40
vulgare	12 St. 2,50 — 25
Orobis, Papilionaceae, Walderbse,	
lathyroides	— 80

Orobis:	à Stück — la pièce M. Pf.
niger	— 60
tuberosus	— 60
vernus	— 60
Pachysandra, Euphorbiaceae, Dickbeutler,	
terminalis fol. arg. var. Δ	— 75
Paederota, Scrophularineae, Alpenrodel,	
Ageria	— 80
Bonarota	— 60
Paeonia, Ranunculaceae, Pfingstrose — Pivoine,	
arietina	— 80
corallina (triterinata)	1 — à 2 —
officinalis	— 50
» flore pleno	12 St. 5 —, — 50
tenuifolia	— 80
» flore pleno	12 St. 6 —, — 60
chinensis:	
12 St. in 12 Sorten nach unserer Wahl —	
12 variétés à notre choix	5 —
12 St. in 12 Sorten von den vorzüglichsten — 12 variétés des meilleures	10 —
25 St. in 25 Sorten unserer Wahl — 25 variétés à notre choix	10 —, 15 — à 20 —
Die vollständige Aufführung und Beschreibung unseres Paeoniensortiments ist in unserem Verzeichniss von Blumenzwiebeln u. Knollengewächsen für 1896 zu finden, wovon noch Exemplare zur Disposition stehen. — La spécification des variétés se trouve dans notre catalogue d'ognons à fleurs de 1896, qui est à la disposition des amateurs.	
Papaver, Papaveraceae, Mohn — Pavot,	
alpinum	— 50
bracteatum	— 40
caucasicum	— 40
involveratum maximum	— 40
nudicaule, gelb — jaune	12 St. 3 —, — 30
» album	— 30
» coccineum (aurantiacum)	— 40
orientale	— 40
» Blush Queen	1 —
» immaculatum	1 25
» Royal Scarlet	— 80
» Salmon Queen	1 —
» semiplenum	1 25
pilosum	— 80
Pardanthus, Irideae, Pardelblume, Δ	
ohinensis, prächtig, mit grossen gelben, scharlachroth getigerten Blumen — magnifigue, fleurs safranées, tigrées de rouge écarlate	12 St. 4 —, — 40
Paris, Smilacaeae, Einbeere,	
quadriflora	12 St. 3 —, — 30
Parnassia, Droseraceae, Sumpfleberblume,	
palustris	— 80
Pentstemon, Antirrhineae, Bartfaden,	
acuminatus Δ	— 60
atropurpureus Δ	— 50
Cobaea	— 60
carinatus	— 50
oonfertiflorus	— 40
cordifolius Δ	— 75
cyananthus Brandegei	— 50
Digitalis	— 40
glaber	— 50
» roseus	— 50
heterophyllus	— 50
latifolius	— 40
Menziesii	— 60
Murrayanus Δ	— 50
ovatus	— 40
procerus	— 40
pubescens	— 40
punicus	— 75
secundiflorus	— 50
speciosus	— 50
spectabilis	— 60
Wrighti Δ	— 60
Petasites, Compositae-Eupatorieae, Pestilenzwurz,	
niveus	— 50
vulgaris	12 St. 3 —, — 30
Peucedanum, Umbelliferae, Haarstrang,	
Morrisoni	— 40
officinale	— 40
Pbalangium, vide Antherium.	

à Stück — la pièce M. Pf.	
Phalaris , <i>Gramineae</i> , Glanzgras,	
<i>arundinacea</i> fol. var.	12 St. 1,50, — 25
Phaseolus , <i>Papilionaceae</i> ,	
<i>perennis</i> Δ	1 —
Phlomis , <i>Labiatae</i> , Flammenlippe,	
<i>Russelliana</i>	— 80
<i>tuberosa</i>	— 60
Phlox , <i>Polemoniaceae</i> , Flammenblume,	
<i>amoena</i> , purpurrosa — rose pourpre . . .	— 40
<i>canadensis</i> (divaricata)	— 80
decussata :	
Eclairer, sehr grossbl., carminviolett	
mit lachsrosa Mitte — violet carminé	
à centre saumoné, fl. très grande . . .	— 75
Etna, orangescharlach, sehr feurig —	
orange écarlate vif	— 75
Gloire d'Orléans, buntblättrig, rosen-	
roth — à feuilles panachées	— 75
Le Soleil, rosa mit dunkler Mitte, blass-	
rosa Rand, sehr grossbl. — rose à centre	
foncé, bordé rose clair, fl. tr. grande .	— 75
W. Robinson, eine der grösstblumigen,	
lachsrosa mit violetter Auge — rose	
saumoné à centre violet, tr. gr. fl. . .	— 75
12 schönste Sorten unserer Wahl —	
12 var. à notre choix	4 —
25 schönste Sorten — 25 variétés . . .	8 —
12 neueste Sorten unserer Wahl — 12 var.	
nouvelles à notre choix	6 —
10 Zwerg-Sorten — 10 var. naines . . .	4 —
Nelsoni	12 St. 5, — 50
<i>nivalis</i> (frondosa), ganz niedrig, rasenbil-	
dend, hellrosa mit dunkelcarmin	
Ange, giebt zur Blüthezeit unüber-	
treffliche Teppichbeete — très-nain	
gazonnant, à fleur rose clair à cell	
carmin foncé, formant pendant sa	
floraison des tapis niques de beauté.	
12 St. 4, —	— 40
<i>nivalis</i> fl. albo, reinweiss	12 » 4, — 40
<i>ovata</i> , reinweiss — blanc pur	— 50
<i>paniculata</i> , reinweiss — blanc pur . . .	— 75
<i>reptans</i>	12 St. 6, — 60
<i>suffruticosa</i> Circle, weiss, Centrum rosa	
— blanc à centre rose	— 60
» James Young, weiss — blanc	— 60
» Lady Musgrave, weiss gestreift —	
blanc strié	— 60
» Snow, weiss — blanc	— 60
<i>verna</i>	12 St. 4, — 40
Physalis , <i>Solanaceae</i> , Judenkirsche,	
<i>Alkekengi</i>	12 St. 2,50, — 30
Physostegia , <i>Labiatae</i> , Blasenkelch,	
<i>speciosa</i>	— 40
Phyteuma , <i>Campanulaceae</i> , Rapzwurzel,	
<i>Halleri</i>	— 40
<i>orbiculare</i> , schön! — beau	1 —
<i>Schencheri</i>	— 50
<i>spicatum</i>	— 50
feine Alpenen — plantes alpines très-belles.	
Phytolacca , <i>Phytolacceae</i> , Kermesbeere,	
<i>acinososa</i>	— 80
<i>decandra</i>	— 60
<i>esculenta</i>	— 60
<i>octandra</i>	— 60
Plantago , <i>Plantagineae</i> , Wegerich,	
<i>major</i> fol. atropurpureis	— 40
Platycodon , <i>Campanulaceae</i> ,	
<i>Mariesi</i> , prachtvoll, niedrig, mit schönen,	
röthlichblauen Blumen — magnifique,	
nain, à fleurs grandes d'un bleu rougeâtre	
12 St. 6, —	— 60
<i>Mariesi</i> fl. albo	— 80
andere, siehe <i>Campanula</i> .	
Pleurospermum , <i>Umbelliferae</i> , Rippensame,	
<i>anstracium</i>	— 60
Plumbago , <i>Plumbagineae</i> , Bleiwurz,	
<i>Larpentae</i> Δ , niedrig, leuchtend himmel-	
blau — bleu de ciel	12 St. 5, — 50
Poa , <i>Gramineae</i> , Rispengras,	
<i>sudetica</i>	— 40
Podophyllum , <i>Podophyllaceae</i> , Entenfuss,	
<i>Emodi</i>	12 St. 12, — 1 20
<i>peltatum</i>	12 » 5, — 50



Phlox decussata.

à Stück — la pièce M. Pf.	
Polemonium , <i>Polemoniaceae</i> , Sperrkraut —	
Valériane grecque	
<i>coeruleum</i>	12 St. 4, — 40
» fl. albo	— 40
» fol. variegatis, sehr schön bunt-	
blättrig — très beau	12 St. 7,50, — 75
» grandiflorum	— 40
<i>dissectum</i>	— 40
» fl. albo	— 40
<i>flavum</i>	12 St. 4, — 40
<i>himalayense</i>	12 » 5, — 50
<i>pauciflorum</i>	12 » 4, — 40
<i>reptans</i> , niedrig — nain	12 » 4, — 40
<i>Richardsoni</i>	1 —
Polygala , <i>Polygalaceae</i> , Krenzblume,	
<i>Chamaebuxus</i> , reizende Alpine — Alpine	
oharmante	— 75
Polygonum , <i>Polygoneae</i> , Knöterich,	
<i>alpinum</i> , hübsch — joli	— 40
<i>capitatum</i>	— 50
<i>Brunonis</i>	— 50
<i>filiforme</i>	— 40
» fol. variegatis	— 75
polystachyum , schön, weiss, im Spät-	
herbst blühend — beau, fleurissant en	
automne	12 St. 6, — 60
sachalinense , schöne Blattpflanze und	
zugleich viel gerübmte Futterpflanze —	
belle plante à feuillage ornemental, en	
même temps recommandée comme plante	
fourragère d'un grand avenir	12 St. 2,50, — 25
<i>Sieboldi</i> (cuspidatum)	12 » 2, — 20
<i>sphaerostachyum</i>	— 80
<i>viviparum</i> , Alpine, interessant	— 60
Potentilla , <i>Rosaceae</i> , Fingerkraut,	
6 gefüllte Sorten nach unserer Wahl —	
6 variétés à fl. doubles à notre choix . .	3 —
6 einfache Varietäten nach unserer Wahl	
— 6 variétés à fl. simples à notre choix .	2 —
alba	— 40
alpestris	— 40
argentea	— 40
aurea	— 40
kurdica	— 40
minima	— 40
neglecta	— 40
nepalensis	— 40
rupestris	— 40
<i>Sprengeliana</i>	— 40
sämmtlich hübsche Alpenen — tous sont	
de jolies espèces alpines.	
Prenanthes , <i>Compos.-Cichoriaceae</i> , Hasen-	
laticch, ...	
purpurea	12 St. 4, — 40



Pulmonaria saccharata.

à Stück — la pièce M. Pf.

Primula, Primulaceae,	
Auricula, Aurikeln, in schönem Rommel	
— Auricules en beau mélange	
100 St. 10 —, 12 St.	1 50
Anricula, Rangblumen, Luiker in	
Rommel — Auricules Liegeois	
en mélange	2 50
» alpina, dieursprüngliche alpine Spec.	
— l'espèce typique des Alpes	— 60
capitata (P. cashmeriana)	12 St. 5 —, — 50
carniolica	— 60
Clusiana	— 60
cortusoides	— 40
» amoena grandiflora, vide Sieboldi.	
farinosa	— 40
floribunda	12 St. 4 —, — 40
» grandiflora	— 80
Forbesi	12 St. 7,50, — 75
japonica	12 » 5 —, — 50
» alba	— 60
» gemischt — mélange	— 50
longiflora	— 60



Primula minima.

minima, eine der schönsten Alpenen! —	
belle espèce alpine	— 60
nivea	1 50
obconica, Δ, eine der schönsten, sicher-	
lich die blüthenreichste aller Primeln —	
l'une des plus belles espèces, certainement	
la plus florifère	12 St. 4 —, — 40
obconica grandiflora	12 » 6 —, — 60
» rosea	— 75
Poissoni	1 20
rosea	12 St. 6 —, — 60
Sieboldi (cortusoides amoena grandiflora)	
12 St. 5 —, — 50	

Primula:	à Stück — la pièce M. Pf.
Sieboldi intermedia	— 50
» Queen of Whites	1 —
» rosalba	— 60
» vincaeflora	— 80
» violacea	— 60
» Virginal	— 60
» Ein Sortiment von 10 Sorten — collec-	
tion de 10 variétés	5 —, —
sikkimensis	— 60
spectabilis	— 80
veris acaulis alba plena	12 St. 5 —, — 50
» » lilacina plena	— 60
» » lutea plena	— 60
» » rubra plena	12 St. 6 —, — 60
» coccinea	12 » 4 —, — 40
» elatior, in schönem Rommel — en	
beau mélange 100 St. 8 —, 12 St.	1 20
» » Rangblumen — mélange de var.	
d'élite	12 St. 2,50, — 25
» suaveolens (Pr. officinalis multicolor),	
grossblumige Schlüsselblume	
— coucou à grande fleur 12 St. 2 —,	— 20
viscosa major	— 60
vulgaris (Primrose), grossblumige gelbe	
Primel — Primevère odorante à gr. fl.	— 40
Wulfeniana	1 50
Priva, Verbenaceae,	
laevis (Verbena orchidioides), Δ mit	
fleischrosenrothen, wohlriechenden Blum-	
meu — à fleurs roses, très odorantes	12 St. 4 —, — 40
Prosartes, Smilacaceae,	
Hookeri	1 50
lanuginosa	1 50
Prunella, Labiatae, Brunelle,	
grandiflora	12 St. 4 —, — 40
» alba	12 » 4 —, — 40
incisa	— 60
pyrenaica	— 40
Webbiana	— 50
Parmica, Compositae-Anthemideae, Garbe,	
alpina	— 50
Pteroccephalus, Dipsacae, Federköpfchen,	
Parnassi	— 80
Pulmonaria, Boragineae, Lungenkraut,	
mollis	— 60
officinalis	— 60
» maculosa, Dietr.	— 60
saccharata	12 St. 4 —, — 40
sibirica (Mertensia)	1 —
virginica (Mertensia)	12 St. 7,50, — 75
Pycnanthemum, Labiatae, Ballblume,	
pilosum	— 80
Pyrethrum, Comp.-Anthemideae, Bertram-	
wurz,	
caucasicum	— 40
cinerariaefolium	12 St. 3 —, — 30
macrophyllum	12 » 4 —, — 40
roseum hybridum flore pleno, in den	
besten dichtgefülltesten Sorten — variétés	
d'élite très-doubles.	
12 St. in 12 Sorten — 12 var. séparées	6 —
roseum hybr. fl. pl. Schneeball, schönste	
weissgefüllte — le plus beau blanc	— 75
Tschihatschewi	12 St. 3 —, — 30
Pyrola, Ericaceae, Wintergrün,	
minor	— 60
rotundifolia, Topfexemplare — en pots,	
12 St. 4 —, — 40	
Ramondia, Cyrtandraceae,	
pyrenaica, eine der allerschönsten Alpen-	
nen, eine Pflanzpflanze ersten Ranges —	
l'une des plus belles parmi les plantes	
alpines et du tout premier rang	1 25
Ranunculus, Ranunculaceae, Hahnenfuss,	
aconitifolius	12 St. 3 —, — 30
» fl. pl.	12 » 4 —, — 40
acris fl. pl.	12 » 4 —, — 40
alpestris	12 » 4 —, — 40
amplexicaulis	— 50
cortusaefolius	3 —
crenatus	— 40
Ficaria ochroleucus	12 St. 2 —, — 20
» flore pleno	12 » 4 —, — 40
Gandini	— 50
lanuginosus fl. pl.	— 40



Rheum Collinianum.



Saxifraga crassifolia.

- Ranunculus:** à Stück — la pièce M. Pf.
 montanus (alpinus) — 60
 repens fl. pl. 12 St. 2,50, — 25
 Sibthorpi — 40
 speciosus flore pleno — 50
 Trautffellneri — 40
- Rhazya, Apocynaceae,**
 orientalis — 40
- Rheum, Polygonaceae, Rhabarber — Rhu-**
barbe,
Collinianum, Baillon, Blätter in der Art,
 aber noch grösser als die von officinale
 — feuilles semblables, mais encore plus
 grandes que celles d'officinale 12 St. 7,50, — 75
Emodi, echt, bekannte schöne Sorte mit
 grossen kupferroth austreibenden Blät-
 tern, treibt am spätesten von allen Sorten
 — très-belle à grandes feuilles d'un rouge
 cuivré, l'espèce la plus tardive 1 20
officinale, Baillon, der chinesische Rha-
barber, mit prachtvollen Gunnera scabra
 ähnlichen sehr grossen Blättern, sehr
 distinct — Rhabarbe de Chine à très-
 grandes feuilles magnifiques ressemblant
 à celles de Gunnera scabra, très-distincte;
 stark — fort 12 St. 6, — 60
palmatum tanguticum Rgl., der thibe-
tanische Rhabarber, mit ganz distincten
 handförmig eingeschnittenen Blättern —
 Rhabarbe de Thibet à grandes feuilles
 palmées 12 St. 5 — à 10, — 50 à 1 —
 palmatum typicum 12 St. 7,50, — 75
 Rotheanum 1 50
- Rhexia, Melastomeae,**
 virginica 12 St. 8 —, — 80
- Rodgersia, Saxifragaceae,**
 podophylla 1 20
- Rohdea, Aroideae, Δ oder ∟**
 japonica 1 —
 » marginata alba 1 —
- Rudbeckia, Compositae-Heliantheae,**
 californica — 50
 digitata — 40
 fulgida — 40
 laciniata — 50
 maxima 1 20
 Neumannii — 75
 scabra fol. var. — 75
 subtomentosa — 75
 texana — 50
- Rumex, Polygonaceae, Sauerampfer,**
 alpinus — 40
 salicifolius — 40
- Ruscus, Smilacaeae, Mäusedorn — Fragon**
 aculeatus Δ — 60

- à Stück — la pièce M. Pf.
Saccharum, Gramineae,
 Maddeni Δ 12 St. 5 —, — 50
- Salvia, Labiatae, Salbei — Sauge**
 argentea, schöne Blattpflanze — plante à
 beau feuillage 12 St. 4 —, — 40
 byzantina — 40
 glutinosa — 40
 nutans, auffallend — remarquable — 40
 officinalis aurea varieg. Δ — 40
 » tricolor ∟ — 75
 pratensis, blau — bleu 12 St. 4 —, — 40
 » nama multiflora praecox — 50
 Sclarea 12 St. 4 —, — 40
 sylvestris fl. albo — 30
- Sanguinaria, Papaveraceae, Blutkraut,**
 canadensis, rein w. — blanc pur 12 St. 5 —, — 50
- Sanguisorba, Rosaceae, Wiesenknopf,**
 canadensis 12 St. 4 —, — 40
 tenuifolia 12 » 4 —, — 40
- Santolina, Compos.-Senecioidae, Heiligen-**
pflanze,
 Chamaecyparissus 12 St. 4 —, — 40
 incana, weisse Belaubung, gute Teppich-
 beetpflanze — à feuillage argenté, bonne
 plante pour la mosaiculture 12 St. 4 —, — 40
- Saponaria, Caryophyllaeae, Seifenkraut,**
 ocymoides 12 St. 4 —, — 40
 » splendens 12 » 4 —, — 40
 officinalis 12 » 2 —, — 20
 » fl. pleno (caucasica fl. pl.) 12 » 4 —, — 40
- Saxifraga, Saxifragaceae, Steinbrech,**
 à St. — la pièce M. Pf. à St. — la pièce M. Pf.
 acanthifolia — 40 cordifolia — 40
 aizoides — 40 purpurea 1 20
 Aizoon — 40 Cotyledon mon-
 » intacta — 40 tafoniensis — 80
 » minor — 40 » pyramidalis — 40
 ajacaeifolia — 40 crassifolia (Me-
 altissima — 40 gasea) 12 St. 4 —, — 40
 apennina — 40 crustata — 40
 atlantica 1 — cuneifolia — 40
 bronchialis cher- elatior — 40
 lerioides — 40 erosa — 40
 Burseriaana 1 25 Gaudini — 40
 caespitosa — 40 geranioides — 50
 » groenlandica — 60 granulata fl. pl. — 40
 Camposi (Wal- hirsuta — 40
 lacei), grossbl. Hosti — 40
 weiss — à gr. hybrida Brill-
 fl. blanche — 50 lant (Megasea) 1 20
 cartilaginea — 40 Kolenatiana — 40
 cervicornis — 40 lantoscana — 40
- cordifolia (Me-**
gasea, Berge-
nia) — 40
- leichtlini**
 (Megasea) 1 20
 leucanthemifolia — 40
 lingulata — 40



Sedum spurium splendens.

Saxifraga:

à St. — la pièce M. Pf.	à St. — la pièce M. Pf.
longifolia vera 1 —	punctata 12 St. 4 —, — 40
Malyi 12 St. 4 —, — 40	rhaetica 12 St. 4 —, — 50
muscoïdes 40	Rochelli 75
mutata 60	rotundifolia 40
nepalensis 50	Schmidt (Meg.) 80
nivalis 50	speciosa (Meg.) 1 —
oppositifolia 40	Stelleriana 60
orbicularis (Meg.) 50	Stracheyi (Meg.) 60
palmata 50	taygetas 40
pectinata 50	thysanotes (Meg.) 40
peltata, Roezi Δ 1 20	umbrosa 30
pennsylvanica 60	villosa 40
12 Sorten unserer Wahl — à notre choix 3 50	
25 » » » » » » » 7 —	

Sämtliche Saxifraga eignen sich vorzüglich zur Auspflanzung auf schattige Felspartien u. s. w. — Exoellentes plantes pour le côté nord des rocaillies etc.

Scabiosa, Dipsacaceae, Scabiose,	
caucasica	— 50
» alba, reinweiss, sehr schön — blanc pur, très beau	1 20
lucida	— 40
ochroleuca	— 40
silenifolia	— 40
Scorodosma, Umbelliferae, Stinkasand,	
foetidum, Ege. (Narthex Asa foetida, Faloon, Ferula Narthex, Boiss.) Sehr wichtige officinelle Pflanze, liefert die echte Asa foetida, zu gleicher Zeit eine der allerschönsten Stauden — plante médicinale très-importante, qui fournit la véritable Asa fétide, mais en même temps l'une de nos plus belles plantes vivaces	
	12 St. 5 —, — 50

Scrophularia, Scrophularineae, Braunwurz,	
nodosa	— 40
vernalis	— 50
Scutellaria, Labiatae, Helmkrant — La toque	
alpina	12 St. 4 —, — 40
» fl. albo	12 » 4 —, — 40
canescens	— 40
macrantha, reizend — très-beau	75
peregrina	— 40

Sedum, Crassulaceae, Mauerpfeffer,

à St. — la pièce M. Pf.	à St. — la pièce M. Pf.
acre	anglicum 30
Aizoon	atratum 30
Alberti 12 St. 3 —, — 30	atrosanguineum 75
album	Beyrichianum 30
altissimum	boloniense 40
amplexicaule 30	Brauni 30
Anacamperos	collinum 30
(rotundifolium) — 30	crista galli 40

Sedum:

à St. — la pièce M. Pf.	à St. — la pièce M. Pf.
cruentum	pulchrum 50
dasyphyllum 30	reflexum 30
Ewersi 30	Rhodiola linifolia 40
Fabaria 25	rotundifolium, vide Anacamperos 40
glaucum 30	rupestre spirale 40
» aureum (fälschlich Lydium aureum) 40	sexangulare 30
grandifolium 40	Sieboldi Δ 12 St. 4 —, — 40
hybridum 30	Sieboldi fol. me-diis pictis Δ 12 St. 5 —, — 50
ibericum 40	spectabile 50
kamtschatium 30	spurium 30
Lehmanni 30	» splendens 12 St. 3 —, — 30
Lydium 30	stellatum 40
magellense 30	Telephium pur-purascens 30
Maximowicz 40	undulatum 40
maximum 40	Wallichianum 30
Middendorffianum 30	
ochroleucum 30	
oppositifolium 30	
pallidum roseum 30	
populifolium 30	
pruinatum 40	
12 Species unserer Wahl — à notre choix 2 50	
25 » » » » » » » 5 —	

Sempervivum, Crassulaceae, Hauswurz, lieferbar in gut bestockten Topfexemplaren — disponibles en beaux exemplaires touffus en pots.

à St. — la pièce M. Pf.	à St. — la pièce M. Pf.
acuminatum 40	Hookeri 40
albidum 40	juratense 40
alpinum, schön! — beau! 40	Laggeri 40
anomalum, sehr hübsche Miniaturform — très-belle miniature 40	Lamottei 40
arachnoideum 40	latifolium 60
arenarium 40	Lehmanni 40
assimile 40	Mettenianum 40
atlanticum 40	Moggridgei Δ 60
avernense 40	montanum 40
blandum 40	Neireichi 40
Boissieri, schön — beau 40	parviflorum 40
Boutinianum 40	patens 40
Brauni 40	piliferum 40
californicum 30	Pittoni 50
oolchicum 40	
Comolli 40	Reginae Amaliae 75
Delusori 40	rubens 40
Doellianum 30	rubicundum 40
elegans 40	rupestre 40
fimbriatum 30	ruthenicum 40
flagelliforme 40	Scherzerianum 40
Fnnki 40	Schlehani 40
globiferum 40	Schnittspahnii 40
grandiflorum 40	soboliferum 40
Greeni 40	spec. Athen 60
heterotrichum 40	spinulifolium 40
Heuffeli 40	tectorum 30
hirtum 40	» pyrenaicum 40
hispidulum 40	tomentosum (Webbianum) 50
12 Sorten unserer Wahl — à notre choix 3 50	triste 40
25 » » » » » » » 7 —	violaceum 40
25 » » » » » » » Ausläufer — rejetons 3 50	Wulfeni 40

Senecio, Compositae-Jacobeae, Kreuzkraut,	
abrotanifolius	— 40
artemisiaefolius	— 50
Doronicum	— 80
thapsoides	— 60

Septas, Crassulaceae, Siebenling,	
capensis Δ	— 60

Serratula, Comp.-Cynarocephalae, Scharte,	
radiata	— 40
tinctoria	— 40

Sibbaldia, Rosaceae,	
procumbens	— 40

Sida, Malvaceae, Sammetpappel,	
dioca	— 50
Napaea	— 50

à Stück — la pièce M. Pf.

<i>Sidalcea</i> , <i>Malvaceae</i> , candida	— 50
Silene , <i>Caryophylleae</i> , Leimkraut, alpestris, sehr hübsche rasenbildende weiss- blühende — à fl. blanche, gazonnante	— 40
<i>Fabaria</i>	— 40
<i>fimbriata</i>	— 40
<i>graminifolia</i>	— 40
<i>maritima</i> fl. pl.	— 60
<i>petraea</i>	— 40
<i>Pumilio</i>	— 50
<i>pusilla</i>	— 80
<i>repens</i>	— 60
<i>Saxifraga</i>	— 40
<i>Schafta</i>	— 40
<i>swertiaefolia</i>	— 80
<i>virginica</i> , sehr schön, grossbl., dunkel- scharlach — très beau, à gr. fl. écarlate	1 —
<i>Zawadskyi</i>	— 40
Silphium , <i>Compositae</i> — <i>Heliantheae</i> , connatum	— 40
<i>doricifolium</i>	— 40
<i>laciniatum</i>	— 60
Sisyrinchium , <i>Irideae</i> , Schweinsrüssel, △ anceps	— 30
<i>californicum</i>	— 40
<i>Engelmanni</i>	— 40
<i>grandiflorum</i> (Donglas), verum	1 —
» <i>album</i>	— 1
<i>striatum</i> △	— 40
Smilacina , <i>Smilacaceae</i> , Maianblümlein, bifolia (Majanthemum) 12 St. 2 —,	— 25
Sobolewskyia , <i>Cruciferae</i> , clavata, weiss, im zeitigen Frühjahr blühend — blanc, à floraison printanière	1 —
Soldanella , <i>Primulaceae</i> , Alpenglockchen, alpina, reizend mit kleinen hellvioletten Glockenblumen — charmante plante à petites clochettes d'un violet clair	— 60
<i>Clusi</i>	— 1
<i>minima</i>	— 60
Solidago , <i>Compositae</i> — <i>Astereae</i> , Goldrute, ambigua fol. var.	— 40
<i>arguta</i>	— 40
<i>caesia</i> 12 St. 4 —,	— 40
<i>canadensis</i>	— 40
<i>Gattingeri</i>	— 2
<i>gigantea</i> 12 St. 4 —,	— 40
<i>latifolia</i>	— 40
<i>mollis</i>	— 40
<i>odorata</i>	— 40
<i>recurvata</i>	— 40
<i>rigida</i>	— 40
<i>Shortii</i>	— 40
Spergula , <i>Caryophylleae</i> , Spörgel, pilifera 12 St. 2,50,	— 30
» <i>aurea</i>	— 60
Spigelia , <i>Gentianeae</i> , marylandica △	1 20
Spiraea , <i>Rosaceae</i> , Spierstaude, Aruncus, Federbusch—Spierst., Bocksbart	— 40
<i>astilboides</i> 12 St. 6 —,	— 60
<i>digitata</i>	— 40
» <i>tomentosa</i>	— 40
<i>filipendula</i>	— 50
» <i>flöre pleno</i> , reinweiss gefüllt, an- gezeichnet für Bouquets — fleur double blanc pnr, très propre pour bouquets	— 50
<i>gigantea</i> , sehr decorativ — très beau	— 75
» 12 St. 7,50,	— 75
<i>Humboldti</i>	— 75
<i>japonica</i> vide <i>Hoteia</i> . <i>palmaria</i> , carmoisinrosa — à fleur rose- cramoisi	— 50
» <i>alba</i>	1 25
» <i>elegans</i> 12 St. 6 —,	— 60
<i>pedata</i> , schön rosenroth — beau rose	— 50
<i>sachalinensis</i>	— 60
<i>trifoliata</i> (Gillenia), sehr feine Schnitt- blume — très beau pour la coupe	— 60
<i>Ulmaria</i>	— 40
» <i>fl. pleno</i>	— 40
» <i>fol. var.</i>	— 60
<i>venusta</i>	— 60
» <i>rosea</i>	— 60



Spiraea filipendula fl. pl.

à Stück — la pièce M. Pf.

Stachys , <i>Labiatae</i> , Ziest, lanata 12 St. 4 —,	— 40
<i>sericea</i>	— 30
<i>Tmolea</i>	— 40
Statice , <i>Plumbagineae</i> , Strandnelke, 6 Statice in 6 Sorten — 6 Statice en 6 espèces	2 —
jede Sorte einzeln — chacune	— 40
Stellaria , <i>Caryophylleae</i> , Sternmiere <i>graminea aurea</i>	— 40
Stipa , <i>Gramineae</i> , Federgras, elegantissima △	— 50
<i>pennata</i> , Federgras 12 St. 3 —,	— 30
<i>tenacissima</i>	— 60
Stobaea , <i>Compositae</i> , membranifolia	1 —
<i>Radula</i> △	— 75
Streptopus , <i>Umbelliferae</i> , Drehfuss, amplexifolius △	— 80
Succisa , <i>Compositae</i> — <i>Scabioseae</i> , Teufels- abbiss, australis, lillaviolett	— 40
Swertia , <i>Gentianeae</i> . perennis	— 60
Symphandra , <i>Campanulaceae</i> , Bandglocke, Hoffmanni	— 50
<i>pendula</i> 12 St. 4 —,	— 40
Symphytum , <i>Boraginaceae</i> , Schwarzwurz — Consoude <i>aspermum</i> , Hort. (peregrinum in Bot. Mag. T. 6466), schön blaublühend — à belle fleur bleue, Setzwurzeln — plants 1000 St. 25 —, 100 St. 3 —, 12 St.	— 60
<i>caucasicum</i> , schön — très-beau 12 St. 3 —,	— 30
<i>coccineum</i> , schön — beau	— 40
<i>cordatum</i>	— 75
<i>officinale</i> fol. var.	— 75
Tamus , <i>Dioscorieae</i> , Schmeerwurz, △ communis 12 St. 7,50,	— 75
Tanacetum , <i>Compos.</i> — <i>Anthemideae</i> , Wurm- kraut, Balsamita	— 50
<i>Meyerianum</i>	— 30
<i>vulgare</i>	— 30
» <i>crispum</i>	— 40
Telekia , <i>Compositae</i> — <i>Astereae</i> , speciosissima	— 40
Telephium , <i>Portulacaceae</i> , Imperati 12 St. 3 —,	— 30
Tellima , <i>Saxifrageae</i> , grandiflora	— 40
Teucrium , <i>Labiatae</i> , Gamander, Germandrée, Chamaedrys, hübsche, immergrüne Pflanze — jolie plante toujours verte . 12 St. 4 —,	— 40
<i>Marum</i> △	— 40 à 1
<i>montanum</i> , Alpine	— 60
<i>Scorodonia</i>	— 40



Tritoma Uvaria nobilis.



Verbascum pannosum.

à Stück — la pièce M.Pf.	
Thalictrum , <i>Ranunculaceae</i> , Wiesenraute, adiantifolium, sebr feinblättrig — feuellage très élégant	— 60
anemonoides	— 50
» fl. pl.	2 —
aquilegiaefolium, schön rothblühend — à fl. rouge, beau	— 60
» fl. albo	1 —
foetidum	— 60
minus	— 50
purpurascens	— 75
tuberosum	1 50
6 andere Sorten — 6 autres espèces . . à	— 40
1 Sortiment von 12 schönen Sorten nach unserer Wahl — collection de 12 belles espèces à notre choix	4 —
Thermopsis , <i>Papilionaceae</i> , Fuchsbohne, fabacea	— 60
Thymus , <i>Labiatae</i> , Thymian, citriodorus fol. aur. marg. . . 12 St. 4 —	— 40
» fol. argenteis var., sebr schön — très beau 12 St. 5 —	— 50
serpyllifolius lanuginosus . . 12 » 4 —	— 40
strictus	— 40
Tiarella , <i>Saxifrageae</i> , Spitzhütchen, cordifolia 12 St. 4 —	— 40
purpurea	1 —
Tofieldia , <i>Colchicaceae</i> , borealis	— 75
calyculata	— 50
Tommasinia , <i>Umbelliferae</i> , verticillaris	— 50
Tradescantia , <i>Commelineae</i> , virginica, 3 Farben, jede — 3 variétés, chacune	— 40
Trautvetteria , <i>Ranunculaceae</i> , palmata	— 60
Tricyrtis , <i>Uvulariaeae</i> , hirta (Japan)	— 40
» fl. nigro	— 60
» fol. var.	1 25
macropoda 12 St. 4 —	— 40
pusilla	1 25
Trientalis , <i>Primulaceae</i> , Schirmkraut, europaea 12 St. 5 —	— 50
Trifolium , <i>Papilionaceae</i> , Klee — Trèfle, montanum	— 40
pannonicum	— 40
repens fol. atropurpureis . . 12 St. 3 —	— 30
rubens 12 » 3 —	— 30
» fl. roseo 12 » 3 —	— 30
Trillium , <i>Smitaceae</i> , Dreiblatt, cernuum	— 75
erectum	— 75
grandiflorum 12 St. 6 —	— 60

Trillium : à Stück — la pièce M. Pf.	
recurvatum	— 80
sessile	— 60
Tritoma , <i>Henemercallideae</i> , Hyacinthalos, Δ caulescens (Kniphofia)	2 50
corallina, sebr schön, oorallenroth — rouge corail, très beau . . 12 St. 5 —	— 50
hybrida Lachesis, dunkelgelb — jaune foncé	1 —
Leichtlini (Kniphofia), stark — fort . . 3 —	
» aurea	1 50
» distachya	1 50
Mac Owani 12 St. 5 —	— 50
Quartiniana 12 » 7,50 —	— 75
Kooperi 12 » 5 —	— 50
Saundersi , prächtige Sorte mit sehr langen Blüthenähren — magnifique, à épis très longs 12 St. 6 —	— 60
Tuckii (Kniphofia)	2 —
Uvaria floribunda 12 St. 8 —	— 80
» grandiflora 12 » 4 —	— 40
» nobilis, mit grosser leuchtender Blüthenrispe — à tige énorme de fleurs très-brillantes 12 St. 5 —	— 50
Trollius , <i>Ranunculaceae</i> , Trollblume, asiaticus	— 60
europaeus 12 St. 3 —	— 30
patulus	— 80
Tunica , <i>Caryophyllaeae</i> , Steinnelke, Saxifraga 12 St. 2,50 —	— 20
Tussilago , <i>Compositae</i> - <i>Jacobeae</i> , Huflattig, alpina (Homogyne)	— 50
Farfara 12 St. 2 —	— 20
» fol. var.	— 75
fragrans (Nardosmia)	— 60
Umbilicus , <i>Crassulaceae</i> , Nabelkraut, chrysanthus	— 30
spinosa Δ 12 St. 4 —	— 40
Uniola , <i>Gramineae</i> , latifolia	— 40
Urtica , <i>Urticaceae</i> , Nessel, cannabina, decorative Blattpflanze — à feuellage ornemental	— 60
Uvularia , <i>Melanthaceae</i> , Zäpfchenkraut, grandiflora 12 St. 5 —	— 50
perfoliata	— 60
Valeriana , <i>Valerianaeae</i> , Baldrian, montana	— 60
Phu	— 60
rubra	— 40
» fl. albo	— 40
tripertis	— 60
Vancouveria , <i>Berberideae</i> , Δ hexandra, mit Epimedium verwandt — genre allié à Epimedium	1 —
Veratrum , <i>Melanthaceae</i> , Germer, album Lobelianum 12 St. 10 —	— 1
nigrum	— 1
Verbascum , <i>Scrophularineae</i> , Königskerze, nigrum	— 40



Adiantum pedatum.



Osmunda regalis.

à Stück — la pièce M. Pf.

Aspidium lobatum	à Stück — la pièce M. Pf.	Dicksonia punctilobula (pilosiuscula)	1 —
» Lonchitis	1 20	Doodia caudata	1 —
» mucronatum	1 20	Gymnogramme triangularis	2 —
» marginale (Nephrodium)	1 20	Lastraea, vide Aspidium.	
» munitum	1 50	Lomaria alpina	1 20
» novaboracense	1 20	» Spicant (Blechnum)	12 St. 5 —, — 50
» pilosum	1 50	Lygodium palmatum	12 » 10 —, 1 —
» rigidum	1 50	Onoclea sensibilis	12 » 8 —, — 80
» spinulosum	12 St. 6 —, — 60	Ophioglossum vulgatum	— 80
» » intermedium	1 20	Osmunda cinnamomea	1 75
» Thelypteris (Nephrodium)	1 20	» Claytoniana	12 St. 15 —, 1 50
» uliginosum	1 —	» regalis	12 » 7,50, — 75
Asplenium angustifolium	1 20	» » gracilis	12 » 15 —, 1 50
» ebum	1 20	Pellaea densa	1 —
» Rnta muraria	12 St. 6 —, — 60	» gracilis	1 —
» septentrionale	— 75	Polypodium alpestre	1 50
» thelypteroides	1 —	» Dryopteris	12 St. 5 —, — 50
» Trichomanes	12 St. 6 —, — 60	» falcatum	1 20
» viride	12 » 5 —, — 50	» hexagonopterum	1 —
Athyrium Filix-foemina (Asplenium),		» incanum	1 20
12 St. 5 —, — 50		» Phegopteris	— 75
» Filix-foemina cornigerum	— 80	» Robertianum (calcareum)	— 75
» » coronatum	— 60	» vulgare	100 St. 15 —, — 40
» » crispum	1 50	Polystichum angulare	12 » 10 —, 1 —
» » Frizelliae	1 —	» angulare proliferum Wollastoni	1 —
» » graminicon	2 —	» grandidens	1 50
» » interruptum	2 —	» montanum	1 —
» » laciniatum dissectum	1 —	» setosum	1 50
» » Pritchardi cristatum	1 —	Pteris aquilina	— 50
» » purpureum	1 —	» » Topfexemplare — sujets en pots	— 80
» » Stansfieldi	1 20	Scolopendrium officinarum (vulgare),	
» » Victoriae	1 20	12 St. 5 —, — 50	
» Goringianum pictum	1 50	» officinarum crispum	1 50
Blechnum Spicant, vide Lomaria.		» » daedaleum	2 —
Botrychium Lunaria	1 —	» » marginatum	1 50
Camptosorus rhizophyllus	12 St. 15 —, 1 50	» » undulatum	1 25
Ceterach officinarum (Grammitis Ceterach)	1 20	Selaginella helvetica	— 50
Cheilanthes vestita	12 St. 15 —, 1 50	Struthiopteris germanica	12 St. 5 —, — 50
Cyrtomium falcatum	12 » 5 —, — 50	» pennsylvanica	1 50
» Fortunei	12 » 7,50, — 75	» obtusa	1 75
Cystopteris alpina	1 20	» oregona	1 20
» bulbifera	12 St. 10 —, 1 —	» scopulina	1 20
» fragilis	— 80	Woodwardia angustifolia	1 50
» montana	— 80	» radicans	2 —
» purpurea	— 80	» virginica	12 St. 10 —, 1 —
» regia	— 80		

1 Sortiment v. 12 Sorten unserer Wahl

1 » » 12 » » » seltener

1 » » 25 » » »

— Collection à notre choix : 12 espèces bien variées 6 —

» » » 12 » plus rares 12 —

» » » 25 » bien variées 15 —

Zierbäume und Sträucher.

Arbres et arbrisseaux d'ornement.

	à Stück — la pièce M. Pf.		à Stück — la pièce M. Pf.
Acer , <i>Acerineae</i> , Ahorn — Erable,		Bignonia , <i>Bignoniaceae</i> , Trompetenbaum,	
colchicum rubrum	1 —	Catalpa	75 à 2 —
Ginnala	12 St. 15 —, 1 50	» aurea (Catalpa syringaeifolia aurea)	1 50
Negundo	— 60 à 1 —	» Kaempferi	1 —
» hochstämmige Alleebäume — hautes tiges	1 50	» speciosa	1 50
» fol. var.	1 —	Broussonetia , <i>Urticaceae</i> , Papier-Maulbeerbaum,	
» » Hochstämme — tiges 2,50 à	3 50	papyrifera	12 St. 6 —, — 60
platanoides, hochstämmig — haute tige	1 50	Buddleia , <i>Scrophulariaceae</i> ,	
» dissectum » » »	1 50	Lindleyana, Δ schön — beau	— 75
» Schwedleri	1 80	Buxus , <i>Euphorbiaceae</i> , Buxbaum — Buis,	
Pseudo-Platanus	— 50 à 1 —	arborescens, 30–40 cm	100 St. 25 —, — 40
» » hochstämmige Alleebäume — hautes tiges	1 20	arborescens, Pyramiden von 70 bis 100 cm Höhe — pyramides de 70 à 100 cm de hauteur	6 — à 12 —
» » fol. atropurpureis — 60 à	1 20	Kronenbäumchen von 50 bis 75 cm Stammhöhe — couronnes sur des tiges de 50 à 75 cm de hauteur	6 — à 12 —
» » Hochstämme — hautestiges	1 80	suffruticosa, zu Einfassungen — pour bordures	100 St. 4,50, 10 St. — 60
» » Leopoldi	1 — à 1 50	Calycanthus , <i>Calycantheae</i> , Gewürzstrauch,	
Aesculus , <i>Hippocastaneae</i> , Rosskastanie, — Marronnier,		floridus	1 —
Hippocastanum, gemeine — d'Inde, Alleebäume — hautes tiges	1 50	macrophyllus (occidentalis)	1 50
» fol. laciniatis	1 —	praecox (Chimonanthus fragrans)	1 50
» macrostachya, schön — beau	1 — à 1 50	Caragana , <i>Papilionaceae</i> , Erbsenbaum,	
Pavia flava	1,50 à 2 50	arborescens	— 40
rubicunda, rothblühende — rouge	1 —	» nana	— 75
» Hochstämme — tiges	1,80 à 2 50	» pendula	2 —
Ailantus , <i>Terebinthaceae</i> , Götterbaum, glandulosa — Vernis du Japon, buschig — touffe	— 50 à 1 —	Chamlagu	1 — à 1 50
Alnus , <i>Amentaceae</i> , Erle, Else — Aune, imperialis asplenifolia	1 20	pygmaea	1 —
Amelanchier , <i>Rosaceae</i> , Felsen- oder Flühbirne, Botryapium	1 —	Carpenteria , <i>Philadelphaceae</i> ,	
» Hochstämme — hautes tiges	1 50	californica Δ, Blumen weiss, wohlriechend — fleurs blanches odorantes	4 —
Amorpha , <i>Papilionaceae</i> , Uniform, fruticosa	12 St. 3 —, — 30	Carpinus , <i>Amentaceae</i> , Weissbuche, Betulus	— 75
Amygdalopsis , <i>Rosaceae</i> , Pflaumenbaum, Lindleyi (Prunus triloba)	12 St. 8 —, — 80	Caryopteris , <i>Verbenaceae</i> ,	
Hochstämme — tiges	2 —	mastacanthus, Δ prächtiger Strauch mit dunkelblauen, im Herbst erscheinenden Blumen — arbrisseau magnifique à fl. bleu foncé	— 75
Amygdalus , <i>Rosaceae</i> , Mandel, Pfirsiche, nana, sehr frühblühend — à floraison précoce	1 —	Castanea , <i>Amentaceae</i> , Esskastanie, japonica, grossfrüchtige, japanische Esskastanie, niedrig — Chataignier du Japon, basse tige	3 — à 4 —
persica alba plena	1 50	» vesca, süsse Kastanie	1,50 à 3 50
» camelliaeflora pl.	1 20	Ceanothus , <i>Rhamneae</i> , Säckelblume, americanus	12 St. 6 —, — 6
» Davidiana alba	1 20	Gloire de Versailles	1 —
» fol. atropurpureis	1 50	roseus carmineus	1 50
Andromeda , <i>Ericaceae</i> , Andromede, pauciculata	1 50	Celtis , <i>Urticaceae</i> , Zürgelbaum, occidentalis	— 50
Aralia , <i>Araliaceae</i> , Aralie, Δ ricinifolia (Maximowicz)	2 —	Cerasus , <i>Rosaceae</i> , Kirschbaum, acida flore pleno, gefüllte Sauerkirsche	— 80
spinosa	1 —	Avium flore pleno, gef. Süsskirsche	— 75
Aronia , <i>Rosaceae</i> , Schwarzbirne, arbutifolia (floribunda), mit sehr schönem Herbstcolorit — très-beau coloris en automne	— 80	Hochstämme — hautes tiges	1 75
Azalea , <i>Ericaceae</i> , Azalee, mollis, Sämlinge in den schönsten und lebhaftesten Färbungen, hübsche buschige Exemplare mit Knospen — jolies touffes boutonnées	12 St. 12 —, 1 20	Chamaecerasus, Lois. (C. pumila, Pall., Prunus fruticosa, Pall.)	2 50
Starke buschige Exemplare mit Knospen — fortes touffes boutonnées	12 St. 15 — à 30 —; 1,50 à 3 —	Laurocerasus Δ, Lorbeerkirsche	1 — à 1 50
pontica, Sämlinge, blühbare Exempl. — semis, de force à fleurir 12 St. 15 —	1 50	» fol. var.	1 —
Baccharis , <i>Compositae</i> , Kreuzstrauch, halimifolia Δ	— 60	Mahaleb, Weichsel	12 St. 3 —, — 4
Berberis , <i>Berberideae</i> , Sauerdorn — Epinevinette, heteropoda	1 —	Padus, Traubenkirsche	— 60 à — 80
vulgaris	12 St. 2 —, — 25	semperflorens, Allerheiligenkirsche — cerisier toujours fleuri	1 —
» atropurpurea	12 » 4 —, — 40	virginiana, Virgin. Traubenkirsche	— 6
Betula , <i>Amentaceae</i> , Birke — Bouleau, alba, gemeine Weissbirke, hochstämmige Alleebäume — hautes tiges	1 50	Cercidiphyllum , <i>Trochodendraceae</i> , japonicum	2 —
» fol. purpureis, 40 à 50 cm	1 25	Cercis , <i>Papilionaceae</i> , Judasbaum — Gainer, Siliquastrum	— 5
100 à 250 »	2 — à 3 —	Chionanthus , <i>Oleaceae</i> , Schneeflockenbaum, virginiana	1 50

à Stück — la pièce M. Pf.

Cornus, Caprifoliaceae, Hartriegel, Cornoniller,	
alba	12 St. 4 — 40
masculata, Kornelkirsche	12 » 5 — 50
» aurea elegantissima	1 50
sanguinea	12 St. 5 — 50
sibirica, mit schön corallenrothen Zweigen	
im Winter — à bois corail	40
» fol. arg. variegatis	1 20
Orylopsis, Hamamelidaceae,	
spicata	2 —
Corylus, Amentaceae, Haselnuss—Noisetier,	
Avellana, starké Büsche — fortes touffes,	
12 St. 4 — 40	
» atropurpurea, Bluthaselnuss	75
» laciniata	1 —
Cotoneaster, Rosaceae, Quittenmispel,	
microphylla Δ	1 —
thymifolia Δ	1 —
Crataegus, Rosaceae, Dorn, Hagedorn,	
Weissdorn, Epine,	
Oxyacantha, gemeiner Weissdorn, beste	
Heckenpflanze; Samenpflanzen, siehe	
weiterhin unter Gehölzsämlingen. —	
Epine blanche, plants voy. plus loin	
sous «Jeunes plants».	
» crus galli splendens	80
» fl. albo pleno	80
Hochstämme — hautes tiges	2 —
» rubra plena	80
» » » Hochstämme — hautes tiges	2 —
» Sesteriana, (fl. puniceo pleno)	80
» » Hochstämme — hautes tiges	2 —
Pyracantha, Fenerdorn	80
» Lalandi, Topfexemplare — en pots	1 50
sanguinea	12 St. 5 — 50
Cydonia, Rosaceae, Quitte,	
japonica (Pirus), roth	12 St. 5 — 50
5 Sorten nach unserer Wahl — 5 variétés	
à notre choix	3 —
Cytisus, Papilionaceae, Bohnenbaum,	
Alschingeri	50
elongatus	40
purpureus, niedrig — nain	80
Watereri	1 50
Daphne, Thymelaeae, Seidelbast,	
Mezereum, Kellerhals	60
Laureola	60 à 1 20
Desmodium, Papilionaceae, Fesselhülse, Δ	
Dilleni	75
penduliflorum (raecosomus)	75
Deutzia, Philadelphaeae, Deutzia,	
oreolata flore pleno	12 St. 5 — 50
» » rubento	12 » 5 — 50
» candidissima plena	50
gracilis Δ	12 St. 5 — 50
» marginata anrea	80
Diervilla, Caprifoliaceae, Dierville,	
canadensis (lutea)	80
Dimorphanthus, Araliaceae, Uniformblume,	
mandschuricus, von ähnlichem decorativem	
Habitus wie Aralia japonica — plante	
ornementale rappelant l'Aralia japonica	80
Elaeagnus, Elaeagnaeae, Oelweide, Silber-	
baum — Chalef,	
angustifolia (argentea)	1 20
edulis, Topfexempl. — en pots	2 —
pungens fol. marg., Topfexemplare —	
en pots	1,50 à 2 —
Evonymus, Celastrineae, Spindelbaum,	
Pfaffenhütchen,	
europaeus	12 St. 4 — 40
japonicus, siehe Kalthauspflanzen — voy.	
Plantes de serre froide.	
Exochorda, Saxifragaceae,	
Alberti, die schönste — la plus belle	1 50
grandiflora (Spiraea)	1 50
Fagus, Amentaceae, Buche, Rothbuche,	
sylvatica atropurpurea, Blutbuche —	
Hêtre pourpre	1 50
hochstämmig — hante tige	4 —
» atropurpurea fol. roseis margi-	
natis, neu, prachtvolle Färbung —	
nouv., coloris très beau	3 — à 15 —
» laciniata	1 50
Fontanesia, Oleaceae,	
phillyraeoides	50

à Stück — la pièce M. Pf.

Forsythia, Oleaceae, Forsythie,	
Fortunei	60
suspensa	12 St. 6 — 60
viridissima	12 » 5 — 50
Fraxinus, Oleineae, Esche — Frêne,	
americana	1 —
excelsior, starke Alleebäume — fortes	
hautes tiges	1 50
» aurea	1 —
» globosa, Kugelesche, Hochstämme	
— Frên, globe, tiges	2 50
» pendula, Traueresche — pleureur,	
starke Hochstämme — fortes tiges	2 50
Ornus	50
potamophila	1 25
Schiedeana Δ	1 50
Genista, Papilionaceae, Ginster,	
juncus, Topfexempl. Δ	12 St. 5 — 50
Gleditschia, Leguminosae, Gleditschia,	
Christusdorn,	
triacanthos	40
Glycyrrhiza, Papilionaceae, Süßholz,	
glabra — Bois de réglisse	75
Gymnocladus, Leguminosae, Schusser-	
baum,	
canadensis	1 20
Halimodendron, Papilionaceae, Salz-	
strauch,	
argenteum	1 —
Hibiscus, Malvaceae, Hibisch, Chinarose, Δ	
syriacus, in 5 Sorten, jede — Althea en	
5 variétés, chacune	1 —
alle 5 Sorten — la collection des 5 var.	4 —
Hippophaë, Elaeagnaeae, Sanddorn,	
rhamnoides — Grisct	60
Hydrangea, Saxifragaeae, Wasserstrauch,	
Hortensia, Δ	
hortensis (japonica)	50 à 1 50
» fol. var.	50 à 1 50
» Otaksa, sehr grossdoldig — à très-	
grandes ombelles	50 à 1 50
» Thomas Hogg	12 St. 5 — 50
sehr stark — très-fort 1 — 2 —	
» speciosa (tricolor)	1,50 à 2 —
mandschurica	80
paniculata grandiflora, eine der aller-	
empfehlenswertheiten, schon in ganz klei-	
nen Exemplaren überaus dankbar blü-	
hende Sorte, dabei härter als hortensis	
und eine gute Freilandsorte — la meilleure	
espèce rustique de pleine terre, fleurissant	
déjà très-jeune, stark — fort 12 St. 6 — 60	
paniculata grandifl., Halbstämme,	
45–50 cm hoch — demi-tiges	1 50
» grandifl., Hochstämme, 90 bis	
100 cm — tiges	2 50
quercifolia, sehr schöne Belaubung —	
très beau feuillage, Topfexempl. — en pots	2 —
Hypericum, Hypericineae, Johanniskraut,	
calycinum	50
Jasminum, Jasmineae, Jasmin,	
fruticans	50
nudiflorum	50
Ilex, Celastrineae, Stechpalme, Hülsen-Houx,	
Aquifolium	50 à 6 —
» 6 schöne Varietäten, grün u. bunt	
blättrige, in Topfexemplaren — col-	
lection de 6 variétés tant vertes que	
panachées, en pots	15 — à 30 —
Incarvillea, Bignoniaceae,	
Olgae, Egl. (Koopmanni, Lauche)	80
Indigofera, Papilionaceae, Indigo,	
dosua Δ	12 St. 6 — 60
» purpurea Δ	12 » 6 — 60
Juglans, Juglandaeae, Walnuss — Noyer,	
nigra, schwarze amerik. Butternuss — 50 à 1 50	
Regia, Hochstämme — hautes tiges 2,50 à 3 50	
» fertilis (praeparturiens)	1 —
» laciniata	2 —
Kalmia, Ericaceae,	
angustifolia	1 50
glauca	1 20
latifolia Δ , schön — beau	2 — à 3 —
Kerria, Rosaceae, Kerrie,	
japonica flore pleno	12 St. 5 — 50
» fol. arg. var.	12 » 4 — 40

à Stück — la pièce M. Pf.

Koelreuteria , <i>Sapindaceae</i> , paniculata, niedrig — nain	— 60
Laburnum , <i>Papilionaceae</i> , Bohnenbaum — Cytise, Faux-ébénier, vulgare (Cyt. Laburnum), Goldregen, starke Büsche — fortes touffes 12 St. 4 —, — 40	
» Adami	1 —
Laurus , <i>Laurineae</i> , Lorbeer, nobilis Δ , edler oder echter Lorbeer, hübsche Topfexemplare — Laurier sauc, jolis sujets élevés en pots . . . 1 — à 3 —	
starke Pyramiden von 1 m Höhe, von unten auf gut garnirt, ausgezeichnete Decorationspflanzen — fortes pyramides d'1 m. de hauteur, bien garnies jusqu'à la base, à St. — la pièce 8 —, à Paar — la couple 15 —	
Kübel-exemplare in Pyramiden oder Kronenform, Preise brieflich — très-grandes pyramides ou couronnes de toutes dimensions en cuvelles, prix par lettre.	
Leicosteria , <i>Caprifoliaceae</i> , Leicesterie, formosa Δ , in Töpfen — en pots	— 60
Lespedeza , <i>Leguminosae-Hedysaraceae</i> , bicolor	— 60
Ligustrum , <i>Oleineae</i> , Liguster — Troëne, amurense	— 40
japonicum Δ	— 50
» fol. anr. mac. Δ , in Töpfen — en pots	1 —
italicum 12 St. 3 —, — 30	
ovalifolium	— 40
vulgare 12 St. 3 —, — 40	
» fol. aureis	— 60
Liriodendron , <i>Magnoliaceae</i> , Tulpenbaum tulipifera	— 50 à 3 —
» fol. med. pictis, Topfexempl. — en pots	2 50
Lonicera , <i>Caprifoliaceae</i> , Heckeukirsche, Alberti, Rgl. (Garteflora T. 1065.), schöne, distincte Sorte mit rosenrothen Blüten und feiner linearer Belaubung fast wie Salix rosmarinifolia — belle espèce à fleurs roses, dont le feuillage fin linéaire rappelle plutôt le Salix rosmarinifolia 12 St. 5 —, — 50	
diverse Sorten — plusieurs espèces, à 12 St. 4 —, — 40	
1 Sortiment von 5 Sorten — collection de 5 espèces	1 75
Lycium , <i>Solanaceae</i> , Bocksodorn, barbarum 100 St. 15 —, 12 St. 3 —, — 30	
Maackia , <i>Papilionaceae</i> , amurensis 1,50 à 2 50	
Maclura , <i>Urticeae</i> , Osagen-Orange, aurantiaca 12 St. 5 —, — 50	
Magnolia , <i>Magnoliaceae</i> , Magnolie, Bieberbaum, Alexandrina 4 — à 6 —	
fuscata Δ , Topfexemplare — en pots	3 —
grandiflora de la Galissonnière, Δ in Töpfen — en pots 50 à 1 —	
Lenné , prachtvolle Hybride von purpurea-Yulan 6 — à 10 —	
purpurea (discolor) 3 — à 8 —	
Soulangeana 4 — à 10 —	
Yulan (conspicua), die schönste Sorte mit grossen rein weissen wohlriechenden Blumen — la plus belle espèce, à fleurs grandes, blanches, odorantes 6 — à 10 —	
Mahonia , <i>Berberideae</i> , Mahonie, Aquifolium	— 60
japonica Δ 1 — à 2 —	
Malus , vide <i>Pirus Malus</i> .	
Morus , <i>Urticeae</i> , Maulbeerbaum, alba 12 St. 5 —, — 50	
Lhou	1 —
nigra	— 60
Nandina , <i>Berberideae</i> , domestica atropurpurea	3 —
Neviusia , <i>Rosaceae</i> , alabamensis, Gray, Zierstrauch von 2 m Höhe, im Frühjahr mit weissen Blumen ganz überdeckt — arbuste de 2 m de hauteur, qui en printemps se couvre entièrement de fleurs blanches . . . 1,50 à 2 —	
Nuttallia , <i>Rosaceae</i> , cerasiformis	1 50

à Stück — la pièce M. Pf.

Paeonia arborea , <i>Ranunculaceae</i> , Pfingstrose, 12 Sorten nach unserer Wahl — 12 var. à notre choix 18 —, — —	
Aufführung der Sorten, siehe Zwiebelverzeichnis 1896 — pour la description voy. le catalogue d'Ognons à fleurs pour 1896.	
Paulownia , <i>Scrophularineae</i> , Paulownie, imperialis	1 25
Phellodendron , <i>Zanthoxyleae</i> , Korkbaum, amurense	2 —
Philadelphus , <i>Philadelphaceae</i> , Pfeifenstrauch, falscher Jasmin — Seringa, coronarius 12 St. 3 —, — 30	
» aureus 12 » 4 —, — 40	
» nanus 12 » 4 —, — 40	
grandiflorus speciosissimus 12 » 3 —, — 30	
Keteleeri flore pleno 12 » 4 —, — 40	
Phillyraea , <i>Oleineae</i> , Steinlinde, laurifolia Δ	1 50
media Δ	1 —
Pirus , <i>Rosaceae</i> , Birne — Poirier, japonica, siehe — voy. Cydonia.	
salicifolia, mit silbergrauen Blättern, wird baumartig u. hat das Aussehen einer Silberweide — à feuilles d'un gris argéut, arbre ressemblant au Saule argenté	1 —
Pirus Malus , Apfel — Pommier, baccata, in mehreren Spielarten — en plusieurs variétés 75 à 1 —	
floribunda	— 80
» atrosanguinea	1 50
fol. ar. varieg.	1 —
Kaido	— 80
Ringo	— 80
spectabilis fl. albo pl.	— 80
» fl. rubro pl.	— 80
Tenori flore carneo pleno	— 80
Platanus , <i>Amentaceae</i> , Platane, vulgaris (occidentalis und orientalis) junge Pfl. — jeunes plants 12 St. 3,50, — 40	
Polycarpa Maximowiczii , Rgl. (Idesia polycarpa) Δ 60 à 1 20	
Populus , <i>Amentaceae</i> , Pappel — Peuplier, argentea vera 40 à 1 —	
balsamea	— 50
Bolleana , Pyramiden-Silberpappel, ausgezeichnet schön! — P. pyramidal à feuillage argenté d'un effet remarquable 1 — à 2 —	
canadensis , Hochstämme — hautes tiges	1 50
» aurea	1 —
Potentilla , <i>Rosaceae</i> , Fingerkraut, fruticosa, strauchartiges	— 50
Prunus , <i>Rosaceae</i> , Pflaumenbaum — Prunier, cerasifera (Pr. Myrobalana)	— 40
» flore roseo pleno	1 50
Pissardi (cerasifera fol. purpureis), Stengel und Blätter dunkelbraunroth — tiges et feuilles d'un rouge brun foncé 12 St. 8 —, — 80	
Plantieri (flore pleno)	1 50
Simoni , Zwergspecies aus China, mit ziemlich grossen essbaren Früchten — espèce naine de la Chine à fruits comestibles assez gros	1 50
sinensis fl. albo pleno	— 60
» roseo »	— 75
spiuosa flore pleno	— 60
tomentosa , trägt zahllose kleine korallenrothe Früchte — à très nombreux petits fruits d'un rouge corail	1 —
triloba, vide Amygdalopsis.	
virgata fl. roseo pleno	1 20
Ptelea , <i>Rutaceae</i> , Lederbaum, Kleebaum, trifoliata 12 St. 4 —, — 40	
Pterocarya , <i>Juglandaceae</i> , Flügelnuss, caucasicus 1,25 à 2 —	
Quercus , <i>Amentaceae</i> , Eiche — Chêne, coccinea, echte Scharlacheiche	1 50
olivaeformis	1 —
pedunculata, Stieleiche	1 —
» atrosanguinea, Bluteiche	2 50
» Concordia (aurea), Goldeiche	2 50
» fastigiata, Pyramiden-eiche	1 50
rubra, amerikan. Scharlacheiche 12 St. 6 —, — 60	
Rhamnus , <i>Rhamnaceae</i> , Wegdorn, Kreuzdorn, Alaternus, Topfexemplare — en pots	1 20

Rhamnus:	à Stück — la pièce M. Pf	
catharticus	12 St. 5 —,	— 50
Frangula, Faulbaum		40
Imeretinus		1 —
Rhododendron, Ericaceae, Alpenrose,		
ferrugineum		2 —
hirsutum		1 50
ponticum, fürs Freie, buschige Pflanzen		
mit Knospen — plantes bien bou-		
tonnées	12 St. 20 —,	2 —
Wilsoni		1,50 à 3 —
Rhodotypus, Rosaceae, Kaimastrauch,		
kerrioides	12 St. 5 —,	— 50
Rhus, Terebinthaceae, Sumach — Sumac,		
Cotinus, Perrückenstrauch	12 St. 5 —,	— 50
» atropurpurea, mit leuchtend		
rothen Blüten, sehr effectvoll —		
à fleurs du rouge le plus éclatant		1 25
glabra	12 St. 4 —,	— 40
» laciniata, sehr schön — très-beau		— 75
Osbecki, mit prachtvoller Belaubung —		
à très-beau feuillage		— 75
Toxicodendron	12 St. 4 —,	— 40
typhina (virginiana), Essig- oder Hirsch-		
kolbenbaum	12 St. 4 —,	— 40 à 1 —
Ribes, Grossulariaceae, Johannisbeere und		
Stachelbeere — Groseillier, ...		— 40
arborescens	12 St. 3 —,	— 30
anrem		— 50
Beatoni (Gordonianum)		— 60
nigrum fol. var.		— 60
petraeum		— 60
sanguineum, dunkelroth — rouge foncé		
.	12 St. 6 —,	— 60
» albidum, sehr schön — très-beau . .		— 60
» flore pleno		— 80
saxatile	12 St. 4 —,	— 40
Robinia, Papilionaceae, Akazie, Schoten-		
dorn — Acacia, ...		
hispidia complexa, rothblühend, schönste		
Varietät — à fleurs roses, la meilleure var.		1 —
Pseudo-Acacia, gewöhnliche Akazie — Aca-		
cia commun, höchst. Alleeabänne		
— hautes tiges		1 50
» aurea, mit goldgelber Belaubung —		
à feuillage doré		1 50
» Bessoniana		1 —
» Decaisneana, rosa fleischfarbig —		
à fleur rose-carné		— 80 à 1 50
» inermis, Kugelakazie — A. boule,		
hochstämmig — haute tige		2, — à 3 —
» monophylla, sehr grosse Blätter —		
très-grandes feuilles		1 —
» robusta Vignei		— 75
» semperflorens		1 50
» viscosa, hellrosa blühende Pechakazie .		1 —
Rosa, Rosaceae, Rose,		
cinnamomea, Zimmtrose	12 St. 3 —,	— 30
lucida	12 » 3 —,	— 30
multiflora de la Griffierae	12 » 4 —,	— 40
pimpinellifolia	12 » 4 —,	— 40
pisocarpa	12 » 4 —,	— 40
rugosa (Regeliana)	12 » 7,50 —,	— 75
» fl. albo	12 » 7,50 —,	— 75
» pl., Kaiserin des Nordens	12 » 6 —,	— 60
» villosa (pomifera), Hagebutte		— 75
Rottlera, Euphorbiaceae,		
japonica (Mallotus)		— 60 à 1 —
Rubus, Rosaceae, Brombeere — Ronce,		
canadensis roseus		— 60
crataegifolius	12 St. 3 —,	— 30
fruticosus fl. albo pl.		— 60
» fl. roseo		— 60
laciniatus		— 80
odoratus	12 St. 4 —,	— 40
» phenicolasius		1 —
Salix, Amentaceae, Weide — Saule,		
alba argentea		— 60
nigra pendula, Trauerweide		
Hochstämme (Trauerbäume) je nach Höhe		
und Stärke der Kronen — hautes tiges,		
suivant la force	2,50 à	4 —
rosmarinifolia		— 40
1 Sortiment v. 12 distincten Sort., stark		
— 1 coll. de 12 espèces distinctes, fort		4 —
1 Sortiment v. 50 distincten Sort., stark		
— 1 coll. de 50 espèces distinctes, fort		20 —

Salix:	à Stück — la pièce M. Pf.	
1 Sortiment v. 50 Sorten in Schnittlingen		
— 1 collection de 50 espèces distinctes		6 —
en boutures		
1 Sortiment von 100 Sorten in Schnitt-		
lingen — collection de 100 espèces en		
boutures		10 —
Folgende beste Korb- oder Flechtweiden:		
les espèces suivantes sont les meilleures		
pour les vanniers et tonneliers:		
acutifolia, Willd., Kaspische Weide.		
amygdalina, L. var. fusca, Braune Man-		
delweide — Saule amandier brun.		
polyphylla, Grüne Buschweide.		
pulchra, Wimm., Kaspische Blutweide.		
purpurea L., Purpurweide — Saule		
pourpre.		
rubra, Huds., Lange Blendweide — Saule		
rouge.		
uralensis, Hort., Uralische Bachweide.		
viminalis, L. var. regalis, Gelbe Korb-		
weide — S. osier jaune.		
vitellina, L., Dottergelbe Silberweide —		
S. blanc osier jaune.		
Stecklinge von 25 cm Länge, } 100 St. 1 —		
jede Sorte — boutures de } 1000 » 7 —		
25 cm de longueur. } 10,000 » 50 —		
Sambucus, Caprifoliaceae, Hollunder —		
Sureau, ...		
canadensis variegata		— 50
nigra aurea		— 80
» laciniata		— 50
» pulverulenta		— 80
» pyramidalis	— 80 à 1 25	
racemosa, Früchte korallenroth, zierend		
— S. à grappes, fruits rouge-coral		— 50
» serratifolia (plumosa)		— 80
Sophora, Papilionaceae, Sophore,		
japonica		— 50
Sorbus, Rosaceae, Eberesche, Vogelbeere,		
Aria, Mehlbeere	— 75 à 1 20	
Aucuparia, gemeine Eberesche — Sorbier		
des oiseaux		1 25
Spartium, Papilionaceae, Pflömen,		
juncum, Topfexemplar — en pots 12 St. 5 —,		— 50
Spiraea, Rosaceae, Spierstrauch,		
amurensis		— 50
ariaefolia		— 75
Billardi	12 St. 3 —,	— 30
callosa	12 » 5 —,	— 50
» alba	12 » 5 —,	— 50
chamaedryfolia	12 » 4 —,	— 40
Douglassi	12 » 5 —,	— 40
hypericifolia	12 » 4 —,	— 40
lanata	12 » 5 —,	— 50
opulifolia	12 » 4 —,	— 40
» aurea	12 » 5 —,	— 50
prunifolia	12 » 4 —,	— 40
» fl. pleno	12 » 5 —,	— 50
Reevesii fl. pleno	12 » 5 —,	— 50
salicifolia	12 » 5 —,	— 50
Thunbergi	12 » 5 —,	— 50
triloba	12 » 5 —,	— 50
ulmifolia	12 » 5 —,	— 50
van Houttei	12 » 4 —,	— 40
12 Spiraeen in 12 Sorten		3 50
Staphylea, Celastraceae, Pimpernuss,		
colchica (Hoibrenkia formosa), sehr		
guter Treibstrauch — très-bon pour forcer		
.	12 St. 10 —,	1 —
pinnata	12 » 5 —,	— 50
Symphoricarpus, Caprifoliaceae, Peter-		
strauch — Symphorine, ...		
racemosus, Schneebeere	12 St. 4 —,	— 40
vulgaris (fructu rubro)	12 » 4 —,	— 40
» fol. var.	12 » 5 —,	— 50
Syringa, Oleaceae, Flieder — Lilas,		
Emodi, Himalaya-Flieder		1 —
japonica, ...		1 50
Josikaea, ungarischer Flieder, im Land		
schöner als vulgaris — Lilas de Hongrie,		
à très-beau feuillage		— 75
persica		— 75
» alba		— 75
» laciniata		— 75
sinensis (Rothomagensis)		— 60
» rubra (Saugeana)		— 60

Syringa:		à Stück — la pièce M.Pf.	
vulgaris, blauer Flieder — Lilas commun		12 St. 3 —,	— 30
» alba, weisser Flieder			— 50
» alba grandiflora			— 80
» Charles X.			— 60
» Dr. Lindley			— 75
» Lemoinei flore pleno			1 50
» Mad. Briot			1 —
» Marie Legrey			1 20
» Marlyensis	12 St. 4 —,		— 40
» Princesse Marie			— 80
» Professor Stoeckhardt			— 80
» ranunculiflora plena (Renoncule)			1 20
» Rouge de Trianon			1 —
» rubra insignis			— 80
» Triomphe de Moulius			— 75
6 Syringen in 6 Sorten			3 —
Tamarix, Tamariscineae, Tamariske,			
» africana			— 40
» gallica			— 40
» germanica (Myricaria)			— 50
» japonica (plumosa)			— 50
» tetrandra (parviflora)	12 St. 3 —,		— 30
» purpurea			— 40
Tilia, Tiliaceae, Linde — Tilleul,			
» argentea (tomentosa), niedrig — nain			1 —
» spectabilis			1 25
» begoniaefolia			1 50
europaea platyphylla, grossbl. Linde — T.			
» de Hollande, Hochstämme — baute			
» tige	100 St. 75 — à 150 —,	1 — à	3 —
» Handsworth orangezweigige — à bois			
» jaune			1 25
Ulmus, Ulmaceae, Ulme, Rüster,			
» americana pendula, Hochstämme — tiges			2 50
» campestris			— 60
» Hochstämme — hauts tiges			1 20
» purpurea, Purpurulme			1 50
» Dampieri (pyramidalis)			1 25
» Wredei (fol. aur.)			1 50
pyramidalis (exoniensis), Pyramiden-			
» ulme			1 50
» umbraculifera		1,50 à	2 —
Vaccinium macrocarpum, siehe Beerenobst.			
Viburnum, Caprifoliaceae, Schneeball,			
» Lantana			— 60
» macrocephalum Δ			1 50
» Opulus sterile, gefüllter — double	12 St. 6 —,		— 60
Viburnum:		à Stück — la pièce M.Pf.	
Tinus, Laurus Tinus Δ , buschige Pflanzen			
mit Knospen — plantes touffues bouton-			
nées		12 St. 5 — à 10 —,	— 60 à 1 —
stärkere — plus forts			1,50 à 3 —
Virgilia, Papilionaceae, Virgilie,			
lutea			1 50
Weigelia, Caprifoliaceae, Weigelia,			
» amabilis (grandiflora)		12 St. 5 —,	— 50
» alba			— 60
» Van Houttei			— 60
biformis			— 75
» eoccinea			— 60
» Hendersoni			— 60
» Kosteriana			— 60
» Mad. Conturier			— 75
» pulchella			— 75
» rosea			— 60
» Caméléon			— 60
» nana fol. var.			— 75
» Stelzneriana			— 60
» venosa			— 75
» Verschaffelti			— 75
12 Weigelia in 6 Sorten — en 6 espèces			6 —
Xanthoceras, Sapindaceae,			
» sorbifolia, Bunge, aus der Mongolei,			
einer der schönsten Blütensträucher —			
de la Mongolie, un des plus jolis arbustes			
réemment introduits			1 — à 2 —
Xanthoxylon, Xanthoxyleae,			
» Bungei			1 —
Xylosteum, Caprifoliaceae,			
» Philomela, Siebold		12 St. 6 —,	— 60
Zu Anpflanzungen in grösseren Gärten oder			
Parkanlagen liefern wir nach unserer			
Auswahl:			
100 Ziersträucher in 25 Sorten starke Exempl.			20 —
100 » in 25 Sorten starke Exempl. bessere			
Auswahl			40 —
100 » in 100 Sorten			40 —
12 feine Ziersträucher in 12 Sorten zur Einzel-			
anpflanzung in Sobnueckgärten			6 — à 15 —
Arbustes à notre obois en fortes touffes			
pour la plantation de jardins et parcs:			
100 Arbustes en 25 espèces			20 —
100 » » 25 » plus rares			40 —
100 » » 100 »			40 —
12 Arbustes en 12 espèces choix extra, pour			
planter comme spécimens isolés			6 — à 15 —

Schling-Pflanzen,

welche im freien Lande aushalten.

Zur Bekleidung von Mauern, Spalieren und Lauben.

Plantes grimpantes de pleine terre.

Actinidia, Ternstroemiaceae, Strablongriffel		à Stück — la pièce M.Pf.	
» polygama			1 20
Akebia, Lardizabalaceae, Akebie,			
» quinata Δ		1 — à	1 50
Ampelopsis, Ampelideae, Jungfernrebe —			
» vigne-vierge,			
» Engelmannii			1 —
» quinquefolia, wilder Wein		12 St. 3 —,	— 30
» radicansissima		12 » 6 —,	— 60
» tricolor (Cissus heterophylla fol. var.)			
		12 St. 7,50,	— 75
Veitchi, prachtvolle Schlingpflanze, sich			
selbst anklammernd wie Epheu —			
» magnifique, s'attachant aux murailles			
comme le lierre		12 St. 7,50 à 10 —,	— 75 à 1 —
» purpurea			1 75
» virginiana			— 75
Aristolochia, Aristolochiaceae, Heberblume,			
» Siphon, Osterluzel		12 St. 10 —,	1 —
» sehr starke Exemplare — très-fort		1,50 à	2 —
» tomentosa, weissflzige		12 St. 8 —,	— 80
Bignonia, Bignoniaceae, Trompetenblume,			
» grandiflora			— 75
» radioans, stark rankend		12 St. 5 —,	— 50
» sanguinea praecox			1 —
Bignonia:		à Stück — la pièce M.Pf.	
» speciosa rubra			1 —
Caprifolium, Caprifoliaceae, Geisblatt,			
» Jälangerjelieber — Chèvre-feuille,			
» brachypodum			— 40
» fol. aur. reticulatis			— 50
» coccineum			— 75
» flavum			— 50
» fuchsioideus			— 60
» giganteum			1 —
» sempervirens			— 50
Clematis, Ranunculaceae, Waldrebe,			
» baccata			1 50
» coccinea		12 St. 5 —,	— 50
» flammula			— 60
» graveolens, gelbblühend, sehr schöne			
Schlingpflanze — à fleur jaune, très belle			
» plante grimpante		12 St. 4 —,	— 40
» montana			— 60
» paniculata, schön, weissblühend, nord-			
amerikanische Species — belle espèce de			
l'Amérique du Nord			1 —, à 1 50
» Pitchei (crispa)			— 75
» Vitalba		12 St. 4 —,	— 40
» Viticella		12 » 5 —,	— 50
» flore pleno			1 25

Clematis:		à Stück — la pièce M.Pf.
Viticella kermesina	1 50	
» rubra grandiflora	1 50	
» venosa	1 25	
Clematis hybrida, grossblumige Hybriden —		No. hybrides à grandes fleurs:
130 André Leroy, glänzend hellblau — bleu clair luisant.	1,50.	
149 Belle of Woking, silbergrau, gefüllt — gris argenté, à fl. double.	1,50.	
141 Comète, weiss mit rosa Rand — blanc à bord rose.	1,50.	
35 Duchess of Edinburgh, sehr gross, weiss, dichtgefüllt — très grande fleur, très-double, blanc pur.	1,50.	
36 Duke of Edinburgh, dunkelpurpurviolett — violet pourpre foncé.	1,50.	
139 Fairy Queen, fleischfarbig, Mitte rosa — carné à centre rose.	1,50.	
105 Frau Hedwig Heinemann, lebhaft rötlich violett, dichtgefüllt, sehr reichblühend — rouge violacé vif, fl. très double, tr. florifère.	4.—.	
16 Gem, lavendelblau — bleu lavande.	1,25.	
58 Gipsy Queen, dunkelcarmoisin — cramoisi-foncé.	1,50.	
26 Henryl, rahmweiss, grossbl. — blanc crème, à gr. fl.	1,50.	
128 hybrida splendida.	1,25.	
44 Jackmanni, dunkelviolet — violet foncé.	1,25.	
132 » alba, weiss mit lilla Schein — blanc teinté lilas.	1,50.	
142 » superba, sammtig purpurviolett — pourpre violacé velouté.	1,50.	
122 Lady Bovill, hellgraublau — bleu grisâtre clair.	1,50.	
31 La France, sehr gross, glänzend blau — bleu brillant, fl. tr. grande.	2.—.	
45 lanuginosa, blass lavendelblau — bleu lavande pâle.	1,50.	
27 » candida, schattirt grauweiss, sehr schön — blanc grisâtre, très beau.	1,50.	
7 Lucie Lemoine, weiss, gefüllt — blanc double.	1,50.	
143 Mad. Baron Veillard, rosalilla, leicht schattirt — rose lilacé nuancé.	1,50.	
21 Mad. Granger, sammtig dunkelpurpur — pourpre foncé velouté.	1,50.	
94 Marie Boisselot, weiss, grossbl. — blanc, à gr. fl.	1,50.	
144 Nelly Koster, sehr grossblumig weiss — blanc, à gr. fl.	1,50.	
121 Proteus, purpurrosa — rose pourpre.	1,50.	
145 Ramona, weiss mit chocoladenfarbenen Staubfäden — blanc à étamines bruns.	1,50.	
138 rubro-violacea, rötlichviolett — rouge violacé.	1,50.	
4 rubella, tief weinroth — rouge bordeaux foncé.	1,50.	
114 Sieboldi, hellblau — bleu clair.	1,50.	
134 Smith's Snowwhite, die beste weisse, sehr reichblühend, neu — nouv., la plus belle blanche, très florifère.	3.—.	
146 splendida, sammtig violett — violet velouté.	1,50.	
115 Standishi, azurblau mit metallischem Reflex — bleu azuré à reflet métallique.	1,25.	
66 Star of India, dunkelblauviolett mit brannrothem Stern — violet bleu-foncé, centre formant une étoile rouge.	1,50.	

Clematis hybrida:		No.
75 velutina purpurea, purpurviolett — violet pourpre.	1,50.	
135 Ville d'Angers, neu, lavendelblau mit silberiger Schattirung — bleu de lavande teinté argenté, nouv.	3.—.	
118 Will. Kennet, dunkellavendelblau mit hellen Streifen — bleu de lavande à striures claires.	1,50.	
Sortiment in 12 der schönsten grossblum. Sorten nach unserer Wahl — collection de 12 Clématites en 12 des meilleurs variétés à grandes fleurs à notre choix		15.—.
12 stärkere Pflanzen — 12 plantes plus fortes		18.—.
à Stück — la pièce M.Pf.		
Elaeagnus, Elaeagneae, Oelweide, reflexa		— 60
Glycine, Papilionaceae, Wistarie, Glycine, frutescens		12 St. 6.—, — 60
» magnifica		— 80
multijuga, Sieb., Blüthen Trauben 75 bis 100 cm lang — grappes de fleurs de 75 à 100 cm de longueur		1 50
sinensis, blaublühend, eine der schönsten Schlingpflanzen		12 St. 12.—, 1 20
» zweijährige Ableger		12 » 6.—, — 60
» alba		12 » 15.—, 1 50
» flore pleno		2 —
Hedera, Araliaceae, Epheu — Lierre,		
algeriensis (latifolia)		— 50
arborea		— 80
Caenwoodiana		— 60
Cavendishi		— 60
colchica (Roegneriana)		— 60
conglomerata		— 50
dentata		— 60
Donerailensis		— 40
fiava		— 50
Glimmii		— 60
Helix, gemeiner Epheu — Lierre commun		— 30
hibernica		12 St. 4.—, — 40
» stark — fort		1 — à 2 —
» fol. var.		— 80
japonica argentea		— 60
latimaculata elegans		— 60
madarensis fol. var.		1 50
microphylla picta		— 60
palmata aurea		— 60
pannonica		— 60
poetica		— 60
sagittifolia		— 60
taurica		— 60
vitifolia		— 60
1 Sortiment von 12 Sorten in Topfexempl. — collection de 12 variétés en pots		5 — à 10 —
Maximowiczia, Schizandreae, sinensis (Kadsura)		1 50
Menispermum, Menispermaceae, Mondsame, davuricum (canadense)		1 —
Periploca, Asclepiadeae, Schlinge, graeca		12 St. 5.—, — 50
Rosa, Rosaceae, Rose (Kletterrosen), rubifolia, in Sorten — en variétés		— 50
» 1 Sortiment von 6 Sorten Kletterrosen — collection de 6 variétés		3 —
Rubus, Rosaceae, Brombeere, — Ronce, fruticosus fl. albo pleno		12 St. 6.—, — 60
» fl. roseo		— 60
Schizophragma, Saxifrageae, hydrangeoides		1 50

Coniferae. — Conifères.

Zapfenträger oder Nadelhölzer.

Für ausgesuchte Exemplare behalten wir uns vor, einen höheren Preis zu berechnen. — Nous nous réservons une augmentation des prix pour des sujets choisis.

Abies, Abietinae, Weiss- oder Edeltanne		à Stück — la pièce M.Pf.
— Sapin argenté,		
balsamea, 40 cm	1 25	
Fraseri, 30 cm	3 —	

Abies: Nordmanniana, 50 cm		à Stück — la pièce M.Pf.
— pectinata (Pinus Abies, du Roi; A. argentea, A. taxifolia, gemeine Weiss- oder Edeltanne)		3 —
		1 — à 2 —

Rosen — Rosiers:

	M. Pf.
Rosen — Rosiers:	
6 Rosa polyantha, Polyantha-Rosen — polyanthes	in 6 Sorten 3 —
6 » rubifolia, Kletterrosen — grimpants	» 6 » 3 —
6 » muscosa, Moosrosen — Mousseux	» 6 » 3 50
6 » bifera, remontirende Moosrosen — Mousseux remontants	» 6 » 5 —
100 niedrige Rosen aus allen Klassen — nains de toutes les classes . in 100 Sorten mit Namen 60 —	
100 » » » » — „ » » » » »	» 50 » » 45 —
100 » » » » — „ » » » » »	» 25 » » 40 —
Centifolia, verpfanzte — centifolies transplantés	12 St. 5,—, à St.— 50 —
dijonensis, Damenröschen, blassrosa — Pompon rose	12 » 5,—, à »— 50 —
muscosa, roth	12 » 4,—, à »— 40 —
polyantha, Crimson Rambler, starkkrankende, reichblühende Sorte mit glänzend carmoisinrothen, dichtgefüllten Blumen — espèce rampante à fleurs très doubles d'un cramoisi vif	12 St. 7,50 à 15,—, à St.— 75 à 1 50 —
Neue Thee-Hybride Preciosa (Vieweg), Blume gross, gut geformt, sammtig dunkelcarmin-roth, von Mai bis Herbst ununterbrochen blühend — nouvel hybride Thé, fleurs grandes, parfaites, rouge carmin foncé velouté, fleurissant de mai jusqu'en automne à St.— la pièce	2 50 —
Weisse Maréchal Niel (Deegen), neu, prachtvoll, Winterveredlungen in Töpfen — Maréchal Niel nouveau blanc, greffé	.à St.— la pièce 2 50 —

Hochstämmige Rosen — Rosiers tiges.

Schöne Stämme mit ausgezeichnete Bewurzelung und guten kräftigen Kronen — belles tiges avec fort chevelu et bonnes couronnes. M. Pf.

Einzelne Stämme mit ausserordentlichem Wuchs	fort chevelu et bonnes couronnées.	M. Pf.
Einzelne Sorten nach unserer Wahl	— hantes tiges à notre choix, la pièce	1 25
Gloire de Dijon, Marechal Niel und alle Theerosen		1 75
Trauerrosen, 150 à 200 cm Stammhöhe	— Rosiers pleureurs, tige de 150 à 200 cm	2,50 à 3 50
12 Sorten Remontant-Rosen	— 12 var. hybrides remontants	12 —
12 „ von Noisette, Bourbon- und Remontant-Rosen		15 —
12 „ „ „ „	„ mit sehr starken Kronen — très-fortes couronnées	20 —
100 St. in vielen Sorten, gut assortirt	— 100 Rosiers tiges en sortes avec noms, bien variées	120 —

Gehölzsämlinge, Obstwildlinge und Heckenpflanzen. — Jeunes plants. — Young seedling plants.

plants. — Young seedling plants.		M. Pf.
Crataegus Oxyacantha, Weissdorn, Epine blanche, 2jährige 30 à 40 cm hohe	— plants de	
2 ans de 30 à 40 centimètres de hauteur	3—5 mm 100 St.	1,60, 1000 St. 14 —
3jährige 40—50 cm hohe — 3 ans de 40 à 50 cm de haut. 5—6 mm 100 »	2—, 1000 »	18 —
5—6 mm verpflanzt — repiqué 100 »	2,75, 1000 »	25 —
» sanguinea, der sibirische Dorn — l'Epine sanguine de Sibérie, 5jährig verpflanzt —	100 St.	10 —
5 ans repiqué	4—, 1000 »	30 —
Cydonia vulgaris, Quitte, Cognassier, sehr schön — très-beau	100 St.	4—, 1000 » 36 —
Malus communis, Apfelwildlinge, verpflanzte — Pommier repiqué	100 »	4—, 1000 » 36 —
» paradisica — Johannis- od. Paradiesapfel, beste Unterlage für Cords und Topfexempl.	100 St.	6 —
— Pommier paradis	100 St.	6 —
Pirus communis sylvestris, Birnwildlinge, verpflanzte — Poirier franc, repiqué	100 »	4 50 —
Prunus domestica, Pfäumenwildlinge — Prunier Zwetsche d'Allemagne, 100 St. 5—	100 »	1000 » 40 —
Rosa canina, Rosenwildlinge — Eglantiers-semis, 2jährige — 2 ans	100 »	4—, 1000 » 35 —
1jährige — 1 an	100 »	3—, 1000 » 25 —
extra Auswahl — choix extra	100 »	5 —
Sämlingsstämme, beste Unterlagen für Hochstämme — semis tiges	100 »	20 —

Obstsorten. — Arbres fruitiers.

Aprikosen. — Abricotiers.

Aprikosen. — Abricotiers.		& Stück — la pièce M. Pf.	
	à Stück — la pièce M. Pf.		
Zwergstämme — basse tige	1 50	Sauerkirschen, Kirchheimer, ...	1 —
12 Zwergstämme für Spalier in Sorten nach		hochstämmig — haute tige	1 —
unserer Wahl — 12 basses tiges	15 —	niedrige — nains 100 St. 20	30 —
Hochstämme — hautes tiges	4 —	Hochgenuss von Erfurt , von September	
Spalierbäume, mit einer und zwei Etagen —		bis October reifend, niedrig — mûrissant de	
palmettes simples et doubles	2,50 & 4 —	septembre en octobre, nain	1 —
		Hochstämmig — hautes tiges	2 —
		Schattenmorelle, niedrig — nain	1 20 —

Pfirsichen. — Pêchers.

	à Stück — la pièce	M. Pf.
Zwergstämme — basses tiges	. 12 St. 15 —	1 50
Hochstämme — hantes tiges		4 —
Spalierbäume, mit 1 bis 3 Étages — palmettes		
simples et doubles	 2,50 à	4 —

Kirschen. — Cerisiers.

	à Stück — la pièce M. Pf.
Zwergstämme — basses tiges	— 80
Hochstämme — hantes tiges	1 75
Ostheimer Weichsel, Ausläufer	100 St. 6 —

Pflaumen. — Pruniers.

	à Stück — la pièce	M. ff.
Hochstämme — tiges		1 75
Anna Späth, Hochstämme — hautes tiges		2 —
Gemeine Zwetschen, hochst. Zwetsche	100 St. 60	— 75
d'Allemagne, tiges		
Zwetsche, frühe aus dem Bühlerthal,		
sehr früh und ausserst reichtragend,		
Hochstämme — très hâive et productive, tiges		2 —
» italienische, Hochstämme — de l'Italie, tiges		2 —

Vaccinium macrocarpum, amerikanische grossfrüchtige Preiselbeere — Canneberge à gros fruits de l'Amérique du Nord
12 St. 3 —, — 40 M. Pf.

Himbeeren. — Framboisiers. Raspberries.

100 St. in 6 Sorten nach unserer Wahl mit Namen — 100 en 6 espèces à notre choix avec noms 20 —
jede Sorte einzeln — chaque sorte 30 —
6 St. in 6 neuen grossfrüchtigen amerikanischen Sorten — 6 ex. en 6 var. nouvelles américaines à gros fruits 3 —
Shaffer's Colossal 12 St. 6 —, — 60

Brombeeren. — Ronces (à gros fruits). — Blackberries.

10 St. in 5 Sorten unserer Wahl — 10 St. en 5 var. à notre choix 3 50
jede Sorte einzeln — chaque sorte 40 —
6 St. in 6 neuen grossfrüchtigen amerikanischen Sorten — 6 St. en 6 var. nouvelles américaines à gr. fr. 3 —

Hochstämm. Kronenbäumchen

von Stachel- und Johannisbeeren — Groseilliers à grappes et épineux (dits à maquereau) en hautes tiges.

Veredlungen auf Ribes aureum mit gut entwickelten Kronen, vorrätig in den wichtigsten Hauptsorten — Greffes sur Ribes aureum à belles conronnes, disponibles dans les espèces principales.

100 cm Stammhöhe — hauteur de la tige M. 1,25
130 „ „ — „ „ „ „ „ 1,50
160 „ „ — „ „ „ „ „ 2 —

Johannisbeeren. — Groseilliers à grappes. — Currants.

10 St. in 10 Sorten mit Namen unserer Wahl 3 —
10 „ en 10 espèces avec noms à notre choix 3 —
jede Sorte einzeln — chaque sorte séparée — 40

Johannisbeeren:
Fay's prolific, m. s. gr. Trauben — à grappes très longues . . . 12 St. 6 —, — 60
„ „ hochstämmig — hautes tiges . . . 2 —

Schwarze Sorten. — Cassis.

6 St. in 3 Sorten — 6 St. en 3 espèces . . . 2 —
jede Sorte einzeln — chaque sorte séparée — 40
Lee's prolific, grossfrüchtig — à gros fruit 12 St. 6 —, — 60

Stachelbeeren. — Groseilliers épineux (dits à maquereau) — Gooseberries.

Einzelne Sorten — la pièce à — 40
10 St. in 10 Sorten — 10 ex. en 10 variétés 3 50
25 „ „ 25 „ „ 25 „ „ 25 „ „ 7 50

Whinham's Industry, dunkelroth, grossfrüchtig, frühreifend — à gros fruit rouge foncé, hâtif 12 St. 5 —, — 50
Hochstämm — tiges 2 —

früheste von Neuwid, neu, sehr grossfrüchtig, grün; — le plus hâtif de Neuwid, nouv., à fruit vert, très gros 2 50
Hochstämm — tiges 3 —

Neue stachellose Stachelbeeren — Groseilliers à maquereau sans épines.

Belle de Meaux, Frucht mittelgross, elliptisch oval, dunkelroth, Schale unbehaart — fruit mi-gros, subelliptique-oval, rouge foncé, peau luisante, glabre à St. — la pièce 2 50

Edouard Lefort, Frucht oval-elliptisch, an den Enden abgerundet, Schale glatt, weinroth — fruit obovale-elliptique, arrondi aux deux bouts, peau lisse, rouge-vineux à St. — la pièce 2 50

Mad. Ed. Lefort, Frucht kugelförmig weinroth, fast unbehaart — fruit sphérique, rouge-vineux, presque glabre à St. — la pièce 2 50

Souvenir de Billard, Frucht ovalrund, Schale rosa bis weinroth, unbehaart — fruit subsphérique, peau rose foncé ou rouge vineux, glabre . . . à St. — la pièce 2 50

Verschiedene Gemüse-Pflanzen. — Plantes potagères diverses.

Küchenkräuter und officinelle Gewächse. — Herbes potagères et plantes officinales.

Alant (Inula Helenium) 12 St. 3 —	Kamille , römische (Anthemis nobilis) — Camomille romaine 12 St. 3 —
Angelika , wahre Engelwurz (Angelica Archangelica) 12 „ 4 —	Knoblauch (Allium sativum), Pfanz-zwiebeln — Ail, à kg M. 1,80.
Artischocken , überwinterte Pflanzen — Artichaut, pl. d'un an 100 St. 18 —, 12 „ 2 50	Krausemünze (Mentha crispa) — Menthe crispée 12 „ — 50
Baldrian (Valeriana officinalis) . . . 12 „ 4 —	Lavendel , Winter- (Lavandula Spica) — Lavande 12 St. 3 —, 1 „ — 30
Beifuss (Artemisia vulgar.) — Armoise 12 „ 2 —	Liebstock , Levisticum officinale — Livèche 12 „ 3 —
Belladonna (Atropa Belladonna) . . . 12 „ 4 —	Meerrettig (Cochlearia Armoracea), Setzwurzeln — Ralfort sauvage, jeunes plants 100 St. 3,80, 12 „ — 60
Bingelkraut (Mercurialis perennis) 12 „ 3 —	Parietaria officinalis, Gespinnst-pflanze — plante textile 12 „ 4 —
Citronenmelisse (Melissa officinalis) — Citronelle ou Mélisse . . . 12 „ 2 —	Perllauch (Allium Ampeloprasum), Pfanzzwiebeln, Juli bis October — Oignon Perle, du mois de Juillet jusqu'en Octobre 100 „ 1 —
Esdragon (Artemisia Dracunculus) — Estragon 12 „ 3 —	Pfeffermünze (Mentha piperita) — Menthe poivrée 100 St. 3 —, 12 „ — 50
Gnadenkraut (Gratiola officinalis) — Gratiola 12 „ 4 —	Pimpinell (Poterium Sangisorba hortense) — Pimprenelle 12 „ 2 50
Hopfenfechser , Humulus Lupulus — Plantes de Houblon: bayersch. früher — hâtif de Bavière „ später — tardif „ à 1000 St. 30 —	Quendel (Thymus Serpyllum) . . . 12 „ 2 50
Braunschweiger — de Brunswick rother von Saaz — rouge de Saaz Schwetzingen — de Schwetzingen	Raute (Ruta graveolens) — Rue . . . 12 „ 2 —
Isop (Hyssopus officinalis) — Hyssope 12 „ 1 50	

	M.Pf.		M.Pf.
Rhabarber , Victoria — Rhubarbe, Victoria	12 St. 2 50	Schnittlauch (<i>Allium Schoenoprasum</i>) — Cibonlette-Civette 100 St. 6 —, 12 St. 1 —	
» Paragon , mit starken, sehr fleischigen Blattstielen — à pétiolés très charnus	1 » 1 —	Spinat , engl., immerwährender Winter- (<i>Rumex patientia</i>) — Epinard perpétuel	12 » 1 50
» Prinz Albert	12 » 2 50	Thymian (<i>Thymus vulgaris</i>) — Thym	12 » 2 50
Rosmarin (<i>Rosmarinus officinalis</i>) — Romarin	12 St. 4 —, 1 » — 40	Triptadum (<i>Sedum reflex.</i>) — Orpin	12 » 3 —
Salbei (<i>Salvia officinalis</i>) — Sauge	12 » 2 50	Waldmeister (<i>Asperula odorata</i>) — Asperule odorante, Topfexempl.	12 » 4 —
» Mammuth	12 St. 3,50, 1 » — 40	Wermuth (<i>Artemisia Absinthium</i>) — Absinthe	12 » 2 50
Sanicula europaea	12 » 3 —	Winterbohnenkraut (<i>Satureja montana</i>) — Sarriette vivace	12 » 2 50
Sauerampfer (<i>Rumex acetosa</i>), grossblättr. — Oseille à gr. feuilles	12 » 1 50	Wintermajoran (<i>Origanum vulgare</i>) — Marjolaine vivace	12 » 2 50
» Belleville	12 » 1 50	Winterheckzwiebeln , gewöhnliche — Ciboule commune 400 St. 6 —, 12 » 1 20	
» Lyoner Riesen — de Lyon à tr. large feuille	12 » 2 —		
Schalotten (<i>Allium ascalonicum</i>), Pflanzzwiebeln — Echalottes	100 » 1 50		

Spargel-Pflanzen. — Plants d'Asperge.

Beste Pflanzzeit: April bis Ende Juni — à planter du mois d'Avril en Juin.

	M.Pf.
Erfurter Riesen-Spargel , allergrösste, zartfleischigste Sorte, 3jährige Exemplare. — Asperge géante d'Erfurt, la plus grande, chair tr. tendre, plants de 3 ans replantés, qual. extra.	1000 St. 30 —, 100 St. 4 —
» » » 2jährige — 2 ans	1000 » 20 —, 100 » 2 50
» » » 1jährige — un an	1000 » 12 —, 100 » 1 50
» früher Riesen- , sehr gross, zartfleischig, um volle 10 bis 14 Tage früher treibend als der gewöhnliche Spargel. — Géante d'Erfurt hâtive, tr. grande, tendre, poussant 10 à 14 jours plutôt que l'Asp. ordinaire.	1000 St. 16 —, 100 St. 2 —
» » » 1jährige — un an	1000 » 30 —, 100 » 4 —
» » » 2jährige verpflanzte, — 2 ans replantés	1000 » 40 —, 100 » 5 —
» » » 3 » » — 3 » »	1000 » 2 —, 1000 » 16 —
Französ. v. Argenteuil , früher — hâtive, verpflanzte 2jährige — 2 ans replantés	100 St. 4 —, 1000 » 30 —
Amerikan. Conover's Colossal , 3j. verpfl. — 3 ans repl. 100 » 5 —, 1000 » 40 —	
Palmetto , amerikanische Sorte, 2jährige Pflanzen — var. américaine, plantes de 2 ans 100 » 5 —	
Columbian white , amerik. Sorte, 2 jährl. — » » 2 » 100 » 6 —	

Ausführliche gedruckte Anweisung der rationellsten Cultur-Methode wird jeder Bestellung gratis beigegeben. Mit 100 Pflanzen kann ein Spargelbeet von 30 Meter Länge und 3 Meter Breite angelegt werden — 100 plants sont suffisants pour planter un carré d'asperges de 30 mètres de longueur sur 3 m. de largeur.

Blatt-, Schling- und Teppichbeet-Pflanzen

zum Auspflanzen in's freie Land für den Sommer.

Die Versendung der in dieser Abtheilung aufgeführten Pflanzen erfolgt von Mai ab. Früher verlangte können nur zu den in den anderen Rubriken angegebenen höheren Preisen geliefert werden.

Plantes à feuillages ou à fleurs,

spécialement utilisées pour la décoration des jardins pour massifs ou mosaiculture.

Les plantes énumérées sur cette page ne seront disponibles aux prix cotés qu'en Mai.

à Stück — la pièce M.Pf.	à Stück — la pièce M.Pf.
Achyranthes , in Sorten — var. diverses	Cosmophyllum calacaloides
12 St. 2 —, — 20	12 St. 4 —, — 40
Alternanthera , in Sorten — var. diverses	Cuphea platycentra
12 St. 1,50, — 15	12 » 3 —, — 30
Antennaria tomentosa	Ecremocarpus scaber ‡
12 » 2 —, — 20	12 » 2,50, — 25
Begonia Erfordia	Echeveria metallica
12 » 3 —, — 30	12 » 5 —, — 50
» hybr. gigantea , gemischt-mélange	» secunda
100 St. 20 —, 12 St. 3 — 30	12 » 3 —, — 30
» semperflorens alba compacta 12 » 2 —, — 20	Festuca glauca
» atropurpurea	12 » 1,50, — 15
12 » 2 —, — 20	Fuchsia hybrida
» compacta	12 » 2,50, — 25
12 » 3 —, — 30	Gazania splendens
» rosea compacta	12 » 2 —, — 20
12 » 2 —, — 20	Gnaphalium , in Sorten — var. diverses
Canna , rothblättrige — à feuillage rouge	12 St. 2 —, — 20
100 St. 20 —, 12 St. 3 —, — 30	Gymnothrix , in Sorten — var. diverses
» grünblättrige — à feuillage vert	12 St. 3 —, — 30
100 St. 15 —, 12 St. 2 —, — 20	Gynnerium argenteum
» niedrige frühbl. — naines à fl. précoce	12 » 4 —, — 40
12 St. 4 —, — 40	Heliotropium , in Sorten — var. div.
Cannabis gigantea	12 St. 2,50, — 25
12 » 1,20, — 15	Herniaria glabra
Centaurea candidissima	12 » 2 —, — 20
12 » 2,50, — 25	Humulus japonicus ‡
Cerastium Biebersteini	12 » 1,20, — 15
12 » 2 —, — 20	Iresine , in Sorten — var. div.
» tomentosum	12 » 1,50, — 15
12 » 2,50, — 25	Lantana , verschiedene — variées 12 » 2,50, — 20
Chrysanthemum frutescens	Lavatera arborea fol. var.
12 » 2,50, — 25	12 » 5 —, — 50
Cineraria maritima	Lobelia Erinus , verschiedene — variées
12 » 2 —, — 20	100 St. 1,50, — —
Cobaea scandens ‡	» fulgens Queen Victoria
12 » 2,50, — 25	12 » 3 —, — 30
Coleus , in Sorten — var. diverses 12 » 2 —, — 20	Lophospermum scandens ‡
	12 » 2,50, — 25
	Maurandia ‡, in Sorten — var. div.
	12 St. 2 —, — 20

	à Stück — la piece M. Pf.
Mentha Pulegium gibraltarica	12 St. 2, — 20
Mesembrianthemum cordifol. fol. var.	12 St. 2, — 20
Mina lobata $\frac{3}{4}$	12 » 3, — 30
Nicotiana colossea	12 » 4, — 40
Pelargonium zonale, einfache — à fl. simple	12 St. 2,50, — 25
» zonale, gefüllte — à fl. double	12 » 3, — 30
» buntblättrige — à feuillage panaché	12 St. 4, — 40
Perilla nankinensis	100 » 1,50, — 150
Petunia hybrida, Sämlinge — semis	100 St. 1,50, — 150
Pyrethrum parthenif. aureum	100 » 1,50, — 150
Ricinus, verschiedene — variés	12 St. 2, — 20

	à Stück — la piece M. Pf.
Santolina incana	12 St. 2,50, — 25
Sedum carneum fol. var.	12 » 2,50, — 25
Sempervivum, in Sorten — var. div.	12 St. 2,50, — 25
Senecio leucostachys	12 » 6, — 60
Solanum, verschiedene — variés	12 » 2,50, — 25
Stevia serrata albo-marg.	12 » 2, — 20
Thunbergia alata $\frac{3}{4}$	12 » 2, — 20
Thymus citrid. fol. aur. marg.	12 » 2, — 20
Tropaeolum canariense $\frac{3}{4}$	12 » 2, — 20
Verbena, Samenpfl. — semis	100 » 2, — 20
» Stecklinge — boutures	12 » 1,50, — 15
Zea Caragua, Riesen-Mais	12 » 1, — 10
» gracillima fol. var.	12 » 1, — 10
» japonica fol. var.	12 » 1, — 10

Diverse Artikel und Garten-Utensilien.

	M. Pf.
Bindebast, Raphiabast 10 kg 16 —, à kg	1 80
Nummerhölzer,	
10 cm lang 1000 St.	1,60, 100 St. — 20
12 » » 1000 » 2, —, 100 »	— 25
14 » » 1000 » 2,50, 100 »	— 30
17 » » 1000 » 3,25, 100 »	— 40
20 » » 1000 » 4, —, 100 »	— 50
24 » » 1000 » 5,40, 100 »	— 70
30 » » 1000 » 7,50, 100 »	— 80
» 10 cm zum Anhängen 1000 » 2,50, 100 »	— 30
Pflanzenstäbe,	
30 cm lang 1000 St.	2,40, 100 St. — 30
45 » » 1000 » 3,75, 100 »	— 40
60 » » 1000 » 6, —, 100 »	— 70
75 » » 1000 » 8, —, 100 »	— 90
90 » » 1000 » 10, —, 100 »	1 20
105 » » 1000 » 13, —, 100 »	1 50
120 » » 1000 » 18, —, 100 »	2 —
150 » » 1000 » 25, —, 100 »	2 80
Nelkenhaken 1000 » 2,50, 100 »	— 30
Rosenhaken 1000 » 7,50, 100 »	— 90
Unauflöschliche Tinte zum Schreiben auf Holzetiketten à Flacon	— 50
Porzellanschilder mit eingearbeiteten Nummern, auf Bestellung beliebig nach Angabe, je nach Grösse . . 100 St. 4 bis 10 —	
Walzblei zu Etiketten à kg	1 —
Bleidraht, feiner à 150	
Zahlenstempel von Stahl z. Einschlagen d. Nummern auf Blei. 1 Satz von 9 St. Nr. 0-9	2 25
Zinketiketten zum Anstecken, verbesserte, System Girard-Col, 6 1/2 cm lang . . . pr. 1000 6,75, pr. 100	— 80
9 1/2 » » . . . pr. 1000 13 —, pr. 100	1 50
Zinketiketten zum Anhängen mit Metallöse und fertig angedrattet, verbesserte Girard-Col, 8 cm lang, 2 cm breit pr. 1000 11 —, pr. 100	1 25
Dieselbe Grösse in schwachem Zink pr. 1000 7 —, pr. 100	— 90
Diese verbesserten Etiketten werden von besonders präpariertem Zink gefertigt und haben eine glatte mattweisse Oberfläche, auf welche man sowohl mit Bleifeder als auch mit Zinktinte viel besser schreiben kann als auf gewöhnliches Zink.	
Zinktinte, verbesserte à Flacon	— 50
Kaltflüssiges Baumwachs nach E. Lucas, bewährt, in Blechbüchsen von 1/3 kg — 40, 1/4 kg — 75, 1/2 kg 1,20, 1 kg 2 —	
Verzinkter Spalierdraht à kg 1 20	
» Draht für Etiketten » » 1 50	
Blumendraht, weiss gegläht, in Ringen zu 2 1/2 kg	
2 4 6 8 10 12 15 Blei	
Stärke: 0,65 0,5 0,4 0,34 0,31 0,28 0,25 mm	
1,10 1,30 1,50 1,70 1,90 2,10 2,90 M. à Ring	
Drahtgeflecht, verzinkt	
Maschenweite: 52 65 mm	
13 20 26 33 39 52 65 mm	
Br. d. Geflechts: 1,50 m	
1 m	
lfd. Meter: 0,50 0,60 M.	
1,00 0,60 0,49 0,42 0,36 0,32 0,39 M.	
0,25 M. 0,17 M.	
Drahtspanner (Schlüssel 0,25 extra) à St. — 35	

	M. Pf.
Kaltflüssiges Baumwachs Lhomme-Lefort, ebenfalls sehr gerührt, in Büchsen zu 1/3 kg — 50, 1/4 kg — 80, 1/2 kg 1 60	
Baumwachs zum Warmauftragen; wird in der Praxis dem kaltflüssigen vielfach vorgezogen . ein Packet von 1/2 kg 1,60, ein Packet von 1 kg 3 —	
bei Entnahme von 5 kg u. darüber à 2 60	
Raupenharz (Brumataleim), Schutzmittel gegen die Feinde der Obstbäume, den Frostspanner (Acidalia brumata) etc. . in Blechbüchsen von 1/2 kg — 80, 1 kg 1 50	
Nicotin-Seife, zur Vertilgung von Ungeziefer an Pflanzen, in Porzellandeckelbüchsen mit Gebrauchsanweisung kleine Büchse (ca. 60 g Inhalt) — 50	
mittlere » (ca. 120 g ») — 90	
grosse » (ca. 240 g ») 1 70	
Erfurter Pflanzennährstoff . . 1/2 kg — 90	
(Grössere Mengen in Säcken billiger.) 1 » 1 60	
Erfurter Düngepulver, für Topfwächse, à Flacon nebst Gebrauchsanweisung — 50	
Erfurter Teppichrasensand, zur Zerstörung von Gänseblumen, Löwenzahn, Disteln etc. auf Rasenanlagen, zugleich als Düngemittel dienend . . . à Büchse — 90	
Glaserdiamanten in eleganter Fassung, leicht und sicher schneidend, No. 1. 5 —, No. 2. 6 —, No. 3. 7 —, No. 4. 9 —, No. 5. 10 —	
Thermometer, ganz in Glas, Paperscala 30 cm lang à St. — 85, 25 cm lang à St. — 75	
Thermometer auf pol. Holz ca. 20 cm lang — 65	
25 cm lang — 75, 30 cm lang — 85	
» auf Metall, matt versilbert, 20 cm lang 1 35	
25 cm lang 1,50, 28 cm lang 1 65	
Baroscop auf Holzbr., lackirt, mit Thermometer à St. 2 40	
Heideerde, trocken 100 kg 6 —	
(Ist die Erde feucht, so wird 1/4 Kubikmeter für 100 kg gegeben.)	
Alexandra-Bestäuber mit Gummiball und innerer Mechanik zum Bespritzen von Zimmerpflanzen per Dtzd. 15 —, à St. 1 50	
Bestäuber, klein, aus Blech . . . à St. — 50	

Gartengeräthe.

- 100 Baumsäge, Hohenheimer Form, m. 1 Schraube. Blatt 32 cm $\mathcal{M}$ 1,60; mit 2 Schrauben $\mathcal{M}$ 2 —.
- 101 Baumsäge mit Schlangengriff, 24 cm $\mathcal{M}$ 1,20.
- 102 Baumsäge, amerikanische, mit Fuchsschwanzgriff, zweiseitig gezahnt, für hartes und weiches Holz, Blattlänge 35 cm $\mathcal{M}$ 1,80.
- 103 Astsäge, spitz, mit Dülle zum Befestigen an einer Stange, Länge 45 cm $\mathcal{M}$ 1,60.
- 104 Astsäge „Iduna“, neu $\mathcal{M}$ 2,50.
- 105 Taschensäge mit Feder, zum Zusammenlegen, Blatt 20 cm $\mathcal{M}$ 1,20.
- 106 Heckenscheere, mit Flügelschraube und messing. Stellrad $\mathcal{M}$ 5 —.
- 107 Heckenscheere, mit Flügelschraube ohne Stellrad

klein	mittel	gross
$\mathcal{M}$ 3,40.	$\mathcal{M}$ 3,60.	$\mathcal{M}$ 3,80.
- 108 Rosenscheere, schwarz, mit Patentfeder und Drahtabschneider, 22 cm $\mathcal{M}$ 3 —, 24 cm $\mathcal{M}$ 3,50.
- 109 Rosenscheere, fein polirt, mit Patentfeder und Drahtabschneider, 22 cm $\mathcal{M}$ 3,80, 24 cm $\mathcal{M}$ 4 —.
- 110 Rosenscheere, mit Büffelhornschalen und Patentfeder, 20 cm $\mathcal{M}$ 4,25.
- 111 Rosenscheere, mit Pufferfeder, 23 cm $\mathcal{M}$ 2,50.
- 112 Rosenscheere, schwarz, mit Patentfeder, 23 cm $\mathcal{M}$ 2,75.
- 113 Rosenscheere, polirt, mit Patentfeder und Drahtabschneider, 23 cm $\mathcal{M}$ 3,75.
- 113a Rosenscheere, ganz aus Stahl, blank, mit Pufferfeder, 22 cm $\mathcal{M}$ 2,25.
- 114 Rosenscheere, schwarz, mit Pufferfeder, 21 cm $\mathcal{M}$ 2,75.
- 115 Rosenscheere „Goliath“, polirt, mit Pufferfeder, 23 $\frac{1}{2}$ cm, D. R.-P., $\mathcal{M}$ 3,80.
- 116 Rosenscheere „Goliath“, mit schwarzem Handgriff, 20 cm, D. R.-P., $\mathcal{M}$ 3,40.
 Die Schneide dieser Goliath-Scheeren macht eine bogenförmige Bewegung; die Schnittkraft wird dadurch verstärkt.
- 117 Raupenscheere $\mathcal{M}$ 3,40.
- 118 Aststosser $\mathcal{M}$ 2,50.
- 118a „ „ $\mathcal{M}$ 1,75.
- 119 Spargelstecher $\mathcal{M}$ 1,60.
- 120 Gärtnerkelle von Stahl,

Breite	65.	75.	85.	95.	105 mm
	$\mathcal{M}$ — 80	— 90	1 —	1,10	1,20
- 121 Wühleisen zum Auflockern der Erde $\mathcal{M}$ — 50.
- 122 Unkrautstecher (Pflanzenherausheber) $\mathcal{M}$ 1,20.
- 123 Jätégabel $\mathcal{M}$ — 90.
- 124 Erdbohrer,

Durchm. ca.	80	105	130	160 mm
	$\mathcal{M}$ 6 —	6,50	9 —	10,50
- 125 Erdbohrer aus Schmiedeeisen, Durchm. 130 mm $\mathcal{M}$ 4,50.
- 126 Hydronette, extra stark $\mathcal{M}$ 14,25.
- 127 „ „ „ $\mathcal{M}$ 17 —.
- 128 „ „ „ $\mathcal{M}$ 22,50.
- 129 Gartenspritze, für Gewächshäuser, 45 cm lang, 35 mm stark, mit 2 Brausen und 1 Strahlrohr $\mathcal{M}$ 13,50.
- 130 Gartenspritze, für Garten- und Zimmercultur, 40 cm lang, 35 mm stark, mit 1 Brause und 1 Strahlrohr $\mathcal{M}$ 6,70.
- 131 Gartenspritze, für Garten und Zimmercultur, 35 cm lang, 30 mm stark, mit 1 Brause und 1 Strahlrohr $\mathcal{M}$ 5,60.

- 132 Gartenspritze, für Zimmercultur, 30 cm lang, 25 mm stark, mit 1 Brause und 1 Strahlrohr $\mathcal{M}$ 4,50.
- 133 Gartenspritze „Simplex“, aus Zinkblech, mit Saug- und Druck-Ventil und 4 verschied. Mundstücken, 850 mm lang $\mathcal{M}$ 4,50.
- 134 Gartenspritze „Zerstäuber“,

22 cm Rohrlänge	$\mathcal{M}$ 2,50,
30 „ „	$\mathcal{M}$ 4,75.
- 135 Blumenspritze, für Zimmercultur, 20 cm lang, 16 mm stark, mit Brause $\mathcal{M}$ — 80.
- 136 Handbeil $\mathcal{M}$ 1,60.
- 137 Handbeil, amerikanischer, aus Gussstahl, goldbroncirt, mit Hammer und Nagelzieher $\mathcal{M}$ 3,60.
- 138 Rasenkantenstecher von Stahl, Radform, fein geschliffen, ohne Stiel $\mathcal{M}$ 2,25, mit Stiel $\mathcal{M}$ 3 —.
- 139 Wegeschaufel mit Stiel $\mathcal{M}$ 2 —.

140 Gartenhacke

	$\mathcal{N}$ 2/0.	0.	1.	2.
Breite	6 $\frac{1}{2}$	7 $\frac{1}{2}$	8	9 cm
ohne Stiel	0,65	0,65	0,70	0,80 $\mathcal{M}$
mit Stiel	1,25	1,25	1,30	1,40 $\mathcal{M}$
	$\mathcal{N}$ 3.	4.	5.	
Breite	9 $\frac{1}{2}$	10	11 cm	
ohne Stiel	0,90	0,95	1 $\mathcal{M}$	
mit Stiel	1,50	1,55	1,60 $\mathcal{M}$	

141 Gartenhacke, Schwanenhalsform

	$\mathcal{N}$ 6.	7.	8.	9	10.
Breite	7 $\frac{1}{2}$	9 $\frac{1}{2}$	16	18 $\frac{1}{2}$	20 $\frac{1}{2}$ cm
ohne Stiel	— 70	— 85	1,30	1,50	1,65 $\mathcal{M}$
mit Stiel	1,30	1,45	1,90	2,10	2,25 $\mathcal{M}$

$\mathcal{N}$ 6 und 7 als Korn-, Raps- und Mohnhacke, $\mathcal{N}$ 8, 9 und 10 als Rübenhacke vorzüglich.

142 Gartenhacke mit Karst ohne Stiel $\mathcal{M}$ 1,25, mit Stiel $\mathcal{M}$ 1,85.

143 Kartoffelhacke

	$\mathcal{N}$ 11.	12.	13.	14.
Grösse	10 $\frac{1}{2}$	11 $\frac{1}{2}$	13	14 $\frac{1}{2}$ cm
ohne Stiel	1,20	1,30	1,40	1,50 $\mathcal{M}$
mit Stiel	1,80	1,90	2 —	2,10 $\mathcal{M}$

144 Spaten, von Gussstahl, spitz

	$\mathcal{N}$ 1.	2.	3.	4.	5.	6.
ohne Stiel	0,90	1 —	1,10	1,20	1,40	1,60 $\mathcal{M}$
mit Stiel	1,70	1,80	1,90	2 —	2,20	2,40 $\mathcal{M}$

145 Spaten von Gussstahl, stumpfer Erfurter
 ohne Stiel $\mathcal{M}$ 1 —,
 mit Stiel $\mathcal{M}$ 1,80.

146 Spaten, von Gussstahl, spitz, mit patentirter Federdülle, sehr empfohlen

	$\mathcal{N}$ 3.	4.	5.
Gewicht ca.	1375	1500	1750 g
ohne Stiel	2,20	2,40	2,60 $\mathcal{M}$
mit Stiel	3 —	3,20	3,40 $\mathcal{M}$

150 Schaufel, breite, von Stahl

	$\mathcal{N}$ 3.	4.
ohne Stiel	— 80	— 85 $\mathcal{M}$
mit Stiel	1,30	1,35 $\mathcal{M}$

- 151 **Schaufel, spitze, von Stahl**

	Nr 4.	5.
ohne Stiel	— 60	— 75 <i>M</i>
mit Stiel	1,10	1,25 <i>M</i>
- 154 **Rechen mit Holzbalken und eisernen Zinken, Erfurter Form, mit**

	8	10	12 Zinken
	1,75	2 —	2,50 <i>M</i>
- 156 **Rechen von Gussstahl mit gedrehten Zinken und Stossseisen**

mit	8	10	12 Zinken
Breite	20	26	32 cm
ohne Stiel	— 60	— 70	— 80 <i>M</i>
mit Stiel	1,25	1,35	1,45 <i>M</i>
- 158 **Laubrechen, Stiel zum Losschrauben, *M* 2,75.**
- 159 **Grabegabel von Stahl mit Schienenzwinde, 4zinkig, Hickory-Stiel mit D-Griff, *M* 3,40.**
- 160 **Düngergabel von Stahl mit Hickory-Stiel, 3zinkig, *M* 1,75.**
- 161 **Düngergabel, stählerne mit Hickory-Stiel und Schienenzwinde, 4zinkig, *M* 2 —.**
- 162 **Düngerhaken, stählerne mit Hickory-Stiel und Schienenzwinde, 4zinkig, *M* 2,25.**
- 163 **Basthalter aus Stahldraht *M* — 40, ganz aus Stahl mit kräftiger Feder *M* 1 —.**
- 164 **Pflanzensetzer von hartem Holz mit massiver Eisenspitze, in Stärke von**


21	28	34	40 mm
— 90	1 —	1,10	1,15 <i>M</i>
- 165 **Gartengeräthe für Damen, Satz von 4 Stück in Holzkasten *M* 3,75.**
- 167 **Nummerirzange, zum Einprägen von Nummern in Bleistreifen, *M* 3,75.**
- 168 **Signirzange, zum Einprägen von Namen in Bleistreifen, *M* 12 —.**
- 170 **Selbstgessler oder Rasensprenger, rotirend, neuester verbesserter Construction mit 4 Armen, fein vernickelt, besprengt staubregenartig eine Rasenfläche von 12—15 m Durchmesser, *M* 24 —.**
- 171 **Gummischlauch zum Rasensprenger No. 170, 13 mm Schlauchweite, laufendes Meter *M* 1,25.**

- 172 **Rasensprenger, amerikanischer (Rival).**
Der einfachste und billigste Rasensprenger, der auch bei geringem Wasserdruck vorzögl. functionirt; nebst Schlauchstutzen, *M* 4,75.
- 173 **Gummischlauch zum Rasensprenger No. 172, 20 mm Schlauchweite, laufendes Meter *M* 2,25.**
- 175 **Hamsterfalle, praktische, D. R.-P., & St. *M* — 50.**
- 176 **Maulwurfsfalle, ebenfalls bestens bewährt, D. R.-P., 10 St. *M* 11 —, & St. *M* 1,20.**
- 177 **Baumkratzer, mit Holzstiel, *M* 1,10.**
- 178 **» mit langer Dülle, *M* 2 —.**
- 179 **» gezahnt mit Holzstiel *M* 1 —.**
- 180 **Baumrindenbürste, *M* 1,80.**
- 181 **» » 1,80.**
- 182 **» » 2,25.**
- 183 **» » 1,80.**
- 184 **Rasenscheere, *M* 1,75.**
- 185 **Rasenscheere zum Auseinandernehmen behufs besseren Schleifens, *M* 2,40.**
- 186 **Gartensäemaschine „Liliput“ mit auswechselbaren Schöpflöffeln, klein und leicht, aber sehr leistungsfähig, *M* 12 —.**
- 187 **Universalleiterstütze, *M* 7,50.**
- 188 **Einbaumleiter mit Sicherung gegen Durchbrechen und Ausgleiten, nebst 2 Stützstangen**
10 Sprossen Höhe *M* 9 —.
12 » » » 10,50.
14 » » » 12,50.
- 189 **Beet-Schoner „Stumme Diener“, 10 St. *M* 1,30; 100 St. *M* 12 —.**
- 190 **Brause mit abnehmbarem Stirnblech, Garnitur *M* 1,50.**
- 249 **Blumenscheere, die geschnittenen Stengel festhaltend *M* 2,25.**
- 250 **Weintraubenscheere, *M* 1 —.**
- 251 **Stecklingscheere, *M* — 80.**
- 252 **Blumenscheere 10 cm *M* 1 —, 14 cm *M* 1,75.**
- 260 **Obstpflücker, *M* — 90.**
- 261 **Patent-Obstpflücker mit 3 m langem leinenem Gleitschlauch, nebst Astschneider und Raupensack, vielseitig verwendbar, praktisch, complet, *M* 4 —.**
- 262 **Patent-Obstpflücker mit starker Feder und 3 Gummigreifern *M* 2 —, desgleichen nebst 2 m langem Stiel *M* 2,50.**


119

101

162



Rasenmäh-Maschinen.



Rasenmäher.

Rasenmäher der Philadelphia Lawn Mower Co.,
bewährten Systems, für Handbetrieb

No.	00.	0.	1.
Schnittfläche:	25	30	35 cm
Gewicht circa:	13 $\frac{1}{2}$	15	16 $\frac{1}{2}$ kg
Preis:	M 35 —	40 —	45 —

No.	2.	3.	4.
Schnittfläche:	40	45	50 cm
Gewicht circa:	17 $\frac{1}{2}$	19	21 kg
Preis:	M 50 —	55 —	60 —

Solinger Gartenmesser.




No. 230	231	232	233	234	235	236	237	238	239
M 1,30	1,60	2 —	3,25	2 —	1,60	1,50	1,75	2,60	2,20



No. 263	264	265	266	267	268	269	270
M 3,00	3,30	2,50	2,90	2,50	1,70	2,50	1,20

Englische Gartenmesser

aus der Fabrik von Saynor, Cooke & Ridal.



108

110

117



138



139




141



164



140



142



143




156



151




154



145



146



172. Rasensprenger — Arrosoir „Rival“.



Alphabetisches Register

der im Pflanzen-Catalog enthaltenen Gattungsnamen.

Table alphabétique.

Seite — page	Seite — page	Seite — page	Seite — page	Seite — page
Abelia 199	Aeschynanthus 187	Alsophila 195	Anhalonium 207. 208	Areca 197
Abies 249	Aesculus 244	Alstroemeria 184	Anoectochilus 196	Arenaria 224
Abricotiers 251	Aethiouema 223	Alternanthera 188. 254	Anona 204	Aristolochia 188. 224. 248
Absinthe 254	Agapanthus 199	Althaea 223	Anredera 185	Aristotelia 200
Abutilon 199	Agathaea 200	Alyssum 223	Antennaria 224. 254	Armeria 224
Acacia 199	Agave 204. 205	Amandiers 252	Anthemis 224. 253	Armoise 253
Acaena 223	Ageratum 200	Amaryllis 180. 185. 187	Anthericum 224	Arnebia 224
Acalypha 187	Aglaonema 187	Amelanchier 244	Antholyza 185	Arnica 224
Acantholimon 223	Agrimonia 223	Amomum 204	Anthurium 188	Aronia 244
Acanthophônix 197	Agrostemma 223	Amorpha 244	Antigonon 185	Arrhoxystylum 188
Acanthus 223	Ail 253	Amorphophallus 184	Antirrhinum 224	Artanthe 188. 204
Acer 244	Ailanthus 244	Ampelopsis 248	Aphelandra 188	Artemisia 200. 224
Achillea 223	Ajuga 223	Amphicome 200	Apica 213	Asarum 224
Achmenes 178. 190	Akebia 248	Amsonia 223	Apios 185. 224	Asclepias 188. 200
Achyranthes 187. 254	Alant 253	Amsonia 223	Apium 224	Aspidistra 188
Aconitum 223	Alchemilla 223	Amsonia 223	Apocynum 224	Aspidium 195. 242
Acorus 216. 223	Aletris 187. 191	Amorpha 244	Aponogeton 216	
Acrostichum 195	Alfredia 223	Amygdalopsis 224	Aprikosen 251	
Actaea 223	Alibertia 204	Anaocampseros 214	Aquilegia 224	
Actinidia 248	Alisma 216	Anacharis 216	Arabis 224	
Adenophora 248	Allamanda 187	Ananassa 204	Aralia 188. 200. 224	
Adenostyles 223	Allium 253. 254	Anandria 223	Arundo 216. 224	
Adiantum 195. 242	Allopectus 188	Anchietia 204	Asarum 224	
Adlumia 223	Allosorus 242	Auchusa 223	Asclepias 188. 200	
Adonis 223	Alnus 244	Andromeda 244	Asparagus 183. 200	
Adoxa 223	Alocasia 188	Andropogon 200	Asperge 254	
Aechmea 187. 192	Aloe 213	Androsace 224	Asperula 225. 254	
Aegopodium 223	Alpecurus 223	Anemopsis 216	Asphodelus 225	
Aepfel 252	Aloysia v. Lippia 205	Anemopsis 216	Aspidistra 188	
Aerides 196	Alsine 223	Anemone 181. 224	Aspidium 195. 242	
		Angelica 253		

Seite — page	Seite — page	Seite — page	Seite — page	Seite — page
Asplenium 195. 243	Browallia . . . 200	Ceratozamia . . . 197	Coronilla . . . 228	Diplazium . . . 195
Astelia . . . 200	Brugmansia vide	Cercidiphyllum 244	Correa . . . 201	Diplopappus 201. 228
Aster . . . 225	Datura . . . 190	Cercis . . . 212	Cortusa . . . 223	Diplotheum 198
Astilbe . . . 225	Brunella v. Prunella . . . 226	Cereus . . . 207. 212	Corydalis . . . 228	Dipteracanthus 191
Astragalus . . . 223	Bryonia . . . 226	Cerisiers . . . 251	Corylopsis . . . 245	Dipterix . . . 205
Astrantia . . . 226	Bryophyllum 214	Ceropegia . . . 190	Corylus . . . 245	Dicaea . . . 180
Astrapaea . . . 188	Bubon . . . 226	Ceroxylon . . . 198	Corypha . . . 198. 199	Disa . . . 197
Astrophytum . . . 207	Buddleia 190. 200. 244	Cestrum . . . 200	Cosmophyllum	Disandra . . . 201
Ataccia . . . 183	Bulbine . . . 214	Ceterach . . . 243	Costus . . . 185. 190	Disemma . . . 191. 201
Athamanta . . . 226	Burlingtonia . . . 196	Chaerophyllum 227	Cotoneaster . . . 245	Disporum . . . 228
Athyrium . . . 243	Butomus . . . 216	Chamaecyparis 250	Cotyledon . . . 214	Diverse Artikel und Garten
Atragene vide	Buxus . . . 244	Chamaedorea . . . 198	Couteaux . . . 258. 259	utensilien 255—260
Clematis . . . 227	Cabomba . . . 216	Chamaemelum . . . 227	Crambe . . . 228	Dodecatheon . . . 228
Atropa . . . 253	Caccinia . . . 226	Chamaerops . . . 198	Crassula . . . 214	Dolichodeira . . . 180
Aubrietia . . . 226	Cacteen . . . 207—213	Chara . . . 216	Crataegus . . . 245. 251	Dolichos . . . 201
Ancuba . . . 200	Caesalpinia . . . 204	Charlwoodia	Crepis . . . 228	Dondia vide Haec-
Andibertia . . . 226	Caladium . . . 182	vide Cordylone 190	Creuscentia . . . 205	quetia . . . 230
Azalea . . . 200. 244	Calamintha . . . 226	Chartolepis . . . 227	Crinum . . . 185	Doodia . . . 195. 243
Azara . . . 200	Calamus . . . 197	Cheilanthes . . . 243	Crocsmia . . . 185	Doronicum . . . 228
Azolla . . . 216	Calampelis . . . 201	Chelidonium . . . 227	Crossandra . . . 190	Dorstenia . . . 205
Baccharis . . . 244	Calathea vide	Chelone . . . 227	Croton . . . 190	Doryanthes . . . 191
Balanium . . . 195	Maranta . . . 192	Chevalieria . . . 190	Crucianella . . . 228	Doryopteris . . . 196
Baldrian . . . 253	Calceolaria . . . 200	Chimonanthus	Cryptanthus vide	Draba . . . 228
Ballota . . . 226	Calimeris . . . 226	vide Calycan-	Tillandsia . . . 194	Dracaena 191. 205
Bambusa 200. 226	Calla . . . 185. 216	thus . . . 244	Cryptomeria . . . 250	Dracocephalum 228
Baptisia . . . 226	Calliandra . . . 204	Chionanthus . . . 244	Cucubalus . . . 228	Drosera . . . 217
Barbacia . . . 188	Calliphurria . . . 185	Chirita . . . 190. 193	Cucurbita . . . 228	Drosophyllum 217
Bartsia . . . 226	Callitriche . . . 216	Chironia . . . 260	Cuphea . . . 201. 254	Dryas . . . 228
Beaucarnea . . . 206	Callitris . . . 250	Chlidanthus . . . 185	Cupressus . . . 250	Drymonia . . . 191
Beerenobst . . . 252. 253	Caltha . . . 216. 226	Chloranthus . . . 204	Cyruligo . . . 190	Drymopsis . . . 185
Begonia 181. 188. 254	Calycanthus . . . 244	Choisya . . . 200	Cyanophyllum 190	Duranta . . . 201
Belfuss . . . 253	Calystegia . . . 226	Chrysanthemum	Cyathea . . . 195	Dyckia . . . 206
Belladonna . . . 253	Camellia . . . 200	200. 219. 227. 254	Cyathula . . . 190	Dypsis . . . 193
Bellidiastrium	Campanula 200. 226	Chrysocoma . . . 227	Cycas . . . 198	Ecceumocarpus
Bellis . . . 226	Camphora . . . 204	Chrysodium vide	Cyclamen . . . 201. 228	201. 254
Belopere . . . 189	Camposidum . . . 200	Acrostichum 195	Cydonia . . . 245. 251	Echalotte . . . 254
Berberidopsis 200	Camptosorus 243	Chrysophyllum 204	Cymbidium . . . 197	Echeveria 215. 254
Berberis . . . 200. 244	Campylia vide	Chrysosplenium 227	Cynanchum . . . 228	Echidnopsis . . . 214
Bergenia . . . 237	Pelargonium 221	Chysis . . . 196	Cyperus . . . 217	Echinacea . . . 228
Bertolonia . . . 189	Campylobotrys	Cibotium . . . 195	Cyrtanthus 197. 228	Echinocactus . . . 208
Berna . . . 216	vide Higginsia 190	Ciboule . . . 254	Cyrtodeira . . . 190	Echinocereus . . . 209
Beschorneria . . . 206	Canarina . . . 185. 226	Ciboullette . . . 254	Cyrtomium 195. 243	Echinops . . . 228
Bessera . . . 185	Canistrum . . . 190	Cienkowski . . . 190	Cystopteris . . . 243	Echinopsis . . . 209
Betonica . . . 226	Canna . . . 182. 254	Cimicifuga . . . 227	Cytisus 201. 245. 246	Echiglossum . . . 197
Betula . . . 244	Cannabis . . . 254	Cineraria 201. 227. 254	Czackia vide An-	Echites . . . 191
Bidens . . . 226	Caprifolium . . . 248	Cinchona . . . 204	thericum . . . 224	Echium . . . 201
Biebersteinia . . . 226	Caragana . . . 244	Cinnamomum 204	Daemonorops . . . 138	Edwardia . . . 201
Bifrenaria . . . 196	Cardamine . . . 226	Cipura . . . 190	Dahlia . . . 183. 221	Eichhornia 217. 218
Biglandularia v.	Carex . . . 216	Circaea . . . 227	Dalechampia . . . 190	Elaeagnus
Rosanowia . . . 180	Carica . . . 204	Cirsiium . . . 227	Daphne . . . 201. 245	201. 245. 249
Bignonia 189. 200.	Carlinia . . . 226	Cissus 190. 201. 248	Darlingtonia . . . 217	Elodea vide Ana-
244. 248	Carludovicia . . . 190	Cistus . . . 201	Dasyliiron . . . 206	charis . . . 216
Billardiera . . . 200	Carolinea . . . 190	Citronele . . . 253	Dasyliiron . . . 206	Elymus . . . 229
Billbergia . . . 189	Carpenteria . . . 244	Citronemelisse 253	Dasyliiron . . . 206	Encephalartos . . . 198
Bingelkraut . . . 253	Carpinus . . . 244	Citrosma . . . 204	Datura . . . 190	Enchiliron . . . 191
Biophytum vide	Carum . . . 224	Citrus . . . 204	Davallia . . . 195	Enckea . . . 205
Oxalis . . . 193	Caryolopha . . . 224	Cladomium . . . 217	Deeringia . . . 201	Entelea . . . 201
Biota . . . 250	Caryopteris 200. 244	Claytonia . . . 227	Delphinium . . . 228	Eomecon . . . 229
Biota vide Aster 225	Caryota . . . 197	Clematis 201. 227. 248	Dendrobium . . . 197	Epaoris . . . 201
Birnen . . . 252	Cassia . . . 190	Clerodendron . . . 190	Dendrocalamus 191	Epidendrum . . . 197
Blattpflanzen . . . 254	Cassinia . . . 201	Clethra . . . 201. 244	Dendrochilum . . . 197	Epilobium . . . 229
Blechnum . . . 195. 243	Castanea . . . 244	Cilianthus . . . 201	Dentaria . . . 228	Epimedium . . . 229
Bocconia . . . 226	Casuarina . . . 250	Cobaea . . . 201. 251	Desfontainea . . . 201	Epinard . . . 254
Boehmeria . . . 204	Catalpa . . . 244	Cochlearia . . . 253	Desmanthus . . . 201	Epiphyllum . . . 209
Bolbophyllum . . . 196	Catananche . . . 226	Cocculus . . . 205	Desmodium 228. 245	Epipremum . . . 191
Bomarea . . . 185	Cattleya . . . 196	Cocos . . . 198	Deutzia . . . 245	Episcia . . . 191
Bonaparte . . . 206	Caulophyllum 227	Coelia . . . 196	Dianthus . . . 228. 242	Equisetum . . . 217
Boronia . . . 200	Ceanothus . . . 244	Coelogyne . . . 197	Diastema . . . 180	Eranthemum . . . 191
Botrychium . . . 243	Cecropia . . . 204	Coffea . . . 205	Dicksonia . . . 195. 243	Erdbeeren . . . 252
Bougainvillea . . . 189	Cedrela . . . 204	Coleus 190. 214. 254	Diclytra . . . 185. 228	Eria . . . 197
Boussingaultia . . . 185	Cedronella . . . 227	Colocasia . . . 185	Dictamnus . . . 228	Erianthus . . . 229
Bonvardia . . . 189	Cedrus . . . 250	Columnea . . . 190	Dictyosperma . . . 197	Erigeron . . . 229
Bowiea . . . 185	Celtis . . . 227	Colutea . . . 244	Dicytra . . . 180	Erinus . . . 229
Boykinia . . . 226	Centauria . . . 244	Comarum . . . 217	Dieffenbachia . . . 191	Eriobotrya . . . 205
Brachychiton . . . 204	Centradenia . . . 190	Commelina . . . 227	Diervilla . . . 245	Eriocapalus . . . 201
Brachylooma . . . 180	Centropogon . . . 190	Coniferae 249—250	Digitalis . . . 228	Eriophorum . . . 217
Brasenia . . . 216	Cephalaria . . . 227	Conocephalus 190	Dimorphanthus 245	Eriophyllum . . . 229
Brassia . . . 196	Cephalotaxus . . . 250	Convallaria 201. 227	Dionaea . . . 217	Erodium . . . 229
Bravoa . . . 185	Cephalotus . . . 216	Convolvulus . . . 201	Dioon . . . 198	Erpetium . . . 229
Breweria . . . 226	Cerastium . . . 227. 254	Cooperia . . . 185	Dioscorea	Eryngium . . . 229
Briza . . . 226	Ceratothylum . . . 216	Coprosma . . . 201	185. 191. 228	Erysimum . . . 229
Brombeeren . . . 253	Ceratothylum . . . 216	Cordylone . . . 190	Diosma . . . 201	Erythrina . . . 201
Bromelia . . . 190	Ceratothylum . . . 216	Coreopsis . . . 228	Diotestemon vide	Erythrochaete . . . 229
Brosimum . . . 204	Ceratothylum . . . 216	Cornus . . . 245	Echeveria . . . 216	Erythrolaena . . . 229
Broussonetia . . . 244	Ceratothylum . . . 216			

Seite — page	Seite — page	Seite — page	Seite — page	Seite — page
<i>Myricaria vide</i>	<i>Pachira</i> . . . 190	<i>Pilumna</i> . . . 197	<i>Quinces</i> . . . 252	<i>Santolina</i> 203, 237, 255
<i>Tamarix</i> . . . 248	<i>Pachyphyllum</i> . . . 215	<i>Pimpinell</i> . . . 253	<i>Quitte</i> . . . 252	<i>Saponaria</i> . . . 237
<i>Myriophyllum</i> . . . 217	<i>Pachysandra</i> . . . 234	<i>Pincenectitia</i> . . . 206		<i>Sarracenia</i> . . . 218
<i>Myrsiphyllum</i> . . . 202	<i>Pacerota</i> . . . 234	<i>Pinguicula</i> . . . 218	<i>Raifort</i> . . . 253	<i>Saurietta</i> . . . 254
<i>Myrtus</i> . . . 202, 205	<i>Paeonia</i> . . . 234, 246	<i>Pinus</i> . . . 249, 250	<i>Ramondia</i> . . . 236	<i>Satureja</i> . . . 254
	<i>Palisota</i> . . . 193	<i>Piper</i> . . . 193, 205	<i>Ranunculus</i> . . . 184, 218, 236	<i>Sauerampfer</i> . . . 254
	<i>Palmen u. Cycaden</i> . . . 197—199	<i>Pirus</i> . . . 245, 246, 251		<i>Sauge</i> . . . 254
<i>Naegelia</i> . . . 179	<i>Panax, vide Aralia</i> . . . 188, 193	<i>Pistia</i> . . . 218	<i>Raphiolepis</i> . . . 203	<i>Saurauja</i> . . . 193
<i>Naegelo-Achime-</i>	<i>Pancratium</i> . . . 186	<i>Pitcairnia</i> . . . 193	<i>Raute</i> . . . 253	<i>Sauromatum</i> . . . 187
<i>nes</i> . . . 180	<i>Pandanus</i> . . . 193	<i>Pithecoctenium</i> . . . 203	<i>Ravenala</i> . . . 205	<i>Saururus</i> . . . 218
<i>Nandina</i> . . . 246	<i>Panicum</i> . . . 193	<i>Pitthosporum</i> . . . 203	<i>Recheiteineria</i> . . . 180	<i>Saxifraga</i> . . . 203, 237
<i>Nardosmia vide</i>	<i>Papaver</i> . . . 234	<i>Plantago</i> . . . 235	<i>Reidia</i> . . . 193	<i>Scabiosa</i> . . . 238
<i>Tussilago</i> . . . 240	<i>Paradrymonia</i> . . . 193	<i>Plantae aquatiquae</i> . . . 216—219	<i>Reinckeia</i> . . . 203	<i>Schalotttrn</i> . . . 254
<i>Néftiers</i> . . . 252	<i>Pardantia</i> . . . 234	<i>» de serre chaude</i> . . . 187—194	<i>Reinwardtia</i> . . . 203	<i>Scheeria</i> . . . 180
<i>Nelken</i> . . . 242	<i>Parietaria</i> . . . 253	<i>» » froide</i> . . . 199—204	<i>Renonculae</i> . . . 184	<i>Schierus</i> . . . 205
<i>Nematanthus</i> . . . 192	<i>Paris</i> . . . 234	<i>» grasses</i> . . . 213—216	<i>Retinospora vide</i>	<i>Schismatoglottis</i> 193
<i>Nemopanthos</i> . . . 202	<i>Parnassia</i> . . . 234	<i>» grimpantes</i> . . . 248—249	<i>Chamaecyparis</i> . . . 250	<i>Schizobolium</i> . . . 194
<i>Nepenthes</i> . . . 192	<i>Passiflora</i> . . . 193, 202	<i>» officinales</i> . . . 204—205	<i>Rhabarber</i> . . . 254	<i>Schizophragma</i> . . . 249
<i>Nepeta</i> . . . 234	<i>Passiflora</i> . . . 193	<i>» potageres di-</i>	<i>Rhamnus</i> . . . 246	<i>Schizostylis</i> . . . 187
<i>Nephrodium</i>	<i>Paulownia</i> . . . 246	<i>verses</i> . . . 253—254	<i>Rhapis</i> . . . 199	<i>Schlingpflanzen</i> . . . 243, 249, 254
195, 242, 243	<i>Pavonia</i> . . . 193, 202	<i>» vivaces</i> . . . 223—241	<i>Rhazya</i> . . . 237	<i>Schnittlauch</i> . . . 254
<i>Nephrolepis</i> . . . 195	<i>Pêchers</i> . . . 251	<i>Platanus</i> . . . 246	<i>Rheum</i> . . . 237	<i>Schomburgkia</i> . . . 197
<i>Nerium</i> . . . 202	<i>Pedicularis</i> . . . 218	<i>Platynerium</i> . . . 196	<i>Rhexia</i> . . . 237	<i>Schubertia</i> . . . 194
<i>Nertera</i> . . . 202	<i>Pedicularis</i> . . . 218	<i>Platyodon</i> . . . 226, 235	<i>Rhipidodendron</i>	<i>Sciadocalyx</i> . . . 180
<i>Neviusia</i> . . . 246	<i>Pedrosia v. Lotus</i> 202	<i>Platzzamia vide</i>	<i>vide Aloe</i> . . . 213	<i>Sciadopitys</i> . . . 250
<i>Nicotiana</i> . . . 202, 255	<i>Peirescia</i> . . . 211	<i>Dioon</i> . . . 198	<i>Rhipsalis</i> . . . 212	<i>Scilla</i> . . . 187, 205
<i>Nidularium</i> . . . 193	<i>Pelargonium</i> . . . 220, 255	<i>Plectopoma</i> . . . 180	<i>Rhododendron</i>	<i>Scindapsus vide</i>
<i>Nierembergia</i> . . . 234	<i>Pelecypophora</i> . . . 212	<i>Plectranthus</i> 203, 205	<i>203, 247</i>	<i>Philodendron</i> 193
<i>Niphæa</i> . . . 180	<i>Pellaea</i> . . . 243	<i>Pleurospermum</i> . . . 235	<i>Rhodotypus</i> . . . 247	<i>Scirpus</i> . . . 218
<i>Noisetiers</i> . . . 252	<i>Pellionia</i> . . . 193	<i>Plumbago</i> 193, 203	<i>Rhubarbe</i> . . . 254	<i>Scolopendrium</i> . . . 243
<i>Nolina vide Da-</i>	<i>Peltandra</i> . . . 218		<i>Rhus</i> . . . 247	<i>Scorodroma</i> . . . 238
<i>syllirion</i> . . . 206	<i>Pentstemon</i> . . . 202, 243		<i>Rhynchosper-</i>	<i>Scrophularia</i> . . . 238
<i>Nopalea vide</i>	<i>Peperomia</i> . . . 193	<i>Plumiera</i> . . . 193	<i>mum</i> . . . 203	<i>Scutellaria</i> . . . 194, 238
<i>Opuntia</i> . . . 211	<i>Perrilla</i> . . . 255	<i>Poa</i> . . . 235	<i>Rhytidophyllum</i> 193	<i>Seaforthia</i> . . . 197, 199
<i>Norantea</i> . . . 193	<i>Periploca</i> . . . 249	<i>Podophyllum</i> . . . 235	<i>Ribes</i> . . . 247	<i>Sedum</i> . . . 215, 238, 254, 255
<i>Notonia</i> . . . 215	<i>Peristrophe</i> . . . 193	<i>Pogostemon</i> . . . 205	<i>Richardia</i> . . . 187	
<i>Noyers</i> . . . 252	<i>Perrillauch</i> . . . 253	<i>Poinsettia</i> . . . 193	<i>Ricinus</i> . . . 255	<i>Seguiera</i> . . . 205
<i>Nuphar</i> . . . 217	<i>Pernetia</i> . . . 202	<i>Poiriers</i> . . . 252	<i>Rivina</i> . . . 193	<i>Selaginella</i> . . . 196, 243
<i>Nuttallia</i> . . . 246	<i>Petasis</i> . . . 234	<i>Polemonium</i> . . . 235	<i>Robinia</i> . . . 247	<i>Selenipedium v.</i>
<i>Nyctocalus</i> . . . 193	<i>Petiveria</i> . . . 205	<i>Polycarpa</i> . . . 246	<i>Rochea</i> . . . 215	<i>Cypripedium</i> . . . 197
<i>Nymphaea</i> . . . 217	<i>Petrea</i> . . . 193	<i>Polygala</i> . . . 203, 235	<i>Rodgersia</i> . . . 237	<i>Selliera</i> . . . 218
	<i>Petrocoptis</i> . . . 233	<i>Polygonaceae vide</i>	<i>Roezlia vide</i>	<i>Sempervivum</i>
<i>Obeliscaria</i> . . . 234	<i>Petrophytes</i> . . . 215	<i>Convallaria</i> . . . 227	<i>Beschorneria</i> . . . 206	215, 238, 255
<i>Obstsorten</i> . . . 251—252	<i>Petunia</i> . . . 202, 255	<i>Polygonum</i> . . . 218, 235	<i>Rohdea</i> . . . 237	<i>Senecio</i> . . . 203, 215, 227, 238, 255
<i>Obstwildlinge</i> . . . 251	<i>Puccodanum</i> . . . 234		<i>Ronce</i> . . . 253	
<i>Ochna</i> . . . 193	<i>Pfefferminze</i> . . . 253	<i>Polypodium</i> . . . 196, 243	<i>Rondeletia</i> . . . 193	<i>Septa</i> . . . 238
<i>Odontoglossum</i> . . . 197	<i>Pfeifferia</i> . . . 212	<i>Polystichum</i> . . . 242, 243	<i>Rosa</i> . . . 247, 249, 250, 251	<i>Sequoia</i> . . . 250
<i>Oeillets des fleur-</i>	<i>Pfirsichen</i> . . . 251	<i>Pommes</i> . . . 252	<i>Rosandria</i> . . . 180	<i>Sericobonia</i> . . . 203
<i>istes</i> . . . 242	<i>Pflaumen</i> . . . 251	<i>Pontederia</i> . . . 217, 218	<i>Rosmarinus</i> . . . 205, 254	<i>Sericographis</i> . . . 203
<i>Oenanthe</i> . . . 217	<i>Phaenomen</i> . . . 187	<i>Populus</i> . . . 246	<i>Rottleria</i> . . . 190, 193, 247	<i>Serissa</i> . . . 203
<i>Oenothera</i> . . . 234	<i>Phalaris</i> . . . 197	<i>Potamogeton</i> . . . 218	<i>Roulinia vide</i>	<i>Serratalia</i> . . . 238
<i>Ognon Perle</i> . . . 253	<i>Phalaenopsis</i> . . . 197	<i>Potentilla</i> . . . 235, 246	<i>Dasylium</i> . . . 206	<i>Sibbaldia</i> . . . 238
<i>Olea</i> . . . 205	<i>Phalangium</i> . . . 193, 224, 234	<i>Poterium</i> . . . 253	<i>Rouppellia</i> . . . 205	<i>Sibthorpia</i> . . . 203
<i>Olearia</i> . . . 202	<i>Phalaris</i> . . . 235	<i>Pothos</i> . . . 193	<i>Rubia</i> . . . 203	<i>Sida</i> . . . 194, 238
<i>Olyra</i> . . . 193	<i>Phaseolus</i> . . . 235	<i>Prenanthes</i> . . . 235	<i>Rubus</i> . . . 203, 247, 249	<i>Sidalcea</i> . . . 239
<i>Omphalodes</i> . . . 234	<i>Phellodendron</i> . . . 246	<i>Primula</i> . . . 203, 236	<i>Rudbeckia</i> . . . 228, 237	<i>Silene</i> . . . 239
<i>Oncidium</i> . . . 197	<i>Phillyraea</i> . . . 246	<i>Pritchardia</i> . . . 199	<i>Rudgea</i> . . . 193	<i>Silphium</i> . . . 239
<i>Oncocyclina vide</i>	<i>Phyllocactus</i> . . . 212	<i>Priva</i> . . . 187, 236	<i>Rue</i> . . . 253	<i>Siuningia</i> . . . 180
<i>Iris</i> . . . 232	<i>Phyllocladus</i> . . . 246	<i>Prosa</i> . . . 236	<i>Ruellia</i> . . . 193	<i>Siphocampylus</i>
<i>Onoclea</i> . . . 243	<i>Phyllanthus</i> . . . 193	<i>Prunopitys</i> . . . 250	<i>Rumex</i> . . . 237, 254	190, 203
<i>Ononis</i> . . . 234	<i>Phyllanthus</i> . . . 193	<i>Prunella</i> . . . 236	<i>Ruscus</i> . . . 203, 237	<i>Sisyrinchium</i> . . . 239
<i>Onopordon</i> . . . 234	<i>Phyllanthus</i> . . . 193	<i>Pruniers</i> . . . 251	<i>Russellia</i> . . . 203	<i>Sium</i> . . . 218
<i>Onosma</i> . . . 234	<i>Phyllanthus</i> . . . 193	<i>Prunus</i> . . . 244, 246, 251	<i>Ruta</i> . . . 253	<i>Skimmia</i> . . . 203
<i>Onychium</i> . . . 196	<i>Phyllanthus</i> . . . 193	<i>Psalidium</i> . . . 205		<i>Smilacina</i> . . . 239
<i>Onyctanthus</i> . . . 193	<i>Phyllanthus</i> . . . 193	<i>Pternaria vide</i>	<i>Sabal</i> . . . 199	<i>Smilax</i> . . . 194, 205
<i>Ophioglossum</i> . . . 243	<i>Phyllanthus</i> . . . 193	<i>Achillea</i> . . . 223, 236	<i>Saccharum</i> . . . 237	<i>Sobolewska</i> . . . 239
<i>Ophiopogon</i> 202, 234	<i>Phyllanthus</i> . . . 193	<i>Ptelea</i> . . . 246	<i>Saccolabium</i> . . . 197	<i>Sobralia</i> . . . 197
<i>Opismenus vide</i>	<i>Phyllanthus</i> . . . 193	<i>Pteris</i> . . . 196, 243	<i>Sagena v. Aspi-</i>	<i>Solandra</i> . . . 194
<i>Panicum</i> . . . 193	<i>Phyllanthus</i> . . . 193	<i>Pterocarya</i> . . . 246	<i>dium</i> . . . 193	<i>Solanum</i> 203, 218, 255
<i>Opornia</i> . . . 232	<i>Phyllanthus</i> . . . 193	<i>Pterocephalus</i> . . . 236	<i>Sagittaria</i> . . . 218	<i>Soldanella</i> . . . 239
<i>Opuntia</i> . . . 211	<i>Phyllanthus</i> . . . 193	<i>Pueraria</i> . . . 205	<i>Saintpaulia</i> . . . 180	<i>Solidago</i> . . . 239
<i>Orchideen</i> . . . 196—197	<i>Phyllanthus</i> . . . 193	<i>Pulmonaria</i> . . . 236	<i>Sambai</i> . . . 254	<i>Sollya</i> . . . 204
<i>Oreodoxa</i> . . . 199	<i>Phyllanthus</i> . . . 193	<i>Pulsatilla vide</i>	<i>Salicornia</i> . . . 203	<i>Sonchus</i> . . . 204
<i>Oreopanax</i> . . . 200, 202	<i>Phyllanthus</i> . . . 193	<i>Anemone</i> . . . 224	<i>Salisburia vide</i>	<i>Sonerila</i> . . . 194
<i>Origanum</i> . . . 234	<i>Phyllanthus</i> . . . 193	<i>Punica</i> . . . 203	<i>Ginkgo</i> . . . 250	<i>Sophora</i> . . . 247
<i>Ornithogalum</i> . . . 186	<i>Phyllanthus</i> . . . 193	<i>Pupalia</i> . . . 190	<i>Salix</i> . . . 247	<i>Sorbus</i> . . . 247
<i>Orobis</i> . . . 234	<i>Phyllanthus</i> . . . 193	<i>Pycnanthemum</i> . . . 236	<i>Salvia</i> . . . 187, 203, 237, 254	<i>Spartanium</i> . . . 218
<i>Orotrium</i> . . . 217	<i>Phyllanthus</i> . . . 193	<i>Pyrethrum</i> . . . 236	<i>Salvinia</i> . . . 218	<i>Spargelipflanzen</i> . . . 254
<i>Orpin</i> . . . 254	<i>Phyllanthus</i> . . . 193	<i>Pyrola</i> . . . 236	<i>Sambucus</i> . . . 247	<i>Spartmannia</i> . . . 204
<i>Oryza</i> . . . 218	<i>Phyllanthus</i> . . . 193		<i>Sanchezia</i> . . . 193	<i>Spartium</i> . . . 247
<i>Oseille</i> . . . 254	<i>Phyllanthus</i> . . . 193		<i>Sanguinaria</i> . . . 237	<i>Spathiphyllum</i> . . . 194
<i>Osmanthus</i> . . . 202	<i>Phyllanthus</i> . . . 193		<i>Sanguisorba</i> . . . 237	<i>Spergula vide</i>
<i>Osmonda</i> . . . 243	<i>Phyllanthus</i> . . . 193		<i>Sanicula</i> . . . 254	<i>Arenaria</i> . . . 224, 239
<i>Othonna</i> . . . 215	<i>Phyllanthus</i> . . . 193		<i>Sansevieria</i> . . . 205	<i>Sphacele</i> . . . 204
<i>Oxalis</i> . . . 186, 193, 202	<i>Pilocereus</i> . . . 207, 212	<i>Quendel</i> . . . 253		<i>Spigelia</i> . . . 239
<i>Oxera</i> . . . 193	<i>Pilogyne</i> . . . 187	<i>Quercus</i> . . . 246		

Seite — page	Seite — page	Seite — page	Seite — page	Seite — page
<i>Spinat</i> 254	<i>Syngonium</i> . . . 194	<i>Tommasiula</i> . . . 240	<i>Ustensiles de jar-</i>	<i>Wasserpflanzen</i>
<i>Spiraea</i> 225. 239.	<i>Syringa</i> 247	<i>Topfnelken</i> . . . 242	<i>dnage</i> 255—260	216—219
245. 247		<i>Torenia</i> 194	<i>Uvularia</i> 240	<i>Weigelia</i> 248
<i>Spironema</i> . . . 194	<i>Tabernaemontana</i>	<i>Torreya</i> 250	<i>Vaccinium</i> 248. 253	<i>Weissdorn</i> vide
<i>Sprekelia</i> vide	194	<i>Toxiophylaea</i> . 194	<i>Valeriana</i> 240. 253	<i>Crataegus</i> . . . 251
<i>Amaryllis</i> . . . 180	<i>Tacca</i> 187	<i>Tradescantia</i>	<i>Vallisneria</i> . . . 218	<i>Wellingtonia</i> . 250
<i>Stachelbeeren</i> . 253	<i>Tasconia</i> . . . 194	194. 240	<i>Vallota</i> 187	<i>Wernuth</i> 254
<i>Stachys</i> 239	<i>Tamarix</i> . . . 248	<i>Tragia</i> 205	<i>Vancouveria</i> . . 240	<i>Wostringia</i> . . 204
<i>Stanhopea</i> . . . 197	<i>Tamus</i> 239	<i>Trapa</i> 218	<i>Vauda</i> 197	<i>Winterbohnen-</i>
<i>Staphylea</i> . . . 215	<i>Tanacetum</i> . . 239	<i>Trautvetteria</i> . 240	<i>Vanilla</i> 197. 205	<i>krant</i> 254
<i>Staphylea</i> . . . 247	<i>Tapeinotes</i> . . 180	<i>Trianea</i> 218	<i>Vellozia</i> 194	<i>Wintermajoran</i> 254
<i>Statices</i> 204. 239	<i>Taxodium</i> . . . 256	<i>Trichilia</i> . . . 205	<i>Veltheimia</i> . . . 187	<i>Wintercheck-</i>
<i>Stauden</i> 223—241	<i>Taxus</i> 250	<i>Trichopilia</i> . . 197	<i>Veratrum</i> 240	<i>zwiebeln</i> 254
<i>Stauntonia</i> . . . 204	<i>Tecoma</i> 204	<i>Tricyrtis</i> . . . 240	<i>Verbasum</i> 240	<i>Woodsia</i> 243
<i>Stellaria</i> 239	<i>Tekelia</i> 239	<i>Trientalis</i> . . . 240	<i>Verbena</i>	<i>Woodwardia</i> . 243
<i>Stenandrium</i> . . 194	<i>Telephium</i> . . . 239	<i>Trifolium</i> . . . 240	187. 204. 236. 241. 255	<i>Wulfenia</i> 241
<i>Stenogastra</i> . . 180	<i>Tellima</i> 239	<i>Triglochin</i> . . . 218	<i>Veruonia</i> 241	
<i>Stenotaphrum</i> . 204	<i>Tephrocactus</i>	<i>Trillium</i> 240	<i>Veronica</i>	<i>Xanthoceras</i> . . 248
<i>Stephanophyllum</i>	vide <i>Opuntia</i> 211	<i>Tripmadam</i> . . . 254	204. 218. 241	<i>Xanthorrhoea</i> . 205
191. 194	<i>Teppichbeet-</i>	<i>Tristania</i> . . . 204	<i>Verschiedene Ge-</i>	<i>Xanthoxylon</i> . 248
<i>Stephanotis</i> . . 194	<i>pflanzen</i> 254	<i>Trithrinax</i> . . . 199	<i>müsepflanzen</i>	<i>Xylophylla</i> . . 194
<i>Sterculia</i> 205	<i>Tetranema</i> . . . 194	<i>Tritoma</i> 240	253—254	<i>Xylostium</i> . . . 248
<i>Stevia</i> 204. 255	<i>Teucrium</i>	<i>Tritonia</i> vide <i>Cro-</i>	<i>Vetiveria</i> 194	<i>Yams</i> vide <i>Dios-</i>
<i>Stillingia</i> . . . 205	204. 205. 239	<i>oosmia</i> 185	<i>Viburnum</i> 248	<i>corea</i> 228
<i>Stipa</i> 239	<i>Thalictrum</i> . . 240	<i>Trollius</i> 240	<i>Victoria</i> 218	<i>Yucoa</i> 206
<i>Stobaea</i> 239	<i>Thea</i> 205	<i>Tropaeolum</i>	<i>Villaresia</i> . . . 194	
<i>Stratiotes</i> . . . 218	<i>Theobroma</i> . . 205	187. 204. 255	<i>Villarsia</i> 219	
<i>Strelitzia</i> . . . 194	<i>Thermopsis</i> . . 240	<i>Tsuga</i> 250	<i>Vinca</i> 241	<i>Zamia</i> 197. 199
<i>Streptocarpus</i> . 194	<i>Thladiantha</i> . . 187	<i>Tuberosen</i> . . . 184	<i>Viola</i> 241	<i>Zannichellia</i> . . 219
<i>Streptopus</i> . . . 239	<i>Thruax</i> 199	<i>Tunica</i> 240	<i>Virgilla</i> 248	<i>Zanonia</i> 205
<i>Streptosolen</i> . . 204	<i>Thuja</i> 250	<i>Tupa</i> 204	<i>Vitis</i> 194. 204	<i>Zantedeschia</i> . 187
<i>Strobilanthes</i> . 194	<i>Thujopsis</i> . . . 250	<i>Turnera</i> 194	<i>Vriesia</i> 194	<i>Zauschneria</i> . . 241
<i>Struthiopteris</i> . 243	<i>Thunbergia</i> 194. 255	<i>Tussilago</i> . . . 240	<i>Wahlenbergia</i>	<i>Zea</i> 255
<i>Succisa</i> 239	<i>Thym</i> 254	<i>Tydaea</i> 179	vide <i>Campanula</i>	<i>Zephyranthes</i> . 187
<i>Succulente Pflanz-</i>	<i>Thymian</i> . . . 254	<i>Typha</i> 218	226. 241	<i>Zierbäume und</i>
<i>zen</i> 213—216	<i>Thymus</i> 240. 253.		<i>Waldmeister</i> . . 254	<i>Sträucher</i> 244—248
<i>Sutherlandia</i> . . 204	254. 255	<i>Ulmus</i> 248	<i>Waldesteinia</i> . . 241	<i>Zigadenus</i> . . . 241
<i>Swainsonia</i> . . . 204	<i>Thysacanthus</i> . 194	<i>Umhilicus</i> 215. 240	<i>Waltnüsse</i> 252	<i>Zingher</i> 205
<i>Swertia</i> 239	<i>Tiarella</i> 240	<i>Uniola</i> 240	<i>Warmhauspflanzen</i>	<i>Zwetschen</i> . . . 251
<i>Symphoricarpus</i> 247	<i>Tigridia</i> 187	<i>Urena</i> 194	187—194	<i>Zwiebel- und Knol-</i>
<i>Symphandra</i> . . 239	<i>Tilia</i> 248	<i>Urtica</i> 240	<i>Warscewiczella</i> 197	<i>lengewächse</i>
<i>Symphytum</i> . . . 239	<i>Tillandsia</i> . . . 194	<i>Urvillea</i> 194	<i>Washingtonia</i> . 199	173—187
	<i>Tosfieldia</i> . . . 240			<i>Zygopetalum</i> . . 197

Inhalt des Samen-Verzeichnisses.

I. Gemüse-Samen.

	Seite
1. Kohl-Arten	1—5
2. Wurzeln und Rüben	5—8
3. Salat-Arten	8—10
4. Zwiebel-Samen	10—12
5. Radies- und Rettig-Samen	12—13
6. Küchen-Kräuter	13—16
7. Spinat-Arten	16—17
8. Gurken, Melonen und Kürbisse	17—20
9. Erbsen	21—23
10. Bohnen	23—25

II. Landwirthschaftliche Samen.

1. Futter-Gräser	26—27
2. Klee-Arten	27
3. Verschiedene Futter-Pflanzen	27—28
4. Getreide	29—31
5. Körner- und Feldfrüchte	31—32
6. Futter-Rüben	32—33
7. Diverse technische Samen	33—35
8. Knollen	35—39

III. Blumen-Samen.

	Seite
1. Sortimente	39—51
2. Sommer-Gewächse	52—96
3. Zier-Cucurbitaceen	96—98
4. Zier-Gräser	98—100
5. Stauden	101—126
6. Topfgewächse	126—149
Succulenten und Cacteen	150—154
Wasserpflanzen	154—155
Farne	156—157
Palmen-Samen	157—158

IV. Gehölz-Samen.

1. Nadelhölzer (Coniferen)	158—161
2. Laubbölzer	161—166

V. Neuheiten.


1. Neuheiten von Blumen-Samen für 1897	167—172
2. Neuheiten von Gemüse-Samen für 1897	172

Cultur-Anweisungen — Literatur.

Folgende Gartenbücher halten wir empfohlen, wie wir auch andere Werke der Fachliteratur ebenfalls zu Ladenpreisen schnell besorgen können.

	M. Pf.		M. Pf.
1. Gartenbuch für Jedermann, von Garteninspektor W. Hampel, mit in den Text gedruckten Abbildungen, 2. Aufl., geb.	6 —	33. M. Schulze's Orchidaceen Deutschlands, Oesterreichs und der Schweiz, mit 100 Chromotafeln, in eleg. Orig.-Einband	15 —
2. Frucht- und Gemüsetreiberei, Handbuch der, von demselben Verfasser, mit in den Text gedruckten Abbildungen, geb.	7 —	34. Burbidge, F. W., Orchideen	3 —
3. Villmorin's Blumengärtnerci, 3. Auflage, neubearbeitet, 2 Bände	56 —	35. Stein's Orchideenbuch, mit über 200 Abb., geb.	20 —
4. Klttel, G., Inspektor der Düsseldorfer Friedhöfe, Die werthvollsten Obstsorten Deutschlands, tabellarisch zusammengestellt unter Berücksichtigung ihrer Reifezeit u. Verwendbarkeit u. s. w., geb.	3 —	36. Prof. Thome's Flora von Deutschland, Oesterreich und der Schweiz, mit 616 Chromotafeln, 4 eleg. Halbfranzbände	54 —
5. Allgemeines Illustriertes Gartenbuch, 4. Aufl., von Garteninspektor H. Jäger, mit 262 Abb., geh. M. 6 —; geb.	7 50	37. Handelsgewächse, die, von Löbe, mit 100 Abbildungen, in 7 einzeln käuflichen Heften, vollständig	11 —
6. Apothekergarten, von H. Jäger, geh.	3 —	38. Pomologie, Deutsche. Auswahl. 100 Farbendrucktafeln nebst Text: 30 Aepfel, 30 Birnen, 10 Kirschen, 10 Pflirsche, 5 Aprikosen, 10 Pflaumen, 5 Wein. Geb.	25 —
7. Boden- und Düngerkunde, von H. Jäger.	3 —	39. Grundriss der Lehre vom Gartenbau, von O. Hüttig.	
8. Gemüsegärtner, der praktische, von H. Jäger, 3 Theile, 4. Aufl. Jeder Theil geh. M. 2.50; zusammen geb.	8 50	1. Theil: Allgemeines, geb.	2 —
9. Immerblühende Garten, der, von H. Jäger, 2. Aufl., mit 32 Abb., geh. M. 4.20; geb.	5 20	2. » : Cultur von Topfpflanzen, geb.	1 80
10. Obstgärtner, der praktische, von H. Jäger, 3 Theile, M. 3.75; M. 3.50; M. 3.50; zusammen geb.	12 —	3. » : Der Schulgarten, geb.	1 80
11. Hesdörffer, Max, Handbuch der praktischen Zimmergärtnerci, jetzt vollständig vorliegend, geh. M. 7.50; geb.	9 —	40. Der Feldgemüsebau, nebst Anleitung zum Dörren und Einmachen der Gemüse, von Garteninspektor Held, M. 2.75; geb.	3 —
12. Hesdörffer, Max, Unter Blumen, Monatsplaudereien, geb.	3 —	41. Grundriss des Gemüsebaues, von F. Staemmler, 2. verb. Aufl., geb.	1 20
13. Winterflora, von H. Jäger, 4. Aufl., geh.	3 60	42. Lebl's Zimmergärtnerci, br. M. 5 —; geb.	6 20
14. Schmidlin's Gartenbuch, 4. Aufl., neubearbeitet, geb.	10 —	43. Die Kunst der Pflanzenvermehrung, von Neumann, bearbeitet von J. Hartwig	5 —
15. Die schönsten Pflanzen, von H. Jäger	9 —	44. Öhlkers, Die Rose. 2. Aufl.	2 50
16. Die neuen schönsten Pflanzen, v. dems.	2 —	45. — Unsere schönsten Gartenblumen	4 20
17. Zimmer- n. Hausgärtnerci, von H. Jäger, 3. Aufl., mit 65 Abb., geh. M. 4.20, geb.	5 20	46. Wredow's Gartenfreund, von H. Gaerd, 18. Aufl., geh. M. 9 —; geb.	10 —
18. Flora im Garten und Hause, v. H. Jäger, geh. M. 4 —; geb.	5 —	47. Wredow's Gartenfreund, bearbeitet von O. Hüttig, 2. Aufl., geb.	7 —
19. Lange, Theodor, Allgemeines Gartenbuch.		48. Elchler, G., Gärtnerisches Planzeichnen, 2. Aufl., mit 18 Chromolithographien u. 125 Holzschnitten, in Mappe	10 —
1. Band: Ziergarten und Topfblumencultur, geh. M. 6 —; geb.	7 50	49. Legeler's praktische Messkunst u. Mathematik, mit 240 Holzschnitten, 3. Aufl.	6 80
2. Band: Obst- und Gemüsegarten, geh. M. 6 —; geb.	7 50	50. Wörmann, Die Teppich-Gärten, mit 65 Mustern, 3. Aufl.	6 —
20. Grundriss des Obstbaues, v. Staemmler	2 40	51. Otte u. Levy, Muster-Album der modernen Teppichgärtnerci	5 —
21. Zimmerpflanzen, von Anna Fraenckel	— 50	52. Neumann, M., Die Anlegung von Glashäusern aller Art, von J. Hartwig, 4. Aufl.	10 50
22. Obstbau, der, von O. Hüttig	— 50	53. Dippel, Dr. Leopold, Handbuch der Laubholzkunde, I. Band M. 15 —; II. Band M. 20 —; III. Band M. 25 —; zusammen	60 —
23. Elbel, E., Universitätsgärtner, Bcirthschaftung kleiner Hausgärten.		54. Beissner, L., Nadelholzkunde	20 —
Heft 1: Gemüsebau	— 25	55. — Handbuch der Coniferen-Benennung, geb. M. 2 —; nebst 2 Nachträgen à M. 1 —	4 —
» 2: Obstbau, Beeren- und Blumenanlage	— 25	56. Album für Teppichgärtnerci u. Gruppenbepflanzung, v. K. Götz, mit 366 Abb. u. 947 Bepflanzungsangaben, 2. Aufl., geb.	8 —
» 3: Topfpflanzenzucht	— 25	57. Schlmpfky, Heilpflanzen, 92 Chromotaf. mit Text u. Ergänzungsbl. M. 8.50; geb.	10 —
24. Bergmann L., Adolf, Lehrer, Die Blumenpflege	— 50	58. — Die wichtigsten Giftgewächse, 27 Chromotaf. u. Text, M. 2.25; geb.	2 75
25. Rümpler, Th., Stauden, ihre Cultur, Vermehrung und Verwendung, geh.	6 —	59. Illustriertes Gartenbau-Lexikon, von Th. Rümpler, 2. Aufl., M. 20 —, geb.	23 —
26. Grabbe, H., Staudengewächse, geb.	3 60	60. Illustr. Cultur-Anweisung u. Arbeitskal., v. O. Knopff, br. M. 1.75; geb.	2 25
27. Geyer, W., Die Wassergewächse der Helmath und der Fremde, broch.	1 50	61. Die Erziehung der Pflanzen aus Samen, v. H. Jäger u. E. Benary, eleg. geb.	8 —
28. Förster's Handbuch der Cacteenkunde, M. 32 —; geb.	36 —	62. Haage & Schmidt's Abbildungen in Holzschnitt, welche bis zum Herbst 1895 herausgegeben wurden; enthaltend über 1800 Bilder, mit alphabetischem Verzeichniss; ein Heft in gr. 4 ^o broch.	2 —
29. Thomas, F., Zimmercultur der Cacteen, geh. M. 1 —; geb.	1 50	63. Deutscher Garten-Kalender für 1897 (24. Jahrg.), in Callico M. 2 —, in Leder	3 —
30. Daul, A., Illustriertes Handbuch der Cacteenkunde, geb.	3 90	64. Deutscher Gartenbau-Kalender für 1897, v. A. Württemberg, 8. Jahrg., in Callico	1 20
31. Succulenten, die, v. Th. Rümpler, herausgegeben v. Prof. Dr. K. Schumann, geb.	8 —		
32. Credner, A., Chrysanthemum indicum und seine Cultur M. 4 —; elegant geb.	5 —		

Etablissement Haage & Schmidt, Erfurt



1899-1900.

No. 75.

HERB & WULLE

(Proprietor: M. HERB, Inhaber).

SEED AND BULB GROWERS, —><—
—><— SAMEN- UND BLUMENZWIEBEL-ZÜCHTER,

NAPLES (ITALIA) NEAPEL,

Via Trivio 24-36.



GENERAL CATALOGUE OF SEEDS.

Haupt-Verzeichnis über Samen.

Catalogue de Graines pour Marchands.

English Correspondence. - Deutscher Briefwechsel. - Correspondance française. - Corrispondenza italiana.

Cable Address:
HERB-NAPLES-Trivio.

Telegramm-Aufschrift:
HERB-NEAPEL-Trivio.

Adresse pour télégrammes: HERB-NAPLES - Trivio.

TERMS.

The publication of this list cancels all previous quotations.

Prices. The prices are quoted in **Francs**, free Naples. 1 Franc = 100 centimes = 10 d = 20 Cents, or 5 Francs = 4 Shillings = 1 Dollar. **Postage stamps** are taken in payment up to the amount of 5 Francs.

Charges. 1 Kilo = 1000 Grammes = 2 1/5 lb. english; 100 Grammes = 3 1/2 ounces; 1 lb. = 450 gr.; 1 ounce = 28 grammes. We charge for quantities of at least:

1/4 Kilo Seeds the	1 Kilo price.
50 gr. „ „	100 gr. „
500 Seeds „	1000 seeds „
500 Bulbs or Roots the	1000 price.
50 „ „ „	100 „
5 „ „ „	10 „

Smaller quantities than those quoted in this list are charged at comparatively higher rates. **Prices for large quantities by letter.** **Samples** free on application.

Payments. All amounts are due at **3 months** from date of invoice against draft by special advice. We however allow a **discount of 2 0/0** on all amounts of **Fres. 200** and upwards for payment on receipt of goods. Smaller amounts are payable by **cash**. All orders from unknown correspondents must be accompanied by a sufficient remittance, otherwise satisfactory **references** must be given to ensure the execution of orders. All amounts are payable **free Naples**.

Packing. All **packing material** is charged at first cost, and cannot be taken back. The packing is done with utmost care.

Shipping. Shipping is effected at the risk of the purchaser. If no mode of forwarding is given, we shall send the goods by the **most convenient and direct way**, but we then decline any responsibility. If conveyance offers for **Collecting Goods**, we shall take care, that the lowest expenses possible may arise for our customers.

Complaint. Complaints to be made **immediately** on receipt of the goods, else they cannot be acknowledged.

We send out but **Seeds**, that will, to the best of our belief, give entire satisfaction, but we decline any responsibility for the crop. Only on these terms we shall execute orders.

Parcels of 5 Kilos (about 11 lb.)

can now be forwarded by parcel-post at the following rates direct to:

Argentine Rep.	Fres. 3. 15	Malta	Fres. 1. 80
Australla:		Mexico (via France) . . .	3. 95
N. S. W. & Victoria . . .	9. 45	Natal	9. 50
Tasmania	11. 45	Transvaal (via England) .	10. 75
Queensland	13. 95	U. St. of America (to	
New-Zealand	14. 30	New-York city)	5. --
Canada	7. 30		
Cape-Colony	10. 75	Parcels of 3 Kilos (ab. 7 lb.):	
Dutch Colonies.	5. 20	Australla:	
English Colonies		N. S. W. & Victoria. Fres. 6. 70	
Ceylon & Hongkong. . .	6. 40	Tasmania	7. 95
East India	11. 45	Queensland	8. 05
Straits settlements . . .	6. 40	New-Zealand	9. 70
Egypt	1. 80	Canada	5. 70
France	1. 35	Cape-Colony	8. 20
Algiers	1. 80	English Colonies:	
Corsica	1. 80	Ceylon & Hongkong . .	4. 90
Tunis	1. 80	East India	7. 45
Great Britain		Straits settlements . .	4. 90
& Ireland	2. 80	Honduras	5. 40
Honduras	7. 15	Natal	7. 15
Japan (via Germany) . .	6. 20	Transvaal	8. 15

Steamers. There are at any time direct steamers from Naples to all prominent parts of the world. **Naples-London** in about ten days. **Naples-New York** by the North German Lloyd in about eleven days.

Insurance. If no other instructions are given, insurance will be covered by us for amount of invoice, freight and charges. — Goods sent by parcel-post are only insured on special request.

(October 1899).

GESCHÄFTS-BEDINGUNGEN.

Nach Erscheinen dieses Katalogs sind alle früheren Preisnotirungen ungültig.

Preissätze. Die Preise verstehen sich ab Neapel und haben die **Frachtwährung** zur Grundlage. 1 Franc = 80 Pf. = 1 Krone (Ö. = 71 Oere = 47 Cents (holländ). **Ausländische Geldsorten**, deren zum Tageskurse angenommen. **Briefmarken** sind zum gleich bis zur Höhe von 5 Fres. zulässig.

Berechnung. Wir berechnen bei Abnahme von mindestens:

1/4 Kilo Samen den	1 Kilo-Preis,
50 gr. „ „	100 gr. „
500 Korn „ „	1000 Korn „
500 Blumenzwiebeln einer Sorte den	1000 Stück-P
50 „ „ „	100 „
5 „ „ „	10 „

Keinere Quantitäten, als die im Katalog angeführten, entsprechen höheren. **Preise für grosse Posten** brieflich.

Zahlungen. Wir gewähren auf grössere Beträge **3 Monate Ziel** v. **Tage der Rechnungsausstellung** gegen Tratte unter besonderem Avis; auf Beträge von über 200 Fres. bei sofortiger Zahlung nach Erhalt der Waare **2 % Sconto**. Kleinere Beträge gegen Uns unbekannte Besteller bitten wir um Angabe von **Referenzen** oder um **vorherige Einsendung** des Waaren-Betrages zuzüglich Porto und Verpackung; anderenfalls geschieht die Versendung **gr. Nachnahme**. Alle Zahlungen verstehen sich **postfrei** Neapel ohne Portoabzüge. Durch Postanweisung eingezahlte Beträge betragen wir nur auf ausdrücklichen Wunsch unserer Kunden.

Verpackung. Für Verpackung, die nicht zurückgenommen wird, rechnen wir nur den **tatsächlichen Selbstkostenpreis**. Die Verpackung geschieht mit der grössten Sorgfalt und der beider Menge und den Arten entsprechend, so dass eine gute Ankunft, selbst auf sehr weite Entfernungen, gesichert ist.

Beförderung. Alle Waaren reisen auf **Rechnung und Gefahr** des **Besteller**; wird kein Beförderungsweg vorgeschrieben, so wählen wir, jedoch unter Ablehnung jeder Verantwortlichkeit, die uns **zweckmässigsten** erscheinende Versendungsweise.

Wir versenden nur Samen, die nach unserem Dafürhalten gute Resultate ergeben; eine Bürgschaft für den Ausfall können wir jedoch nicht übernehmen und entsagen deshalb von vornherein jeglicher Ersatzpflicht.

Jede **Reclamation**, sowohl die Factura als die Waare betreffend, bitten wir sofort nach deren Empfang zu machen, andernfalls müssen wir dieselbe zurückweisen.

Die **Aufträge** werden unter der Voraussetzung des völligen Einverständnisses mit Vorstehendem, seitens des Bestellers, ausgeführt.

Packete von 5 Kilo brutto

sind jetzt zu den folgenden Portosätzen zulässig nach:

Argentinien	Fres. 3. 15	*Oester.-Ungarn	Fres. 1. --
*Belgien	1. 80	Peru (via Frankreich) . .	5. 20
Brasilien (Rio Jan. Pernamb. Santos) . .	4. 15	Portugal	2. --
Chile (via Franke.) . .	4. 95	*Rumänien	2. --
Columbien (Republ.) .	3. 15	Russland (bis deutsch. Grenze)	1. --
*Dänemark	2. 35	(bis oesterreichische Grenze) .	1. --
*Deutschland	1. 80	*Schweden	3. --
Ostafrika	3. 40	*Schweiz	1. --
Kamerun	3. 40	Serbien	1. --
Südwestafrika	5. 80	Türkei	1. --
*Egypten	1. 80	Uruguay	3. --
*Holland	2. 35	Von 3 Kg. brutto nach:	
Niederl. Ind.	5. 20	Bulgarien	Fres. 2. --
*Luxemburg	1. 65	*Finland	3. --
Mexico (via Frankr.) .	3. 95	Griechenland	1. --
Madagascar	3. 90	Spanien	2. --
*Montenegro	2. 40	Venezuela	3. --
*Norwegen	3. 10		

* Bei den mit * versehenen Ländern ist **Nachnahme** zulässig.

Directe Schiffsverbindung von Neapel nach allen bedeutenden Häfen der Erde, n. a. folgenden:

Neapel-Marseille	3 Tage	Neapel-Hamburg	12 Tage
Genua	2 „	Rotterdam	9 „
Odessa	8 „	Amsterdam	9 „

Versicherung bei Schiffsendungen. Sofern uns über Versicherung nichts vorgeschrieben ist, wird die allgemein übliche, dem Frachtbetrage entsprechend, von uns besorgt. Versicherung von Packeten und Bahnsendungen wird nur auf ausdrücklichen Wunsch ausgeführt. **Briefe.** Alle Zuschriften bitten wir zu **frankieren**. Das Porto betr.

für:
Briefe 20 Pf.; — 25 cts; — 10 Kr. — 10 Kop.
Postkarten 10 „ — 10 „ — 5 „ — 4 „

(October 1899).

No. 75.

General Catalogue of Seeds.

HAUPT-VERZEICHNIS ÜBER SAMEN.

Catalogue de Graines pour Marchands.

1899 - 1900.

HERB & WULLE,

NAPLES (ITALIA) NEAPEL,

VIA TRIVIO 24-36.

Adresse pour Télégrammes: HERB - NAPLES - Trivio.

FLOWER - SEEDS.

BLUMEN-SAMEN.

GRAINES DE FLEURS.

NOVELTIES

NEUHEITEN

NOUVEAUTÉS

of our own raising.

unserer eigenen Züchtung.

de nos propres cultures

HELIANTHUS CUCUMERIFOLIUS:

New varieties mixed.

Neue Varietäten gemischt.

Nouvelles variétés en mélange.

We have succeeded in raising from this favoured *Helianthus* a multitude of splendid varieties, that deviate materially from the species. The flowers are mostly larger, or with twisted petals, similar to the last year's novelty *Orion*, or with petals large on the base and pointed towards the end. Prevailing colours are: perfect cream-white, creamy with black centre, white-yellow, brilliant golden-yellow, light yellow, or single coloured, or with bright black centre, mostly with petals like the Cactus Dahlia or starlike. Nearly every plant diverges from the other, and with a group of this gorgeous Sunflower may be attained an effect, hardly to be surpassed by a group of Dahlias. It's a matter of course that all these new varieties yield also a very good material for cut-flower purposes, so much more so, as they are more indefatigable in flowering than their species.

Von diesem beliebten *Helianthus* ist es uns gelungen, eine Menge neuer Prachtsorten zu gewinnen, die von der Stammform wesentlich abweichen. Die Blumen sind meist grösser, teils sehr gross, entweder mit gedrehten Blumenblättern, ähnlich der vorjährigen Neuheit *Orion*, oder mit unten breiten, nach oben zugespitzten Petalen. Vorherrschende Farben sind: völlig rahmweiss, rahmweiss mit schwarzem Zentrum, cremegelb, leuchtend goldgelb, prächtig hellgelb, entweder einfarbig oder mit leuchtendem schwarzen Zentrum, meist mit Cactus-Dahlien ähnlichen gedrehten Blumenblättern oder sternförmig. Fast jede Pflanze ist verschieden von der anderen, und kann man mit einer Gruppe dieser prächtigen Sonnenblume eine sehr grosse Wirkung erzielen, wie sie mit Dahlien kaum zu übertreffen ist. Es ist selbstverständlich, dass diese neuen Sorten ein vorzügliches Bindematerial abgeben, umso mehr als sie noch unerschöpflicher im Blühen sind als die Stammform.

Nous avons réussi à obtenir de ce beau *Helianthus* une quantité de nouvelles variétés vraiment magnifiques, qui se distinguent essentiellement de l'espèce. Les fleurs en sont pour la plupart plus grandes, ou avec des demi-fleurons contournés, comme la nouveauté *Orion* de l'an passé, ou avec des pétales larges en bas et terminants en pointe. Les couleurs prévalentes sont: crème-blanc parfait, crème à centre noir, crème-jaune, brillant jaune clair, magnifique jaune d'or, ou d'une seule couleur ou à centre d'un noir luisant, souvent avec des pétales contournés, comme une Dahlia-Cactus, ou en forme d'étoile. Presque chaque plante diffère de l'autre, et on peut atteindre avec un groupe de ce magnifique Soleil un très grand effet, à peine à surpasser par un groupe de Dahlias. Il va sans dire, que ces nouvelles variétés sont de grand mérite pour fleurs coupées, autant plus qu'elles sont plus infatigables en fleurissant que l'espèce.

Copious packets!

1 packet: 0,60 Frc.

100 packets: 45 Frcs.=36 sh. (9 Doll.).

Die Portionen sind reichlich bemessen.

1 Portion: 0,60 Frc.

100 Portionen: 45 Frcs = 36 Mk.

Les paquets sont copieux.

1 paquet: 0,60 Frc.

100 paquets: 45 Frcs.



Helianthus cucumerifolius.

(Electro-Cliché: 4,50 Frcs.)

ELECTROS.

Electros can only be supplied on the strict understanding, that they are exclusively for the purchasers' own use. Therefore it is neither allowed to lend them out for illustrations of other Catalogues, nor to sell them, nor to take cast therefrom.— Forwarding of the *Electros* direct from our factory in **Leipzig** (Germany). If any are required, please apply to us.

GALVANOS.

Die Käufer unserer *Galvanos* verpflichten sich, dieselben nur zum eigenen Gebrauche zu verwenden, weder zur Ausstattung anderer Preisverzeichnisse zu verleihen, noch zu veräußern. Auch dürfen keine Duplikate davon angefertigt werden. — Cliché-Versand direkt von unserer Fabrik in **Leipzig** (Deutschland). Bestellungen bitten wir an uns zu richten.

CLICHÉS.

L'acheteur de nos *Clichés* s'engage à ne les utiliser que pour soi-même, à ne pas les vendre et à ne pas en faire des duplicats. — L'expédition des *Clichés* se fait directement de notre fabrique à **Leipzig** (Allemagne). Prière d'adresser les ordres à nous.



Helianthus cucumerifolius:

New varieties. — NEUE VARIETÄTEN. — Nouvelles variétés.

(Electro — Cliché: 20 Frcs.)

HELIANTHUS CUCUMERIFOLIUS:

New varieties.

NEUE VARIETÄTEN.

Nouvelles variétés.

albus. Nearly white! The first almost perfectly pure white Sunflower of great beauty. — Fast weiss! Die erste nahezu völlig reinweisse Sonnenblume von grosser Schönheit. — Presque blanc! Le premier Soleil à peu près parfaitement blanc pur de très grande beauté.

1 paquet (Portion) 1 Franc.; 10 paquets 7.50 Francs.

Venus. Yellow-white with black centre surrounded by a golden circle. Magnificent, large flowering variety with twisted petals. — Gelblichweiss mit schwarzem Zentrum, umgeben von einem goldgelben Kreis. Prachtvolle grossblumige Sorte mit gedrehten Blumenblättern. — Blanc jaunâtre à centre noir, entouré d'un cercle jaune doré. Variété magnifique à pétales contournés.

1 paquet (Portion) 0.75 Franc.; 10 paquets 6 Francs.

Sirius. Brilliant light-yellow with dark centre. — Leuchtend hellgelb mit dunklem Zentrum. — Brillant jaune clair. Centre obscur.

1 paquet (Portion) 0.60 Franc.; 10 paquets 5 Francs.

Leda. Brilliant light-yellow with a white ring round the dark centre. — Leuchtend hellgelb mit weissem Ring um das dunkle Zentrum. — Brillant jaune clair avec un cercle blanc autour du centre obscur.

1 paquet (Portion) 0.75 Franc.; 10 paquets 6 Francs.

Kalypso. Large flowering, light-yellow, with long, twisted petals. Grossblumig, hellgelb, mit langen, gedrehten Blumenblättern. A grandes fleurs jaune clair à longs pétales contournés.

1 paquet (Portion) 0.75 Franc.; 10 paquets 6 Francs.

Erato. Cream-colour, with shining black centre. Magnificent! — Crème-gelb, mit leuchtend schwarzem Zentrum. Prachtvoll! Crème, à centre noir luisant. Magnifique!

1 paquet (Portion) 0.60 Franc.; 10 paquets 5 Francs.

Hermione. Lemon-coloured or greenish-yellow. Splendid! — Citrongelb oder grünlichgelb. Prätig! — Couleur de citron ou jaune-verdâtre. Splendide!

1 paquet (Portion) 0.75 Franc.; 10 paquets 6 Francs.

Circe. Golden, starlike, with twisted petals; very striking and beautiful! — Goldgelb, sternförmig, mit gedrehten Blumenblättern; sehr auffallend und schön! — Jaune d'or, en forme d'étoile, à pétales contournés; surprenant et très beau!

1 paquet (Portion) 0.75 Franc.; 10 paquets 6 Francs.

Mars. Golden-yellow, with very large, striking flowers; taller and with larger flowers than the other varieties. — Goldgelb, mit sehr grossen, auffallenden Blumen; grossblumiger und höher als die anderen Sorten. Jaune d'or, à fleurs frappantes; plus haut et à plus grandes fleurs que toutes les autres variétés.

1 paquet (Portion) 0.60 Franc.; 10 paquets 5 Francs.

Saturn. Shining yellow, large-flowering, beautiful. — Leuchtend gelb, grossblumig, herrlich. — Jaune luisant, à grandes fleurs superbe!


1 paquet (Portion) 0.60 Franc.; 10 paquets 5 Francs.

One packet of each of the above 10 varieties }
Je eine Portion von obigen 10 Sorten } 6 Francs.
Un paquet de chacune des 10 variétés ci-dessus }

Ten packets of each of the above 10 varieties }
Je zehn Portionen von obigen 10 Sorten } 50 Francs.
Dix paquets de chacune des 10 variétés ci-dessus }

FLORE PLENO. Most beautiful variety with fine, double flowers, which, owing to their slender, but nevertheless strong stalks, are very well fit for cutting-purposes of every kind. Like all other double Sunflowers every plant of this variety shows also a limited number of half-double and single flowers. Magnificent and valuable novelty! — Sehr schöne Varietät mit gefüllten Blumen, die wegen ihrer dünnen und festen Stiele sich für Bindezwecke jeder Art verwenden lassen. Jede Pflanze bringt indess, gleichwie andere gefüllte Sonnenblumen, stets eine kleine Anzahl auch halbgefüllter oder einfacher Blumen. Sehr schöne und wertvolle Neuheit! — Une très belle variété à fleurs doubles, qui, ayant des pedicules minces et fortes, sont bien propre à la coupe. Comme tous les Soleils doubles, cette variété produit aussi sur chaque plante quelques fleurs demi-doubles et simples. Nouveauté magnifique et précieuse!

1 paquet 0.75 Franc.; 10 paquets 6 Francs.; 25 paquets 12 Francs.



Gomphrena gnaphalioides.

(Electro-Cliché: 5.50 Francs.)

GIANT MARGARET-CARNATION.

Riesen - Margareten - Nelke.

Oeillet Marguerite Géant.

“ Pure Sulphur-yellow. ,

This new *pure sulphur-yellow* Margaret-Carnation, we offer to the trade, has very large, well formed and double flowers, and reproduces itself nearly quite true from seed.

Die von uns hier angebotene *reinschwefelgelbe* Riesen-Margareten-Nelke hat äusserst grosse, schöngebaute und dichtgefüllte Blumen und fällt fast völlig echt aus Samen.

Ce nouveau Oeillet Marguerite Géant, que nous offrons au commerce, a de très grandes fleurs, bien doubles, d'une couleur *pure jaune de soufre*, et se reproduit quasi fidèlement de semis.

1 paquet (Portion): 0,80 Frc.

100 paquets (à ca. 25 graines-seeds): 60 Frcs.

= 48 sh. (12 Doll.) 48 Mk.

“ White Perfection. ,

Also a very largeflowering Margaret-Carnation with well shaped very double, *brilliant white* flowers; comes quite true from seed. Belongs with the aforementioned variety to the best and the most valuable Perpetual-Carnation.

Eine ebenfalls sehr grossblumige Margareten-Nelke mit schöngebaute, dichtgefüllten, *blendend weissen* Blumen. Fällt durchaus echt aus Samen. Sie gehört, samt der vorigen, zu den besten und wertvollsten Remontant-Nelken.

Également un Oeillet Marguerite à très grandes fleurs d'une belle forme, bien doubles et *brillant blanches*. Se reproduit fidèlement de semis. Il appartient, avec le “ Marguerite Géant ” ci-dessus aux Oeillets Remontants les meilleurs et les plus beaux.

1 paquet (Portion): 0,75 Frc.

100 paquets (à ca. 25 graines-seeds): 55 Frcs.

= 44 sh. (11 Doll.) 44 Mk.

GOMPHRENA GNAPHALIOIDES.

An exuberantly, very low growing plant from Argentine with small, white, *Gomphrena*-like flowers. The plant reaches but then its full effect, when it grows on sterile, poor soil without water, where it will soon be covered with its pretty small flowers, affording a lovely sight. It's therefore especially well adapted for rockeries, covering of ruins, bowlders, escarpments etc. Also very nice for lamps.

1 packet: 0,60 Frc.

100 packets: 45 Frcs. = 36 sh. (9 Doll.).

Üppig wachsende, ganz niedrig bleibende Pflanze aus Argentinien mit kleinen, weissen *Gomphrena*-ähnlichen Blumen. Die Pflanze erreicht nur dann ihre volle Wirkung, wenn sie auf steinigem, magerem Boden steht und ihr das Wasser entzogen wird, wo sie sich dann völlig mit den kleinen weissen Blumen bedeckt und einen schönen Anblick gewährt. Sie eignet sich deshalb besonders zur Bepflanzung von Felspartien, zwischen alten Gemäuer, Ruinen, steile Böschungen und dergleichen. Auch schön für Ampeln.

1 Portion 0,60 Frc.

100 Portionen: 45 Frcs. = 36 Mk.

Plante très naine, luxuriante, de l'Argentine, avec de petites fleurs blanches, ressemblantes à celles de la *Gomphrena*. Elle n'atteint son effet complet que quand elle croît sur un terrain pierreux et aride sans eau, où elle se couvre entièrement de ses petites fleurs blanches, offrant ainsi un bel aspect. C'est pour cela qu'elle est bien propre à la plantation sur roches, ruines, de vieilles masures, escarpes etc. Aussi belle pour des suspensions.

1 paquet 0,60 Frc.

100 paquets: 45 Frcs.

POA TRIVIALIS FOLIIS VARIEGATIS.

A lovely variety of the common *Ray-grass* with pretty white striped leaves. It's true from seeds and perennial. The plant is useful for the most varied purposes.

1 packet: 0,75 Frc.

100 packets: 55 Frcs. = 44 sh. (11 Doll.)

Eine Abart des gewöhnlichen “ Rispengrases ” mit hübschen weissbunten Blättern. Sie fällt echt aus Samen und ist ausdauernd. Die Pflanze kann die mannigfachste Verwendung finden.

1 Portion: 0,75 Frc.

100 Portionen: 55 Frcs. = 44 Mk.

Une variété du commun “ Paturin ” avec de belles feuilles panachées blanches. Elle se reproduit fidèlement de semis et est perenne. Utile pour des desseins les plus variés.

1 Portion: 0,75 Frc.

100 paquets: 55 Frcs.



Centaurea
imperialis.

(Electro — Cliché: 28 Fres.)

CENTAUREA IMPERIALIS.

Our *Centaurea imperialis* is doubtless the best "Sweet Sultan" for cutflower-purposes, and will make superfluous in the course of time all the other species of Centaureas. As the result of a cross between the red *C. moschata* and *C. Margaritae*, it took from the latter the same beautiful, variegated and noble-shaped flowers; these have become however much larger. Also the growth of the plant is much stronger and the plant itself is much more resistant than the more delicate *C. odorata*, *Margaritae* and *Chamaeleon*, which often die after a short life in the midst of their best bloom. The colour of the flowers varies in pure white, lilac, rose, purple, dark red and other similar tints. The flowers are supported by strong, long stalks and have an extremely long duration. — *Centaurea imperialis* is one of the nicest of all annuals, is easy to cultivate and flowers continuously from spring to autumn; it deserves a prominent place in all the cultures of cut-flowers. — The seeds are small and weighty as those of the *C. moschata*, but bearded as those of the *C. odorata*-species. — The following varieties come nearly all true from seeds, only a few still a small percentage of flowers differently coloured. — The "Florist's Exchange", of New-York, No 32, of 12th of August 1899 writes speaking of Novelties: The premier place must be assigned to *Centaurea imperialis*, which is one of the most important introductions of the present decade. The plant is very vigorous, growing nearly four feet high, easy to grow, and literally covered with enormous flowers fully double the size of *C. Margaritae*, with the same odor and of the same form. The stems are long enough to satisfy the most exacting «Belle of New-York».

Unsere *Centaurea imperialis* ist unstreitig die beste Centaurea für Blumenschnitt, die mit der Zeit alle anderen Sorten überflüssig machen wird. In der Kreuzung der roten *C. moschata* mit *C. Margaritae* entstehend, hat sie dieselben prachtvollen, wohlriechenden und edelgebauten Blumen wie *C. Margaritae*, ist aber grossblumiger und auch grösser in Wuchs und Habitus der Pflanze und bedeutend widerstandsfähiger als die zwar sehr schön, aber doch ziemlich empfindlichen *C. odorata*, *Margaritae* und *Chamaeleon*, die gewöhnlich schon nach kurzer Lebensfrist, mitten im besten Flor, zugrunde zu gehen pflegen. Die Blumen variiren in Reinweiss, Lila, Rosa, Purpur, Dunkelrot und ähnlichen Schattirungen, haben lange, feste Stiele und halten sich ausserordentlich lange Zeit. *Centaurea imperialis* ist eine der schönsten aller Sommerblumen, von einfacher Kultur und leicht vom Frühjahr bis Herbst in Flor; sie verdient in allen Schnittblumenkulturen den ersten Platz. — Die Samen sind klein und schwer, wie die der *C. moschata*, jedoch mit Bart versehen, wie bei denen der *C. odorata*-Spezies. — Die nachstehend angebotenen Sorten sind fast alle constant und fallen rein in Farbe, nur einige geben einen kleinen Prozentsatz andersfarbiger Blumen. — Die "Florist's Exchange", von New-York schreibt in No 32 vom 12 August 1899 in ihrer Neuheiten-Umschau: Der erste Platz muss entschieden der *Centaurea imperialis* eingeräumt werden, welche eine der hervorragendsten Einführungen des letzten Jahrzehnts ist. Die Pflanze ist von ungemeinem Wuchs und wird ziemlich vier Fuss hoch; sie ist leicht zu kultiviren und buchstäblich bedeckt mit ausserordentlich grossen Blumen, welche die doppelte Grösse der *C. Margaritae*, sowie denselben herrlichen Duft und die schöne Form wie diese haben.

Notre *Centaurea imperialis* est sans doute la meilleure Centaurée pour la coupe, et rendra superflue avec le temps toutes les autres espèces jusqu'ici cultivées. Issue d'un croisement entre la rouge *C. moschata* et *C. Margaritae*, elle a des fleurs exactement de la magnifique forme et de l'odeur de la dernière, mais les dépasse assez en grandeur. La forme et la croissance de la plante sont aussi plus grandes et plus robustes qu'il en est le cas avec les certes aussi belles *C. odorata*, *Margaritae* et *Chamaeleon*, qui par suite d'intempéries inattendues dépérissent souvent tout d'un coup au milieu de leur meilleure floraison. Les fleurs varient en blanc pure, lilas, rose, pourpre, rouge foncé et pareilles nuances, et sont longuement édonculées, se conservant coupées un très long temps. *Centaurea imperialis* est une des plus belles de toutes les annuelles, de la plus simple culture, fleurissant continuellement du printemps à l'automne; elle mérite la première place dans les cultures de fleurs pour la coupe. — Les graines sont petites et pesantes, comme celles de *C. moschata*, mais barbuës, comme celles des espèces de *C. odorata*. — Les variétés suivantes se reproduisent presque toutes de semis en couleur pure, seulement quelques unes donnent encore une petite part des fleurs d'une autre couleur. — La "Florist's Exchange", de New-York, No 32, du 12 août 1899, parlant des nouveautés, écrit: La première place doit être assignée à *Centaurea imperialis*, qui est une des plus prédominantes introductions de la dernière décennie. La plante est d'une croissance luxuriante et atteint une hauteur d'à peu près quatre pieds; la cultivation en est très facile et abondante, la plante elle couvre littéralement de fleurs énormes, qui ont deux fois la grandeur de *C. Margaritae* et la même odeur délicieuse et belle forme que celle-là. Les pédicules sont très longues, de manière que les fleurs coupées doivent satisfaire les «Belles de New-York» les plus exigeantes.

alba. "Giant Margaret Centaurea". Brilliant white giant flowers; magnificent! — "Riesen-Margareten-Centaurea". Blendend weiss, riesenblumig; prachtvoll! — "Centaurée Marguerite Géante". Blanc brillant, à fleurs géantes; magnifique.

10 gr. 0,90 Frc.; 100 gr. 8,00 Frcs.; kg. 72 Frcs.

Armida. Delicate lilac or whitish lilac, extra large-flowering; very nice, delicate colour. — Zartlila oder weisslichlila, extra grossblumig; sehr schöne zarte Farbe. — Lilas tendre ou lilas blanchâtre, à fleurs géantes; très belle couleur tendre. *Extra!*

10 gr. 1,50 Frcs.; 100 gr. 12 Frcs.

Favorita. Brilliant rose; finest fancy-colour. — Brillant rosa; feinste Modelfarbe. — Rose brillante; couleur de mode la plus recherchée.

10 gr. 0,90 Frc.; 100 gr. 8,50 Frcs.; kg. 75 Frcs.

Graziosa. Intense dark lilac; nice colour. — Intensiv dunkellila; hübsche Farbe. — Lilas foncé intense; belle couleur.

10 gr. 0,90 Frc.; 100 gr. 8,50 Frcs.; kg. 75 Frcs.

Iphigenia. Whitish lilac with large white centre; splendid flower. — Weisslichlila mit grossem weissen Centrum; prachtvolle Blume. — Lilas tirant sur le blanc au centre grand, blanc; fleur magnifique.

1 paquet (25 grms. — S.) 0,40 Frc.; 100 paquets: 30 Frcs.

Iphigenia rosea. Whitish rose with large white centre; *extra!* With the preceding the nicest of the collection. The plant is a little less vigorous in growth, it possesses however for the rest all the good qualities, that distinguish this class. — Weisslichrosamit grossem weissen Centrum; *extra!* Nebst der vorigen die schönste des Sortiments. Die Pflanze ist etwas schwächer im Wuchs, im übrigen besitzt sie indessen alle guten Eigenschaften, die diese Klasse auszeichnen. — Rose tirant sur le blanc, au centre grand, blanc; *extra!* Avec la

précédente la plus belle de la collection. La plante en est un peu moins vigoureuse, mais au reste elle possède toutes les bonnes qualités, qui distinguent cette classe.

1 paquet (25 grms.—S.) 0,40 Frcs.; 100 paquets: 30 Frcs.

ilacina. Giant flowers, lilac; similar to *Centaurea odorata*. — Riesenblumig, lilafarben; ähnlich der *C. odorata*. — A fleurs géantes, lilas; ressemblant à la *C. odorata*.

10 gr. 0,90 Frc.; 100 gr. 8,00 Frcs.; kg. 72 Frcs.

purpurea. Brilliant purple-rose. — Leuchtend purpur-rosa. — Pourpre rose brillant.

10 gr. 0,90 Frc.; 100 gr. 8,50 Frcs.

rosea. Rose; distinct nice colour. — Rosa; distinkte schöne Farbe. — Rose; belle couleur distincte.

10 gr. 0,90 Frc.; 100 gr. 8,00 Frcs.; kg. 72 Frcs.

splendens. Brilliant, dark purple; splendid colour. — Leuchtend dunkel purpurn; herrliche Farbe. — Pourpre foncé brillant; couleur magnifique.

10 gr. 1,50 Frc.; 100 gr. 12 Frcs.

variabilis. White, marked purple, in fading rose. (Part of the plant produces however pure white flowers). — Weiss, purpurn gezeichnet im Verblühen rosa. (Ein Teil der Pflanzen bringt indessen völlig reinweisse Blumen). — Blanc, strié pourpre, passant au rose. (Une partie des plantes produit pourtant des fleurs d'un blanc pure.)

10 gr. 0,90 Frc.; 100 gr. 8 Frcs.; kg. 72 Frcs.

Splendid mixture. — Prachtmischung. — Mélange superbe, en riches couleurs.

10 gr. Frc.; 100 gr. 5,50 Frcs.; kg. 48 Frcs.



b. (Electro — Cliché: 9 Fres.)



c. (Electro — Cliché: 7 Fres.)



a. (Electro — Cliché: 14 Fres.)

**Centaurea
imperialis.**

Peculiarly noteworthy
INTRODUCTIONS
of the last years.

Besonders wertvolle
EINFÜHRUNGEN
der letzten Jahre.

INTRODUCTIONS
de valeur spéciale
des années dernières.

Maranthus hybridus Brilliant. Splendid coloured ornamental plant of gorgeous effect. — Prachtvoll gefärbte Blattpflanze von grosser Wirkung. — Belle plante ornementale à feuilles magnifiquement colorées d'un grand effet.

10 gr. 0,40 Frc.; 100 gr. 3 Frc.; kilo 26 Frcs.

Aster Hohenzollern, pure white. Large, pure white flowers of splendid form, often 6 inches in diameter. — **Hohenzollern-Aster, reinweiss.** Mit grossen, feingeförmten, oft 15 cm. Durchmesser haltenden, reinweissen Blumen. — **Reine-Marguerite Hohenzollern, blanc pur.** Fleurs très larges, d'un blanc le plus pur, d'une forme élégante, mesurante souvent 15 cm. de diamètre.

10 gr. 3 Frcs.; 100 gr. 28 Frcs.

Aster Ostrich-plume, white. Similar to the former. Candelabrum growth, with likewise very large flowers. — **Straussenfeder-Aster, weiss.** Aehnlich der vorigen, von candelaberartigem Bau; ebenfalls sehr grossblumig. — **Reine Marguerite Plume d'autruche, blanc.** Ressemblant à la précédente, en forme de candelabre; aussi à fleurs très grandes.

10 gr. 3 Frcs.; 100 gr. 28 Frcs.

Balsam Improved Camellia-flowered, alba perfecta. Very double, pure white flowers of perfect Camellia form. — **Verbesserte Camellien-Balsamine, alba perfecta.** Dichtgefüllte, reinweisse Blumen von vollendeter Camellien-Form. — **Balsamine Camellia améliorée, alba perfecta.** Fleurs très doubles, blanc pur, d'une forme parfaite de Camellia.

10 gr. 0,50 Frc.; 100 gr. 4 Frcs.; kilo 36 Frcs.

Balsam, Improved Camellia-flowered, Bismarck. Last year's novelty with splendid, very double, brilliant salmon-rose flowers. — **Verbesserte Camellien-Balsamine, Fürst Bismarck.** Vorjährige Neuheit mit prächtigen, dichtgefüllten, leuchtend lachsrothfarbenen Blumen. — **Balsamine Camellia améliorée, Bismarck.** Nouveauté de l'an passé avec des fleurs magnifiques, bien doubles et à couleur saumon-rose.

10 gr. 0,60 Frc.; 100 gr. 5 Frcs.

Canna Mademoiselle Meriem Lombard. The nicest white-flowering Indian Shot; abundantly flowering. Comes true from seed. — Die schönste weissblühende Canna; äusserst reichblühend. Fällt echt aus Samen. — Le plus beau Balisier à fleurs blanches, fleurissant en abondance. Se reproduit de semis.

10 grs.—S. 0,50 Frc.; 100 grs.—S. 6 Frcs.

Canna variegata. New variegated leaved Indian Shot; gorgeous ornamental plant. — Neue buntblättrige Canna; prächtige Dekorationspflanze. — Nouveau Balisier à feuilles panachées; plante ornementale magnifique.

10 grs.—S. 0,80 Frc.; 100 grs.—S. 6 Frcs.

Celosia plumosa «Ostrich-plume». Brilliant crimson clustery flowers of Ostrich-plume form. — «**Straussenfeder**». Mit leuchtend carmoisinroten, strausenfederartigen Blumenbüscheln. — «**Plume d'autruche**». Touffe de fleurs, brillant carmoisi, de forme de plume d'autruche.

10 gr. 0,60 Frc.; 100 gr. 5 Frcs.

Chrysanthemum carinatum tricolor Chamaeleon. Last year's novelty of grand effect. Ground colour of the flowers light coppery bronze with a bright purplish crimson zone; the blackish purple disc surrounded by a golden yellow circle. — Vorjährige Neuheit von herrlicher Wirkung. Blumen erst hellbrunne, später prächtig isabellgelb mit leuchtend purpurner Zone, Centrum schwarzpurpurn mit goldgelbem Kranz. — Nouveauté de l'an passé d'un grand effet. Fleurs d'abord brunes clair à centre pourpre brillant, disque pourpre noirâtre entouré d'un cercle jaune d'or; plus tard le bronze clair change en isabelle.

10 gr. 2,50 Frc.

Commellina Sellowiana. Excellent pot and lamp-plant with large, cobalt-blue flowers. — Prächtige Topf- und Freilandpflanze mit grossen, kobaltblauen Blumen. — Magnifique plante pour pots et pleine terre à grandes fleurs bleu de cobalt.

2 gr. 0,50 Frc.; 10 gr. 2 Frcs.; 100 gr. 18 Frcs.

Euphorbia heterophylla fol. var. With yellow-variegated foliage and brilliant carmine bracts. Varies a little. — Mit gelbbunter Belaubung und leuchtend carminroten Bracteen. Variirt etwas. — Avec feuillage jaune varié et bractées brillant carmines.

2 gr. 0,60 Frc.; 10 gr. 2,80 Frcs



Heliotropium Regina Margarita.
(Electro — Cliché: 4,50 Frcs.)

Heliotropium giganteum. New giant flowering varieties, mixed. — Neue riesenblumige Varietäten, gemischt. — Nouvelles variétés à fleurs géantes.

10 gr. 2,40 Frcs.; 100 gr. 22 Frcs.

Heliotropium Regina Margarita. Giant umbellate dark blue Dwarf Heliotrope; splendid. True from seed, yielding of seeds however very weak. — Riesendoldiges, dunkelblaues Zwerg-Heliotrop; prachtvoll. Fällt treu aus Samen, Samengewinnung jedoch sehr schwach. — Hélotrope nain, à ombelles géantes, bleu foncé; magnifique. Se reproduit de semis, mais la production des graines en est très faible.

1 paquet (100 grs.—S.) 0,60 Frc.; 10 paquets (1000 grs.—S.) 4,50 Frcs.

Nicotiana sylvestris. Portly solitary and group plant with pure white flower-clusters, rising loftily above the feuillage. — Stattliche Solitär- und Gruppenpflanze mit hoch überstehender reinweisser Blütenkro-ne. — Imposante plante solitaire et pour groupes avec grandes fleurs blanches pures s'élevant en gros faisceaux au dessus du feuillage.

10 gr. 0,40 Frc.; 100 gr. 2,50 Frcs.; kilo 22 Frcs.

Physalis Franchetti. With large scarlet fruits; excellent plant for pot-culture and open ground. — Mit grossen scharlachroten Früchten; schöne Topf- und Gruppenpflanze. — Avec de grands fruits écarlates; excellente plante pour la culture en pots et en pleine terre.

10 gr. 0,40 Frc.; 100 gr. 2,80 Frcs.; kilo 24 Frcs.

Tephrosia grandiflora. Evergreen green-house plant with dark lilac-red flowers, similar to those of Lathyrus. — Immergrüne Kalt-hauspflanze mit Lathyrus-ähnlichen, dunkellila-roten Blumen. — Arbrisseau toujours vert de serre froide avec des fleurs lilas-rose foncé, ressemblantes à celles de Lathyrus.

100 grs.—S. 0,40 Frc.; 1000 grs.—S. 3,60 Frcs.

Zea quadricolor. A giant, variegated leaved Sweet Corn of high decorative value. The leaves are striated silver-white, yellow, rose and green. — Eine riesige, buntblättrige, sehr dekorative Maisart. Die Blätter sind silberweiss, gelb, rosa und grün gestreift. — Géant Mais à feuilles panachées, très décoratif. Les feuilles sont striées d'un blanc argenté, jaune, rose et vert.

100 gr. 0,50 Frc.; kilo 2,80 Frcs.

ASSORTMENTS. SORTIMENTE. ASSORTIMENTS.

CANNA.

Seeds of Indian Shot.

Samen von Canna

Graines de Balisier (Canne d'Inde).

	10 gr. Fres.	100gr. Fres.	1 ko. Fres.		10 gr. Fres.	100gr. Fres.	1 ko. Fres.
CANNA INDICA.				C. Duc de Montmartre	— 20	1 20	10 —
C. Annei fulgida	—	— 80	5 —	" Eduard Michel	—	— 80	6 —
" Bermanti	—	— 80	5 —	" Félix Crousse	—	— 90	7 —
" coccinea	—	— 80	6 —	" Fürst Bismarck. Extra!	— 40	3 —	24 —
" discolor splendens	—	— 80	6 —	" Franz Buchner	—	— 50	—
" Ernst Benary	—	— 90	7 —	" Germania	— 50	4 —	—
" metallica	30	1 80	—	" Henry Pasquieur	—	— 90	7 —
" musaefolia hybrida	—	— 80	5 50	" Jules Favre	— 40	—	—
" nigricans	— 30	2 —	18 —	" Königin Charlotte. — Queen Charlotte	— 35	2 40	12 —
" purpurea hybrida	—	— 80	6 —	" L. E. Bally. Extra!	— 60	—	—
" Warscewicz (sanguinea)	— 20	1 20	10 —	" Le tigre	—	— 80	6 —
" zebrina	—	— 60	4 50	" Madame Crozy	— 30	2 —	16 —
" " excelsa. Extra!	—	— 60	4 50	" Madame Cabanne	— 30	2 —	—
" Mélange de toutes les variétés. (Alle Sorten gemischt).	—	— 50	3 50	" Mademoiselle Meriem Lombard (alba) 10 S.—grns. 0,50 Frc.; 100 S.—grns. 6 Frcs.	—	—	—
" " des variétés à feuilles rouges. — Rotblättrige gemischt.—Red-leaved mixed.	—	— 60	4 50	" M. Dutérail	— 40	—	—
CANNA GRANDIFLORA.				" M. Lefèvre	— 50	—	—
Crozy's et d'autres hybrides nouveaux.				" Miss Sarah Hill	— 50	—	—
A. Red-leaved. — Rotblättrige. — A feuilles rouges.				" Paul Bruant	— 30	2 —	15 —
C. Charlemagne	— 25	1 50	—	" Paul Marquant	— 40	—	—
" Comte O. de Kerkhove	— 30	1 80	—	" Paul Mayland	— 40	—	—
" Hofgartendirector Gräbener	— 40	2 50	—	" Perle des massifs	— 20	1 —	8 —
" Légionnaire	—	— 80	6 —	" Ruhm von Stuttgart. Extra!	— 40	3 —	24 —
" Léonard Lille	— 25	1 80	16 —	" Sieger von Wörth	—	1 —	7 —
" Maurice Rivière.	— 35	2 —	18 —	" Souvenir d'Asa Gray	—	— 80	6 —
" Negerfürst	— 30	1 80	16 —	" Souvenir de François Gaulin	—	— 80	6 —
" Stadtrat Heidenreich	— 40	—	—	" Trocadero	—	— 80	6 —
" Paul Bert	— 30	1 80	16 —	C. large flowering (Crozy's), but red-leaved finest mixture	—	1 —	8 —
" Souvenir de Madeleine	— 25	1 50	12 —	" grossblumige (Crozy's), nur rotblättrige Prachtmischung	—	1 —	8 —
" Souvenir du Président Carnot	— 35	2 —	—	" dites de Crozy, exclusivement à feuilles rouges, en mélange superbe	—	1 —	8 —
B. Green-leaved.—Grünblättrige.— A feuilles vertes.				C. large flowering (Crozy's), green-leaved, mixed	—	— 80	6 —
C. Amiral Avellan	—	— 80	6 —	" grossblumige (Crozy's), grünblättrige gemischt	—	— 80	6 —
" Alphonse Bouvier	— 20	1 20	10 —	" dites de Crozy, à feuilles vertes, en mé- lange	—	— 80	6 —
" Antoine Rivoire	— 40	3 —	—	C. large flowering, all varieties mixed, 1st quality.	—	— 70	5 —
" Charles van Geert	— 40	3 —	—	" grossblumige, alle Sorten gemischt, 1 ^{re} Qualität	—	— 70	5 —
" Comte Horace de Choiseul	—	— 80	6 50	" à grandes fleurs, toutes les variétés en mélange, 1 ^{re} qualité	—	— 70	5 —

SALVIA SPLENDENS.

Great speciality of the establishment! —

Grosse Spezialität des Gechäfts! —

Grande spécialité de l'établissement!



a. *Salvia splendens grandiflora* Ingenieur Clavenad.
(Electro — Cliché: 18 Frcs.)

	Pack.	10	100
	Frcs.	gr.	gr.
	Frcs.	Frcs.	Frcs.
<i>Salvia splendens</i> kg. 96 Frcs.	— 20	1 20	10 —
" <i>alba</i>	— 40	6 —	—
" <i>Apple-blossom</i> — <i>Apfelblüte</i> . —	— 40	5 —	—
" <i>A fleur de pêcher</i>	— 40	6 —	—
" <i>atropurpurea</i> . Magnifique!	— 40	—	—
" <i>Ch. Lecouteulx</i>	— 30	2 80	25 —
" <i>grandiflora</i> . Magnificent fieryscarlet with giant flower-spikes. — Prächtig feurigscharlach mit riesigen Blütenrispen. — <i>Rouge-écarlate magnifique, à panicules géantes</i>	— 30	2 80	25 —
" <i>Ingenieur Clavenad</i> . Very early flowering, the best and most beautiful species for largo cultivation. — Sehr frühblühend, die beste und schönste Spezies für Massenkultur. — <i>Très précoce, la meilleure et plus belle espèce pour la grande culture</i> kg. 130 Frcs.	— 20	1 60	15 —
" <i>Long spikes</i> (Longues panicules). —	— 30	3 —	28 —
" <i>prostrata</i>	— 30	3 —	28 —
" <i>President</i>	— 30	3 —	—
" <i>rosea</i> . Magnifique.	— 30	3 50	—
" <i>nana</i> . Dwarf, rich and early flowering. — <i>Niedrig, reich und frühblühend</i> . — <i>Nain, riche et précoce</i> kg. 175 Frcs.	— 25	2 —	18 —
" <i>erecta</i>	— 40	—	—
" <i>Perfection</i>	— 40	—	—
" <i>Prinz von Neapel</i> (Prince de Naples)	— 30	3 50	—
" <i>purpurea</i> . Chocolate-brown, early-flowering. — <i>Chocoladenbraun, frühblühend</i> . — <i>Brun chocolat, précoce</i>	— 40	4 —	36 —
" <i>Ruhm von Stuttgart</i>	— 50	—	—
" <i>Senateur Ragueneau</i>	— 40	5 —	—
" Several colours mixed. — <i>Verschiedene Farben gemischt</i> . — <i>Mélange de plusieurs couleurs</i>	— 30	2 50	24 —



b. *Salvia splendens grandiflora* Ingenieur Clavenad.
(Electro — Cliché: 3,50 Frcs.)

Margaret-Carnation.

MARGARETEN-NELKEN.

Oeillets Marguerite

Variétés d'élite!

Le meilleur qui existe dans ce genre.



Margaret-Carnation

Chabaud's Giant, improved.

MARGARETEN-NELKEN

Chabaud's verbesserte Riesen.

(Electro — Cliché: 15 Frcs.)

Oeillets Marguerite

Race Chabaud amélioré, a fleurs géantes.

Semi-high, improved. Brilliant double of beautiful, erect growth. Splendid mixture. — **Halbhohe, verbesserte.** Prachtvoll gefüllt und von schönem straffen Wuchs. Prachtmischung. — **Demi-haut, amélioré.** Magnifique double d'une belle crue dressée. Mélange superbe.

10 gr. 0,90 Frcs.; 100 gr. 7,50 Frcs.; kilo 70 Frcs.

Dwarf, extra quality. — **Zwerg, extra Qualität.** — **Nain, qualité supérieure.**

10 gr. 1 Frc.; 100 gr. 9 Frcs.; kilo 80 Frcs.

Pure white, improved. — **Reinweisse, verbesserte.** — **Blanc pur, amélioré.** Magnifique!

10 gr. 2 Frcs.; 100 gr. 18 Frcs.

White Perfection & Giant Pure Sulphur-yellow, v. page 5.

Pure sulphur-yellow. — **Reinschwefelgelbe.** — **Pur jaune de soufre.** Extra!

10 gr. 5 Frcs.

Yellow and yellow ground. — **Gelbe und gelbgrundige.** — **Jaune et fond jaune.**

10 gr. 4 Frcs.; 100 gr. 35 Frcs.

Chabaud's Giant, improved. The most perfect and largest flowers existing in Margaret-Carnation. — **Chabaud's verbesserte Riesen.** Das Vollkommenste und Grossblumigste, was in Margaret-Nelken existirt. — **Race Chabaud, amélioré, a fleurs géantes.** Le plus parfait qui existe en Oeillets Marguerite. Extra!

10 gr. 3,50 Frcs.; 100 gr. 30 Frcs.

Perpetual-flowering, Dwarf Chabaud. Nearly as early flowering as the Margaret-Carnations: splendid dwarf class of richest colours, including yellow tints. — **Remontant-Nelken, niedrige Chabaud.** Fast ebenso frühblühend als die Margaret-Nelken; prachtvoll niedrige Klasse, gut remontirend, sehr reiches Farbenspiel, auch viele gelbe Nuancen enthaltend. — **Oillet remontant, nain de Chabaud.** Fleurissant presque aussi précoce que celle des Oeillets Marguerite; bien remontant, en très riches couleurs, y comprises des nuances jaunes.

10 gr. 2 Frcs.; 100 gr. 18 Frcs.; kilo 160 Frcs.

Other Margaret-Carnations

Andere Margaret-Nelken

D'autres Oeillets Marguerite

v. Dianthus

caryophyllus fl. pl.

IMPATIENS BALSAMINA FLORE PLENO.

Balsams. — Balsaminen. — Balsamines.

Great speciality of the establishment! Our Balsams are the very best, offered of this genus to the trade, and distinguish themselves as well by the perfection of their double flowers, as by the purity of their colours.
 Grosse Spezialität des Geschäfts! Unsere Balsaminen sind das Beste, was in diesem Genre angeboten wird, und zeichnen sich sowohl durch Vollkommenheit und Füllung der Blumen, als auch durch Reinheit der Farben vor allen anderen aus.
 Grande spécialité de l'établissement! Nos Balsamines sont les meilleures, offertes en commerce, et se distinguent de toutes les autres par la perfection des fleurs doubles et la pureté des couleurs.

Improved Rose-flowered, extra double. 1st quality.

Dichtgefüllte verbesserte Rosen (Andrieux.) 1^{re} Qual.

A fleurs de Rose, extra double, amél. (Andr.) 1^{re} qualité.

	Weiss.	Blanc.
1. White.	Weiss.	Blanc.
2. White tinged with rose.	Weiss mit rosa Schein.	Blanc à teint rose.
3. White, striped fire-red.	Weiss, feuerrot gestreift.	Blanc, rouge feu strié.
4. Light yellow.	Blassgelb.	Jaune clair.
5. Flesh colour.	Fleischfarben.	Couleur de chair.
6. Rose.	Rosa.	Rose.
7. Rosy buff.	Chamoisrosa.	Chamois rose.
8. Carmin rose.	Carminrosa.	Carmin rose.
9. Lilac rose.	Lilarosa.	Rose lilas.
10. Lilac.	Lila.	Lilas.
11. Violet.	Violet.	Violet.
12. Crimson.	Carmoisin.	Cramoisi.
13. Fiery crimson.	Fourig carmoisin.	Cramoisi feu.
14. Isabel colour.	Isabella-farben.	Couleur Isabelle.
15. Brilliant brick red.	Brillant ziegelrot.	Rouge brique brillant.
16. Pomegranate red.	Granatrot.	Rouge grenat.
17. Scarlet.	Scharlach.	Ecarlate.
18. Purple.	Purpur.	Pourpre.
19. Dark blood red.	Dunkelblutrot.	Rouge sang foncé.
20. Darkblue.	Dunkelblau.	Bleu foncé.
21. Light blue.	Hellbau.	Bleu clair.

Each variety separate. — Jede Farbe. — Variétés séparées:
 10 gr. 0.25 Frc.; 100 gr. 1.40 Frcs.; 1 kg. 12 Frcs.

Best Mixture. — Beste Mischung. — Mélange superbe:
 10 gr. 0.20 Frc.; 100 gr. 1.20 Frcs.; 1 kg. 10 Frcs.

Rose-flowered, double. Fine quality.

Gefüllte Rosen. Sehr gute Qualität.

A fleurs de Rose, double. Très-bonne qualité.

Mixture. — Mischung. — Mélange: 1 kg. 8 Frcs.

Camellia double. Fine quality.

Camellien, dichtgefüllte. Sehr gute Qualität.

Camellia double. Très-bonne qualité.

	Rosa.	Rose.
1. Rose.	Rosa.	Rose.
2. Lilac rose.	Lilarosa.	Rose lilas.
3. Carmin rose.	Carminrosa.	Rose carmine.
4. Light blue.	Hellblau.	Bleu clair.
5. Lilac.	Lila.	Lilas.
6. Dark lilac.	Dunkellila.	Lilas foncé.
7. Violet spotted.	Violet gefleckt.	Violet maculé.
8. Scarlet, white spotted.	Scharlach, weiss gefleckt.	Ecarlate, maculé blanc.
9. Copper red.	Kupferrot.	Rouge cuivré.
10. Crimson.	Carmoisin.	Cramoisi.
11. Purple.	Purpur.	Pourpre.
12. Coppery scarlet.	Kupferscharlach.	Ecarlate cuivré.
13. Pale red.	Blassrot.	Rouge pâle.
14. Flesh colour.	Fleischfarben.	Couleur de chair.
15. Pomegranate red.	Granatrot.	Rouge grenat.
16. Light violet.	Hellviolet.	Violet clair.

Each variety separate. — Jede Farbe. — Variétés séparées:
 10 gr. 0.20 Frc.; 100 gr. 1.25 Frcs.; 1 kg. 10 Frcs.

Mixture. — Mischung. — Mélange; 100 " 1,00 " 1 " 9 "

Improved Camellia-flowered, extra double. 1st quality.

Verbesserte Camellien (Benary's Preibalsaminen).

Dichtgefüllt und sehr grossblumig. 1. Qualität.

Camellia, extra double, améliorée. 1^{re} qualité.

	Weiss mit lila Schein.	Blanc à teint lila.
1. White, tinged lilac.	Weiss mit lila Schein.	Blanc à teint lila.
2. " " rose.	" " rosa "	" " " rose.
3. Rose.	Rosa.	Rose.
4. Light yellow.	Blassgelb.	Jaune clair.
5. Lilac.	Lila.	Lilas.
6. Pure violet.	Reinviolet.	Violet pur.
7. Violet spotted.	Violet gefleckt.	Violet maculé.
8. Crimson.	Carmoisin.	Cramoisi.
9. Pure scarlet.	Rein scharlach.	Ecarlate pur.
10. Scarlet spotted.	Scharlach gefleckt.	Ecarlate maculé.

Each variety separate. — Jede Farbe. — Variétés séparées:
 10 gr. 0.30 Frc.; 100 gr. 1.80 Frcs.; 1 kg. 15 Frcs.

Best Mixture. — Beste Mischung. — Mélange superbe:

19 gr. 0.30 Frc.; 100 gr. 1.80 Frcs.; 1 kg. 15 Frcs.
 11. alba perfecta 10 gr. 0.50 Frc.; 100 gr. 4.00 Frcs.
 12. Fürst Bismarck 10 gr. 0.60 Frc.; 100 gr. 5.00 Frcs.

Carnation-striped, extra double.

Dichtgefüllte, nelkenartig gestreifte.

Double striée ou à fleurs d'Oeillet.

	Weiss mit rosa.	Blanc et rose.
1. White and rose.	Weiss mit rosa.	Blanc et rose.
2. " carmine.	" carmin.	" carmin.
3. " crimson.	" carmoisin.	" cramoisi.
4. " " cinnaber.	" zinnober.	" " cinabre.
5. " pomegranate red.	" granatrot.	" rouge grenat.
6. " scarlet.	" scharlach.	" écarlate.
7. " copper red.	" kupferrot.	" rouge cuivré.
8. " violet.	" violet.	" violet.
9. Peach blossom.	Pfirsichblüte.	Fleur de pêcher.
10. Tricolor.	Tricolor.	Tricolore.

Each variety separate. — Jede Farbe. — Variétés séparées:
 10 gr. 0.25 Frc.; 100 gr. 1.40 Frcs.; 1 kg. 12 Frcs.

Mixture. — Mischung. — Mélange:
 10 gr. 0.20 Frc.; 100 gr. 1.20 Frcs.; 1 kg. 10 Frcs.

Dwarf double. Magnificent strain. — Gefüllte Zwerg. Prächig. —
 Naine double. Magnifique.

	Weiss.	Blanc.
1. White.	Weiss.	Blanc.
2. Incarnate red.	Incarnatrot.	Incarnat.
3. Scarlet and white.	Scharlach mit weiss.	Ecarlate et blanc.
4. Rose color.	Rosenrot.	Vermeil.
5. Flesh color.	Fleischfarben.	Couleur de chair.
6. Peach-blossom.	Pfirsichblüte.	Fleur de pêcher.
7. Crimson.	Carmoisin.	Cramoisi.
8. Bicolor.	Zweifarbzig.	Bicolor.
9. Scarlet.	Scharlach.	Ecarlate.
10. Purple.	Purpur.	Pourpre.
11. Lilac.	Lila.	Lilas.
12. Dark lilac.	Dunkellila.	Lilas foncé.
13. Dark blue.	Dunkelblau.	Bleu foncé.
14. Tricolor.	Tricolor.	Tricolore.

Each variety separate. — Jede Farbe. — Variétés séparées:
 10 gr. 0.25 Frc.; 100 gr. 1.30 Frc.

Mixture. — Mischung. — Mélange:
 10 gr. 0.20 Frc.; 100 gr. 1.20 Frcs.; 1 kg. 10 Frcs.

Dwarf Camellia-flowered. — Zwerg Camellien. —
 Camellia naine.

	Fleischfarben.	Couleur de chair.
1. Flesh color.	Fleischfarben.	Couleur de chair.
2. Crimson.	Carmoisin.	Cramoisi.
3. Brick red.	Ziegelrot.	Rouge brique.
4. Scarlet.	Scharlach.	Ecarlate.
5. Violet.	Violet.	Violet.
6. Light blue.	Hellblau.	Bleu clair.

Each variety separate. — Jede Farbe. — Variétés séparées:
 10 gr. 0.25 Frc.; 100 gr. 1.20 Frcs.; 1 kg. 10 Frcs.

Mixture. — Mischung. — Mélange:
 10 gr. 0.20 Frc.; 100 gr. 1, — Frcs.; 1 kg. 8 Frcs.

BALSAMS. — BALSAMINEN. — BALSAMINES.

Aurora. Red leaved. — Rotblättrig. — A feuilles rouges . . . 10 gr. 0.40 Fr.; 100 gr. 3.00 Frcs.; 1 kg. 24 Frcs.		
Astrosanguinea plenis- sima "Bloodstone" . . . 10 " 0.30 " ; 100 " 1.80 " ; 1 " 15 "		
Le Roi "The King" . . . 10 " 0.30 " ; 100 " 1.80 " ; 1 " 15 "		
La Reine "The Queen" . . 10 " 0.30 " ; 100 " 1.80 " ; 1 " 15 "		
Solforino "Brimstone" . . 10 " 0.25 " ; 100 " 1.50 " ; 1 " 12 "		
Victoria "Speckled Beauty" 10 " 0.25 " ; 100 " 1.50 " ; 1 " 12 "		

ASTER CHINENSIS FLORE PLENO.

Reines Marguerites.

Our *Asters* are as perfect as possible, regarding purity of colours and doubleness of flowers, and equal to those of the best special-grower. — Unsere *Asteren* sind so vollkommen in Bezug auf Reinheit der Farben und guten Bau der Blumen als nur möglich und kommen denjenigen der ersten Züchter gleich.

Nos *Reines Marguerites* sont aussi parfaites que possible en pureté de couleur et perfection des fleurs et rivalent celles des meilleurs cultivateurs spéciaux.

I.

Tall Section. — Hohe Klasse. — Section, élevées.

Imbriqué-Pompon. — Pompon Imbriquées (Truffaut).

Nice and rich-flowering class with perfect double, gracious flowers. — Schöne und reichblühende Klasse mit dichtgefüllten, zierlichen Blumen. — Belle classe fleurissante abondamment en gracieuses fleurs bien doubles.

1. Bloodred.	Blutrot.	Rouge sang.
2. Crimson.	Carmoisin.	Cramoisi.
3. Dark rose.	Dunkelrosa.	Rose foncé.
4. Dark violet.	Dunkelviolet.	Violet foncé.
5. Fiery scarlet.	Feurigscharlach.	Ecarlate.
6. Fiery dark scarlet.	Feurigdunkelscharlach.	Ecarlate feu foncé.
7. Light violet.	Hellviolet.	Violet clair.
8. Copper scarlet.	Kupferscharlach.	Ecarlate cuivré.
9. Copper rose.	Kupferrosa.	Rose cuivré.
10. Purple brown.	Purpurbraun.	Brun pourpre.
11. Rose.	Rosa.	Rose.
12. Scarlet.	Scharlach.	Ecarlate.
13. Black blue.	Schwarzblau.	Bleu noir.
14. White.	Weiss.	Blanc.
15. Brick rose.	Ziegelrosa.	Rose brique.

Variétés séparées. — Jede Farbe:
10 gr. 0,60 Frc.; 100 gr. 5 Frcs.; kg. 45 Frcs.
Mixture. — Mischung. — Mélange:
10 gr. 0,50 Frc.; 100 gr. 4 Frcs.; kg. 35 Frcs.

Paeony-flowered Perfection. — Paeonien Perfections Aster. — Perfection à fleurs de Pivoine.

Splendid class of highest perfection. — Prachtvolle Klasse von höchster Vollkommenheit. — Classe magnifique de la plus grande perfection.

1. Apple-blossom.	Apfelblüte.	Fleur de pommier.
2. Bloodred.	Blutrot.	Rouge sang.
3. Brilliant rose.	Brillantrosa.	Rose brillant.
4. Crimson.	Carmoisin.	Cramoisi.
5. Dark bleu.	Dunkelblau.	Bleu foncé.
6. Dark bloodred.	Dunkelblutrot.	Rouge sang foncé.
7. " " with white.	" " mit weiss.	" " et blanc.
8. Dark crimson.	Dunkelcarmoisin.	Cramoisi foncé.
9. Dark purple.	Dunkelpurpur.	Pourpre foncé.
10. Dark scarlet with white.	Dunkelscharlach mit weiss.	Ecarlate foncé et blanc.
11. Fiery rose.	Feurigrosa.	Rose feu.
12. Fiery scarlet.	Feurigscharlach.	Ecarlate feu.
13. Flesh color.	Fleischfarbe.	Couleur de chair.
14. Light blue.	Hellblau.	Bleu clair.
15. Light violet.	Hellviolet.	Violet clair.
16. Azure blue.	Lasurblau.	Bleu d'azur.
17. Brilliant black blue.	Leuchtend schwarzblau.	Brillant bleu-noir.
18. Lilac with white.	Lila mit weiss.	Lilas et blanc.
19. Purple.	Purpur.	Pourpre.
20. Purple violet.	Purpurviolet.	Violet pourpre.
21. Rose with white.	Rosa mit weiss.	Rose et blanc.
22. Black blue.	Schwarzblau.	Bleu noir.
23. Victoriared.	Victoriarot.	Rouge Victoria.
24. White.	Weiss.	Blanc.
25. Light rose.	Zartrosa.	Rose clair.
26. Black violet.	Schwarz violet.	Violet noir.

Variétés séparées — Jede Farbe:
10 gr. 0,90 Frc.; 100 gr. 7,50 Frcs.;
Mixture. — Mischung. — Mélange:
10 gr. 0,60 Frc.; 100 gr. 5,50 Frcs.; kg. 48 Frcs.

Jewel- or Ball-Aster. — Juwel oder Ball Aster. — Bijou ou à fleurs globulaires.

Splendid class with very double globular flowers. — Prachtvolle Klasse mit dichtgefüllten, ballartig runden Blumen. — Classe magnifique à fleurs globulaires très-doubles.

1. Apple-blossom.	Apfelblüte.	A fleur de pommier.
2. Crimson.	Carmoisin.	Cramoisi.
3. Dark rose.	Dunkelrosa.	Rose foncé.
4. Dark blue.	Dunkelblau.	Bleu foncé.
5. Light blue.	Hellblau.	Bleu clair.
6. White.	Weiss.	Blanc.

Variétés séparées. — Jede Farbe: 10 gr. 1 Frc.
Mixture. — Mischung. — Mélange: 10 gr. 0,80 Frc.; 100 gr. 6 Frc.

Washington Needle. — Washington Nadel-Aster. — Washington à aiguilles.

Of pyramidal growth and with very large and beautiful double flowers. Extra, extra! — Von pyramidenförmigem Bau und grossen 10-12 cm. breiten, nadelartigen, dichtgefüllten Blumen. Ganz extra — Pyramidale; fleurs très grandes et très doubles.

1. Crimson.	Carmoisin.	Cramoisi.
2. Dark violet.	Dunkelviolet.	Violet foncé.
3. Lilac.	Lila.	Lilas.
4. Rose.	Rosa.	Rose.
5. Silver-grey.	Silbergrau.	Gris argenté.
6. White.	Weiss.	Blanc.

Variétés séparées. — Jede Farbe: 10 gr. 1,20 Frc.; 100 gr. 10 Frc.
Mixture. — Mischung. — Mélange: 10 gr. 0,80 Frc.; 100 gr. 7,50 Frcs.

Goliath Aster. — Reine Marguerite Goliath.

Mixture. — Mischung. — Mélange:
10 gr. 0,50 Frc.; 100 gr. 4 Frcs.; kg. 36 Frcs.

Hedge-hog Pyramidal. — Igel Pyramiden-Aster. — Pyramidale à aiguilles.

Mixture. — Mischung. — Mélange:
10 gr. 0,50 Frc.; 100 gr. 4 Frcs.

Globe-flowered Perfection. — Kugel Perfection-Aster. — Perfection à fleurs globulaires.

Mixture. — Mischung. — Mélange:
10 gr. 0,50 Frc.; 100 gr. 4 Frcs.; kg. 36 Frcs.

Globe flowered Pyramidal. — Kugel Pyramiden-Aster. — Pyramidale à fleurs globulaires.

Mixture. — Mischung. — Mélange:
10 gr. 0,50 Frc.; 100 gr. 4,50 Frcs.

Reid's improved quilled (Betteridge Prize). — Reid's kugelblütige Röhraster. — Améliorée de Reid à tuyaux.

Mixture. — Mischung. — Mélange:
10 gr. 0,40 Frc.; 100 gr. 3 Frcs.

Rose Aster. — Rosen-Aster. — Rose.

Mixture. — Mischung. — Mélange:
10 gr. 0,60 Frc.; 100 gr. 4,50 Frcs.

Giant Needle or Ray Aster. — Strahlen-Aster. — Aiguille géante.

1. White.	Weiss.	Blanc.
2. Brightrose.	Leuchtend rosa.	Rose vif.

10 gr. 1,80 Frcs.; 100 gr. 15 Frcs.

Ostrich-plume Aster. — Straussenfeder Aster. — Plume d'autruche. (v. page 9.)

White. Weiss. Blanc.
10 gr. 3 Frcs.; 100 gr. 28 Frcs.

Aster tall, — hohe, — hautes:

In mixture. — In Mischung. — En mélange. kg. 20 Frcs.

Demi-tall Section. — Halbhöhe Klasse. — Section, demi-hautes.

Mignon-Aster. — Reines Marguerites Mignon.

New, very richly flowering class with beautiful high-curved flowers.
— Neue, sehr dankbar blühende Klasse mit prachtvollen, hoch gewölbten Blumen. — Nouvelle classe bien fleurissante avec magnifiques fleurs hautement courvées.

1. Apple-blossom.	Apfelblüte.	A fleur de pommier.
2. Crimson.	Carmoisin.	Cramoisi.
3. Lightblue.	Hellblau.	Bleu clair.
4. Lilac.	Lila.	Lilas.
5. Lilacred.	Lilarot.	Rouge lilas.
6. Purewhite.	Reinweiss.	Blanc pur.
7. Rose.	Rosa.	Rose.
8. Rose, white tipped.	Rosa, weiss umflort.	Rose, pointes blanches.
9. Peach blossom.	Pfirsichblüte.	Fleur de pêcher.
10. White, turning to rose.	Weiss, später rosa.	Blanc, passant au rose.

Variétés séparées. — Jede Farbe: 10 gr. 0,60 Frc.; 100 gr. 5 Frcs.
Mixture. — Mischung. — Mélange:
10 gr. 0,50 Frc.; 100 gr. 4,50 Frcs.; kg. 40 Frcs.

Dwarf Paeony-flowered Perfection. — Niedrige Paeonien-Perfection. — Perfection à fleurs de Pivoine, naine.

Splendid class, very recommendable. — Prachtvolle, sehr zu empfehlende Klasse. — Magnifique classe, bien à recommander.

1. Crimson.	Carmoisin.	Cramoisi.
2. Dark purple.	Dunkelpurpur.	Pourpre foncé.
3. Dark scarlet.	Dunkelscharlach.	Ecarlate foncé.
4. Flesh color.	Fleischfarbe.	Couleur de chair.
5. Lightblue.	Hellblau.	Bleu clair.
6. Lightcarmine.	Hellcarmoin.	Carmin clair.
7. Lightscarlet with white.	Hellscharlach mit weiss.	Ecarlate clair et blanc.
8. Azure blue.	Lasurblau.	Bleu d'azur.
9. Brilliant scarlet.	Leuchtend scharlach.	Ecarlate brillant.
10. Purplescarlet.	Purpurscharlach.	Ecarlate pourpre.
11. Purewhite.	Reinweiss.	Blanc pur.
12. Rose.	Rosa.	Rose.
13. Rose with white.	Rosa mit weiss.	Rose et blanc.
14. Black blue.	Schwarzblau.	Bleu noir.
15. Black violet.	Schwarzviolet.	Violet noir.

Variétés séparées. — Jede Farbe: 10 gr. 1 Frc.; 100 gr. 8,50 Frcs.
Mixture. — Mischung. — Mélange:
10 gr. 0,80 Frc.; 100 gr. 7 Frcs.; kg. 60 Frcs.

Princess-Aster. — Princesse (Boule de neige).

Splendid class! — Prachtvolle Klasse! — Classe magnifique!

1. Snowball.	Schneeball.	Boule de neige.
2. Light blue.	Hellblau.	Bleu clair.
3. Rose.	Rosa.	Rose.
4. White, turning to rose.	Weiss, später rosa.	Blanc, passant au rose.
5. White, turning to lilac.	Weiss, später lila.	Blanc, passant au lilas.

Variétés séparées. — Jede Farbe: 10 gr. 1,50 Frcs.; 100 gr. 12 Frcs.
Mixture. — Mischung. — Mélange: 10 „ 1,00 Frc.; 100 „ 8 „

Victoria-Aster. — Reine Marguerite Victoria.

The most beautiful and most perfect of all Asters! The very large flowers are well composed by regularly imbricated petals; semi-tall. — Die schönste und vollkommenste aller Aster! Die sehr grossen, prachtvollen Blumen bilden sich durch die regelmässig dachziegelförmige Lage zur höchsten Vollkommenheit aus; halbhoch. — La plus belle et la plus parfaite de toutes les Reines Marguerites par ses très grandes fleurs régulièrement imbriquées; demi-élevées.

1. Carmine rose.	Carminrosa.	Rose carmin.
2. Crimson.	Carmoisin.	Cramoisi.
3. Dark blue.	Dunkelblau.	Bleu foncé.
4. Dark crimson.	Dunkelcarmoisin.	Cramoisi foncé.
5. Dark scarlet.	Dunkelscharlach.	Ecarlate foncé.
6. Fiery scarlet.	Feurigscharlach.	Ecarlate feu.
7. Light violet.	Hellviolet.	Violet clair.

8. Hortensia red.	Hortensienrot.	Rouge de Hortensia.
9. Copper scarlet.	Kupferscharlach.	Ecarlate cuivré.
10. Purple.	Purpur.	Pourpre.
11. Pure-white.	Reinweiss.	Blanc pur.
12. Rose.	Rosa.	Rose.
13. Rose and white.	Rosa und weiss.	Rose et blanc.
14. Sulphur yellow.	Schwefelgelb.	Jaune soufre.
15. White.	Weiss.	Blanc.
16. White, turning to azure blue.	Weiss, später lasurblau.	Blanc, passant au bleu d'azur.
17. Cinnabar red and white.	Zinnoberrot und weiss.	Rouge cinabre et blanc.

Variétés séparées. — Jede Farbe:
10 gr. 1,20 Frcs.; 100 gr. 10 Frcs.

Mixture. — Mischung. — Mélange:
10 gr. 1 Frc.; 100 gr. 9 Frcs.; kg. 75 Frcs.

Victoria Needle. — Victoria Nadel-Aster. — Victoria à aiguilles.

Very nice class with middle-sized flowers. — Sehr schöne Klasse mit mittelgrossen, nadel förmigen Blumen. — Classe très belle à fleurs demi-grandes.

1. Carmine rose.	Carminrosa.	Rose carmin.
2. Dark crimson.	Dunkelcarmoisin.	Cramoisi foncé.
3. Dark violet.	Dunkelviolet.	Violet foncé.
4. Light blue.	Hellblau.	Bleu clair.
5. Hortensia red.	Hortensienrot.	Rouge de Hortensia.
6. Copper scarlet.	Kupferscharlach.	Ecarlate cuivré.
7. Glowing cinnabar.	Leuchtend zinnober.	Cinabre luisant.
8. Lilac rose.	Lila rosa.	Rose lilas.
9. White.	Weiss.	Blanc.

Variétés séparées. — Jede Farbe:
10 gr. 1,20 Frcs.; 100 gr. 10 Frcs.

Mixture. — Mischung. — Mélange:
10 gr. 1 Frc.; 100 gr. 9 Frcs.; kg. 75 Frcs.

Comet Aster. — Comète.

Mixture. — Mischung. — Mélange:
10 gr. 1 Frc.; 100 gr. 9 Frcs.; kg. 75 Frcs.

Giant Comet. — Riesen Comet-Aster. — Comète géante.

Mixture. — Mischung. — Mélange:
10 gr. 1 Frc.; 100 gr. 9 Frcs.

Hohenzollern Aster. New! Neu! Nouveau! (v. pag. 9).

1. Pure white.	Reinweiss.	Blanc pur.
	10 gr. 3 Frcs.; 100 gr. 28 Frcs.	

Queen of the Halls. — Königin der Hallen. — Reine des Halles.

Early flowering. — Frühblühend. — A fleuraison très hâtive.

Mixture. — Mischung. — Mélange:
10 gr. 0,30 Frc.; 100 gr. 2,50 Frcs.; kg. 20 Frcs.

Paeony flowered Globe or Umland. — Paeonien-blütige Kugel (Umland) Aster. — Pivoines fleurs en globe.

Mixture. — Mischung. — Mélange:
10 gr. 0,50 Frc.; 100 gr. 4,50 Frcs.; kg. 40 Frcs.

Quilled German Aster. — Röhr- oder Feder-Aster. — Reine Marguerite à tuyaux.

Mixture. — Mischung. — Mélange:
10 gr. 0,40 Frc.; 100 gr. 3 Frcs.; kg. 25 Frcs.

Schiller Aster. — Reine Marguerite de Schiller.

Mixture. — Mischung. — Mélange:
10 gr. 0,40 Frc.; 100 gr. 3 Frcs.

Aster demi-tall, — halbhöhe, — demi-hautes:

In mixture. — In Mischung. — En mélange. kg. 22 Frcs.

III.

*Dwarf Section. — Niedrige Klasse (Zwerg). — Section, naines.***Boltze's miniature Bouquet. — Boltze's Zwerg-Bouquet Aster.**
— Bouquet miniature de Boltze.

- | | | |
|----------------------------|-------------------------|------------------------|
| 1. Carmine with white. | Carmin mit weiss. | Carmin et blanc. |
| 2. Crimson. | Carmoisin. | Cramoisi. |
| 3. Dark violet with white. | Dunkelviolet mit weiss. | Violet foncé et blanc. |
| 4. Copper rose. | Kupferrosa. | Rose cuivré. |
| 5. Azure blue. | Lasurblau. | Bleu d'azur. |
| 6. Peach blossom. | Pfirsichblüte. | Fleur de pêcher. |
| 7. Rose with white. | Rosa mit weiss. | Rose et blanc. |
| 8. White. | Weiss. | Blanc. |
| 9. White with red centre. | Weiss mit rotem Herz. | Blanc à coeur rouge. |

Variétés séparées. — Jede Farbe:
10 gr. 250 Frc.

Mixture. — Mischung. — Mélange:
10 gr. 1,80 Frc.; 100 gr. 15 Frcs.

Dwarf Chrysanthemum. — Zwerg Chrysanthemum-Aster.
— Naine Chrysanthème

- | | | |
|--------------------|-------------------|-------------------|
| 1. Brilliant rose. | Brillantrosa. | Rose brillant. |
| 2. Crimson. | Carmoisin. | Cramoisi. |
| 3. Fiery scarlet. | Feurig scharlach. | Ecarlate feu. |
| 4. Flesh color. | Fleischfarbe. | Couleur de chair. |
| 5. Light blue. | Hellblau. | Bleu clair. |
| 6. Light violet. | Hellviolet. | Violet chair. |
| 7. Purple. | Purpur. | Pourpre. |
| 8. Rose. | Rosa. | Rose. |
| 9. White. | Weiss. | Blanc. |
| 10. Brick rose. | Ziegelrosa. | Rose brique. |

Variétés séparées. — Jede Farbe:
10 gr. 150 Frc.;

Mixture. — Mischung. — Mélange:
10 gr. 1,20 Frc.; 100 gr. 10 Frcs.

Dwarf Queen. — Zwerg Königin-Aster. — Naine Reine.

- | | | |
|----------------|-------------|-------------|
| 1. Crimson. | Carmoisin. | Cramoisi. |
| 2. Dark blue. | Dunkelblau. | Bleu foncé. |
| 3. Light blue. | Hellblau. | Bleu clair. |

- | | | |
|----------------|------------|------------|
| 4. Lilac. | Lila. | Lilas. |
| 5. Pure white. | Reinweiss. | Blanc pur. |
| 6. Rose. | Rosa. | Rose. |

Variétés séparées. — Jede Farbe:
10 gr. 180 Frc.

Mixture. — Mischung. — Mélange:
10 gr. 1,80 Frcs.; 100 gr. 15 Frcs.

Dwarf Victoria — Zwerg Victoria-Aster. — Naine Victori

- | | | |
|-------------------|--------------------|---------------------|
| 1. Carmine. | Carmin. | Carmin. |
| 2. Dark-rose. | Dunkelrosa. | Rose foncé. |
| 3. Flesh colour. | Fleischfarben. | Couleur de chair. |
| 4. Fiery scarlet. | Feurigs scharlach. | Ecarlate feu. |
| 5. Light blue. | Hellblau. | Bleu clair. |
| 6. Hortensia red. | Hortensienrot. | Rouge de Hortensia. |
| 7. Indigo blue. | Indigoblau. | Bleu indigo. |
| 8. White. | Weiss. | Blanc. |

Variétés séparées. — Jede Farbe:
10 gr. 180 Frc.; 100 gr. 15 Frcs.

Mixture. — Mischung. — Mélange:
10 gr. 1,60 Frc.; 100 gr. 14 Frcs.

German Emperor. — Deutscher Kaiser Aster. — Naine Empereur.

Mixture. — Mischung. — Mélange:
10 gr. 180 Frc.; 100 gr. 15 Frcs.

Humboldt Aster (Paeony flowered, robust dwarf. — Naine robuste à fleurs de pivoine).

Mixture. — Mischung. — Mélange:
10 gr. 1,20 Frc.; 100 gr. 9 Frcs.

Non plus ultra Aster.

Mixture. — Mischung. — Mélange:
10 gr. 1 Frc.; 100 gr. 8 Frcs.

Aster dwarf, — niedrige, — naines:

In mixture. — In Mischung. — En mélange: kg. 48 Frcs.

CHEIRANTHUS ANNUUS FL. PL. & INCANUS.**Ten-week Stocks. — Sommer Levkoyen. — Giroflées Quarantaines****Large-flowering Dwarf German. — Englische grossblumige. — Anglaise à grandes fleurs.**

- | | | |
|--------------------|----------------|-------------------|
| 1. Canary yellow. | Canariengelb. | Jaune canari. |
| 2. Crimson. | Carmoisin. | Cramoisi. |
| 3. Carmine rose. | Carminrosa. | Rose carmin. |
| 4. Brilliant rose. | Brillantrosa. | Rose brillant. |
| 5. Blood red. | Blutrot. | Rouge sang. |
| 6. Flesh color. | Fleischfarben. | Couleur de chair. |
| 7. Light blue. | Hellblau. | Bleu clair. |
| 8. Lilac. | Lila. | Lilas. |
| 9. Carmine. | Carmin. | Carmin. |
| 10. White. | Weiss. | Blanc. |
| 11. Rose. | Rosa. | Rose. |
| 12. Brick red. | Ziegelrot. | Rouge brique. |

Variétés séparées. — Jede Farbe: 10 gr. 150 Frc.; 100 gr. 12 Frcs.
Mélange. — Mischung: 10 gr. 0,90 Frc.; 100 gr. 7,50 Frcs.

Dresden Perpetual or Branching. — Dresdener Remontant-Sommer. — Remontante ou Perpetuelle de Dresde.

Snowwhite. Schneeweiss. Blanc de neige.
10 gr. 150 Frc.; 100 gr. 12 Frcs.

Large-flowered Emperor. — Grossblumige Kaiser. — Empereur à grandes fleurs.

Mixture. — Mischung. — Mélange. 1^a Qual:
10 gr. 3 Frcs.

Large-flowered Autumn. — Grossblumige Herbst. — Giroflée d'automne à grandes fleurs.

Mixture. — Mischung. — Mélange. 1^a Qual:
10 gr. 2,40 Frcs.; 100 gr. 20 Frcs.

Early-flowered Autumn. — Frühblühende Herbst. — Giroflée d'automne à fleurs précoces.

Mixture. — Mischung. — Mélange. 1^a Qual:
10 gr. 3 Frcs.

Winter or Biennial Brompton Stocks. — Winter-Levkoyen. — Giroflées d'hiver ou grosse espèce.**Winter or Brompton Stocks. — Winter-Levkoyen. — Giroflée d'hiver ou de Brompton.**

Mixture. — Mischung. — Mélange. 1^a Qual:
10 gr. 250 Frcs.

Giant Cape Stocks. — Stangen oder Cocardeau. — Cocordeau géant ou du Cap.

Mixture. — Mischung. — Mélange.
10 gr. 250 Frcs.

Victoria Winter. — Victoria d'hiver.

Pure white. — Reinweiss — Blanc pur. Magnifique!
10 gr. 3,50 Frcs.

Perpetual Winter. — Remontirende Winter. — Remontant d'hiver.

Snowball. — Schneeball. — Boule de neige. (50 % double).
10 gr. 0,60 Frc.; 100 gr. 5 Frcs.; kg. 46 Frcs.

Naples Winter. — Neapler. — D'hiver de Naples.

White. — Weiss. — Blanc. 10 gr. 0,60 Frc.; 100 gr. 5 Frcs.
Red. — Rot. — Rouge. 10 gr. 0,60 Frc.; 100 gr. 5 Frcs.

German Dwarf Wallflowers. — Buschlack. — Ravenelles.

Dresden single-flowered, blackbrown. — Einfacher Dresdener, schwarzbraun. — A rameaux de Dresde, simple, brun-noirâtre.
kg. 1,50 Frcs.

Aurora. Large-flowered. — Grossblumiger. — A grandes fleurs.
100 gr. 0,80 Frc.; kg. 5 Frcs.

Dwarf Wallflowers, mixed. — Buschlack, gemischt. — Ravenelles, varié kg. 1,50 Frcs.

Annuals, Perennials EINJÄHRIGE, STAUDEN Annuelles, Plantes vivaces

and und et

Stove Plants. GEWÄCHSHAUS-PFLANZEN. Plantes de serres.

La cultivation des graines de fleurs est une de nos spécialités; nous appliquons tous nos soins afin d'obtenir une marchandise pure et de perfection.

S. = Seeds, Samen; — grns. = graines; — gr. = grammes.

Besides the quantities indicated in this list we supply on demand also strong packets at the price of 3 to 6 d for trials.

Zu Versuchszwecken geben wir, ausser den in unserer Liste angegebenen Quantitäten, auch reichl. bemessene Portionen zum Preise von je 20 bis 50 cs. ab.

Pour faire des essais nous donnons aussi, outre les quantités indiquées dans cette liste, des paquets assez forts au prix de 20 à 50 cs.

	10 gr. Fres.	100gr. Fres.	1 ko. Fres.		10 gr. Fres.	100gr. Fres.	1 ko. Fres.
Abutilon hybridum (Flowering Maple):				Agave americana	— 20	1 50	—
<i>atropurpureum grandifl.</i> 1 gr. 0,50 Fres.	4 —	—	—	" fol. var. 1000 S.—grns. 1,75 Fres.			
<i>atrosanguineum</i> 1 " 0,50 "	4 —	—	—	<i>filifera</i> 1000 " " 4,— "	— 30	2 50	—
<i>Boule de feu</i> (Fire ball) 1 " 0,50 "	4 —	—	—	<i>Ghiesbreghtii</i>			
<i>Duc de Malakoff, grandiflorum</i>				<i>heteracantha</i> 1000 S.—grns. 2,— "			
<i>rubrum</i> 1 gr. 0,50 "	4 —	—	—	<i>Heynoldi</i> . . . 1000 " " 2,75 "			
<i>Helvetia, rouge, centre blanc</i>				<i>Kerchovei</i> . . 1000 " " 2,75 "			
1 gr. 0,50 "	4 —	—	—	<i>Nissoni</i> . . . 1000 " " 2,— "			
<i>ricinifolium</i> 1 " 0,50 "	4 —	—	—	<i>polycantha</i> . . 1000 " " 1,75 "			
<i>sulphureum</i> 1 " 0,50 "	4 —	—	—	<i>Salmiana</i> . . . 1000 " " 2,50 "			
<i>Thompsoni fol. var.</i> . 1 " 0,50 "	4 —	—	—	<i>univittata</i> . . 1000 " " 2,— "			
<i>Mélange</i> 2 " 0,50 "	2 40	20 —	—	<i>Verschaffelti</i> . 1000 " " 2,— "			
<i>indicum</i> 2 " 0,50 "	2 —	—	—	<i>vivipara</i> . . . 1000 " " 3,— "			
Acacia armata	— 25	1 30	11 —	<i>xalapensis</i> . . 1000 " " 1,50 "			
<i>Baileyana</i> (Cootamundra Wattle) Splend.	1 50	—	—	<i>Xylacantha</i> . 1000 " " 2,75 "			
<i>calamifolia</i>	— 25	1 50	—	Many varieties mixed. — Viele			
<i>hybrida</i>	— 30	2 —	—	Sorten gemischt. — Mélange			
<i>cultriformis</i>	— 50	4 50	—	1000 S.—grns. 1,50 Fres.			
<i>cyanophylla</i>	— 20	1 20	10 —	Alonsoa linifolia	— 20	1 —	—
<i>dealbata</i> (Silver Wattle)	— 25	1 50	12 —	Alyssum argenteum	—	— 90	8 —
<i>decipiens</i>	— 25	1 50	—	Amaranthus abyssinicus	—	— 40	2 50
<i>decurrens</i>	— 25	1 50	—	<i>bicolor ruber</i>	—	— 50	3 50
<i>dodoneifolia</i>	— 50	4 50	—	<i>caudatus</i>	—	— 30	1 50
<i>Farnesiana</i>	—	— 30	1 80	" <i>viridis</i>	—	— 30	1 50
<i>Julibrissin</i>	—	— 30	1 50	<i>Henderi</i> . Variété à couleur brillante .	— 20	1 50	—
<i>leiophylla</i>	— 25	1 30	11 —	<i>hybridus</i> Brillant. An exuberantly			
<i>linifolia</i>	—	— 80	6 —	growing hybrid of <i>A. tricolor</i> . One of the finest			
<i>longifolia</i>	—	— 40	3 60	ornamental plants, and unquestionably the most			
<i>lophanta</i>	—	— 40	2 50	beautiful of all the <i>Amaranthus</i> , known till now,			
<i>speciosa</i>	—	— 50	3 —	4 to 6 feet high, almost without branches, and as			
" " <i>compacta</i>	— 20	— 60	4 —	young plant already covered over and over with			
" " <i>robusta</i>	— 20	— 60	4 —	red-variegated coloured leaves. Its carmine-rose,			
" " <i>superba</i>	—	— 60	3 50	red and yellow tinted head is particularly of a			
<i>Meisneri</i>	— 30	1 50	—	gorgeous effect. The few seed vessels, it ripens, are			
<i>Melanoxylon</i>	— 25	1 30	10 —	almost not to be seen. — Prachtige Hybride, aus			
<i>nematophylla</i>	— 25	1 30	11 —	<i>A. tricolor</i> entstanden; unstreitig der schönste			
<i>hybrida</i>	— 35	1 80	—	<i>Amaranthus</i> , sowie eine der schönsten bunten			
<i>pynanta (petiolaris)</i>	—	— 70	5 50	Blattpflanzen überhaupt. 1 1/2 bis 2m hoch, fast un-			
<i>retinoides</i>	— 20	1 20	10 —	verzweigt, von unten bis oben dicht mit robunten			
<i>praecox</i>	— 20	1 20	10 —	Blättern bedeckt während, die Spitze im brillan-			
<i>semperflorens</i>	—	— 80	6 —	testen Farbenspiel von carmin-rosa mit gelb und rot			
<i>suaveolens</i>	—	— 80	6 —	erglänzt. Die Samenstände sind wenig sichtbar,			
<i>Mélange</i>	—	— 50	4 —	verunzieren also die Pflanze nicht. — Hybride			
Acanthus latifolius	—	— 40	2 —	vigoureux du <i>A. tricolor</i> . Une des plus belles plan-			
<i>mollis</i>	—	— 40	2 —	tes ornementales à feuilles colorées et sans doute			
<i>spinousus</i>	—	— 60	5 —	la plus belle variété de tous les <i>Amaranthus</i> .			
Agatheæ cœlestis	— 80	7 —	—	Haute de 1 1/2 à 2 m., presque sans branches, elle			
				se couvre, comme jeune plante déjà, de haut en bas			
				de beaucoup de feuilles d'un coloris rouge très-			
				varié, pendant que la tête joue dans nuances car-			
				minrose, jaune et rouge, d'un effet admirable . .	— 40	3 —	23 —
				Amaranthus Prince of Wales . Splendidly va-			
				riegated. True! — Prachtig bunt. Echt! Vrai!	— 30	1 50	—

1 Franc = 10 d = 20 cents = 80 Pfennige. — 1 kilo = 2 $\frac{1}{5}$ lb. english; 1 lb. = 450 gr.; 100 grammes = 3 $\frac{1}{2}$ oz.; 1 oz. = 28 gr.

	10 gr. Frcs.	100gr. Frcs.	1 ko. Frcs.		10 gr. Frcs.	100gr. Frcs.	1 ko. Frcs.
Amaranthus (cont. — Forts. — suite).							
Amaranthus hybridus Queen Victoria. Fo- liage black-red. — Schwarzrot belaubt. —				Aster chinensis fl. pl. v. pag. 13.			
A. fenilles noir rouge	— 20	1 20	10 —	Audibertia polystachya . Perennial with silver- white foliage. — Interessante Staude mit silberweissen Blättern. — Plante vivace à feuilles blanc argenté	2 —	18 —	—
" melancholicus ruber. Brilliant dark blood- red. — Leuchtend dunkelblutrot	—	— 50	3 50	Azalea americana 1 gr. 0.35 Frc.	2 50	—	—
" nobilis pyramidalis	—	— 70	6 —	" indica 1 " 0.50 "	3 50	—	—
" salicifolius . " Fountain Plant. Vrai!	— 30	2 —	—	" mollis 1 " 0.35 "	2 50	—	—
" superbus (coleifolius). Firebrand	—	— 60	4 50				
" tricolor . Joseph's Coat.	—	— 80	6 —	Beaucarnea tuberculata (Nolina) 1000 S. — grns. 6.00 Frcs.			
" " giganteus	—	— 80	6 —	Begonia Erfordia 1 " 4.50 Frcs.			
" " magnificus	—	— 80	6 —	" " alba (Margarit.) 1 " 4.50 "			
" tricolor roseus . Gorgeous variety, ressem- bling, as regards the habitus, the following: with large, crimson-rose, yellow and green coloured leaves; produces also but few seeds. — Fruchtbare Varietät, in Bau und Ha- bitus ähnlich der folgenden, mit grossen, carminrosa, gelb und grün gefärbten Blät- tern; bringt auch wenig Samen. — Mag- nifique variété, ressemblant au port à la suivante, avec grandes feuilles cramoisi- roses, jaunes et vertes; produit aussi peu de graines	— 40	2 50	—	" hybrida gigantea . Mélange superbe 1 gr. 1.20 Frc.			
" tricolor splendens . Splendidly coloured and of an enormous size; as nice as solitary plant, as for groups. — Herrlich gefärbt und riesige Dimensionen annehmend; gleich schön als Einzelpflanze wie für Gruppen. — Splendidelement coloré et de dimension enor- me; aussi beau comme plante solitaire que pour des massifs	— 30	1 50	—	" " maxima 1 " 2.50 "			
Angelonia grandiflora 1 gr. 0.50 Frc.	4 —	—	—	" Schmidtii 1 " 1.50 "			
" alba 1 " 1. —	—	—	—	" semperfl. alba	1 —	9 —	—
Very nice annuals for pots or out of door cul- ture, with charming violet-blue or white panicles. — Sehr hübsche Sommerpflanzen für Topf- und Frei- landkultur mit reizenden violet-blauen oder weissen Blütenrispen. — Très belles annuelles pour la culture en pots ou à pleine terre.				" rosea	1 —	9 —	—
AQUILEGIA . Columbine. — Ancolie des jardins.				" Vernon (atropurpurea)	1 80	15 —	—
" californica hybrida	— 40	2 50	—	" " compacta (Teppichkönigin). True from seeds. — Echt aus Samen. — Vrai de semis. 1 gr. 2.00 Frcs.	16 —	—	—
" canadensis	— 20	1 —	—	Bidens atrosanguinea	— 80	6 —	—
" chrysantha . Golden Spurred Colum.	— 30	1 60	15 —	" sulphurea	— 30	2 20	20 —
" alba	— 50	7 50	—	Bonaparteia hystrix . 1000 S. — grns. 4.50 Frcs.			
" " compacta	1 —	—	—	" glauca 1000 " " 5. — "			
" grandiflora flava	1 20	—	—	Browallia Czerwickowski	— 30	2 20	20 —
" lutea	— 90	8 —	—	" " alba	— 30	2 20	20 —
" rosea 2 gr. 0.50 Frc.	—	—	—	" elata	— 30	2 —	18 —
" coerulea	— 70	5 —	—	" alba	— 30	2 —	18 —
" hybrida	— 70	5 —	—	" viscosa	— 30	2 —	18 —
" glandulosa vera	— 80	4 —	—	" alba	— 30	2 —	18 —
" olympica	— 30	1 80	—				
" Skinneri hybrida fl. pl.	— 40	2 50	—	Calandrinia discolor	— 30	2 20	20 —
" stellata fl. pl.	— 40	2 50	—	" umbellata	— 40	3 —	26 —
" truncata	— 60	4 —	—	Calceolaria hybrida . Mélange. 1 gr. 3. — Frcs.			
" vulgaris	— 20	— 80	—	" grandiflora . Tigré and spotted. — Getuschle und getigerte. — Marginées et tigrées. Mélange 1 gr. 4 Frcs.			
" fl. pl.	— 20	— 80	6 50	Calistemon v. Metrosideros .			
" alba	— 20	1 —	—	Camellia japonica . . . 1000 S. — grns. 5 Frcs.			
Many varieties mixed. — Viele Sorten gemischt. — Mélange.	— 20	1 —	7 —	" fl. pl. 1000 " " 6 "			
Argemone platyceras grandiflora	—	— 70	6 —	Campanula gracilis	— 20	1 —	8 —
" speciosa	—	— 90	8 —	" Medium	— 20	1 —	8 —
Artemisia argentea	—	— 50	3 50	" fl. pl.	— 30	2 —	18 —
" gracilis	—	— 40	2 50	" pyramidalis	— 30	2 50	—
Asclepias curassavica	— 20	1 —	8 —	" alba	— 50	—	—
" atrosanguinea	— 30	2 —	—	Canna (Balisier) v. pag. 10.			
" frutescens (Gomphocarpus)	— 25	1 20	10 —				
ASPARAGUS decumbens . 100 S. — grns 3.50 Frcs. 1000 " " 35. — "				CANNABIS gigantea . Giant, true. — Echter Riesen. — Géant, vrai.	—	—	1 75
" Sprengeri (livr. dès Jan.)	2 —	18 —	175 —	Capsicum Tom Thumb . Rouge écarlate.	— 20	— 80	7 —
1000 S. — grns. 15 Frcs. 10 600 " " 120 "				" Chili . Nain, à fruits écarlates	— 20	— 90	7 —
				" proboscideum (Elefantenrüssel)	— 20	1 —	8 —
				" Prince of Wales	— 20	— 70	6 —
				" v. aussi Piment (Pfeffer) Grns. potag.			
				Carnations s. Dianthus Caryophyllus .			
				Castor Bean s. Ricinus .			
				Cassia Chamaecrista	— 35	2 50	—
				" floribunda	— 20	1 —	9 —
				" grandiflora	— 35	2 50	—
				" marylandica	— 35	2 50	—
				" mimosaeifolia	— 30	2 —	—
				" occidentalis	— 30	2 —	15 —
				Ceanothus Gloire de Versailles	— 40	2 80	—

1 Franc = 10 d = 20 cents = 80 Pfennige. — 1 kilo = $2\frac{1}{5}$ lb. english; 1 lb. = 450 gr.; 100 grammes = $3\frac{1}{2}$ oz.; 1 oz. = 28 gr.

Celosia cristata

Cockscomb. — Hahnenkamm. — Crête de coq.

	10 gr. Frcs.	100gr. Frcs.	1 ko. Frcs.	
Celosia cristata				
Cockscomb. — Hahnenkamm. — Crête de coq.				
Celosia cristata alba.	— 25	1 50	12 —	
" " Amaranth	— 25	1 50	12 —	
" " atropurpurea.	— 25	1 50	12 —	
" " atrorosea	— 25	1 50	12 —	
" " atrorubra	— 25	1 50	12 —	
" " aurea	— 25	1 50	12 —	
" " carminea.	— 25	1 50	12 —	
" " carmoisin (cramoisi)	— 25	1 50	12 —	
" " coccinea.	— 25	1 50	12 —	
" " cupreata.	— 25	1 50	12 —	
" " purpurea.	— 25	1 50	12 —	
" " rosea	— 25	1 50	12 —	
" " sulphurea	— 25	1 50	12 —	
" " Mélange, — gemischt.	— 20	1 20	10 —	
" " nana alba	— 80	6 50	—	
" " atrosanguinea	— 80	6 50	—	
" " aurea (Golden Beauty)	— 80	6 50	—	
" " Berliner Markt	1 20	—	—	
" " coccinea	— 80	6 50	—	
" " cupreata	— 60	4 50	—	
" " Empress (Dwarf crimson)	— 60	4 50	—	
" " Glasgow Prize	— 60	4 50	—	
" " litea	— 80	6 50	—	
" " pumila kermesina	— 80	6 50	—	
" " purpurea.	— 60	4 50	—	
" " rosea (Queen of Dwarfs)	— 80	6 50	—	
" " violacea	— 60	4 50	—	
" " Mélange superbe	— 50	3 50	30 —	
" " japonica	—	— 50	3 —	
" " pyramidalis alba	—	— 40	2 50	
" " aurea	—	— 40	2 50	
" " carmoisin	—	— 40	2 50	
" " coccinea	—	— 60	4 —	
" " nana. mélange. Extra!	—	— 70	6 —	
" " Mélange, — hohe gemischt.	—	— 40	2 50	
" " plumosa aurea	—	— 90	7 —	
" " carminea	—	— 90	7 —	
" " carmoisin	—	— 90	7 —	
" " coccinea	—	— 90	7 —	
" " Plume d'autruche	— 60	5 —	—	
" " rosea	—	— 90	7 —	
" " Thompsoni (Triomphe de l'Exposition) New!	—	—	—	
" " Nouveau! Magnifique!	— 40	2 50	24 —	
" " Mélange, — gemischt	—	— 90	7 —	
Centaurea.				
A.				
Centaurea americana.	— 30	1 80	16 —	
" " alba.	— 70	6 —	—	
" " babylonica	— 25	1 50	10 —	
" " candidissima (argentea vera)	1 75	15 —	—	
" " carduiformis.	— 20	1 50	—	
" " Clementei	— 50	3 50	28 —	
" " crupina	—	— 60	—	
" " cyanoides	—	— 60	—	
" " Cyanus alba pura, reinweiss	—	— 60	—	
" " albo-coerulea, weiss mit blau.	—	— 60	—	
" " atrocoerulea, dunkelblau	—	— 60	—	
" " miniata, ziegelrot	—	— 60	—	
" " nigro-coerulea, schwarzblau.	—	— 60	—	

Centaurea.

A-

Centaurea americana.	— 30	1 80	16
" alba.	— 70	6	—
" babylonica	— 25	1 50	10
" candidissima (argentea vera)	1 75	15	—
" carduiformis.	— 20	1 50	—
" Clementei	— 50	3 50	28
" crupina	—	— 60	—
" cyanoides	—	— 60	—
" Cyanus alba pura, reinweiss	—	— 60	—
" albo-coerulea, weiss mit blau.	—	— 60	—
" atrocoerulea, dunkelblau.	—	— 60	—
" miniata, ziegelrot	—	— 60	—
" nigro-coerulea, schwarzblau.	—	— 60	—

Centaurea (cont. — Forts. — suite).

	<i>Centaurea Cyanus rosea</i> , rosa	—	—	60	—
71	" <i>fl. pl.</i>	—	1	—	—
71	" <i>nana compacta</i> , mélange.	—	20	1	7 50
71	" " " <i>Victoria</i>	—	20	1	20 9 —
71	" " " <i>violacea</i>	—	20	1	20 —
71	" " " " <i>depressa</i>	—	—	40	2 50
71	" " " " " <i>rosea</i>	—	—	40	2 50
71	" " " " " <i>gymnocarpa</i>	—	25	1	20 10 —
71	" " " " " " <i>alba</i>	—	30	2	— —
71	" " " " " " " <i>rosea</i>	—	30	2	— —
71	" " " " " " " " <i>macrocephala</i>	—	20	1	8 —
71	" " " " " " " " " <i>montana</i>	—	30	2	— —
71	" " " " " " " " " " <i>orientalis</i>	—	20	1	— —
71	" " " " " " " " " " " <i>Parlatoris</i>	—	20	1	50 —
71	" " " " " " " " " " " " <i>plumosa</i>	—	20	1	50 —
71	" " " " " " " " " " " " " <i>rutifolia</i> . Silver white, highly decorative. — Silberweiss, noch dekorativer als <i>C. candidissima</i> . — Blanc argenté, très décoratif.	—	25	1	80 16 —

B.

Sweet Sultans. — Wohlriechende Centaureen. — Centaurées odorantes.

Centaurea imperialis alba	— 90	8 —	72 —
Armida	1 50	12 —	—
Favorita	— 90	8 50	75 —
Graziosa	— 90	8 50	75 —
Iphigenia. 1 p. (25 g.) 0,40 Fr.			
" rosea 1 " 0,40 "			
" lilacina	— 90	8 —	72 —
" purpurea	— 20	8 50	—
" rosea	— 90	8 —	72 —
" splendens	1 50	12 —	—
" variabilis	— 90	8 —	72 —
" Mélange superbe. —			
" Prachtmischung	— 70	5 50	48 —
Mariae. Yellow with rosa points. Splendid novelty of the last year! Yields very few seeds and is not yet constant. — Gelb mit rosa Spitzen. Prächliche vorjährige Neuheit! Bringt sehr wenig Samen und fällt noch nicht konstant. — Jaune au sommet rose. Nouveauté magnifique de l'an passé! Produit très peu de graines et n'est pas encore constant. 1 paquet (10 S. — grns.) 1 Fr.			
moschata alba	— 20	1 —	—
" purpurea	— 20	1 —	—
odorata. Purple. — Purpurn. — Pourpre.	— 60	4 50	36 —
" Chamaeleon (Caméléon). Delicate sulphury yellow, in fading rose. — Zart schwefelgelb, im Verblühen rosa. — Tendre jaune soufre, en se fanant rose . . .	— 75	5 50	48 —
" Margaritae. Pure white. — Reinweiss. — Blanc pur.	— 60	4 50	39 —
suaveolens. Sulphur-yellow. — Schwefelgelb. — Jaune de soufre	— 25	1 40	10 —
Sweet Sultans. Best varieties mixed (without C. moschata). — Wohlriechende Centaureen. Schönste Sorten gemischt (ohne C. moschata). — Centaurées odorantes. Les plus belles variétés en mélange (sans C. moschata)	— 25	2 —	18 —

The 3 *odorata*—Centaureas are beautiful species for cutting purposes, and ought to be admitted in every garden! They are to be sown mid-april in a cold frame in sunny position, and the seeds must be watered before covering them with soil, which is to be done slightly without watering again; they

1 Franc = 10 d = 20 cents = 80 Pfennige. — 1 kilo = 2 $\frac{1}{5}$ lb. english; 1 lb. = 450 gr.; 100 grammes = 3 $\frac{1}{2}$ oz.; 1 oz. = 28 gr.

Centaurea odorata (cont. — Forts. — suite).

will then rise within a few days. Later on it is but to water on sunny mornings, so that they may get dry again during the day. Every evening and on heavy raindays they must be regularly covered with boards. Lights are to be avoided. Middle of May the plants are sufficiently strong to be transplanted on their intended place. They are not bound to a special soil, grow on the contrary in every earth. Should they serve but for cutting-purposes, it is better to sow the seeds somewhat larger, and to let them then grow on the same spot. In order to have these fine outflowers during the whole summer, the sowing is to be repeated every 6 weeks.

Die 3 *odoratu* - Centaureen sind herrliche Spezies für Schnitzzwecke und sollten in jedem Garten aufgenommen werden! Man sät sie Mitte April in ein kaltes Mistbeet in sonniger Lage und gießt die Samen vor dem Bedecken gut an. Die Samen werden alsdann ganz schwach bedeckt, ohne dieselben nochmals zu begießen; worauf sie in wenigen Tagen keimen. Später wird nur an sonnigen Vormittagen gegossen, sodass sie des Tags über wieder abtrocknen. Des Abends und bei heftigem Regen müssen sie regelmässig mit Brettern gedeckt werden. Mitte Mai sind die Pflanzen genügend stark und können an den für sie bestimmten Platz verpflanzt werden. Sie sind an keinen bestimmten Boden gebunden, gedeihen im Gegenteil in jeder Erde. Sollen sie nur für Schnitzzwecke dienen, ist es besser, die Samen etwas weiter auszusäen und sie an Ort und Stelle wachsen zu lassen. Um den ganzen Sommer dieses feine Schnitt-Material zu haben, tut man gut, alle 6 Wochen eine neue Aussaat vorzunehmen.

Centaureidrum Drummondii
Cerantonia Siliqua. Carob-tree (St. John's Bread)

Johannisbrodbaum. — Caroube

Chamaepeuce stellata
" *nivea*

Cheiranthus annuus fl. pl., v. page 16.
" *maritimus* **Crimson King**

Chelone barbata. Scarlet. — Scharlachrosa, reizende Blütenrispen. — Ecarlate, à panicules très belles.
" *hybrida*

Chrysanthemum carinatum, mélange — gemischt
" *fl. pl.*
" *tricolor* **Chamaeleon**.
" *foliis a reis*
" *frutescens*
" *indicum fl. pl.*, mélange sup.
" *inodorum fl. pl.*

Cineraria hybrida, mélange.
" *grandiflora*, mélange superbe
1 gr. 0.80 Frc.
" *nana* mcl. sup. 1 " 0.90 "
" *cyanea*. . . 1 " 1.20 "
" *kermesina* . 1 " 1.20 "
" *sanguinea* . 1 " 1.50 "

MARITIMA (candidissima).
Cistus albidus
" *salviæfolius*.
" *hederaceus*

Citrus Aurantium (Orange. — Apfelsine).
" **Bigaradia fasciata**
" *multiformis*
" *neapolitanum*
" *vulgaris*
" *decumana*
" *crateroides*
" *Leopoldi*
" *Pompelmos*.
" *maxima*
" *minor*

Limetta acida
" *dulcis*

10 gr. 100gr. 1 ko.
Fres. Fres. Fres.

Citrus (cont. — Forts. — suite).

Citrus Limonium (Citronne)

" *Lumia latifrons*.

" *major*

" *pyriformis*

" *myrtifolia*.

" *nobilis* (Mandarin)

" *Ponciana*.

" *cylindrica*

" *Pseudo-Citrus*

" *trifoliata*

" *triptera* (Aegle)

" *vulgaris*

Toutes les Citrus livrables Mars-Avril.

Cleome speciosa.

Clethra arborea

Clianthus Dampieri

" grns. récolt. dans notre établisse-
ment. 100 S. — grns. 2.75 Fres.

" *tricolor* (*marginata*) Deutsche
Flagge. 100 S. — grns. 4.00 Fres.

" *punicea*.

COLEUS HYBBIDUS, mélange, — gemischt

" 1^a Qual. Pot. plants. — Topf-
samen. — Mélange superbe.

" *macrophyllus*. Newest hybrids with
curious and brilliant foliage. — Neue
Hybriden mit prächtig colorirter Bo-
laubung. — Hybrides nouveaux
à feuillage très bizarre et brillant

" *monstrosus* « Ruffled Giants » Finest
quality with curled leaves of richest co-
lours, including the newest varieties.
Seeds gathered but from the most beau-
tiful varieties. — Feinste Qualität mit
gekräusten Blättern in brilliantestem
Farbenspiel, einschliesslich aller neue-
ren und neuesten Sorten in Prachtmi-
schung. Nur von besonders schön ge-
farbten Exemplaren geerntet. — Très
belle espèce à feuilles frisées dans cou-
leurs les plus brillantes et dans variétés
les plus nouvelles. Récolté seulement
des plantes le meilleur colorées.

COMMELLINA SELLOWIANA. Excellent
pot- and lamp-plant with abundant cobalt-
blue, large flowers. — Prächtige Topf- und
Ampelpflanze mit grossen, leuchtend co-
balt-blauen Blumen. — Magnifique plante
pour pots et suspensions à fleurs bleues

Convolvulus mauritanicus.

CORDYLINE australis, en capsules (in Beeren)

" graines nettes (reine S.)
1000 S. — grns. 2. — Fres.

" *indivisa* (superbiens) en capsules

" graines nettes (reine Samen):
1000 S. — grns. 1.25 Frc.

" *latifolia*, en capsules

" graines nettes:
1000 S. — grns. 1.40 Frc.

" *major*, en capsules

" graines nettes:
1000 S. — grns. 1.80 Frc.

" *lineata*, en capsules

" graines nettes:
1000 S. — grns. 1.50 Frc.

" *rosea*, en capsules

" graines nettes:
1000 S. — grns. 1.80 Frc.

" *Veitchi rubra*, en capsules

" graines nettes:
1000 S. — grns. 1.50 Frc.

10 gr. 100gr. 1 ko.
Fres. Fres. Fres.

— 30 2 —

1 — 9 —

1 — 9 —

1 — 9 —

1 — 9 —

— 80 7 —

1 — 9 —

1 — 9 —

1 — 9 —

— 20 1 20 10 —

— 30 2 —

— — 70 6 50

— 50 3 —

— 50 4 —

3 50 30 —

1 25 10 —

1 — 9 — 80 —

2 — 18 —

2 80 25 —

3 — 28 —

2 — 18 —

— 30 2 50 20 —

— 30 2 50 20 —

— 20 1 50 12 —

— 25 1 80 15 —

— 30 2 — 18 —

— 25 1 80 15 —

— 30 2 — 18 —

— 25 1 80 15 —

— 30 2 — 18 —

— 25 1 80 15 —

— 30 2 — 18 —

— 25 1 80 15 —

— 30 2 — 18 —

— 25 1 80 15 —

— 30 2 — 18 —

— 25 1 80 15 —

— 30 2 — 18 —

— 25 1 80 15 —

— 30 2 — 18 —

— 25 1 80 15 —

— 30 2 — 18 —

— 25 1 80 15 —

— 30 2 — 18 —

— 25 1 80 15 —

— 30 2 — 18 —

— 25 1 80 15 —

— 30 2 — 18 —

— 25 1 80 15 —

— 30 2 — 18 —

— 25 1 80 15 —

— 30 2 — 18 —

— 25 1 80 15 —

— 30 2 — 18 —

— 25 1 80 15 —

— 30 2 — 18 —

1 Franc = 10 d = 20 cents = 80 Pfennige. — 1 kilo = 2 1/5 lb. english; 1 lb. = 450 gr.; 100 grammes = 3 1/2 oz.; 1 oz. = 28 gr.

	10 gr. Frcs.	100gr. Frcs.	1 ko. Frcs.		10 gr. Frcs.	100gr. Frcs.	1 ko. Frcs.
<i>Josmea bipinnata</i> , mélange, — gemischt . . .	— 20	1 20	10 —	Dianthus caryophyllus. (cont.—Fort.—suite).			
" Mammuth, à fleurs géantes, mélange .	—	— 50	3 —	Picotees. —Mixture.—Mischung.—Mélange.			
" " alba	—	— 60	4 —	100 S. grns. 1 Frc.; 1000 S. grns. 8 Frcs.			
" sulphurea New! (Neu!) Nouveau! . . .	— 40	2 50	20 —	Bizarres. — Bizarden. — Bizarres			
CYCLAMEN PERSICUM , mélange	9 —	—	—	et Doublettes.			
" giganteum (universum) mél. superbe .				100 S. grns. 1,20 Frc.; 1000 S. grns. 10 Frcs.			
1000 S. grns. 16 Frcs.				Flakes. — Flammenblumen. — Flamands.			
" album. 1000 " " 19 "				100 S. grns. 1 Frc.; 1000 S. grns. 8 Frcs.			
" " oculatum 1000 " " 19 "				Fancies. — Fameusen. — Fantaisies.			
" " roseum . . . 1000 " " 19 "				100 S. grns. 1,20 Frc.; 1000 S. grns. 10 Frcs.			
" " sanguineum 1000 " " 19 "				Sels. — Farbenblumen. — Unicolores.			
<i>Cyperus alternifolius</i> , graines nettes, (reine S.)	2 50	—	—	100 S. grns. 1 Frc.; 1000 S. grns. 8 Frcs.			
cleaned seeds: 1 gr. 0,30 Frc.	4 —	38 —	—	Mixture of all varieties.—Mischung aller Sorten.			
" Papyrus, grns. nettes. . . 1 gr. 0,50 Frc.				Mélange de toutes les variétés. 1 ^a Qual.			
				100 S. grns. 1 Frc.; 1000 S. grns. 8 Frcs.			
Dahlia variabilis.				Perpetual or Tree Carnations. —			
D. Single. —Einfache.—Simple. Mélange superbe	— 25	1 80	15 —	Remontant-Nelken. — Oeillets Remontants.			
" Semi-tall.—Halbhohe.—Demi-haute.	— 30	2 —	18 —	Margaret-Carnations. —Margareten-Nelken.			
Mélange superbe.—Prachtmischung . .	— 40	2 40	20 —	Oeillets-Marguerite.—Mixture.			
" Giant-flow.—Riesenblumige.—A fleurs	1 —	—	—	Mischung.—Mélange.	— 50	4 50	40 —
géantes. Mélange superbe. Extra . .	— 40	3 —	25 —	" Semi high, improved.—Halbhohe ver-	— 90	7 50	70 —
" White-Queen.—Weiss	— 70	5 —	—	besserte.—Demi-haut amélioré	— 80	6 —	56 —
" fl. pl. Double.—Gefüllte gemischt.—Mélange.	— 60	4 —	38 —	" Semi-high, white.—Halbhohe, weisse.			
" Qual. extra. Mélange superbe. —	— 80	6 —	—	" Pure-white improved.—Reinweisse			
Prachtmischung.	— 80	6 —	—	verbesserte.—Blanc pur amélioré.	2 —	18 —	—
" " nana, mélange,—gemischt	— 60	4 —	36 —	" White Perfection, v. nouveauté p. 5.			
" " Qual. extra. Mélange superbe .	2 —	18 —	—	1 paqu. 0,70 Frc.			
" " Liliput " " " " " " " "	— 60	4 —	—	" Pure sulphur-yellow.—Reinschwefelgelbe.	4 —	36 —	—
" Juarez fl. pl. (Cactus). Qual. extra. Mé-	— 40	3 —	—	Extra!			
lange superbe.—Prachtmischung . .	— 50	3 50	—	" Yellow and yellow ground. — Gelbe	4 —	35 —	—
DAHLIA IMPERIALIS , magnifique	— 20	1 —	—	und gelbgrundige. — Jaune et			
Dasyliion acotriche	— 25	1 50	—	fond jaune.			
" glaucophyllum	— 20	1 25	—	" Giant Pure sulphur-yellow.—Riesen-			
" gracile	— 25	1 50	—	Reinschwefelgelbe. — Géant,			
" longifolium. 1000 S. — grns. 4 Frcs.	— 20	1 25	—	pur jaune de soufre. — v. p. 5.			
" serratifolium	— 40	2 50	—	1 paqu. 0,80 Frc.			
" " glaucum.	— 30	2 —	—	" Striped.—Gestreifte. — Strié. . . .	— 80	6 —	56 —
DATURA fastuosa alba plena	— 30	2 —	—	" Red, mixed.—Rote, gemischt.—Rouge,	— 70	5 —	48 —
" " Huberiana alba plena	— 40	2 50	—	varié	— 60	4 80	45 —
" " violacea plena	— 25	1 50	—	" Dwarf, mixed. — Zwerg, gemischt. —	1 —	9 —	80 —
" " " Mélange,—gemischt. .	— 30	2 —	—	Nain, varié.	1 —	8 —	75 —
" humilis flava Golden Queen. . .	— 40	2 50	—	" Dwarf extra!—Zwerg, extra!—Nain,			
" " pleia (chlorantha).	— 30	2 25	—	extra!			
" Metel (carthaginensis)	— 25	2 —	—	" Dwarf, white.—Zwerg, weisse.—Nain,			
" Stramonium giganteum violaceum	— 30	2 —	—	blanc. Constant! Extra Qual. . .			
" Wrighti (meteloides)	— 30	1 80	15 —	" Extra largeflowering (Giant), varia-			
Delphinium perenne hybridum . Mélange. .	— 60	4 —	—	ble.—Extra grossblumige (Rie-			
" " fl. pl. " " " " " " " "	— 25	2 —	—	sen), variiren. — A fleurs géan-	1 20	10 —	96 —
" " album.	— 30	2 25	—	" Chabaud's Giant improved. — Cha-			
" " Mélange,—gemischt . . .	— 25	2 —	—	baud's verbesserte Riesen. —			
Dianthus caryophyllus fl. pl.				Race Chabaud amélioré à	3 50	30 —	—
Carnations. — Oeillets des fleuristes.				fleurs géantes. Extra!			
Picotees etc Carnations. — Topf-Chornelken. —				Perpetual-flowering Carnation, dwarf Cha-			
Oeillets Flamands et de Fantaisie.				baud. — Remontant-Nelke, niedrige			
Picotees. — Picotten. — Saxons (Fantaisies).				Chabaud.—Oillet remontant, nain de			
" White ground. — Weissgrundige. —				Chabaud. Extra!	2 —	18 —	160 —
Fond blanc.				Riviera. — Riviera Markt (Race Guillaud),			
100 S. grns. 1 Frc.; 1000 S. grns. 8 Frcs.				précoce.			
" Yellow ground. — Gelbgrundige. —				100 S. grns. 0,75 Frc.; 1000 S.—grns. 6 Frcs.			
Fond jaune.							
100 S. grns. 1,20 Frc.; 1000 S. grns. 10 Frcs.							

1 Franc=10 d=20 cents=80 Pfennige.—1 kilo=2 1/5 lb. english; 1 lb.=450 gr.; 100 grammes=3 1/2 oz.; 1 oz.=28 gr.

Dianthus chinensis.

Chinese Pinks.—Chineser Nelken.—Oeillet de Chine.

	10 gr. Frcs.	100gr. Frcs.	1 ko. Frcs.		10 gr. Frcs.	100gr. Frcs.	1 ko. Frcs.
chinensis fl. pl. Mélange.—gemischt	— 20	1	9	Helianthus annuus Bismarckianus.	— 20	— 80	6 —
" " alba	— 25	1 20	10	" " californicus fl. pl.	—	— 30	1 50
HEDDEWIGI giganteus	— 20	1	9	" " giganteus	—	— 25	1 —
" atropurpureus marginatus fl. pl.				" " globosus fistulosus fl. pl.	—	— 30	1 50
Mourning Cloak. (Trauermantel).				" " Henry Wilde	— 20	1	—
Qualité supérieure	— 25	1 80	15	" " macrophyllus giganteus	—	— 30	1 20
" DIADEMATHUS fl. pl. Extra!				" " multiflorus fl. pl.	—	— 80	6 —
Mélange superbe	— 25	1 80	15	" " nanus fl. pl.	—	— 30	1 50
" hybridus fl. pl.	— 30	2	—	" " Primrose coloured	— 20	1	—
" " nanus fl. pl.	— 30	2	—	" " cucumerifolius. " Miniature "	— 20	— 80	6 50
" Crimson Bell.	— 30	2	—	" " Orion . 1 paq. 0,40 Frc.	— 25	1 20	10 —
" Die Braut (The Bride)	— 30	2	—	" " Stella	— 25	1 20	10 —
" Eastern Queen	— 35	2 40	—	" " New varieties.—Neue			
" flore pleno, Mélange.—gemischt	— 25	1 80	15	Varietäten.—v. nouveautés p. 4.			
laciniatus	— 30	2	18	Helichrysum angustifolium	— 30	2 50	—
" albus plenus	— 40	2 80	25	Heliotropium peruvianum:			
" Salmon Queen	— 40	2 80	—	" " Anna Turrel	1	— 9 50	—
IMPERIALIS fl. pl.	— 25	1 80	15	" " Boule de neige—Schnee-			
" atrosanguineus fl. pl.	— 30	2	18	" " ball.—Snowball	1	— 9 50	—
				" " Bouquet parfume	1	— 9 50	—
Digitalis gloxiniaeflora. Mélange	—	— 40	3	" " giganteum. Nouv. variét.	2 40	22	—
DIOTIS CANDIDISSIMA (Santolina)				" " grandiflorum	1	— 9 50	—
Dwarf, silver-white leaved bedding plant; very				" " Regina Margarita			
decorative and recommendable.—Niedrig, sehr				1 paq. 0,60 Frc.			
dekorativ; feine, silberweiss-glänzende Belaubung.				" " Reine des Violettes	1 20	10	—
Prächtig für Teppichbeete und Einfassungen. Eine				" " Triomphe de Liège	1	— 9 50	—
sehr empfehlenswerte, jedenfalls noch wenig be-				" " Mélange.—Mischung	— 80	7 50	70 —
kannte, staudenartige Pflanze.—Nain, à feuilles				" " Dark Varieties.—Dun-			
argentées brillant; très décoratif et recommandable.	— 40	2 80	25	kle Varietäten.—Va-			
Dracaena Draco 1000 S.—grns. 8 — Frcs.	— 25	1 50	12	riétés foncées. Mé-			
" australis & indivisa v. Cordylina.				lange	1	— 8 50	80 —
Eryanthus Ravennae.	— 20	— 80	6	Heuchera alba 1 gr. 2 Frcs.			
Erythrina corallodendron 1000 S.—grs. 10 Frcs.				" americana.	— 25	1 80	—
" coralloides 1000 " " 10				" pubescens.	— 25	1 80	—
" Crista-galli	— 40	3	25	" sanguinea 1 gr. 0,50 Frc.	4	—	—
" insignis 1000 S.—grns. 10 Frcs.				Hibiscus grandiflorus Sunset. Light yellow with			
Eucalyptus amygdalina.	— 50	4 50	—	black centre, giant flowers—Hellgelb			
" globulus (Blue Gum)	— 50	4	30	mit schwarzem Centrum, riesenblumig.			
" longifolia.	— 60	5	—	—Jaune clair à centre noir, à fleurs			
" marginata	— 80	7	—	géantes. Magnifique!	— 50	4	—
" Stuarti (Apple-tree).	— 60	5	—	" militaris	— 80	6 50	—
Mélange	— 30	2 50	24	" Manihot	— 30	2 50	—
Eulalia japonica	— 30	2	15	" moschatus	— 40	3	—
Euphorbia heterophylla	— 60	4	36	" " fl. albo	— 40	3	—
" " fol. var . 2 gr. 0,60 Frc.	2 80	—	—	" mutabilis.	— 50	4	—
" variegata	— 20	— 80	—	" Patersoni (Lagunaria)	— 80	6 50	—
Exacum affine. Lilac, sweetscented—Lila, wohl-				" syriacus	—	— 20	2
riechend; hübsche Topfpflanze. 1 gr. 4 Frcs.				" " fl. pleno	—	— 40	2
Gardenia Thunbergi. 10 fruits—Früchte 1,50 Frc.				Jacaranda mimosaefolia 1000 S.—grns. 1,80 Frc.			
100 " " 12,— "				Iberis gibraltarica hybrida. Prächtig!	— 35	2 50	22 —
" Rothmanni	— 60	4 50	—	" umbellata « Koenigin von Italien »	— 80	—	—
Gentiana acaulis	— 20	1 80	16	" " alba	—	— 40	2 80
Gloxina hybrida grandifl. Prachtmischung. Mé-				" " lilacina	—	— 40	2 80
lange superbe: 1 gr. 2,50 Frcs.	24	—	—	IMPATIENS Balsamina fl. pl. v. page 13.			
" White Pearl.	— 30	2	—	" capensis.	— 40	2 80	—
Gomphocarpus frutescens (Asclepias).	— 30	2	—	" Sultani 1 gr. 1,50 Frc.	14	—	—
Gomphrena gnaphaliodes, v. nouveautés p. 5.	— 25	1 20	10	" " salmonea « Königin Carola.			
Grevillea robusta	— 60	5	40	1 gr. 1,50 Frc.			
" " pyramidalis.	— 70	6	—	" " splendens « König Albert »			
Gymnothrix japonica.	— 25	1 80	15	Brilliant rose-carmine.—Leuch-			
" latifolia.	— 20	1	8	tend rosa carmin. — Luisant			
Gynerium argenteum.	— 20	1 50	—	rose carmine. . 1 gr. 1,50 Frc.			
" " roseum	— 20	1 60	—	" " violacea. 1 " 1,50			
				" " hybrida, mél. . 1 " 1,50	14	—	—
				Ipomopsis Beyrichi.	— 20	1	8
				" elegans.	— 20	1	8
				" atrobrunea	— 20	1	8

1 Franc = 10 d = 20 cents = 80 Pfennige. — 1 kilo = 2 1/5 lb. english; 1 lb. = 450 gr.; 100 grammes = 3 1/2 oz.; 1 oz. = 28 gr.

	10 gr. Fres.	100gr. Fres.	1 ko. Fres.		10 gr. Fres.	100gr. Fres.	1 ko. Fres.
Ipomopsis (cont. — Forts. — suite).				Myosotis alpestris nana coerulea	— 40	3 50	—
Ipomopsis elegans <i>atrurubens</i>	— 20	1 —	8 —	" " " <i>rosea</i>	— 40	3 50	—
" " <i>aurantiaca</i>	— 20	1 —	8 —	" " " <i>palustris semperflorens</i>	— 60	5 —	—
" " <i>cupreata</i>	— 20	1 —	8 —	Myrthus communis , graines nettes (reine S.)	—	— 70	6 —
" " <i>lutea</i>	— 20	1 —	8 —	Nerium Oleander	— 15	— 90	8 —
" " <i>sanguinea</i>	— 20	1 —	8 —	" " " <i>album</i>	— 20	1 40	—
" " <i>superba</i>	— 20	1 —	8 —	Nicotiana affinis	— 20	1 40	12 —
" " <i>Mélange superbe</i>	— 60	5 —	6 —	" " " <i>colossea</i> . Gorgeous for decoration.	14	—	—
Jonopsidium acaule	2 75	—	—	" " " Magn. pour décoration. 1 gr. 1,50 Fr.	— 20	1 —	9 —
Kalmia latifolia , grns. nettes . 2 gr. 0,50 Fr.	—	— 30	6 —	" " " <i>glauca</i> . Magnificent greenhouse-shrub	— 70	5 —	—
Lantana hybrida , en mélange,—gemischt	— 20	1 —	8 —	" " " Magnifique arbrisseau p. serre froide.	— 40	2 50	22 —
Larkspur s. Delphinium	—	— 20	1 —	" " " <i>noctiflora alba</i> , nouv. magnifique!	— 20	1 50	12 —
Laurus Camphora	—	— 20	1 —	" " " <i>sylvestris</i>	— 20	1 50	12 —
" " <i>Cerasus</i>	—	— 80	6 50	Nierembergia frutescens	— 20	1 50	12 —
" " <i>glandulifera</i>	—	—	1 —	" " " <i>gracilis</i>	—	—	—
" " <i>indica</i>	—	—	— 60	Nolina tuberculata . . 1000 S. grns. 6 Fres.	—	—	—
" " <i>nobilis</i>	—	— 20	1 —	Oeillets v. Dianthus	— 20	1 —	—
" " <i>Tinus (Viburnum)</i>	— 50	3 —	—	Onopordon acantium . Riesenziestel	— 60	—	—
Lavatera arborea fol. var.	2 —	—	—	Opuntia Ficus indica	—	— 60	4 50
Levkoyen s. Cheiranthus pag. 16	—	—	—	Panicum spectabile	—	— 60	4 50
Leptospermum scoparium . . 2 gr. 0,50 Fr.	—	—	1 —	" " " <i>giganteum</i>	— 50	4 —	—
Ligustrum japonica	1 —	9 —	—	" " " <i>sulcatum</i>	— 50	3 50	30 —
Lobelia Erinus compacta Crystal Palace	1 —	9 —	—	" " " <i>tonsum</i>	— 50	—	—
" " " <i>Kaiser Wilhelm</i>	—	—	—	Pavonia hastata , Très décoratif	—	—	—
Perennials (Ausdauernde Spezies):				Pelargonium hybridum grandiflorum: Odier's	—	—	—
" " <i>cardinalis</i>	4 —	—	—	" " " <i>and Fancy</i> . Large flowered varieties.	—	—	—
" " <i>Cavanillesi</i>	18 —	—	—	" " " — Englische grossblumige. — Fantaisies	—	—	—
" " <i>fulgens Queen Victoria</i> 1 " 3.— "	18 —	—	—	" " " à grandes fleurs. Mélange 1 ^{re} qualité	—	—	—
" " " <i>fiery-rose</i> ,—	—	—	—	" " " 1000 S. — grns. 15 Fres.	— 35	2 60	24 —
" " " 1 gr. 4.— Fres.	—	—	—	" " " <i>zonale</i> , mélange. — gemischt	1 —	—	—
" " " <i>purple</i> ,—	—	—	—	" " " <i>choix extra. 1^{re} Qual.</i>	—	—	—
" " " <i>purpure</i>	— 80	6 —	—	" " " <i>Koenigin Olga</i> .	—	—	—
" " <i>Gerardi hybrida</i>	9 —	—	—	" " " 100 S. — grns. 0,80 Fres.	—	—	—
" " <i>Kernerli</i>	— 80	6 —	—	Pennisetum Ruppelianum . « Purple Fountain-	—	—	—
" " <i>syphillica</i>	— 80	6 —	—	" " " plant ». A wonderful hardy Ornamental Grass	—	—	—
" " " <i>alba</i>	— 80	6 —	—	" " " of surprising beauty. As valuable for groups as	—	—	—
" " " <i>Mélange</i> , beaucoup de couleurs;	— 80	6 —	—	" " " a solitaire plant, as also for drying purposes and	—	—	—
" " " <i>viele Farben gemischt</i>	— 80	6 —	—	" " " for vases. — Wunderhübsches, ausdauerndes	—	—	—
Lupinus hybridus nanus albus	—	— 30	2 —	" " " Ziergras von überraschender Schönheit. Gleich	—	—	—
" " " <i>coeruleus</i>	—	— 30	1 50	" " " wertvoll für Gruppen oder Einzelpflanzung,	—	—	—
" " " <i>polyphyllus</i>	—	— 80	6 —	" " " sowie zum Trocknen oder als Vasenschmuck. —	—	—	—
" " " <i>quadricolor fl. pl.</i>	—	— 40	3 —	" " " Une graminée ornementale admirable d'une	—	—	—
" " " <i>texanus (subcarnosus)</i> . Magnif. bleu.	—	— 60	4 60	" " " beauté surprenant. D'une grande valeur aussi	—	—	—
Magnolia grandiflora , 1 ^a Qual.	—	— 60	4 —	" " " bien pour massifs, que comme plante solitaire,	— 30	1 80	—
" " <i>Soulangeana</i>	— 25	1 80	—	" " " et en outre pour former des bouquets secs. .	— 70	5 —	—
" " <i>Youlan</i>	— 25	1 80	—	Pentstemon atropurpureus	— 20	1 —	8 —
Mandevillea suaveolens	— 40	2 80	25 —	" " " <i>barbatus</i>	— 20	1 —	8 —
Martynia formosa	—	— 20	—	" " " <i>hybridus</i>	— 70	5 —	—
" " <i>fragrans</i>	— 15	— 90	—	" " " <i>Cobaea</i>	— 25	1 50	—
" " <i>lutea</i>	— 20	1 —	—	" " " <i>elegans</i>	—	—	—
" " <i>proboscidea</i>	— 20	1 —	—	" " " <i>gentianoides hybridus (Hart-</i>	—	—	—
" " " <i>rosea</i>	— 50	3 50	—	" " " <i>wegi)</i> . Splendid hybrids mixed. —	— 50	4 —	36 —
Medeola (Myrsiphyllum) asparagoides	—	— 30	1 50	" " " <i>Prachtvolle Hybriden gemischt</i>	— 25	1 50	—
Mespilus japonica (Eriobotrya) . Deliv. May.	— 60	5 —	—	" " " <i>glaber</i>	— 50	4 —	—
Metrosideros grandiflora	— 60	5 —	—	" " " <i>roseus</i>	— 50	4 —	—
" " " <i>saligna</i>	—	—	—	" " " <i>puniceus</i>	— 50	3 —	—
Mignonette v. Reseda	— 20	1 20	10 —	" " " <i>spectabilis</i>	—	—	—
Mimosa pudica	2 50	—	—	" " " <i>Wrighti</i>	—	— 40	2 60
Mimulus cardinalis , mélange,—gemischt	—	—	—	Perilla nankinensis	—	— 40	3 50
Musa alba indica . . . 100 S. grns. 5.— Fres.	—	—	—	" " " <i>fol. atropurpureis laciniatis</i>	—	—	—
" " <i>Ensete</i>	—	—	—	" " " <i>var.</i> Gathered from beautifully	5 —	—	—
" " " 1000 " " 2,50 "	—	—	—	" " " variegated plants only. — Nur von schönen	—	— 50	4 —
" " " 100 " " 5.— "	—	—	—	" " " bunten Pflanzen gesammelt. — Seulement	—	— 40	3 —
" " " 10 " " 1.— "	—	—	—	" " " de jolies plantes bien col. 2 gr. 1,20 Fr.	—	— 40	3 —
" " " 100 " " 8.— "	—	—	—	" " " <i>latifolia purpurea</i>	—	— 40	3 25
" " " 100 " " 3.— "	—	—	—	" " " <i>macropylla crispa comp. Extra!</i>	—	—	—
" " " 100 " " 3.— "	—	—	—	" " " " <i>nigricans</i>	—	—	—
" " " 100 " " 3.— "	—	—	—	" " " " <i>elatior</i>	—	— 40	3 25
" " " 100 " " 3.— "	—	—	—	" " " " <i>nigricans</i> .	—	— 40	3 25
" " " 100 " " 3.— "	—	—	—	" " " " Magnifique! — Prätig!	—	—	—

1 Franc = 10 d = 20 cents = 80 Pfennige, — 1 kilo = 2 1/5 lb. english; 1 lb. = 450 gr.; 100 grammes = 3 1/2 oz.; 1. oz. = 28 gr.

Pervenche de Madagascar, v. Vinca rosea.
 Petunia hybrida, mélange,— gemischt.
 " " Inimitable nana compacta
 multiflora.

Phlox Drummondii.

	10 gr. Fres.	100gr. Fres.	1 ko. Fres.
Phlox Drummondii. Mélange,—gemischt.	— 35	2 80	24 —
" cuspidata (à fleurs étoilées), mélange.	— 50	4 —	—
" fimbriata (à fleurs frangées), mélange.	— 55	4 —	—
" Graf Gero.	1 —	8 —	—
" grandiflora alba pura	— 60	5 —	—
" " " oculata	— 60	5 —	—
" " " carnea.	— 60	5 —	—
" " " coccinea.	— 60	5 —	—
" " " isabellina (yellow—jaune).	— 60	5 —	—
" " " rosea albo-oculata	— 60	5 —	—
" " " Mélange.	— 35	2 80	24 —
" nana, Mélange,—gemischt.	— 70	6 —	50 —
" " compacta atropurpurea.	1 50	—	—
" " " " striata	3 50	—	—
" " " " carminea.	1 50	12 —	—
" " " " chamoisrosa	2 —	—	—
" " " " cinnabarina.	1 50	—	—
" " " " striata.	3 50	—	—
" " " " coerulea stellata	3 50	—	—
" " " " delicata	1 20	—	—
" " " " Feuerball (Boule de feu)	2 —	—	—
" " " " hortensiaeflora	1 20	10 —	—
" " " " Triumph	2 —	—	—
" " " " Leopoldi	1 50	12 —	—
" " " " nivea.	1 50	—	—
" " " " oculata	1 50	12 —	—
" " " " punicea	1 50	12 —	—
" " " " Schneeball (Boule de neige)	1 50	—	—
" " " " splendens	1 50	—	—
" " " " variabilis	1 20	10 —	—
" " " " Victoria	1 20	10 —	—
" " " " violacea stellata	1 20	10 —	—
" " " " Mélange, 1 ^a Qual.	1 20	9 —	80 —

Our Dwarf Phloxes are pure in colour and true in variety, and as reliable as those of the best special-growers. — Unsere Zwerg-Phloxen sind rein in Farbe, sortenecht und so zuverlässig, wie die der besten Züchter. — Nos Phlox naines sont de couleurs pures et constantes. Elles peuvent se mesurer avec celles des meilleurs cultivateurs spéciaux.

Phormium Colensoi fol. var.

100 S. — grns. 0,70 Frc.			
1000 S. — " 6,— "			
" tenax	— 40	3 50	30 —
" " récoltée dans notre établiss.	— 90	8 —	75 —
" " for. var. 100 S. — grns. 0,40 Frc.			
1000 " — " 3,— "			
Physalis edulis (peruviana).	— 20	1 —	8 —
" Franchetti « Giant Winter Cherry »	— 40	2 80	24 —
Physostegia virginica	— 25	1 50	—
" " alba	— 30	2 —	—
Pincenectitia tuberculata 1000 S.—grns. 6 Frc.			
Pink s. Dianthus chinensis.			
Poinciana Gilliesi	— 40	3 —	—
" regia	— 20	1 50	—
" pulcherrima	— 20	1 50	—
Polygonum orientale fol. var.	— 20	1 20	10 —
Portulacca grandiflora. Mélange,—gemischt.	— 20	1 40	12 —
" " fl. pl. Mélange	— 90	8 —	—

PRIMULA chinensis fimbriata:

" " " alba pura . . . 1 gr. 1,50 Frc.	12 —	—	—
" " " coerulea, bleu 1 .. 6,50 "	—	—	—
" " " coccinea (atrosanguinea) rouge vif. . . 1 gr. 2,00 Frc.	18 —	—	—
" " " kermesina splendens 1 gr. 1,50 "	12 —	—	—
" " " marmorata kermesina 1 gr. 1,50 "	12 —	—	—
" " " rosea 1 .. 1,50 "	12 —	—	—
" " " striatiflora . . 1 .. 1,50 "	12 —	—	—
" " " mélange superbe 1 .. 1,00 "	7 75	—	—
" " " fl. pleno, mcl. 1 .. 7,50 "	—	—	—

We cultivate but a few varieties of Chinese Primrose, and are therefore so much the more able to supply these principal varieties in the most perfect and reliable quality, as they are scarcely better to be had anywhere else. — Wir kultiviren nur wenige Chinesische Primel Sorten, sind aber deshalb umso mehr in Stande, diese Hauptsorten in vollkommener, höchstzuverlässiger Qualität zu liefern.

PRIMULA obconica. . . . 1 gr. 0,80 Frc.

" " " rosea. 1 .. 1,— "

Punica Granatum

" " " fl. albo

Pyrethrum parthenifolium aureum.

" " " selaginoides

Reseda odorata Gabriele (imperialis)

" " " grandifl. ameliorata aurea

" " " Machel

" " " Golden (Goldgolb).

" " " Rubin.

" " " multiflora erecta

" " " Pariser Markt

" " " robusta Victoria

" " " eximia

Rhododendron argenteum.

" " " arboreum.

" " " ferrugineum.

" " " himalayensis

" " " javanicum . . . 1 gr. 0,90 Frc.

" " " ponticum

" " " Mélange, de plus de 20 variétés.

RICINUS africanus, vrai rouge luisante.

" " " albidus

" " " Belot Defougères

" " " borboniensis arboreus

" " " Cambodgensis. Maroon foliage.
Schwarzrotblättrig prächtig!

" " " communis major

" " " minor

" " " Duchess of Edinburgh

" " " elegantissimus.

" " " Gibsoni, rotblättrig (à f. rouge). Extra!

" " " coccineus

" " " mirabilis

" " " purpureus

" " " sanguineus

" " " tricolor.

" " " spec. Santa Rosa

" " " zanzibariensis

" " " albo-maculatus

" " " cinerascens

" " " enormis

" " " niger.

" " " purpureo-maculatus. Nouveau!

" " " Mélange,—gemischt.

Toutes les variétés en mélange.—
Alle Sorten gemischt. 100 kg. 40 Frcs.

1 Franc = 10 d = 20 cents. = 80 Pfennige. — 1 kilo = 2 $\frac{1}{5}$ lb. english; 1 lb. = 450 gr.; 100 grammes = 3 $\frac{1}{2}$ oz.; 1 oz. = 28 gr.

	10 gr. Fres.	100gr. Fres.	1 ko. Fres.		10 gr. Fres.	100gr. Fres.	1 ko. Fres.
<i>rosa hybrida</i> Remontant, grns.nettes (cleaned)	— 40	2 60	25 —	Solanum (cont. — Forts. — suite).			
" Thea, mélange; reine S. — grns. nettes.	— 40	3 —	24 —	Solanum Lobeli	— 20	1 —	3 50
" " Gloire de Dijon. graines nettes	1 25	10 —	—	" <i>Lycopersicum Grossularia</i>	—	— 70	5 —
" " Marchal Nil				" <i>Pseudocapsicum</i>	— 70	5 50	—
10 fruits. — Früchte: 0,75 Fres.				" <i>robustum</i>	— 40	3 —	—
<i>tudbeckia fulgida</i>	— 20	1 50	—	" <i>sanctum</i>	—	— 50	3 50
<i>tuellia tuberosa</i>	— 70	6 —	—	" <i>texanum</i>	— 40	3 50	30 —
				" <i>Warscewiczii</i>	—	— 70	6 —
SALVIA.				" <i>Weatherilli</i>			
<i>salvia argentea</i>	—	— 70	5 —	" <i>Melongena</i> v. grns. potagères: Auber-			
" <i>canariensis</i>	1 50	—	—	gines (Eierfrüchte) Egg-plant.			
" " <i>alba</i>	2 —	—	—	Soldanella alpina . Reizende Alpenpflanze . . .	1 —	—	—
" <i>coccinea</i>	— 20	— 90	8 —	Stapelia , diverses variétés . . . 1 gr. 0,50 Fres.			
" " <i>lactea</i> . White.—Reinweiss . . .	— 30	2 —	16 —	Strelizia Augusta . . . 100 S. — grns. 10 Fres.			
" " <i>punicea nana</i>	— 20	1 —	9 —	" <i>Reginae</i> . . 100 „ „ 12 „			
" " <i>splendens</i> . Extra!	— 30	2 —	16 —	Streptocarpus Wendlandi			
" <i>farinacea</i>	— 25	1 20	10 —	1000 S. — grns. 0,30 Fres.			
" " <i>alba</i>	— 30	1 50	12 —	" Hybrides nouveaux de Veitch .			
" Grahami . . . 100 S. — grns. 0,50 Fres.	— 50	—	—	Veitch's new hybrids:			
" <i>nutans</i>	6 —	—	—	1000 S. — grns. 0,40 Fres.			
" <i>patens</i> 1 gr. 0,70 Fres.	— 5	—	—	Sutherlandia frutescens . Magnifique,—prächtig.	1 —	8 —	—
" <i>Roemeriana</i>	— 50	4 50	—	Sweet Sultan s. <i>Centaurea</i> .			
" <i>rubescens</i>	— 20	— 80	6 —	Tephrosia grandiflora : 100 S. — grns. 0,40 Fres.			
" <i>sylvestris</i>	1 20	10 —	96 —	1000 „ „ 3,60 „	1 60	15 —	—
" <i>splendens</i>	6 —	—	—	TORENIA Fournieri (edentula)	1 90	18 —	—
" " <i>alba</i>	5 —	—	—	" " <i>alba</i> (White Wings). . .	3 40	32 —	—
" " Apple-blossom .—Apfelblüte.—	6 —	—	—	" " " <i>compacta</i> 2 gr. 0,80			
" A fleur de pêcher	5 —	—	—	" " " <i>nana</i>			
" <i>atropurpurea</i> . Magnifique . . .	6 —	—	—	Very dwarf (ganz niedrig)	9 —	—	—
" Ch. Leconteux . 1 paq.: 0,40 Fres.				très-nain. Extra! 1 gr. 1 Fres.	2 —	18 —	—
" <i>grandiflora</i>	2 80	25 —	—	" " <i>coelestina</i>	3 40	—	—
" " <i>Ingenier Clavenad</i>	1 60	15 —	130 —	" " " <i>compacta</i> 2 gr. 0,80 Fres.			
" " <i>Long spikes</i>	3 —	28 —	—	" " <i>compacta</i> . Very dwarf and			
" " <i>Président</i>	3 —	—	—	densely branched out.—Ganz			
" " <i>prostrata</i>	3 —	28 —	—	niedrig und dicht verzweigt.			
" " <i>rosea</i> . Prächtig, frühblühend	3 50	—	—	— Très naine et densément			
" <i>nana</i>	2 —	18 —	175 —	branchue	3 40	32 —	—
" " <i>erecta</i> 1 paquet: 0,40 Fres.				" " <i>grandiflora</i>	2 50	24 —	—
" <i>Perfection</i> . 1 „ 0,40 „				" " <i>speciosa</i> . . 1 gr. 2 Fres.	18 —	—	—
" Prinz von Neapel (Prince de				" " " <i>alba</i> (The Bride.) 1 gr. 2,50	22 —	—	—
Naples)	3 50	—	—	Trachelium coeruleum	— 90	—	—
" <i>purpurea</i>	4 —	36 —	—	" " <i>album</i>	— 90	—	—
" Ruhm von Stuttgart .				Trollius europaeus	— 80	7 —	—
1 paquet: 0,50 Fres.				Tropaeolum canariense (peregrinum) . . .	— 35	2 80	24 —
" <i>Senateur Ragueneau</i>	5 —	—	—	" Lobbianum . mélange	—	— 80	7 —
" <i>Mélange de plusieurs couleurs</i>	2 50	24 —	—	Verbena hybr. <i>auriculaeiflora</i> , mélange . . .	— 60	4 50	—
Antolina Chamaecyparissus	— 30	2 50	—	" " <i>candidissima</i>	— 60	4 50	—
" <i>maritima</i> (<i>Diotis candidissima</i>). .	— 40	2 80	25 —	" " <i>coerula</i>	— 80	7 —	—
Lebatia campestris	3 —	—	—	" " <i>compacta</i> , mélange,—gemischt .	— 80	—	—
milax s. <i>Medeola asparagoides</i>				" " <i>violacea</i>	— 80	—	—
ichinus molle . Falscher Pfefferbaum . . .	—	— 20	1 —	" " <i>Mélange superbe</i> , 1 ^{re} Qual. .	— 50	3 50	32 —
Skimmia japonica	— 30	2 50	—	" <i>erinoides</i> . Elégantes ombelles pourpres	— 30	2 50	—
solanum arboreum (japonica)	— 30	2 —	—	" <i>striata italica</i> . Italien. gestreifte . .	— 40	3 —	—
" <i>atropurpureum</i>	— 20	1 20	10 —	" <i>venosa</i>	— 20	1 80	—
" " <i>violaceum</i>	— 25	1 80	15 —	Veronica elegans	— 80	6 —	—
" <i>auriculatum</i>	— 30	2 —	—	" <i>salicifolia</i>	— 80	6 —	—
" <i>Balbisi</i>	— 20	1 —	9 —	" <i>speciosa</i>	— 40	3 —	—
" <i>betaceum</i> . Tree-Tomato.	1 —	—	—	" " <i>grandiflora</i>	— 50	4 —	—
" <i>Cabiliense argenteum</i> (marginatum).	— 20	1 —	9 —	" " <i>hybrida</i> , mélange.	— 40	3 —	28 —
" <i>Capsicastrum</i>	—	— 70	5 —	" " <i>rubra</i>	2 50	—	—
" " <i>nanum</i>	—	— 70	5 —	" " <i>Verschaffelti</i>	— 60	5 —	—
" <i>ciliatum</i>	—	— 60	4 —	Viburnum Tinus	—	— 20	1 —
" <i>citrullifolium</i>	—	— 70	5 —	" <i>Vinca rosea</i>	— 35	2 60	24 —
" <i>dublosinatum</i>	— 40	3 50	30 —	" " <i>albo-oculata</i>	— 30	2 25	20 —
" <i>haematocarpum</i>	— 20	1 —	9 —	" " <i>alba pura</i>	— 30	2 25	20 —
" <i>laciniatum</i>	—	— 80	7 —	" " <i>Mélange</i>	— 30	2 25	20 —
				Viola odorata semperflorens	— 40	3 —	26 —
				" " <i>alba</i>	— 50	4 —	—

1 Franc = 10 d = 20 cents = 80 Pfennige. — 1 kilo = 2 1/5 lb. english; 1 lb. = 450 gr.; 100 grammes = 3 1/2 oz.; 1 oz. = 28 gr.

	10 gr. Fres.	100gr. Fres.	1 ko. Fres.
Viola (cont. — Forts. — suite).			
VIOLA TRICOLOR MAXIMA:			
.. Cardinal	— 40	2 80	—
.. Goldelse	— 40	3 —	28 —
.. Kaiser Friedrich	— 40	2 80	—
.. Schneewittchen	— 40	3 —	28 —
.. Victoria	— 40	3 —	—
.. Trimardeau, Riesen (géante)			
.. „ goldgelb; jaune d'or; golden . . .	— 60	5 —	—
.. „ weiss; blanc; white.	— 60	5 —	—
.. „ „ mit blauem Auge; blanc à oeil bleu.	— 60	5 50	—
.. „ atropurpurea	— 60	5 —	—
.. „ Mohrenkönig; noir; black	1 —	8 —	—
.. „ veilchenblau; bleu de violette . .	— 80	6 50	—
.. „ Kaiser Wilhelm	— 80	7 —	—
.. „ Lord Beaconsfield	1 —	8 —	—
.. „ Mélange superbe	— 60	4 50	40 —
.. Cassier	— 80	7 —	—
.. „ fünfleckige goldgelbe; jaune géante à cinq macules	1 —	9 —	—
.. Pariser grossleckige Riesen, extra!			
.. Parisienne géante à très grandes ma- cules	1 —	8 —	—
.. Odier (à trois et cinq macules) . . .	— 80	7 —	—
All varieties in splendid mixture. — Prachtmischung aller Sorten. — Mé- lange superbe de toutes les variétés.	— 40	2 80	24 —
Wigandia caracasana.	— 50	4 —	—
.. floribunda	— 50	4 —	—
.. hybrida	— 50	4 —	—
.. imperialis	— 50	4 —	—
.. urens	— 50	4 —	—
.. Vigieri	— 50	4 —	—
Yucca aloefolia	—	— 50	3 60
.. „ fol. var.	—	— 60	4 80
.. „ purpurea	—	— 70	6 —
.. „ tricolor	—	— 70	6 —
.. gloriosa	—	— 70	6 —
Zea Caragua 10 kg. 3 Fres.	—	—	— 40
.. gracillima	—	—	1 —
.. „ fol. var.	—	—	1 —
.. „ „ gigantea	—	—	1 —
.. japonica fol. var.	—	—	— 90
.. Nanerottolo (Golden Tom Thumb). . .	—	—	— 80
.. orizaeformis nigra	—	— 40	2 50
.. quadricolor. A giant variegated-leaved Sweet- Corn of high decorative value. Leaves striated silverwhite, yellow, rose and green. — Eine riesige, buntblättrige, sehr decorative Mai- sart. Die Blätter sind silberweiss, gelb, rosa und grün gestreift. — Géant Mais à feuilles panachées, très decoratif! Les feuilles sont striées d'un blanc argenté, jaune, rose et vert.	—	— 50	2 80
.. Triumph. Extra! This variety of Indian Corn introduced into commerce, some time ago, by us has everywhere found the greatest approval. It grows about 4 feet high, bears abundantly and ripens its ears very early, viz. 2 1/2 months after sowing. The ears are rather large and yield a fine flour. Of all the early Indian Corn-varieties the Maize Tri- umph is the most productive. — Diese von uns seinerzeit in den Handel gebrachte Mais- sorte hat überall die günstigste Aufnahme ge- funden. Sie wird etwas über einen Meter hoch, ist sehr reichtragend und sehr früh, da sie kaum 2 1/2 Monate zu ihrer völligen Aus- bildung gebracht. Die Kolben sind ziemlich gross und geben ein sehr feines Mehl. . .	—	—	1 —
Zea tunicata fol. var.	—	— 40	2 50
Zizyphus sativa (hortensis)	—	— 50	3 —

	10 gr. Fres.	100gr. Fres.	1 ko. Fres.
ZINNIA ELEGANS			
flore pleno.			
All our Zinnias are entirely pure in colour and very double. Unsurpassed strains! Alle unsere Zinnien sind völlig rein in Farbe und stehen in Bezug auf dicke Füllung uner- reicht da. Toutes nos Zinnias sont entièrement pures en con- leurs et bien doubles; il n'y en a pas de meilleures.			
ZINNIA elegans flore pleno:			
.. „ „ „ alba	—	— 80	6 —
.. „ „ „ atrococcinea	—	— 80	6 —
.. „ „ „ atropurpurea	—	— 80	6 —
.. „ „ „ aurea	—	— 80	6 —
.. „ „ „ carminea	—	— 80	6 —
.. „ „ „ carnea	—	— 80	6 —
.. „ „ „ coccinea	—	— 80	6 —
.. „ „ „ lilacina	—	— 80	6 —
.. „ „ „ lutea	—	— 80	6 —
.. „ „ „ rosea	—	— 80	6 —
.. „ „ „ striata	— 20	1 20	10 —
.. „ „ „ Mélange, 1 ^{re} Qual.	—	— 70	5 —
.. „ „ „ pumila	—	—	—
.. „ „ „ alba	—	— 90	7 —
.. „ „ „ atrococcinea	—	— 90	7 —
.. „ „ „ aurea	—	— 90	7 —
.. „ „ „ carnea	—	— 90	7 —
.. „ „ „ coccinea	—	— 90	7 —
.. „ „ „ carminea	—	— 90	7 —
.. „ „ „ purpurea	—	— 90	7 —
.. „ „ „ salmonea	—	— 90	7 —
.. „ „ „ sulphurea	—	— 90	7 —
.. „ „ „ rosea	—	— 90	7 —
.. „ „ „ Mélange, 1 ^{re} Qual.	—	— 80	6 —
.. „ „ „ robusta grandiflora plenissima			
.. „ „ „ alba (Queen Vict.).	— 40	1 80	—
.. „ „ „ atrococcinea	— 20	1 —	—
.. „ „ „ aurea	— 20	1 —	—
.. „ „ „ carminea	— 20	1 —	—
.. „ „ „ carnea	— 20	1 —	—
.. „ „ „ coccinea	— 20	1 —	—
.. „ „ „ lilacina	— 20	1 —	—
.. „ „ „ lutea	— 20	1 —	—
.. „ „ „ rosea	— 20	1 —	—
.. „ „ „ salmonea	— 20	1 —	—
.. „ „ „ violacea	— 20	1 —	—
.. „ „ „ Mélange superbe	— 20	— 90	7 —
.. „ „ „ elegans fl. pl. Liliput.	—	1 25	10 —
.. „ „ „ Miniatur. Very dwarf, well double; pretty. — Gutge- füllt, kaum 10 ^{cm} hoch, reizend.	1 50	—	—
.. „ „ „ Darwini fl. pl.	—	1 25	10 —
.. „ „ „ Reginae	— 25	1 80	15 —
.. „ „ „ gloriosa	— 30	2 —	—
.. „ „ „ Haageana.	— 20	1 20	10 —
.. „ „ „ fl. pl.	— 25	1 80	16 —

Annuals in mixture.
Sommerblumen gemischt.
Plantes annuelles en mélange.
 100 kg. 90 Fres.—10 kg. 10 Fres.—1 kg. 1,25 Fre.

SEEDS	SAMEN	GRAINES
of	von	de
CLIMBERS.	SCHLINGPFLANZEN.	PLANTES GRIMPANTES.

S. = Seeds, Samen; grns. = graines; grns. nettes = cleaned seeds (reine Samen); gr. = grammes.

	10 gr. Frcs.	100gr. Frcs.	1 ko. Frcs.		10 gr. Frcs.	100gr. Frcs.	1 ko. Frcs.
Abobra viridiflora	— 30	2 —	18 —	Convolvulus mauritanicus (suite).			
Adlumia cirrhosa	— 50	3 50	—	autumn without interruption in flower. — Ausdauernde, blaublühende Ampel- oder Hängepflanze, vom Frühjahr bis zum Herbst ununterbrochen in Blüte. — Plante de suspension vivace à fleurs bleues, qui se produisent sans interruption du printemps à l'automne	— 30	2 50	20 —
Arauja sericifera (Physianthus)	— 30	2 —	18 —	Courge ornementale v. Zierkürbisse.			
Aristolochia elegans . . . 1000 S. — grns. 1 Frc.	3 50	—	—	Cucumis dipsaceus	— 20	1 —	8 —
„ fimbriata . . . 1000 „ „ 4 „	3 —	—	—	„ Dudaim	— 20	1 —	8 —
„ ornithocephala . . . 1 gr. 0,50 „	— 20	1 —	8 —	„ echinoformis	— 20	1 50	12 —
Asparagus acutifolius				„ erinaceus	— 20	1 —	8 —
„ decumbens 100 S. — grns. 3,80 Frcs.				„ grossularioides	— 30	1 50	—
„ 1000 „ „ 35 „				„ metuliformis	— 35	1 50	12 —
„ Sprengeri 1000 „ „ 15 „	2 —	18 —	175 —	„ perennis	— 50	4 —	32 —
„ 10 000 „ „ 120 „	— 80	6 —	—	„ prophetarum zanzibariensis	— 20	1 20	10 —
Basella tuberosa	— 20	2 50	—	„ Mélange , — gemischt	— 20	1 —	8 —
Benincasa cerifera . Interess. Cucurbitaceae.	— 40	3 —	—	Cucurbita Pepo : « Coloquintes »	— 20	1 —	8 —
Bignonia radicans	—	— 50	3 20	„ argyrosperma	— 15	— 60	4 50
„ Tweddiana				„ aurantiformis . Orange. — Apfelsine.			
Boussingaultia baselloides (Basella). Bulbons, fast growing climber, completely covered during mid-summer and autumn with sweetscented, whitish clusters of flowers. For prompt covering of ruins, as well as for dark rooms well adapted. — Knollenbildende, raschwachsende Schlingpflanze, die sich im Spätsommer oder Herbst völlig mit wohlriechenden, weissen Blütentrauben bedeckt. Zur raschen Bekleidung alten Gemäuers, sowie für dunkle Räume besonders geeignet. — Plante grimpante tubéreuse et de très rapide croissance, convertie pendant fin d'été et l'automne complètement de grappes de fleurs blanches. Bien propre pour couvrir promptement des ruines comme aussi pour des endroits obscures	— 80	6 —	—	„ bullata . Wart. — Warzen. — A ver-rues	— 15	— 60	4 50
Bryonopsis laciniosa erythrocarpa	— 20	— 80	5 —	„ melanosperma . A fruits panachés.	— 15	— 70	6 —
Calampelis scaber (Ecremocarpus)	— 70	6 —	—	„ mitriformis lutea . Bishop's mitre. — Bischofsmütze. — Bonnet d'évêque	— 20	1 —	8 —
„ roseus	— 70	6 —	—	„ oviformis . Eggs. — Eier. — Oeufs	— 25	1 60	—
Cardiospermum halicacabum	—	— 50	4 —	„ Passions' or Emperor's mitre . — Kaisermütze. — Bonnet de l'empereur.	— 20	1 —	—
„ hirsutum	1 —	9 —	—	„ pyriformis . Pear. — Birne. — Poire	— 20	1 —	—
„ macrocarpum	— 20	1 20	10 —	„ turbaniformis . Turk's Turban. — Ro-ter Türkenbund. — Turban grand			
„ microcarpum	— 20	1 20	10 —	„ rouge	— 15	— 60	5 —
Cephalandra palmata . One of the most beautiful everlasting climbers. — Eine der schönsten ausdauernden Schlingpflanzen. — Une des plus belles plantes grimpantes vivaces	1 50	—	—	„ Mélange , — gemischt	— 15	— 60	5 —
Cissus heterophylla fol. var.	— 60	5 —	—	Cyclanthera explodens	— 40	2 50	20 —
Clitoria ternatea	— 30	1 80	15 —	„ pedata	— 20	1 —	8 —
„ alba	— 30	2 —	—	Dioclea glycinoides	— 40	3 50	—
„ fl. pl.	— 40	3 —	—	Dolichos Lablab alba	—	— 40	2 50
Fine foliated, densely ramified, till 4 feet high growing climber with large, dark-blue or white flowers. Pretty pot-plant! — Schönbelaubte, dicht-verzweigte, bis 1m hohe Schlingpflanze mit grossen dunkelblauen oder weissen Blumen. Hübsch für Topfkultur! — Plante grimpante jusqu'à 1 m de hauteur à belles feuilles et grandes fleurs d'un bleu foncé ou blanc. Bon pour la cultivation en pot!				„ giganteus	—	— 40	2 —
Cobaea macrostemma	1 50	12 —	—	„ purpureus	—	— 30	2 —
„ scandens	— 50	3 50	30 —	„ Prinzessin Helene . One of the nicest climbers, covered the whole summer with large, sweetscented, pure white clusters of flowers. Fast grower. — Eine der schönsten Schlingpflanzen, während des ganzen Sommers mit grossen reinweissen Blütentrauben bedeckt. Wächst ausserordentlich schnell. — Une des plus belles plantes grimpantes, produit un grand nombre de fleurs blanc pur, odorantes. Croit rapidement	— 20	1 —	6 —
„ flore albo	— 75	6 50	60 —	„ acinaciformis purpureus	— 50	4 50	—
Coccinea indica	— 30	2 20	18 —	„ lignosus . Everlasting and evergreen climber, densely covered with flowers from May to end of July. — Ausdauernder, immergrüner Schlinger, von Mai bis Ende Juli dicht mit Blumen bedeckt. Sehr schön zur Bekleidung von Mauern oder Lauben. — Vivace et toujours verte, couverte densément de fleurs dès le mois de mai jusqu'au fin de juillet	— 25	1 50	12 —
„ Moghad . Splendid Cucurbitaceae	— 60	4 50	—				
Convolvulus altissimus	— 90	7 50	—				
„ aureus superbus	— 60	5 —	—				
„ mauritanicus . Perennial, blue-flowering lamp-plant, from spring to							

1 Franc = 10 d = 20 cents = 80 Pfennige. — 1 kilo = 2 $\frac{1}{5}$ lb english; 1 lb. = 450 gr.; 100 grammes = 3 $\frac{1}{2}$ oz.; 1 oz = 28 gr.

	10 gr. Fres.	100gr. Fres.	1 ko. Fres.		10 gr. Fres.	100gr. Fres.	1 ko. Fres.
Dolichos (cont. — Forts. — suite).				Ipomoea (cont. — Forts — suite).			
Dolichos luteus	— 25	1 50	12 —	Ipomoea imperialis collata . Ruffled and frilled large flowers, in splendid colours. — Krause, gerollte, grosse Blumen in prächtigen Farben. — Fleurs grandes fraisées en couleurs magnifiques	— 25	1 20	10 —
„ tuberosus	— 50	—	—	„ Euphrosyne . Snow-white with rose throat. — Schneeweiss mit rosa Schlud. — Blanc de neige à gorge rose	— 30	2 —	—
„ unguicularis	— 20	1 —	9 —	„ Prinzess . White tipped crimson. — Weiss carmoisin gesprenkelt. — Blanc tacheté de cramoisi	— 30	1 80	—
„ fructu albo . Flowers yellow; very nice. — Gelblühend, sehr schön. — A fleurs jaunes, très beau.	— 25	1 2	10 —	„ Leari . « The Blue Dawn flower »	— 70	6 —	50 —
Ecremocarpus v. Calampelis .	— 20	— 80	7 50	„ atroviolacea	— 70	6 —	—
Glycine frutescens	— 30	2 —	18 —	„ limbata	—	— 50	4 —
„ sinensis	— 25	1 50	14 —	„ elegantissima	—	— 50	4 —
Gourds s. Zierkürbisse .	— 30	2 —	18 —	„ hybrida	—	— 50	4 —
Hardenbergia v. Kennedia .	—	—	—	„ mexicana alba grandiflora	— 30	2 —	18 —
Hexacentris coccinea (Thunbergia).	—	—	—	„ Nil	—	— 30	2 5
100 S. — grns. 1. — Fre.	—	—	—	„ grandiflora	—	— 40	3 —
1000 „ „ 8. — „	—	—	—	„ purpurea fl. pl.	— 2	1 50	12 —
Humulus japonicus	— 25	1 50	14 —	„ Quamoclit . „ Cypress Vine „ Red. — Rot. — Rouge.	— 20	— 80	6 —
„ „ fol. var.	— 30	2 —	18 —	„ alba	— 20	— 80	6 —
Ipomoea bona nox	—	— 60	4 50	„ rosea	— 20	— 90	7 —
„ campanulata . Large flowers, light purple. — Hellpurpurn, sehr schön. — Pourpre clair	— 30	1 50	—	„ Mélange, gemischt	— 20	— 80	6 —
„ chrysantha . Exuberantly and fast growing, with large, Virginian-Creeper like leaves. — Ueppig und rasch wachsend. — Croit rapidement et produit en abondance de grandes feuilles, ressemblantes à la vigne vierge	— 30	2 —	15 —	„ hederacea, Scarlet. — Scharlach	— 15	— 70	5 —
„ coccinea	—	— 50	3 50	„ alba	— 20	1 —	8 —
„ lutea	—	— 50	4 —	„ Kerberi . Ecarlate, ressemblante à l'I. coccinea, fleurissante à l'arrière-saison; position chaude et protégée	— 15	— 70	5 —
„ dissecta	— 25	1 50	—	„ Roxburghi (violacea vera)	—	— 30	1 50
„ grandiflora	— 30	2 —	—	„ rubro-coerulea (violacea vera)	— 40	3 50	30 —
„ mexicana alba	— 30	2 —	18 —	„ fl. albo	— 60	5 —	—
„ hederacea grandiflora	—	— 40	3 50	„ sanguinea (Mina)	—	— 80	6 —
„ alba	—	— 50	3 50	„ tuberosa, vivace	1 20	—	—
„ lilacina	—	— 50	3 50	„ Mélange de beaucoup de variétés. — Viele Sorten gemischt	—	— 30	1 2
„ marmor. celestina	—	— 80	6 —	Kennedia monophylla (Hardenbergia) . Flowers blue, high climbing; splendid! — Blaublühend, hochwachsend; prächtig! — A fleurs bleues, d'une croissance haute; magnifique!	— 60	—	—
„ pict. fol. argent.	—	— 60	4 —	„ ovata lilacina	— 40	2 50	—
„ rosea	—	— 50	3 50	„ alba	— 80	—	—
„ superba	—	— 40	3 50	„ purpurea	— 80	—	—
„ alba	—	— 50	3 50				
„ atroviolacea	—	— 50	3 50				
„ Mélange	—	— 40	2 50				
„ Huberi variegata	—	— 60	3 80				
„ Carmen Silva . Large, hand-shaped, silver-white striped leaves and beautiful delicate-rose flowers with a white throat. — Grosse, handförmige, silberweiss-panachirte Blätter und reizende, zartrosafarbene Blumen mit weissem Schlud. — Grandes feuilles palmées, panachées de blanc d'argent. Ravissantes fleurs d'une couleur rose tendre à gorge blanche.	—	— 10	4 —				
„ Huberi . Mélange à feuilles panachées. — Prachtige buntblättrige, gemischt	—	— 6	3 80				
„ viridifolia	—	— 40	2 50				
„ imperialis . Imperial Japanese	—	— 80	6 —				
„ Adonis . Light purple with white throat. — Hellpurpurn mit weissem Schlud. — Pourpre clair à gorge blanche	— 25	1 50	12 —				
„ Asteria . Copper-red with white throat. — Kupferrot mit weissem Schlud. — Cuivré à gorge blanche	— 25	1 50	12 —				
„ aurata (fol. aureis) . Splendid mixture of finest colours with nearly golden leaves. — Prachtmischung schöner Farben mit fast goldgelber Belaubung. — Mélange superbe	— 20	1 —	7 —				
„ Juno . Splendid sky-blue; one of the nicest Ipomoeas. — Prachtig himmelblau; eine der schönsten Ipomeen. — Bleu de ciel magnifique; une des plus belles Ipomées	— 30	2 —	18 —				
„ Ceres . Crimson, margined white. — Carmoisin, weiss umsäumt. — Cramois à bord blanc	— 25	1 50	12 —				

Evergreen shrubs for conservatories, densely covered during spring with lilac, white or purple flower-clusters; of high value for cutting, but also for pot-culture, and as a green decorative plant. — Immergrüne Kalthaussträucher im Frühjahr dicht mit lilafarbenen, resp. weissen oder purpurnen Blüthentrauben bedeckt. Wertvoll zum Schneiden, ebenso wertvoll aber auch zum Topfverkauf und als grüne Decorationspflanze. — Arbustes de serre froide, toujours vertes, densément couvertes pendant le printemps de grappes à fleurs lilas, resp. blanches ou pourpres. D'une grande valeur comme fleur à couper, mais aussi pour la cultivation en pots et comme plante verte décorative.

Kennedia ruicunda 1 — 8 — —
Lageraria leucantha :

„ **clavata**. Hercules' Club. — Keule. — Massue — — 10 5 —
 „ **depressa**. Tobacco-box. — Tabackdose. — Tabatière. — — 70 6 —
 „ **enormis**. Giant-Kawack. — Riesen-Kawack. — Kawack-Géant — — 70 6 —
 „ **globula**. Ball. — Kugel. — Boule de canon — — 70 6 —
 „ **longissima**. 4 feet long. — 1m lang. — Long d'1m — — 70 6 —

1 Franc = 10 d = 20 cents = 80 Pfennige. — 1 kilo = 2 1/5 lb. english; 1 lb. = 450 gr.; 100 grammes = 3 1/2 oz.; 1 oz. = 28 gr.

	10 gr. Fres.	100gr. Fres.	1 ko. Fres.		10 gr. Fres.	100gr. Fres.	1 ko. Fres.
Lagenaria (cont. — Forts. — suite).				Physianthus albens. (Seidenball)	— 30	2 —	18 —
Lagenaria maxima (pellegrina. Siphon). Water-				Polygonum multiflorum	— 60	5 —	—
bottle. — Wasserflasche. — Carafe				Quamoclit v. Ipomoea Quamoclit.	2 —	—	—
d'eau.	—	— 60	5 —	Rhynchosia diversifolia	2 —	—	—
» virginalis. Vinaigrette. — Essigflasche.				» lineata			
» — Vinaigrier.	—	— 80	7 —	» minima. 100 S. — grns. 0.50 Frc.			
» vulgaris silvestris (abyssinica)	—	— 70	6 —	» 1000 » 3.50 »			
» Mélange, — gemischt	—	— 40	3 —	» praecatoria 100 » 0.80 »	— 30	2 —	18 —
Lophospermum scandens	1 —	9 —	80 —	» pubescens	—	— 60	5 —
Luffa acutangula	— 20	1 —	—	Ruscus racemosus			
» cylindrica	— 20	1 —	—	Scothantus tubiflorus. Elégant Cucurbitacée			
» gigantea	— 20	1 —	—	avec de belles fleurs blanches et de gracieux	— 50	4 —	36 —
» macrocarpa	—	— 60	5 —	fruits rouges	—	— 40	2 75
» marylandica	— 25	2 —	18 —	Smilax aspera			
» Soli Qua	— 40	2 80	25 —	» s. Medeola			
Mandevilla suaveolens	1 —	9 —	80 —	Solanum jasminoides. Fast growing, everlasting			
Maurandia Barkleyana	2 —	—	—	climber, covered from spring to autumn with			
» alba	1 20	10 —	—	bluishwhite, sweet-scented flower-umbels, well			
» Emmeriana	1 20	10 —	—	adapted for finest cut-flower purposes. S. jas-			
» Lacayana	1 20	10 —	—	minoides, planted together with the like-			
» purpurea grandiflora	— 90	8 —	75 —	wise beautiful, sky-blue flowering S. Seafor-			
» Mélange, — gemischt	— 50	3 10	—	thianum, of high effect. — Perennirende,			
Medeola asparagoides	— 40	2 —	18 —	raschwachsende Schlingpflanze, vom Frühjahr			
Melothria abyssinica	— 30	1 50	—	bis zum Herbst mit bläulichweissen, wohlrie-			
» Cucumis	— 40	3 —	—	chenden Blütendolden bedeckt, die sich für			
» Gaertneri	— 20	1 20	10 —	die feinste Binderei verwenden lassen. — Cette			
» scabra	1 —	9 —	80 —	plante grimpante est vivace et d'une végétation			
Mina lobata				rapide, produisant du printemps à l'au-			
» sanguinea. Very nice climber, already as				tomne des fleurs d'une odeur suave, qui sont			
small plant blooming, with interesting for-				bien propres à la coupe. S. jasminoides,			
med leaves, and densely covered with pretty				planté ensemble avec le magnifique S. Sea-			
scarlet flowers. — Sehr niedlicher, schon				forthianum, d'un grand effet.			
als kleine Pflanze zu blühen beginnender				grns. nettes 1 gr. 0.50 Frc.			
Schlinger mit schönen, geschlitzten Blättern				Solanum Seaforthianum. Beautiful sky-blue flow-			
und über und über mit reizenden, scharlach-				er-umbels. — Prächtige himmelblaue Blüten-			
roten Blumen bedeckt. — Cette mignarde				dolden. — Magnifiques ombelles de fleurs bleu-			
plante grimpante commence déjà à fleurir,				celeste. 1 gr. 0.50 »	4 50	—	—
étant encore très-jeune, et produit des feuil-				Tacsonia exoniensis 100 S. — grns. 1.20 »	4 50	—	—
les d'une forme intéressante. Durant le temps				Tecoma radicans	— 40	3 —	—
de floraison elle se couvre complètement				» grandiflora	— 70	—	—
de ravissantes fleurs rouge écarlate	—	— 80	6 —	» purpurea	1 —	—	—
Momordica Balsamina	— 20	1 —	8 —	Thunbergia alata:			
» Charantia	—	— 80	6 —	» nanking nigro-oculata. Mit schwar-			
» Luna. Giant silver-white fruits. —				zem Auge. — A oeil noir	— 50	4 —	—
Riesige silberweisse Früchte. —				» albo-oculata. Mit weissem			
Fruits géantes blanc argenté	— 30	1 50	12 —	Auge. — A oeil blanc.	— 50	4 —	—
» Elatarium	— 25	1 50	—	» Bakeri (alba pura). Reinweiss	— 50	4 —	—
» martinicensis	— 20	1 —	—	» alba nigro-oculata. Weiss mit schwar-			
» muricata	— 25	1 —	—	zem Auge. — Blanc à oeil noir	— 50	4 —	—
Morrenia odorata (hort. Herb.) Evergreen pe-				» aurantiaca nigro-oculata. Goldgelb			
rennial climber from Argentine with sweet-				mit schwarzem Auge. — A oeil noir.	— 50	4 —	—
scented, star-shaped flowers. — Immergrüne,				» albo-oculata. Mit weissem Auge. —			
ausdauernde Schlingpflanze aus Argentinien				Jaune d'or à oeil blanc	— 50	4 —	—
mit wohlriechenden, sternförmigen Blumen. —				Thunbergia coccinea. 100 S. (grns.) 1 Frc.			
Plante grimpante vivace et toujours verte de				1000 „ „ 8 „	1 50	12 —	100 —
l'Argentine avec fleurs odorantes en forme d'é-	1 80	15 —	—	Thladiantha dubia	— 20	— 90	7 —
toile. Les graines mûrissent en avril	1 —	8 —	—	Trichosanthes Anguinea vera	— 20	— 80	6 —
Mukia scabrella	— 50	3 50	—	» colubrina	— 20	— 80	5 —
Myrsiphyllum (Medeola) asparagoides	— 60	5 —	—	» cucumerina	— 35	2 80	24 —
Passiflora alba	— 25	1 50	12 —	Tropaeolum canariense (peregrinum).	—	— 80	6 —
» coerulea	— 30	2 —	—	» Lobbianum. Mélange, — gemischt.			
» grandiflora	— 75	6 —	—	Wistaria v. Glycine.			
» edulis 2 gr. 1. — Frc.	4 —	30 —	—	Zierkürbisse (Gourds) — Courges ornemen-			
» elegans	— 20	1 8	15 —	tales) v. Abobra, Benincasa, Bryonopsis, Ce-			
» foetida	— 30	2 50	22 —	phalandra, Coccinea, Cucumis, Cucurbita,			
» gracilis	— 40	3 —	—	Cyclanthera, Lagenaria, Luffa, Melothria, Mo-			
» suberosa	— 30	2 80	25 —	mordica, Mukia, Scotanthus, Thladiantha &			
Phaseolus Caracalla				Trichosanthes.			

SEEDS

SAMEN

GRAINES

of

von

de

FLOWER - BULBS.

BLUMENZWIEBELN.

OIGNONS A FLEURS.

	10 gr. Frcs.	100gr. Frcs.	1 ko. Frcs.		10 gr. Frcs.	100gr. Frcs.	1 ko. Frcs.
Agapanthus umbellatus	- 40	3 50	-	Freesia Leichtlini	- 25	1 20	10 -
Albuca fastigiata	- 50	4 50	-	" " major	- 25	1 20	10 -
" aurea	- 40	-	-	" odorata	- 20	1 50	12 -
Allium album	- 40	3 -	28 -	" refracta	- 20	1 -	8 -
" ciliaris	- 40	3 -	-	" " alba	- 20	1 -	8 -
" graecum	- 40	3 -	-	" xanthospica	- 30	2 50	20 -
" Hermitti grandiflorum	- 50	4 -	32 -	" Mélange. — Mischung	- 20	1 -	8 -
" neapolitanum	- 40	3 -	28 -	Fritillaria libanotica	- 40	3 -	-
" nigrum, magnifique	- 50	4 -	-	Funkia coerulea	- 20	1 10	-
" " var. roseum	- 30	2 -	-	" variegata	- 80	-	-
" pendulinum	- 30	2 50	20 -	Gelasine azurea	- 50	4 -	-
" roseum	- 80	6 -	-	Gentiana acaulis	- 30	1 80	-
" Schuberti	1 -	8 -	-	Giadiolus byzanthinus	- 15	- 80	6 -
" subhirsutum	- 30	2 50	-	" communis	- 15	- 80	6 -
" triangulare	- 30	2 50	20 -	" gandavensis	- 30	2 50	20 -
Amaryllis Belladonna. (Livable: Octobre.)	- 25	1 25	12 -	" " Lemoinei	- 40	3 50	30 -
" Graveana . . . 1000 S. — grns. 10 Frcs.				" " Segetum	- 15	- 80	6 -
" Reginae . . . 1000 " " 10 "				Gloriosa Planti . . . 1000 S. — grns. 5 Frcs.			
" vittata, blanche 1000 " " 8 "				Gloxinia, v. Graines de Fleurs.			
" " hybrida 1000 " " 8 "				Habranthus Andersoni	- 50	4 -	-
Anomatheca cruenta	- 40	3 -	25 -	Hyacinthus (Galtonia) candicans	-	- 50	2 50
Anthericum Liliago	- 50	-	-	Imantophyllum miniatum, mélange. 10 S. — grns. 0,90 Frc.; 100 S. — grns. 8 Frcs.			
Antholyza aethiopica	- 20	- 90	6 -	Iris foetidissima	- 10	- 60	5 -
" bicolor	- 20	1 -	8 -	" gigantea	- 50	-	-
" praealta	- 25	1 50	-	" graminea	- 30	2 50	-
" Mélange. — Mischung	- 20	1 -	8 -	" Grant Duffi	- 30	2 50	20 -
Arum dioscorides	- 40	3 -	-	" Guldenstaediana	- 20	1 -	8 -
" " Jordani	- 50	4 -	-	" hispanica, mélange, — gemischt	- 25	1 50	14 -
" " spectabile	- 60	5 -	-	" Junonia	- 60	-	-
" Dracunculus	- 50	4 -	-	" Kaempferi (laevigata)	- 30	2 -	-
" hygrophyllum	- 40	3 -	-	" ochroleuca	- 80	-	-
" italicum	- 20	1 -	-	" pabularia	-	- 90	8 -
" " maculatum	- 30	2 50	-	" Sari Nazarena	- 50	4 -	-
" palaestinum (sanctum)	- 40	3 -	-	" sibirica	- 30	2 -	-
Arundo Donax fol. var.	1 25	10 -	-	" sogdiana	- 20	1 -	8 -
Asparagus, v. Plantes grimpantes.				" tuberosa	- 30	-	-
Babiana hybrida	- 50	4 -	35 -	" virginica	-	- 90	8 -
Begonia, v. Graines de fleurs.				" D'autres espèces séparées à prix raisonnables. Andere Sorten preiswert.			
Bellevallia romana	- 20	1 -	-	Ixia hybrida. Mélange superbe. Prachtmischung	- 60	5 -	-
Bobartia aurantiaca	- 30	2 -	-	" polystachia	- 20	1 -	-
Brodiaea. Mélange de toutes les variétés.	- 50	-	-	Lachenalia isopetala	3 -	-	-
Calla aethiopica (Richardia)	- 30	2 80	25 -	" " orchioides	2 50	-	-
Calochortus venustus, mélange superbe	1 -	-	-	Lilium giganteum . . . 1000 S. — grns. 4 Frcs.			
Canna, v. Blumensamen. — Graines de fleurs.				Medeola (Myrsiphyllum) asparagoides.	- 40	3 50	-
Chlorogallum pomeridianum	- 40	3 -	-	Methonica v. Gloriosa			
Colchicum neapolitanum	- 25	2 -	-	Montbretia crocosmiaeflora	- 30	2 50	-
" " Parkinsoni	- 30	-	-	Muscari botryoïdes	- 10	- 60	5 -
Convallaria japonica. Berries.—Beeren.—Baies.	-	- 70	5 -	" comosum	- 10	- 60	5 -
" " majalis, grns. nettes,—reine Samen	- 50	4 25	38 -	" commutatum	- 15	- 80	6 -
" Polygonatum rosea. " "	- 40	2 50	-	" neglectum	- 10	- 60	5 -
Cooperia Drummondii	- 40	3 50	-	" racemosum	- 10	- 60	5 -
" Oberwetteri	- 50	-	-	Ophiopogon japonicum, Berries.—Beeren.—Baies.	-	- 70	5 -
" pedunculata	- 40	3 50	-	Ornithogalum nutans	- 25	1 50	-
Crocus Imperati	- 40	3 20	-	" " umbellatum	- 20	1 25	-
" longiflorus	- 30	-	-	Pancratium maritimum	-	- 70	6 -
" Tommasi	- 30	-	-	Pardanthus chinensis	- 20	- 80	6 -
Cyclamen neapolitanum	- 60	5 -	-	" japonicus	- 20	- 80	6 -
" persicum, v. Graines de fleurs				" " maximus	- 20	- 80	6 -
Dahlia variabilis, v. Graines de fleurs.							

1 Franc = 10 d = 20 cents = 80 Pfennige. — 1 kilo = 2 1/5 lb. english; 1 lb. = 450 gr.; 100 grammes = 3 1/2 oz.; 1 oz. = 28 gr.

	10 gr. Fres.	100gr. Fres.	1 ko. Fres.		10 gr. Fres.	100gr. Fres.	1 ko. Fres.
<i>Pohlia</i> (<i>Herbertia</i>) <i>platensis</i> . . . 2 gr. 0,60 Frc.	1 20	10 —	90 —	Triteleia (cont. — Forts. — suite).			
<i>Ranunculus asiaticus</i> <i>superbissimus</i> fl. pl.	— 20	1 50	12 —	<i>Triteleia uniflora</i> <i>violacea</i>	— 40	3 —	—
Mélange superbe. — Prachtmischung	— 30	2 80	25 —	" " Mélange. — Mischung	— 30	2 50	20 —
<i>Richardia</i> (<i>aethiopica</i>) <i>africana</i>	— 50	—	—	<i>Tritonia rosea</i> <i>hybrida</i> . Mélange superbe. . .	— 30	2 20	20 —
<i>Romulea</i> (<i>Trichonema</i>) <i>Bulbocodium</i>	— 50	—	—	<i>Tritoma</i> (<i>Kniphofia</i>) <i>Uvaria grandiflora</i> . .	— 40	3 —	—
" " <i>Linaresi</i>	— 40	3 50	—	<i>Tulbaghia violacea</i>	— 40	3 —	—
" " Mélange. — Mischung	— 30	2 —	—	" <i>alba</i> (<i>Allium semperflorens</i>).	1 80	15 —	—
<i>Scilla campanulata</i>	— 30	2 —	—	<i>Tulipa Greigi</i>	1 —	9 —	—
" <i>cernua</i>	— 50	3 50	—	" <i>undulatifolia</i>	— 50	4 —	—
" <i>Clusi</i>	— 40	3 —	—	" <i>sylvestris</i>	— 50	4 —	—
" var. <i>Cupani</i>	—	80 6	—	<i>Zephyranthes aurea</i> (<i>Andersoni</i>)	— 40	3 —	—
" <i>hyacinthoides</i>	— 50	3 50	—	" <i>Atamasco</i>	— 60	5 —	—
" <i>maritima</i>	— 30	2 —	—	" <i>candida</i>	— 60	5 —	—
" <i>nutans</i>	— 30	2 80	25 —	" <i>carinata</i>	— 40	3 —	—
<i>Sparaxis tricolor</i> . Mélange superbe	— 30	2 50	20 —	" <i>longifolia</i>	— 60	5 —	—
<i>Triteleia uniflora</i>	— 40	3 —	—	" <i>rosea</i>	— 60	5 —	—
" " <i>Blanda</i>	—	—	—	" <i>verecunda</i>	—	—	—

SEEDS

of

PALMS AND MUSA.

All the seeds of Palms and Musa are but sold by cash!

SAMEN

von

PALMEN UND MUSA.

Die Preise aller Palmen-Samen verstehen sich gegen Kasse!

GRAINES

de

PALMIERS ET MUSA.

Toutes les graines de Palmiers se vendent au comptant!

	per 100 Fres.	per 1000 Fres.		per 100 Fres.	per 1000 Fres.
<i>Acanthophoenix Cunninghami</i>	2 50	—	Livistona (cont. — Forts. — suite).		
<i>Areca madagascariensis</i>	2 —	—	<i>Livistona olivaeformis</i>	3 50	—
" <i>sapida</i>	2 —	18 —	" <i>sinensis</i> (<i>Latania borbonica</i>).	— 40	2 80
" <i>triandra</i>	2 50	—	" <i>subglobosa</i>	6 —	—
<i>Caryota furfuracea</i>	2 50	—	MUSA <i>alba indica</i> 10 S. — grns. 0,70 Frc.	2 50	20 —
" <i>sobolifera</i> (<i>Drymophlaeus Zippeli</i>).	2 50	—	" <i>Ensete</i> . Les meilleures graines reconnues . .	5 —	—
<i>Chamaerops excelsa</i> Kilo 1.— Frc.	—	—	" <i>Martini</i> 10 S. — grns. 0,70 Frc.	8 —	—
" <i>humilis canariensis</i> . . . 120 "	—	—	" <i>Manni</i> 10 " " 1,00 "	3 —	—
" " <i>argentea</i> . . . 125 "	—	—	" <i>ornata rosea</i> . . . 10 " " 0,50 "	3 —	—
" " <i>gracilis</i> . . . 2.— "	—	—	" <i>rosacea</i> 10 " " 0,50 "	5 —	—
" " <i>macrocarpa</i> . . . 2.— "	—	—	<i>Pinanga Kuhli</i>	— 50	3 50
" " <i>robusta</i> . . . 1,50 "	—	—	<i>Phoenix canariensis</i>	1 —	8 —
" " Mélange . . . 0,50 "	—	—	" <i>dactylifera</i> 1 Kil. 3 Fres.	— 70	5 —
<i>Cocos australis</i>	1 80	15 —	" <i>leonensis</i>	— 90	7 —
" <i>Bonetti</i> (<i>Diplothemium campestre</i>).	2 20	18 —	" <i>pumila</i>	— 80	6 —
" <i>campestris</i>	1 50	12 —	" <i>reclinata</i>	2 —	16 —
" <i>flexuosa</i>	2 —	18 —	" <i>rupicola</i>	1 —	8 —
" <i>plumosa</i>	2 —	18 —	" <i>sylvestris</i>	— 50	3 50
" <i>Romanzoffiana</i>	2 20	18 —	" <i>tenuis</i>	— 30	2 —
" <i>Yatai</i>	3 50	—	<i>Pritchardia filifera</i> (<i>Washingtonia</i>).	5 —	—
<i>Corypha australis</i>	1 50	12 —	" <i>pacifica</i>	5 —	—
" <i>Gebanga</i> . Prächtig! — Magnifique!	2 50	—	" <i>Thurstoni</i>	2 50	20 —
" <i>umbraculifera</i>	1 50	—	<i>Ptychosperma Alexandrae</i>	2 50	—
<i>Diplothemium caudescens</i>	5 —	—	" <i>angustifolia</i>	— 25	1 50
<i>Euterpe edulis</i>	3 75	—	<i>Sabal Adansoni</i>	— 60	4 —
<i>Guglielma speciosa</i>	5 —	—	" <i>Blackburneana</i>	— 70	5 —
<i>Kentia Belmoreana</i> (<i>Griesebachia</i>).	2 50	20 —	" <i>Ghiesbrechti</i>	— 60	4 —
" <i>Forsteriana</i>	2 50	20 —	" <i>Palmetto</i>	— 70	5 —
" <i>spec. Calcuttae</i>	2 —	—	" <i>princeps</i>	— 60	4 —
<i>Latania borbonica</i> (<i>Livistona</i>).	— 40	2 80	" <i>umbraculifera</i>	1 80	15 —
" 1 ^a qual. 1 Kilo 1,50 Frc.; 100 Kilo 130 Fres.	—	—	<i>Seaforthia elegans</i>	2 —	—
<i>Licuala grandis</i>	3 50	—	<i>Thrinax barbadensis</i>	1 50	—
" <i>Rumphii</i>	2 50	—	" <i>parviflora</i>	6 —	—
" <i>spinosa</i>	2 50	—	<i>Versaffeltia splendida</i>	— 30	2 —
<i>Livistona Hogendorpi</i>	5 —	—	<i>Washingtonia filifera</i> (<i>Brahea</i>)	— 70	5 —
" <i>mauritiana</i>	4 —	—	" <i>robusta</i>	—	—

SEEDS SAMEN GRAINES

of von de

CONIFERAE. NADELHÖLZERN. CONIFÈRES.

	100gr. Fres.	1 ko. Fres.		100gr. Fres.	1 ko. Fres.
<i>Abies amabilis</i> 10 gr. 0.60 Fres.	4 25	—	<i>Cupressus chinensis</i>	1 —	9 —
<i>cephalonica</i>	1 30	12 —	<i>elegans</i>	1 —	9 —
<i>Nordmanniana</i>	— 90	7 50	<i>funbris</i>	— 80	7 —
<i>Pinsapo</i>	— 90	8 50	<i>glauca (lusitanica)</i>	— 90	7 50
<i>Biota orientalis</i> (Thuya)	— 30	1 75	<i>pendula</i>	— 90	8 50
<i>aurea</i>	— 50	3 50	<i>Goveniana</i>	— 85	7 50
<i>compacta</i>	— 50	3 50	<i>Lambertiana</i>	— 80	7 —
<i>elegantissima</i>	— 90	7 50	<i>Lawsoniana v. Chamaecyparis</i> .		
<i>pyramidalis</i>	— 60	4 50	<i>Lindleyana</i>	1 20	10 —
<i>semperaurea</i>	— 90	8 —	<i>macrocarpa</i>	— 90	8 —
<i>Casuarina equisetifolia</i> 10 gr. 0.50 Fres.	3 75	—	<i>sempervirens</i>	— 20	1 —
<i>quadrivalvis</i> 10 » 0.50 »	4 —	—	<i>horizontalis</i>	— 20	1 —
<i>stricta</i> 10 » 0.70 »	5 —	—	<i>pyramidalis</i>	— 20	1 —
<i>suberosa</i> 10 » 0.70 »	5 —	—	<i>torulosa</i>	— 70	5 50
<i>tenuissima</i> 10 » 0.25 »	1 75	—	<i>Tourneforti glauca</i>	— 40	3 —
<i>torulosa</i> 10 » 0.80 »	6 —	—	<i>Gingko biloba</i> (Salisburia adiantifolia)	— 20	1 75
<i>Cedrus atlantica</i> (argentea)	1 20	11 —	<i>Juniperus chinensis</i> (dioica)	— 50	4 —
<i>Deodara</i>	1 50	12 —	<i>excelsa</i>	— 50	3 50
<i>Libani</i>	1 20	11 —	<i>japonica</i>	— 50	3 50
<i>Cephalotaxus Fortunei</i>	— 45	2 75	<i>macrocarpa</i>	— 20	1 —
<i>Chamaecyparis Lawsoniana</i> (Cupressus)	— 60	5 —	<i>Oxycedrus</i> (drupacea)	— 20	1 —
<i>argentea</i>	1 20	—	<i>Sabina</i>	— 25	1 30
<i>aurea</i>	1 50	—	<i>virginiana</i>	— 25	1 30
<i>erecta</i>	— 90	7 50	<i>Libocedrus decurrens</i> (Thuya gigantea)	1 —	8 —
<i>glauca</i>	1 —	9 —	<i>Pinus canariensis</i>	1 —	—
<i>pendula</i>	1 —	9 —	<i>excelsa</i> (Strobis excelsa)	1 20	10 —
<i>nutkaensis</i> (Thuyopsis borealis).			<i>halepensis</i>	— 45	3 50
10 gr. 1.50 Fres.	12 —	—	<i>Lambertiana</i>	3 —	—
<i>glauca</i> 10 » 2.00 »	18 —	—	<i>longifolia</i> 10 gr. 0.70 Fres.	6 —	—
<i>obtusa</i> (Retinispora) 10 » 0.50 »	3 25	—	<i>Pinaster Hamiltoni</i>	— 35	2 —
<i>nana</i> 10 » 0.90 »	8 —	—	<i>Pinea</i>	— 20	1 —
<i>aurea</i> 10 » 1.00 »	9 —	—	<i>fragilis</i>	— 20	1 20
<i>pisifera</i> (Retinispora) 10 » 0.35 »	2 25	18 —	<i>Sabiniana</i>	1 25	—
<i>filifera</i> 10 » 0.90 »	7 —	—	<i>Strobis</i> (excelsa)	1 20	10 —
<i>plumosa</i> 10 » 0.50 »	4 —	—	<i>Retinispora v. Chamaecyparis</i> .		
<i>aurea</i> 10 » 0.80 »	6 50	—	<i>Salisburia adiantifolia</i> (Gingko biloba)	— 20	1 75
<i>pallida</i> 10 » 0.50 »	8 —	—	<i>Sequoia sempervirens</i> (Taxodium)	— 50	4 —
<i>squarrosa</i> 10 » 0.60 »	5 —	—	<i>Taxus baccata</i> (grns. nettes)	— 50	3 50
<i>leptoclada</i> 10 » 0.90 »	8 —	—	<i>Thuya (gigantea) Lobbi</i>	2 —	—
<i>Cryptomeria japonica</i>	— 65	5 —	<i>occidentalis</i>	1 10	—
<i>araucarioides</i>	1 50	10 —	<i>Warreana</i>	2 50	—
<i>elegans</i>	1 —	8 —	<i>orientalis v. Biota</i> .		
<i>glabra</i>	1 20	9 —	<i>Thuyopsis borealis</i> (Chamaecyparis nutkaensis).		
<i>Lobbi</i>	0 90	7 50	10 gr. 1.50 Fres	12 —	—
<i>Cunnighamia sinensis</i> 10 gr. 0.90 Fres.	7 —	65 —	<i>(nutkaensis) glauca</i> 10 » 2.00 »	18 —	—
<i>glauca</i> 10 » 1.20 »	10 —	—	<i>dolabrata</i> 10 » 2.00 »	18 —	—
<i>Cupressus australis</i>	1 —	9 —	<i>fol. var.</i> 10 » 3.00 »	25 —	—
<i>Benthamiana</i>	1 —	9 —	<i>Wellingtonia gigantea</i> 10 » 0.70 »	6 —	50 —

Natural Curiosities.

Native and exotic products; Fruits, Seeds, Cones and Seedpods, suitable both for Decorating- and Exhibition-purposes (Shows, Shopwindows, Rooms, Conservatories, Rockeries etc.) and for Scientific Collections.

Illustrated Catalogue of Natural Curiosities free on application.

NATURALIEN.

Einheimische und tropische Naturprodukte: Früchte, Zapfen Schoten, Kapseln und interessante Samen, die sich sowohl für Schau- und Dekorationszwecke (Ausstellungen, Schaufensterauslagen, Zimmer-, Lauben-, Wintergärten, schmuck etc.), als auch zur Zusammenstellung wissenschaftlicher Sammlungen eignen. Illustriertes Preis-Verzeichnis über Naturalien post- und kostenfrei.

Curiosités de la Nature.

Produits de la nature indigènes et tropiques: Fruits, Cônes, Cosses, Capsules et Graines intéressantes, qui s'adaptent aussi bien pour des Expositions et Décorations (Étalages, Ornementation des Salons, Kiosks, Serres, Grottes etc.), que pour former des Collections d'histoire naturelle.

Prix-Courant Illustré des Curiosités de la Nature franco sur demande.

VEGETABLE SEEDS.

GRAINES POTAGÈRES.

GEMÜSE-SAMEN.



VEGETABLE-SEEDS. GEMÜSE-SAMEN. GRAINES POTAGÈRES.
 Recommendable Empfehlenswerte INTRODUCTIONS
 INTRODUCTIONS. EINFÜHRUNGEN. recommendables.

Tomato Leicester Prolific. One of the finest and very best of all the large-fruited Tomatos, producing an abundance of large, smooth, round, and solid fruits in bunches of brilliant red colour and excellent flavour. It grows freely, and the fruits ripen very early. Having grown this fine variety extensively, we can confidently recommend it for its beauty and heavy-cropping properties. — **Tomate Leicester Prolific.** Eine der besten und schönsten aller grossfrüchtigen Tomaten-Sorten mit grossen, runden, glatten Früchten von leuchtend roter Farbe. Kräftig im Wuchs. Früchte in Büscheln sitzend, sehr früh und reichtragend; Fleisch sehr fest und schmackhaft. Wir halten « Leicester Prolific » für die beste aller Tomaten-Sorten, und können sie ob ihrer Schönheit und ihres Fruchtreichthums gewissenhaft jedermann empfehlen. — **Tomate Leicester Prolific.** Une des meilleures et des plus belles de toutes les variétés de Tomates à grands fruits. Plante vigoureuse. Fruits gros, lisses, ronds, très charnus, en grappes, d'un goût excellent et d'une couleur rouge brillant; précoce et très productif. Ayant cultivé et éprouvé cette variété en grandes quantités, nous la pouvons recommander sérieusement pour sa beauté et pour ses qualités productives.

10 gr. 0,50 Frs.; 100 gr. 3,50 Frs.; 1 ko. 30 Frs.



Tomato Wonder of Italy. A new Tomato of surprising productiveness! The brilliant scarlet fruits are plum-shaped, weighing ca. 3/4 oz., and resemble therefore the favourite « King Humbert ». The fruits are borne in giant clusters of from 50 to 70 and even more, all united to one fruitstalk, a sight never to be seen with any other Tomato or any other Vegetable till now. Our very exact illustration gives but a faint idea of the multitude of all the well developed, beautiful, scarlet-red fruits. A single cluster reaches the enormous weight of 3 lb. and over, if the plant is well cultivated. The plant grows high, is more resistant than most of the Tomato-novelties of the last years, and produces an infinity of fruits, always united to giant clusters. The fruits are very solid and of superb flavour, as excellent for salad as for preserving. As they are longkeepers, this variety is well adapted for conservation. — **Tomate Wunder von Italien.** Eine neue Tomaten-Sorte von staunenerregender Fruchtbarkeit! Die leuchtend scharlachroten Früchte sind pfäumenförmig, etwa 20 gr. schwer und gleichen somit denen der beliebten Sorte « König Humbert ». Die Früchte hängen in riesigen Büscheln von 50 bis 70 Stück und darüber, zu einer einzigen Fruchttraube vereint, an einem Stiele beisammen, eine Erscheinung, wie sie bei Tomaten, sowie überhaupt bei anderen Gemüsen jedenfalls bis jetzt noch nicht zu sehen war. Unsere sehr getreue Abbildung gibt nur eine schwache Vorstellung von der Masse bei einander sitzender, sämtlich gut ausgebildeter, lachend scharlachroter Früchte. Eine einzige, gut ausgebildete Fruchttraube kann das enorme Gewicht von 1 1/2 kg. und darüber erreichen. Die Pflanze wächst hoch, ist widerstandsfähiger als die meisten letzten Neuzüchtungen und produziert bis zum Spätherbst eine unzählige Menge Früchte, immer zu riesigen Büscheln vereint. Die Früchte sind festfleischig und sehr schmackhaft, gleich vorzüglich sowohl als Salat als auch zum Einkochen. — **Tomate Merveille d'Italie.** Une nouvelle variété de Tomate d'une fertilité étonnante! Les brillants fruits écarlates ont la forme d'une prune, pèsent ca. 20 gr. et ressemblent pour cela à la bien recherchée « Roi Humbert ». Toutefois les fruits sont réunis en grappes prodigieuses de 50 à 70 et de plus, tous portés d'une seule hampe, un aspect qu'il n'y a pas encore à voir chez d'autres plantes potagères. Notre très exacte illustration ne donne qu'une faible idée de la multitude des beaux fruits, écarlates riants. Une seule grappe bien développée peut aisément atteindre l'énorme poids d'1 1/2 kg. et de plus. La plante s'élève haut, est plus vigoureuse que toutes les autres nouvelles Tomates des ans derniers et produit jusqu'à l'automne une quantité innombrable de fruits, teigneurs réunis en géantes grappes. Les fruits sont très charnus et d'un bon goût, convenants aussi bien pour en faire salade que pour la fabrication de conserves.

TOMATO:

Wonder of Italy. — WUNDER VON ITALIEN. — Merveille d'Italie.
 (Electro — Cliché; 3/75 Frs.).

10 gr. 1,20 Frs.; 100 gr. 10 Frs.

Cabbage-Lettuce Jewel (Genezzano). The very large, smooth and solid heads are outside dark russet, on the side exposed to the sun nearly blood-red, but inside golden-yellow, very tender and of an excellent flavour. This variety withstands the best summer heat and remains closed the longest time; it therefore runs difficultly to seed and yields very few seeds. One of the best Cabbage-Lettuces. — **Kopfsalat Juwel (Genezzano).** Die sehr grossen, glatten, fest-geschlossenen Köpfe sind aussen tief gebräunt, auf der der Sonne ausgesetzten Seite fast blutrot, im Innern jedoch goldgelb, sehr zart und von ausgezeichnetem Geschmack. Diese Sorte ist die widerstandsfähigste aller Salate gegen die Hitze und bleibt am längsten geschlossen; sie geht nur sehr schwer in Samen und bringt deshalb sehr wenig Samen. Auerkannt der beste aller Kopfsalate. — **Laitue pommée Bijou (Genezzano).** Pomme très grosse, lisse, bien pleine et durable; feuilles extérieures brun-rouge foncé, et presque rouge sanguin dans les parties le plus exposé au soleil, cœur jaune d'or, très tendre et d'une saveur excellente. C'est la variété qui tient le plus parfaitement la pomme pendant les grandes chaleurs, monte difficilement en graines et produit par conséquent peu de graines. Une des meilleures de toutes les laitues pommées.

100 gr. 1,20 Frs.; 1 ko. 10 Frs.

Cabbage-Lettuce Bismarck. A large-growing, early variety with light green, inside golden-yellow heads; on the margins slightly brown spotted. Its fine flavour surpasses all the other known varieties. May be used also as a winter lettuce. — **Kopfsalat Bismarck.** Eine frühe Sorte mit grossen, hellgrünen, innen goldgelben Köpfen, am Rand hellbraun getupft. Der feine Geschmack übertrifft alle bekannten Sorten. Auch als Winter-Salat zu gebrauchen. — **Laitue pommée Bismarck.** Une variété précoce à pomme grande d'un vert clair à bord taché brun; cœur jaune d'or. Sa saveur surpasse toutes les autres variétés connues. Aussi propre comme laitue d'hiver.

100 gr. 0,75 Frs.; 1 ko. 5 Frs.

Maize Triumph. This variety of Indian Corn introduced into commerce, some time ago, by us, has found everywhere the greatest approval. It grows about 4 feet high, bears abundantly and ripens its ears very early, viz. 2 1/2 months after sowing. The ears are rather large and yield a fine flour. Of all the early Indian Corn-varieties the Maize Triumph is the most productive. — **Mais Triumph.** Diese von uns seinerzeit in den Handel gebrachte Maissorte hat überall die günstigste Aufnahme gefunden. Sie wird etwas über einen Meter hoch, ist sehr reichtragend und sehr früh, da sie kaum 2 1/2 Monate zu ihrer völligen Ausbildung gebraucht. Die Kolben sind ziemlich gross und geben ein sehr feines Mehl. Von den ganz frühen Maissorten liefert Triumph die besten Ernteerträge. — **Mais Triomphe.** Cette variété de Maïs, introduite au commerce, il y a quelque temps, par nous, a trouvé partout l'accueil le plus favorable. Haute d'un mètre à peu près elle est très précoce et produit en 2 1/2 mois déjà des épis en grande quantité. Les épis sont assez grands et donnent une farine très fine. Le Maïs Triomphe est le plus productif de tous les Maïs précoces.

1 ko. 1 Frs.; 10 ko. 9,50 Frs.

SPECIALITIES

of Vegetables.

SPEZIALITÄTEN

von Gemüsen.

SPÉCIALITÉS

de Légumes.

We cultivate only a few varieties of Vegetable-Seeds, but these with the utmost care. The large demand for our Vegetable-Specialities, increasing every year, is the best proof for their good quality. We courtously invite all our clients, travelling in Southern Italy, to pay a visit to our extensive cultures.

Ordres for growing crops are accepted subject to crop failure, shortage or other occurrences beyond our control. Delivery at once after harvest.

Wir cultiviren nur einige Varietäten von Gemüse-Samen, aber diese mit der grössten Sorgfalt. Die starke Nachfrage nach unseren Gemüse-Spezialitäten, welche von Jahr zu Jahr noch steigt, ist der beste Beweis für die Güte der Qualitäten. Wir laden alle unsere Kunden, welche in Süd-Italien reisen, höflich zu einem Besuche unserer ausgedehnten Kulturen ein.

Kulturaufträge nehmen wir an unter der ausdrücklichen Bedingung, dass wir für Fehlernten, auch knappe Ernten, und andere Umstände, die sich unserer Aufsicht entziehen, nicht verantwortlich gemacht werden können. Ablieferung sofort nach der Ernte.

Nous ne cultivons que quelques variétés de Graines Potagères, mais celles-ci avec le plus grand soin. La forte demande sur nos Spécialités de Légumes, croissante chaque année, est une preuve convaincante de leurs bonnes qualités. Nous invitons poliment tous nos clients, qui voyagent dans l'Italie Méridionale, de bien vouloir venir voir nos cultures extensives.

Nous acceptons des ordres sur contract, mais seulement aux conditions, que nous ne sommes pas responsables du manque d'une récolte ou des éventualités quelconques, pendant la cultivation, que nous ne pouvons contrôler. Livraison tout de suite après la récolte.

CAULIFLOWER (Broccoli).

Our crop of Cauliflower is in quality as well as in quantity a good one this year, so that we are able to quote proportionally low prices. We take the greatest personal care in the cultures of our Cauliflowers, which are unrivaled respecting the perfection of their heads and the purity of the varieties.

Species from the Mediterranean classified according to precocity.

Eclipse, earliest of all, giant
Non plus ultra « Earliest Italian Giant »
Veitch's Autumn Giant « Early Giant of Naples »
Algier's Giant
Veitch's Self-protecting « Late Italian Broccoli »
Malta Giant, very large and fine.
Contracts for growing Cauliflowers may be agreed till the month of June.

BLUMENKOHL (Carviol).

Unsere Blumenkohlsamen-Ernte ist in diesem Jahre sowol qualitativ als auch quantitativ eine gute, und sind wir daher in der Lage, verhältnissmässig niedrige Preise notiren zu können. Wir verwenden die allergrösste persönliche Sorgfalt auf die Kultur unserer Blumenkohle, welche an Vollkommenheit der Köpfe und Reinheit der Sorten unerreicht dastehen.

Sorten des Mittelmeergebiets nach der Frühzeitigkeit geordnet.

Eclipse, allerfrühester Riesen
Non plus ultra « Frühester Riesen von Neapel »
Früher Italien. Riesen (Frankfurter Riesen)
Riesen von Algier
Später italienischer Riesen. (Veitch's Self-protecting)
Riesen von Malta, sehr gross
Wir nehmen Kulturaufträge auf Blumenkohl bis zum Monat Juni an.

CHOUFLEURS.

Notre récolte de graines de Choufleur est et en qualité et en quantité une bonne cette année, de sorte que nous pouvons offrir ces graines aux prix proportionnellement bas. Nous employons le plus grand soin personnel à la culture de nos Choux-fleurs, dont les pommes sont les plus perfectionnées et dont les espèces sont les plus pures.

Variétés de la Méditerranée, classées par ordre de précocité.

Eclipse, le plus hâtif, géant
Non plus ultra « Géant de Naples très-hâtif »
Géant de Naples hâtif.
Géant d'automne
» d'Algier
» de Naples tardif (Veitch's Selfprotecting)
» de Malte, très gros

Nous acceptons des ordres pour cultiver Choux-fleurs jusqu'au mois de juin.

100gr. 1 ko.
Fres. Fres.

1 20 9 50
1 — 8 50
— 90 7 —
— 90 7 —
— 90 7 50
1 20 9 50

LETTUCE, Cabbage variet.

bl. = black, w. = white (seed).

Jewel (Genezzano) (bl.)
Prince Bismarck (w.)
Nansen or North-pole. New! (w.)
Tennisball or Boston - Market. (w.)
Golden Tennisball (w.)
Crêpe blonde (w.)
Rudolph's Favourite (w.)
Perpignan improved (w.)
Cyrilus, Blonde de Versailles (w.)
Ice of Lalbach (w.)
Drumhead of Erfurt (w.)
Golden Dark-red (w.)
Stubbhorn-headed, yellow (w.)

Varieties for picking.

Australian Yellow Curled (w.)
Contract-ordres for growing Lettuces may be given till the month of December.

ONIONS.

Crop nearly quite sold out.

Species from the Mediterranean classified according to precocity.

Wonder, extra early white Pearl. (Pickling variety).

SALATE. Kopf-.

s. = schwarz, w. = weiss (Korn).

Juwel (Genezzano) (s.)
Fürst Bismarck (w.)
Nansen oder Nordpol. Neu! (w.)
Steinkopf, früher gelber (w.)
Steinkopf, früher goldgelber (w.)
Gelber Eier (w.)
Rudolf's Liebling (w.)
Perpignan Daur (w.)
Pariser Zucker (Non plus ultra) (w.)
Lalbacher Eis (w.)
Erfurter Dickkopf (w.)
Goldforellen (w.)
Trotzkopf, gelber (w.)

Pflücksalat.

Australischer gelber (w.)
Kulturaufträge auf Salate nehmen wir bis zum Monat Dezember entgegen.

ZWIEBELN.

Ernte fast ganz ausverkauft.

Sorten des Mittelmeergebiets nach der Frühzeitigkeit geordnet.

Wunder, früheste kleinste weisse. (Zum Einmachen).

LAITUES pommées.

b. = blanc, n. = noir (grain).

Bljou (Genezzano) (n.)
Prince Bismarck (bl.)
Nansen ou Pole du Nord. Nouveau! (bl.)
Gotte à graines blanches
Gotte dorée (bl.)
Crêpe blonde (bl.)
Pomme d'or (bl.)
Perpignan améliorée (bl.)
Blonde de Versailles (bl.)
Glaciale de Lalbach (bl.)
Blonde d'Erfurt (bl.)
Sanguine dorée (bl.)
Blonde d'été de l'Allemagne (bl.)

Laitues frisées.

D'Australie, jaune (bl.)
Nous acceptons des ordres pour cultiver Laitues jusqu'au mois de décembre.

OIGNON.

Récolte presque entièrement vendue.

Variétés de la Méditerranée, classées par ordre de précocité.

Merveille, blanc, très-petit, hâtif. (Pour conserves)

1 20 10 —
— 75 5 —
— 90 —
— 2 80
— 2 80
— 2 50
— 2 40
— 2 80
— 2 50
— 2 60
— 2 60
— 2 50
— 3 —

— 3 20

1 Franc = 10 d = 20 cents = 80 Pfennige. — 1 kilo = 2 1/5 lb. english; 1 lb. = 450 gr.; 100 grammes = 3 1/2 oz; 1 oz = 28 gr.

Onions (continued).

Queen, white, early, small	
Silverskinned Nocera, early.	
" Paris	
" Valence	
White May, flat	
" Tripoli, flat	
" June, flat	
" Giant Garganus (Silverking)	
Red Tripoli	
" Pompei (Copperking), giant, ...	
Giant Globe (Rocca) brown.	
" " " yellow.	
" " " blood-red	
Bassano or Genoa, flat, dark red	
Madeira Globe, large	
" flat, "	

We accept contracts for growing Onions till the month of July.

LEEK, Winter.

Crop rather small.

Monstrous Rouen	
" Carentan	
" Brabant	
Italian Giant, the biggest and finest	
Musselburgh.	

Contract-orders for Leek will be accepted till the month of February.

ARTICHOKE.

Earliest purple Campania	
Large green Naples	
Purple of Venice	

WATER-CRESS.

Italian, large, cultivated	
--------------------------------------	--

STRAWBERRY.

Non plus ultra, with very large fruits	
Large fruited	
Monthly	

FENNEL.

Finocchio	
Prince Bismarck, the largest and finest.	

PHYSALIS.

Alkekengi (Winter-cherry)	
Edulis (peruviana).	
Franchetti	
Macrocarpa	

EGG-PLANT.

White round	
" long	
Purple round.	
" long of Naples	
" earliest Dwarf	
" early of Palermo	
New York, Giant.	
Black Giant of Pekin.	
Pear-shaped, Giant	
Negro-Prince, extra!	
Black dwarf Nagasaki	
Scarlet oval	

Zwiebeln (Fortsetzung).

Königin, weisse, frühe	
Silberweisse Nocera, frühe	
" Paris.	
" von Valence	
Weisse Malzwiebel, platte	
" Tripoli, flache	
" Junizwiebel, plat.	
" Riesen Garganus (Mammoth)	
Rote Tripoli	
" Pompeji, sehr gross.	
Riesen della Rocca, braun	
" " " gelb.	
" " " blutrot.	
Bassano oder Genua, blutrot, flach	
Madeira, runde Riesen	
" flache Riesen	

Wir nehmen Kulturaufträge auf Zwiebeln bis zum Monat Juli entgegen.

PORRE, Winter.

Ernte mittelmässig.

Rouen, grösster	
Monströser von Carentan	
Dicker Brabanter	
Italienischer Riesen, prachtvoll	
Musselburger	

Kulturaufträge werden bis zum Monat Februar entgegengenommen.

ARTISCHOCKE.

Grosse frühe violette Campania	
" grüne von Neapel.	
Violette von Venedig	

BRUNNENKRESSE.

Kultivirte grosse.	
----------------------------	--

ERDBEERE.

Non plus ultra, sehr grossfrüchtig	
Grossfrüchtige	
Monats	

FENCHEL.

Grosser Bologneser	
Fürst Bismarck, grösster und schönster	

PHYSALIS.

Alkekengi	
Edulis (peruviana)	
Franchetti	
Macrocarpa	

EIERFRÜCHTE.

Weisse runde	
" lange	
Violette runde	
" lange von Neapel	
" früheste Zwerg	
" frühe von Palermo	
Riesen von Neu-York	
Schwarze Riesen von Pekin	
Birnformige Riesen	
Negerfürst, extra!	
Schwarze niedrige Nagasaki	
Scharlachrote ovale	

Oignons (suite).

Reine, Blanc, Hâtif de la.	
Blanc d'argent de Nocera, hâtif	
" " de Paris, hâtif.	
" " de Valence, hâtif	
" de Mai, plat.	
" de Tripoli, plat	
" de Juin, plat	
" Garganus ou Mammoth.	
Rouge de Tripoli.	
" " Pompei, géant	
Géant de la Rocca, brun	
" " " jaune.	
" " " sanguin	
Bassano ou Gènes, plat, rouge foncé	
Madère rond, très gros.	
" plat, "	

Des ordres sur contrats en seront acceptés jusqu'au mois de juillet.

POIREAU d'hiver.

Récolte médiocre.

Très-gros de Rouen	—	3 2
Monstrueux de Carentan	—	3 2
Gros court de Brabant	—	3 2
Géant d'Italie, très gros, magnifique	—	3 7
Musselbourg.	—	3 7

Nous acceptons des ordres pour cultiver Poireaux jusqu'au mois de février.

ARTICHAUT.

Campania précoce violet	1 20	10 —
Gros vert de Naples	1 50	12 —
Violet de Venise	1 —	9 —

CRESSON DE FONTAINE.

Cultivé, grand	— 80	6 —
--------------------------	------	-----

FRAISIERS.

Non plus ultra, à très grands fruits	— 80	6 —
A grand fruits	— 70	5 —
Des quatre saisons.	— 70	5 —

FENOUIL.

De Florence	— 40	3 —
Prince Bismarck, le plus grand et le plus beau	— 50	3 50

PHYSALIS.

Alkekengi.	1 20	10 —
Edulis (peruviana).	1 —	8 —
Franchetti.	2 80	24 —
Macrocarpa	1 —	8 —

AUBERGINE.

Blanche ronde	— 70	6 —
" longue.	— 70	6 —
Violette ronde	— 80	7 —
" longue de Naples	— 60	5 —
" très-hâtive naine	— 70	5 50
" hâtive de Palermo	— 60	5 —
Géante de New-York	— 80	7 —
Noire géante de Pékin	— 80	7 —
A forme de poire, géant	— 50	4 50
Prince noir, extra!	— 70	5 —
Noire de Nagasaki, naine	— 70	5 —
Ovale écarlaté.	— 40	3 —

1 Franc = 10 d = 20 cents = 80 Pfennige — 1 kilo = 2 1/5 lb. english; 1 lb. = 450 gr.; 100 grammes = 3 1/2 oz; 1 oz. = 28 gr.

CAPSICUM (Pepper).

PFEFFER.

PIMENT.

Cardinal, red	
» yellow, very decorative	
Elephant's trunk	
Golden King, yellow, monstrous	
Ruby King, red, monstrous. Splendid!	
Red Spanish or Red Horn	
Procopp's Giant	
Prince of Wales	
Chilis, yellow	
» red	
Long yellow (Guinea)	
s. also Capsicum (Flower Seeds).	

Cardinal, roter	
» gelber, sehr schöne Ziersorte	
Elephantenrüssel	
Gelber monströser Riesen, prachtvoll	
Roter monströser Riesen, prachtvoll!	
Spanischer roter, gewöhnlicher Horn	
Procopp's Riesen	
Prinz von Wales	
Gelber schnabelförmiger	
Roter	
Langer gelber (Cayenne)	
s. auch. Capsicum (Blumen-Samen).	

Cardinal, rouge	— 70	6 —
» jaune, belle espèce d'ornement	— 70	6 —
Trompe d'éléphant	1 —	8 —
Gros carré jaune, doux, magnifique!	— 50	4 50
Gros carré rouge, doux, magnifique!	— 50	4 50
Long ordinaire d'Espagne	— 60	5 —
Géant de Procopp	— 50	4 50
Prince de Galles	— 70	6 —
Du Chili, jaune	— 80	6 —
» » rouge	— 80	6 —
Jaune long (Cayenne)	— 80	6 —
v. aussi Capsicum (Graines de fleurs).		

100gr. 1 ko
Fres. Fres.

TOMATO (Love apple).

TOMATE (Liebesapfel).

TOMATE (Pomme d'amour).

Abundance	
All the year round	
Apricot	
Autokrat	
Tree-smooth, red	
Challenger	
Demokrat	
Eclipse	
Favorite	
Ficarazzi, early, red, large	
Freedom	
Golden Nugget	
» Queen	
» Sunrise	
» Surprise	
Green Gage	
Large red	
» » Non plus ultra	
King Humbert (Chiswick red)	
Leicester Prolific	
Maincrop	
Matchless	
Micado	
Peach	
Perfection	
Ponderosa, very large	
President Garfield	
Prince of Naples, fiery scarlet	
Pear-shaped, red	
Plum-shaped, red	
Red Cherry	
Red Currant (L. grossularia)	
Semperfructifera	
Skamander	
Trophy, large red	
» » yellow	
Wonder of Italy	
Large fruited varieties mixed	
Mixture of all varieties	

Abundance	
All the year round	
Aprikose	
Autokrat	
Baumartiger, glatter, roter	
Challenger	
Demokrat	
Eclipse	
Favorite	
Ficarazzi, früher, mittelgrosser roter	
Freedom	
Golden Nugget	
» Queen	
» Sunrise	
» Surprise	
Green Gage	
Grosser roter	
» » Non plus ultra	
König Humbert, rot	
Leicester Prolific	
Maincrop	
Matchless	
Micado	
Pfirsich	
Perfection	
Ponderosa, sehr gross	
Praesident Garfield	
Prinz von Neapel, feurig scharlach	
Roter birnförmiger	
» pflaumenförmiger	
» kirschförmiger	
» johannisbeerfrüchtiger	
Semperfructifera	
Skamander	
Trophy, grosser roter	
» » gelber	
Wunder von Italien	
Grossfrüchtige Sorten gemischt	
Mischung aller Sorten	

Abundance	1 50	12 —
All the year round	1 50	—
Abricot	1 80	—
Autokrat	1 —	9 —
Lisse, rouge, à tige raide	1 50	12 —
Challenger	2 —	—
Demokrat	1 80	—
Eclipse	1 80	—
Favorite	— 60	4 —
Ficarazzi, rouge, grande, précoce	2 —	—
Freedom	2 —	—
Golden Nugget	2 —	—
» Queen	2 —	—
» Sunrise	1 20	10 —
» Surprise	1 50	—
Green Gage	— 50	3 50
Grosse rouge	— 80	6 —
» » Non plus ultra	— 50	3 —
Roi Humbert, rouge (pour conserves).	3 50	30 —
Leicester Prolific, 10 gr. 0.50 Frc.	2 —	—
Maincrop	2 —	—
Matchless	1 50	12 —
Micado	1 20	10 —
Pêche ou Velue	1 —	9 —
Perfection	2 20	—
Ponderosa, très-grosse	1 20	10 —
Président Garfield	1 50	12 —
Prince de Naples	— 70	6 —
Poire (Pear-shaped)	— 60	5 —
Rouge ronde	1 —	9 —
Cerise rouge	1 —	8 —
Groseille (Lycopersicum grossul.)	—	—
Semperfructifera 10 gr. 0.40 Frc.	1 20	10 —
Skamander	— 80	6 —
Trophy, grosse rouge, lisse	1 —	9 —
» » jaune, lisse	10 —	—
Merveille d'Italie. 10 gr. 1.20 Frc.	— 70	5 —
Variétés à grands fruits, en mélange	— 40	2 —
Toutes les variétés en mélange		

CUCUMBER.

GURKEN.

CONCOMBRE.

Excellent forcing (frame) varieties,
only from selected fruits.

Vorzüglichste Treibsorten, nur von
auserlesenen Früchten.

Les meilleures variétés à forcer,
récoltées de fruits choisis.

Giant Snake of Arnstadt	
Noa's forcing	
Prescott Wonder	
Hampel's Jewel of Koppitz	
» improved frame	

Arnstädter Riesen-Schlangen	
Noa's Treib	
Prescott-Wunder	
Hampel's Juwel von Koppitz	
» verbesserte Mistbeet	

Serpent Géant d'Arnstadt	6 —	—
De Noa	2 50	22 —
Prescott, Merveille de Prescott	5 —	45 —
Bijou de Koppitz	4 50	—
Amélioré de Hampel	4 50	—

1 Franc = 10 d = 20 cents = 80 Pfennige. — 1 kilo = 2 1/5 lb. english; 1 lb. = 450 gr.; 100 grammes = 3 1/2 oz.; 1 oz. = 28 gr.

Cucumber (continued).

Indefatigable of Koenigsdoerfer. . .
Swan's neck
Rollison's Telegraph
Forcing varieties mixed.

For out-door.

Japanese Climbing
Grec or Athens
Green, extra long (Erfurt)
Prince-Cucumber

Gurken (Fortsetzung).

Königsdörffer Unermüdliche . . .
Schwanenhals
Rollison's Telegraph
Treibgurken gemischt

Für Freiland.

Japanische Kletter
Griechische glatte Walzen
Extra lange grüne Schlangen (Erf.) .
Fürsten-Gurke

Concombre (suite).

Infatigable de Koenigsdoerffer . .
Cou de cygne 10 gr. 1,— Frc.
Vert long Télégraphe 10 gr. 150 Frc.
Variétés à forcer en mélange . .

Pour la pleine terre.

Grimpant du Japon
Vert long, gros d'Athènes
Vert géant, extra long (d'Erfurt) .
Prince

100gr.
Frcs.

1 ko.
Frcs.

4 — 36 —
8 — —
12 — —
1 50 12 —

MELON (Musk).

Aromatica, white flesh, excellen . .
Berlin netted
Cantaloup of Algiers
» » Paris
Prescott silverwhite
» early frame, one of the earliest
frame sorts of excellent flavour .
Sugar of Castellamare
Consul Schiller
France, white flesh
» yellow flesh
Honfleur, very large
Malta Winter
Naples, everlasting
» netted
Chito Giant
Sucrin of Tours, excellent sort . .
Erfurt prize
Skillmann's
Turkish Giant
Mixture of all the best sorts . . .
» of Italian sorts

MELONEN.

Aromatica weissfleischig, köstlich . .
Berliner Netz
Cantaloup von Algier
» » Paris
Prescott silberweisse
» frühe zum Treiben, eine
der frühesten und schmackhaftesten.
Zucker von Castellamare
Consul Schiller
Französische weissfleischige . . .
» gelbfleischige
Honfleur, sehr gross
Malteser, Winter
Neapolitanische Dauer
Netz, von Neapel
Riesen von Chito
Sucrin de Tours, vorzügliche Sorte .
Erfarter Preis
Skillmann's Netz
Türkische Riesen
Mischung aller besten Sorten . . .
» Italienischer Sorten

MELON.

Aromatica à chair blanche, excellente.
Brodé de Berlin
Cantaloup d'Alger
» de Paris
» Prescott argente
» » hâtif à chassiss
un des plus hâtifs d'un goût exquis.
Sucrin de Castellamare
Consul Schiller
De France, à chair blanche
» » » jaune
De Honfleur, très grand
De Malte, jaune
De Naples, conservateur
» » brodé
Géant de Chito
Sucrin de Tours, excellente espèce .
Prix d'Erfurt
Brodé de Skillmann
Géant de Turquie
Mélange des meilleures variétés .
» des variétés d'Italie

— 50 4 —
2 50 —
3 50 —
3 — 25 —
3 — 25 —
3 — 25 —
— 80 6 —
2 80 24 —
— 50 3 50
— 50 3 50
2 — 18 —
— 50 3 50
— 40 3 —
— 50 3 50
— 50 3 50
1 80 15 —
2 80 24 —
2 80 24 —
— 60 5 —
1 60 15 —
— 30 2 50

WATER-MELON.

Naples early
Giant of Castellamare, red flesh, the
best sort of finest flavour
Red-seeded
Black-seeded

WASSER-MELONEN.

Neapolitanische frühe
Rotfleischige Riesen von Castella-
mare, beste und wohlgeschmeckendste
Rotsamige
Schwarzsamige

MELON D'EAU (Pastèque).

De Naples, précoce
Géant de Castellamare, à chair rouge,
d'une bonne saveur; magnifique . .
À graines rouges
» » noires

— 50 4 —
— 60 4 50
— 60 5 —
— 60 5 —

GOURD (SQUASH).

Italian Marrow, not climbing . . .
Fall, Winter or Crook-neck of Nap.
» » » Giant, weights
till 2 cwts.
Mammoth Pumpkin, yellow
» » red
» » silver gray
» » white
Vegetable Marrow, long white . . .
Italian vegetable Marrow of Nap.
» » » of Tripoli
» Valparaiso
Crown gourd, White Pine-Apple . .
Lagenaria vulgaris edulis
Gourds (Squashes) mixed
Other varieties:
s. also Gourds (Climbers).

KÜRBIS, SPEISE-.

Italienischer Marrow, ohne Ranken.
Neapolitanischer Mantelsack . . .
Riesen-Mantelsack, wird bis zu
100 ko. schwer
Riesen-Melonen, gelber (Zentner)
» » roter
» » silbergrauer
» » weisser
Engl. Schmeer, langer weisser . . .
Cocozelle von Neapel
» » Tripoli
Valparaiso
Bischofsmütze, Weisse-Ananas . . .
Lagenaria vulgaris edulis
Speisekürbisse gemischt
Andere Varietäten:
s. auch Zierkürbisse (Schlingpflanzen).

COURGE À MANGER.

D'Italie, non coureuse
Portemanteau de Naples (pleine) . .
» géant, atteignant le
poids de 100 kg.
Potiron, jaune (gros)
» rouge
» gris argentin
» blanc
A la moelle, blanche non coureuse
Cocourzelle de Naples
» » Tripoli
Valparaiso
Patisson, Ananas blanc d'Amérique
Lagenaria vulgaris edulis
Courge à manger, mélange
D'autres variétés:
v. aussi Courge (Plantes grimpantes).

— 35 2 25
— 60 5 —
2 — —
1 70 15 —
1 30 11 —
1 30 11 —
1 30 11 —
1 20 —
— 60 5 —
— 60 5 —
1 20 10 —
1 20 10 —
— 70 5 50
— 80 6 —

FLOWER-BULBS. BLUMENZWIEBELN. OIGNONS À FLEURS.

All commands on the following Flower-Bulbs and Roots will be effected during the month of March. Orders, which we receive in the meantime, are booked for this time of delivery. Most of these bulbs are replanted about beginning of April, and consequently orders, which do not come to hand before this time, cannot be any more executed or at least but partly.

We cultivate flower-bulbs on a large scale, especially *Amaryllis*, and supply only fine, strong and sound bulbs.

Our "General Illustrated Catalogue of Bulbs", will be published month of May.

Alle Aufträge auf die nachstehend aufgeführten Blumenzwiebeln und Knollen kommen im Monat März zur Erledigung. Die uns in der Zwischenzeit hierauf zugehenden Bestellungen werden bis zu diesem Termin in Nota behalten. Anfang des Monats April werden die meisten dieser Zwiebelgewächse bereits wieder gepflanzt, und können wir deshalb später eintreffende Aufträge nur teilweise oder auch gar nicht mehr ausführen.

Wir kultiviren Blumenzwiebeln in grossen Maassstabe, besonders *Amarylliden*, und liefern ausschliesslich schöne, starke und gesunde Zwiebeln.

Unser "Illustriertes Hauptverzeichnis über Blumenzwiebeln", erscheint im Monat Mai.

Toutes les commandes sur les Oignons à Fleurs et Tubercules ci-dessous seront exécutées en mois de mars. Les orders, que nous en recevons dans l'entretemps, sont notés pour ce terme de livraison. Vers le commencement d'avril la plupart de ces Oignons et Tubercules est replantée et conséquemment les commissions, qui nous sont passées plus tard, ne peuvent plus être effectuées ou, au moins, seulement en partie.

Nous cultivons les Oignons à fleurs en grandes quantités, surtout les *Amaryllis*, et ne livrons que de beaux oignons vigoureux et sains.

Notre "Catalogue général illustré de Bulbes à fleurs", paraît au mois de mai.

	per 10 Frcs.	100 Frcs.		per 10 Frcs.	100 Frcs.
<i>Acorus gramineus variegatus</i>	4 —	35 —	Canna (cont. — Forts. — suite).		
<i>Agapanthus umbellatus</i> . Blue. (Blau). Bleu	1 50	10 —	<i>Canna grandiflora</i> Duc de Montmartre.	1 50	12 —
<i>albiflorus</i>	9 —	—	» <i>Eduard Michel</i>	1 —	8 —
<i>pallidus</i>	5 —	—	» <i>Félix Crousse</i>	2 —	18 —
<i>fastigiata</i>	2 —	—	» <i>Fürst Bismarck</i> . Extra!	2 —	—
<i>Alstroemeria aurantiaca</i> p. 1: 0.30 Frc.	2 —	—	» <i>Germania</i>	1 —	8 —
<i>aurea</i> » 1: 0.30	2 —	—	» <i>Henry Pasquier</i>	3 —	—
<i>brasilensis</i>	1 50	12 —	» <i>Hofgartendirector Gräbener</i>	1 50	12 —
<i>chilensis</i>	2 —	18 —	» <i>Königin Charlotte</i> . — <i>Queen Charlotte</i>	1 20	10 —
<i>pulchella</i>	2 —	18 —	» <i>Légionnaire</i>	2 50	20 —
<i>psitacina</i>	1 50	10 —	» <i>Léonard Lille</i>	1 —	8 —
<i>Amaryllis formosissima</i> (Sprekelia). Darkcherry-red. (Dunkelkirschrot) Rouge-cerise foncé.	3 —	—	» <i>Le tigre</i>	1 50	12 —
» <i>Graveana</i> (Hippeastrum), Red. (Rot.) Rouge.	10 —	—	» <i>Madame Crozy</i>	1 80	—
» <i>hyacinthina</i> (Griffinia). p. 1: 3 à 5 Frcs.	—	—	» <i>Madame Cabanne</i>	18 —	—
» <i>Johnsoni</i> (Hippeastrum) Cherryred, sweet-cented. (Kirschrot wohlriechend.) Rouge cerise, odorant p. 1: 2.25 Frc.	20 —	—	» <i>Mademoiselle Meriem Lombard</i> (alba) per 1: 2 Frcs.	2 —	18 —
» <i>Reginae</i> (Hippeastrum). Poceau	10 —	90 —	» <i>Maurice Rivière</i>	1 80	—
» <i>vittata hybrida</i>	6 50	60 —	» <i>Negerfürst</i>	2 50	—
All our <i>Amaryllis</i> , being cultivated in the open ground, are very strong and much adapted for culture in pots.			» <i>Paul Bert</i>	2 —	—
Unsere <i>Amaryllis</i> sind sämtlich im Freien kultivirt und für Topfkultur vorzüglich geeignet.			» <i>Paul Bruant</i>	1 80	15 —
Toutes nos <i>Amaryllis</i> sont cultivées en pleine terre et bien propres pour la culture en pots.			» <i>Perle des Massifs</i>	2 —	18 —
<i>Amorphophalles Rivieri</i> 1 st size — I. Gr.	7 —	60 —	» <i>Ruhm von Stuttgart</i> . Extra!	1 —	8 —
» 2 nd size — II. Gr.	5 —	40 —	» <i>Sieger von Wörth</i>	1 —	8 —
Very showy! — Wirkungsvoll! — D'un grand effet!			» <i>Souvenir d'Asa Gray</i>	1 —	8 —
<i>Anemone japonica</i> Honorine Jobert	1 50	12 —	» <i>Souvenir de François Gaulin</i>	2 50	—
<i>Arum cornutum</i> p. 1000: 50 Frcs.	4 —	—	» <i>Souvenir de Madelaine</i>	2 50	—
<i>Arundo Donax</i> p. 1000: 50 Frcs.	1 —	8 —	» <i>Souvenir du Président Carnot</i>	2 50	—
» <i>fol. var.</i>	6 —	—	» <i>Stadtrat Heidenreich</i>	1 —	8 —
<i>Barnardia scilloides</i>	2 —	—	» <i>Trocadero</i>	—	—
<i>Boussingaultia baseloides</i> . Madiera Vine. — Prachtige Schlingpflanze. — Magnifique plante grimpante	— 80	6 —	<i>Canna large flowering</i> (Crozy's), but red-leaved finest mixture p. 1000: 100 Frcs.	—	12 —
<i>Canna grandiflora</i> (Crozy's et d'autres hybrides nouveaux).	1 —	8 —	» <i>grossblumige</i> (Crozy's), nur rotblättrige, Prachtmischung p. 1000: 100 Frcs.	—	12 —
» <i>Amiral Avellan</i>	1 50	12 —	» <i>dites de Crozy</i> , exclusivement à feuilles rouges, en mélange superbe p. 1000: 100 Frcs.	—	12 —
» <i>Alphonse Bouvier</i>	2 50	—	<i>Canna large flowering</i> (Crozy's) green-leaved, mixed p. 1000: 60 Frcs.	—	7 50
» <i>Antoine Rivoire</i>	2 50	20 —	» <i>grossblumige</i> (Crozy's), grünblättrige, gemischt. p. 1000: 60 Frcs.	—	7 50
» <i>Charlemagne</i>	2 50	20 —	» <i>dites de Crozy</i> , à feuilles vertes, en mélange. p. 1000: 60 Frcs.	—	7 50
» <i>Comte O. de Kerkhove</i>	1 —	8 —	<i>Canna large flowering</i> , all varieties mixed, 1 st quality p. 1000: 70 Frcs.	—	8 —
» <i>Comte Horace de Choiseul</i>	—	—	» <i>grossblumige</i> , alle Sorten gemischt, 1 ^{te} Qualität. p. 1000: 70 Frcs.	—	8 —
			» <i>à grandes fleurs</i> , toutes les variétés, en mélange, 1 ^{re} qualité p. 1000: 70 Frcs.	—	8 —

	per 10 Fres.	100 Fres.		per 10 Fres.	100 Fres.
Canna. (cont. — Forts. — suite.)			Gladiolus. (cont. — Forts. — suite.)		
Canna Crozy's , 10 best sorts 10 beste Sorten) 10 var.	—	12 —	Gladiolus Fatime. Lilac-rose, crimson spotted. (Lila-rosa, carmoisin gefleckt.) Rose-lilas, maculé cramoisi	— 80	7 50
» » 25 » » (25 » » ») 25 »	—	18 —	» Frau Marie Schmidt. White with purple-carmine spot. (Weiss, mit purpur-carmin Fleck.) Blanc à macule pourpre-carmin . . .	3 50	—
» » 50 » » (50 » » ») 50 »	—	24 —	» Galathée. Flesh colour, carmine spot. (Fleischfarben. carmin Fleck.) Couleur de chair, macule carmine	— 80	7 50
» » 100 » » (100 » » ») 100 »	—	40 —	» Hannibal. Copper scarlet, nearly black margined and spotted. (Kupferscharlach, fast schwarz gerändert und gefleckt.) Ecarlate-cuivré, bordé et maculé presque noir . . .	5 —	—
Canna New Orchid-flowered (Neue Orchideen-blütige). A fleur d'Orchidée.			» Isoline. Flesh-rose with violet-carmine spot. (Fleischrosa mit violet-carmin Fleck.) Couleur rose de chair avec une macule violette carmin.	1 30	12 —
In 10 sorts 10 Sorten 10 variétés.	6 —	—	» Lucrezia. Light-yellow with carmine spot on golden ground. (Hellgelb mit carmin Fleck auf goldgelbem Grund.) Jaune clair à maculo carmine sur fond jaune d'or	2 50	—
Canna rosalba. Magnifique!	2 50	—	» Madame de Seigné. Cherry-rose with pure white spots and lines. (Kirschrosa, reinweiss gefleckt und liniert.) Rose-cerise, à macules et lignes blanc pur.	— 80	7 50
» variegata. New! (Nou! Nouveau!	5 —	—	» Madame Rister. Rose, crimson spotted. (Rosa, carmoisin gefleckt.) Rose, maculé cramoisi	— 80	7 50
» zebrina excelsa. Best red-leaved for high groups. (Beste rotblättrige für hohe Gruppen). A feuilles rouges, la meilleure pour hauts groupes p. 1000; 50 Fres.	—	7 50	» Maja. Pure white with carmine lines. (Reinweiss mit carmin Linien.) Blanc pur à lignes carmin.	4 50	—
Large quantities of Cannas cannot be sent by parcel-post; they must be forwarded by steamer or fast-train! — Canna in grösseren Posten sind zum Postversand ungeeignet; sie reisen am besten per Schiff oder als Eilgut! — Expédition des Cannas en grandes quantités à vapeur ou par grande-vitesse, puisque l'expédition par colis postaux en est trop chère.			» Stephenson. Cherry-carmine, white spots. (Kirsch-carmin, weiss gefleckt.) Cerise carmin ligné de blanc.	— 80	7 50
Chlidanthus Ehrenbergi	2 —	—	» Thecla. China-white, lilac-rose spotted. (Porzellanweiss, lilacosa gefleckt.) Blanc crème, maculé rose-lilacé	1 90	18 —
» fragrans	1 50	12 —	» Wanda. Pure white, lilac spots. (Reinweiss, lila gefleckt.) Blanc pur, maculé lilas.	12 —	—
Cooperia Drummondii. White, red-striped. (Weiss, rot-gestreift.) Blanc, rouge strié p. 1000; 50 Fres.	— 70	6 —	» Weisse Dame. Pure white. (Reinweiss.) Blanc pur. Magnificent (Prächtig) . p. 1; 3,00 Fres.	28 —	—
» Oberwetteri	1 —	8 —	» Splendid mixture. — Prachtmischung. — Mélange superbe. p. 1000; 50,— Fres.	— 70	6 —
» pedunculata p. 1000; 40 Fres.	— 60	5 —	Glad. Lemoinei hybridus. With large spots. (Gross-fleckig). A macules grandes.		
The <i>Cooperia</i> belong to the finest Amaryllideae and flower, without interruption, the whole summer and autumn. — Die <i>Cooperia</i> gehören zu den schönsten Amaryllideen, die den ganzen Sommer und Herbst ununterbrochen blühen. — Les <i>Cooperia</i> sont parmi les Amaryllidées les plus belles, qui fleurissent continuellement tout l'été et l'automne.			» Dora. Lilac-rose with blood red spot. (Lilacosa mit blutrotem Fleck.) Rose lilacé, maculé rouge sang.	— 90	8 —
Crimum amabile. p. 1; 4 Fres.	36 —	—	» D^r Nachtigal. Lilac-grey with carmine spot. (Graulila mit carmin Fleck.) Lilas grisâtre, macule carmine	— 90	8 —
» longifolium (capense). Giant-bulbs. — Riesen-zwiebeln. — Bulbes géantes. p. 1; 150 Fres.	12 —	—	» Emmely. Light-yellow, black-purple spot. (Hellgelb, schwarz purpurner Fleck.) Jaune clair, macule pourpre noirâtre	— 90	8 —
» » Strong bulbs. — Starke Zwiebeln. — Bulbes fortes	4 50	40 —	» Kant. Isabel-yellow, purple-carmine spot. (Isabellfarben, purpurcarmin Fleck.) Isabelle, macule pourpre-carmin	— 90	8 —
Crococma aurea imperialis	1 —	—	» Kaulbach. Copper-purple, black-purple spot. (Kupfer-purpur, schwarzpurpurner Fleck.) Pourpre cuivré, macule pourpre noirâtre . . .	— 90	8 —
Gelasine azurea	2 —	18 —	» Marie Lemoine. Milk-white with lilac hue, violet-purple spot. (Milchweiss mit lila Anflug, violet-purpurner Fleck.) Blanc crème, maculé pourpre violacé	— 90	8 —
Gladiolus gandavensis:			» Splendid mixture. — Prachtmischung. — Mélange superbe.	— 80	7 —
» Agathe. Light-scarlet, lower pedals white with purple. (Hellscharlach, untere Pedale weiss mit purpurn.) Ecarlate clair, les pédales d'en bas blanc et purpie	— 80	7 —	Gloriosa (Metonica) Planti. Strong roots. (Starke Knollen). Bulbes fortes	4 50	40 —
» Aspasia, chamois. Salmon striped. (Lachsrot gestreift). Strié rouge-saumon	— 90	8 50			
» Balbina. Yellow-white, violet-carmine spotted, (Gelblich-weiss, violet-carmin gefleckt.) Blanc-jaunâtre, maculé carmin-violet	1 30	12 —			
» Belisar. Yellow-white, lilac-rose spotted. (Gelblichweiss, lilacosa gefleckt.) Blanc jaunâtre, maculé rose-lilas.	1 30	12 —			
» Brenchleyensis. Brilliant scarlet. (Leuchtend scharlach.) Ecarlate luisant.	— 70	6 —			
» Buteo. Carmine-rose with pure white centre. (Rosacarmin mit reinweisser Mitte). Carmin-rose à centre blanc pur.	1 90	18 —			
» Canari. Light-yellow, striped rose. (Hellgelb, rosa gestreift). Jaune clair, strié rose	— 80	7 50			
» Clemence. Light-rose with dark-rose shades. (Zartrosa, dunkelrosa nanciert.) Rose-clair, nuancé rose-foncé	1 30	12 —			
» Coelia. Cream-white, flamed rose. (Rahmweiss, rosa geflammt.) Blanc-crème, flammand rose	— 80	7 50			
» Comtesse de Bresson. Red, shaded violet. (Rot, violet nanciert.) Rouge, nuancé violet	— 80	7 50			
» Condor. China-white, pointed lilac-rose. (Porzellanweiss, rosailila punktirt.) Blanc-porcelaine, pointé rose-lilas	1 30	12 —			



Tigridia Pavonia.
(Electro — Cliché: 4 — Frcs.)



Pancratium maritimum.
(Electro — Cliché: 4,50 Frcs.)



Haemanthus puniceus.
(Electro — Cliché: 3,75 Frcs.)



Pohlia (Herbertia) platensis.
(Electro — Cliché: 4,25 Frcs.)



Zephyranthes carinata.
(Electro — Cliché: 3,00 Fres.)



Zephyranthes aurea (Habranthus Andersoni).
(Electro — Cliché: 3,00 Fres.)

Griffinia hyacinthina, magnifique Amaryllideae.

p. 1: 3 à 5 Fres.

Habranthus Andersoni p. 1000: 18 »

Haemanthus puniceus p. 1: 2 »

Hedychium coronarium

» *Gardnerianum*

» *Roxburghi*

Hyacinthus candicans

Iris Douglasiana

» *fimbriata (chinensis)*. Light bleue. — Hellblau .

» *Fischeri*

Iris florentina. Pure white; largeflowering, of high value for cutting purposes. — Reinweiss; grossblumig. Als Schnittblume sehr wertvoll, sowie auch zu Einfassungen. — Grandes fleurs blanches pur. D'une grande valeur pour la coupe et pour bordures p. 1000: 25 Fres.

» *foetida*. Greenish-yellow. For very shady position. — Grünlichgelb. Für tiefeschattige Lagen. — Jaune verdâtre. Bien propre pour lieux très-ombrés. p. 1000: 20 Fres.

» *foetida* fol. var. White panachée. — Weiss gebändert. — Bordé de blanc

» *gigantea*. Very decorative. — Sehr dekorativ

» *Guldenstaediana*

» *Macrosiphon*

» *Monnieri*

» *nikotensis*

» *ochroleuca*

» *pabularia*

» *Pseudacoris*

» fol. var.

» *sibirica*

» » *flexuosa*

» » *sanguinea (haematophylla)*. Très joli! .

» *Sogdiana*

» *superba*

» *virginica*

Ismene calathina p. 1000: 150 Fres.

Milla biflora

Montbretia crocosmiaeflora p. 1000: 18 Fres.

» » *aurea*

» » *Bouquet parfait*

» » *Drapeau d'or*

» » *Eldorado*

per 10 Fres.	100 Fres.
—	—
— 30	2 —
18 —	—
4 50	—
5 —	—
5 —	—
— 20	1 20
3 —	—
1 80	15 —
2 —	—
— 60	4 —
— 50	3 —
8 —	—
3 —	25 —
1 50	10 —
4 —	—
8 —	—
3 —	—
3 —	—
1 25	10 —
2 50	20 —
5 —	—
1 20	9 —
1 —	8 —
1 —	8 —
— 90	7 —
1 50	10 —
1 20	—
2 —	18 —
2 20	20 —
— 30	2 —
1 20	10 —
— 70	6 —
1 40	13 —
— 80	7 —

Montbretia (cont. — Forts. — suite).

Montbretia crocosmiaeflora elegans

» » *Etoile de feu*

» » *Feu d'artifice*

» » *flore pleno*

» » *Gerbe d'or (Golden sheaf)*

» » *Phare*

» » *Pluie d'or*

» » *pyramidalis*

» » *Rayon d'or*

» » *Soleil couchant*

» » *Solfatare*

» » *Tigridia*

» » *Transcendent*

» » New varieties, mixed. — Neue

» » Hybriden, gemischt. — Nouveaux hybrides, en mélange.

Pancratium canariense p. 1: 0,75 Fre.

» *illiricum*. Pure white. — Reinweiss.

» *maritimum*. Blanc pur. — Reinweiss.

» 1st size — I. Gr.

» IInd — II. » Blühbar

» *parviflorum*. White. — Weiss. — Blanc.

Pardanthus chinensis. Orange

Phaedranassa chloracea. Rouge. p. 1: 0,50 Fre.

» *gloriosa* p. 1: 0,50 »

» *rubro-viridis* p. 1: 0,80 »

» *schizanda* p. 1: 0,80 »

» *ventricosa* p. 1: 0,80 »

Phaseolus Caracalla. Beautiful climber. — Schöner

» Schlinger. — Belle plante grimpante.

Physalis Franchetti

Plumbago Larpentae

Pohlia platensis. Beautiful and rare flowerbulb from

La Plata. Bluish-green leaves about 30 cm. long; the branched stalks 30 to 50 cm. in height, well set

with pretty Tigridia-shaped flowers, produced by degrees in the greatest abundance throughout the

summer months. Flowers, of about 6 cm. in diameter, deep sky-blue, with white and yellow centre. Stands our winter here in the open ground; beyond the Alps however better in the greenhouse.

— Ein noch ganz seltenes aber sehr schönes Zwiebelgewächs aus La Plata. Immergrün, mit schlanken, ca. 30 cm. langen, schmalen Blättern von blaugrüner Farbe und 30 bis 50 cm. hohem,

per 10 Fres.	100 Fres.
— 70	6 —
1 20	11 —
1 30	12 —
4 —	36 —
1 —	9 —
— 80	7 50
— 90	8 —
1 —	9 —
1 —	9 —
— 70	6 —
1 80	15 —
1 30	12 —
1 —	10 —
— 50	4 50
5 —	—
4 —	35 —
— 70	5 —
— 50	3 —
1 —	8 —
— 40	3 —
4 —	—
4 —	—
7 —	—
7 —	—
7 —	—
2 50	20 —
—	3 —
2 —	18 —

Pohlia platensis. (cont. — Forts. — suite).

verzweigten Blütenstengel. Die schönen *Tigridia*-ähnlichen Blumen sind zwar nur von kurzer Dauer, erscheinen aber ununterbrochen während der ganzen Sommermonate. Circa 6 cm. Durchmesser, tief himmelblau mit gelber und weisser Zeichnung im Centrum. *Pohlia platensis* hält hier im Freien aus; jenseits der Alpen im Kalthaus zu überwintern. — Belle plante de La Plata toujours verte à feuilles étroites de ca. 30 cm. de longueur et d'une couleur verte bleuâtre. Les tiges branchues de 30 à 50 cm. de hauteur garnies de belles fleurs semblables à celles de *Tigridia*; nombreuses, de 6 cm. de diamètre environ, d'un bleu céleste foncé à centre jaune et blanc, s'épanouissant continuellement pendant tout l'été. Les plantes supportent nos hivers ici en pleine terre, au-delà des Alpes hiverner en serre froide.

Polyanthus Tuberosa. Tuberose.

- » Double flowered. — Gefüllt blühende. —
- » A fleurs doubles
- » Single flowered. — Einfach blühende. —
- » A fleurs simples

Stapelia. In sorts. (Sorten.) Variétés

- » Mixture. (Mischung.) Mélange

Thladiantha dubia. Plante grimpante luxuriante

Tigridia conchiflora

- » *Pavonia*
- » *grandiflora alba*
- » *aurea*
- » *lilacina*

per 10
Fres.

100
Fres.

1 — 8 —

1 50 12 —

2 — 16 —

1 50 12 —

1 20 10 —

1 — 8 —

— 90 8 —

— 80 7 —

— 90 8 —

— 90 8 —

— 90 8 —

Tigridia. (cont. — Forts. — suite).

- Tigridia grandiflora rosea*
- » *immaculata alba*
- » *speciosa*
- » *rubra*
- » *Wheeleri*

Tulbaghia alba (*Allium semperflorens*)

Zephyranthes aurea (*Habranthus Andersoni*).

Very pretty! Continuously flowering the whole summer. — Sehr hübsche, den ganzen Sommer ununterbrochen blühende *Amaryllidee*. — Très-jolie *Amaryllidee*, fleurissant continuellement pendant tout l'été p. 1000. 20 Fres.

» *carinata* (*grandiflora*) p. 1000. 36

» *fulgida*

» *longifolia*

» *Lindleyana*. Rose. — Rosa

» *rosea* (*carinata*) p. 1000. 36 Fres.

All the above *Zephyranthes* are very pretty bulbous plants of easiest culture. For pots are especially apt: *Z. carinata*, *Z. Lindleyana* and *Z. aurea*.

Alle *Zephyranthes* sind ausnehmend hübsche Zwiebelgewächse von einfachster Kultur. Für Töpfe eignen sich besonders *Z. carinata*, *Z. Lindleyana* und *Z. aurea*.

Toutes les *Zephyranthes* sont très jolies plantes bulbeuses et de la plus facile culture. Pour la culture en pots sont spécialement propres: *Z. carinata*, *Z. Lindleyana* et *Z. aurea*.

per 10
Fres.

100
Fres.

— 90 8 —

— 90 8 —

— 90 8 —

— 90 8 —

— 90 8 —

— 80 6 —

— 40 2 50

— 60 4 —

1 25 10 —

— 60 4 —

2 50 —

— 60 4 —



NAPLES (Italie).

Natural Curiosities.

NATURALIEN.

Curiosités de la Nature.



Pinus (Strobus) excelsa.
(Electro — Cliché: 5 Frcs.)



Pinus Lambertiana.
Le plus long de tous les cônes de Conifères.
(Electro — Cliché: 4 Frcs.)



Pinus Sabiniana.
(Electro — Cliché: 5 Frcs.)




Cedrus Deodara.
(Electro — Cliché: 1,75 Frc.)



Pinus Pinea.
(Electro — Cliché: 1,75 Frc.)



Araucaria brasiliensis.
(Electro — Cliché: 4 Frcs.)



Pinus Jeffreyi.
(Electro — Cliché: 5 Frcs.)

Index.

Seeds of	
» Climbers	Page 27
» Coniferae	» 32
» Flowers :	
<i>Annals, Perennials and Stove-Plants</i>	» 17
<i>Assortments</i> (Cannas, <i>Salvia splendens</i> , Margaret-Carnations, Balsams, Asters, Stocks and Wallflowers).	» 10
<i>Introductions</i> , peculiarly noteworthy	» 9
<i>Novelties</i> of our own raising	» 2
» Flower-Bulbs	» 30
» Palms and Musa	» 31
» Vegetables (<i>Introductions</i> and <i>Specialities</i>)	» 33
Flower-Bulbs and Roots	» 39
Natural Curiosities	» 32

Table des Matières.

Graines de	
» Conifères	Page 32
» Fleurs :	
<i>Annuelles, Plantes vivaces et Plantes de serres</i>	» 17
<i>Assortiments</i> (Cannes, <i>Salvia splendens</i> , Oeillets - Marguerites, Balsamines, Reines-Marguerites, Giroflées et Ravenelles)	» 10
<i>Introductions</i> de valeur spéciale	» 9
<i>Nonveautés</i> de nos propres cultures	» 2
» Oignons à Fleurs	» 30
» Palmiers et Musa	» 31
» Plantes grimpantes	» 27
» Potagères (<i>Introductions</i> et <i>Spécialités</i>)	» 33
Oignons à Fleurs et Tubercules	» 39
Curiosités de la Nature	» 32

Inhaltsverzeichnis.

Samen von	
» Blumen :	
<i>Einführungen</i> , besonders wertvolle	Seite 9
<i>Einjährige, Stauden und Gewächshaus-Pflanzen</i>	» 17
<i>Neubeiten</i> unserer eigenen Züchtung	» 2
<i>Sortimente</i> (Canna, <i>Salvia splendens</i> , Margareten-Nelken, Balsaminen, Asten, Levkoyen und Lack)	» 10
» Blumenzwiebeln	» 30
» Gemüse (<i>Einführungen</i> und <i>Spezialitäten</i>)	» 33
» Nadelhölzern	» 32
» Palmen und Musa	» 31
» Schlingpflanzen	» 27
Blumenzwiebeln und Knollen	» 39
Naturalien	» 32

Indice.

Semi di	
» Bulbi da fiori	Pagina 30
» Coniferi	» 32
» Fiori :	
<i>Annuali, Perenni e Piante da stufa</i>	» 17
<i>Assortimenti</i> (Canna, <i>Salvia splendens</i> , Garofani Margherita, Sposenovelle, Aster e Violaciocche)	» 10
<i>Introduzioni</i> particolarmente commendevoli	» 9
<i>Novità</i> di nostra coltivazione	» 2
» Legumi (<i>Introduzioni</i> e <i>Spezialità</i>)	» 33
» Palme e Musa	» 31
» Piante arrampicanti	» 27
Bulbi e radici da fiori	» 39
Curiosità naturali	» 32

1899-1900.

HERB & WULLE,

(Propriétaire: M. HERB),

CULTIVATEURS DE GRAINES ET DE BULBES À FLEURS

VIA TRIVIO 24 - 36,

(ITALIE) NAPLES (ITALIE).

CATALOGUE DE GRAINES POUR MARCHANDS.

CONDITIONS DE VENTE.

Le présent Prix-courant annule toutes les offres précédentes.

Prix. Les prix s'entendent en Francs, marchandise prise à Naples.
25 Fres. = 1 L. Sterling = 5 Dollars.

Compte. Nous calculons pour les demandes de graines de :

1/4 kg ou plus le prix du Kilo
50 grammes » » » de 100 gr.
500 graines » » » » 1000 grms.
pour les demandes d'Oignons à fleurs de
500 ou plus le prix du 1000
50 » » » » 100
5 » » » » 10.

Pour des quantités inférieures à celles indiquées, dans notre liste, les prix sont cotés plus haut en proportion. Prix pour des quantités fortes par lettre.

Emballage. L'emballage est chargé au plus bas prix et ne peut pas être repris.

Expédition. La marchandise voyage aux risques et périls du destinataire. A défaut d'une indication sur la voie nous choisirons nous-mêmes, et sans que notre responsabilité soit engagée, la voie qui, selon la nature et l'importance de chaque envoi, nous paraîtra la plus convenable et la plus avantageuse.

L'assurance contre les risques du mer. L'assurance est effectuée par nous pour le montant de la facture, si nos clients nous ne donnent pas d'autres instructions.

Paiement. Trois mois date de la facture contre traite sous avis spécial. Nous accordons 2 % d'escompte pour les montants au-dessus de 200 Fres. pour paiement au comptant. De petits montants sont payables au comptant sans aucune déduction. Nous prions ceux de nos correspondants, avec lesquels nous n'avons pas encore traité des affaires, ou de nous donner des références ou de joindre à leurs ordres la valeur de la marchandise et le montant des frais de transport et de l'emballage, autrement nous ne pouvons exécuter les ordres que contre remboursement. Les montants de nos factures sont payable franco-Naples.

Réclamations. — Toutes les réclamations, au sujet de la facture ou de la marchandise, sont à faire aussitôt qu'elles seront dans leurs mains, autrement nous ne pourrions reconnaître la réclamation.

Nous ne fournissons que des graines de la meilleure qualité, qui donnent de bons résultats; nous déclinons cependant d'avance toute responsabilité concernant la récolte.

En nous donnant leurs ordres, M. M. nos correspondants approuvent les conditions susdites.

(Octobre 1899).

Colis postaux peuvent être expédiés aux pays suivants :

jusqu'à 5 kilo par colis:	
Argentine (république) . . .	Fres. 3. 15
*Belgique . . .	» 1. 80
Brésil (Rio d. J., Pernambuco Santos) . . .	» 4. 15
Chili . . .	» 4. 95
Colombie (république). . .	» 3. 15
Colonies-anglaises	
» Ceylon & Hongkong . . .	» 6. 40
» Indes orientales . . .	» 11. 45
Colonie du Cap . . .	» 10. 75
*Danemark . . .	» 2. 35
*Egypte . . .	» 1. 80

*France . . .	Fres. 1. 35
» Algérie . . .	» 1. 80
» Corse . . .	» 1. 80
» Tunisie . . .	» 1. 80
*Luxembourg . . .	» 1. 65
Malte . . .	» 1. 80
Mexique . . .	» 3. 95
Montenegro . . .	» 2. 40
*Norvège . . .	» 3. 45
*Pays-Bas . . .	» 2. 35
» Colonies Indiennes . . .	» 5. 20
*Roumanie . . .	» 2. 10
*Serbie . . .	» 1. 80
*Suède . . .	» 3. 65
*Suisse . . .	» 1. 30

Tong-King . . .	Fres. 4. 60
Turquie . . .	» 1. 80
Uruguay . . .	» 3. 15

jusqu'à 3 kilo par colis:

Bulgarie . . .	» 2. 60
Colonie du Cap . . .	» 8. 20
Espagne . . .	» 2. 10
*Finlande . . .	» 3. 60
Grèce . . .	» 1. 80
Indes orientales (Col. angl.) . . .	» 7. 45
Portugal . . .	» 2. 60

Les pays marqués d'un * admettent le remboursement.

Bâteaux à vapeur de Naples pour tous les ports principaux du monde!

Lettres. L'affranchissement des correspondances des pays d'Europe est de 25 cms; 10 Kop. pour lettres.
» » 10 » 4 » » cartes postales.

Adresse pour Télégrammes: HERB-NAPLES-Trivio.

Correspondance française. - English Correspondence. - Deutscher Briefwechsel. - Corrispondenza italiana.



MUSA MARTINI

(From a photograph, size 7 m high.) See Page 14.



Special-Offer
to the Trade
1900-1901

... of ...

Choice Seeds
and Bulbs

Wildpret Brothers
Puerto-Orotava, Teneriffe

Canary Islands



Notice._____

The seeds we have the honour to offer in this catalogue, are grown in the well known Valley of Orotava under our supervision, being of the best germinating quality obtainable.

We hope to be able to supply all the seeds herein contained, though we may be disappointed in procuring some of them, as in many seasons the crop is destroyed by the strong winds that visit our islands.

Orders are requested to be sent in, if possible immediately on receipt of this catalogue, especially those of large quantities.

We beg our customers to state the port and agent to whom goods shall be consigned. Goods travel at consignee's risk.

Terms: Strictly three months; 5% interest on delay and 5% allowance when remittances are made with the order.

Orders from new customers should be accompanied by references to well known firms.



* English, French, German *
and Spanish Correspondences.

|| * * Telegraphic address * *
WILDPRET, Puerto-Cruz.



The Only Seed Establishment in the Canary Islands.

Seeds of Ornamental Trees, Shrubs etc.

Abutilon hybridum, fine ornamental and bushy shrubs of rapid growth and elegant, pendant bell-shaped flowers, newest varieties:



Abutilon hybridum.

		Fres.	Ctns.
Abutilon grandiflorum	100 gm. fr. 29	3	—
» atrosanguineum , dark red flowers . .	10 »	3	—
» boule de feu , fire-red	10 »	3	—
» campanulatum striatum , orange, red veined	10 »	3	25
» Canario , canary yellow	5 »	2	—
» Dacula , yellow, rose veined, free flowering	10 »	3	—
» grandiflorum Duc de Malakoff , large, deep rose	10 »	3	—
» Helvetia , bright scarlet with yellowish centre	10 »	3	50
» La Orotava , rose and yellow flowers	10 »	3	—
» Louise Wildpret , white, crimson veined	10 »	3	25
» multiflorum , red and yellow	10 »	3	—
» ricinifolia , light rose crimson veined, large leaf	10 »	3	—
» striatiflorum , yellow, red striped . .	10 »	3	—
» salmoneum grandiflorum , salmon, red veined	10 »	3	—
»	10 »	2	50
»	10 »	2	50
Abutilon sulphureum , bright yellow flowers	100 gm. fr. 24	—	—
» grandiflorum , large bright yellow	100 »	—	—
» Tompsoni fol. variegata , light red flowers with beautifully blotched yellow and green leaves	10 »	3	50
» Tinguaro , bright yellow, rose veined	10 »	3	—
» fine mixed , over 30 varieties	100 »	20	—
» indicum , small yellow flowers, free blooming	100 »	4	—
Acacia armata , handsome sweet-scented flowers in bunches	100 »	3	—
» Donkelari , beautiful purple flowers	10 »	1	50
» Farnesiana (A. odoratissima)	100 »	1	—
» indica (A. leucocephala)	100 »	—	70
» latifolia , broad leaf, and yellow flowers in bunches	Kilo fr. 9	6	—
» leptophylla , narrow leaf, golden yellow flowers	» » 6	Kilo	—
» linifolia , narrow leaf and small yellow flowers	100 gm.	2	—
» lophanta (Albizia)	100 »	2	—
» speciosa , fine bushy variety	100 »	—	40
» Syderoxylon , rapidly growing variety	Kilo fr. 2.50	—	50
Adenocarpus Frankenioides , dwarf shrub with small curled foliage and fragrant yellow flowers	» 4.—	3	—
Agathe coelestis (Capc aster), Cineraria-like light blue flowers very useful for bedding borders and cut flowers	10 »	1	25
Aloysia citriodora (Lemon Verbena), a universal favorite because of its fragrant leaf and flower	100 »	4	50
Anthocercis elliptica (Myoporum), tree of perennial foliage	100 »	6	—
» pieta (Myoporum), similar to above, broader leaf	100 »	1	25
Arbutus canariensis , beautiful tree, bearing edible orange coloured berries	100 »	1	—
Argemone grandiflora alba , handsome, single snow-white flower	10 »	2	—
» mexicana , bright yellow	100 »	1	—
Asclepias fruticosa , shrub, white flower	100 »	3	—
Bignonia chrysontha , pretty shrub, yellow flowers	5 »	1	25

		Fres.	Ctns.
<i>Bignonia floribunda</i> , bushy shrub with golden yellow flowers	10 grm.	2	50
» <i>stans</i> , similar to the above	100 »	5	—
» <i>velutina</i> , similar to <i>B. floribunda</i> with velvet-like leaves	10 »	1	—
Bosea Verbanora , shrub, thick foliage and bunches of small red berries	100 »	3	—
Bouvardia Jacquinii , rich scarlet flowers, very much prized for bouquets	1000 Seeds	5	—
<i>Brachychiton acerifolium</i> , beautiful tree, most effective for its abundant bright scarlet flowers	100 grm.	2	50
» <i>populneum</i> Bottle tree, very ornamental	100 »	1	25
<i>Bursaria spinosa</i> , bushy shrub with white fragrant flowers	100 S.	—	75
<i>Bystropogon oreganifolium</i> , scented foliage	5 grm.	1	—
Calceolaria glutinosa , with pretty bright-yellow flowers	1 »	1	—
<i>Callothamnus Backery splendens</i> , Erica-like foliage, red flower	5 »	2	50
Campannula Vidali , handsome variety with abundant spikes of white flowers	5 »	2	—
<i>Cassia aurea</i> , golden yellow	100 »	2	50
» <i>biflora</i> (<i>C. semperflorens</i>)	100 »	3	—
» <i>floribunda</i> , very free flowering shrub, yellow flower	100 »	2	50
» <i>mimosaeifolia</i> , fine foliage	100 »	3	75
» <i>tomentosa</i> , winter-blooming shrub	100 »	2	—
Cedrella odorata (Cuban Cedar), fast growing tree	1000 S.	6	—
<i>Cedronella canariensis</i> , light rose flower, scented foliage	10 grm.	2	—
<i>Celtis australis</i> , ornamental tree with edible berries	100 »	1	—
» <i>asperifolia</i> , similar to above	100 »	1	—
<i>Ceratonia siliqua</i> , tree	100 »	1	50
Chrysanthemum frutescens , is greatly in request for borders and beds, it is much prized for its abundant white blooms	Kilo fr. 25	100 »	3 —
Chrysanthemum pinnatifidum , a fine variety of <i>Ch. frutescens</i>	100 »	3	50
» Lacustree , very fine foliage and small white flowers	5 »	2	50
<i>Cistus canariensis</i> , with white single rose like flowers	10 »	2	50
Citrus Aurantium (orange-tree)	100 »	2	—
» Bigaradia , its fruit is not edible because of its bitterness	100 »	2	50
» nobilis Mandarin , small and very sweet fruit	20 »	1	25
Clerodendron fragrantissimum , very ornamental shrub with broad leaves and pretty white flowers	1000 S.	6	—
<i>Clethra alnifolia</i> , fine shrub, scented flowers	10 grm.	—	50
» <i>arborea</i> , winter blooming tree, with scented flowers	100 »	5	—
» <i>quadrangulare</i> , similar to the above	100 »	6	—
Coffea arabica (Coffee plant), very ornamental shrub with white flowers bearing pretty scarlet berries	10,000 fruits fr. 145	1000 fr.	15 —
<i>Coffea arabica</i> var. <i>canariensis</i> , a variety of <i>C. arabica</i> with smaller berries	1000 »	18	—
<i>Convolvulus scoparius</i> , bushy shrub with beautiful white flowers	1000 S.	8	—
» floridus , shrub with handsome white flowers in bunches	100 »	1	25
Cordia ferruginea , very ornamental shrub	100 »	1	—
<i>Coronilla glauca</i> , beautiful foliage and yellow flowers	100 grm.	2	50
» <i>viminalis</i> , white and rose flowers	100 »	2	—
<i>Coulteria tinctoria</i> (<i>Caesalpinia tinctoria</i>)	Kilo fr. 10	100 »	1 25
<i>Crotalaria arborescens</i> , shrub from Mauritius, yellow fl.	50 »	3	—
Croton tinctorum , fast growing shrub, pretty foliage	1000 S.	6	—
<i>Cuphea Galleotiana</i> , rich blooming plant with red and black fl.	20 grm.	1	25
<i>Cryptolepis longiflora</i> , pure white trumpet shaped flowers in clusters; — very ornamental	1000 S.	4	—
Cyrtanthera magnifica , magnificent light red flower	100 »	2	—
<i>Cytisus glabratus</i> , shrub, bright yellow and fragrant flowers	100 grm.	2	—
» palmensis (<i>C. filipes</i>), Charming shrub, most attractive for its abundant sweet scented flowers	1000 S. fr. 8	100 S.	1 —
» <i>proliferus albus</i> (Luzern tree) well recommended as a fodder plant	Kilo fr. 5	100 grm.	— 75
» triflorus , free-blooming shrub, yellow fl.	100 »	2	—



Coffea arabica

Daphne Gnidium, shrub, white flowers and red berries	100 grm.	3	—
Digitalis canariensis, Canary Fox-Glove.	10 »	2	—
Diplopapus pedunculatus , single aster-like rose coloured flowers, — free blooming, — new	5 »	1	50
Duranta brachypoda, shrub, light blue	Kilo	6	—
» elegans, with larger flowers than above	»	6	—
» Plumieri, light blue flowers	»	6	—
Erica arborea (clean seed), shrub, fine thick foliage	10 grm.	3	50
Eriobothria japonica (Mespilus japonicus) — Loquats.	1000 S.	6	—
Erythrina bogotensis (Coral tree) with handsome dark-red flowers in bunches	100 »	2	—
» corallodendron, fine ornamental tree	100 grm.	5	—
Escallonia floribunda, fine ever green shrub with white fl.	20 »	4	—
» rosea, shrub, light red	5 »	3	—
» rubra, with hanging red fl.	5 »	3	50
Eucalyptus Lehmanni, bushy and rapidly growing tree	100 »	9	—
Eugenia australis (Myrthus), handsome ever green tree	100 S.	1	—
» brasiliensis, shrub, with edible fruit	100 »	1	50
» Jambos, tree, magnificent and sweet edible fruit	100 »	1	75



Euphorbia (Poinsettia) pulcherrima.

Eupatorium floribundum.

white winter blooming shrub	10 grm.	2	50
» Genitro, snow white fl. adapted for bouquets	5 »	1	50
» grandiflorum album, white free blooming shrub	10 »	2	50
» purpureum, pale blue flower	10 »	—	50
» quadrangulare, shrub with ornamental foliage	20 »	1	25
» Weinmannianum, fine bushy variety, very ornamental	10 »	—	40
Euphorbia (Poinsettia) atropurpurea , a handsome variety of E. pulcherrima, with darker flower	100 S.	5	—
» heterophylla, a dwarf variety with small red flowers	10 grm.	1	25
» pulcherrima, Charming plant exceeding every other in beauty by its large crimson flowers, very valuable as a market plant for winter season	100 S.	2	—


Fabricia laevigata, elegant shrub with pendant foliage	10 grm.	1	25
Flemingia strobilifera, ornamental shrub	100 S.	—	75
Frazinus australis, fast growing tree, best adapted for promenades	Kilo	8	—
Fuchsia arborea , Magnificent shrub with abundant and large pink bunches of flowers	1 grm.	2	—
» boliviana, scarlet flowers in clusters	1 »	1	75
» coccinea, pretty creeping-Fuchsia with small scarlet flowers	1000 S.	1	25
» corymbiflora, strong-blooming, long bright scarlet fl. in clusters	1 grm.	1	50
» alba, white with red pointed fl. in clusters	1 »	1	50
» syringaeiflora, shrub, similar to F. arborea	1 »	2	—
Genista canariensis , golden yellow, free-blooming	100 »	3	—
» florida, very effective for its abundant golden yellow fl.	100 »	4	—
» Hildebrandti, rich blooming species	1000 S.	8	—
» monosperma, shrub, snow-white fl., free-blooming	100 grm.	2	50
» ramosissima, similar to G. canariensis	100 »	3	50
Geranium atrosanguineum , dark red foliage	1000 S.	3	50
» canariensis (G. anemonaefolium), very ornamental	1000 »	4	50
» capitatum roseum, rose-coloured flower	5 grm.	2	—
» chinensis (G. odoratissimum), fragrant leaves and white flowers	100 S.	—	50
» crispum, small curled leaves, adapted for borders	100 »	—	50
» umbellatum purpureum, free-blooming	1000 »	4	—
» zonale varie, mixed colours	100 grm.	4	—
» fol. var., variegated leaves	100 S.	1	—
Gleditschia caspica, fine foliage tree	Kilo	5	—
Globularia salicina, bushy shrub, light blue flowers	10 grm.	2	—

		Fres.	Clms.
<i>Gomphocarpus fruticosus</i> (Aselepias)	100 grm.	3	—
<i>Gonospermum fruticosum</i> , rich blooming and fragrant foliage	10 "	1	25
<i>Gonospermum revolutum</i> , bushy shrub, yellow flowers	5 "	1	—
<i>Habrothamnus aurantiacus</i> , shrub with pretty golden yellow flowers	100 "	3	50
> Hügel, blood-red flowers	10 "	1	25
<i>Hakea repanda</i> , winter-blooming shrub, — white and yellow fl.	1000 S.	4	—
<i>Heimnia grandiflora</i> , with a pretty spike of small yellow flowers	5 grm.	1	50
<i>Heliotropum peruvianum</i> , fine variety	10 "	1	—
<i>Heterocentron suptrilinerum</i> (Rhexia elegans), white flower	1 "	1	50
<i>Hibiscus chrysanthus</i> , large bright yellow fl. with purple spot at the base forming a dark coloured eye	1000 S.	4	50
> liliflorus, rose madder with crimson centre flower	10 grm.	1	50
> macrophyllus, large foliage, with dark red and yellow fl.	1000 S.	7	50
> metallicus , dark bronze foliage and crimson flowers	1000 "	12	—
> mutabilis, handsome flower, changing its colour from white to light and deep rose	100 grm.	7	50
> Patersoni, tree with rose-coloured flowers	20 "	—	75
> puniceus, orange red, flowering very freely	10 "	1	—
> spinosus, with violet flowers	1000 S.	4	—
> fine mixed of above varieties	10 grm.	1	—
<i>Hypericum canariensis</i> , shrub, golden yellow flowers	10 "	1	—
> floribundum, fine foliage, yellow flower	10 "	1	—
> montanum, yellow	10 "	1	25
> species, pretty bushy shrub, yellow flowers	10 "	—	75
<i>Ilex canariensis</i> , handsome tree	Kilo	5	—
<i>Impatiens Sultanii</i> , ornamental pot plant, crimson flowers	10 gr. fr. 12	1 grm.	1 25
> hybrida varie, varieties of the above, with rose, sahuou and purple flowers	10 gr. fr. 15	1 "	1 75
<i>Jochroma coccinea</i> , handsome ornamental shrub, with light red fl.	10 "	1	50
> fuchsiodes, light red flowers	5 "	2	50
> rosea carminata with rose-purplish-coloured flower	5 "	2	50
> Tonelliana, light blue fl.	5 "	2	50
<i>Justicia multiflora</i> , beautiful pot-plant with abundant scarlet fl.	1000 S.	5	—
<i>Kleinia nerifolia</i> (Caealia Kleini), shrub	10 grm.	1	—
<i>Lagunaria Patersoni</i> , beautiful tree, rose fl.	100 "	4	—
<i>Lantana hybrida varie</i> , mixed sorts	Kilo	8	—
<i>Lavatera arborea</i> , shrub with rose flowers	100 grm.	1	50
> fol. var., variegated leaves, very ornamental	Kilo	20	—
<i>Lavendula Stoechas</i> , blue flower	5 grm.	1	50
<i>Laurus canariensis</i> , Canary Laurel-tree, scented leaf	Kilo fr. 8	100 "	1 —
> cinnamomum , very ornamental tree	1000 S. fr. 12.50	100 S.	1 40
<i>Leptospermum coccineum</i> , dark scarlet, round, bush-like fl.	5 grm.	1	50
> viridiflora, shrub, pretty flowers	5 "	1	50
<i>Libonia floribunda</i> , Charming bushy pot-plant with abundant red and yellow flowers	1000 S. fr. 12	100 S.	1 50
> pehnrosiensis, larger red flower than above	100 "	1	50
<i>Lippia citriodora</i> , see Aloysia	100 grm.	6	—
<i>Lobelia bicolor</i> , red and yellow flower	1 "	1	—
<i>Lobelia Cavanilliesi</i> , similar to the above, with thick and narrow foliage	1 "	1	—
<i>Lotus canariensis floribunda</i> , adapted for hanging pots, yellow fl.	1000 S.	3	—
<i>Lunaria biennis</i>	100 grm.	2	50
<i>Malva acerifolia</i> (Sabinonia acerifolia) light-rose flowers	5 "	1	25
<i>Mackoya bella</i> , handsome shrub with beautiful pale violet flowers	100 S.	1	50
<i>Melaleuca australis pendula</i> , tree with hanging foliage	5 grm.	1	75
> hypericifolia, dark scarlet brush-like flowers	10 "	2	50
> viridiflora (Metrosideros)	10 "	3	—
> mixed sorts	10 "	2	—
<i>Melia Azedarach</i> , tree with white and purple flowers	Kilo	3	—
> floribunda , handsomer than above	"	10	—
<i>Meserschmidtia fruticosa</i> , shrub	20 grm.	—	50
<i>Metrosideros splendens</i> , dark crimson brush-like flowers	5 "	2	—
<i>Metrosideros robusta</i> , similar to above	5 "	3	—
<i>Micromeria ericifolia</i> , Erica-like rose flowers	5 "	3	—
> Teneriffae, adapted for hanging baskets	5 "	3	—
<i>Myoporum picta</i> , fine tree of perennial foliage	100 "	1	25
> elliptica, similar to the above, with broader leaves	100 "	1	25
<i>Myrtus australis</i> (Eugenia), handsome tree	1000 S. fr. 9	100 S.	1 —

		Frcs.	Cms.
<i>Myrtus communis</i> (Myrtle), thick foliage	100 grm.	2	—
» <i>latifolia</i> , larger leaves than above and abundant white fl.	100 »	2	—
» <i>latifolia</i> , larger leaves than above and abundant white fl.	100 »	4	—
<i>Nerium Oleander</i> , mixed varieties	20 »	—	75
<i>Nycandra physaloides</i> , violet flowers	20 »	1	—
<i>Oenothera rosea</i> , small dark-rose flowers	100 »	3	50
<i>Opuntia ficus indica</i> (Cochineal Cactus)	100 »	3	—
» <i>macrophylla</i> , large leaves	100 »	3	—
» <i>tomentosa</i> , edible fruit	100 »	3	—
» Tuna, large edible fruit	100 »	2	50
» mixed, of above sorts	10 »	—	75
<i>Parietaria arborea</i> , dwarf shrub, light rose flowers	100 »	4	—
<i>Pavonia hastata</i> , shrub, rose, red-veined fl.	100 »	3	—
Periploca laevigata	1000 S.	4	—
<i>Pelargonium grandiflorum album</i> (Cape species)	1000 »	16	—
» <i>diadematum</i> , mixed	100 »	1	50
» (English sorts) , beautiful varieties mixed	1000 S. fr. 12	12	50
» <i>hederaefolium</i> , Ivy-leaf creeping Pelargonium	1000 »	15	—
» fol. var., variegated leaf creeping variety	1000 »	4	—
Pelargonium glutinosum , scented leaf Geranium	1000 »	3	—
» <i>papilionaceum</i> , rose-coloured flowers	100 grm.	5	—
<i>Physalis peruviana</i> (edulis), Cape-Tomato	10 »	1	—
Physalis edulis macrocarpa , with larger fruit than above	100 »	2	50
<i>Phytolacca decandra</i> , shrub with white flowers in clusters	100 »	3	—
» <i>decica</i> , very rapidly growing tree	100 »	5	—
<i>Ploccama pendula</i> , shrub	Kilo	40	—
<i>Poinciana Gilliesi</i> , beautiful large red and yellow flowers	1000 S.	12	—
Poinciana pulcherrima , handsome scarlet flowering shrub	100 »	5	—
Poinsettia atrocarninea (see Euphorbia)	100 »	2	—
» <i>pulcherrima</i> (see Euphorbia)	100 »	5	—
<i>Psidium Cattleianum</i> , shrub with sweet edible fruit	100 »	—	50
» <i>montanum</i> , very sweet scented fruit	100 »	4	—
» <i>pomiferum</i> , Guava-tree	100 »	4	—
» <i>pyriferum</i> , a variety of the above, white fruit	100 »	5	—
» <i>sinensis</i> , shrub, small red edible fruit	100 »	3	50
» mixed, of above varieties	10 grm.	—	50
Psoralea bituminosa , bushy plant with blue and white flowers	100 S.	2	—
<i>Punica granatum</i> , pomegranate tree	100 grm.	3	—
Raphiolepis ovata , Winter-blooming bushy shrub	100 »	2	50
<i>Retama monosperma</i> . (See Genista)	10 »	1	50
<i>Rhamnus crenulatus</i> , shrub	100 »	1	—
Rhamnus glandulosus , Ever green tree	1 »	1	50
<i>Rhexia elegans</i> , shrub, with abundant snow white flowers	20 »	1	50
Rhodocistus Berthelotianus , beautiful shrub with rose flowers	100 »	4	—
<i>Rhus Coriaria</i>	100 »	1	50
» <i>ruffa</i> , handsome tree with pretty brown berries in bunches	100 S.	—	75
» <i>succedanea</i> , tree	10 grm.	1	50
Rivinia humilis with abundant bunches of scarlet berries	10 »	2	—
» <i>aurantiaca</i> , with bunches of yellow berries	1000 S.	5	—
<i>Rondeletia speciosa major</i> , handsome shrub with bright red flowers	100 grm.	4	—
<i>Rumex lunaria</i> , ever green and bushy shrub	1000 S.	1	—
<i>Ruellia tuberosa</i> , low plant with light blue flowers	1000 »	5	—
<i>Rubia fruticosa</i> , bushy shrub	10 grm.	2	—
<i>Salvia canariensis</i> , light blue flower	10 »	2	—
» <i>splendens</i> , brilliant scarlet flowers	10 »	2	50
» <i>atropurpurea</i> , handsome purple fl.	10 »	2	50
» "Ingenieur Clavenad", — very pretty fl. similar to above	10 »	3	—
» "Prince de Naples", — red flower	100 »	4	—
» <i>coccinea</i> , adapted for groups	100 »	5	—
» var. <i>lactea</i> , white flower	5	2	—
» <i>bicolor</i> , red and white flower	Kilo	3	—
Schinus molle (Pepper-tree, ornamental and rapidly growing tree	100 S.	6	—
<i>Schotia latifolia</i> , tree, bright green foliage	1000 »	5	—
Scutellaria aurantiaca , deep orange flowers	100 grm.	2	—
<i>Sophora japonica</i> , fast growing tree	100 »	5	—
Spartocytisus umbigenus , shrub with sweet scented yellow fl.			

Sphaeralcea umbellata, beautiful shrub with dark red fl. similar to that of *Abutilon*
» rosea, a variety of the above with rose-coloured fl. . . .
Stachystarpheta mutabilis, rose and red flowers
» orubiae, beautiful blue fl. . . .

	Fres.	Ctms.
1000 S.	6	—
100 S.	—	75
10 grm.	1	25
10 »	1	25



Tecoma Smithi.



Tritoma Saundersi.

Stephanophysum longifolium, winter-blooming plant, abundant scarlet flowers, very ornamental pot-plant
Sutherlandia spectabile floribunda, handsome red flowers
Syphocampylus bicolor, yellow and red . .
Tecoma Smithi, magnificent shrub with yellow and orange flowers in bunches 100 grm. fres. 20
Teucrium hiscopifolium, shrub, fine silvery green foliage
Tolpis canariensis, low plant, yellow flower
Toxicophlaea spectabile, handsome shrub with beautiful white flowers in branches
Trachelium coeruleum, blue flower . .
Tritoma Saundersi (fire-poker plant), yellow and red spikes of fl. . . .
Turnera elegans, beautiful bushy plant, with yellow fl. . . .
Verbena citriodora (see *Aloysia*)
Veronica speciosa, winter-blooming, blue flower. . . .
» rubra, crimson red flower


1000 S.	5	—
10 grm.	1	—
1 »	1	50
10 grm.	2	50
1000 S.	4	—
100 »	—	50
10 »	1	—
10 grm.	1	25
20 »	2	—
1000 S.	5	—
10 grm.	2	—
10 »	2	—

		Frs.	Cms.
Veronica Verschaffelti, violet fl., free blooming	20 grm.	3	—
Viburnum rugosum, ever green tree with white flowers	100 »	4	—
Vinca alba pura, snow-white flower	20 »	1	—
» rosea, rose-coloured flower	20 »	—	75
Westringia rosmarinaeflora, fine bushy shrub, light blue fl	100 S.	—	50

Seeds of conifers.

Casuarina quadrivalvis, fast growing	100 grm.	3	50
Cupressus brasiliensis, compact and pyramidal shape	Kilo	10	—
» excelsa , one of the prettiest varieties	»	15	—
» expansa , bushy foliage	»	9	—
» horizontalis , with horizontal branches	»	15	—
» Mc. Nabiana , dark green foliage	»	10	—
» pendula , pretty hanging foliage	»	5	—
» pyramidalis , of pyramidal growth	»	5	—
» Tourneforti , similar to the Araucaria	»	8	—
Juniperus Bermudiana (Bermuda Cedar), beautiful tree when young	»	2	—
» phoenicea , blue green foliage	»	7	—
Pinus canariensis (Canary pine tree), ornamental	100 grm.	4	—
Thuja compacta nana , handsome variety for its bushy and compact growth	100	2	—
» falcata , ornamental conifer	100 »	2	—
» Lobbiana , pretty tree for its hanging foliage	100 »	2	—
» tartarica (australis)	100 »	2	—

Seeds of annual and perennial creepers.



Aristolochia elegans.



Asparagus Sprengeri (falcatus).

Anredera scandens, rapid growth, white flower	10 grm.	2	—
Aristolochia ciliosa, dwarf, small, interesting fl.	1000 S.	2	—
Aristolochia elegans , very handsome creeper remarkable for its orchid-like flowers	10 grm.	1	50
» ornithocephala , large foliage and interesting flower	10 »	2	—
» ringens , with very large flowers; it is a noble foliage plant	1000 S.	2	50
Asparagus spinosus, very graceful climber	100	1	—
Asparagus Sprengeri (falcatus) , handsome plant most adapted for hanging baskets	1000 S. fr. 18	100	1 90

		Frs.	Ctns.
Basella tuberosa alba , dark green foliage and white flowers	10 grm.	2	—
Bignonia Mackenzie , a charming variety of Bignoniaceae, with light pink flowers	1000 S.	10	—
> Manglesi (Tecoma), yellow and brown flowers	100 grm	3	50
> mirabilis (Tecoma), rich blooming, yellow	100	3	50
> Thumbergiana , beautiful bright yellow flower	100	3	50
Bousingaultia baselloides , very fast growing and ornamental creeper	10	2	—
> cordata , pretty foliage with small fragrant flowers.	5	3	—
Brugmansia sarmentosa (see Solandra grandiflora magnifica).	1000 S	4	—
Bomaria multiflora , pretty yellow, green and rose-coloured fl. in bunches	100	2	—
Canarina campanula (Campanula canarina), light rose bell shaped fl.	10	2	—
Caracalla pulcherrima (Phaseolus caracalla), very handsome creeper	Kilo fr. 25	2	75
Cardiospermum hirsutum , beautiful creeper, with white fl. in bunches, remarkable for its inflated membranous capsules	100 grm fr. 2.50	10	30
> velutinum , rapidly growing creeper, white flowers	100	10	50
Clematis flammula , abundant white flowers	20	1	—



Cardiospermum hirsutum.



Cobaea macrostemma

Cobaea macrostemma , new and pretty variety of more rapid growth than			
<i>C. scandens</i> with long-stemmed green and violet flowers	Kilo fr. 75	100 S.	8
> scandens , large bell-shaped violet flowers: one of the most magnificent			
climbers prized for its rapid growth		Kilo	25
> fl. albo , white bell-shaped flowers and pretty yellow green foliage			
Kilo fr. 45	100 grm.	5	—
Coccinea indica , dark green foliage and red fruit	100	3	—
Convolvulus althaeoides , dark rose flowers	100	3	—
> altissimus , white flowers, fast growing	100	2	—
> aureus superbus , abundant yellow flowering creeper of rapid growth.			
Kilo fr. 35	100	4	—
Cucurbita melanosperma , fine creeper bearing large edible fruits used in Confectionary	1000 S.	4	—
Datura sarmentosa (See Solandra grandiflora magnifica)	1000	4	—
Dolichos acinaciformes purpureus , dark green foliage and purple-rose flowers in bunches	10	1	—
> atropurpureus , dark purple flowers	100	1	25
> lignosus , fine foliage and dark rose fl. in bunches	100	1	50
> tuberosus , fast growing creeper, violet fl.	100	2	20
Fragaria indica , proper for hanging baskets with small scarlet fruit	20	2	50
Frankenia cricifolia , adapted for the same purpose as above with small pink flowers	5	2	—

Geranium lateripes (See Pelargonium).

Hardenbergia digitata, beautiful creeper for its delightful dark blue flowers in bunches 100 grm. fr. 8

» *ovata alba*, white flowers in bunches 100 grm.
» *lilacina*, light blue fl. 100 »
» *coerulea*, dark blue fl. 100 S.

Hedera helix var. *canariensis* (Canary Ivy) 100 »

Hexacentris mysorensis. Handsome creeper with large clusters of yellow and scarlet flowers 100 »

Frs. Ctms.



Hexacentris mysorensis.



Linaria cymbalaria flore-albo.

		100 S.	1	—
<i>Ipomea brasiliensis</i> magnifica , pretty light blue flowers	1000 »	15	—	
» chrysantha , rapid growth and abundant yellow fl.	20 grm.	1	75	
» Leari , dark blue flowers.	20 »	1	75	
» <i>azurea</i> , light blue.	100 »	2	50	
Quamoclit Kerberi , rich blooming, scarlet flowers.	100 S.	1	—	
<i>quinquefolia</i> , handsome violet fl., five-pointed leaves.				
rubro-coerulea (<i>violacea vera</i>) magnificent sky-blue fl., very decorative for winter season	Kilo fr. 24	100 grm.	2	50
	» 28	100 »	3	—
» fl. albo , beautiful, large white flowers.		100 »	3	—
» <i>scarlatina</i> , small scarlet flowers				
setosa (Morning Glory) one of the most luxuriant creepers, very showy and graceful with rose-coloured fl.	Kilo fr. 20	100 grm.	2	25
» <i>umbellata</i> , yellow rich-blooming		100 »	4	—
<i>Jasminum gracile</i> , sweet-scented white jasmine		100 »	3	50
<i>Lagenaria</i> Massue , with very long and interesting fruit	Kilo		10	—
» <i>vulgaris</i> , bottle-shaped fruit			10	—
<i>Lathyrus spatulata</i> , light yellow fl.		10 grm.	1	—
Linaria cymbalaria , one of the prettiest and most adapted plant for hanging baskets, light purple-flowers.	100 grm. fr. 14	10 »	1	50
» flore albo , similar foliage to that of above and pure white flowers		10 »	2	25
» flore-rosea , rose-coloured fl.		10 »	2	50
» <i>pilosa</i> , one of the prettiest varieties of this species with bright blue flowers		2	1	—
Lophospermum scandens , exceedingly handsome creeper with rose-coloured fl. like <i>Gloxinia</i> Kilo fr. 80		100	8	50
» <i>coccineum</i> , darker colour than above	20 »		3	—
» <i>erubescens</i> , light rose-coloured fl.	10 »		1	50
<i>Lotus canariensis</i> floribunda , adapted for hanging baskets	1000 S.		3	—
Lotus pelliorechynchus , one of the most adapted and prettiest plants for hanging baskets on account of its silvery foliage and crimson flowers 1000 S. fr. 15	100 »		2	—
<i>Maurandia albiflora</i> , pretty snow-white flower, most beautiful greenhouse climber .	20 grm.		3	50
» <i>antirrhiniflora grandiflora</i> , one of the prettiest varieties with very large deep-rose flowers, similar to <i>Lophospermum</i>	20 »		2	50
» <i>atroviolacea</i> , dark blue	20 »		2	50



Lophospermum scandens.



Maurandia Barclayana.

			Fres.	Ctms.
Maurandia Barclayana , pretty blue	Kilo fr. 95	100 grm.	10	—
Emmeriana rosea , rose-coloured flowers		100	10	—
laceyana , light blue flowers		20	2	—
purpurea grandiflora , darker rose than above		100	10	—
Maurandia fine mixed , of above varieties				
	Kilo fr. 75	100	8	—
Medeola asparagoides (Myrsiphyllum, very ornamental		100	3	50
Mesembrianthemum cristallinum (Ice plant). This well known plant is very much used for hanging baskets, and other ornamental purposes.	Kilo fr. 6	100	—	75
Methonica Plantii , beautiful red and yellow flowers		100 S.	2	50
Mikania scandens , Ivy-like leaf, and yellow flower		10 grm.	3	50
Momordica involuerata , one of the most rapidly growing creepers with pretty foliage and very abundant flowers		100	5	—
Passiflora alba , white passion flower, of rapid growth	Kilo fr. 28	100	3	—
coelestina , beautiful purple flowers with darker centre		100 S.	1	—
edulis , an attractive vine bearing pretty blue and white flowers		100 grm.	4	—
maliforme , broad leaves, and large fruit		100 S.	1	—
Perescia aculeata (Cactus Pereskia) scented flower	1000 S. fr. 5	100	—	60
Periploca laevigata , very hardy creeper		100 grm.	3	—
Pelargonium lateripes , Ivy leaf creeping Pelargonium		1000 S.	12	50
lateripes , fol. var., with variegated foliage		1000	15	—
Phaseolus Caracalla (Caracalla pulcherrima)	Kilo fr. 25	100 grm.	2	75
Rhagodia nutans , adapted for hanging baskets, fine foliage		1000 S.	3	—
Ruscus androgynus , a sort of Smilax with larger leaves		100 grm.	4	—
Rynchosia Caribae , small yellow fl. like butterflies		20	2	—



Solanum Sefearthianum.

		Fres.	Ctms.
<i>Sechium edulis</i> , quick growing creeper bearing edible fruit	100 fr.	20	—
» <i>macrocarpa</i> , with larger fruit than above	100 »	20	—
<i>Solandra grandiflora magnifica</i> , with handsome, large, white and yellowish trumpet-shaped flowers	1000 S. fr. 4	—	50
<i>Solanum Seaforthianum</i> , very pretty purple bunches of flowers	100 grm. fr. 18	2	—
<i>Tacsonia exoniensis</i> , Red passion flower, beautiful creeper	1000 S. fr. 7	—	75
» <i>ignea</i> , lighter colour than above	100 » » 8	—	90
<i>Tamus edulis</i> , large bright green foliage	100 »	—	75
<i>Thumbergia fragrans</i> , snow-white flowers, free-blooming	1000 S. fr. 8	—	90
» <i>coccinea</i> , orange and red clusters of flowers	100 »	3	—
<i>Vicia purpurea</i> , blood-red flowers	20 grm.	2	—
<i>Vitis vinifera</i> var. <i>canariensis</i> , varieties of Canary Vine. mixed	Kilo	6	—



Seeds of decorative plants.



Anthericum algeriensis fol. var.



Aralia papyrifera.

<i>Acanthus lusitanicus</i> (latifolius), fine ornamental foliage	Kilo	4	50
<i>Achyranthes borbonica</i> , small ornamental plant with dark-red foliage	1000 S.	3	—
<i>Agapanthus umbellatus</i> , beautiful large blue fl. in a bunch	100 grm.	3	—
<i>Agave americana</i> , very hardy and ornamental plant	1000 S.	2	50
<i>Alternanthera amabile</i> , most adapted for borders, brown, red and yellow leaf	5 grm.	7	—
» <i>amoena</i> , similar to the above, but larger leaf	5 »	7	—
» <i>compacta aurea</i> , yellow and green foliage	5 »	7	—
» <i>versicolor</i> , of several colours	5 »	8	—
» mixed, of above sorts	10 »	10	—
<i>Amycia zygoteris</i> , a beautiful shrub with bright yellow flowers, resemble to a butterfly	1000 S.	3	—
<i>Anthericum algeriensis</i> (Phalangium), Dracaena-like, white fl.	10 grm.	1	—
fol. var., with variegated green and yellow leaf	10 »	1	—
<i>Aralia papyrifera</i> , large foliage, very ornamental	100 »	4	50
<i>Artemisia argentea</i> , silvery green foliage	100 »	—	90
<i>Arthropodium cirrhatum</i> , broad leaves, white flowers	10 »	2	50
<i>Arundo donax</i> fol. var., variegated leaf	100 »	6	—
<i>Begonia corallina</i> , beautiful and abundant coral red flowers	1	2	50
» <i>discolor</i> (Evansoniana), free-blooming, large rose fl.	1	2	50
» <i>florida</i> , brilliant foliage, free-blooming	1	2	50
» <i>fuchsioides</i> , coral red flowers	1	2	75

		Fres.	Ctms.
<i>Begonia ricinifolia</i> , bronze-coloured leaves	1 grm.	3	—
<i>semperflorens</i> , very ornamental	1	2	50
mixed, of above and other sorts	10	12	50
<i>Billbergia zebrina</i> , green leaves spotted with white	1000 S.	3	—
<i>Bocconia frutescens</i> , first class ornamental leaves measuring from 70–80 ctms. by 30 ctms. wide	100 grm. fr. 3	10 grm.	— 50
<i>Carica papaya</i> (Papaw tree), large foliage	1000 S.	3	—
<i>atroviolacea elegantissima</i> , large green-purple veined leaves	1000	5	—
<i>condomarensis</i> , pretty and new variety with large foliage	1000 S. fr. 9	100	1 —
<i>pedunculata</i> , with long stemmed fruit	1000	4	—
<i>pyriforme</i> , ornamental leaf, pear-shaped fruit	1000	5	—
<i>Cedrella odorata</i> (Cuban Cedar), fine decorative tree	1000	5	—
<i>Centaurea gymnocarpa</i> , indented silvery foliage	1000	5	—
<i>Cineraria argentea populifolia</i> , green leaves, silvery underneath	100 grm.	4	—
<i>candidissima</i> , white silvery foliage	5	3	—
<i>cruenta</i> varietates, pretty small rose, red and violet flowers	Kilo	9	—
<i>platanifolia</i> , bushy shrub, large yellow flowers	1 grm.	—	75
<i>Coleus hybridus varie</i> , pretty varieties, assorted	10	3	—
<i>Coleus laciniatus varie</i> , mixed sorts with curly leaves	10 grm.	3	—
<i>Cosmophilum cacialiaefolium</i> , see <i>Ferdinanda eminens</i>	10	5	—
100 gr. fr. 18	10	2	—
<i>Datura alba plena colossea</i> , beautiful variety	5	1	—
<i>arborea</i> , large white trumpet flower	10 gr. fr. 2	1000 S.	8 —
<i>coccinea</i> , large, white, rose-shaded flower	100	1	50
<i>cornucopiae</i> , white and violet double fl.	100 grm.	2	—
<i>humilis flava</i> , double white fl.	100	1	50
<i>Delphinium staphysagria</i> , bright blue spikes of flowers	100	4	—
<i>Dracaena australis</i> , First class ornamental plant with broad leaves	1000 S. fr. 3.50	100 S.	— 40
<i>caloccoma</i> , fine variety	1000	2	50
<i>colossea</i> , very large, dark green rose-veined foliage	1000	3	—
<i>indivisa</i> , beautiful variety, narrow leaves	10000 S. fr. 8.—	1000	— 90
<i>major</i> , similar to above variety but still prettier	10000	1	—
<i>Mazeli</i> , this variety exceeds every other in beauty	10000	1	25
<i>Veitchi rubra</i> , handsome variety	10000	5	—
<i>Dracaena Draco</i> (Dragon tree), very ornamental	1000	1	—
<i>Echeveria macrophylla</i> , large blue-green foliage	Kilo	12	—
<i>metallica</i> , similar to the above	1000 S.	3	75
<i>retusa floribunda</i> , bushy light green foliage	1000	4	—
<i>Echium bifrons</i> , white spikes of flowers	1000	3	—
<i>formosus</i> , beautiful spikes of purple blue flowers	20 grm.	1	50
<i>roseum</i> , rose flowers in same disposition as above	20	1	25
<i>simplex</i> (Pride of Teneriffe), its flower is a long, white spike, which measures sometimes over 1 metre long	20	1	—
<i>strictum</i> , light blue flowers	20	1	50
mixed, of above varieties	20	1	—
<i>Eryngium bromaeifolium</i> , elegant and ornamental plant	20	—	75
<i>eburneum</i> , similar to the above	20	1	—
<i>pandanifolium</i> , broad leaf	20	—	75
<i>Euphorbia balsamifera</i> , blue-green foliage	20	1	—
<i>canariensis</i> , Cactus like	1000 S.	6	—
<i>pulcherrima</i> (Euphorbia), large crimson flowers	10 grm.	1	25
<i>Regis Jubae</i> , shrub, small yellow flowers	1000 S.	18	—
<i>Fagraea imperialis</i> , First class ornamental plant, with magnificent white trumpet-like flowers	10 grm.	1	50
1000 S. fr. 5	100 S.	—	75



Cineraria cruenta varietates.

		Fres.	Cmts.
Ferdinandea eminens , handsome plant with broad and ornamental leaves and daisy-like flowers in bunches	100 gr. fr. 18	10 grm.	2 —
Ferula gigantea , very ornamental foliage	1000 S. fr. 6	100 S.	— 75
» Linki , large feathery foliage of an attractive aspect		1000 »	6 —
Ficus Canoni (Arthocarpus), brown-red foliage		1000 »	2 50
» Chauvieri , large tree		1000 »	2 50
» Cooperi , pretty ornamental leaves and red fruit		1000 »	2 —
» dealbata , fine brilliant foliage similar to <i>F. elastica</i>		1000 »	2 50
» elastica , first class decorative plant with large shining foliage	10000 S. fr. 18	1000 »	2 —
» imperialis (macrophylla), large-white spotted leaves		1000 »	2 —
» Suringari , heart-shaped leaves		1000 »	2 —
» Versea , white-stemmed tree with pretty foliage		1000 »	2 —
» Wrighti , small and thick foliage		1000 »	2 —
Fourcroya gigantea (Beschar-neria), Agave-like	1000 bulb. fr. 35	100 bulb.	4 —
Galipea macrophylla (Erythrocyton), large leaves		1000 S.	2 —
Geranium atrosanguineum , dark-red foliage		1000 »	3 50
» canariensis , leaves like an Anemone; ornamental pot-plant		1000 »	4 50



Hedychium Gardnerianum.



Melianthus major.

Greya Sutherlandi , shrub with spikes of light-red flowers	1000 S.	3	—
Gunnera scabra , First class decorative plant because of its large foliage	10 grm.	3	—
Hebeclinum macrophyllum , broad leaves and pretty purple flowers	5 »	10	—
Hedychium Coronarium , large, red and yellow spikes of flowers	100 »	6	—
» Gardnerianum , similar to the above	100 »	5	—
Iris Robinsoniana , charming decorative plant with handsome white flowers	100 S. fr. 1.50	1000 S.	12 —
Jatropha glauca , shrub	100 »	1	25
Lavatera arborea fol. var., leaves splashed with white, of splendid appearance	Kilo fr. 20	100 grm.	2 50
Leucophaea candidissima , handsome pot-plant with silvery-white foliage	1000 S.	1	50
» Massoniana , white silvery and broad leaves	1000 »	2	—
Melianthus major , a pretty sub-tropical plant with handsome pinnate, rich green and elegant foliage	100 gr. fr. 9	10 grm.	1 —
» minor , similar to the above	100 » » 9	10 »	1 —
Metrodorea atropurpurea , shrub with purple flower	100 S.	1	—
Musa alba indica , very elegant with broad leaves and yellowish stem	100 »	4	—
» Manni , dwarf sort with dark-red veined foliage; graceful and ornamental plant	100 »	4	50
» Martini , one of the prettiest varieties known, with very large and broad leaves			
» This <i>Musa</i> often attains with us a height of 8—10 metres.	1000 S. fr. 30	100 »	3 50
» ornata rosea , with beautiful rose-coloured fl.	1000 » » 25	100 »	2 75
» rosacea , thin stemmed and large leaves	1000 » » 20	100 »	2 25
Nandina domestica , fine ornamental shrub		100 »	— 50
Nicotiana acutifolia , with long white flowers	100 grm.	1	—
» affine , sweet-scented white flowers	100 »	1	50


Nicotiana colossea.

Nicotiana sylvestris.

Nicotiana lanceolata, narrow and long leaves

paniculata, small bushy plant with yellow and green fl.

» *sylvestris*, a first class ornamental plant with long spikes of white flowers. Kilo fr. 18

Odontospermum sericeum, white silvery foliage and pretty yellow fl.

Peperomia maculosa, with heart-shaped leaves

» *rubella*, small and fine foliage. 1000 S. fr. 4

Phormium tenax, New-Zealand flax, very ornamental plant

» *tenacissimum*, long foliage


Musa Martini.

Nicotiana atropurpurea grandiflora, rose-coloured fl.

» *colossea*, a first class ornamental plant for its handsome stately foliage. 100 grm. fr. 55

» *glauca*, shrub, light green leaves and yellow fl.

	Frcs.	Ctns.
100 grm.	—	75
10 »	6	—
100 »	1	50
20 »	1	50
10 »	2	—
100 »	2	—
1000 S.	2	—
1000 »	4	—
100 »	—	50
100 grm.	3	—
1000 S.	1	50

		Fres.	Ctns.
Phormium Veitchi, with variegated foliage	1000 S.	3	50
Pilea callitrichoides, very interesting and ornamental plant with small thin foliage	1000 »	2	—
Sempervivum annuum, hairy foliage, yellow flowers	1 grm.	—	75
» arboreum album, white flower, blue-green leaves	1 »	—	75
» barbatum, thick leaves	1 »	1	—
» canariensis, large leaves, yellow	1 »	1	—
» choloerysum, cup-shaped	1 »	—	75
» marginatum, light green leaves with purple edges	1 »	1	—
» tabulaeforme, plate-shaped; interesting variety	5 »	3	—
» mixed, of above sorts	2 »	1	25
Senecio Ghiesbreghti, ornamental foliage with large bunches of yellow fl.	100 »	4	—
Solanum albidum Portmani, leaves about half metre long	100 »	5	—
» arboreum, fine shrub with red fruit	100 »	1	50
» atropurpureum violaceum, green and dark purple foliage			



Solanum robustum.



Solanum Warscewiczii.

Solanum auriculatum, with white silvery leaves	Kilo fr. 12	100 grm.	1	25
» cabiliense argenteum (marginatum)	» » 9	100 »	1	—
» cyananthum, green leaves, white underneath	» » 15	100 »	1	60
» giganteum, with white silvery foliage		100 »	2	50
» haematocarpum, shrub with red fruit		100 »	6	—
» japonicum, fine ornamental shrub, with purple flowers		100 »	3	—
» laciniatum, red fruit and pretty feathery foliage		100 »	2	—
» marginatum , white silvery and green leaves, very ornamental alone or in groups	Kilo fr. 9	100 »	1	—
Solanum robustum , large bronze-red leaves; very ornamental plant	» » 40	100 »	4	50
» Seaforthianum, beautiful creeping species with bunches of purple flowers		10 »	2	—
	100 grm. fr. 18	20 »	1	—
» Vespertillo (Sol. Nava) with red fruits	Kilo fr. 20	100 »	2	50
» Warscewiczii , first class decorative shrub, large leaves		1000 S.	2	—
Sonchus arboreus laciniatus, shrub, pretty foliage and yellow flowers		1000 »	1	50
» macranthus, large yellow flowers, broad leaves		1000 S.	1	50
» Jacquinii, similar to above variety				



Wigandia Vigieri.

		Fres.	Ctns.
Statice brassicaefolia, new variety with dented foliage and light blue flowers	10 grm.	1	—
» imbricata, handsome light-blue flowers (everlasting) . .	10 grm.	1	75
» macrophylla (everlasting), large bunches of bright blue fl.	100 »	5	—
» macrophylla atrocoerulea , same as above with darker flower.	100 »	6	—
» pectinata , small pot-plant, light-blue flowers	100 »	3	—
Tradescantia discolor. Dracaena-like, green leaves, purple underneath	1000 S.	10	—
» discolor albo lineata , same as above with yellow-variegated leaves	1000 »	12	—
Wigandia caracasana, first class ornamental plant, large foliage	100 grm.	4	—
» imperialis , broad leaves and pretty violet flowers	100 »	3	75
» Vigieri , similar to above varieties	100 »	3	—




Seeds of ornamental grasses and aquatic plants.

Agrostis miliacea. $\frac{1}{2}$ metre high grass; its flowers are proper for bouquets 100 grm. 2 —
 Andropogon argenteum, pretty bushy grass 100 » 2 —
 » **formosus**, very ornamental; 2 to 3 metres high 100 grm. fr. 18 2 —



Cyperus alternifolius.

Arundo donax, with broad leaves.	100 »	2	—
» fol var., beautiful variegated foliage	100 »	5	—
» gyneroides , Cynerium-like grass	100 »	2	—
Avena sterilis, ornamental grass.	100 »	3	—
Chloris latifolia, its flower is well adapted for bouquets	100 »	2	—
Coix lacrymae (Job's tears).	100 »	2	—
Cyperus alternifolius (clean seed), very ornamental and striking plant for its long, round stems from 4-6 feet high, surmounted at the top by a whorl of flat ribbon-like leaves	100 grm. fr. 12.50	10 »	1 50
» alternifolius fol. variegata , pretty variety with variegated leaves	20 »	6	—
» nanus compactus , smaller and more compact than above variety	100 grm. fr. 18	10 »	2 —
» natalensis , large, ornamental foliage	100 »	3	75
» Papyrus , first class aquatic plant	50 grm. fr. 9	10 »	2 —
Cyperus Paramatta , ornamental grass	20 »	—	75
Cyperus rotundus (Cyperus hexatachyos).	100 »	5	—
» tuberculatus , a dwarf sort of Cyperus	5 »	2	—
» vegetus , of rapid growth, brilliant green foliage	20 »	2	50
Eulalia japonica, its flower is very adapted for bouquets	100 »	2	—
» zebrina , with white striped foliage	100 »	2	50




Gynerium argenteum.



Panicum plicatum fol. var.

		Fres.	Cms.
Galilea juncea, long, thin and round leaves	10 grm.	3	—
Gymnotrix japonica, beautiful grass	100 "	5	—
» caudata , very ornamental and fast growing grass	20 "	1	—
» latifolia , 3 metre high cane-grass	100 "	2	—
Gynerium argenteum (Pampas grass)	100 "	2	—
Isolepis canariensis, small aquatic plant	10 "	3	—
Juncus scoparius, ornamental, thin foliage	10 "	3	—
» tonsum , with pretty flowers adapted for bouquets	20 "	1	25
Panicum palmatum , very decorative broad leaves	100 "	3	50
» plicatum , with corrugated leaves	100 "	6	—
» fol. var., pretty white variegated foliage	100 "	2	—
» spectabile , ornamental and rapid growing grass	100 "	4	—
» sulcatum , elegant plant with long and hairy foliage	10 "	2	—
» tonsum , with pretty flowers adapted for bouquets	10 "	2	—
Papyrus antiquorum (Cyperus Papyrus), clean seed	50 grm. fr. 9	—	50
Paspalum elegans, adapted for bouquets	10 "	—	30
Pennisetum Ruppellianum, first-class ornamental grass with abundant purple spikes of flowers	100 grm. fr. 1.75	5	—
Saccharum officinarum (Sugar Cane)	100 "	5	—
» violaceum , purple striped	100 "	3	—
Scirpus natalensis, rapidly growing, light green foliage	100 "	2	50
Uniola latifolia, very well adapted for bouquets	Kilo	3	—
Zea atropurpurea, with red cobs			



Seeds of bulbous and tuberous plants.

Alstromeria psitacina, long-stemmed white, rose and green fl.	20 grm.	1	—
Amayllis longiflora alba (Crinum Capensis), white flower	20 bulb.	1	25
» Belladonna , handsome rose and white bell-shaped flower	100 S.	1	25
Antholyza aethiopica, winter-blooming, Gladiolus-like flower	100 grm.	3	—



Isoloma hirsutum.

Tritoma Saundersi (fire-poker), red**Umbilicium canariensis**, umbrella-shaped small leaves**Asphodellus ramossus**, with spikes of white flowers**Clivia nobilis** (Imantophyllum), beautiful cluster of red and yellow flower**Dracunculus canariensis**, similar to an Arum with hand-shaped leaves**Gladiolus segetum**, purple-red flower**Imantophyllum cithrantiflorum** (See Clivia nobilis)**Iris Robinsoniana**, very ornamental plant from 1½–2 metres high, bearing a beautiful large white flower with yellow centre.**Isoloma hirsutum**, with pretty dark red fl.**Methonica Plantii** (Gloriosa), handsome creeper with red and yellow flowers**Pancratium canariensis**, spikes of large white flowers**Ranunculus canariensis**, brilliant yellow flower and hairy foliage**Tigridia canariensis**, yellow flowers

and yellow spikes.

1

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

Pres. Ctms.

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

Seeds of palms.

Coeos coronata» **australis**» **flexuosa**» **plumosa**

These four varieties of Palms, similar to each other are of very high growth and elegant shape.

Latania borbonica, fan-palm, very decorative**Oreodoxa oleracea**, similar to Royal palm» **Regia** (Royal palm), handsome variety with elevated and white stem**Phoenix canariensis**, this well known palm is highly esteemed as a rapidly growing species**Phoenix canariensis macrocarpa**, a variety of the above» **glauca**, with beautiful, thin stem, very elegant» **leonensis**, similar to Ph. spinosa» **melanosperma**, similar to Phoenix dactilifera» **reclinata**, with arched leaves» **senegalensis**, thin and high stem» **spinosa**, very elegant and ornamental palm» **tomentosa**, similar to above» **tenuis**, a handsome variety of Ph. canariensis» **sylvestris**, with long thin stem**Sabal chinensis**, dwarf fan palm» **havanensis**, large leaves» **umbraculifera**, with larger leaves than above» **Blackburneana**, fan-palm**Sabal Palmetto** (Chamaerops Palmetto)**Seaforthia elegans**, a handsome and ornamental palm

Latania borbonica.

Seeds of ferns.

			Frcs.	Ctms.
<i>Achrostyrium capensis coriaceum</i>	5 grm. fr.	7.50	1 grm.	1 75
Adiantum Capillus Veneris	5 " " 7.50	1 " 2	1 " 75	—
» <i>major</i>	5 " " 8.50	1 " 1	1 " 75	75
» <i>palmatum</i>		1 " 1	1 " 75	90
» <i>reniforme</i>	100 grm. fr.	20.—	1 " 1	75
Alsophylla australis (Tree-fern)	5 " " 7.50	1 " 2	1 " 75	—
<i>Aspidium aculeatum</i>	5 " " 8.50	1 " 1	1 " 75	75
<i>Asplenium Fabianum</i>	5 " " 7.50	1 " 1	1 " 75	75
» <i>fili-foemina</i>	5 grm. fr.	7.50	1 " 1	75
» <i>marinum</i>	5 grm. fr.	7.50	1 " 1	75
» <i>molle</i> (violaceum)	5 " " 7.50	1 " 1	1 " 75	—
» (Adiantum) <i>nigrum</i>	5 " " 7.50	1 " 2	1 " 75	—
» <i>trichomanes</i>			1 " 1	—
Balanium antaretium (Tree-fern)	10 grm. fr.	9.—	1 " 1	75
<i>Blechnum pectinatum</i>			1 " 2	—
» <i>brasiliensis</i>	5 grm. fr.	7.50	1 " 1	75
» <i>spicant</i>	5 " " 7.50	1 " 1	1 " 75	75
Ceterach aureum	5 " " 7.50	1 " 2	1 " 75	—
<i>Cheilanthes fragrans</i>			1 " 1	75
» <i>pulchella</i>			1 " 1	75
<i>Cystopteris canariensis</i>			1 " 1	—
Davallia canariensis	10 grm. fr.	9	1 " 1	75
<i>Nephrolepis exaltata</i>			1 " 1	75
» <i>neglecta</i>			1 " 1	75
<i>Nottochlaena lanuginosa</i>			1 " 1	75
<i>Nottochlaena Maranthae</i>	10 grm. fr.	9.—	1 " 1	—
<i>Polypodium vulgare</i>			1 " 1	50
» <i>punctatum</i>	5 grm. fr.	7.50	1 " 1	75
Pteris acuilina			1 " 2	—
» <i>cretica albo-lineata</i>	10 grm. fr.	9.—	1 " 1	75
» <i>longifolia</i>	5 " " 7.50	1 " 1	1 " 75	75
» <i>tremula</i>	5 grm. fr.	7.50	1 " 1	75
» <i>crispa</i>	5 grm. fr.	7.50	1 " 1	75
Woodwardia radicans	10 " " 6.—	5	3	50
Mixed sorts of above and many other fine varieties				



Alsophylla australis.

Seeds of tropical and sub-tropical fruit-trees and miscellaneous useful plants.

<i>Aleurites moluccana</i> , with large fruits similar to nuts.	100 grm. fr.	2.50	10 S.	1 25
<i>Anona cherimollia</i> , Custard-apple, excellent fruit			100 " 1	—
» <i>macrophylla</i> , large foliage and fruit			100 " 1	25
» <i>macrocarpa</i> , largest fruit of all			100 " 1	50
» <i>reniforme</i> , Kidney-shaped fruit			10 grm. 2	—
<i>Arbutus canariensis</i> , pretty foliage with edible orange fruit	1000 S. fr.	7	100 S. —	75
<i>Ardisia excelsa</i> , with cherry-like small edible fruit.	Kilo fr.	10	100 grm. 1	25
<i>Cesalpinia sepriaria</i> , handsome spikes of yellow flowers			1000 S. 3	—
<i>Carica papaya</i> (Papaw-tree), very decorative plant			1000 " 5	—
Cedrella odorata (Cuban Cedar), pretty foliage-tree			Kilo 2	—
<i>Convolvulus Batatas</i> (red-variety), sweet-potatoes, edible			" 2	—
» (white-variety), "			1000 S. 6	—
<i>Eriobothria japonica</i> , Loquats-tree, from Japan			100 " 1	50
<i>Eugenia brasiliensis</i> , shrub with small scarlet edible fruit			100 " 2	—
» <i>Jambosa</i> , handsome flower and very sweet-scented edible fruit				

		Frs.	Cms.
<i>Eugenia pitanga</i> , similar to <i>E. brasiliensis</i>	100 S.	1	50
<i>Faya fragifera</i> (<i>Myrica faya</i>), pretty shrub	100 grm.	2	—
<i>Gossipium arboreum</i> (Cotton-plant)	20 »	—	75
<i>Jambosa vulgaris</i> , see <i>Eugenia Jambosa</i>	100 S.	2	—
<i>Juniperus Bermudiana</i> (Bermudan Cedar), First class ornamental tree, especially when young	Kilo	8	—
<i>Mangifera indica</i> , mango-tree, rich fruit	10 S.	5	—
<i>Persea gratissima deliciosa</i> (Alligator-pear), one of the finest fruit-trees . .	10 »	2	—
<i>Schinus molle</i> (Pepper-tree), very decorative and quickly growing	Kilo	3	—
<i>Vitis vinifera</i> var. <i>canariensis</i> , Canary Vines, mixed sorts	»	6	—



Bulbs.

<i>Agapanthus umbellatus</i> , with beautiful large blue flowers	per 100	15	—
<i>Amaryllis Belladonna</i> , rose and white bell-shaped flowers	» 100	12	50
» <i>vittata hybrida</i> , red fl. white striped	» 100	90	—
<i>Asphodelus ramosus</i> , spikes of white flowers	» 10	4	—
<i>Basella tuberosa alba</i> , very fast growing creeper	» 10	3	—
<i>Caladium esculentum</i> , splendid tropical plant with large leaves	» 100	35	—
» <i>nymphaefolium</i> , with larger foliage than above	» 100	35	—
» <i>ovatum</i> , with purple-veined leaves	» 100	35	—
<i>Calla aethiopica</i> , handsome, large white and yellow flower	» 100	20	—
<i>Canna Austria</i> , large yellow flower	» 100	30	—
» <i>Italia</i> , beautiful yellow and red fl.	» 100	40	—
<i>Davallia canariensis</i> (fern), very hardy variety	» 100	18	—
<i>Dracunculus canariensis</i> , Arum-like flower with hand-shaped leaves	» 100	18	—
<i>Ferraria canariensis</i> (<i>Tigridia canariensis</i>)	» 10	2	50
<i>Hedychium coronarium</i> , with handsome spikes of red and yellow fl.	» 10	7	50
» <i>Gardnerianum</i> , similar to the above	» 10	7	50
» <i>fragrantissimum album</i> , remarkably beautiful for its snow-white and rich-scented resembling to like butterflies	» 10	8	—
<i>Iris fimbriata</i> , beautiful pink and yellow flower	» 100	15	—
<i>Lillium candidum</i> , pure white large flowers	» 10	2	50
<i>Narcissus canariensis</i> , single and fragrant narcissus	» 100	15	—
<i>Oxalis cernua</i> , with single bright-yellow flowers	» 100	7	50
» <i>flore pleno</i> , double yellow fl. with reddish tint	» 100	8	50
<i>Panercatium canariensis</i> , pretty spikes of white flowers	» 100	40	—
<i>Polypodium vulgare</i> (fern)	» 100	10	—
<i>Scilla haemorrhoidalis</i> , with white spikes of flowers	» 100	35	—
» <i>hyacinthoides</i> , smaller than above	» 10	2	—
<i>Tamus edulis</i> , creeper with large brilliant foliage	» 10	4	—



Young plants.

	Frca.	Ctms.
Crinum amabile , first-class ornamental bulbous plant with large white and purple-red flowers each fr. 1.25—2.— and	—	2 50
Musa discolor , dark green leaves, purplish underneath.	—	3 —
> Martini see description in ornamental plants	—	5 —
> rosacea , very decorative with rose-coloured flower	—	2 50
> sinensis , common Banana-plant	—	—



Our Specialty Onion seed.

Bermuda Red , one of the best onions, reddish colour and flat-shape . .	£ — 0	— 3	— 0	per t
„ White , still better than the above, white colour and flat-shape	— 0	— 3	— 6	1/
White „Orotava“ . A new and fine variety, snow white colour . . .	— 0	— 4	— 0	2

Prices on application.



Cabbage from Tacoronte (Riesenkopfkohl von Tacoronte) of enormous size	per Kilo	10	—
Palm branches (Phoenix canariensis or tennuis), for church decoration at Easter	—	—	—
each fr. 1.—, 1.50 and fr. 2.—			
Phoenix leaflets , used for artificial bouquets and other purposes from 30—	per Kilo	2	25
40 Ctms. long, per Kilo 1 fr. 90; from 40—50 and over			



INDEX.

	Page.
Seeds of ornamental trees, shrubs etc.	1
> > conifers.	7
> > annual and perennial creepers	7
> > decorative plants	11
> > ornamental grasses and aquatic plants	16
> > bulbous and tuberous plants	17
> > palms	18
> > ferns	19
> > tropical and sub-tropical fruit-trees and miscellaneous useful plants	19
Bulbs	20
Young plants	21
Onion seed	21
Palm branches	21
Phoenix leaflets	21




BERMUDA ONION.


See Page 21.

228
242

PRESERVATION REVIEW

Aug 2006 _____





UNIVERSITY OF ILLINOIS-URBANA



3 0112 077455274